

Sedimentary system response to the global sea level change at the last glacial maximum

Earth-Science Reviews

139, 390-405

DOI: [10.1016/j.earscirev.2014.09.007](https://doi.org/10.1016/j.earscirev.2014.09.007)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Origin and depositional environment of fine-grained sediments since the last glacial maximum in the southeastern Yellow Sea: evidence from rare earth elements. <i>Geo-Marine Letters</i> , 2015, 35, 421-431.	1.1	13
2	Sr- ⁸⁷ Sr/ ⁸⁶ Sr isotopic constraints on detrital sediment provenance and paleoenvironmental change in the northern Okinawa Trough during the late Quaternary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 430, 74-84.	2.3	39
3	The dynamic responses of flow and near-bed turbidity to typhoons on the continental shelf of the East China Sea: field observations. <i>Geological Journal</i> , 2016, 51, 12-21.	1.3	11
4	Distribution and diffusion of surface suspended matter off the East China Shore, 2010. <i>Geological Journal</i> , 2016, 51, 49-59.	1.3	4
5	Quaternary seismic facies of the South Yellow Sea shelf: depositional processes influenced by sea-level change and tectonic controls. <i>Geological Journal</i> , 2016, 51, 77-95.	1.3	16
6	Tidal Evolution in the Yellow and East China Sea during Holocene. <i>Journal of Coastal Research</i> , 2016, 75, 785-789.	0.3	5
7	Sources and burial of organic carbon in the middle Okinawa Trough during late Quaternary paleoenvironmental change. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2016, 118, 46-56.	1.4	20
8	Seismic and core investigation on the modern Yellow River Delta reveals the development of the uppermost fluvial deposits and the subsequent transgression system since the postglacial period. <i>Journal of Asian Earth Sciences</i> , 2016, 128, 158-180.	2.3	16
9	Hydrodynamic condition and suspended sediment diffusion in the Yellow Sea and East China Sea. <i>Journal of Geophysical Research: Oceans</i> , 2016, 121, 6204-6222.	2.6	81
10	Holocene coastal morphologies and shoreline reconstruction for the southwestern coast of the Bohai Sea, China. <i>Quaternary Research</i> , 2016, 86, 144-161.	1.7	10
11	High-resolution OSL dating of a coastal sediment sequence from the South Yellow Sea. <i>Geochronometria</i> , 2016, 43, 143-154.	0.8	18
12	The time scale of river sediment source-to-sink processes in East Asia. <i>Chemical Geology</i> , 2016, 446, 138-146.	3.3	43
13	Constraining the transport time of lithogenic sediments to the Okinawa Trough (East China Sea). <i>Chemical Geology</i> , 2016, 445, 199-207.	3.3	14
14	Seismic stratigraphy and depositional history of late Quaternary deposits in a tide-dominated setting: An example from the eastern Yellow Sea. <i>Marine and Petroleum Geology</i> , 2016, 73, 212-227.	3.3	43
15	Spatial and temporal variations and controlling factors of sediment accumulation in the Yangtze River estuary and its adjacent sea area in the Holocene, especially in the Early Holocene. <i>Continental Shelf Research</i> , 2016, 125, 1-17.	1.8	22
16	Spatiotemporal variations of phytoplankton in the East China Sea and the Yellow Sea revealed by lipid biomarkers. <i>Journal of Geophysical Research: Biogeosciences</i> , 2016, 121, 109-125.	3.0	31
17	Source and accumulation of gas hydrate in the northern margin of the South China Sea. <i>Marine and Petroleum Geology</i> , 2016, 69, 127-145.	3.3	61
18	Provenance weathering and erosion records in southern Okinawa Trough sediments since 28 ka: Geochemical and Sr- ⁸⁷ Sr/ ⁸⁶ Sr-Pb isotopic evidences. <i>Chemical Geology</i> , 2016, 425, 93-109.	3.3	85

#	ARTICLE	IF	CITATIONS
19	Sequence stratigraphy of the subaqueous Changjiang (Yangtze River) delta since the Last Glacial Maximum. <i>Sedimentary Geology</i> , 2016, 331, 132-147.	2.1	59
20	Major sinks of the Changjiang (Yangtze River)-derived sediments in the East China Sea during the late Quaternary. <i>Geological Society Special Publication</i> , 2016, 429, 137-152.	1.3	46
21	Structure, distribution, and evolution history of the Early Holocene erosional mud ridge system on the inner East China Sea shelf near the Yangtze River estuary. <i>Geomorphology</i> , 2017, 283, 173-188.	2.6	18
22	Land-sea duel in the late Quaternary at the mouth of a small river with high sediment yield. <i>Journal of Asian Earth Sciences</i> , 2017, 143, 59-76.	2.3	10
23	Organic geochemical investigations of the Dali Lake sediments in northern China: Implications for environment and climate changes of the last deglaciation in the East Asian summer monsoon margin. <i>Journal of Asian Earth Sciences</i> , 2017, 140, 135-146.	2.3	13
24	Magnetic properties indicate sediment provenance and distribution patterns in the Bohai and Yellow Seas, China. <i>Continental Shelf Research</i> , 2017, 140, 84-95.	1.8	19
25	Reply to comment by Yonghang Xu on “Detrital zircon geochronology of river sands from Taiwan: Implications for sedimentary provenance of Taiwan and its source link with the east China mainland”. <i>Earth-Science Reviews</i> , 2017, 168, 235-239.	9.1	5
26	Palaeotsunami in the East China Sea for the past two millennia: A perspective from the sedimentary characteristics of mud deposit on the continental shelf. <i>Quaternary International</i> , 2017, 452, 54-64.	1.5	14
27	Seismic morphology and infilling structure of the buried channel system beneath the inner shelf off western Long Island, New York: Accessing clues to palaeo-estuarine and coastal processes. <i>Marine Geology</i> , 2017, 387, 12-30.	2.1	38
28	Provenance study of the Holocene sediments in the Changjiang (Yangtze River) estuary and inner shelf of the East China sea. <i>Quaternary International</i> , 2017, 441, 147-161.	1.5	49
29	Application of Surface Spline Interpolation in Inversion of Bottom Friction Coefficients. <i>Journal of Atmospheric and Oceanic Technology</i> , 2017, 34, 2021-2028.	1.3	27
30	Distributions and sources of heavy metals in sediments of the Bohai Sea, China: a review. <i>Environmental Science and Pollution Research</i> , 2017, 24, 24753-24764.	5.3	41
31	Vegetation succession and East Asian Summer Monsoon Changes since the last deglaciation inferred from high-resolution pollen record in Gonghai Lake, Shanxi Province, China. <i>Holocene</i> , 2017, 27, 835-846.	1.7	67
32	Sediment provenance and paleoenvironmental change in the middle Okinawa Trough during the last 18.5ky: Clay mineral and geochemical evidence. <i>Quaternary International</i> , 2017, 440, 139-149.	1.5	10
33	Seismic stratigraphic reconstruction of late Pleistocene lowstand wedges on the shelf margin and trough region of the Korea Strait: a review. <i>Geosciences Journal</i> , 2017, 21, 933-949.	1.2	7
34	On the Pleistocene Population History in the Japanese Archipelago. <i>Current Anthropology</i> , 2017, 58, S539-S552.	1.6	14
35	Tidal current-dominated depositional environments in the central-northern Yellow Sea as revealed by heavy-mineral and grain-size dispersals. <i>Marine Geology</i> , 2018, 398, 59-72.	2.1	16
36	Pollen record of early- to mid-Holocene vegetation and climate dynamics on the eastern coast of the Yellow Sea, South Korea. <i>Holocene</i> , 2018, 28, 1011-1022.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Evolution of Holocene ebb-tidal clinoform off the Shandong Peninsula on East China Sea shelf. <i>Earth-Science Reviews</i> , 2018, 177, 478-496.	9.1	19
38	Sr- ⁸⁷ Sr/ ⁸⁶ Sr isotopic geochemistry of Holocene sediments from the South Yellow Sea: Implications for provenance and monsoon variability. <i>Chemical Geology</i> , 2018, 479, 102-112.	3.3	25
39	A comprehensive sediment dynamics study of a major mud belt system on the inner shelf along an energetic coast. <i>Scientific Reports</i> , 2018, 8, 4229.	3.3	39
40	Riverine vegetation and environments of a Late Pleistocene river terrace, Khorat Plateau, Southeast Asia. <i>Palynology</i> , 2018, 42, 158-167.	1.5	12
41	Provenance discrimination of sediments in the Zhejiang-Fujian mud belt, East China Sea: Implications for the development of the mud depocenter. <i>Journal of Asian Earth Sciences</i> , 2018, 151, 1-15.	2.3	62
42	Relative sea level rise, site distributions, and Neolithic settlement in the early to middle Holocene, Jiangsu Province, China. <i>Holocene</i> , 2018, 28, 354-362.	1.7	10
43	Spatial and temporal distribution of Neolithic sites in coastal China: Sea level changes, geomorphic evolution and human adaption. <i>Science China Earth Sciences</i> , 2018, 61, 123-133.	5.2	49
44	Sedimentary evolution of the Yangtze River mouth (East China Sea) over the past 19,000 years, with emphasis on the Holocene variations in coastal currents. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 490, 431-449.	2.3	25
45	Facies and stratigraphic architecture of the late Pleistocene to early Holocene tide-dominated paleo-Changjiang (Yangtze River) delta. <i>Bulletin of the Geological Society of America</i> , 2018, 130, 455-483.	3.3	35
46	Temporal and spatial characteristics of sediment sources on the southern Yangtze Shoal over the Holocene. <i>Scientific Reports</i> , 2018, 8, 15577.	3.3	10
47	Variation in the Current Shear Front and Its Potential Effect on Sediment Transport Over the Inner Shelf of the East China Sea in Winter. <i>Journal of Geophysical Research: Oceans</i> , 2018, 123, 8264-8283.	2.6	18
48	Late Quaternary sedimentary evolution of the outer shelf of the East China Sea. <i>Quaternary International</i> , 2018, 493, 59-69.	1.5	9
49	Three-dimensional evolution of the Yangtze River mouth, China during the Holocene: impacts of sea level, climate and human activity. <i>Earth-Science Reviews</i> , 2018, 185, 938-955.	9.1	92
50	Sea-level oscillations in the East China Sea and their implications for global seawater redistribution during 14.0±10.0 kyr BP. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 511, 298-308.	2.3	18
51	Nonevaporative origin for gypsum in mud sediments from the East China Sea shelf. <i>Marine Chemistry</i> , 2018, 205, 90-97.	2.3	16
52	Formation processes and evolution of Holocene sediments in the Yangtze offshore area: A review and new interpretation on the response to sea-level rise and deltaic progradation. <i>Quaternary International</i> , 2018, 490, 33-42.	1.5	3
53	Evolution of sedimentary mode since Pleistocene in the central South Yellow Sea, China, based on seismic stratigraphy analysis. <i>Quaternary International</i> , 2018, 482, 157-170.	1.5	6
54	Holocene variation of radiocarbon reservoir age offshore western Taiwan, derived from paired charcoals and mollusks. <i>Quaternary International</i> , 2019, 527, 79-86.	1.5	3

#	ARTICLE	IF	CITATIONS
55	Late Pleistocene-Holocene sedimentary facies and evolution of the Jeju Strait shelf, southwest Korea. <i>Quaternary International</i> , 2019, 519, 156-169.	1.5	11
56	Episodes of tidally-forced swale erosion on the inner shelf interspersed with millennial fluviodeltaic progradational interludes: Insights from northern Bohai Bay, China. <i>Marine Geology</i> , 2019, 417, 106008.	2.1	4
57	Strata sequence and paleochannel response to tectonic, sea-level, and Asian monsoon variability since the late Pleistocene in the South Yellow Sea. <i>Quaternary Research</i> , 2019, 92, 450-468.	1.7	5
58	Optically stimulated luminescence dating of late Quaternary loess deposits in the coastal region of North China: Provenance and paleoclimatic implications. <i>Quaternary Science Reviews</i> , 2019, 218, 160-177.	3.0	14
59	Foraminiferal Changes and Response to the Channel Diversion and Discharge Fluctuation of the Yellow River in the North Yellow Sea During the Past Century. <i>Journal of Ocean University of China</i> , 2019, 18, 1317-1328.	1.2	1
60	High- and low-latitude forcing on the south Yellow Sea surface water temperature variations during the Holocene. <i>Global and Planetary Change</i> , 2019, 182, 103025.	3.5	22
61	Stratigraphic Sequence and Sedimentary Systems in the Middle-Southern Continental Slope of the East China Sea from Seismic Reflection Data: Exploration Prospects of Gas Hydrate. <i>Journal of Ocean University of China</i> , 2019, 18, 1302-1316.	1.2	3
62	Sedimentary responses to the sea level and Indian summer monsoon changes in the central Bay of Bengal since 40â€‘ka. <i>Marine Geology</i> , 2019, 415, 105947.	2.1	31
63	Sea-level change as the driver for lake formation in the Yangtze Plain â€‘ A review. <i>Global and Planetary Change</i> , 2019, 181, 102980.	3.5	35
64	REEs and Sr-Nd isotope variations in a 20 ky-sediment core from the middle Okinawa Trough, East China Sea: An in-depth provenance analysis of siliciclastic components. <i>Marine Geology</i> , 2019, 415, 105970.	2.1	16
65	Developing a marine protected area network with multiple objectives in China. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 952-963.	2.0	17
66	New evidence on the spatial-temporal distribution of superlobes in the Yellow River Delta Complex. <i>Quaternary Science Reviews</i> , 2019, 214, 117-138.	3.0	20
67	Seasonal variation in sediment transport and deposition on a muddy clinoform in the Yellow Sea. <i>Continental Shelf Research</i> , 2019, 179, 37-51.	1.8	24
68	Mid- to late Holocene cooling events in the Korean Peninsula and their possible impact on ancient societies. <i>Quaternary Research</i> , 2019, 92, 98-108.	1.7	7
69	Event deposits of intense typhoons in the muddy wedge of the East China Sea over the past 150â€‘years. <i>Marine Geology</i> , 2019, 410, 109-121.	2.1	25
70	A new perspective for the sediment provenance evolution of the middle Okinawa Trough since the last deglaciation based on integrated methods. <i>Earth and Planetary Science Letters</i> , 2019, 528, 115839.	4.4	25
71	Sea level-controlled sediment transport to the eastern Arabian Sea over the past 600 kyr: Clay minerals and Sr Nd isotopic evidence from IODP site U1457. <i>Quaternary Science Reviews</i> , 2019, 205, 22-34.	3.0	34
72	Pyrite sulfur isotopes constrained by sedimentation rates: Evidence from sediments on the East China Sea inner shelf since the late Pleistocene. <i>Chemical Geology</i> , 2019, 505, 66-75.	3.3	64

#	ARTICLE	IF	CITATIONS
73	Seismic stratigraphy and morphology of the Holocene progradational system beneath Bohai Bay, Bohai Sea: Lobate evolution of a multi-sourced subaqueous fluviodeltaic complex. <i>Marine Geology</i> , 2019, 409, 31-47.	2.1	12
74	Temporal-Spatial Variation of Surface Suspended Matter and Controlling Factors in the Inner Shelf of the East China Sea in Winter. <i>Journal of Ocean University of China</i> , 2019, 18, 9-19.	1.2	0
75	Quaternary sedimentary record in the northern Okinawa Trough indicates the tectonic control on depositional environment change. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 516, 126-138.	2.3	8
76	Spatial patterns of vegetation and climate in the North China Plain during the Last Glacial Maximum and Holocene climatic optimum. <i>Science China Earth Sciences</i> , 2019, 62, 1279-1287.	5.2	13
77	Mineralogy and carbonate geochemistry of the Dali Lake sediments: Implications for paleohydrological changes in the East Asian summer monsoon margin during the Holocene. <i>Quaternary International</i> , 2019, 527, 103-112.	1.5	20
78	Stratigraphic framework and evolution of the mid- to late Quaternary (since marine isotope stage 8) deposits on the outer shelf of the East China Sea. <i>Marine Geology</i> , 2020, 419, 106047.	2.1	8
79	Spatiotemporal variations in suspended sediments over the inner shelf of the East China Sea with the effect of oceanic fronts. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 234, 106600.	2.1	12
80	Shallow gas in the Holocene mud wedge along the inner East China Sea shelf. <i>Marine and Petroleum Geology</i> , 2020, 114, 104233.	3.3	17
81	Transgressive wave- and tide-dominated barrier-lagoon system and sea-level rise since 8.2 ka recorded in sediments in northern Bohai Bay, China. <i>Geomorphology</i> , 2020, 352, 106978.	2.6	11
82	Observed cross-shelf suspended sediment flux in the southern Yellow Sea in winter. <i>Marine Geology</i> , 2020, 419, 106067.	2.1	7
83	Paleomagnetic evidence for the Gothenburg geomagnetic excursion during the Pleistocene-Holocene transition recorded in the Paleo-Danyang Lake, eastern China. <i>Journal of Asian Earth Sciences</i> , 2020, 201, 104140.	2.3	2
84	Hydrodynamic sorting controls the transport and hampers source identification of terrigenous organic matter: A case study in East China Sea inner shelf and its implication. <i>Science of the Total Environment</i> , 2020, 706, 135699.	8.0	9
85	Environmental magnetic properties used to assess sediment sources and transport patterns in the muddy area along the Zhejiang coast, China. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 245, 106933.	2.1	2
86	Quantitative reconstruction of Holocene sediment source variations in the Yellow and northern East China Seas and their forcings. <i>Marine Geology</i> , 2020, 430, 106345.	2.1	9
87	Refined chronostratigraphy of a late Quaternary Sedimentary sequence from the Yangtze River delta based on K-feldspar luminescence dating. <i>Marine Geology</i> , 2020, 427, 106271.	2.1	20
88	Holocene paleoenvironmental changes in mud area southwest off Cheju Island, East China Sea: Evidence from benthic foraminiferal assemblages and stable isotope records. <i>Marine Geology</i> , 2020, 429, 106319.	2.1	4
89	Environmental evolution of the East China Sea inner shelf and its constraints on pyrite sulfur contents and isotopes since the last deglaciation. <i>Marine Geology</i> , 2020, 429, 106307.	2.1	27
90	Anatomy of the transgressive depositional system in a sediment-rich tide-dominated estuary: The paleo-Yangtze estuary, China. <i>Marine and Petroleum Geology</i> , 2020, 121, 104588.	3.3	8

#	ARTICLE	IF	CITATIONS
91	A comparison of GAM and GWR in modelling spatial distribution of Japanese mantis shrimp (<i>Oratosquilla oratoria</i>) in coastal waters. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 244, 106928.	2.1	11
92	Evolution of Palaeoenvironment of the South Yellow Sea Since the Last Deglaciation. <i>Journal of Ocean University of China</i> , 2020, 19, 827-836.	1.2	2
93	Pollen records of orbitally modulated variation in East Asian winter monsoon intensity and freshwater inflow to the Ulleung Basin of East Sea, South Korea, during the last glacial period. <i>Marine Geology</i> , 2020, 430, 106365.	2.1	5
94	Early Holocene tidal flat evolution in a western embayment of East China Sea, in response to sea level rise episodes. <i>Quaternary Science Reviews</i> , 2020, 250, 106642.	3.0	10
95	Holocene sedimentary evolution and hypoxia development in the subaqueous Yangtze (Changjiang) Delta, China. <i>Marine Geology</i> , 2020, 430, 106359.	2.1	4
96	Sr&Nd isotopes indicating the provenance of siliciclastic sediments and paleoenvironmental changes in the middle Okinawa Trough during the last deglaciation. <i>Continental Shelf Research</i> , 2020, 210, 104277.	1.8	5
97	New Insights Into Kuroshio Current Evolution Since the Last Deglaciation Based on Paired Organic Paleothermometers From the Middle Okinawa Trough. <i>Paleoceanography and Paleoclimatology</i> , 2020, 35, e2020PA004140.	2.9	13
98	Optimization of environmental variables in habitat suitability modeling for mantis shrimp <i>Oratosquilla oratoria</i> in the Haizhou Bay and adjacent waters. <i>Acta Oceanologica Sinica</i> , 2020, 39, 36-47.	1.0	10
99	Stratigraphic evolution of the Nakdong River valley in response to late Quaternary sea-level changes. <i>Marine Geology</i> , 2020, 427, 106243.	2.1	15
100	Detrital Zircon U-Pb Ages in the East China Seas: Implications for Provenance Analysis and Sediment Budgeting. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 398.	2.0	14
101	Impact of cold water mass on suspended sediment transport in the South Yellow Sea. <i>Marine Geology</i> , 2020, 428, 106244.	2.1	22
102	The Impact of Winter Storms on Sediment Transport Through a Narrow Strait, Bohai, China. <i>Journal of Geophysical Research: Oceans</i> , 2020, 125, e2020JC016069.	2.6	19
103	Quantitative reconstruction of the East Asian Winter Monsoon evolution over the past 100 years: Evidence from high-resolution sedimentary records of the inner continental shelf of the East China Sea. <i>Holocene</i> , 2020, 30, 1053-1062.	1.7	5
104	Yellow sea mediated segregation between North East Asian Dryophytes species. <i>PLoS ONE</i> , 2020, 15, e0234299.	2.5	21
105	Formation of the Yangtze Shoal in response to the post-glacial transgression of the paleo-Yangtze (Changjiang) estuary, China. <i>Marine Geology</i> , 2020, 423, 106080.	2.1	16
106	Does submarine groundwater discharge contribute to summer hypoxia in the Changjiang (Yangtze) River Estuary?. <i>Science of the Total Environment</i> , 2020, 719, 137450.	8.0	53
107	Late Pleistocene shelf&edge delta clinoforms along the rift margin of the northern Okinawa Trough. <i>Geological Journal</i> , 2020, 55, 6450-6461.	1.3	5
108	Multiple lipid biomarkers record organic matter sources and paleoenvironmental changes in the East China Sea coast over the past 160 years. <i>Holocene</i> , 2021, 31, 16-27.	1.7	2

#	ARTICLE	IF	CITATIONS
109	Landscape evolution in the Liangzhu area since the early Holocene: A comprehensive sedimentological approach. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 562, 110141.	2.3	15
110	In-phase and out-of-phase behavior of the East Asian summer and winter monsoons recorded in the South Yellow Sea sediment over the past 9.5 ka. <i>Quaternary Research</i> , 2021, 99, 96-113.	1.7	3
111	Complex phylogeographic patterns in the intertidal goby <i>Chaenogobius annularis</i> around Kyushu Island as a boundary zone of three different seas. <i>Ichthyological Research</i> , 2021, 68, 86-100.	0.8	8
112	Provenance and paleoclimatic implications of loess deposits in Shandong Province, eastern China. <i>Quaternary Research</i> , 2021, 103, 88-98.	1.7	6
113	Structural controls on widespread methane seeps in the back-arc basin of the Mid-Okinawa Trough. <i>Ore Geology Reviews</i> , 2021, 129, 103950.	2.7	11
114	Authigenic Iron Sulfides Indicate Sea-Level Change on the Continental Shelf: An Illustration From the East China Sea. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021222.	3.4	3
115	Gas Emissions in a Transtensive Regime Along the Western Slope of the Mid-Okinawa Trough. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	3
116	Hybrid event beds generated by erosional bulking of modern hyperpycnal flows on the Choshui River delta front, Taiwan Strait. <i>Sedimentology</i> , 2021, 68, 2500-2522.	3.1	12
117	Provenance change of fine-grained sediments in the South West Cheju Island Mud (SWCIM) since the last glacial period. <i>Journal of the Geological Society of Korea</i> , 2021, 57, 165-179.	0.7	2
118	Source-to-sink and evolutionary processes of the East China Sea inner-shelf mud belt and its response to environmental changes since the Holocene: New evidence from the distal mud belt. <i>Holocene</i> , 2021, 31, 1071-1088.	1.7	5
119	Adjoint estimation and interpretation of spatially varying bottom friction coefficients of the tide for a tidal model in the Bohai, Yellow and East China Seas with multi-mission satellite observations. <i>Ocean Modelling</i> , 2021, 161, 101783.	2.4	17
120	A Synthesized Study of the Spatiotemporal Evolution of Central Yellow Sea Mud Depositional Processes During the Holocene. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	3
121	Disentangling Combined Effects of Sediment Sorting, Provenance, and Chemical Weathering From a Pliocene-Pleistocene Sedimentary Core (CSDP-1) in the South Yellow Sea. <i>Geochemistry, Geophysics, Geosystems</i> , 2021, 22, e2020GC009569.	2.5	7
122	Submarine topography-related spatial variability of the southern Taiwan Strait sands (East Asia). <i>Marine Geology</i> , 2021, 436, 106495.	2.1	9
123	Evolution of Ocean Productivity in the Sub-Tropical West Pacific Ocean Across the Last Deglaciation. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2021PA004250.	2.9	3
124	Hydrodynamic processes and source changes caused elevated ^{14}C ages of organic carbon in the East China Sea over the last 14.3 kyr. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 304, 347-363.	3.9	9
125	Holocene hydrologic fluctuations on the southern coast of Korea and their link to ENSO activity. <i>Geosciences Journal</i> , 0, , 1.	1.2	2
126	Palynological evidence indicates the paleoclimate evolution in southeast China since late marine isotope stage 5. <i>Quaternary Science Reviews</i> , 2021, 266, 106964.	3.0	8

#	ARTICLE	IF	CITATIONS
127	Sedimentary signatures of the abrupt deglacial rise in sea level from the East China Sea inner shelf. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 258, 107423.	2.1	1
128	Heavy mineral record from the east China sea inner shelf: Implications for provenance and climate changes over the past 1500 years. <i>Continental Shelf Research</i> , 2021, 226, 104488.	1.8	5
129	Impact of Typhoon Talim on surface sediment records on the East China Sea continental shelf. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 259, 107479.	2.1	4
130	Holocene geomorphological evolution and the Neolithic occupation in South Hangzhou Bay, China. <i>Geomorphology</i> , 2021, 389, 107827.	2.6	18
131	Depositional control on carbon and sulfur preservation onshore and offshore the Oujiang Estuary: Implications for the C/S ratio as a salinity indicator. <i>Continental Shelf Research</i> , 2021, 227, 104510.	1.8	22
132	Comparison of habitat models in quantifying the spatio-temporal distribution of small yellow croaker (<i>Larimichthys polyactis</i>) in Haizhou Bay, China. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 261, 107512.	2.1	7
133	Long-chain alkyl diols as indicators of local riverine input, temperature, and upwelling in a shelf south of the Yangtze River Estuary in the East China Sea. <i>Marine Geology</i> , 2021, 440, 106573.	2.1	3
134	Quantitative geochemistry as a provenance indicator for surface sediments in the north Jiangsu radial sand ridges (NJRSR) in the South Yellow Sea, East China. <i>Continental Shelf Research</i> , 2021, 228, 104545.	1.8	6
135	Coupling between physical processes and biogeochemistry of suspended particles over the inner shelf mud in the East China Sea. <i>Marine Geology</i> , 2021, 442, 106657.	2.1	7
136	Continental margin sediment dispersal under geomorphic control in Xihu Depression, East China Sea Shelf Basin. <i>Journal of Petroleum Science and Engineering</i> , 2021, 205, 108738.	4.2	8
137	Impact of Typhoon Chan-hom on sediment dynamics and morphological changes on the East China Sea inner shelf. <i>Marine Geology</i> , 2021, 440, 106578.	2.1	20
138	Changes in Provenance and Transport Process of Fine Sediments in Central South Sea Mud. <i>Journal of the Mineralogical Society of Korea</i> , 2019, 32, 235-247.	0.2	3
139	Heavy Mineral Compositions of Sediments in the Southern Okinawa Trough and Their Provenance-Tracing Implication. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 1191.	2.0	1
140	High-resolution sequence stratigraphy and evolution of the Jeju Strait shelf, Korea, since the Last Glacial Maximum. <i>Marine and Petroleum Geology</i> , 2022, 135, 105389.	3.3	9
141	Changes in detrital sediment supply to the central Yellow Sea since the last deglaciation. <i>Ocean Science</i> , 2020, 16, 1247-1259.	3.4	3
142	Review of Methane Seepages in the Okinawa Trough: Progress and Outlook. <i>Geofluids</i> , 2021, 2021, 1-13.	0.7	3
143	Sea-level changes in the Bohai Sea, northern China, constrained by coastal loess accumulation over the past 200 ka. <i>Quaternary Science Reviews</i> , 2022, 277, 107368.	3.0	6
144	Detrital Zircon Provenance in the Sediments in the Southern Okinawa Trough. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 142.	2.6	3

#	ARTICLE	IF	CITATIONS
145	Historical Connectivity and Demography of the Ferocious Reef Crab, <i>Eriphia ferox</i> (Crustacea;) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 747 Taiwan Strait. <i>Frontiers in Marine Science</i> , 2022, 8, .	2.5	1
146	Regional precipitation variations during Heinrich events and Dansgaard-Oeschger cycles in the northern margin of the East Asian summer monsoon region. <i>Quaternary Science Reviews</i> , 2022, 278, 107380.	3.0	5
147	Rising bottom-water temperatures induced methane release during the middle Holocene in the Okinawa Trough, East China Sea. <i>Chemical Geology</i> , 2022, 590, 120707.	3.3	13
148	Luminescence dating of a sedimentary sequence in the eastern North Yellow Sea. <i>Marine and Petroleum Geology</i> , 2022, 138, 105543.	3.3	0
149	Prediction of Suitable Distribution of a Critically Endangered Plant <i>Glyptostrobus pensilis</i> . <i>Forests</i> , 2022, 13, 257.	2.1	11
150	Saline groundwater evolution in the Luanhe River delta (China) during the Holocene: hydrochemical, isotopic, and sedimentary evidence. <i>Hydrology and Earth System Sciences</i> , 2022, 26, 1341-1356.	4.9	7
151	Influences of the 1855 AD Huanghe (Yellow River) Relocation on Sedimentary Organic Carbon Burial in the Southern Yellow Sea. <i>Frontiers in Marine Science</i> , 2022, 9, .	2.5	2
152	Multi-proxy records of paleoclimatic changes in sediment core ST2 from the southern Zhejiang-Fujian muddy coastal area since 1650Åyr BP. <i>Continental Shelf Research</i> , 2022, 239, 104717.	1.8	1
153	New REE-Constrained Terrigenous Depositional Changes in the Central Okinawa Trough and their Responses to Climate since 92 Millennia. <i>Lithosphere</i> , 2022, 2022, .	1.4	1
154	Revisit the Sedimentary Stratigraphic Evolution and Environmental Changes on the Outer Shelf of the East China Sea Since MIS 5. <i>Frontiers in Marine Science</i> , 2022, 9, .	2.5	1
155	How did the climate and human activities modulate the sedimentary evolution of the central Yellow Sea Mud, China. <i>Journal of Asian Earth Sciences</i> , 2022, 235, 105299.	2.3	4
156	Evolution of the groundwater flow system driven by the sedimentary environment since the Last Glacial Maximum in the central Yangtze River Basin. <i>Journal of Hydrology</i> , 2022, 610, 127997.	5.4	5
157	Holocene climate background for lake evolution in the Badain Jaran Desert of northwestern China revealed by proxies from calcareous root tubes. <i>Quaternary Research</i> , 0, , 1-12.	1.7	2
158	Sedimentary pyrites and C/S ratios of mud sediments on the East China Sea inner shelf indicate late Pleistocene-Holocene environmental evolution. <i>Marine Geology</i> , 2022, 450, 106854.	2.1	14
159	Nitrogen burial characteristics of Quaternary sediments and its controls on high ammonium groundwater in the Central Yangtze River Basin. <i>Science of the Total Environment</i> , 2022, 842, 156659.	8.0	7
160	Characteristics of Paleovalley Development in the Southern Continental Shelf of the East China Sea Since Mis 5 and its Response to Sea Level Change. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
161	Composition, Source and Environmental Indication of Clay Minerals in Sediments from Mud Deposits in he Southern Weihai Offshore, Northwestern Shelf of the South Yellow Sea, China. <i>Journal of Ocean University of China</i> , 2022, 21, 1161-1173.	1.2	2
162	Holocene evolution of the shelf mud deposits in the north-western South China Sea. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	0

#	ARTICLE	IF	CITATIONS
163	Distinctive Sedimentary Evolution at the East Edge of the Central Yellow Sea Mud Over the Past 45Åkyr: Evidence From Detrital Mineralogy. <i>Frontiers in Earth Science</i> , 0, 10, .	1.8	0
164	Palynological implications for paleoenvironmental changes over the past 81,000Åyears on the Jeju Strait shelf, off southwestern Korea. <i>Marine Geology</i> , 2022, 451, 106876.	2.1	1
165	Palynology-based reconstruction of Holocene environmental history in the northern Yangtze Delta, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 603, 111186.	2.3	8
166	New evidence for linking the formation of high arsenic aquifers in the central Yangtze River Basin to climate change since Last Glacial Maximum. <i>Journal of Hazardous Materials</i> , 2022, 439, 129684.	12.4	2
167	Benthic polychaete community structure in the Yellow Sea Bottom Cold Water zone (YSBCW): Species diversity, temporal-spatial distribution, and feeding guilds. <i>Marine Pollution Bulletin</i> , 2022, 183, 114071.	5.0	4
168	Combined effects of waves and tides on bottom sediment resuspension in the southern Yellow Sea. <i>Marine Geology</i> , 2022, 452, 106892.	2.1	4
169	Development of submarine canyons on the continental slope of the Okinawa Trough with potential origin related to methane seepage. <i>Ore Geology Reviews</i> , 2022, 149, 105088.	2.7	3
170	Sea level change determined paleochannel development on the continental shelf of the southern East China Sea since MIS 5. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 606, 111242.	2.3	1
171	Holocene environmental evolution and human adaptability in a coastal area: a case study of the Jiaodong Peninsula in Shandong Province, eastern China. <i>Anthropological Science</i> , 2022, , .	0.4	1
172	ä,œå—æ²¿æµ·åœ°åŒ¶7500å¹¹å‰œ°ç”»çŒ¶æŒ¶š,,å¼¼®å½Œ/2“åŒ¶—çŸŸ³è~æ®. <i>SCIENTIA SINICA Terrae</i> , 2022, , .	0.3	0
173	Organic Carbon Deposition on the Inner Shelf of the East China Sea Constrained by Sea Level and Climatic Changes Since the Last Deglaciation. <i>Journal of Ocean University of China</i> , 0, , .	1.2	1
174	Microfossil evidence of rice cultivation on the Southeast China Coast 7500 years ago. <i>Science China Earth Sciences</i> , 2022, 65, 2115-2126.	5.2	7
175	Phytoplankton productivity and community structure changes in the middle Okinawa Trough since the last deglaciation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 610, 111349.	2.3	2
176	Episodic postglacial deltaic pulses in the Gulf of Cadiz: Implications for the development of a transgressive shelf and driving environmental conditions. <i>Journal of Sedimentary Research</i> , 2022, 92, 1116-1140.	1.6	2
177	Response of Shallow Gasâ€Charged Holocene Deposits in the Yangtze Delta to Meterâ€Scale Erosion Induced by Diminished Sediment Supply: Increasing Greenhouse Gas Emissions. <i>Journal of Geophysical Research F: Earth Surface</i> , 2023, 128, .	2.8	0
178	Sequence stratigraphy and sedimentary processes since the last glacial maximum in Nha Phu Bay and adjacent shelf, central Vietnam. <i>Journal of Sea Research</i> , 2023, 192, 102352.	1.6	1
179	Sedimentology and evolution of the Holocene radial tidal sand ridge in the south Yellow Sea, China. <i>Frontiers in Earth Science</i> , 0, 10, .	1.8	2
180	Sedimentary records and implications for the evolution of sedimentary environments inferred from BH1302 during the late Quaternary in the Bohai Sea, China. <i>Marine Geology</i> , 2023, 456, 106986.	2.1	3

#	ARTICLE	IF	CITATIONS
181	Late Pleistocene to Holocene facies architecture and sedimentary evolution of the Zhejiang coast, East China Sea. <i>Marine Geology</i> , 2023, 459, 107027.	2.1	2
182	Late Quaternary marine transgressions inferred from the pyrite sulfur content and isotopes within core sediments from the southeast coast of China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 618, 111513.	2.3	2
183	Dispersal mechanism of fine-grained sediment in the modern mud belt of the East China Sea. <i>Earth-Science Reviews</i> , 2023, 240, 104388.	9.1	1
184	High-resolution records of sea surface temperature and salinity in the East China Sea over the past 14.2 kyr: Implication from alkenone and its hydrogen isotopes. <i>Global and Planetary Change</i> , 2023, 224, 104099.	3.5	1
185	Controls on shallow gas distribution, migration, and associated geohazards in the Yangtze subaqueous delta and the Hangzhou Bay. <i>Frontiers in Marine Science</i> , 0, 10, .	2.5	4
186	Influence of Sedimentary Environment Evolution on Fingerprint Characteristics of Methane Isotopes: A Case Study From Hangzhou Bay. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2023, 128, .	3.0	2
187	An erosive neritic area of Shantou in coastal NE South China Sea since at least MIS 5 revealed by OSL dating of cores. <i>Frontiers in Earth Science</i> , 0, 11, .	1.8	1
188	A re-evaluation of Holocene relative sea-level change along the Fujian coast, southeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 622, 111577.	2.3	2
189	Unveiling the Mid-Holocene coastal hydrological changes and their impacts on Neolithic cultures along the South Hangzhou Bay of eastern China. <i>Quaternary International</i> , 2023, 658, 36-47.	1.5	2
190	Mitogenome evidence shows two radiation events and dispersals of matrilineal ancestry from northern coastal China to the Americas and Japan. <i>Cell Reports</i> , 2023, 42, 112413.	6.4	2
191	Authigenic pyrite and gypsum minerals in offshore Zhoushan sediments: morphology, formation, and environmental implications. <i>Frontiers in Earth Science</i> , 0, 11, .	1.8	0
192	Exploring Spatiotemporal Paleoenvironmental and Paleoceanographic Changes on the Continental Shelf Using Authigenic Greigite: A Case Study From the East China Sea. <i>Paleoceanography and Paleoclimatology</i> , 2023, 38, .	2.9	0
193	Methane Seepage Caused by Gas Hydrate Dissociation in the Mid-Okina Trough Since the Last Glacial Maximum. <i>Geophysical Research Letters</i> , 2023, 50, .	4.0	3
194	Avulsion of the Yellow River into the South Yellow Sea during the early to middle Holocene: Evidence from Clay Provenance of the Yangtze Paleovalley. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 625, 111694.	2.3	1
195	Responses of the Sea Surface Temperature and Suspended Matter Concentration to ENSO Events in the Bohai Sea. <i>Journal of Ocean University of China</i> , 2023, 22, 697-708.	1.2	0
196	Seasonal and spatial dynamics of phylogenetic structure of fish communities in coastal waters. <i>Estuarine, Coastal and Shelf Science</i> , 2023, 290, 108373.	2.1	0
197	Distinct variations and mechanisms for terrestrial OC 14C-ages in the Eastern China marginal sea sediments since the last deglaciation. <i>Quaternary Science Reviews</i> , 2023, 315, 108235.	3.0	2
198	Holocene marine deposits in the Bohai Sea: Depocenters, sediment sources, and oceanic and tectonic influences. <i>Geomorphology</i> , 2023, 442, 108913.	2.6	0

#	ARTICLE	IF	CITATIONS
199	Rapid oscillation of sediment transport between the Bohai Sea and the Yellow Sea induced by Typhoon Lekima (2019). <i>Marine Geology</i> , 2023, 465, 107160.	2.1	2
200	Intermittent migration of mixing front driven by typhoon events on the inner shelf of the East China Sea: A FVCOM modeling study. <i>Marine Geology</i> , 2023, 465, 107161.	2.1	0
201	Sedimentary Sequence and Age of Core NTCJ1 in the Sheyang Estuary, Western South Yellow Sea: A Re-Interpretation. <i>Water (Switzerland)</i> , 2023, 15, 3617.	2.7	0
203	Sedimentary evolution of the western North Yellow Sea mud patch: A Holocene perspective. <i>Continental Shelf Research</i> , 2023, 269, 105144.	1.8	0
204	The late Quaternary palynological record of the northern Yangtze Delta: Implication for palaeoclimate change in East Asia. <i>Catena</i> , 2024, 234, 107630.	5.0	2
205	Uranium-series comminution ages constrain large catchment erosion and its response to climate change: A case study from the Changjiang. <i>Earth and Planetary Science Letters</i> , 2024, 625, 118493.	4.4	0
206	Mechanism and genesis of Sanmen Bay as a sink of Holocene Yangtze River sediment, Zhejiang Province, China. <i>Frontiers in Earth Science</i> , 0, 11, .	1.8	0
207	Neogene and Quaternary sediment accumulation in the Okinawa trough. <i>Marine and Petroleum Geology</i> , 2024, 162, 106750.	3.3	0
208	Geochemistry and Provenance of Loess on the Miaodao Islands, China. <i>Atmosphere</i> , 2024, 15, 261.	2.3	0
209	Lateral migration of methane at a cold seep: Evidence from Uâ€“Th dating of methane-derived authigenic carbonate in the Middle Okinawa Trough. <i>Marine and Petroleum Geology</i> , 2024, 163, 106778.	3.3	0
210	Geochemical behavior of C, N, and S in sediments of Hangzhou Bay, Southeastern China: implications for the study of paleoclimate and sea-level changes. <i>Frontiers in Marine Science</i> , 0, 11, .	2.5	0