

Genetic evidence that *Celsr3* and *Celsr2*, together with *Vangl*, control forebrain wiring in a *Vangl*-independent manner

Proceedings of the National Academy of Sciences of the United States of America  
111, E2996-3004

DOI: [10.1073/pnas.1402105111](https://doi.org/10.1073/pnas.1402105111)

Citation Report

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 2  | Understanding cadherin <scp>EGF LAG</scp> sevenâ€pass Gâ€type receptors. Journal of Neurochemistry, 2014, 131, 699-711.   | 2.1 | 45        |
| 3  | Rac1 plays an essential role in axon growth and guidance and in neuronal survival in the central and peripheral nervous systems. Neural Development, 2015, 10, 21.                          | 1.1 | 45        |
| 4  | Neuronal and microglial regulators of cortical wiring: usual and novel guideposts. Frontiers in Neuroscience, 2015, 9, 248.   | 1.4 | 63        |
| 5  | International Union of Basic and Clinical Pharmacology. XCIV. Adhesion G Proteinâ€Coupled Receptors. Pharmacological Reviews, 2015, 67, 338-367.  | 7.1 | 392       |
| 6  | Celsr3 and Fzd3 in axon guidance. International Journal of Biochemistry and Cell Biology, 2015, 64, 11-14.  | 1.2 | 29        |
| 7  | Frizzled3 Controls Axonal Polarity and Intermediate Target Entry during Striatal Pathway Development. Journal of Neuroscience, 2015, 35, 14205-14219.                                       | 1.7 | 30        |
| 8  | Frizzled3Shapes the Development of Retinal Rod Bipolar Cells. , 2016, 57, 2788.   |     | 7         |
| 9  | Neuroanatomical Techniques for Analysis of Axonal Trajectories in the Cerebral Cortex of the Rhesus Monkey. , 2016, , 349-368.  |     | 1         |
| 10 | The Planar Cell Polarity Transmembrane Protein Vangl2 Promotes Dendrite, Spine and Glutamatergic Synapse Formation in the Mammalian Forebrain. Molecular Neuropsychiatry, 2016, 2, 107-114. | 3.0 | 16        |
| 11 | Feedback regulation of apical progenitor fate by immature neurons through Wnt7â€Celsr3â€Fzd3 signalling. Nature Communications, 2016, 7, 10936.   | 5.8 | 39        |
| 12 | Adhesion GPCRs Govern Polarity of Epithelia and Cell Migration. Handbook of Experimental Pharmacology, 2016, 234, 249-274.  | 0.9 | 9         |
| 13 | Adhesion G Protein-coupled Receptors. Handbook of Experimental Pharmacology, 2016, , .  | 0.9 | 7         |
| 14 | The planar cell polarity protein <scp>V</scp>angl2 is required for retinal axon guidance. Developmental Neurobiology, 2016, 76, 150-165.  | 1.5 | 12        |
| 15 | Celsr3 and Fzd3 Organize a Pioneer Neuron Scaffold to Steer Growing Thalamocortical Axons. Cerebral Cortex, 2016, 26, 3323-3334.  | 1.6 | 37        |
| 16 | Gene expression profiling of rubella virus infected primary endothelial cells of fetal and adult origin. Virology Journal, 2016, 13, 21.  | 1.4 | 20        |
| 17 | The role of G protein-coupled receptors in cochlear planar cell polarity. International Journal of Biochemistry and Cell Biology, 2016, 77, 220-225.  | 1.2 | 4         |
| 18 | Planar cell polarity in moving cells: think globally, act locally. Development (Cambridge), 2017, 144, 187-200.   | 1.2 | 109       |
| 19 | Dietary krill oil enhances neurocognitive functions and modulates proteomic changes in brain tissues of <scp>d</scp>-galactose induced aging mice. Food and Function, 2017, 8, 2038-2045.   | 2.1 | 22        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 20 | Seven pass Cadherins CELSR1-3. <i>Seminars in Cell and Developmental Biology</i> , 2017, 69, 102-110.   | 2.3 | 48        |
| 21 | The role of Celsr3 in the development of central somatosensory projections from dorsal root ganglia. <i>Neuroscience</i> , 2017, 359, 267-276.  | 1.1 | 7         |
| 22 | Whole exome sequencing reveals inherited and de novo variants in autism spectrum disorder: a trio study from Saudi families. <i>Scientific Reports</i> , 2017, 7, 5679.   | 1.6 | 70        |
| 23 | Neuronal territory formation by the atypical cadherins and clustered protocadherins. <i>Seminars in Cell and Developmental Biology</i> , 2017, 69, 111-121.   | 2.3 | 29        |
| 24 | The Cadherin Superfamily in Neural Circuit Assembly. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a029306.   | 2.3 | 19        |
| 25 | A non-autonomous function of the core PCP protein VANGL2 directs peripheral axon turning in the developing cochlea. <i>Development (Cambridge)</i> , 2018, 145, .   | 1.2 | 21        |
| 26 | Genetic analysis of Wnt/PCP genes in neural tube defects. <i>BMC Medical Genomics</i> , 2018, 11, 38.   | 0.7 | 43        |
| 27 | Mapping human pluripotent stem cell differentiation pathways using high throughput single-cell RNA-sequencing. <i>Genome Biology</i> , 2018, 19, 47.  | 3.8 | 96        |
| 28 | Evolutionary and Developmental Biology Provide Insights Into the Regeneration of Organ of Corti Hair Cells. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 252.  | 1.8 | 28        |
| 29 | Topologically correct central projections of tetrapod inner ear afferents require Fzd3. <i>Scientific Reports</i> , 2019, 9, 10298.   | 1.6 | 13        |
| 30 | Linking Cell Polarity to Cortical Development and Malformations. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 244.   | 1.8 | 45        |
| 31 | Non-canonical Wnt Signaling through Ryk Regulates the Generation of Somatostatin- and Parvalbumin-Expressing Cortical Interneurons. <i>Neuron</i> , 2019, 103, 853-864.e4.  | 3.8 | 31        |
| 32 | <i>Frizzled3</i> and <i>Frizzled6</i> Cooperate with <i>Vangl2</i> to Direct Cochlear Innervation by Type II Spiral Ganglion Neurons. <i>Journal of Neuroscience</i> , 2019, 39, 8013-8023.   | 1.7 | 25        |
| 33 | Adhesion G Protein-Coupled Receptors as Drug Targets for Neurological Diseases. <i>Trends in Pharmacological Sciences</i> , 2019, 40, 278-293.  | 4.0 | 53        |
| 34 | Early Forebrain Neurons and Scaffold Fibers in Human Embryos. <i>Cerebral Cortex</i> , 2020, 30, 913-928.   | 1.6 | 10        |
| 35 | Silencing <i>Celsr2</i> inhibits the proliferation and migration of Schwann cells through suppressing the Wnt/ $\beta$ -catenin signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2020, 533, 623-630. | 1.0 | 4         |
| 36 | Motor cortex connections. , 2020, , 167-199.  |     | 8         |
| 37 | Inactivating <i>Celsr2</i> promotes motor axon fasciculation and regeneration in mouse and human. <i>Brain</i> , 2022, 145, 670-683.  | 3.7 | 12        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 38 | Loss of Calretinin in L5a impairs the formation of the barrel cortex leading to abnormal whisker-mediated behaviors. <i>Molecular Brain</i> , 2021, 14, 67.   | 1.3  | 5         |
| 40 | Cell-Type-Specific Gene Expression in Developing Mouse Neocortex: Intermediate Progenitors Implicated in Axon Development. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 686034.                       | 1.4  | 12        |
| 41 | <i>Celsr3</i> is required for Purkinje cell maturation and regulates cerebellar postsynaptic plasticity. <i>IScience</i> , 2021, 24, 102812.  | 1.9  | 8         |
| 42 | Early construction of the thalamocortical axon pathway requires c-Jun N-terminal kinase signaling within the ventral forebrain. <i>Developmental Dynamics</i> , 2022, 251, 459-480.                             | 0.8  | 3         |
| 44 | PCP Signaling between Migrating Neurons and their Planar-Polarized Neuroepithelial Environment Controls Filopodial Dynamics and Directional Migration. <i>PLoS Genetics</i> , 2016, 12, e1005934.               | 1.5  | 39        |
| 45 | <i>CELSR2</i> is a candidate susceptibility gene in idiopathic scoliosis. <i>PLoS ONE</i> , 2017, 12, e0189591.   | 1.1  | 17        |
| 46 | <i>Vangl2</i> acts at the interface between actin and N-cadherin to modulate mammalian neuronal outgrowth. <i>ELife</i> , 2020, 9, .  | 2.8  | 23        |
| 47 | Non-Canonical Wnt-Signaling through <i>Ryk</i> Regulates the Generation of Somatostatin- and Parvalbumin-Expressing Cortical Interneurons. <i>SSRN Electronic Journal</i> , 0, .                                | 0.4  | 0         |
| 48 | The Immunoglobulin Superfamily Members <i>syg-2</i> and <i>syg-1</i> Regulate Neurite Development in <i>C. elegans</i> . <i>Journal of Developmental Biology</i> , 2022, 10, 3.                                 | 0.9  | 1         |
| 49 | <i>Fzd3</i> Expression Within Inner Ear Afferent Neurons Is Necessary for Central Pathfinding. <i>Frontiers in Neuroscience</i> , 2021, 15, 779871.   | 1.4  | 4         |
| 50 | <i>Celsr</i> family genes are dynamically expressed in embryonic and juvenile zebrafish. <i>Developmental Neurobiology</i> , 2022, 82, 192-213.   | 1.5  | 3         |
| 51 | Human pancreatic microenvironment promotes $\beta$ -cell differentiation via non-canonical WNT5A/JNK and BMP signaling. <i>Nature Communications</i> , 2022, 13, 1952.  | 5.8  | 11        |
| 52 | Adhesion G protein-coupled receptors: structure, signaling, physiology, and pathophysiology. <i>Physiological Reviews</i> , 2022, 102, 1587-1624.   | 13.1 | 14        |
| 53 | A classification of genes involved in normal and delayed male puberty. <i>Asian Journal of Andrology</i> , 2023, 25, 230.   | 0.8  | 3         |
| 54 | Planar cell polarity and the pathogenesis of Tourette Disorder: New hypotheses and perspectives. <i>Developmental Biology</i> , 2022, 489, 14-20.   | 0.9  | 4         |
| 55 | <i>Celsr3</i> Inactivation in the Brainstem Impairs Rubrospinal Tract Development and Mouse Behaviors in Motor Coordination and Mechanic-Induced Response. <i>Molecular Neurobiology</i> , 2022, 59, 5179-5192. | 1.9  | 2         |
| 56 | <i>Celsr2</i> regulates NMDA receptors and dendritic homeostasis in dorsal CA1 to enable social memory. <i>Molecular Psychiatry</i> , 0, .  | 4.1  | 2         |
| 57 | Adhesion G protein-coupled receptor gluing action guides tissue development and disease. <i>Journal of Molecular Medicine</i> , 2022, 100, 1355-1372.   | 1.7  | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 58 | Hear the sounds: the role of G protein-coupled receptors in the cochlea. American Journal of Physiology - Cell Physiology, 2022, 323, C1088-C1099.                              | 2.1 | 6         |
| 59 | Planar cell polarity protein Celsr2 maintains structural and functional integrity of adult cortical synapses. Progress in Neurobiology, 2022, 219, 102352.                      | 2.8 | 4         |
| 60 | WNT signaling at the intersection between neurogenesis and brain tumorigenesis. Frontiers in Molecular Neuroscience, 0, 15, .   | 1.4 | 9         |
| 61 | Feeding a High-Fat Diet for a Limited Duration Increases Cancer Incidence in a Breast Cancer Model. Nutrition and Cancer, 0, , 1-13.  | 0.9 | 0         |
| 65 | Celsr1 and Celsr2 exhibit distinct adhesive interactions and contributions to planar cell polarity. Frontiers in Cell and Developmental Biology, 0, 10, .                       | 1.8 | 5         |
| 66 | Celsr2 Knockout Alleviates Inhibitory Synaptic Stripping and Benefits Motoneuron Survival and Axon Regeneration After Branchial Plexus Avulsion. Molecular Neurobiology, 0, , . | 1.9 | 0         |
| 67 | DNA methylation entropy is associated with DNA sequence features and developmental epigenetic divergence. Nucleic Acids Research, 2023, 51, 2046-2065.                          | 6.5 | 3         |