

An Ecological Study of Snails of the Genus *Busycon* at B

Ecological Monographs

18, 377-409

DOI: [10.2307/1948577](https://doi.org/10.2307/1948577)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Observations on the Penetration of Tightly Closing Bivalves by Busycon and Other Predators. Ecology, 1951, 32, 73-83.	3.2	73
2	Life Between Tide-Marks in North America: II. Northern Florida and the Carolinas. Journal of Ecology, 1952, 40, 1.	4.0	46
3	2. THE ECOLOGY OF THE MOLLUSCAN ENEMIES OF THE EDIBLE MOLLUSC. Journal of Molluscan Studies, 0, ,.	1.2	8
4	ECOLOGICAL DIVERSIFICATION IN SYMPATRIC GASTROPODS OF THE GENUS <i>BUSYCON</i> . Evolution; International Journal of Organic Evolution, 1962, 16, 515-523.	2.3	18
5	Ecological Diversification in Sympatric Gastropods of the Genus Busycon. Evolution; International Journal of Organic Evolution, 1962, 16, 515.	2.3	19
6	Trophic Relationships of 8 Sympatric Predatory Gastropods. Ecology, 1963, 44, 63-73.	3.2	120
7	The Dynamics of the Association of Six Limnetic Species of Daphnia in Aziscoos Lake, Maine. Ecological Monographs, 1965, 35, 395-423.	5.4	80
8	On the biology and palaeontology of some predators of bivalved mollusca. Palaeogeography, Palaeoclimatology, Palaeoecology, 1968, 4, 29-65.	2.3	84
9	Shell Opening by Crabs of the Genus Calappa. Science, 1968, 160, 887-888.	12.6	96
10	Life History Patterns of the Littoral Gastropods Shaskyus Festivus (Hinds) and Ocenebra Poulsoni Carpenter (Prosobranchia: Muricidae). Ecology, 1971, 52, 742-757.	3.2	28
11	Le biotope dans le milieu marin. Marine Biology, 1972, 15, 57-73.	1.5	4
12	Marine Faunal Dominance and Molluscan Shell Form. Evolution; International Journal of Organic Evolution, 1974, 28, 656.	2.3	33
13	MARINE FAUNAL DOMINANCE AND MOLLUSCAN SHELL FORM. Evolution; International Journal of Organic Evolution, 1974, 28, 656-664.	2.3	69
14	Observations on <i>Buccinum Undatum</i> L. attacking bivalves and on prey responses, with a short review on attack methods of other prosobranchs. Ophelia, 1974, 13, 87-108.	0.3	83
15	FEEDING METHODS AND ADAPTIVE RADIATION IN THE GASTROPODA. , 1977, , 41-99.		1
16	HORMONAL CONTROL OF REPRODUCTION IN <i>BUSYCON</i> : LAYING OF EGG CAPSULES CAUSED BY NERVOUS SYSTEM EXTRACTS. Biological Bulletin, 1977, 152, 221-232.	1.8	28
17	Intertidal distribution and long-term movements of <i>Littorina irrorata</i> (Mollusca: Gastropoda). Marine Biology, 1978, 46, 49-58.	1.5	64
18	Water relations and physiological ecology of the salt marsh snail, <i>Melampus bidentatus</i> say. Journal of Experimental Marine Biology and Ecology, 1980, 45, 51-67.	1.5	30

#	ARTICLE	IF	CITATIONS
19	Behavioral recognition of molluscan and echinoderm predators by the bay scallop, <i>Argopecten irradians</i> (Lamarck) at two temperatures. <i>Journal of Experimental Marine Biology and Ecology</i> , 1980, 43, 29-37.	1.5	29
20	HORMONAL CONTROL OF REPRODUCTION IN BUSYCON: II. LAYING OF EGG-CONTAINING CAPSULES CAUSED BY NERVOUS SYSTEM EXTRACTS AND FURTHER CHARACTERIZATION OF THE SUBSTANCE CAUSING EGG CAPSULE LAYING. <i>Biological Bulletin</i> , 1982, 162, 360-370.	1.8	10
21	Unsuccessful Predation and Evolution. <i>American Naturalist</i> , 1982, 120, 701-720.	2.1	338
22	The Importance of Predation and Intra- and Interspecific Competition in the Population Biology of Two Infaunal Suspension-Feeding Bivalves, <i>Protothaca staminea</i> and <i>Chione undatella</i> . <i>Ecological Monographs</i> , 1982, 52, 437-475.	5.4	247
23	Clam predation by whelks (<i>Busycon</i> spp.): Experimental tests of the importance of prey size, prey density, and seagrass cover. <i>Marine Biology</i> , 1982, 66, 159-170.	1.5	182
24	New shell acquisition in the hermit crab <i>Pagurus geminus</i> . <i>Journal of Ethology</i> , 1983, 1, 91-100.	0.8	15
25	Patterns of coexistence in busyconine whelks. <i>Journal of Experimental Marine Biology and Ecology</i> , 1983, 66, 257-283.	1.5	34
26	Quality of shells occupied by the hermit crab <i>Pagurus geminus</i> : How many hermit crabs are satisfied with their shells?. <i>Journal of Ethology</i> , 1984, 2, 31-36.	0.8	10
27	Tidal migrations of the littoral salt marsh snail <i>Melampus bidentatus</i> Say. <i>Journal of Experimental Marine Biology and Ecology</i> , 1984, 78, 111-126.	1.5	9
28	Prey preference, capture and ration in <i>Hemifusus tuba</i> (Gmelin) (Prosobranchia: Melongenidae). <i>Journal of Experimental Marine Biology and Ecology</i> , 1985, 94, 191-210.	1.5	21
29	Behaviour and timing of copulation and egg-laying in the neogastropod <i>Buccinum undatum</i> L.. <i>Journal of Experimental Marine Biology and Ecology</i> , 1986, 96, 27-42.	1.5	69
30	Reproduction, juvenile growth, consumption and the effects of starvation upon the South China Sea whelk <i>Hemifusus tuba</i> (Gmelin) (Prosobranchia: Melongenidae). <i>Journal of Experimental Marine Biology and Ecology</i> , 1986, 102, 257-280.	1.5	21
31	SEX RELATED DIFFERENCE OF MOVEMENT SPEED IN THE FRESHWATER SNAIL <i>VIVIPARUS ATER</i> . <i>Journal of Molluscan Studies</i> , 1986, 52, 91-96.	1.2	17
32	Spines and epibionts as antipredator defenses in the thorny oyster <i>Spondylus americanus</i> Hermann. <i>Journal of Experimental Marine Biology and Ecology</i> , 1987, 105, 39-56.	1.5	67
33	Timing, intensity and sources of autumn mortality of adult bay scallops <i>Argopecten irradians concentricus</i> Say. <i>Journal of Experimental Marine Biology and Ecology</i> , 1989, 127, 121-140.	1.5	25
34	Sources of predatory mortality in the bay scallop <i>Argopecten irradians</i> (Lamarck): interactions with seagrass and epibiotic coverage. <i>Journal of Experimental Marine Biology and Ecology</i> , 1990, 144, 63-83.	1.5	39
35	Modification of animal habitat by large plants: mechanisms by which seagrasses influence clam growth. <i>Oecologia</i> , 1991, 87, 307-318.	2.0	158
36	Reproductive cycle and energetic cost of reproduction of the neogastropod <i>Buccinum undatum</i> in the Irish Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1993, 73, 391-403.	0.8	60

#	ARTICLE	IF	CITATIONS
37	Determination of age and growth of <i>Buccinum undatum</i> L. (Gastropoda) off Douglas, Isle of Man. <i>Helgoländer Meeresuntersuchungen</i> , 1996, 50, 353-368.	0.2	36
38	Tidal movement pattern of crown conchs, <i>Melongena corona</i> Gmelin. <i>Journal of Molluscan Studies</i> , 1996, 62, 129-133.	1.2	2
39	Gunnar Thorson's world-wide collection of prosobranch egg capsules: Melongenidae. <i>Ophelia</i> , 1997, 46, 83-125.	0.3	5
40	Diet and feeding habits of <i>Pugilina cochlidium</i> (Neogastropoda: Melongenidae) in Singapore. <i>Journal of Molluscan Studies</i> , 1999, 65, 499-501.	1.2	8
41	An Early Pleistocene molluscan assemblage from Fiji: gastropod faunal composition, paleoecology and biogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999, 146, 99-145.	2.3	29
42	Allozyme variation in <i>Busycon</i> whelks (Gastropoda: Melongenidae). , 2000, 38, 285-296.		6
43	NONLETHAL EFFECTS OF PREDATORS ON PREY POPULATIONS: PREDATOR-MEDIATED CHANGE IN BIVALVE GROWTH. <i>Ecology</i> , 2000, 81, 1031-1045.	3.2	132
44	Chapter 11 Predators and predation. <i>Developments in Aquaculture and Fisheries Science</i> , 2001, , 441-589.	1.3	15
45	Innovation and evolution at the edge: origins and fates of gastropods with a labral tooth. <i>Biological Journal of the Linnean Society</i> , 2001, 72, 461-508.	1.6	56
46	Mechanical Characterization of an Unusual Elastic Biomaterial from the Egg Capsules of Marine Snails (<i>Busycon</i> spp.). <i>Biomacromolecules</i> , 2002, 3, 42-50.	5.4	34
47	The Fossil Record of Predator-Prey Arms Races: Coevolution and Escalation Hypotheses. <i>The Paleontological Society Papers</i> , 2002, 8, 353-374.	0.6	51
48	Interaction strength between a predator and dangerous prey: <i>Sinistrofulgur</i> predation on <i>Mercenaria</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2003, 289, 287-301.	1.5	29
49	Coevolution of a marine gastropod predator and its dangerous bivalve prey. <i>Biological Journal of the Linnean Society</i> , 2003, 80, 409-436.	1.6	62
50	The Fossil Record of Shell-Breaking Predation on Marine Bivalves and Gastropods. , 2003, , 141-176.		65
51	Genetic sex determination, gender identification and pseudohermaphroditism in the knobbed whelk, <i>Busycon carica</i> (Mollusca: Melongenidae). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, 641-646.	2.6	18
52	The alien mollusc <i>Rapana venosa</i> (Valenciennes, 1846; Gastropoda, Muricidae) in the Northern Adriatic Sea: Population structure and shell morphology. <i>Chemistry and Ecology</i> , 2004, 20, 411-424.	1.6	45
53	Origins and circumstances of adaptive divergence in whelk feeding behavior. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 208, 279-291.	2.3	17
54	Slow-moving predatory gastropods track prey odors in fast and turbulent flow. <i>Journal of Experimental Biology</i> , 2005, 208, 809-819.	1.7	74

#	ARTICLE	IF	CITATIONS
55	Crab scars reveal survival advantage of left-handed snails. <i>Biology Letters</i> , 2006, 2, 439-442.	2.3	37
56	GROWTH RATE ESTIMATION OF HEXAPLEX (TRUNCULARIOPSIS) TRUNCULUS (GASTROPODA: MURICIDAE) BASED ON MARK/RECAPTURE EXPERIMENTS IN THE RIA FORMOSA LAGOON (ALGARVE COAST, SOUTHERN) Tj ET Q 1 0.78 24314 rg 87	1.0	14
57	THE WHELK DREDGE FISHERY OF DELAWARE. <i>Journal of Shellfish Research</i> , 2006, 25, 1-13.	0.9	6
58	THE EFFECTS OF FEMALE SIZE ON FECUNDITY IN A LARGE MARINE GASTROPOD RAPANA VENOSA (MURICIDAE). <i>Journal of Shellfish Research</i> , 2007, 26, 33-42.	0.9	31
59	Traces of Gastropod Predation on Molluscan Prey in Tropical Reef Environments. , 2007, , 324-344.		9
60	Age and Growth of the Knobbed Whelk <i>Busycon carica</i> (Gmelin 1791) in South Carolina Subtidal Waters. <i>Journal of Shellfish Research</i> , 2008, 27, 423-426.	0.9	19
61	Utilization of partially predated snail shells by the hermit crab <i>Pagurus longicarpus</i> Say, 1817. <i>Marine Biology</i> , 2010, 157, 2129-2142.	1.5	12
62	Hand Harvesting Quickly Depletes Intertidal Whelk Populations. <i>American Malacological Bulletin</i> , 2011, 29, 37-50.	0.2	7
63	Recognizing biotic breakage of the hard clam, <i>Mercenaria mercenaria</i> caused by the stone crab, <i>Menippe mercenaria</i> : An experimental taphonomic approach. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 396, 115-121.	1.5	13
64	Threat-protection mechanics of an armored fish. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011, 4, 699-712.	3.1	88
65	Observations on the Early Life History and Growth Rates of Juvenile Channel Whelks <i>Busycotypus canaliculatus</i> (Linnaeus, 1758). <i>Journal of Shellfish Research</i> , 2011, 30, 901-903.	0.9	4
66	Using Marine Snails to Teach Biogeography and Macroevolution: The Role of Larvae and Dispersal Ability in the Evolution and Persistence of Species. <i>Evolution: Education and Outreach</i> , 2012, 5, 534-540.	0.8	1
67	Temporal and spatial sampling strategies maintain tracking success of whelks to prey patches of differing distributions. <i>Animal Behaviour</i> , 2012, 84, 1323-1330.	1.9	9
68	Biotic structure indirectly affects associated prey in a predator-specific manner via changes in the sensory environment. <i>Oecologia</i> , 2013, 171, 427-438.	2.0	13
69	Abundance and Distribution of Large Marine Gastropods in Nearshore Seagrass Beds Along the Gulf Coast of Florida. <i>Journal of Shellfish Research</i> , 2013, 32, 305-313.	0.9	12
70	Structural Proteins from Whelk Egg Capsule with Long Range Elasticity Associated with a Solid-State Phase Transition. <i>Biomacromolecules</i> , 2014, 15, 30-42.	5.4	17
71	Macroecology and evolution of a crab "super predator" <i>Menippe mercenaria</i> (Menippidae), and its gastropod prey. <i>Biological Journal of the Linnean Society</i> , 2015, 116, 571-581.	1.6	7
72	Habitat Disturbance Combined with Life History Traits Facilitate Establishment of <i>Rapana venosa</i> in the Chesapeake Bay. <i>Journal of Shellfish Research</i> , 2016, 35, 885-910.	0.9	3

#	ARTICLE	IF	CITATIONS
73	Sex Differences in Growth of Channeled Whelks from Buzzards Bay, Massachusetts, during One or Two Years at Liberty. <i>Marine and Coastal Fisheries</i> , 2016, 8, 462-475.	1.4	1
74	The lightning whelk: An enduring icon of southeastern North American spirituality. <i>Journal of Anthropological Archaeology</i> , 2016, 42, 1-26.	1.6	25
75	Anatomy of a cline: dissecting anti-predatory adaptations in a marine gastropod along the U.S. Atlantic coast. <i>Ecography</i> , 2017, 40, 1285-1299.	4.5	7
76	Population and Reproductive Biology of the Channeled Whelk, <i>Busycotypus canaliculatus</i> , in the US Mid-Atlantic. <i>Journal of Shellfish Research</i> , 2017, 36, 427-444.	0.9	6
77	Lightning whelk natural history and a new sourcing method. <i>Southeastern Archaeology</i> , 2017, 36, 226-240.	0.8	12
78	Age, Growth, and Sexual Maturity of the Channeled Whelk <i>Busycotypus canaliculatus</i> (Linnaeus). <i>Journal of Shellfish Research</i> , 2018, 37, 207-219.	0.9	3
79	Spatial variation in size and age at maturation and growth of the channeled whelk (<i>Busycotypus</i>)	1.7	1
80	Feeding. , 1966, , 1-51.		13
81	Both below- and aboveground shoalgrass structure influence whelk predation on hard clams. <i>Marine Ecology - Progress Series</i> , 2012, 451, 75-92.	1.9	21
82	Predation on planted and wild bay scallops (<i>Argopecten irradians irradians</i>) by busyconine whelks: studies of behavior incorporating acoustic telemetry. <i>Marine Biology</i> , 2022, 169, 1.	1.5	4
83	Laboratory investigations into alternative baits for the channeled whelk (<i>Busycotypus canaliculatus</i>) fishery. <i>Fisheries Research</i> , 2024, 271, 106920.	1.7	0