

Younger Patients Are at Increased Risk for Graft Rupture Anterior Cruciate Ligament Reconstruction

American Journal of Sports Medicine

42, 641-647

DOI: [10.1177/0363546513517540](https://doi.org/10.1177/0363546513517540)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Epidemiology of Revision Anterior Cruciate Ligament Reconstruction in Ontario, Canada. American Journal of Sports Medicine, 2014, 42, 2666-2672.	1.9	56
2	A Modern Prometheus. American Journal of Sports Medicine, 2014, 42, 2297-2300.	1.9	0
3	Correlation Analysis of Potential Factors Influencing Graft Maturity After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2014, 2, 232596711455355.	0.8	47
4	Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. British Journal of Sports Medicine, 2014, 48, 1543-1552.	3.1	920
5	Nonanatomic Anterior Cruciate Ligament Reconstruction With Double-Stranded Semitendinosus Grafts in Children With Open Physes. American Journal of Sports Medicine, 2014, 42, 2926-2932.	1.9	44
6	Reliability of 3-Dimensional Measures of Single-Leg Drop Landing Across 3 Institutions: Implications for Multicenter Research for Secondary ACL-Injury Prevention. Journal of Sport Rehabilitation, 2015, 24, 198-209.	0.4	28
7	Incidence and Predictors of Second Anterior Cruciate Ligament Injury After Primary Reconstruction and Return to Sport. Journal of Athletic Training, 2015, 50, 1097-1099.	0.9	51
9	Anterior cruciate ligament injuries in children and adolescents. Current Orthopaedic Practice, 2015, 26, 452-457.	0.1	3
10	A conceptual framework for a sports knee injury performance profile (SKIPP) and return to activity criteria (RTAC). Brazilian Journal of Physical Therapy, 2015, 19, 340-359.	1.1	26
11	Sports Participation 2 Years After Anterior Cruciate Ligament Reconstruction in Athletes Who Had Not Returned to Sport at 1 Year. American Journal of Sports Medicine, 2015, 43, 848-856.	1.9	204
12	Predictors of Contralateral Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2015, 43, 295-302.	1.9	60
13	Addition of Autologous Mesenchymal Stem Cells to Whole Blood for Bioenhanced ACL Repair Has No Benefit in the Porcine Model. American Journal of Sports Medicine, 2015, 43, 320-330.	1.9	23
14	Functional assessments for decision-making regarding return to sports following ACL reconstruction. Part II: clinical application of a new test battery. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1283-1291.	2.3	106
15	Bridge-Enhanced ACL Repair: A Review of the Science and the Pathway Through FDA Investigational Device Approval. Annals of Biomedical Engineering, 2015, 43, 805-818.	1.3	26
16	Controversies in Knee Rehabilitation. Clinics in Sports Medicine, 2015, 34, 301-312.	0.9	36
17	Sports Injuries and Prevention. , 2015, , .		3
18	Biomechanical Analysis of Simulated Clinical Testing and Reconstruction of the Anterolateral Ligament of the Knee. American Journal of Sports Medicine, 2015, 43, 2189-2197.	1.9	207
19	Outcome of a Combined Anterior Cruciate Ligament and Anterolateral Ligament Reconstruction Technique With a Minimum 2-Year Follow-up. American Journal of Sports Medicine, 2015, 43, 1598-1605.	1.9	403

#	ARTICLE	IF	CITATIONS
20	Prevention of Anterior Cruciate Ligament (ACL) Injury. , 2015, , 163-186.		0
21	The Fate of Meniscus Tears Left In Situ at the Time of Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2015, 43, 2688-2695.	1.9	68
22	Incidence and Predictors of Second Anterior Cruciate Ligament Injury After Primary Reconstruction and Return to Sport. Journal of Athletic Training, 0, , .	0.9	0
23	Predictors for additional anterior cruciate ligament reconstruction: data from the Swedish national ACL register. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 885-894.	2.3	84
24	Exploring the High Reinjury Rate in Younger Patients Undergoing Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2016, 44, 2827-2832.	1.9	367
25	Does revision ACL reconstruction measure up to primary surgery? A meta-analysis comparing patient-reported and clinician-reported outcomes, and radiographic results. British Journal of Sports Medicine, 2016, 50, 716-724.	3.1	84
26	2016 Consensus statement on return to sport from the First World Congress in Sports Physical Therapy, Bern. British Journal of Sports Medicine, 2016, 50, 853-864.	3.1	552
27	Likelihood of ACL graft rupture: not meeting six clinical discharge criteria before return to sport is associated with a four times greater risk of rupture. British Journal of Sports Medicine, 2016, 50, 946-951.	3.1	544
28	Satisfaction With Knee Function After Primary Anterior Cruciate Ligament Reconstruction Is Associated With Self-Efficacy, Quality of Life, and Returning to the Preinjury Physical Activity. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 1631-1638.e3.	1.3	73
29	Twenty-Year Outcome of a Longitudinal Prospective Evaluation of Isolated Endoscopic Anterior Cruciate Ligament Reconstruction With Patellar Tendon or Hamstring Autograft. American Journal of Sports Medicine, 2016, 44, 3083-3094.	1.9	93
30	Geometric Risk Factors Associated With Noncontact Anterior Cruciate Ligament Graft Rupture. American Journal of Sports Medicine, 2016, 44, 2537-2545.	1.9	38
31	Critical components of neuromuscular training to reduce ACL injury risk in female athletes: meta-regression analysis. British Journal of Sports Medicine, 2016, 50, 1259-1266.	3.1	105
32	Simple decision rules can reduce reinjury risk by 84% after ACL reconstruction: the Delaware-Oslo ACL cohort study. British Journal of Sports Medicine, 2016, 50, 804-808.	3.1	798
33	Revision Anterior Cruciate Ligament Reconstruction: Results of a Single-stage Approach Using Allograft Dowel Bone Grafting for Femoral Defects. Journal of the American Academy of Orthopaedic Surgeons, The, 2016, 24, 581-587.	1.1	31
34	Functional Movement Competency and Dynamic Balance After Anterior Cruciate Ligament Reconstruction in Adolescent Patients. Journal of Pediatric Orthopaedics, 2016, 36, 36-41.	0.6	43
35	Are Female Soccer Players at an Increased Risk of Second Anterior Cruciate Ligament Injury Compared With Their Athletic Peers?. American Journal of Sports Medicine, 2016, 44, 2492-2498.	1.9	94
36	Cadaveric Study Comparing the Biomechanical Properties of Grafts Used for Knee Anterolateral Ligament Reconstruction. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 2288-2294.	1.3	49
37	Single-leg postural stability deficits following anterior cruciate ligament reconstruction in pediatric and adolescent athletes. Journal of Pediatric Orthopaedics Part B, 2016, 25, 338-342.	0.3	9

#	ARTICLE	IF	CITATIONS
38	Fifteen-Year Survival of Endoscopic Anterior Cruciate Ligament Reconstruction in Patients Aged 18 Years and Younger. <i>American Journal of Sports Medicine</i> , 2016, 44, 384-392.	1.9	139
39	Risk of Secondary Injury in Younger Athletes After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2016, 44, 1861-1876.	1.9	815
40	The Involvement of the Anterolateral Ligament in Rotational Control of the Knee. <i>American Journal of Sports Medicine</i> , 2016, 44, 1209-1214.	1.9	193
41	Adaptation Strategies of Individuals With Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711562761.	0.8	12
42	Return to Sport Among French Alpine Skiers After an Anterior Cruciate Ligament Rupture. <i>American Journal of Sports Medicine</i> , 2016, 44, 324-330.	1.9	34
43	The old knee in the young athlete: knowns and unknowns in the return to play conversation. <i>British Journal of Sports Medicine</i> , 2016, 50, 505-506.	3.1	7
44	Risk of Reinjury or Subsequent Injury After Anterior Cruciate Ligament Reconstruction. <i>Operative Techniques in Sports Medicine</i> , 2016, 24, 65-72.	0.2	1
45	Greater fear of re-injury and increased tibial translation in patients who later sustain an ACL graft rupture or a contralateral ACL rupture: a pilot study. <i>Journal of Sports Sciences</i> , 2016, 34, 125-132.	1.0	16
46	The Importance of Patient Sex in the Outcomes of Anterior Cruciate Ligament Reconstructions. <i>American Journal of Sports Medicine</i> , 2016, 44, 242-254.	1.9	123
47	Return to sport: Does excellent 6-month strength and function following ACL reconstruction predict midterm outcomes?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1356-1363.	2.3	84
48	Traumatic graft rupture after primary and revision anterior cruciate ligament reconstruction: retrospective analysis of incidence and risk factors in 2915 cases. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1535-1541.	2.3	64
49	Anterior cruciate ligament reconstruction model based on anatomical position locating. <i>Multimedia Tools and Applications</i> , 2017, 76, 9943-9958.	2.6	0
50	Should Return to Sport be Delayed Until 2 Years After Anterior Cruciate Ligament Reconstruction? Biological and Functional Considerations. <i>Sports Medicine</i> , 2017, 47, 221-232.	3.1	260
51	Revision pediatric anterior cruciate ligament reconstruction after failure of iliotibial band technique treated with all-epiphyseal technique in a prepubescent with Ehlers-Danlos syndrome: a case report. <i>Journal of Pediatric Orthopaedics Part B</i> , 2017, 26, 470-476.	0.3	3
52	A 10-year Retrospective Review of Functional Outcomes of Adolescent Anterior Cruciate Ligament Reconstruction. <i>Journal of Pediatric Orthopaedics</i> , 2017, 37, 133-137.	0.6	23
53	Technical Considerations in Revision Anterior Cruciate Ligament Reconstruction for Operative Techniques in Orthopaedics. <i>Operative Techniques in Orthopaedics</i> , 2017, 27, 63-69.	0.2	25
54	Incidence of Second Anterior Cruciate Ligament Tears (1990-2000) and Associated Factors in a Specific Geographic Locale. <i>American Journal of Sports Medicine</i> , 2017, 45, 1567-1573.	1.9	43
55	Graft Rupture and Failure After ACL Reconstruction. , 2017, , 477-489.		1

#	ARTICLE	IF	CITATIONS
56	Nonoperative Management of ACL Rupture. , 2017, , 491-498.		0
57	Anterolateral Ligament Reconstruction Techniques, Biomechanics, and Clinical Outcomes: A Systematic Review. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 1575-1583.	1.3	74
58	Outcomes and Complications After All-Epiphyseal Anterior Cruciate Ligament Reconstruction in Skeletally Immature Patients. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711769360.	0.8	58
59	Anatomy and Biomechanics of the Native and Reconstructed Anterior Cruciate Ligament: Surgical Implications. Journal of Bone and Joint Surgery - Series A, 2017, 99, 438-445.	1.4	56
60	Extra-articular Plasty with ACL Reconstruction: Long-Term Results of Associated Procedure. , 2017, , 355-370.		1
61	Return to Sport in the Younger Patient With Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711770339.	0.8	55
62	Delaying ACL reconstruction and treating with exercise therapy alone may alter prognostic factors for 5-year outcome: an exploratory analysis of the KANON trial. British Journal of Sports Medicine, 2017, 51, 1622-1629.	3.1	64
63	A Novel Mass-Spring-Damper Model Analysis to Identify Landing Deficits in Athletes Returning to Sport After Anterior Cruciate Ligament Reconstruction. Journal of Strength and Conditioning Research, 2017, 31, 2590-2598.	1.0	9
64	The Quandary of Treating Anterior Cruciate Ligament Tears in Children and Adolescents. Journal of Bone and Joint Surgery - Series A, 2017, 99, e58.	1.4	4
65	Revision ACL Reconstruction. JBJS Reviews, 2017, 5, e1-e1.	0.8	31
66	Subsequent Surgery After Revision Anterior Cruciate Ligament Reconstruction: Rates and Risk Factors From a Multicenter Cohort. American Journal of Sports Medicine, 2017, 45, 2068-2076.	1.9	56
67	Bench-to-bedside: Bridge-enhanced anterior cruciate ligament repair. Journal of Orthopaedic Research, 2017, 35, 2606-2612.	1.2	42
68	On-Ice Return-to-Hockey Progression After Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 324-333.	1.7	14
69	Adolescents and female patients are at increased risk for contralateral anterior cruciate ligament reconstruction: a cohort study from the Swedish National Knee Ligament Register based on 17,682 patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3938-3944.	2.3	34
70	Factors That Predict Failure in Anatomic Single-Bundle Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2017, 45, 1529-1536.	1.9	87
71	Allograft Augmentation of Hamstring Autograft for Younger Patients Undergoing Anterior Cruciate Ligament Reconstruction: Clinical and Cost-Effectiveness Analyses. American Journal of Sports Medicine, 2017, 45, 892-899.	1.9	56
72	Revision surgery in anterior cruciate ligament reconstruction: a cohort study of 17,682 patients from the Swedish National Knee Ligament Register. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1542-1554.	2.3	63
73	Revision Anterior Cruciate Ligament Reconstruction. Journal of Bone and Joint Surgery - Series A, 2017, 99, 1689-1696.	1.4	37

#	ARTICLE	IF	CITATIONS
74	Knee Stability and Movement Coordination Impairments: Knee Ligament Sprain Revision 2017. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, A1-A47.	1.7	77
76	Injuries to the Female Athlete in 2017. JBJS Reviews, 2017, 5, e5-e5.	0.8	14
77	Autograft superior to both irradiated and non-irradiated allograft for primary ACL reconstruction: a systematic review. Journal of ISAKOS, 2017, 2, 247-259.	1.1	1
78	Younger Patients and Men Achieve Higher Outcome Scores Than Older Patients and Women After Anterior Cruciate Ligament Reconstruction. Clinical Orthopaedics and Related Research, 2017, 475, 2472-2480.	0.7	44
79	Criteria for Return to Sport after Anterior Cruciate Ligament reconstruction with lower reinjury risk (CR ^â ™STAL study): protocol for a prospective observational study in France. BMJ Open, 2017, 7, e015087.	0.8	37
80	Authors' Reply. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 888-889.	1.3	1
81	Influence of Age on Healing Capacity of Acute Tears of the Anterior Cruciate Ligament Based on Magnetic Resonance Imaging Assessment. Journal of Computer Assisted Tomography, 2017, 41, 206-211.	0.5	11
82	The diameter of single bundle, hamstring autograft does not significantly influence revision rate or clinical outcomes after anterior cruciate ligament reconstruction. Knee, 2017, 24, 1033-1038.	0.8	28
83	â€œI never made it to the prosâ€ â€•Return to sport and becoming an elite athlete after pediatric and adolescent anterior cruciate ligament injuryâ€”Current evidence and future directions. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1011-1018.	2.3	22
84	Gait mechanics and second ACL rupture: Implications for delaying return-to-sport. Journal of Orthopaedic Research, 2017, 35, 1894-1901.	1.2	58
85	Impact of surgical timing on the outcome of anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 569-577.	2.3	44
86	The Dynamic Interplay Between Active and Passive Knee Stability: Implications for Management of the High ACL Injury Risk Athlete. , 2017, , 473-490.		1
87	Clinical Factors That Predict a Second ACL Injury After ACL Reconstruction and Return to Sport: Preliminary Development of a Clinical Decision Algorithm. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711774527.	0.8	123
88	Anterior Cruciate Ligament Revision Reconstruction. , 2017, , 221-257.		8
89	Genome-wide association analysis in dogs implicates 99 loci as risk variants for anterior cruciate ligament rupture. PLoS ONE, 2017, 12, e0173810.	1.1	39
90	Doctor Kate E. Webster: anterior cruciate ligament injury in young athletes in Australia. Annals of Joint, 2017, 2, 45-45.	1.0	0
91	Risk Factors for Anterior Cruciate Ligament Injuries in the Female Athlete. , 2017, , 344-372.		1
92	Functional assessments for anterior cruciate ligament reconstruction return to sport. Annals of Joint, 0, 2, 37-37.	1.0	3

#	ARTICLE	IF	CITATIONS
93	Return-to-Play Criteria: The Delaware Experience. , 2018, , 127-137.		0
94	Low 1-Year Return-to-Sport Rate After Anterior Cruciate Ligament Reconstruction Regardless of Patient and Surgical Factors: A Prospective Cohort Study of 272 Patients. American Journal of Sports Medicine, 2018, 46, 1551-1558.	1.9	44
95	Revision Anterior Cruciate Ligament Reconstruction Outcomes in Younger Patients: Medial Meniscal Pathology and High Rates of Return to Sport Are Associated With Third ACL Injuries. American Journal of Sports Medicine, 2018, 46, 1137-1142.	1.9	44
96	Role of anterolateral reconstruction in patients undergoing anterior cruciate ligament reconstruction. Orthopaedics and Traumatology: Surgery and Research, 2018, 104, S47-S53.	0.9	19
97	Is Treatment of Segond Fracture Necessary With Combined Anterior Cruciate Ligament Reconstruction?. American Journal of Sports Medicine, 2018, 46, 832-838.	1.9	37
98	Risk Factors for Contralateral ACL Injury: A Single Institution Caseâ€“Control Study. Journal of Knee Surgery, 2018, 31, 846-850.	0.9	5
99	Factors Associated With Psychological Readiness to Return to Sport After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2018, 46, 1545-1550.	1.9	151
100	Altered movement during single leg hop test after ACL reconstruction: implications to incorporate 2-D video movement analysis for hop tests. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3012-3019.	2.3	38
101	Whatâ€™s New in Pediatric and Adolescent Anterior Cruciate Ligament Injuries?. Journal of Pediatric Orthopaedics, 2018, 38, 185-192.	0.6	27
102	Patient and surgical characteristics that affect revision risk in dynamic intraligamentary stabilization of the anterior cruciate ligament. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1182-1189.	2.3	41
103	Young athletes return too early to knee-strenuous sport, without acceptable knee function after anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1966-1974.	2.3	73
104	Challenges in the Management of Anterior Cruciate Ligament Ruptures in Skeletally Immature Patients. Journal of the American Academy of Orthopaedic Surgeons, The, 2018, 26, e50-e61.	1.1	31
105	Effects of Unilateral Electroacupuncture on Bilateral Proprioception in a Unilateral Anterior Cruciate Ligament Injury Model. Medical Science Monitor, 2018, 24, 5473-5479.	0.5	4
106	Fifteen-Year Audit of Anterior Cruciate Ligament Reconstructions in the Australian Football League From 1999 to 2013: Return to Play and Subsequent ACL Injury. American Journal of Sports Medicine, 2018, 46, 3353-3360.	1.9	48
107	Comparison of Lower Extremity Recovery After Anterior Cruciate Ligament Reconstruction With Transphyseal Hamstring Versus Extraphyseal Iliotibial Band Techniques in Skeletally Immature Athletes. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711876804.	0.8	19
108	Anterior Cruciate Ligament Injuryâ€“Who Succeeds Without Reconstructive Surgery? The Delaware-Oslo ACL Cohort Study. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711877425.	0.8	32
109	Anterior Cruciate Ligament Reconstruction Outcomes as a Function of Age. , 2018, , 490-493.e2.		0
110	Return to Level I Sports After Anterior Cruciate Ligament Reconstruction: Evaluation of Age, Sex, and Readiness to Return Criteria. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711878804.	0.8	70

#	ARTICLE	IF	CITATIONS
111	Biomechanical Deficits at the Hip in Athletes With ACL Reconstruction Are Ameliorated With Neuromuscular Training. <i>American Journal of Sports Medicine</i> , 2018, 46, 2772-2779.	1.9	15
112	Validation of a Composite Test for Assessment of Readiness for Return to Sports After Anterior Cruciate Ligament Reconstruction: The K-STARTS Test. <i>Sports Health</i> , 2018, 10, 515-522.	1.3	27
113	Management of ACL Injuries in Handball. , 2018, , 279-294.		0
114	Lower Limb Biomechanics During Single-Leg Landings Following Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2018, 48, 2103-2126.	3.1	53
115	Psychological and Functional Readiness for Sport Following Advanced Group Training in Patients With Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 864-872.	1.7	35
116	Complications After Anterior Cruciate Ligament Reconstruction and Their Relation to the Type of Graft: A Prospective Study of 958 Cases. <i>American Journal of Sports Medicine</i> , 2019, 47, 2543-2549.	1.9	74
117	Clinical Tests Can Be Used to Screen for Second Anterior Cruciate Ligament Injury in Younger Patients Who Return to Sport. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711986300.	0.8	22
118	Where are we with return-to-sport testing following ACL reconstruction?. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1037-1038.	0.9	8
119	Keep calm and carry on testing: a substantive reanalysis and critique of "what is the evidence for and validity of return-to-sport testing after anterior cruciate ligament reconstruction surgery? A systematic review and meta-analysis". <i>British Journal of Sports Medicine</i> , 2019, 53, 1444-1446.	3.1	25
120	Influence of relative injury risk profiles on anterior cruciate ligament and medial collateral ligament strain during simulated landing leading to a noncontact injury event. <i>Clinical Biomechanics</i> , 2019, 69, 44-51.	0.5	10
121	Editorial Commentary: Anterolateral Ligament" Anatomy, Evaluation, and Future Applications to Knee Stability. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2143-2145.	1.3	0
122	Editorial Commentary: Anterior Cruciate Ligament Graft Reinforcement: A New Era Supported by Science. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2123-2126.	1.3	8
123	Hybrid Vigor (?). <i>American Journal of Sports Medicine</i> , 2019, 47, 1785-1788.	1.9	1
124	Return to Sport Following Revision Anterior Cruciate Ligament Reconstruction in Athletes: A Systematic Review. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2222-2230.	1.3	48
125	Tissue-specific changes in size and shape of the ligaments and tendons of the porcine knee during post-natal growth. <i>PLoS ONE</i> , 2019, 14, e0219637.	1.1	4
126	ACL Reconstruction Using Autologous Hamstrings Augmented With the Ligament Augmentation and Reconstruction System Provides Good Clinical Scores, High Levels of Satisfaction and Return to Sport, and a Low Rerare Rate at 2 Years. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987907.	0.8	23
127	Risk of Secondary ACL Injury in Adolescents Prescribed Functional Bracing After ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987988.	0.8	14
128	Return to Play and Long-term Participation in Pivoting Sports After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 3339-3346.	1.9	65

#	ARTICLE	IF	CITATIONS
129	Psychosocial Barriers After Anterior Cruciate Ligament Reconstruction: A Clinical Review of Factors Influencing Postoperative Success. <i>Sports Health</i> , 2019, 11, 528-534.	1.3	35
130	Combined Anterior Cruciate and Anterolateral Ligament Reconstruction in the Professional Athlete: Clinical Outcomes From the Scientific Anterior Cruciate Ligament Network International Study Group in a Series of 70 Patients With a Minimum Follow-Up of 2Years. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> . 2019. 35. 885-892.	1.3	70
131	Multiplanar Loading of the Knee and Its Influence on Anterior Cruciate Ligament and Medial Collateral Ligament Strain During Simulated Landings and Noncontact Tears. <i>American Journal of Sports Medicine</i> , 2019, 47, 1844-1853.	1.9	59
132	The Stability study: a protocol for a multicenter randomized clinical trial comparing anterior cruciate ligament reconstruction with and without Lateral Extra-articular Tenodesis in individuals who are at high risk of graft failure. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 216.	0.8	39
133	Allograft Augmentation of Hamstring Anterior Cruciate Ligament Autografts Is Associated With Increased Graft Failure in Children and Adolescents. <i>American Journal of Sports Medicine</i> , 2019, 47, 1576-1582.	1.9	41
134	What is the Evidence for and Validity of Return-to-Sport Testing after Anterior Cruciate Ligament Reconstruction Surgery? A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2019, 49, 917-929.	3.1	176
135	Knee strength, hop performance and self-efficacy at 4 months are associated with symmetrical knee muscle function in young athletes 1 year after an anterior cruciate ligament reconstruction. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000504.	1.4	10
136	A research update on the state of play for return to sport after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedics and Traumatology</i> , 2019, 20, 10.	1.0	40
137	Young age and high BMI are predictors of early revision surgery after primary anterior cruciate ligament reconstruction: a cohort study from the Swedish and Norwegian knee ligament registries based on 30,747 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3583-3591.	2.3	54
138	Anterior Cruciate Ligament Ruptures in the Female Athlete. , 2019, , 1-8.		0
139	The Biology of Anterior Cruciate Ligament Healing After Reconstruction. , 2019, , 37-43.		0
140	Small hamstring autograft is defined by a cut-off diameter of 7Åmm and not recommended with allograft augmentation in single-bundle ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3650-3659.	2.3	10
141	Consideration of lateral augmentation in anatomic anterior cruciate ligament reconstruction. <i>Annals of Joint</i> , 0, 4, 15-15.	1.0	5
142	Biomechanical Testing of Three Alternative Quadrupled Tendon Graft Constructs With Adjustable Loop Suspensory Fixation for Anterior Cruciate Ligament Reconstruction Compared With Four-Strand Grafts Fixed With Screws and Femoral Fixed Loop Devices. <i>American Journal of Sports Medicine</i> , 2019, 47, 828-836.	1.9	20
143	Smaller Change in Psychological Readiness to Return to Sport Is Associated With Second Anterior Cruciate Ligament Injury Among Younger Patients. <i>American Journal of Sports Medicine</i> , 2019, 47, 1209-1215.	1.9	52
144	âœœDoctor, What Happens After My Anterior Cruciate Ligament Reconstruction?âœœ. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 372-379.	1.4	8
145	Psychological Readiness to Return to Sport Is Associated With Second Anterior Cruciate Ligament Injuries. <i>American Journal of Sports Medicine</i> , 2019, 47, 857-862.	1.9	143
146	Towards Estimation of Three-Dimensional Knee Rotations. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
147	Neuromuscular Training Improves Biomechanical Deficits at the Knee in Anterior Cruciate Ligament-“Reconstructed Athletes. <i>Clinical Journal of Sport Medicine</i> , 2021, 31, 113-119.	0.9	18
148	Pediatric Anterior Cruciate Ligament Reruptures Are Related to Lower Functional Scores at the Time of Return to Activity: A Prospective, Midterm Follow-up Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711988888.	0.8	20
150	Knee extensor strength and hop test performance following anterior cruciate ligament reconstruction. <i>Knee</i> , 2019, 26, 149-154.	0.8	46
151	Partial meniscectomy adversely affects return-to-sport outcome after anatomical double-bundle anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 912-920.	2.3	10
152	Return to Sport and Reoperation Rates in Patients Under the Age of 20 After Primary Anterior Cruciate Ligament Reconstruction: Risk Profile Comparing 3 Patient Groups Predicated Upon Skeletal Age. <i>American Journal of Sports Medicine</i> , 2019, 47, 628-639.	1.9	53
153	Expectations for Return to Preinjury Sport Before and After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 578-583.	1.9	67
154	Anterior cruciate ligament repair with Independent Suture Tape Reinforcement: a case series with 2-year follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 60-67.	2.3	86
155	Low Rates of Return to Preinjury Sport After Bilateral Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 334-338.	1.9	19
156	Improved results of ACL primary repair in one-part tears with intact synovial coverage. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 37-43.	2.3	36
157	Systematic Selection of Key Logistic Regression Variables for Risk Prediction Analyses: A Five-Factor Maximum Model. <i>Clinical Journal of Sport Medicine</i> , 2019, 29, 78-85.	0.9	30
158	Effect of Graft Type on Balance and Hop Tests in Adolescent Males Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2019, 28, 468-475.	0.4	9
159	Pediatric ACL Reconstruction and Return to the Operating Room: Revision Is Less Than Half of the Story. <i>Journal of Pediatric Orthopaedics</i> , 2019, 39, 516-520.	0.6	39
160	Age is a risk factor for contralateral tendon rupture in patients with acute Achilles tendon rupture. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1625-1630.	2.3	7
161	Strength in numbers? The fragility index of studies from the Scandinavian knee ligament registries. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 339-352.	2.3	19
162	Patient-Related Risk Factors for Contralateral Anterior Cruciate Ligament (ACL) Tear After ACL Reconstruction: An Analysis of 3707 Primary ACL Reconstructions. <i>HSS Journal</i> , 2020, 16, 226-229.	0.7	8
163	Over-the-top ACL reconstruction restores anterior and rotatory knee laxity in skeletally immature individuals and revision settings. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 538-543.	2.3	16
164	Cartilage damage at the time of anterior cruciate ligament reconstruction is associated with weaker quadriceps function and lower risk of future ACL injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 576-583.	2.3	21
165	High Risk of Further Anterior Cruciate Ligament Injury in a 10-Year Follow-up Study of Anterior Cruciate Ligament-Reconstructed Soccer Players in the Swedish National Knee Ligament Registry. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 189-195.	1.3	36

#	ARTICLE	IF	CITATIONS
166	Rates of revision and surgeon-reported graft rupture following ACL reconstruction: early results from the New Zealand ACL Registry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2194-2202.	2.3	39
167	Jump performance in male and female football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 606-613.	2.3	18
168	Anterior Cruciate Ligament Reconstruction in High School and College-Aged Athletes: Does Autograft Choice Influence Anterior Cruciate Ligament Revision Rates?. <i>American Journal of Sports Medicine</i> , 2020, 48, 298-309.	1.9	80
169	More Than a 2-Fold Risk of Contralateral Anterior Cruciate Ligament Injuries Compared With Ipsilateral Graft Failure 10 Years After Primary Reconstruction. <i>American Journal of Sports Medicine</i> , 2020, 48, 310-317.	1.9	16
170	The role of anterolateral augmentation in primary ACL reconstruction. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2020, 11, S389-S395.	0.6	1
171	Japanese Orthopaedic Association (JOA) clinical practice guidelines on the management of anterior cruciate ligament injury – Secondary publication. <i>Journal of Orthopaedic Science</i> , 2020, 25, 6-45.	0.5	31
172	Which Children Are at Risk for Contralateral Anterior Cruciate Ligament Injury After Ipsilateral Reconstruction?. <i>Journal of Pediatric Orthopaedics</i> , 2020, 40, 162-167.	0.6	9
173	Athletes With Bone-Patellar Tendon-Bone Autograft for Anterior Cruciate Ligament Reconstruction Were Slower to Meet Rehabilitation Milestones and Return-to-Sport Criteria Than Athletes With Hamstring Tendon Autograft or Soft Tissue Allograft : Secondary Analysis From the ACL-SPORTS Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 259-266.	1.7	42
174	The Future of Orthopaedic Sports Medicine. , 2020, , .		0
175	Clinical outcomes after anterior cruciate ligament injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Journal of ISAKOS</i> , 2020, 5, 281-294.	1.1	6
176	Prospective Frontal Plane Angles Used to Predict ACL Strain and Identify Those at High Risk for Sports-Related ACL Injury. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712095764.	0.8	22
177	Revision ACL Reconstruction in Adolescent Patients. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712095333.	0.8	14
178	The effect of anterolateral ligament reconstruction on knee constraint: A computer model-based simulation study. <i>Knee</i> , 2020, 27, 1228-1237.	0.8	4
179	Trauma and femoral tunnel position are the most common failure modes of anterior cruciate ligament reconstruction: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3666-3675.	2.3	23
180	Combined Anterolateral Ligament Reconstruction and Capsular Reinforcement in the Skeletally Immature Knee. <i>Arthroscopy Techniques</i> , 2020, 9, e1627-e1633.	0.5	3
181	A Secondary Injury Prevention Program May Decrease Contralateral Anterior Cruciate Ligament Injuries in Female Athletes: 2-Year Injury Rates in the ACL-SPORTS Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 523-530.	1.7	21
182	Return to sports bridge program improves outcomes, decreases ipsilateral knee re-injury and contralateral knee injury rates post-ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3676-3685.	2.3	14
183	Clinical outcomes after anterior cruciate ligament injury: panther symposium ACL injury clinical outcomes consensus group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2415-2434.	2.3	47

#	ARTICLE	IF	CITATIONS
184	Hamstring autograft versus patellar tendon autograft for anterior cruciate ligament reconstruction, which graft has a higher contralateral anterior cruciate ligament injury rate?. <i>Medicine (United States)</i> , 2020, 99, e21540.	0.4	5
185	Clinical Outcomes After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093475.	0.8	15
186	Neuromuscular Training Improves Self-Reported Function and Single-Leg Landing Hip Biomechanics in Athletes After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712095934.	0.8	13
187	Clinical and Radiographic Outcomes of Anterior Cruciate Ligament Reconstruction With Hamstring Tendon Graft and Femoral Cortical Button Fixation at Minimum 20-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2020, 48, 2962-2969.	1.9	17
188	Tear Rates of the Ipsilateral ACL Graft and the Contralateral Native ACL Are Similar following ACL Reconstruction. <i>Journal of Knee Surgery</i> , 2020, , .	0.9	3
189	Failed Meniscal Repairs After Anterior Cruciate Ligament Reconstruction Increases Risk of Revision Surgery. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712096053.	0.8	6
190	Hop tests and psychological PROs provide a demanding and clinician-friendly RTS assessment of patients after ACL reconstruction, a registry study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 32.	0.7	9
191	One in 5 Athletes Sustain Reinjury Upon Return to High-Risk Sports After ACL Reconstruction: A Systematic Review in 1239 Athletes Younger Than 20 Years. <i>Sports Health</i> , 2020, 12, 587-597.	1.3	63
192	Contralateral Anterior Cruciate Ligament Injuries Following Index Reconstruction in the Pediatric Athlete. <i>Current Reviews in Musculoskeletal Medicine</i> , 2020, 13, 409-415.	1.3	3
193	Safer and Cheaper: An Enhanced Milestone-Based Return to Play Program After Anterior Cruciate Ligament Reconstruction in Young Athletes Is Cost-Effective Compared With Standard Time-Based Return to Play Criteria. <i>American Journal of Sports Medicine</i> , 2020, 48, 1100-1107.	1.9	9
194	Second Anterior Cruciate Ligament Injuries After Anterior Cruciate Ligament Reconstruction in Professional Sumo Wrestlers: A Case Series. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712090369.	0.8	2
195	ACL injuries before 15 years of age: could the young become an athlete?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1055-1063.	1.3	9
196	Passing return to sports tests after ACL reconstruction is associated with greater likelihood for return to sport but fail to identify second injury risk. <i>Knee</i> , 2020, 27, 949-957.	0.8	55
198	All-Inside Quadrupled Semitendinosus Autograft Shows Stability Equivalent to Patellar Tendon Autograft Anterior Cruciate Ligament Reconstruction: Randomized Controlled Trial in Athletes 24 Years or Younger. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1629-1646.	1.3	19
199	Lateral Extra-articular Tenodesis Reduces Failure of Hamstring Tendon Autograft Anterior Cruciate Ligament Reconstruction: 2-Year Outcomes From the STABILITY Study Randomized Clinical Trial. <i>American Journal of Sports Medicine</i> , 2020, 48, 285-297.	1.9	347
200	Clinical outcome and failure analysis of medial meniscus bucket-handle tear repair: a series of 96 patients with a minimum 2-year follow-up. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1649-1654.	1.3	17
201	Joint laxity varies in response to partial and complete anterior cruciate ligament injuries throughout skeletal growth. <i>Journal of Biomechanics</i> , 2020, 101, 109636.	0.9	7
202	Young Athletes Who Return to Sport Before 9 Months After Anterior Cruciate Ligament Reconstruction Have a Rate of New Injury 7 Times That of Those Who Delay Return. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 83-90.	1.7	96

#	ARTICLE	IF	CITATIONS
203	Transphyseal anterior cruciate ligament reconstruction using living parental donor hamstring graft: excellent clinical results at 2 years in a cohort of 100 patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2511-2518.	2.3	10
204	Return to sports following arthroscopic primary repair of the anterior cruciate ligament in the adult population. <i>Knee</i> , 2020, 27, 906-914.	0.8	14
205	Effectiveness of thicker hamstring or patella tendon grafts to reduce graft failure rate in anterior cruciate ligament reconstruction in young patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 725-731.	2.3	22
206	Quadriceps Strength and Functional Performance After Anterior Cruciate Ligament Reconstruction in Professional Soccer players at Time of Return to Sport. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 769-775.	1.0	34
207	Higher risk of contralateral anterior cruciate ligament (ACL) injury within 2 years after ACL reconstruction in under-18-year-old patients with steep tibial plateau slope. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1690-1700.	2.3	14
208	Can Talented Youth Soccer Players Who Have Undergone Anterior Cruciate Ligament Reconstruction Reach the Elite Level?. <i>American Journal of Sports Medicine</i> , 2021, 49, 384-390.	1.9	4
209	Development of pluripotent stem cell-based human tenocytes. <i>Development Growth and Differentiation</i> , 2021, 63, 38-46.	0.6	13
210	Secondary Injuries After Pediatric Anterior Cruciate Ligament Reconstruction: A Systematic Review With Quantitative Analysis. <i>American Journal of Sports Medicine</i> , 2021, 49, 1086-1093.	1.9	19
211	Five-Strand Versus Four-Strand Hamstring Autografts in Anterior Cruciate Ligament Reconstruction—A Prospective Randomized Controlled Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 579-585.	1.3	11
212	The Impact of Resident Involvement on Surgical Outcomes following Anterior Cruciate Ligament Reconstruction. <i>Journal of Knee Surgery</i> , 2021, 34, 287-292.	0.9	7
213	Patellofemoral Dislocation Recurrence After a First Episode: A Case-Control Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098163.	0.8	11
214	An arthroscopic repair technique for proximal anterior cruciate tears in children to restore active function and avoid growth disturbances. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3689-3696.	2.3	11
215	Effect of Graft Rupture Prevention Training on Young Athletes After Anterior Cruciate Ligament Reconstruction: An 8-Year Prospective Intervention Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097359.	0.8	3
216	Risk Factors for Contra-Lateral Secondary Anterior Cruciate Ligament Injury: A Systematic Review with Meta-Analysis. <i>Sports Medicine</i> , 2021, 51, 1419-1438.	3.1	22
217	Hamstring graft diameter above 7 mm has a lower risk of failure following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 288-297.	2.3	16
218	Second ACL Injury Rates in Younger Athletes Who Were Advised to Delay Return to Sport Until 12 Months After ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098563.	0.8	19
219	Risk Estimation of Anterior Cruciate Ligament (ACL) Injury in East Java Puslatda Pencak Silat Athletes. <i>Surabaya Physical Medicine and Rehabilitation Journal</i> , 2021, 3, 29.	0.4	1
220	Ten-Year Survivorship, Patient-Reported Outcome Measures, and Patient Acceptable Symptom State After Over-the-Top Hamstring Anterior Cruciate Ligament Reconstruction With a Lateral Extra-articular Reconstruction: Analysis of 267 Consecutive Cases. <i>American Journal of Sports Medicine</i> , 2021, 49, 374-383.	1.9	18

#	ARTICLE	IF	CITATIONS
221	Magnetic Resonance Imaging 1 Year After Hamstring Autograft Anterior Cruciate Ligament Reconstruction Can Identify Those at Higher Risk of Graft Failure: An Analysis of 250 Cases. <i>American Journal of Sports Medicine</i> , 2021, 49, 1270-1278.	1.9	16
222	Self-Tensioning Feature of Knotless Suture Anchor Provides Reproducible Knotless Fixation Independent of Initial Tension. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199159.	0.8	0
223	Risk Factors for Failure After Anterior Cruciate Ligament Reconstruction in a Pediatric Population: A Prediction Algorithm. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199116.	0.8	6
224	The Role of Psychological Readiness in Return to Sport Assessment After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1236-1243.	1.9	38
225	Test Batteries After Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Sports Health</i> , 2022, 14, 205-215.	1.3	15
226	Same knee, different goals: patients and surgeons have different priorities related to ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 4286-4295.	2.3	3
227	Effect of Anterior Cruciate Ligament Rupture on Physical Activity, Sports Participation, Patient-Reported Health Outcomes, and Physical Function in Young Female Athletes. <i>American Journal of Sports Medicine</i> , 2021, 49, 1460-1469.	1.9	11
228	Clinical Risk Profile for a Second Anterior Cruciate Ligament Injury in Female Soccer Players After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1421-1430.	1.9	20
229	Preservation of the Tibial Stump During Anterior Cruciate Ligament Reconstruction Surgery Did Not Increase the Rate of Surgery for Symptomatic Cyclops Lesions. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199251.	0.8	8
230	The Mental Side of the Injured Athlete. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2021, 29, 499-506.	1.1	26
231	Validation of a Risk Calculator to Personalize Graft Choice and Reduce Rupture Rates for Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1777-1785.	1.9	12
232	Anterior Cruciate Ligament Reconstruction and Lateral Plasty in High-Risk Young Adolescents: Revisions, Subjective Evaluation, and the Role of Surgical Timing on Meniscal Preservation. <i>Sports Health</i> , 2022, 14, 188-196.	1.3	4
233	Suture Tape Augmentation Improves the Biomechanical Performance of Bone-Patellar Tendon-Bone Grafts Used for Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3335-3343.	1.3	14
234	Mechanics of cadaveric anterior cruciate ligament reconstructions during simulated jump landing tasks: Lessons learned from a pilot investigation. <i>Clinical Biomechanics</i> , 2021, 86, 105372.	0.5	5
235	The Neuroplastic Adaptation Trident Model: A Suggested Novel Framework for ACL Rehabilitation. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 896-910.	0.5	12
236	Adolescents show a lower healing rate of anterolateral ligament injury and a higher rotational laxity than adults after anterior cruciate ligament reconstruction. <i>Knee</i> , 2021, 30, 113-124.	0.8	10
237	Predicting Anterior Cruciate Ligament Reinjury From Return-to-Activity Assessments at 6 Months Postsurgery: A Prospective Cohort Study. <i>Journal of Athletic Training</i> , 2022, 57, 325-333.	0.9	21
238	Is resistance training intensity adequately prescribed to meet the demands of returning to sport following anterior cruciate ligament repair? A systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001144.	1.4	2

#	ARTICLE	IF	CITATIONS
239	State of the mineralized tissue comprising the femoral ACL enthesis in young women with an ACL failure. <i>Journal of Orthopaedic Research</i> , 2022, 40, 826-837.	1.2	1
240	Low annual hospital volume of anterior cruciate ligament reconstruction is not associated with higher revision rates. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1575-1583.	2.3	3
241	The Non-injured Leg Can Be Used as a Reference for the Injured Leg in Single-legged Hop Tests. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 1052-1066.	0.5	2
242	Association Between Psychological Readiness and Knee Laxity and Their Predictive Value for Return to Sport in Patients With Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 2599-2606.	1.9	10
243	Improvements in asymmetry in knee flexion motion during landing are associated with the postoperative period and quadriceps strength after anterior cruciate ligament reconstruction. <i>Research in Sports Medicine</i> , 2023, 31, 285-295.	0.7	5
244	Can we afford to ignore the biology of joint healing and graft incorporation after ACL reconstruction?. <i>Journal of Orthopaedic Research</i> , 2022, 40, 55-64.	1.2	5
245	Augmentation of Primary ACL Reconstruction With a Modified Ellison Lateral Extra-articular Tenodesis in High-Risk Patients: A Pilot Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110213.	0.8	6
246	Grafting of iPS cell-derived tenocytes promotes motor function recovery after Achilles tendon rupture. <i>Nature Communications</i> , 2021, 12, 5012.	5.8	23
247	Higher Meniscal Slope Is a Risk Factor for Anterior Cruciate Ligament Injury in Skeletally Immature Patients. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2582-2588.	1.3	6
248	Psychological and Social Components of Recovery Following Anterior Cruciate Ligament Reconstruction in Young Athletes: A Narrative Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9267.	1.2	12
249	Knee strength outcomes in adolescents by age and sex during late-stage rehabilitation after anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021, 51, 102-109.	0.8	5
250	The Paediatric Knee. , 2022, , 396-415.		0
251	Postoperative Rehabilitation Concepts. , 2022, , 455-465.		0
252	Knee laxity and functional knee outcome after contralateral ACLR are comparable to those after primary ACLR. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3864-3870.	2.3	4
253	What Is the Scientific Basis for Knee Ligament Healing and Maturation to Restore Biomechanical Properties and a Return to Sport?. , 2019, , 121-155.		2
254	Anterior cruciate ligament reconstruction with boneâ€“patellar tendonâ€“bone graft is associated with higher and earlier return to sports as compared to hamstring tendon graft. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3659-3665.	2.3	9
255	Current Perspectives of the Australian Knee Society on Rehabilitation and Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2020, 29, 970-975.	0.4	5
256	LARS Artificial Ligament Versus ABC Purely Polyester Ligament for Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711665335.	0.8	38

#	ARTICLE	IF	CITATIONS
257	Identifying potential patient-specific predictors for anterior cruciate ligament reconstruction outcome â€“ a diagnostic in vitro tissue remodeling platform. Journal of Experimental Orthopaedics, 2020, 7, 48.	0.8	2
258	Failure Rates of Autograft and Allograft ACL Reconstruction in Patients 19 Years of Age and Younger. JBJS Open Access, 2020, 5, e20.00106-e20.00106.	0.8	30
259	TWO YEAR ACL REINJURY RATE OF 2.5%: OUTCOMES REPORT OF THE MEN IN A SECONDARY ACL INJURY PREVENTION PROGRAM (ACL-SPORTS). International Journal of Sports Physical Therapy, 2018, 13, 422-431.	0.5	35
260	INFLUENCE OF PATIENT DEMOGRAPHICS AND GRAFT TYPES ON ACL SECOND INJURY RATES IN IPSILATERAL VERSUS CONTRALATERAL KNEES: A SYSTEMATIC REVIEW AND META-ANALYSIS. International Journal of Sports Physical Therapy, 2018, 13, 561-574.	0.5	20
261	ANALYSIS OF TIMING OF SECONDARY ACL INJURY IN PROFESSIONAL ATHLETES DOES NOT SUPPORT GAME TIMING OR SEASON TIMING AS A CONTRIBUTOR TO INJURY RISK. International Journal of Sports Physical Therapy, 2020, 15, 254-262.	0.5	3
262	Femoral positioning influences ipsi-and contralateral anterior cruciate ligament rupture following its reconstruction: Systematic review and meta-analysis. World Journal of Orthopedics, 2017, 8, 644.	0.8	4
263	Effect of COVID-19 Social Isolation Policies on Rehabilitation After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110472.	0.8	3
264	Early Osteoarthritis: Frequency, Epidemiology, and Cost of ACL Injuries. , 2022, , 63-72.		0
265	Adolescents Have Twice the Revision Rate of Young Adults After ACL Reconstruction With Hamstring Tendon Autograft: A Study From the Swedish National Knee Ligament Registry. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110388.	0.8	12
266	Predicting Anterior Cruciate Ligament Reconstruction Revision. Journal of Bone and Joint Surgery - Series A, 2022, 104, 145-153.	1.4	33
267	COMBINED FEMORAL FIXATION TECHNIQUE IN HAMSTRING TENDON ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION: ASESSMENT OF TUNNEL WIDENING. Travmatologi i Ortopedi Rossii, 2017, 23, 59-69.	0.1	0
268	Evidence of Neuroplasticity and Neuroimaging Techniques following Anterior Cruciate Ligament Injury. Exercise Science, 2018, 27, 169-176.	0.1	0
269	Return-to-Sport Considerations in the Pre-Adolescent Athlete. , 2019, , 593-605.		0
270	Complications in Pediatric Anterior Cruciate Ligament Surgery. , 2019, , 123-130.		0
271	Complications in Pediatric Anterior Cruciate Ligament Surgery. , 2019, , 115-122.		0
272	Advantages and Potential Consequences of Return to Sport After ACL Reconstruction: Quality of Life, Reinjury Rates, and Knee Osteoarthritis. , 2019, , 3-23.		2
273	Return to Sport After Primary ACL Reconstruction in Amateur, Children, and Elite Athletes: Feasibility and Reinjury Concerns. , 2019, , 79-118.		0
274	Paediatric anterior cruciate ligament injuries. Bone and Joint 360, 2019, 8, 2-8.	0.1	2

#	ARTICLE	IF	CITATIONS
275	Think of the Children. , 2020 , 121-122.		0
276	Anterior cruciate ligament reconstruction using a double bundle hamstring autograft configuration in patients under 30 years. World Journal of Orthopedics, 2019, 10, 446-453.	0.8	4
277	Anterior cruciate ligament reconstruction using a double bundle hamstring autograft configuration in patients under 30 years. World Journal of Orthopedics, 2019, 10, 456-463.	0.8	0
278	Psychological Aspects in Return to Sport Following ACL Reconstruction. , 2020 , 1005-1013.		0
279	Interlinked Hamstrings for Combined Anterolateral and Anterior Cruciate Ligament Reconstruction: A Novel Technique for ALL. Indian Journal of Orthopaedics, 2022, 56, 621-627.	0.5	1
280	Analysis of copy number variation in dogs implicates genomic structural variation in the development of anterior cruciate ligament rupture. PLoS ONE, 2020, 15, e0244075.	1.1	2
281	Clinical Outcomes After Anterior Cruciate Ligament Reconstruction in Patients With a Concomitant Second Fracture: A Systematic Review. American Journal of Sports Medicine, 2023, 51, 525-533.	1.9	10
282	THE INFLUENCE OF HIP STRENGTH ON KNEE KINEMATICS DURING A SINGLE-LEGGED MEDIAL DROP LANDING AMONG COMPETITIVE COLLEGIATE BASKETBALL PLAYERS. International Journal of Sports Physical Therapy, 2015, 10, 592-601.	0.5	23
284	TWO YEAR ACL REINJURY RATE OF 2.5%: OUTCOMES REPORT OF THE MEN IN A SECONDARY ACL INJURY PREVENTION PROGRAM (ACL-SPORTS). International Journal of Sports Physical Therapy, 2018, 13, 422-431.	0.5	12
285	INFLUENCE OF PATIENT DEMOGRAPHICS AND GRAFT TYPES ON ACL SECOND INJURY RATES IN IPSILATERAL VERSUS CONTRALATERAL KNEES: A SYSTEMATIC REVIEW AND META-ANALYSIS. International Journal of Sports Physical Therapy, 2018, 13, 561-574.	0.5	6
286	ANALYSIS OF TIMING OF SECONDARY ACL INJURY IN PROFESSIONAL ATHLETES DOES NOT SUPPORT GAME TIMING OR SEASON TIMING AS A CONTRIBUTOR TO INJURY RISK. International Journal of Sports Physical Therapy, 2020, 15, 254-262.	0.5	3
288	Lateral-extra articular tenodesis vs. anterolateral ligament reconstruction in skeletally immature patients undergoing anterior cruciate ligament reconstruction. Current Opinion in Pediatrics, 2022, 34, 71-75.	1.0	4
289	Patient-Specific Graft Choice in Primary ACL Reconstruction. , 2022 , 11-20.		0
290	Return to Sport After Anterior Cruciate Ligament Reconstruction: Criteria-Based Rehabilitation and Return to Sport Testing. , 2022 , 83-93.		1
291	Reinjury Rates in Adolescent Patients 2 Years Following ACL Reconstruction. Journal of Pediatric Orthopaedics, 2022, 42, 90-95.	0.6	5
292	Suture Tape Augmentation of Anterior Cruciate Ligament Reconstruction Increases Biomechanical Stability: A Scoping Review of Biomechanical, Animal, and Clinical Studies. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2022, 38, 2073-2089.	1.3	32
293	Sexual Dimorphisms in Anterior Cruciate Ligament Injury: A Current Concepts Review. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110253.	0.8	12
294	Isometric dynamometry, dependent on knee angle, is a suitable alternative to isokinetic dynamometry when evaluating quadriceps strength symmetry in patients following anterior cruciate ligament reconstruction. Knee, 2022, 34, 124-133.	0.8	1

#	ARTICLE	IF	CITATIONS
295	Unique Considerations for the Pediatric Athlete During Rehabilitation and Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e221-e230.	0.8	8
296	Predictors of Graft Failure in Young Active Patients Undergoing Hamstring Autograft Anterior Cruciate Ligament Reconstruction With or Without a Lateral Extra-articular Tenodesis: The Stability Experience. <i>American Journal of Sports Medicine</i> , 2022, 50, 384-395.	1.9	43
297	Machine learning algorithm to predict anterior cruciate ligament revision demonstrates external validity. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 368-375.	2.3	23
298	ACL Rehabilitation: How Can We Lessen Injury Rates?. <i>Operative Techniques in Sports Medicine</i> , 2022, , 150892.	0.2	2
299	Rehabilitation and Return to Sport Testing After Anterior Cruciate Ligament Reconstruction: Where Are We in 2022?. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e77-e82.	0.8	46
300	Rates and Determinants of Returning to Australian Rules Football in Male Nonprofessional Athletes After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210749.	0.8	1
301	Influence of hip stabilization muscles on the dynamic knee valgus and trendelenburg sign in female handball athletes. <i>Gazzetta Medica Italiana Archivio Per Le Scienze Mediche</i> , 2022, 180, .	0.0	0
302	Modified Lemaire lateral tenodesis associated with revision anterior cruciate ligament reconstruction: a case series. <i>Brazilian Journal of Case Reports</i> , 2022, 2, 12-23.	0.0	0
303	Combined ACL and ALL reconstruction reduces the rate of reoperation for graft failure or secondary meniscal lesions in young athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3488-3498.	2.3	18
304	Second Generation of Tissue-Engineered Ligament Substitutes for Torn ACL Replacement: Adaptations for Clinical Applications. <i>Bioengineering</i> , 2021, 8, 206.	1.6	1
305	ACL Reconstruction Rehabilitation: Clinical Data, Biologic Healing, and Criterion-Based Milestones to Inform a Return-to-Sport Guideline. <i>Sports Health</i> , 2022, 14, 770-779.	1.3	40
306	RT-ACL: Identification of High-Risk Youth Patients and their Most Significant Risk Factors to Reduce Anterior Cruciate Ligament Reinjury Risk. , 2021, , .		1
308	Evidence-Based Data Models for Return-to-Play Criteria after Anterior Cruciate Ligament Reconstruction. <i>Healthcare (Switzerland)</i> , 2022, 10, 929.	1.0	7
310	Is There an Association in Young Patients Between Quadriceps or Hamstring Strength After ACL Reconstruction and Graft Rupture?. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712211010.	0.8	5
311	How wearable sensing can be used to monitor patient recovery following ACL reconstruction. , 2022, , .		0
312	Are 6-Month Functional and Isokinetic Testing Measures Risk Factors for Second Anterior Cruciate Ligament Injuries at Long-T Follow-Up?. <i>Journal of Knee Surgery</i> , 2023, 36, 1060-1068.	0.9	3
313	Is there a biomechanical "Rule of Thirds" after ACL injury and reconstruction?. <i>Journal of Orthopaedics</i> , 2022, 33, 1-4.	0.6	2
314	Changes in Dynamic Postural Stability After ACL Reconstruction: Results Over 2 Years of Follow-up. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210989.	0.8	2

#	ARTICLE	IF	CITATIONS
315	Familial Predisposition to Anterior Cruciate Ligament Injury: A Systematic Review with Meta-analysis. <i>Sports Medicine</i> , 2022, 52, 2657-2668.	3.1	4
316	Pre-operative knee extensor and flexor torque after secondary ACL rupture: a comparative retrospective analysis. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, .	0.7	0
317	Outcomes, Including Graft Tears, Contralateral Anterior Cruciate Ligament Tears, and All-Cause Ipsilateral Knee Operations, are Similar for Adult-type, Transphyseal, and Partial Transphyseal Anterior Cruciate Ligament Reconstruction Using Hamstring Autograft in Pediatric and Adolescent Patients. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e1465-e1474.	0.8	2
318	Return to Sports: A Risky Business? A Systematic Review with Meta-Analysis of Risk Factors for Graft Rupture Following ACL Reconstruction. <i>Sports Medicine</i> , 2023, 53, 91-110.	3.1	17
319	Relationships between the Kinetic and Kinematic Characteristics of Movement and Landing Sound during a Single-leg Landing. <i>Rigakuryoho Kagaku</i> , 2022, 37, 447-452.	0.0	0
320	Interventions for increasing return to sport rates after an anterior cruciate ligament reconstruction surgery: A systematic review. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	4
321	Psychological readiness to return to sports practice and risk of recurrence: Case studies. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	3
322	Revision anterior cruciate ligament reconstruction: Return to sports at a minimum 5-year follow-up. <i>World Journal of Orthopedics</i> , 2022, 13, 812-824.	0.8	1
323	Intrinsic Risk Factors for First-Time Noncontact ACL Injury: A Prospective Study of College and High School Athletes. <i>Sports Health</i> , 2023, 15, 433-442.	1.3	3
324	Risk Factors for Anterior Cruciate Ligament Graft Failure in Professional Athletes: An Analysis of 342 Patients With a Mean Follow-up of 100 Months From the SANTI Study Group. <i>American Journal of Sports Medicine</i> , 2022, 50, 3218-3227.	1.9	12
326	Repeat Anterior Cruciate Ligament Injury and Return to Sport in Australian Soccer Players After Anterior Cruciate Ligament Reconstruction With Hamstring Tendon Autograft. <i>American Journal of Sports Medicine</i> , 0, , 036354652211254.	1.9	1
327	Risk Factors for Revision or Rerupture After Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2023, 51, 3053-3075.	1.9	24
328	Return to Sport After Anterior Cruciate Ligament Reconstruction Requires Evaluation of >2 Functional Tests, Psychological Readiness, Quadriceps/Hamstring Strength, and Time After Surgery of 8Months. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2023, 39, 790-801.e6.	1.3	17
329	Safe Return to Play Following ACL Reconstruction in Young Athletes. , 2020, 2, 163.		1
330	Reliability of MRI Detection of Kaplan Fiber Injury in Pediatric and Adolescent Patients with ACL Tears. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712211286.	0.8	2
331	Association of Smoking With Graft Rupture After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712211272.	0.8	3
332	Side-to-side differences in knee laxity and side hop test may predispose an anterior cruciate ligament reinjury in competitive adolescent alpine skiers. <i>Frontiers in Sports and Active Living</i> , 0, 4, .	0.9	2
333	Environmental Risk Factors for Osteoarthritis: The Impact on Individuals with Knee Joint Injury. <i>Rheumatic Disease Clinics of North America</i> , 2022, 48, 907-930.	0.8	3

#	ARTICLE	IF	CITATIONS
334	Comparison of Dynamic Balance and Unilateral Hop Performance Between Women and Men Handball Players After Anterior Cruciate Ligament Reconstruction: A Pilot Study. <i>Journal of Sport Rehabilitation</i> , 2023, 32, 282-288.	0.4	0
335	A clinician-friendly test battery with a passing rate similar to a "gold standard" return-to-sport test battery 1 year after ACL reconstruction: Results from a rehabilitation outcome registry. <i>Physical Therapy in Sport</i> , 2023, 59, 144-150.	0.8	2
336	Angular Velocities and Linear Accelerations Derived from Inertial Measurement Units Can Be Used as Proxy Measures of Knee Variables Associated with ACL Injury. <i>Sensors</i> , 2022, 22, 9286.	2.1	2
337	Global research status of anterior cruciate ligament reconstruction: a bibliometric analysis. <i>EFORT Open Reviews</i> , 2022, 7, 808-816.	1.8	1
338	Pain Early After Anterior Cruciate Ligament Reconstruction is Associated With 6-Month Loading Mechanics During Running. <i>Sports Health</i> , 0, , 194173812211394.	1.3	1
339	No increase in adverse events with lateral extra-articular tenodesis augmentation of anterior cruciate ligament reconstruction " Results from the stability randomized trial. <i>Journal of ISAKOS</i> , 2023, 8, 246-254.	1.1	2
340	Application of the 3D-MRI on post-operative graft assessment in adolescent patients with ACL reconstruction: A minimal 2-year follow-up. <i>Frontiers in Surgery</i> , 0, 9, .	0.6	0
341	Doxycycline Promotes Graft Healing and Attenuates Posttraumatic Osteoarthritis After Anterior Cruciate Ligament Reconstruction in a Rat Model. <i>American Journal of Sports Medicine</i> , 0, , 036354652211450.	1.9	1
342	Return-to-Sport Criteria After Anterior Cruciate Ligament Reconstruction Fail to Identify the Risk of Second Anterior Cruciate Ligament Injury. <i>Journal of Athletic Training</i> , 2022, 57, 937-945.	0.9	4
344	Predicting anterior cruciate ligament failure load with T2* relaxometry and machine learning as a prospective imaging biomarker for revision surgery. <i>Scientific Reports</i> , 2023, 13, .	1.6	3
345	Recurrence quantification analysis of isokinetic strength tests: A comparison of the anterior cruciate ligament reconstructed and the uninjured limb. <i>Clinical Biomechanics</i> , 2023, 104, 105929.	0.5	1
346	Estimation Failure Risk by 0.5-mm Differences in Autologous Hamstring Graft Diameter in Anterior Cruciate Ligament Reconstruction: A Meta-analysis. <i>American Journal of Sports Medicine</i> , 2024, 52, 535-543.	1.9	4
347	Differences in Short-Term Sport-Specific Functional Recovery After Primary ACL Reconstruction in the Adolescent Athlete. <i>Sports Health</i> , 2024, 16, 139-148.	1.3	0
348	Secondary Anterior Cruciate Ligament Injury Prevention Training in Athletes: What Is the Missing Link?. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 4821.	1.2	0
350	Suture-tape augmentation of anterior cruciate ligament reconstruction: a prospective, randomised controlled trial (STACLAR). <i>Trials</i> , 2023, 24, .	0.7	1
351	Graft-Specific Surgical and Rehabilitation Considerations for Anterior Cruciate Ligament Reconstruction with the Quadriceps Tendon Autograft. <i>International Journal of Sports Physical Therapy</i> , 2023, 18, .	0.5	3
352	Risk Factors for Contralateral Tendon Rupture in Patients With Acute Achilles Tendon Rupture. <i>Journal of Foot and Ankle Surgery</i> , 2023, 62, 779-784.	0.5	1
380	Place des plasties antÃ©ro-latÃ©rales dans les reconstructions du ligament croisÃ© antÃ©rieur. , 2017, , 77-86.		0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------