# Inter- and intra-individual variation in urinary biomarker concentrations over a 6-day sampling period. Part 2: personal care product ingredients

DOI: 10.1016/j.toxlet.2014.06.023
Toxicology Letters, 2014, 231, 261-9.

| # | Paper | IF | Citations |
|---|---|---|---|
| 91 | Urinary concentrations of benzophenone-type ultraviolet radiation filters and couples' fecundity. *American Journal of Epidemiology*, **2014**, 180, 1168-75 | 3.8 | 58 |
| 90 | Inter- and intra-individual variation in urinary biomarker concentrations over a 6-day sampling period. Part 1: metals. *Toxicology Letters*, **2014**, 231, 249-60 | 4.4 | 35 |
| 89 | Measurement of Total and Free Urinary Phenol and Paraben Concentrations over the Course of Pregnancy: Assessing Reliability and Contamination of Specimens in the Norwegian Mother and Child Cohort Study. *Environmental Health Perspectives*, **2015**, 123, 705-11 | 8.4 | 56 |
| 88 | Uses of NHANES Biomarker Data for Chemical Risk Assessment: Trends, Challenges, and Opportunities. *Environmental Health Perspectives*, **2015**, 123, 919-27 | 8.4 | 43 |
| 87 | Optimal Exposure Biomarkers for Nonpersistent Chemicals in Environmental Epidemiology. *Environmental Health Perspectives*, **2015**, 123, A166-8 | 8.4 | 109 |
| 86 | Couples' urinary bisphenol A and phthalate metabolite concentrations and the secondary sex ratio. *Environmental Research*, **2015**, 137, 450-7 | 7.9 | 12 |
| 85 | Mitochondrial toxicity of triclosan on mammalian cells. *Toxicology Reports*, **2015**, 2, 624-637 | 4.8 | 62 |
| 84 | Effects of water matrix on virus inactivation using common virucidal techniques for condensate urine disinfection. *Chemosphere*, **2015**, 136, 118-24 | 8.4 | 15 |
| 83 | Accumulation of 19 environmental phenolic and xenobiotic heterocyclic aromatic compounds in human adipose tissue. *Environment International*, **2015**, 78, 45-50 | 12.9 | 119 |
| 82 | Exposure to select phthalates and phenols through use of personal care products among Californian adults and their children. *Environmental Research*, **2015**, 140, 369-76 | 7.9 | 88 |
| 81 | Temporal variability and sources of triclosan exposure in pregnancy. *International Journal of Hygiene and Environmental Health*, **2015**, 218, 507-13 | 6.9 | 48 |
| 80 | Determination of 12 urinary phthalate metabolites in Norwegian pregnant women by core-shell high performance liquid chromatography with on-line solid-phase extraction, column switching and tandem mass spectrometry. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2015**, 1002, 343-52 | 3.2 | 30 |
| 79 | Urinary concentrations of benzophenone-type ultraviolet light filters and semen quality. *Fertility and Sterility*, **2015**, 104, 989-996 | 4.8 | 27 |
| 78 | Use of pooled samples to assess human exposure to parabens, benzophenone-3 and triclosan in Queensland, Australia. *Environment International*, **2015**, 85, 77-83 | 12.9 | 59 |
| 77 | Temporal variability of urinary concentrations of phthalate metabolites, parabens and benzophenone-3 in a Belgian adult population. *Environmental Research*, **2015**, 142, 414-23 | 7.9 | 38 |
| 76 | Associations Between Selected Xenobiotics and Antinuclear Antibodies in the National Health and Nutrition Examination Survey, 1999-2004. *Environmental Health Perspectives*, **2016**, 124, 426-36 | 8.4 | 17 |
| 75 | Beyond Alcohol and Tobacco Smoke: Are We Doing Enough to Reduce Fetal Toxicant Exposure?. *Journal of Obstetrics and Gynaecology Canada*, **2016**, 38, 56-9 | 1.3 | 5 |

| | | | |
|---|---|---|---|
| 74 | Metabolism and elimination of methyl, iso- and n-butyl paraben in human urine after single oral dosage. *Archives of Toxicology*, **2016**, 90, 2699-2709 | 5.8 | 81 |
| 73 | Multi-pathway exposure modeling of chemicals in cosmetics with application to shampoo. *Environment International*, **2016**, 92-93, 87-96 | 12.9 | 34 |
| 72 | A Novel Method for Calculating Potency-Weighted Cumulative Phthalates Exposure with Implications for Identifying Racial/Ethnic Disparities among U.S. Reproductive-Aged Women in NHANES 2001-2012. *Environmental Science & Technology*, **2016**, 50, 10616-10624 | 10.3 | 37 |
| 71 | Estimating central tendency from a single spot measure: A closed-form solution for lognormally distributed biomarker data for risk assessment at the individual level. *Journal of Toxicology and Environmental Health - Part A: Current Issues*, **2016**, 79, 837-47 | 3.2 | 8 |
| 70 | Female Infertility and Emerging Organic Pollutants of Concern. *Current Epidemiology Reports*, **2016**, 3, 39-50 | 2.9 | 7 |
| 69 | Contemporary Issues in Exposure Assessment Using Biomonitoring. *Current Epidemiology Reports*, **2016**, 3, 145-153 | 2.9 | 38 |
| 68 | Bisphenol A in Urine of Chinese Young Adults: Concentrations and Sources of Exposure. *Bulletin of Environmental Contamination and Toxicology*, **2016**, 96, 162-7 | 2.7 | 19 |
| 67 | Couples' urinary concentrations of benzophenone-type ultraviolet filters and the secondary sex ratio. *Science of the Total Environment*, **2016**, 543, 28-36 | 10.2 | 30 |
| 66 | Human biomonitoring data collection from occupational exposure to pesticides. *EFSA Supporting Publications*, **2017**, 14, 1185E | 1.1 | 9 |
| 65 | Exposure to phenols, parabens and UV filters: Associations with loss-of-function mutations in the filaggrin gene in men from the general population. *Environment International*, **2017**, 105, 105-111 | 12.9 | 17 |
| 64 | Worldwide human daily intakes of bisphenol A (BPA) estimated from global urinary concentration data (2000-2016) and its risk analysis. *Environmental Pollution*, **2017**, 230, 143-152 | 9.3 | 100 |
| 63 | Assumed non-persistent environmental chemicals in human adipose tissue; matrix stability and correlation with levels measured in urine and serum. *Environmental Research*, **2017**, 156, 120-127 | 7.9 | 41 |
| 62 | During pregnancy would have been a good time to get that information mothers concerns and information needs regarding environmental health risks to their children11 This research was approved by the University of Ottawa Research Ethics Board and the Ottawa Public Health Ethics Board.View all notes. *International Journal of Health Promotion and Education*, **2017**, 55, 96-105 | 0.8 | 5 |
| 61 | The role of human biological monitoring in health risk assessment. *International Journal of Risk Assessment and Management*, **2017**, 20, 136 | 0.9 | 15 |
| 60 | A review of human biomonitoring data used in regulatory risk assessment under Canada's Chemicals Management Program. *International Journal of Hygiene and Environmental Health*, **2017**, 220, 167-178 | 6.9 | 27 |
| 59 | Variation in urinary spot sample, 24 h samples, and longer-term average urinary concentrations of short-lived environmental chemicals: implications for exposure assessment and reverse dosimetry. *Journal of Exposure Science and Environmental Epidemiology*, **2017**, 27, 582-590 | 6.7 | 43 |
| 58 | UV filters analyzed by isotope diluted TurboFlow-LC-MS/MS in urine from Danish children and adolescents. *International Journal of Hygiene and Environmental Health*, **2017**, 220, 244-253 | 6.9 | 24 |
| 57 | Personal Care Product Use in Men and Urinary Concentrations of Select Phthalate Metabolites and Parabens: Results from the Environment And Reproductive Health (EARTH) Study. *Environmental Health Perspectives*, **2017**, 125, 087012 | 8.4 | 57 |

| | | | |
|---|---|---|---|
| 56 | New insights into urine-based assessment of polycyclic aromatic hydrocarbon-exposure from a rat model: Identification of relevant metabolites and influence of elimination kinetics. *Environmental Pollution*, **2017**, 228, 484-495 | 9.3 | 14 |
| 55 | Urinary concentrations of benzophenone-type ultra violet light filters and reproductive parameters in young men. *International Journal of Hygiene and Environmental Health*, **2018**, 221, 531-540 | 6.9 | 15 |
| 54 | Bisphenol A concentrations in human urine, human intakes across six continents, and annual trends of average intakes in adult and child populations worldwide: A thorough literature review. *Science of the Total Environment*, **2018**, 626, 971-981 | 10.2 | 82 |
| 53 | Maternal exposure to UV filters: associations with maternal thyroid hormones, IGF-I/IGFBP3 and birth outcomes. *Endocrine Connections*, **2018**, 7, 334-346 | 3.5 | 11 |
| 52 | Silicone wristbands compared with traditional polycyclic aromatic hydrocarbon exposure assessment methods. *Analytical and Bioanalytical Chemistry*, **2018**, 410, 3059-3071 | 4.4 | 52 |
| 51 | Distribution, variability, and predictors of urinary bisphenol A levels in 50 North Carolina adults over a six-week monitoring period. *Environment International*, **2018**, 112, 85-99 | 12.9 | 37 |
| 50 | Urinary parabens and triclosan concentrations and associated exposure characteristics in a Korean population-A comparison between night-time and first-morning urine. *International Journal of Hygiene and Environmental Health*, **2018**, 221, 632-641 | 6.9 | 33 |
| 49 | Levels, variability and determinants of environmental phenols in pairs of Norwegian mothers and children. *Environment International*, **2018**, 114, 242-251 | 12.9 | 61 |
| 48 | Prenatal and early-life triclosan and paraben exposure and allergic outcomes. *Journal of Allergy and Clinical Immunology*, **2018**, 142, 269-278.e15 | 11.5 | 30 |
| 47 | Advancements in Life Cycle Human Exposure and Toxicity Characterization. *Environmental Health Perspectives*, **2018**, 126, 125001 | 8.4 | 27 |
| 46 | Within-Day, Between-Day, and Between-Week Variability of Urinary Concentrations of Phenol Biomarkers in Pregnant Women. *Environmental Health Perspectives*, **2018**, 126, 037005 | 8.4 | 49 |
| 45 | Urinary excretion of phenols, parabens and benzophenones in young men: Associations to reproductive hormones and semen quality are modified by mutations in the Filaggrin gene. *Environment International*, **2018**, 121, 365-374 | 12.9 | 11 |
| 44 | Concentrations of endocrine disrupting chemicals in newborn blood spots and infant outcomes in the upstate KIDS study. *Environment International*, **2018**, 121, 232-239 | 12.9 | 18 |
| 43 | Impact of exposure to phenols during early pregnancy on birth weight in two Canadian cohort studies subject to measurement errors. *Environment International*, **2018**, 120, 231-237 | 12.9 | 13 |
| 42 | Adjusting urinary chemical biomarkers for hydration status during pregnancy. *Journal of Exposure Science and Environmental Epidemiology*, **2018**, 28, 481-493 | 6.7 | 43 |
| 41 | Urinary parabens in adults from South China: Implications for human exposure and health risks. *Ecotoxicology and Environmental Safety*, **2019**, 182, 109419 | 7 | 19 |
| 40 | Citrinin biomarkers: a review of recent data and application to human exposure assessment. *Archives of Toxicology*, **2019**, 93, 3057-3066 | 5.8 | 17 |
| 39 | Fetal growth in environmental epidemiology: mechanisms, limitations, and a review of associations with biomarkers of non-persistent chemical exposures during pregnancy. *Environmental Health*, **2019**, 18, 43 | 6 | 43 |

| | | | |
|---|---|---|---|
| 38 | Mothers and children are related, even in exposure to chemicals present in common consumer products. *Environmental Research*, **2019**, 175, 297-307 | 7.9 | 24 |
| 37 | Racial disparity in maternal phthalates exposure; Association with racial disparity in fetal growth and birth outcomes. *Environment International*, **2019**, 127, 473-486 | 12.9 | 30 |
| 36 | Use of antibacterial toothpaste is associated with higher urinary triclosan concentrations in Asian immigrant women living in Vancouver, Canada. *Science of the Total Environment*, **2019**, 671, 897-904 | 10.2 | 13 |
| 35 | Biomonitoring and Nonpersistent Chemicals-Understanding and Addressing Variability and Exposure Misclassification. *Current Environmental Health Reports*, **2019**, 6, 16-21 | 6.5 | 27 |
| 34 | Metabolites of organophosphate esters in urine from the United States: Concentrations, temporal variability, and exposure assessment. *Environment International*, **2019**, 122, 213-221 | 12.9 | 57 |
| 33 | Exposure to non-persistent chemicals in consumer products and fecundability: a systematic review. *Human Reproduction Update*, **2019**, 25, 51-71 | 15.8 | 33 |
| 32 | Exposure to selected preservatives in personal care products: case study comparison of exposure models and observational biomonitoring data. *Journal of Exposure Science and Environmental Epidemiology*, **2020**, 30, 28-41 | 6.7 | 9 |
| 31 | Correlates of exposure to phenols, parabens, and triclocarban in the Study of Environment, Lifestyle and Fibroids. *Journal of Exposure Science and Environmental Epidemiology*, **2020**, 30, 117-136 | 6.7 | 17 |
| 30 | Urine selenium concentration is a useful biomarker for assessing population level selenium status. *Environment International*, **2020**, 134, 105218 | 12.9 | 16 |
| 29 | Evaluation of 1-year urinary excretion of eight metabolites of synthetic pyrethroids, chlorpyrifos, and neonicotinoids. *Environment International*, **2020**, 145, 106119 | 12.9 | 11 |
| 28 | The associations between personal care products use and urinary concentrations of phthalates, parabens, and triclosan in various age groups: The Korean National Environmental Health Survey Cycle 3 2015-2017. *Science of the Total Environment*, **2020**, 742, 140640 | 10.2 | 13 |
| 27 | Concentration and Variability of Urinary Phthalate Metabolites, Bisphenol A, Triclosan, and Parabens in Korean Mother–Infant Pairs. *Sustainability*, **2020**, 12, 8516 | 3.6 | 2 |
| 26 | Discovery of firefighter chemical exposures using military-style silicone dog tags. *Environment International*, **2020**, 142, 105818 | 12.9 | 12 |
| 25 | Associations of exposure to phthalates and environmental phenols with gynecological disorders. *Reproductive Toxicology*, **2020**, 95, 19-28 | 3.4 | 7 |
| 24 | Use of personal care products during pregnancy in relation to urinary concentrations of select phenols: A longitudinal analysis from the SEPAGES feasibility study. *International Journal of Hygiene and Environmental Health*, **2020**, 227, 113518 | 6.9 | 10 |
| 23 | Short-term variability of bisphenols in spot, morning void and 24-hour urine samples. *Environmental Pollution*, **2021**, 268, 115747 | 9.3 | 4 |
| 22 | Comparison of strategies to efficiently combine repeated urine samples in biomarker-based studies. *Environmental Research*, **2021**, 192, 110275 | 7.9 | 7 |
| 21 | A pilot investigation of couple-level phthalates exposure and in vitro fertilization (IVF) outcomes. *Reproductive Toxicology*, **2021**, 99, 56-64 | 3.4 | 6 |

| | | | |
|---|---|---|---|
| 20 | Associations of Prenatal Exposure to Triclosan and Maternal Thyroid Hormone Levels: A Systematic Review and Meta-Analysis. *Frontiers in Endocrinology*, **2020**, 11, 607055 | 5.7 | 2 |
| 19 | Accurate assessment of parabens exposure in healthy Chinese female adults: Findings from a multi-pathway exposure assessment coupled with intervention study. *Environmental Research*, **2021**, 193, 110540 | 7.9 | 0 |
| 18 | Bisphenol A and six other environmental phenols in urine of children and adolescents in Germany - human biomonitoring results of the German Environmental Survey 2014-2017 (GerES V). *Science of the Total Environment*, **2021**, 763, 144615 | 10.2 | 16 |
| 17 | Association between gestational phthalate exposure and newborn head circumference; impacts by race and sex. *Environmental Research*, **2021**, 195, 110763 | 7.9 | 2 |
| 16 | Impact of Endocrine-Disrupting Chemicals in Breast Milk on Postpartum Depression in Korean Mothers. *International Journal of Environmental Research and Public Health*, **2021**, 18, | 4.6 | 2 |
| 15 | The associations of birth outcome differences in twins with prenatal exposure to bisphenol A and its alternatives. *Environmental Research*, **2021**, 200, 111459 | 7.9 | 3 |
| 14 | Phthalate esters in face masks and associated inhalation exposure risk. *Journal of Hazardous Materials*, **2022**, 423, 127001 | 12.8 | 6 |
| 13 | Urinary parabens, bisphenol A and triclosan in primiparas from Shenzhen, China: Implications for exposure and health risks. *Journal of Environmental Health Science & Engineering*, **2021**, 19, 251-259 | 2.9 | 0 |
| 12 | Systematic review of the literature on triclosan and health outcomes in humans. *Critical Reviews in Toxicology*, **2018**, 48, 1-51 | 5.7 | 37 |
| 11 | Association between triclosan levels and white blood cell counts in US adults from NHANES, 20112012. *Environmental Research Communications*, **2020**, 2, 055001 | 3.1 | 1 |
| 10 | Biomonitoring to Assess Exposures to Mixtures of Environmental Chemicals. **2018**, 15-36 | | 1 |
| 9 | Within- and between-person variability of urinary phthalate metabolites and bisphenol analogues over seven days: Considerations of biomonitoring study design.. *Environmental Research*, **2022**, 209, 112885 | 7.9 | 1 |
| 8 | Diet quality and exposure to endocrine-disrupting chemicals among US adults.. *Environmental Research*, **2022**, 211, 113049 | 7.9 | 0 |
| 7 | Silicone Wristbands as Personal Passive Sampling Devices: Current Knowledge, Recommendations for Use, and Future Directions. *Environment International*, **2022**, 107339 | 12.9 | 1 |
| 6 | Urinary levels of parabens, phthalate metabolites, bisphenol A and plasticizer alternatives in a Belgian population: Time trend or impact of an awareness campaign?. *Environmental Research*, **2022**, 113852 | 7.9 | 0 |
| 5 | Urinary paraben concentrations of adult women by fasting status: Comparison between Korea and the United States. **2022**, 849, 157761 | | 0 |
| 4 | Long-term stability of several endocrine disruptors in the first morning urine samples and their associations with lifestyle characteristics. **2022**, 850, 157873 | | 0 |
| 3 | Reviewing the variability in urinary concentrations of non-persistent organic chemicals: evaluation across classes, sampling strategies and dilution corrections. **2022**, 215, 114332 | | 0 |

| | | |
|---|---|---|
| 2 | Are human exposure assessment the same for non-persistent organic chemicals? -from the lens of urinary variability and predictability. **2023**, 868, 161542 | 0 |
| 1 | Interventions to Reduce Exposure to Synthetic Phenols and Phthalates from Dietary Intake and Personal Care Products: a Scoping Review. | 0 |