Historical distribution of Sundaland‧®Dipterocarp raimaxima

Proceedings of the National Academy of Sciences of the Unite 111, 16790-16795

DOI: 10.1073/pnas.1403053111

Citation Report

#	ARTICLE	IF	CITATIONS
1	Variable mating behaviors and the maintenance of tropical biodiversity. Frontiers in Genetics, 2015, 6, 183.	1.1	39
2	<p><strong>The systematics and independent evolution of cave ecomorphology in distantly related clades of Bent-toed Geckos (Genus <em>Cyrtodactylus</em> Gray, 1827) from the Mekong Delta and islands in the Gulf of Thailand</strong></p> . Zootaxa, 2015, 3980, 106.	0.2	37
3	Genetic differentiation in two widespread, open-forest bird species of Southeast Asia (Copsychus) Tj ETQq0 0 0 Epigenetics, 2015, 61, 922-934.	rgBT /Ove 0.9	erlock 10 Tf 50 6
4	Local endemism and withinâ€island diversification of shrews illustrate the importance of speciation in building Sundaland mammal diversity. Molecular Ecology, 2016, 25, 5158-5173.	2.0	36
5	Genomic analysis reveals hidden biodiversity within colugos, the sister group to primates. Science Advances, 2016, 2, e1600633.	4.7	64
6	Genetic structure and postâ€glacial expansion of <i>Cornus florida</i> L. (Cornaceae): integrative evidence from phylogeography, population demographic history, and species distribution modeling. Journal of Systematics and Evolution, 2016, 54, 136-151.	1.6	20
7	Phylogeography of three closely related myrmecophytic pioneer tree species in SE Asia: implications for species delimitation. Organisms Diversity and Evolution, 2016, 16, 39-52.	0.7	7
8	Neotropical forest expansion during the last glacial period challenges refuge hypothesis.  Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1008-1013.	3.3	181
9	Phylogeny, biogeography and systematic revision of plain long-nosed squirrels (genus Dremomys,) Tj ETQq0 0 C	) rgBT_/Ove	erlogk 10 Tf 50
10	Stable isotope composition of cave guano from eastern Borneo reveals tropical environments over the past 15,000 cal yr BP. Palaeogeography, Palaeoclimatology, Palaeoecology, 2017, 473, 73-81.	1.0	24
11	Genomic phylogeography of the endemic Mountain Blackâ€eye of Borneo ( <i>Chlorocharis emiliae</i> ): montane and lowland populations differ in patterns of Pleistocene diversification. Journal of Biogeography, 2017, 44, 2272-2283.	1.4	16
12	Evolutionary and ecological forces influencing population diversification in Bornean montane passerines. Molecular Phylogenetics and Evolution, 2017, 113, 139-149.	1.2	9
13	Sundaland's eastâ€"west rain forest population structure: variable manifestations in four polytypic bird species examined using <scp>RAD</scp> â€6eq and plumage analyses. Journal of Biogeography, 2017, 44, 2259-2271.	1.4	22
14	Incorporating plant fossil data into species distribution models is not straightforward: Pitfalls and possible solutions. Quaternary Science Reviews, 2017, 170, 56-68.	1.4	10
15	Modelling the Coverage of Dipterocarp Trees in Central Visayas, Philippines., 2017,,.		O
16	Ice age unfrozen: severe effect of the last interglacial, not glacial, climate change on East Asian avifauna. BMC Evolutionary Biology, 2017, 17, 244.	3.2	30
17	Sundaland Peat Carbon Dynamics and Its Contribution to the Holocene Atmospheric CO <sub>2</sub> Concentration. Global Biogeochemical Cycles, 2018, 32, 704-719.	1.9	5
18	Preliminary assessment of community composition and phylogeographic relationships of the birds of the Meratus Mountains, south-east borneo, Indonesia. Bulletin of the British Ornithologists' Club, 2018, 138, 45-66.	0.1	8

#	ARTICLE	IF	Citations
19	Quaternary refugia are associated with higher speciation rates in mammalian faunas of the Western Palaearctic. Ecography, 2018, 41, 607-621.	2.1	25
20	Sunda epicontinental shelf and Quaternary glacial-interglacial sea level variation and their implications to the regional and global environmental change. IOP Conference Series: Earth and Environmental Science, 2018, 118, 012053.	0.2	3
22	Asia's Sustainability Challenges and Future Earth. , 0, , 388-397.		1
23	Restoration to offset the impacts of developments at a landscape scale reveals opportunities, challenges and tough choices. Global Environmental Change, 2018, 52, 152-161.	3.6	36
24	Assembly and division of the South and South-East Asian flora in relation to tectonics and climate change. Journal of Tropical Ecology, 2018, 34, 209-234.	0.5	99
25	Differences between the floras of the North and South Moluccas (Indonesia). Journal of Systematics and Evolution, 2018, 56, 652-662.	1.6	6
26	New fossil and isotope evidence for the Pleistocene zoogeographic transition and hypothesized savanna corridor in peninsular Thailand. Quaternary Science Reviews, 2019, 221, 105861.	1.4	30
27	Past and future climatic indicators for distribution patterns and conservation planning of temperate coniferous forests in southwestern China. Ecological Indicators, 2019, 107, 105559.	2.6	50
28	Origins and Assembly of Malesian Rainforests. Annual Review of Ecology, Evolution, and Systematics, 2019, 50, 119-143.	3.8	46
29	Genetic Diversity and Demographic History of an Upper Hill Dipterocarp (Shorea platyclados): Implications for Conservation. Journal of Heredity, 2019, 110, 844-856.	1.0	5
30	Distributions of mammals in Southeast Asia: The role of the legacy of climate and species body mass. Journal of Biogeography, 2019, 46, 2350-2362.	1.4	2
31	High-resolution palynological record for vegetation and environment change during MIS 2 in the southern South China Sea. Marine Micropaleontology, 2019, 151, 101769.	0.5	4
32	Using water and energy variation to explain the botanical richness pattern of Theaceae species in southern China. Acta Ecologica Sinica, 2019, 39, 467-472.	0.9	6
33	Savanna in equatorial Borneo during the late Pleistocene. Scientific Reports, 2019, 9, 6392.	1.6	40
34	Clade-age-dependent diversification under high species turnover shapes species richness disparities among tropical rainforest lineages of Bulbophyllum (Orchidaceae). BMC Evolutionary Biology, 2019, 19, 93.	3.2	32
35	Avicennia marina maintains genetic structure whereas Rhizophora stylosa connects mangroves in a flooded, former inner sea (Vietnam). Estuarine, Coastal and Shelf Science, 2019, 222, 195-204.	0.9	11
36	Concealed truth: Modeling reveals unique Quaternary distribution dynamics and refugia of four related endemic keystone Abies taxa on the Tibetan Plateau. Ecology and Evolution, 2019, 9, 14295-14316.	0.8	3
37	Comparative Phylogeography of Forest-Dependent Mammals Reveals Paleo-Forest Corridors throughout Sundaland. Journal of Heredity, 2019, 110, 158-172.	1.0	40

#	ARTICLE	IF	CITATIONS
38	Evidence of Sundaland's subsidence requires revisiting its biogeography. Journal of Biogeography, 2020, 47, 843-853.	1.4	56
39	Historical biogeography of Trigonostemon and Dimorphocalyx (Euphorbiaceae). Botanical Journal of the Linnean Society, 2020, 192, 333-349.	0.8	8
40	Environmental drivers of megafauna and hominin extinction in Southeast Asia. Nature, 2020, 586, 402-406.	13.7	58
41	Phylogenomic approaches reveal how climate shapes patterns of genetic diversity in an African rain forest tree species. Molecular Ecology, 2020, 29, 3560-3573.	2.0	17
42	Impact of the Mid-Pleistocene Revolution and Anthropogenic Factors on the Dispersion of Asian Black-Spined Toads (Duttaphrynus melanostictus). Animals, 2020, 10, 1157.	1.0	12
43	Impacts of the Toba eruption and montane forest expansion on diversification in Sumatran parachuting frogs ( <i>Rhacophorus</i> ). Molecular Ecology, 2020, 29, 2994-3009.	2.0	4
44	A molecular phylogeny of Southeast Asian Cyrtandra (Gesneriaceae) supports an emerging paradigm for Malesian plant biogeography. Frontiers of Biogeography, 2020, 12, .	0.8	16
45	Vegetation evolution-based hydrological climate history since LGM in southern South China Sea. Marine Micropaleontology, 2020, 156, 101837.	0.5	8
46	A study on modern pollen rain and pollen morphology in the tropical western Malay Peninsula and its implications for paleoenvironmental reconstructions in the Sunda region. Review of Palaeobotany and Palynology, 2020, 279, 104236.	0.8	12
47	Conservation status assessment of banana crop wild relatives using species distribution modelling. Diversity and Distributions, 2021, 27, 729-746.	1.9	20
48	The magnificent Dipterocarps: précis for an Epitaph?. Kew Bulletin, 2021, 76, 87-125.	0.4	13
49	Historical biogeography of the Southeast Asian and Malesian tribe Dissochaeteae (Melastomataceae). Journal of Systematics and Evolution, 0, , .	1.6	4
50	Late Pleistocene human paleoecology in the highland savanna ecosystem of mainland Southeast Asia. Scientific Reports, 2021, 11, 16756.	1.6	15
51	Late Pleistocene climate induced changes in paleo-vegetation in Borneo: Possible implications to human divergence. Quaternary Science Reviews, 2021, 267, 107109.	1.4	5
52	Individualistic evolutionary responses of Central African rain forest plants to Pleistocene climatic fluctuations. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 32509-32518.	3.3	26
53	Phylogeography of Partamona rustica (Hymenoptera, Apidae), an Endemic Stingless Bee from the Neotropical Dry Forest Diagonal. PLoS ONE, 2016, 11, e0164441.	1.1	22
54	Phylogeography of the termite Macrotermes gilvus and insight into ancient dispersal corridors in Pleistocene Southeast Asia. PLoS ONE, 2017, 12, e0186690.	1.1	8
55	Museomics for reconstructing historical floristic exchanges: Divergence of stone oaks across Wallacea. PLoS ONE, 2020, 15, e0232936.	1.1	12

#	Article	IF	Citations
56	A review of the Cholevinae from the island of Borneo (Coleoptera, Leiodidae). ZooKeys, 2018, 777, 57-108.	0.5	2
57	Three new karst-dwelling <i>Cnemaspis</i> Strauch, 1887 (Squamata; Gekkoniade) from Peninsular Thailand and the phylogenetic placement of <i>C.Âpunctatonuchalis</i> and <i>C.Âvandeventeri</i> PeerJ, 2017, 5, e2884.	0.9	15
58	A genome-wide assessment of stages of elevational parapatry in Bornean passerine birds reveals no introgression: implications for processes and patterns of speciation. PeerJ, 2017, 5, e3335.	0.9	21
59	Historical connections among river basins and climatic changes explain the biogeographic history of a water rat. Peerl, 2018, 6, e5333.	0.9	6
60	Genetic structure of an important widely distributed tropical forest tree, Shorea parvifolia, in Southeast Asia. Tree Genetics and Genomes, 2021, 17, 1.	0.6	3
62	Quaternary landscape dynamics boosted species dispersal across Southeast Asia. Communications Earth & Environment, 2021, 2, .	2.6	15
63	Phylogenomics and a revised tribal classification of subfamily Dipterocarpoideae (Dipterocarpaceae). Taxon, 2022, 71, 85-102.	0.4	8
64	Climate change threatens native potential agroforestry plant species in Brazil. Scientific Reports, 2022, 12, 2267.	1.6	18
65	First fossil-leaf floras from Brunei Darussalam show dipterocarp dominance in Borneo by the Pliocene. PeerJ, 2022, 10, e12949.	0.9	2
66	Environmental change since the Last Glacial Maximum: palaeoâ€evidence from the Nee Soon Freshwater Swamp Forest, Singapore. Journal of Quaternary Science, 2022, 37, 707-719.	1.1	2
67	Natural Diversity and Phylogeny of Asian Red-Cheeked Squirrels (Rodentia, Sciuridae, Dremomys) in Eastern Indochina. Biology Bulletin, 2021, 48, S81-S94.	0.1	5
68	Gondwanan survivor lineages and the highâ€risk biogeography of Anthropocene Southeast Asia. Journal of Systematics and Evolution, 2022, 60, 715-727.	1.6	4
69	Investigating the palaeoenvironmental context of Late Pleistocene human dispersals into Southeast Asia: a review of stable isotope applications. Archaeological and Anthropological Sciences, 2022, 14, 1.	0.7	3
70	Habitat Characteristics of Magnolia Based on Spatial Analysis: Landscape Protection to Conserve Endemic and Endangered Magnolia sulawesiana Brambach, Noot., and Culmsee. Forests, 2022, 13, 802.	0.9	3
71	Predicted Pleistocene–Holocene range and connectivity declines of the vulnerable fishing cat and insights for current conservation. Journal of Biogeography, 2022, 49, 1494-1507.	1.4	2
72	Species diversity of the freshwater red algal genus <i>Kumanoa</i> in Taiwan with the description of two new species: <i>Kumanoa taiwanensis sp. nov</i> and <i>Kumanoa yuanyangensis sp. nov</i> Phycologia, $0, 114$ .	0.6	0
73	Tropical environmental change in North Sumatra at the Last Glacial Maximum: Evidence from the stable isotope composition of cave guano. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 602, 111136.	1.0	2
74	Seasonal aridity in the Indo-Pacific Warm Pool during the Late Glacial driven by El Niño-like conditions. Climate of the Past, 2022, 18, 1655-1674.	1.3	6

#	Article	IF	CITATIONS
75	Projected changes in thermal bioclimatic indicators over the Middle East and North Africa under Paris climate agreement. Stochastic Environmental Research and Risk Assessment, 2023, 37, 577-594.	1.9	20
76	Spatially explicit phylogeographical reconstruction sheds light on the history of the forest cover in the Congo Basin. Journal of Biogeography, 0, , .	1.4	1
77	Phylogenetic biome conservatism as a key concept for an integrative understanding of evolutionary history: Galliformes and Falconiformes as study cases. Zoological Journal of the Linnean Society, 0, , .	1.0	0
78	Supporting decision-making by companies in delivering their climate net-zero and nature recovery commitments: Synthesising current information and identifying research priorities in rainforest restoration. Global Ecology and Conservation, 2022, 40, e02305.	1.0	3
80	Coexistence of savanna and rainforest on the ice-age Sunda Shelf revealed by pollen records from southern South China Sea. Quaternary Science Reviews, 2023, 301, 107947.	1.4	4