

CITATION REPORT

List of articles citing

Data resource profile: the Korea National Health and Nutrition Examination Survey (KNHANES)

DOI: 10.1093/ije/dyt228

International Journal of Epidemiology, 2014, 43, 69-77.

Source: <https://exaly.com/paper-pdf/58486557/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1369	Effects of diet modification on meal quality and quality of life in Korean diabetic patients: data from Korea national health and nutrition examination survey (2007-2011). 2014 , 3, 106-14		4
1368	Dietary assessment methods in epidemiologic studies. 2014 , 36, e2014009		582
1367	Estimation of curcumin intake in Korea based on the Korea National Health and Nutrition Examination Survey (2008-2012). 2014 , 8, 589-94		13
1366	Relationship between serum 25-hydroxyvitamin D and chronic obstructive pulmonary disease in males in the fifth Korean national health and nutrition examination survey. 2014 , 47, 321		1
1365	Relationship between socioeconomic status and type 2 diabetes: results from Korea National Health and Nutrition Examination Survey (KNHANES) 2010-2012. 2014 , 4, e005710		60
1364	Dietary patterns and pulmonary function in Korean women: findings from the Korea National Health and Nutrition Examination Survey 2007-2011. 2014 , 74, 177-83		5
1363	Hepatitis E Virus (HEV) seroprevalence in the general population of the Republic of Korea in 2007-2009: a nationwide cross-sectional study. 2014 , 14, 517		16
1362	Trends in the prevalence of major cardiovascular disease risk factors among Korean adults: results from the Korea National Health and Nutrition Examination Survey, 1998-2012. 2014 , 174, 64-72		83
1361	Spatial epidemiology of dry eye disease: findings from South Korea. 2014 , 13, 31		47
1360	Association between age at menarche and diabetes in Korean post-menopausal women: results from the Korea National Health and Nutrition Examination Survey (2007-2009). 2015 , 62, 897-905		13
1359	Clinical Markers Associated with Metabolic Syndrome Among Military Aviators. 2015 , 86, 970-5		5
1358	Sedentary Behavior and Sleep Duration Are Associated with Both Stress Symptoms and Suicidal Thoughts in Korean Adults. 2015 , 237, 279-86		23
1357	Relationship between symptoms of dry eye syndrome and occupational characteristics: the Korean National Health and Nutrition Examination Survey 2010-2012. 2015 , 15, 147		15
1356	Active smoking and exposure to secondhand smoke and their relationship to depressive symptoms in the Korea national health and nutrition examination survey (KNHANES). 2015 , 15, 1053		25
1355	Is secondhand smoke associated with stress in smokers and non-smokers?. 2015 , 15, 1249		11
1354	Weight perception and its association with socio-demographic and health-related factors among Korean adolescents. 2015 , 15, 1292		28
1353	Body mass index at age 18-20 and later risk of spontaneous abortion in the Health Examinees Study (HEXA). 2015 , 15, 228		10

1352	Trends in childhood obesity and central adiposity between 1998-2001 and 2010-2012 according to household income and urbanity in Korea. 2016 , 16, 18	10
1351	Association between adult height and tooth loss in a representative sample of Koreans. 2015 , 43, 479-88	10
1350	Depression, Stress, Quality of Life, and Dry Eye Disease in Korean Women: A Population-Based Study. 2015 , 34, 733-8	81
1349	Prevalence of Spirometrically-defined Restrictive Ventilatory Defect in Korea: The Fourth-2, 3, and Fifth Korean National Health and Nutrition Examination Survey, 2008-2012. 2015 , 30, 725-32	8
1348	Correlations between Poor Micronutrition in Family Members and Potential Risk Factors for Poor Diet in Children and Adolescents Using Korean National Health and Nutrition Examination Survey Data. 2015 , 7, 6346-61	8
1347	Association of Short Sleep Duration with Psychological Conditions in Cancer Survivors: From the Korea National Health and Nutrition Examination Survey. 2015 , 05,	
1346	Risk factors for chronic obstructive pulmonary disease among never-smokers in Korea. 2015 , 10, 497-506	28
1345	Nutritional status of toddlers and preschoolers according to household income level: overweight tendency and micronutrient deficiencies. 2015 , 9, 547-53	4
1344	An Overview of Ophthalmologic Survey Methodology in the 2008-2015 Korean National Health and Nutrition Examination Surveys. 2015 , 29, 359-67	32
1343	Dietary Very Long Chain Saturated Fatty Acids and Metabolic Factors: Findings from the Korea National Health and Nutrition Examination Survey 2013. 2015 , 4, 182-9	12
1342	Trends in adherence to dietary recommendations among Korean type 2 diabetes mellitus patients. 2015 , 9, 658-66	11
1341	Identifying Target Risk Factors Using Population Attributable Risks of Ischemic Stroke by Age and Sex. 2015 , 17, 302-11	39
1340	Effects of age, sex, and menopausal status on blood cholesterol profile in the korean population. 2015 , 45, 141-8	21
1339	Prevalence and Trends of Isolated Systolic Hypertension among Korean Adults: the Korea National Health and Nutrition Examination Survey, 1998-2012. 2015 , 45, 492-9	12
1338	A Population-Based, Nationwide Cross-Sectional Study on Influenza Vaccination Status among Cancer Survivors in Korea. 2015 , 12, 10133-49	13
1337	The Gender-Dependent Association between Obesity and Age-Related Cataracts in Middle-Aged Korean Adults. 2015 , 10, e0124262	8
1336	The Prevalence of Vitamin D Deficiency among Cancer Survivors in a Nationwide Survey of the Korean Population. 2015 , 10, e0129901	7
1335	Effect of Exposure to Second-Hand Smoke on the Quality of Life: A Nationwide Population-Based Study from South Korea. 2015 , 10, e0138731	12

1334	Sex-Based Differences in Asthma among Preschool and School-Aged Children in Korea. 2015 , 10, e0140057	8
1333	Insulin Resistance Is Associated with Prevalence of Physician-Diagnosed Urinary Incontinence in Postmenopausal Non-Diabetic Adult Women: Data from the Fourth Korea National Health and Nutrition Examination Survey. 2015 , 10, e0141720	6
1332	Do Hypertensive Individuals Who Are Aware of Their Disease Follow Lifestyle Recommendations Better than Those Who Are Not Aware?. 2015 , 10, e0136858	18
1331	[Gender difference in osteoporosis prevalence, awareness and treatment: based on the Korea national health and nutrition examination survey 2008~2011]. 2015 , 45, 293-305	22
1330	Change in the height of Korean children and adolescents: analysis from the Korea National Health and Nutrition Survey II and V. 2015 , 58, 336-40	5
1329	Dietary intake of fats and fatty acids in the Korean population: Korea National Health and Nutrition Examination Survey, 2013. 2015 , 9, 650-7	8
1328	Korean research project on the integrated exposure assessment of hazardous substances for food safety. 2015 , 30, e2015004	15
1327	Extent of Exacerbation of Chronic Health Conditions by Visual Impairment in Terms of Health-Related Quality of Life. 2015 , 133, 1267-75	20
1326	Worm wars, data resources and vitamin D. <i>International Journal of Epidemiology</i> , 2015 , 44, 1465-7	7.8
1325	Defining Vitamin D Deficiency and Its Relationship to Hypertension in Postmenopausal Korean Women. 2015 , 24, 1021-9	3
1324	Association between Obesity and Chronic Laryngitis in Women--Data from the Korea National Health and Nutrition Examination Survey. 2015 , 8, 252-60	5
1323	The relationship between bone mineral density and blood pressure in the Korean elderly population: the Korea National Health and Nutrition Examination Survey, 2008-2011. 2015 , 37, 212-7	10
1322	Relationships among smoking, organic, and functional voice disorders in Korean general population. 2015 , 29, 312-6	14
1321	A nationwide population-based study of low vision and blindness in South Korea. 2014 , 56, 484-93	17
1320	Hormone-related factors and post-menopausal onset depression: results from KNHANES (2010-2012). 2015 , 175, 176-83	34
1319	Application of instrumental neutron activation analysis to assess dietary intake of selenium in Korean adults from meat and eggs. 2015 , 303, 1561-1564	6
1318	Sarcopenic obesity is associated with lower indicators of psychological health and quality of life in Koreans. 2015 , 35, 384-92	36
1317	The uniform chest compression depth of 50 mm or greater recommended by current guidelines is not appropriate for all adults. 2015 , 33, 1037-41	14

1316	Relationship Between Intraocular Pressure and Parameters of Obesity in Korean Adults: The 2008-2010 Korea National Health and Nutrition Examination Survey. 2015 , 40, 1008-17	21
1315	Validation of FRAX without BMD: an age-related analysis of the Fifth Korea National Health and Nutrition Examination Survey (KNHANES V-1, 2010). 2015 , 75, 27-31	13
1314	Associations Among Oral Hygiene Behavior and Hypertension Prevalence and Control: The 2008 to 2010 Korea National Health and Nutrition Examination Survey. 2015 , 86, 866-73	26
1313	Sociodemographic Differences in the Association Between Obesity and Stress: A Propensity Score-Matched Analysis from the Korean National Health and Nutrition Examination Survey (KNHANES). 2015 , 67, 804-10	5
1312	The association between sleep duration and dry eye syndrome among Korean adults. 2015 , 16, 1327-1331	36
1311	Moderate alcohol intake reduces risk of ischemic stroke in Korea. 2015 , 85, 1950-6	17
1310	Association of parental education with tooth loss among Korean Elders. 2015 , 43, 489-99	9
1309	Applicability and potential clinical effects of 2013 cholesterol guidelines on major cardiovascular events. 2015 , 170, 598-605.e7	7
1308	Soft drink consumption is positively associated with metabolic syndrome risk factors only in Korean women: Data from the 2007-2011 Korea National Health and Nutrition Examination Survey. 2015 , 64, 1477-84	20
1307	Clinical application and potential effects of 2014 hypertension guidelines on incident cardiovascular events. 2015 , 170, 1042-1049.e5	8
1306	Protocol of a thyroid cancer longitudinal study (T-CALOS): a prospective, clinical and epidemiological study in Korea. 2015 , 5, e007234	8
1305	Gender differences in risk factors of benign vocal fold disease in Korea: the fifth Korea National Health and Nutritional Examination Survey. 2016 , 41, 85-91	2
1304	The Level of Serum Cholesterol is Negatively Associated with Lean Body Mass in Korean non-Diabetic Cancer Patients. 2016 , 5, 126-36	4
1303	Health-Adjusted Life Expectancy (HALE) in Korea: 2005-2011. 2016 , 31 Suppl 2, S139-S145	16
1302	The Association between Symptoms of Dry Eye Syndrome and Metabolic Outcome in a General Population in Korea. 2016 , 31, 1121-6	3
1301	Dietary quality differs by consumption of meals prepared at home vs. outside in Korean adults. 2016 , 10, 294-304	23
1300	A Potential Issue with Screening Prediabetes or Diabetes Using Serum Glucose: A Delay in Diagnosis. 2016 , 40, 414-417	5
1299	Glycosylated Hemoglobin Threshold for Predicting Diabetes and Prediabetes from the Fifth Korea National Health and Nutrition Examination Survey. 2016 , 40, 167-70	2

1298	Cataract and Cataract Surgery: Nationwide Prevalence and Clinical Determinants. 2016 , 31, 963-71	21
1297	Relationship between Metabolic Syndrome and Rheumatoid Arthritis. 2016 , 37, 44-50	13
1296	Associations between Exposure to Unhealthy Food Outlets Within Residential District and Obesity: Using Data from 2013 Census on Establishments and 2013-2014 Korea National Health and Nutrition Examination Survey. 2016 , 21, 463	2
1295	Development of a Dietary Fiber Composition Table and Intakes of Dietary Fiber in Korea National Health and Nutrition Examination Survey (KNHANES). 2016 , 21, 293	13
1294	Association of curry consumption with blood lipids and glucose levels. 2016 , 10, 212-20	6
1293	Estimates of Radiation Doses and Cancer Risk from Food Intake in Korea. 2016 , 31, 9-12	6
1292	Prevalence and risk factors of periodontitis among adults with or without diabetes mellitus. 2016 , 31, 910-9	22
1291	Food deserts in Korea? A GIS analysis of food consumption patterns at sub-district level in Seoul using the KNHANES 2008-2012 data. 2016 , 10, 530-536	10
1290	Environment and Its Influence on Health and Demographics in South Korea. 2016 , 13, 183	1
1289	The Effect of the Sodium to Potassium Ratio on Hypertension Prevalence: A Propensity Score Matching Approach. 2016 , 8,	19
1288	Total Water Intake from Beverages and Foods Is Associated with Energy Intake and Eating Behaviors in Korean Adults. 2016 , 8,	9
1287	Is Hypovitaminosis D Associated with Stress Perception in the Elderly? A Nationwide Representative Study in Korea. 2016 , 8,	6
1286	The crossover effect of spouses' long working hours on depressive symptoms and suicidal ideation. 2016 , 54, 410-420	8
1285	Associations between Physical Activity and Obesity Defined by Waist-To-Height Ratio and Body Mass Index in the Korean Population. 2016 , 11, e0158245	22
1284	Association Between Estimated 24-h Urinary Sodium Excretion and Metabolic Syndrome in Korean Adults: The 2009 to 2011 Korea National Health and Nutrition Examination Survey. 2016 , 95, e3153	9
1283	Effect of Maternal Age at Childbirth on Obesity in Postmenopausal Women: A Nationwide Population-Based Study in Korea. 2016 , 95, e3584	11
1282	Association Between Menstrual Irregularity and Dry Eye Disease: A Population-Based Study. 2016 , 35, 193-8	10
1281	Factors associated with abnormal pulmonary function test among subjects with normal chest radiography: The Korean National Health and Nutrition Examination Survey. 2016 , 21, 1330-2	

1280	The association between low blood lead levels and the prevalence of prehypertension among nonhypertensive adults in Korea. 2016 , 28, 729-35	8
1279	Prevalence and associated factors of facial palsy and lifestyle characteristics: data from the Korean National Health and Nutrition Examination Survey 2010-2012. 2016 , 6, e012628	16
1278	Recent blood pressure trends in adolescents from China, Korea, Seychelles and the United States of America, 1997-2012. 2016 , 34, 1948-58	18
1277	Cataract Surgery and Age-Related Macular Degeneration in the 2008-2012 Korea National Health and Nutrition Examination Survey. 2016 , 134, 621-6	13
1276	The association of resting heart rate with diabetes, hypertension, and metabolic syndrome in the Korean adult population: The fifth Korea National Health and Nutrition Examination Survey. 2016 , 455, 195-200	36
1275	Accuracy of Self-reported Hypertension, Diabetes, and Hypercholesterolemia: Analysis of a Representative Sample of Korean Older Adults. 2016 , 7, 108-15	38
1274	Dietary Supplement Use and Nutrient Intake among Children in South Korea. 2016 , 116, 1316-22	9
1273	Obesity, metabolic abnormality, and health-related quality of life by gender: a cross-sectional study in Korean adults. 2016 , 25, 1537-48	9
1272	Positive correlation of serum HDL cholesterol with blood mercury concentration in metabolic syndrome Korean men (analysis of KNANES 2008-2010, 2013). 2016 , 39, 1031-8	4
1271	Association of Blood Pressure with Exposure to Lead and Cadmium: Analysis of Data from the 2008-2013 Korean National Health and Nutrition Examination Survey. 2016 , 174, 40-51	39
1270	Metabolic outcomes of workers according to the International Standard Classification of Occupations in Korea. 2016 , 59, 685-94	24
1269	Association of Sarcopenia and Obesity With Multimorbidity in Korean Adults: A Nationwide Cross-Sectional Study. 2016 , 17, 960.e1-7	36
1268	Assessment of the dietary intake of propylene glycol in the Korean population. 2016 , 33, 1290-8	1
1267	Associations between sleep duration and abnormal serum lipid levels: data from the Korean National Health and Nutrition Examination Survey (KNHANES). 2016 , 24, 119-123	13
1266	Performance of Eleven Simplified Methods for the Identification of Elevated Blood Pressure in Children and Adolescents. 2016 , 68, 614-20	29
1265	Trends in Measures of Childhood Obesity in Korea From 1998 to 2012. 2016 , 26, 199-207	17
1264	Association of dietary intakes of total and subtypes of fat substituted for carbohydrate with metabolic syndrome in Koreans. 2016 , 63, 991-999	5
1263	Estimating central tendency from a single spot measure: A closed-form solution for lognormally distributed biomarker data for risk assessment at the individual level. 2016 , 79, 837-47	8

1262	Data Resource Profile: The Korea Youth Risk Behavior Web-based Survey (KYRBS). <i>International Journal of Epidemiology</i> , 2016 , 45, 1076-1076e	7.8	78
1261	Mental Health and Its Associated Factors Among North Korean Defectors Living in South Korea. 2016 , 28, 592-600		7
1260	Association between dietary acid load and the risk of cardiovascular disease: nationwide surveys (KNHANES 2008-2011). 2016 , 15, 122		38
1259	Fasting plasma glucose concentrations for specified HbA1c goals in Korean populations: data from the Fifth Korea National Health and Nutrition Examination Survey (KNHANES V-2, 2011). 2016 , 8, 62		4
1258	Association between second-hand smoke and psychological well-being amongst non-smoking wagers in Republic of Korea. 2016 , 28, 49		4
1257	Transmission of energy-saving efficiency from obese parents to their offspring: the Korean National Health and Nutrition Examination Survey 2007-2011. 2016 , 70, 511-6		1
1256	Modifying effects of education on the association between lifestyle behaviors and the risk of obesity: evidence from South Korea. 2016 , 16, 1100		4
1255	Prevalence of chronic disease and its controlled status according to income level. 2016 , 95, e5286		11
1254	Estimating change in cardiovascular disease and diabetes burdens due to dietary and metabolic factors in Korea 1998-2011: a comparative risk assessment analysis. 2016 , 6, e013283		4
1253	Sleep duration and dietary macronutrient consumption can modify the cardiovascular disease for Korean women but not for men. 2016 , 15, 17		6
1252	Burden of Visual Impairment and Chronic Diseases. 2016 , 134, 778-84		24
1251	Is There Disparity in Cardiovascular Health Between Migrant Workers and Native Workers?. 2016 , 64, 350-8		5
1250	Prevalence of Physical Activity and Sitting Time Among South Korean Adolescents: Results From the Korean National Health and Nutrition Examination Survey, 2013. 2016 , 28, 498-506		14
1249	Time trend of cadmium intake in Korea. 2016 , 21, 118-28		9
1248	KNOW-Ped CKD (KoreaN cohort study for outcomes in patients with pediatric CKD): Design and methods. 2016 , 17, 35		13
1247	Association between weight control failure and suicidal ideation in overweight and obese adults: a cross-sectional study. 2016 , 16, 259		5
1246	Assessment of trends in socioeconomic inequalities in cancer screening services in Korea, 1998-2012. 2016 , 15, 30		14
1245	Non-communicable diseases and risk of tuberculosis in Korea. 2016 , 20, 973-7		6

1244	Level of Blood Pressure Control and Cardiovascular Events: SPRINT Criteria Versus the 2014 Hypertension Recommendations. 2016 , 67, 2821-31	25
1243	Decomposing socioeconomic inequalities in the use of preventive eye screening services among individuals with diabetes in Korea. 2016 , 61, 613-20	5
1242	The effects of body mass index on the hereditary influences that determine peak bone mass in mother-daughter pairs (KNHANES V). 2016 , 27, 2057-64	2
1241	INAA for the evaluation of selenium contents in grain foods consumed by Korean. 2016 , 309, 337-341	2
1240	Low skeletal muscle mass is associated with non-alcoholic fatty liver disease in Korean adults: the Fifth Korea National Health and Nutrition Examination Survey. 2016 , 15, 39-47	33
1239	Early-life socioeconomic position and periodontal status in Korean adults. 2016 , 44, 11-23	8
1238	A review of sugar consumption from nationally representative dietary surveys across the world. 2016 , 29, 225-40	134
1237	Physical activity, dietary vitamin C, and metabolic syndrome in the Korean adults: the Korea National Health and Nutrition Examination Survey 2008 to 2012. 2016 , 135, 30-7	24
1236	Cadmium exposure and age-related macular degeneration. 2016 , 26, 214-8	10
1235	Comparison of the clinical characteristics of diabetes mellitus diagnosed using fasting plasma glucose and haemoglobin A1c: The 2011 Korea National Health and Nutrition Examination Survey. 2016 , 113, 23-5	2
1234	Regional differences in vitamin D levels and incidence of food-induced anaphylaxis in South Korea. 2016 , 116, 237-243.e1	8
1233	The Association Between Blood Mercury Levels and Risk for Overweight in a General Adult Population: Results from the Korean National Health and Nutrition Examination Survey. 2016 , 171, 251-261	11
1232	Establishing International Blood Pressure References Among Nonoverweight Children and Adolescents Aged 6 to 17 Years. 2016 , 133, 398-408	75
1231	Body composition is more closely related to the development of knee osteoarthritis in women than men: a cross-sectional study using the Fifth Korea National Health and Nutrition Examination Survey (KNHANES V-1, 2). 2016 , 24, 605-11	24
1230	Poor dietary behaviors among hospital nurses in Seoul, South Korea. 2016 , 30, 38-44	27
1229	Association between sleep duration and obesity is modified by dietary macronutrients intake in Korean. 2016 , 10, 424-31	14
1228	Very-low-fat diets may be associated with increased risk of metabolic syndrome in the adult population. 2016 , 35, 1159-67	40
1227	Z-score discordance and contributing factors in healthy premenopausal women with low bone mineral density: the Korean National Health and Nutrition Examination Survey 2008-9. 2016 , 34, 668-677	7

1226	Associations between serum lipid levels and suicidal ideation among Korean older people. 2016 , 189, 192-8	8
1225	The mediation effect of individual eating behaviours on the relationship between socioeconomic status and dietary quality in children: the Korean National Health and Nutrition Examination Survey. 2017 , 56, 1339-1346	10
1224	Prevalence of and Factors Associated with Sarcopenia in Korean Cancer Survivors: Based on Data Obtained by the Korea National Health and Nutrition Examination Survey (KNHANES) 2008-2011. 2017 , 69, 394-401	11
1223	Construction and evaluation of structured association map for visual exploration of association rules. 2017 , 74, 70-81	5
1222	Association between underweight and tooth loss among Korean adults. 2017 , 7, 41524	15
1221	Association Between Duration of Breast Feeding and Metabolic Syndrome: The Korean National Health and Nutrition Examination Surveys. 2017 , 26, 361-367	16
1220	High dietary sodium intake is associated with low bone mass in postmenopausal women: Korea National Health and Nutrition Examination Survey, 2008-2011. 2017 , 28, 1445-1452	9
1219	The association between periodontitis and sleep duration. 2017 , 44, 490-501	27
1218	Lower urinary cotinine level is associated with a trend toward more myopic refractive errors in Korean adolescents. 2017 , 31, 1060-1067	3
1217	Association between sleep duration, fat mass, lean mass and obesity in Korean adults: the fourth and fifth Korea National Health and Nutrition Examination Surveys. 2017 , 26, 453-460	18
1216	Weight, gender, and depressive symptoms in South Korea. 2017 , 29, e22972	22
1215	Dietary carbohydrate and fat intakes are differentially associated with lipid abnormalities in Korean adults. 2017 , 11, 338-347.e3	19
1214	Effect of socio-economic status on sleep. 2017 , 53, 592-597	17
1213	Does the Risk of Metabolic Syndrome Increase in Thyroid Cancer Survivors?. 2017 , 27, 936-943	3
1212	Trends in the prevalence of extreme obesity among Korean children and adolescents from 2001 to 2014. 2017 , 30, 517-523	14
1211	Prevalence of Metabolic Syndrome and Related Factors in Korean Career Firefighters in Comparisons With Other Occupational Groups. 2017 , 59, 384-388	2
1210	A randomized controlled trial of physical activity, dietary habit, and distress management with the Leadership and Coaching for Health (LEACH) program for disease-free cancer survivors. 2017 , 17, 298	24
1209	Comparison of Health Examination Survey Methods in Brazil, Chile, Colombia, Mexico, England, Scotland, and the United States. 2017 , 186, 648-658	11

1208	Association of serum ferritin with insulin resistance, abdominal obesity, and metabolic syndrome in Korean adolescent and adults: The Korean National Health and Nutrition Examination Survey, 2008 to 2011. 2017 , 96, e6179	22
1207	Behavioral Characteristics and Cardiovascular Disease Risks Associated With Insomnia and Sleep Quality Among Middle-Aged Women in South Korea. 2017 , 40, 206-217	9
1206	Risk factors of suicide attempt among people with suicidal ideation in South Korea: a cross-sectional study. 2017 , 17, 579	31
1205	Chronic obstructive pulmonary disease is independently associated with hypertension in men: A survey design analysis using nationwide survey data. 2017 , 96, e6826	11
1204	Associations between high-risk alcohol consumption and sarcopenia among postmenopausal women. 2017 , 24, 1022-1027	14
1203	High dietary phosphorus density is a risk factor for incident chronic kidney disease development in diabetic subjects: a community-based prospective cohort study. 2017 , 106, 311-321	15
1202	Relation between secondhand smoke exposure and cardiovascular risk factors in never smokers. 2017 , 35, 1976-1982	7
1201	Gender differences in physical activity and health-related behaviors among stroke survivors: data from the 5th Korea National Health and Nutrition Examination Survey. 2017 , 24, 381-387	4
1200	Association of physical activity on body composition, cardiometabolic risk factors, and prevalence of cardiovascular disease in the Korean population (from the fifth Korea national health and nutrition examination survey, 2008-2011). 2017 , 17, 275	10
1199	Pathways linking obesity to health-related quality of life. 2017 , 26, 2209-2218	22
1198	The prevalence trend of metabolic syndrome and its components and risk factors in Korean adults: results from the Korean National Health and Nutrition Examination Survey 2008-2013. 2017 , 17, 71	81
1197	Urinary incontinence is associated with the development of peptic ulcers in adult women: Data from the KNHANES IV. 2017 , 96, e8266	5
1196	Serum Zinc Status and Its Association with Allergic Sensitization: The Fifth Korea National Health and Nutrition Examination Survey. 2017 , 7, 12637	12
1195	The association between periodontal disease and age-related macular degeneration in the Korea National health and nutrition examination survey: A cross-sectional observational study. 2017 , 96, e6418	14
1194	Association Between Obesity and Chronic Kidney Disease, Defined by Both Glomerular Filtration Rate and Albuminuria, in Korean Adults. 2017 , 15, 416-422	13
1193	Diet quality and osteosarcopenic obesity in community-dwelling adults 50 years and older. 2017 , 104, 73-79	21
1192	Relationship between long working hours and periodontitis among the Korean workers. 2017 , 7, 7967	11
1191	Normal-to-mildly increased albuminuria predicts the risk for diabetic retinopathy in patients with type 2 diabetes. 2017 , 7, 11757	18

1190	Association between Frailty and Hypertension Prevalence, Treatment, and Control in the Elderly Korean Population. 2017 , 7, 7542	28
1189	Relationship between Total Fruit and Vegetable Intake and Self-Reported Knee Pain in Older Adults. 2017 , 21, 750-758	13
1188	Vascular and metabolic comorbidities in open-angle glaucoma with low- and high-teen intraocular pressure: a cross-sectional study from South Korea. 2017 , 95, e564-e574	21
1187	Relation of Chronic Obstructive Pulmonary Disease to Cardiovascular Disease in the General Population. 2017 , 120, 1399-1404	17
1186	Point prevalence and epidemiological characteristics of chronic cough in the general adult population: The Korean National Health and Nutrition Examination Survey 2010-2012. 2017 , 96, e6486	26
1185	Age threshold for moderate and severe periodontitis among Korean adults without diabetes mellitus, hypertension, metabolic syndrome, and/or obesity. 2017 , 96, e7835	13
1184	The impact of weight misperception on health-related quality of life in Korean adults (KNHANES 2007-2014): a community-based cross-sectional study. 2017 , 7, e016098	13
1183	An increasing, potentially measles-susceptible population over time after vaccination in Korea. 2017 , 35, 4126-4132	47
1182	Body weight misperception and psychological distress among young South Korean adults: the role of physical activity. 2017 , 2, 17	5
1181	Neo-Marxian social class inequalities in self-rated health among the employed in South Korea: the role of material, behavioral, psychosocial, and workplace environmental factors. 2017 , 17, 345	5
1180	Characteristics of hardcore smokers in South Korea from 2007 to 2013. 2017 , 17, 521	8
1179	Inequality in unmet dental care needs among South Korean adults. 2017 , 17, 80	16
1178	Increased risk of metabolic disorders in healthy young adults with family history of diabetes: from the Korea National Health and Nutrition Survey. 2017 , 9, 16	15
1177	Serum 25-hydroxyvitamin D and Age-Related Cataract. 2017 , 24, 281-286	6
1176	Association of serum vitamin D with osteosarcopenic obesity: Korea National Health and Nutrition Examination Survey 2008-2010. 2017 , 8, 259-266	34
1175	Lifecourse socioeconomic position indicators and tooth loss in Korean adults. 2017 , 45, 74-83	16
1174	Blood cadmium concentrations in Korean adolescents: From the Korea National Health and Nutrition Examination Survey 2010-2013. 2017 , 220, 37-42	13
1173	Elevated leukocyte count is associated with periodontitis in Korean adults: the 2012-2014 KNHANES. 2017 , 23, 241-246	5

1172	Gender Differences in the relationship between carbonated sugar-sweetened beverage intake and the likelihood of hypertension according to obesity. 2017 , 62, 573-581	7
1171	Breast cancer screening among shift workers: a nationwide population-based survey in Korea. 2017 , 23, 94-97	3
1170	Risk factors for feelings of sadness and suicide attempts among cancer survivors in South Korea: findings from nationwide cross-sectional study (KNHANES IV-VI). 2017 , 7, e016130	15
1169	The association between perceived unmet medical need and mental health among the Republic of Korea Armed Forces. 2017 , 163, 184-192	2
1168	Effects of interactions between common genetic variants and smoking on colorectal cancer. 2017 , 17, 869	10
1167	Exploring the Performance of Stacking Classifier to Predict Depression Among the Elderly. 2017 ,	3
1166	Relationship between obesity and depression in Korean adults: Korea National Health and Nutrition Examination Survey 2014. 2017 , 96, e9478	10
1165	Shift Work Is Associated with Metabolic Syndrome in Young Female Korean Workers. 2017 , 38, 51-56	16
1164	Long Sleep Duration is Associated With Sarcopenia in Korean Adults Based on Data from the 2008-2011 KNHANES. 2017 , 13, 1097-1104	26
1163	Trends in socioeconomic inequalities in five major risk factors for cardiovascular disease in the Korean population: a cross-sectional study using data from the Korea National Health and Nutrition Examination Survey, 2001-2014. 2017 , 7, e014070	22
1162	Associations of Dietary Antioxidants and Risk of Type 2 Diabetes: Data from the 2007-2012 Korea National Health and Nutrition Examination Survey. 2017 , 22,	8
1161	Association between Awareness of Nutrition Labels and Menstrual Cycle Irregularity in Korean Women: The Fifth Korea National Health and Nutrition Examination Survey (2010~2012). 2017 , 47, 133-141	
1160	Vitamin D Deficiency among Adults with History of Pulmonary Tuberculosis in Korea Based on a Nationwide Survey. 2017 , 14,	10
1159	Burdens of Cardiometabolic Diseases Attributable to Dietary and Metabolic Risks in Korean Adults 2012-2013. 2017 , 58, 540-551	5
1158	Trends in energy intake among Korean adults, 1998-2015: Results from the Korea National Health and Nutrition Examination Survey. 2017 , 11, 147-154	35
1157	Prevalence and Clinical Characteristics of Metabolically Healthy Obesity in Korean Children and Adolescents: Data from the Korea National Health and Nutrition Examination Survey. 2017 , 32, 1840-1847	13
1156	Effect of prescribing metformin according to eGFR instead of serum creatinine level: A study based on Korean National Health and Nutrition Examination Survey (KNHANES) 2009-2014. 2017 , 12, e0175334	1
1155	Mental health among single and partnered parents in South Korea. 2017 , 12, e0182943	9

1154	The effectiveness and limitation of the national childhood hepatitis A vaccination program in the Republic of Korea: Findings from the Korean National Health and Nutrition Examination Survey (KNHANES), 2015. 2017 , 12, e0189210	3
1153	Association of the urinary sodium to urinary specific gravity ratio with metabolic syndrome in Korean children and adolescents: The Korea National Health and Nutrition Examination Survey 2010-2013. 2017 , 12, e0189934	7
1152	Dietary supplement use among cancer survivors and the general population: a nation-wide cross-sectional study. 2017 , 17, 891	15
1151	Association of meal frequency with metabolic syndrome in Korean adults: from the Korea National Health and Nutrition Examination Survey (KNHANES). 2017 , 9, 77	14
1150	Association of Dietary Flavonoid Intake with Prevalence of Type 2 Diabetes Mellitus and Cardiovascular Disease Risk Factors in Korean Women Aged 80 Years. 2017 , 63, 51-58	15
1149	Relation between Beverage Consumption Pattern and Metabolic Syndrome among Healthy Korean Adults. 2017 , 22, 441	5
1148	The Association between Involuntary Smoking Exposure with Urine Cotinine Level and Blood Cadmium Level in General Non-Smoking Populations. 2017 , 32, 568-575	8
1147	Association of Smoking Status and High Density Lipoprotein-Cholesterol in Males in the Fifth Korea National Health and Nutrition Examination Survey. 2017 , 17, 289	2
1146	Association Between Personal Protective Equipment Use and Injury Occurrence Among the Republic of Korea Armed Forces. 2017 , 182, e1900-e1907	3
1145	The Risk of Being Obese According to Short Sleep Duration Is Modulated after Menopause in Korean Women. 2017 , 9,	7
1144	Application of the 2013 American College of Cardiology/American Heart Association Cholesterol Guideline to the Korean National Health and Nutrition Examination Surveys from 1998 to 2012. 2017 , 41, 38-50	1
1143	The Definition of Past Tuberculosis Affects the Magnitude of Association between Pulmonary Tuberculosis and Respiratory Dysfunction: Korea National Health and Nutrition Examination Survey, 2008-2012. 2017 , 32, 789-795	9
1142	Selection of key foods for the systematic management of a food and nutrient composition database. 2017 , 11, 500-506	7
1141	Bone Mineral Density in Thyroid Cancer Patients: Data from the Korea National Health and Nutrition Examination Survey. 2017 , 17, 153	
1140	The effect of obesity on patients with mild chronic obstructive pulmonary disease: results from KNHANES 2010 to 2012. 2017 , 12, 757-763	4
1139	Mean Hand Grip Strength and Cut-off Value for Sarcopenia in Korean Adults Using KNHANES VI. 2017 , 32, 868-872	63
1138	Identification of subtypes in subjects with mild-to-moderate airflow limitation and its clinical and socioeconomic implications. 2017 , 12, 1135-1144	8
1137	Association between Stroke Status and Depression in a Community Setting: The 2014 Korea National Health and Nutrition Examination Survey. 2017 , 13, 55-61	6

1136	Prevalence and Factors Associated with the Use of Eye Care Services in South Korea: Korea National Health and Nutrition Examination Survey 2010-2012. 2017 , 31, 58-70	5
1135	Socioeconomic impact of asthma, chronic obstructive pulmonary disease and asthma-COPD overlap syndrome. 2017 , 9, 1547-1556	12
1134	The association between osteoarthritis and sleep duration in Koreans: a nationwide cross-sectional observational study. 2018 , 37, 1653-1659	10
1133	Depression is Closely Associated With Chronic Low Back Pain in Patients Over 50 Years of Age: A Cross-sectional Study Using the Sixth Korea National Health and Nutrition Examination Survey (KNHANES VI-2). 2018 , 43, 1281-1288	19
1132	Associations between birth weight, obesity, fat mass and lean mass in Korean adolescents: the Fifth Korea National Health and Nutrition Examination Survey. 2018 , 8, e018039	13
1131	Association between the number of teeth and hypertension in a study based on 13,561 participants. 2018 , 89, 397-406	18
1130	Associations between physical activity and comorbidities in Korean cancer survivors. 2018 , 12, 441-449	9
1129	Population-Based Cross-Sectional Data From South Korean Adults Suggest That Sleep Duration Might be Associated With Periodontitis. 2018 , 18, 187-189	1
1128	Quality of life of middle-aged adults in single households in South Korea. 2018 , 27, 2117-2125	5
1127	Exposure to occupational noise and periodontitis in Korean workers. 2018 , 89, 431-439	6
1126	Longer sitting time and low physical activity are closely associated with chronic low back pain in population over 50 years of age: a cross-sectional study using the sixth Korea National Health and Nutrition Examination Survey. 2018 , 18, 2051-2058	19
1125	Differential impacts of serum vitamin D levels and age at menarche on metabolic syndrome in premenopausal and postmenopausal women: findings from the Korea national cohort. 2018 , 55, 21-32	4
1124	High hemoglobin levels are associated with decreased risk of diabetic retinopathy in Korean type 2 diabetes. 2018 , 8, 5538	11
1123	Heart Rate and Bone Mineral Density in Older Women with Hypertension: Results from the Korea National Health and Nutritional Examination Survey. 2018 , 66, 1144-1150	4
1122	A modified Mediterranean diet score is inversely associated with metabolic syndrome in Korean adults. 2018 , 72, 1682-1689	9
1121	Comparison of oral health status and daily nutrient intake between elders who live alone and elders who live with family: Based on the Korean National Health and Nutrition Examination Survey (KNHANES VI) (2013-2015). 2018 , 35, 129-138	8
1120	Eating frequency is inversely associated with BMI, waist circumference and the proportion of body fat in Korean adults when diet quality is high, but not when it is low: analysis of the Fourth Korea National Health and Nutrition Examination Survey (KNHANES IV). 2018 , 119, 918-927	5
1119	Consuming Green Tea at Least Twice Each Day Is Associated with Reduced Odds of Chronic Obstructive Lung Disease in Middle-Aged and Older Korean Adults. 2018 , 148, 70-76	9

1118	Distribution of glycated haemoglobin and its determinants in Korean youth and young adults: a nationwide population-based study. 2018 , 8, 1962	8
1117	Daily sitting time associated with the risk of metabolic syndrome in Korean adolescents. 2018 , 31, 63-69	4
1116	Association of muscle mass and fat mass with insulin resistance and the prevalence of metabolic syndrome in Korean adults: a cross-sectional study. 2018 , 8, 2703	44
1115	Alcohol consumption frequency or alcohol intake per drinking session: Which has a larger impact on the metabolic syndrome and its components?. 2018 , 71, 15-23	11
1114	Differential association of dietary carbohydrate intake with metabolic syndrome in the US and Korean adults: data from the 2007-2012 NHANES and KNHANES. 2018 , 72, 848-860	32
1113	Association of platelet count with sarcopenic obesity in postmenopausal women: A nationwide population-based study. 2018 , 477, 113-118	6
1112	Tinnitus, depression, and suicidal ideation in adults: A nationally representative general population sample. 2018 , 98, 124-132	19
1111	Association of sodium intake with insulin resistance in Korean children and adolescents: the Korea National Health and Nutrition Examination Survey 2010. 2018 , 31, 117-125	6
1110	The Association Between Body Mass Index and Open-angle Glaucoma in a South Korean Population-based Sample. 2018 , 27, 239-245	10
1109	A cross-sectional study on the association between vitamin D levels and caries in the permanent dentition of Korean children. 2018 , 18, 43	17
1108	The Relationship Between Physical Activity Level of Parents and That of Their Adolescent Children. 2018 , 15, 613-619	4
1107	Does exposure to PM decrease age at menarche?. 2018 , 117, 16-21	8
1106	Assessment of ferrocyanide intake from food-grade salt in the Korean population. 2018 , 93, 620-627	2
1105	Associations of Urinary Cotinine-Verified Active and Passive Smoking with Thyroid Function: Analysis of Population-Based Nationally Representative Data. 2018 , 28, 583-592	7
1104	Mediating effects of metabolic factors on the association between fruit or vegetable intake and cardiovascular disease: the Korean National Health and Nutrition Examination Survey. 2018 , 8, e019620	3
1103	Association of regular walking and body mass index on metabolic syndrome among an elderly Korean population. 2018 , 106, 178-182	8
1102	Insulin Resistance is Associated with Chronic Laryngitis in Korean Women. 2018 , 22, 471-475	2
1101	Low dietary energy intake is associated with sarcopenia in cancer survivors: An analysis based on the Korean National Health and Nutrition Examination Survey 2008-2011. 2018 , 53, 15-22	3

1100	A Healthy Beverage Consumption Pattern Is Inversely Associated with the Risk of Obesity and Metabolic Abnormalities in Korean Adults. 2018 , 21, 935-945	9
1099	Dental and periodontal health in Finnish adults in 2000 and 2011. 2018 , 76, 305-313	18
1098	Employment and weight status: The extreme case of body concern in South Korea. 2018 , 29, 115-121	6
1097	Trends in the prevalence of underweight, obesity, abdominal obesity and their related lifestyle factors in Korean young adults, 1998-2012. 2018 , 12, 358-364	9
1096	Prevalence and related factors of irregular menstrual cycles in Korean women: the 5th Korean National Health and Nutrition Examination Survey (KNHANES-V, 2010-2012). 2018 , 39, 196-202	6
1095	Development and Validation of the Activities of Daily Living Short Form for Community-Dwelling Korean Stroke Survivors. 2018 , 41, 44-66	2
1094	The Influence of Parental Myopia on Children's Myopia in Different Generations of Parent-Offspring Pairs in South Korea. 2018 , 33, 419-428	7
1093	Association of carbohydrate and fat intake with metabolic syndrome. 2018 , 37, 746-751	23
1092	Decreased muscle mass is independently associated with knee pain in female patients with radiographically mild osteoarthritis: a nationwide cross-sectional study (KNHANES 2010-2011). 2018 , 37, 1333-1340	5
1091	Trends in the distribution of body mass index and waist circumference among South Korean adults, 1998-2014. 2018 , 72, 198-206	5
1090	Association between Dental Caries and Delayed Growth in Korean Children. 2018 , 52, 71-77	3
1089	Impact of systemic inflammation on the relationship between insulin resistance and all-cause and cancer-related mortality. 2018 , 81, 52-62	16
1088	High and low sodium intakes are associated with incident chronic kidney disease in patients with normal renal function and hypertension. 2018 , 93, 921-931	32
1087	Association between height and periodontitis in Korean adults: Results from KNHANES IV and V. 2018 , 53, 345-352	1
1086	Association of serum 25-hydroxyvitamin D and diabetes-related factors in Korean adults without diabetes: The Fifth Korea National Health and Nutrition Examination Survey 2010-2012. 2018 , 12, 59-65	2
1085	Korean Adolescents' Energy Intake of Selected Foods by Eating Place from 1998 to 2012 During Implementation of Two National School Nutrition Policies. 2018 , 13, 116-130	1
1084	Association of muscle strength with cardiovascular risk in Korean adults: Findings from the Korea National Health and Nutrition Examination Survey (KNHANES) VI to VII (2014-2016). 2018 , 97, e13240	20
1083	Development of Strategies to Improve the National Nutrition Survey System. 2018 , 23, 444	

1082	An Assessment of Magnitudes and Patterns of Socioeconomic Inequalities across Various Health Problems: A Large National Cross-Sectional Survey in Korea. 2018 , 15,	1
1081	Association of Sleep Duration and Obesity According to Gender and Age in Korean Adults: Results from the Korea National Health and Nutrition Examination Survey 2007-2015. 2018 , 33, e345	8
1080	Associations of urinary sodium levels with overweight and central obesity in a population with a sodium intake. 2018 , 4, 47	8
1079	Comparison of nutrients and food intakes of young children according to lunch places: based on the fifth Korea National Health and Nutrition Examination Survey. 2018 , 51, 254	1
1078	Measuring prevalence and incidence of chronic conditions in claims and electronic health record databases. 2019 , 11, 1-15	40
1077	Real-world Evidence versus Randomized Controlled Trial: Clinical Research Based on Electronic Medical Records. 2018 , 33, e213	104
1076	Trends of Diabetes Epidemic in Korea. 2018 , 42, 377-379	18
1075	Data resource profile: oral examination of the Korea National Health and Nutrition Examination Survey. 2018 , 42, 101	4
1074	Long-Term Evolution of Metabolic Status in Patients with Schizophrenia Stably Maintained on Second-Generation Antipsychotics. 2018 , 15, 628-637	3
1073	Use of a Machine Learning Algorithm to Predict Individuals with Suicide Ideation in the General Population. 2018 , 15, 1030-1036	25
1072	Association of Alcohol Drinking Patterns With Presence of Impaired Fasting Glucose and Diabetes Mellitus Among South Korean Adults. 2018 , 28, 117-124	4
1071	OBSOLETE: Lipids and Cardiovascular Diseases: Epidemiologic Perspectives. 2018 ,	
1070	Age at natural menopause in Koreans: secular trends and influences thereon. 2018 , 25, 423-429	36
1069	Association between sleep duration and musculoskeletal pain: The Korea National Health and Nutrition Examination Survey 2010-2015. 2018 , 97, e13656	15
1068	The association between subclinical inflammation and abnormal glucose and lipid metabolisms in normal-weight Korean individuals. 2018 , 28, 1106-1113	9
1067	Association of gastric and duodenal ulcers with anthropometry and nutrients: Korean National Health and Nutrition Examination Survey (KNHANES II-IV) 2001-2009. 2018 , 13, e0207373	5
1066	The high prevalence of myopia in Korean children with influence of parental refractive errors: The 2008-2012 Korean National Health and Nutrition Examination Survey. 2018 , 13, e0207690	28
1065	Low handgrip strength is closely associated with chronic low back pain among women aged 50 years or older: A cross-sectional study using a national health survey. 2018 , 13, e0207759	6

1064	Association of Blood Pressure with Blood Lead and Cadmium Levels in Korean Adolescents: Analysis of Data from the 2010-2016 Korean National Health and Nutrition Examination Survey. 2018 , 33, e278	21
1063	Insulin Resistance and the Risk of Diabetes and Dysglycemia in Korean General Adult Population. 2018 , 42, 296-307	12
1062	Understanding reasons for unmet health care needs in Korea: what are health policy implications?. 2018 , 18, 557	32
1061	25-Hydroxyvitamin D Is Associated with Kidney Function: The Dong-gu Study. 2018 , 64, 385-390	1
1060	Neo-Marxian social class inequalities in oral health among the South Korean population. 2019 , 47, 162-170	4
1059	Disparities in the utilisation of preventive health services by the employment status: An analysis of 2007-2012 South Korean national survey. 2018 , 13, e0207737	9
1058	Comparison of the periodontal condition in Korean and Japanese adults: a cross-sectional study. 2018 , 8, bmjopen-2018-024332	1
1057	Socioeconomic inequalities in the prevalence of biomarkers of cardio-metabolic disease in South Korea: Comparison of the Health Examinees Study to a nationally representative survey. 2018 , 13, e0195091	1
1056	Association between Colorectal Adenoma and Carotid Atherosclerosis in Korean Adults. 2018 , 15,	2
1055	Does Atopic Dermatitis Reduce the Incidence of Gastric Cancer?. 2018 , 71, 1	
1054	Two-Week Exclusive Supplementation of Modified Ketogenic Nutrition Drink Reserves Lean Body Mass and Improves Blood Lipid Profile in Obese Adults: A Randomized Clinical Trial. 2018 , 10,	23
1053	Global Impact of the 2017 American College of Cardiology/American Heart Association Hypertension Guidelines. 2018 , 138, 2312-2314	16
1052	Effect of Childbirth Age on Bone Mineral Density in Postmenopausal Women. 2018 , 33, e311	3
1051	Variation in the rate of well-controlled status of chronic disease by income level in Korea: 2010 to 2015. 2018 , 97, e12059	3
1050	Association between metabolic parameters and glomerular hyperfiltration in a representative Korean population without chronic kidney disease. 2018 , 13, e0207843	5
1049	The Association Between Long Working Hours and High-Sensitivity C-Reactive Protein in Older Aged Individuals: The Korea National Health and Nutrition Examination Survey (KNHANES) 2015. 2018 , 60, 775-780	8
1048	Korea hypertension fact sheet 2018. 2018 , 24, 13	81
1047	Lipids and Cardiovascular Diseases: Epidemiologic Perspectives. 2018 , 221-229	

1046	The Association between Female Reproductive Factors and Open-Angle Glaucoma in Korean Women: The Korean National Health and Nutrition Examination Survey V. 2018 , 2018, 2750786	5
1045	Associations between Atopic Dermatitis and Risk of Gastric Cancer: A Nationwide Population-based Study. 2018 , 71, 38-44	6
1044	Genetic Association between Serum 25-Hydroxyvitamin D Levels and Lung Function in Korean Men and Women: Data from KNHANES 2011?2012. 2018 , 10,	1
1043	Association of Handgrip Strength with Dietary Intake in the Korean Population: Findings Based on the Seventh Korea National Health and Nutrition Examination Survey (KNHANES VII-1), 2016. 2018 , 10,	23
1042	Trends of self-reported sleep duration in Korean Adults: results from the Korea National Health and Nutrition Examination Survey 2007-2015. 2018 , 52, 103-106	9
1041	Prevalence of Participating in Physical Activity From 2 Korean Surveillance Systems: KNHANES and KCHS. 2018 , 15, 763-773	3
1040	Mercury Exposure, Blood Pressure, and Hypertension: A Systematic Review and Dose-response Meta-analysis. 2018 , 126, 076002	62
1039	Sugar-Sweetened Beverage Consumption in Relation to Obesity and Metabolic Syndrome among Korean Adults: A Cross-Sectional Study from the 2012?2016 Korean National Health and Nutrition Examination Survey (KNHANES). 2018 , 10,	25
1038	Moderate coffee consumption is inversely associated with the metabolic syndrome in the Korean adult population. 2018 , 120, 1279-1287	18
1037	Association of Serum TSH With Handgrip Strength in Community-Dwelling Euthyroid Elderly. 2018 , 103, 3986-3992	8
1036	Association of Coffee and Tea with Ferritin: Data from the Korean National Health and Nutrition Examination Survey (IV and V). 2018 , 54, 178-183	7
1035	Waist circumference and risk of 23 site-specific cancers: a population-based cohort study of Korean adults. 2018 , 119, 1018-1027	21
1034	The factors associated with Vitamin D deficiency in community dwelling elderly in Korea. 2018 , 12, 387-395	7
1033	Physical activity status by pain severity in patients with knee osteoarthritis: a nationwide study in Korea. 2018 , 19, 380	7
1032	Relationship between obstructive lung disease and non-alcoholic fatty liver disease in the Korean population: Korea National Health and Nutrition Examination Survey, 2007-2010. 2018 , 13, 2603-2611	14
1031	Familial hypercholesterolemia and atherosclerotic cardiovascular mortality among Korean adults with low levels of serum cholesterol. 2018 , 278, 103-109	6
1030	Association between White Blood Cell Counts within Normal Range and Hemoglobin A1c in a Korean Population. 2018 , 33, 79-87	4
1029	3'-UTR variants and cardiometabolic traits in Koreans: results from the Korean genome and epidemiology study and the Korea National Health and Nutrition Examination Survey. 2018 , 12, 61-68	8

1028	Blood Pressure Control and Cardiovascular Outcomes: Real-world Implications of the 2017 ACC/AHA Hypertension Guideline. 2018 , 8, 13155	28
1027	The association between muscular strength and depression in Korean adults: a cross-sectional analysis of the sixth Korea National Health and Nutrition Examination Survey (KNHANES VI) 2014. 2018 , 18, 1123	31
1026	Effect of duration of diabetes on bone mineral density: a population study on East Asian males. 2018 , 18, 61	11
1025	Self-management levels of diet and metabolic risk factors according to disease duration in patients with type 2 diabetes. 2018 , 12, 69-77	3
1024	Prevalence of Overweight and Income Gaps in 245 Districts of Korea: Comparison Using the National Health Screening Database and the Community Health Survey, 2009-2014. 2018 , 33, e3	7
1023	Effect of the Standardization of Diagnostic Tests on the Prevalence of Diabetes Mellitus and Impaired Fasting Glucose. 2018 , 33, e81	2
1022	Association between Dietary Mineral Intake and Chronic Kidney Disease: The Health Examinees (HEXA) Study. 2018 , 15,	9
1021	The Cardiometabolic Burden of Self-Perceived Obesity: A Multilevel Analysis of a Nationally Representative Sample of Korean Adults. 2018 , 8, 7901	2
1020	Association Between Thyroid Dysfunction and Lipid Profiles Differs According to Age and Sex: Results from the Korean National Health and Nutrition Examination Survey. 2018 , 28, 849-856	10
1019	Prevalence of hyperuricemia and its associated factors in the general Korean population: an analysis of a population-based nationally representative sample. 2018 , 37, 2529-2538	52
1018	Sex-Specific Associations of Risk-Based Alcohol Drinking Level with Cardiovascular Risk Factors and the 10-Year Cardiovascular Disease Risk Scores. 2018 , 42, 1503	2
1017	Association between Rheumatoid Arthritis and Respiratory Allergic Diseases in Korean Adults: A Propensity Score Matched Case-Control Study. 2018 , 2018, 3798124	10
1016	Association among genetic variants in the vitamin D pathway and circulating 25-hydroxyvitamin D levels in Korean adults: results from the Korea National Health and Nutrition Examination Survey 2011-2012. 2018 , 65, 881-891	5
1015	Reference values for hand grip strength in the South Korean population. 2018 , 13, e0195485	38
1014	Body weight perception, disordered weight control behaviors, and depressive symptoms among Korean adults: The Korea National Health and Nutrition Examination Survey 2014. 2018 , 13, e0198841	32
1013	Tooth loss is a complex measure of oral disease: Determinants and methodological considerations. 2018 , 46, 555-562	32
1012	Association between dry eye symptoms and suicidal ideation in a Korean adult population. 2018 , 13, e0199131	17
1011	Emotional labor and depressive mood in service and sales workers: Interactions with gender and job autonomy. 2018 , 267, 490-498	17

1010	Associations of non-high-density lipoprotein cholesterol with metabolic syndrome and its components in Korean children and adolescents: the Korea National Health and Nutrition Examination Surveys 2008-2014. 2018 , 14, 461-469	3
1009	Social gradients in oral health status in Korea population. 2018 , 95, 89-94	4
1008	The associations between work-related factors and temporomandibular disorders among female full-time employees: findings from the Fourth Korea National Health and Nutrition Examination Survey IV (2007-2009). 2018 , 30, 42	4
1007	Higher breast cancer prevalence associated with higher socioeconomic status in the South Korean population; Has it resulted from overdiagnosis?. 2018 , 13, e0200484	2
1006	Reference Values for Spirometry Derived Using Lambda, Mu, Sigma (LMS) Method in Korean Adults: in Comparison with Previous References. 2018 , 33, e16	3
1005	Utility values for glaucoma patients in Korea. 2018 , 13, e0197581	3
1004	Prevalence of General and Central Obesity and Associated Factors among North Korean Refugees in South Korea by Duration after Defection from North Korea: A Cross-Sectional Study. 2018 , 15,	3
1003	Association between serum 25-hydroxyvitamin D levels and pulmonary function, among Korean adults, during 2010-2014, by sex, age, and body mass index. 2018 , 140, 32-38	3
1002	Severity of Airflow Obstruction and Work Loss in a Nationwide Population of Working Age. 2018 , 8, 9674	9
1001	The Association between Sleep Duration and 25-Hydroxyvitamin D Concentration with Obesity in an Elderly Korean Population: A Cross-Sectional Study. 2018 , 10,	4
1000	Association between Dietary Inflammatory Index and Metabolic Syndrome in the General Korean Population. 2018 , 10,	37
999	Is Sarcopenia a Potential Risk Factor for Distal Radius Fracture? Analysis Using Propensity Score Matching. 2018 , 25, 99-106	7
998	Health-related quality of life and related factors in stroke survivors: Data from Korea National Health and Nutrition Examination Survey (KNHANES) 2008 to 2014. 2018 , 13, e0195713	25
997	Prevalence and risk factors of elevated alanine aminotransferase among Korean adolescents: 2001-2014. 2018 , 18, 617	11
996	Psychological Health Status and Health-related Quality of Life in Adults with Atopic Dermatitis: A Nationwide Cross-sectional Study in South Korea. 2018 , 98, 89-97	22
995	Eating Alone is Differentially Associated with the Risk of Metabolic Syndrome in Korean Men and Women. 2018 , 15,	7
994	Factors associated with menstrual cycle irregularity and menopause. 2018 , 18, 36	30
993	Association of low blood pressure with suicidal ideation: a cross-sectional study of 10,708 adults with normal or low blood pressure in Korea. 2018 , 18, 200	7

992	Dietary diversity and nutritional adequacy among married Filipino immigrant women: The Filipino Women's Diet and Health Study (FILWHEL). 2018 , 18, 359	12
991	Trends in influenza vaccination coverage rates in South Korea from 2005 to 2014: Effect of public health policies on vaccination behavior. 2018 , 36, 3666-3673	21
990	Dietary intake of fat and fatty acids by 1-5-year-old children in Korea: a cross-sectional study based on data from the sixth Korea National Health and Nutrition Examination Survey. 2018 , 12, 324-335	3
989	High-Carbohydrate Diets and Food Patterns and Their Associations with Metabolic Disease in the Korean Population. 2018 , 59, 834-842	28
988	Time trends of the prevalence of allergic diseases in Korea: A systematic literature review. 2018 , 8, e8	31
987	Muscular grip strength normative values for a Korean population from the Korea National Health and Nutrition Examination Survey, 2014-2015. 2018 , 13, e0201275	8
986	Low urine pH affects the development of metabolic syndrome, associative with the increase of dyslipidemia and dysglycemia: Nationwide cross-sectional study (KNHANES 2013-2015) and a single-center retrospective cohort study. 2018 , 13, e0202757	2
985	National Healthcare Service and Its Big Data Analytics. 2018 , 24, 247-249	4
984	Heterogeneity of asthma and COPD overlap. 2018 , 13, 1251-1260	12
983	Parental smoking and depression, and attention-deficit hyperactivity disorder in children and adolescents: Korean national health and nutrition examination survey 2005-2014. 2018 , 10, e12327	5
982	Association between Serum Liver Enzymes and Metabolic Syndrome in Korean Adults. 2018 , 15,	25
981	Low-carbohydrate diet and the risk of metabolic syndrome in Korean adults. 2018 , 28, 1122-1132	10
980	Relationship Between Handgrip Strength and Nonalcoholic Fatty Liver Disease: Nationwide Surveys. 2018 , 16, 497-503	10
979	Periodontitis and platelet count: A new potential link with cardiovascular and other systemic inflammatory diseases. 2018 , 45, 1299-1310	31
978	Heritability of muscle mass in Korean parent-offspring pairs in the Fifth Korean National Health and Nutrition Examination Survey (KNHANES V). 2018 , 114, 67-72	3
977	Prevalence and Risk Factors for Periodontitis Among Patients with Metabolic Syndrome. 2018 , 16, 375-381	12
976	Association between muscle strength and type 2 diabetes mellitus in adults in Korea: Data from the Korea national health and nutrition examination survey (KNHANES) VI. 2018 , 97, e10984	35
975	Association between secondhand smoke exposure and hypertension in never smokers: a cross-sectional survey using data from Korean National Health and Nutritional Examination Survey V, 2010-2012. 2018 , 8, e021217	18

974	Sarcopenia is associated with the risk of significant liver fibrosis in metabolically unhealthy subjects with chronic hepatitis B. 2018 , 48, 300-312	25
973	Evaluation of the association between the number of natural teeth and anemia among Korean adults using nationally representative data. 2018 , 89, 1184-1192	2
972	Relationship between low handgrip strength and quality of life in Korean men and women. 2018 , 27, 2571-2580	21
971	The association between low frequency of having breakfast and dyslipidemia in South Korean men and women. 2019 , 73, 896-904	2
970	Handgrip strength and the number of teeth among Korean population. 2019 , 90, 90-97	9
969	Prevalence, Awareness, Treatment, and Control of Hypertension in Korea. 2019 , 9, 10970	24
968	Smoking-Related Differential Influence of Alcohol Consumption on the Metabolic Syndrome. 2019 , 54, 2351-2358	8
967	Children's Dental Sealant Use and Caries Prevalence Affected by National Health Insurance Policy Change: Evidence from the Korean National Health and Nutrition Examination Survey (2007-2015). 2019 , 16,	5
966	Elevated hs-CRP level is associated with depression in younger adults: Results from the Korean National Health and Nutrition Examination Survey (KNHANES 2016). 2019 , 109, 104397	7
965	Relationship of Occupational Category With Risk of Physical and Mental Health Problems. 2019 , 10, 504-511	11
964	Association between Resting Heart Rate and Colorectal Cancer: Results from a Case-Controlled Study. 2019 , 16,	3
963	Changes of Atmospheric and Blood Concentrations of Lead and Cadmium in the General Population of South Korea from 2008 to 2017. 2019 , 16,	11
962	Temporary Workers' Skipping of Meals and Eating Alone in South Korea: The Korean National Health and Nutrition Examination Survey for 2013-2016. 2019 , 16,	6
961	Effect of estimated glomerular filtration rate (eGFR) on incidence of out-of-hospital cardiac arrests: A case-control study. 2019 , 142, 38-45	1
960	The relationship between hormone replacement therapy and periodontal disease in postmenopausal women: a cross-sectional study the Korea National Health and Nutrition Examination Survey from 2007 to 2012. 2019 , 19, 151	3
959	Association of Sleep Duration with Obesity and Cardiometabolic Risk Factors in Children and Adolescents: A Population-Based Study. 2019 , 9, 9463	24
958	Secular Trends in Lipid Profiles in Korean Adults Based on the 2005-2015 KNHANES. 2019 , 16,	9
957	Association of type 2 diabetes with anthropometrics, bone mineral density, and body composition in a large-scale screening study of Korean adults. 2019 , 14, e0220077	3

956	Associations between Low-Carbohydrate Diets from Animal and Plant Sources and Dyslipidemia among Korean Adults. 2019 , 119, 2041-2054	3
955	Relationships between Multimorbidity and Suicidal Thoughts and Plans among Korean Adults. 2019 , 8,	3
954	Frequency of Consumption of Whole Fruit, Not Fruit Juice, Is Associated with Reduced Prevalence of Obesity in Korean Adults. 2019 , 119, 1842-1851.e2	9
953	Associations between lipid profiles of adolescents and their mothers based on a nationwide health and nutrition survey in South Korea. 2019 , 9, e024731	1
952	Effects of Hip Structure Analysis Variables on Hip Fracture: A Propensity Score Matching Study. 2019 , 8,	6
951	High-Prevalence Vitamin D Deficiency among Korean Emergency Department Homeless, with a Comparison to a Healthy Korean Population. 2019 , 11,	1
950	Associations of Meal Timing and Frequency with Obesity and Metabolic Syndrome among Korean Adults. 2019 , 11,	27
949	The Relationship Between Tri-ponderal Mass Index and Metabolic Syndrome and Its Components in Youth Aged 10-20 Years. 2019 , 9, 14462	7
948	Consumption of Korean Foods with High Flavonoid Contents Reduces the Likelihood of Having Elevated C-Reactive Protein Levels: Data from the 2015-2017 Korea National Health and Nutrition Examination Survey. 2019 , 11,	5
947	Metabolic syndrome and lung function in Korean children and adolescents: A cross-sectional study. 2019 , 9, 15646	3
946	Association of Thyroid-Stimulating Hormone and Thyroid Hormones with Cardiometabolic Risk Factors in Euthyroid Children and Adolescents Aged 10-18 Years: A Population-Based Study. 2019 , 9, 15476	4
945	Use of latent class analysis to identify multimorbidity patterns and associated factors in Korean adults aged 50 years and older. 2019 , 14, e0216259	14
944	Latent Profiles Based on Light Physical Activity, Sedentary Behavior, Perceived Body Shape, and Body Mass Index in Patients with Dyslipidemia Influence Their Quality of Life. 2019 , 16,	0
943	Association of Sarcopenia with Metabolic Syndrome in Korean Population Using 2009-2010 Korea National Health and Nutrition Examination Survey. 2019 , 17, 494-499	10
942	Impact of the 2017 American Academy of Pediatrics Guideline on Hypertension Prevalence Compared With the Fourth Report in an International Cohort. 2019 , 74, 1343-1348	17
941	Spontaneous and repeat spontaneous abortion risk in relation to occupational characteristics among working Korean women: a cross-sectional analysis of nationally representative data from Korea. 2019 , 19, 1339	5
940	Owners' Attitudes toward Their Companion Dogs Are Associated with the Owners' Depression Symptoms-An Exploratory Study in South Korea. 2019 , 16,	3
939	Age moderates the effect of socioeconomic status on physical activity level among south Korean adults: cross-sectional analysis of nationally representative sample. 2019 , 19, 1332	5

938	Relationship between oxidative balance score and quality of life in patients with osteoarthritis: Data from the Korea National Health and Nutrition Examination Survey (2014-2015). 2019 , 98, e16355	3
937	Circadian rhythm disruption is associated with an increased risk of sarcopenia: a nationwide population-based study in Korea. 2019 , 9, 12015	11
936	Dietary intake of -3 and -6 polyunsaturated fatty acids in Korean toddlers 12-24 months of age with comparison to the dietary recommendations. 2019 , 13, 344-351	3
935	Executive Summary of Stroke Statistics in Korea 2018: A Report from the Epidemiology Research Council of the Korean Stroke Society. 2019 , 21, 42-59	88
934	Comparison between grip strength and grip strength divided by body weight in their relationship with metabolic syndrome and quality of life in the elderly. 2019 , 14, e0222040	18
933	Lower hand grip strength in older adults with non-alcoholic fatty liver disease: a nationwide population-based study. 2019 , 11, 4547-4560	18
932	Platelet and white blood cell count are independently associated with sarcopenia: A nationwide population-based study. 2019 , 183, 36-44	3
931	The Determinants of and Barriers to Awareness and Treatment of Hypertension in the Korean Population. 2019 , 31, 121-135	4
930	Metabolic syndrome as a risk factor for high intraocular pressure: the Korea National Health and Nutrition Examination Survey 2008-2010. 2019 , 12, 131-137	10
929	Association between awareness of nutrition labeling and high-density lipoprotein cholesterol concentration in cancer survivors and the general population: The Korea National Health and Nutrition Examination Survey (KNHANES) 2010-2016. 2019 , 19, 16	1
928	Prevalence and risk factors of myopia in adult Korean population: Korea national health and nutrition examination survey 2013-2014 (KNHANES VI). 2019 , 14, e0211204	16
927	Parental Occupational Status and Suicidal Ideation in Adolescent: Cross-Sectional Secondary Data Analysis. 2019 , 45, e57-e63	5
926	Association Between Vitamin D Deficiency and Suspected Nonalcoholic Fatty Liver Disease in an Adolescent Population. 2019 , 22, 233-241	7
925	Quantifying the impact of reducing socioeconomic inequalities in modifiable risk factors on mortality and mortality inequalities in South Korea. 2019 , 64, 585-594	1
924	Poor nutritional intake is a dominant factor for weight loss in chronic obstructive pulmonary disease. 2019 , 23, 631-637	4
923	Social selection in historical time: The case of tuberculosis in South Korea after the East Asian financial crisis. 2019 , 14, e0217055	2
922	High Normal Range of Free Thyroxine is Associated with Decreased Triglycerides and with Increased High-Density Lipoprotein Cholesterol Based on Population Representative Data. 2019 , 8,	4
921	The impact of low forced vital capacity on behavior restrictions in a population with airflow obstruction. 2019 , 11, 1316-1324	2

920	Discrepancies between self-reported hearing difficulty and hearing loss diagnosed by audiometry: prevalence and associated factors in a national survey. 2019 , 9, e022440	18
919	Association of Ambient Air Pollution with Increased Liver Enzymes in Korean Adults. 2019 , 16,	12
918	Measuring Socioeconomic Inequalities in Obesity among Korean Adults, 1998-2015. 2019 , 16,	9
917	Association between Dietary Cholesterol and Their Food Sources and Risk for Hypercholesterolemia: The 2012-2016 Korea National Health and Nutrition Examination Survey. 2019 , 11,	13
916	Clinical Manifestations and Factors Associated with Osteosarcopenic Obesity Syndrome: A Cross-Sectional Study in Koreans with Obesity. 2019 , 105, 77-88	10
915	Employment conditions and use of gastric cancer screening services in Korea: a nationwide survey. 2019 , 19, 485	2
914	Discrepancies between Glycosylated Hemoglobin and Fasting Plasma Glucose for Diagnosing Impaired Fasting Glucose and Diabetes Mellitus in Korean Youth and Young Adults. 2019 , 43, 174-182	9
913	Association between periodontitis and cardiometabolic risk: Results from the Korean National Health and Nutrition Examination Survey 2008-2014. 2019 , 14, e0214731	4
912	Effect of physical activity on the cardiometabolic profiles of non-obese and obese subjects: Results from the Korea National Health and Nutritional Examination Survey. 2019 , 14, e0208189	4
911	Employment Status and Self-Reported Unmet Healthcare Needs among South Korean Employees. 2018 , 16,	5
910	Identification of novel population clusters with different susceptibilities to type 2 diabetes and their impact on the prediction of diabetes. 2019 , 9, 3329	8
909	Influence of the type of occupation on osteoarthritis of the knee in men: The Korean National Health and Nutrition Examination Survey 2010-2012. 2019 , 61, 54-62	7
908	Secondary data analysis to answer questions in human biology. 2019 , 31, e23232	3
907	Standard Audiograms for Koreans Derived through Hierarchical Clustering Using Data from the Korean National Health and Nutrition Examination Survey 2009-2012. 2019 , 9, 3675	5
906	Comparison of triglyceride glucose index, and related parameters to predict insulin resistance in Korean adults: An analysis of the 2007-2010 Korean National Health and Nutrition Examination Survey. 2019 , 14, e0212963	40
905	Higher Appendicular Skeletal Muscle Mass Protects Metabolically Healthy Obese Boys but Not Girls from Cardiometabolic Abnormality. 2019 , 16,	3
904	Trends in total fat and fatty acid intakes and chronic health conditions in Korean adults over 2007-2015. 2019 , 22, 1341-1350	7
903	Influence of Living Arrangements and Eating Behavior on the Risk of Metabolic Syndrome: A National Cross-Sectional Study in South Korea. 2019 , 16,	4

902	Cataract, Glaucoma, and Dry Eye Disease in Adults with Atopic Dermatitis: A Nationwide Cross-Sectional Study from the Republic of Korea. 2019 , 31, 37-43	1
901	Relationships between hand-grip strength, socioeconomic status, and depressive symptoms in community-dwelling older adults. 2019 , 252, 263-270	26
900	Income and Education are Independently Associated with Visual Impairment: The Korean National Health and Nutrition Examination Survey 2010-2012. 2019 , 34, 131-136	2
899	The Trends in Health Life Expectancy in Korea according to Age, Gender, Education Level, and Subregion: Using Quality-Adjusted Life Expectancy Method. 2019 , 34, e88	14
898	Association between night work and dyslipidemia in South Korean men and women: a cross-sectional study. 2019 , 18, 75	5
897	Alcohol use disorder and health-related quality of life in Korean night-shift workers: A cross-sectional study using the KNHANES 2007-2015 data. 2019 , 14, e0214593	4
896	Volumetric Reductions of Subcortical Structures and Their Localizations in Alcohol-Dependent Patients. 2019 , 10, 247	12
895	Probiotic food consumption is associated with lower severity and prevalence of depression: A nationwide cross-sectional study. 2019 , 63-64, 169-174	18
894	Hospital-Based Korean Diabetes Prevention Study: A Prospective, Multi-Center, Randomized, Open-Label Controlled Study. 2019 , 43, 49-58	9
893	Sex-specific effects of blood cadmium on thyroid hormones and thyroid function status: Korean nationwide cross-sectional study. 2019 , 53, 55-61	20
892	Association between Three Heavy Metals and Dry Eye Disease in Korean Adults: Results of the Korean National Health and Nutrition Examination Survey. 2019 , 33, 26-35	5
891	Relationship between body fat and diabetic retinopathy in patients with type 2 diabetes: a nationwide survey in Korea. 2019 , 33, 980-987	6
890	Relationship between visual acuity and muscle mass in the Korean older population: a cross-sectional study using Korean National Health and Nutrition Examination Survey. 2019 , 9, e033846	2
889	Cross-sectional study of the association between long working hours and pre-diabetes: 2010-2017 Korea national health and nutrition examination survey. 2019 , 9, e033579	1
888	Comparison of the JNC7 and 2017 American College of Cardiology/American Heart Association Guidelines for the Management of Hypertension in Koreans: Analysis of Two Independent Nationwide Population-Based Studies. 2019 , 16,	3
887	The Influence of Family History of Hypertension on Hypertension Prevalence, Management and Healthy Behaviors among Korean Adults: Results from the Korea National Health and Nutrition Examination Survey 2014-2016. 2019 , 19, 1	2
886	Occurrence and risk characterization of polycyclic aromatic hydrocarbons of edible oils by the Margin of Exposure (MOE) approach. 2019 , 62,	7
885	Association between depression and cardiovascular disease risk in general population of Korea: results from the Korea National Health and Nutrition Examination Survey, 2016. 2019 , 31, e10	5

884	Factors of Physical Activity and Sedentary Behavior in Elderly Koreans. 2019 , 43, 1040-1049	4
883	Association between height and hypercholesterolemia in adults: a nationwide population-based study in Korea. 2019 , 18, 198	3
882	Dietary Patterns Independent of Fast Food Are Associated with Obesity among Korean Adults: Korea National Health and Nutrition Examination Survey 2010-2014. 2019 , 11,	5
881	Self-reported diet management, dietary quality, and blood pressure control in Korean adults with hypertension. 2019 , 25, 24	4
880	Smoking, life expectancy, and chronic disease in South Korea, Singapore, and the United States: A microsimulation model. 2019 ,	4
879	Prevalence of Color Vision Deficiency in an Adult Population in South Korea. 2019 , 96, 866-873	
878	Trends in Dietary Intake of Total Fat and Fatty Acids Among Korean Adolescents from 2007 to 2017. 2019 , 11,	9
877	Obesity and Vitamin D Insufficiency among Adolescent Girls and Young Adult Women from Korea. 2019 , 11,	2
876	Association between Iodine Nutrition Status and Thyroid Disease-Related Hormone in Korean Adults: Korean National Health and Nutrition Examination Survey VI (2013-2015). 2019 , 11,	6
875	Association between Use of Nutritional Labeling and the Metabolic Syndrome and Its Components. 2019 , 16,	1
874	Socioeconomic Inequalities in e-Cigarette Use in Korea: Comparison with Inequalities in Conventional Cigarette Use Using Two National Surveys. 2019 , 16,	5
873	Long working hours are associated with unmet dental needs in south Korean male adults who have experienced dental pain. 2019 , 19, 256	2
872	Life-long endogenous estrogen exposure is associated with prevalence of allergic rhinitis in postmenopausal women. 2019 , 26, 885-891	1
871	Non-Standard Workers Have Poorer Physical and Mental Health Than Standard Workers. 2019 , 61, e413-e421	9
870	Sarcopenia feature selection and risk prediction using machine learning: A cross-sectional study. 2019 , 98, e17699	9
869	Evaluation of gene-environment interactions for colorectal cancer susceptibility loci using case-only and case-control designs. 2019 , 19, 1231	4
868	Differences in prevalence of hypertension subtypes according to the 2018 Korean Society of Hypertension and 2017 American College of Cardiology/American Heart Association guidelines: The Korean National Health and Nutrition Examination Survey, 2007-2017 (KNHANES IV-VII). 2019 , 25, 26	11
867	Association between weekend catch-up sleep and health-related quality of life of Korean adults. 2019 , 98, e14966	11

866	Knee osteoarthritis and menopausal hormone therapy in postmenopausal women: a nationwide cross-sectional study. 2018 , 26, 598-602	19
865	Latent profile analysis of walking, sitting, grip strength, and perceived body shape and their association with mental health in older Korean adults with hypertension: A national observational study. 2019 , 98, e17287	6
864	C reactive protein level as a marker for dyslipidaemia, diabetes and metabolic syndrome: results from the Korea National Health and Nutrition Examination Survey. 2019 , 9, e029861	14
863	Association of Night Eating with Depression and Depressive Symptoms in Korean Women. 2019 , 16,	7
862	Older menarche age and short reproductive period linked to chronic kidney disease risk. 2019 , 98, e15511	6
861	Association between alcohol intake and incident hypertension in the Korean population. 2019 , 77, 19-25	7
860	Association of oral contraceptive use with suicidal behavior among representative Korean population: Results from Korea National Health and Nutrition Examination Survey (2007-2016). 2019 , 243, 8-15	5
859	Influence of parental stress, depressed mood, and suicidal ideation on adolescents' suicidal ideation : The 2008-2013 Korean National Health and Nutrition Examination Survey. 2019 , 246, 571-577	3
858	Levels and correlates of 24-hour movement behaviors among South Koreans: Results from the Korea National Health and Nutrition Examination Surveys, 2014 and 2015. 2019 , 8, 376-385	23
857	Prevalence of breast cancer-related risk factors in underweight premenopausal women: the Korea National Health and Nutrition Examination Survey IV-VI. 2019 , 174, 515-524	4
856	Height-specific blood pressure cutoffs for screening elevated and high blood pressure in children and adolescents: an International Study. 2019 , 42, 845-851	2
855	Abdominal Obesity is Associated With Lower Bone Mineral Density in Non-Weight-Bearing Site in Korean Men. 2019 , 13, 1557988318813499	3
854	Walking more than 90minutes/week was associated with a lower risk of self-reported low back pain in persons over 50years of age: a cross-sectional study using the Korean National Health and Nutrition Examination Surveys. 2019 , 19, 846-852	5
853	Time to First Cigarette and the Risk of Hypertension: A Nationwide Representative Study in Korea. 2019 , 32, 202-208	5
852	Fetal and childhood malnutrition during the Korean War and metabolic syndrome in adulthood. 2019 , 62, 186-193	8
851	Hearing loss in Korean adolescents: The prevalence thereof and its association with leisure noise exposure. 2019 , 14, e0209254	13
850	Association between premature ovarian insufficiency, early menopause, socioeconomic status in a nationally representative sample from Korea. 2019 , 121, 22-27	12
849	Weight control success and depression by gender with respect to weight control behaviors. 2019 , 13, 168-175	2

848	Is knee osteoarthritis related to coffee drinking? A nationwide cross-sectional observational study. 2019 , 38, 817-825	4
847	Drugs for hyperlipidaemia may slow down the progression of hearing loss in the elderly: A drug repurposing study. 2019 , 124, 423-430	5
846	Deep Learning in Cardiology. 2019 , 12, 168-193	58
845	Comorbid immune-mediated diseases in inflammatory bowel disease: a nation-wide population-based study. 2019 , 49, 165-172	10
844	Prevalence and Risk Factors of Chronic Rhinosinusitis in the Elderly Population of Korea. 2019 , 33, 240-246	10
843	Three types of a high-carbohydrate diet are differently associated with cardiometabolic risk factors in Korean adults. 2019 , 58, 3279-3289	3
842	Lack of Association Between Vitamin D and Hand Grip Strength in Asians: A Nationwide Population-Based Study. 2019 , 104, 152-159	6
841	Dose-Dependent Effect of Cotinine-Verified Tobacco Smoking on Serum Immunoglobulin E Levels in Korean Adult Males. 2019 , 21, 813-817	6
840	Discrepancies between subjective perception and waist-to-height ratio measurement of obesity, and their policy implications. 2020 , 25, 1624-1643	
839	Sarcopenia and Hip-Structure Analysis Variables in Korean Elderly Population. 2020 , 23, 482-489	3
838	Run, lift, or both? Associations between concurrent aerobic-muscle strengthening exercise with adverse cardiometabolic biomarkers among Korean adults. 2020 , 27, 738-748	11
837	The association of health care access and utilization with self-perceived health in South Korea: the significance of age. 2020 , 52, 1-13	2
836	Have lifestyle factors led to perceiving a higher level of stress? Implications for mental health policies from an econometric analysis for South Korea. 2020 , 13, 257-276	
835	Health Behaviors, Physical Health, and Health Care Utilization in Children With ADHD. 2020 , 24, 1011-1019	3
834	Trends in Obesity Prevalence by Occupation Based on Korean National Health and Nutrition Examination Survey From 1998 to 2015. 2020 , 11, 97-102	2
833	Lack of association between early menopause and non-alcoholic fatty liver disease in postmenopausal women. 2020 , 23, 173-177	2
832	Association between height and lipid profile among Korean men: results from the 10-year Korea National Health and Nutrition Examination Survey. 2020 , 27, 2205-2207	1
831	Association Between Sarcopenic Obesity and Pulmonary Function in Korean Elderly: Results from the Korean National Health and Nutrition Examination Survey. 2020 , 106, 124-130	4

830	Association between periodontal status and non-alcoholic fatty liver disease in a Korean adult population: A nationwide cross-sectional study. 2020 , 91, 524-532	8
829	Association of dietary lipid intake with low-density lipoprotein cholesterol levels: analysis of two independent population-based studies. 2020 , 59, 2557-2567	4
828	Comparison of the Framingham Risk Score and Deep Neural Network-Based Coronary Heart Disease Risk Prediction. 2020 , 273-280	3
827	Advances in Intelligent Information Hiding and Multimedia Signal Processing. 2020 ,	
826	Body mass index percentiles and elevated blood pressure among children and adolescents. 2020 , 34, 319-325	10
825	The association between periodontitis and dyslipidemia according to smoking and harmful alcohol use in a representative sample of Korean adults. 2020 , 24, 937-944	4
824	Associations of electronic and conventional cigarette use with periodontal disease in South Korean adults. 2020 , 91, 55-64	17
823	Estimating contact-adjusted immunity levels against measles in South Korea and prospects for maintaining elimination status. 2020 , 38, 107-111	3
822	International Waist Circumference Percentile Cutoffs for Central Obesity in Children and Adolescents Aged 6 to 18 Years. 2020 , 105,	22
821	Parental age at birth and the risk for atopic dermatitis. 2020 , 61, 186-188	
820	Low muscle mass is associated with osteoporosis: A nationwide population-based study. 2020 , 133, 54-59	9
819	Occupational Differences in C-Reactive Protein Among Working-Age Adults in South Korea. 2020 , 62, 194-201	1
818	Trends and sociodemographic factors of e-cigarette use among adult daily smokers in South Korea. 2020 , 35, 960-969	4
817	Eating Together and Health-Related Quality of Life Among Korean Adults. 2020 , 52, 758-765	2
816	Association of milk consumption frequency on muscle mass and strength: an analysis of three representative Korean population studies. 2020 , 59, 3257-3267	2
815	Liver diseases in the Asia-Pacific region: a Lancet Gastroenterology & Hepatology Commission. 2020 , 5, 167-228	120
814	Associations Between Dietary Patterns and Handgrip Strength: The Korea National Health and Nutrition Examination Survey 2014-2016. 2020 , 39, 488-494	6
813	Association between subclinical hypothyroidism and metabolic syndrome among individuals with depression. 2020 , 264, 494-497	3

812	Hormone-related events and periodontitis in women. 2020 , 47, 429-441	11
811	Association Between Dietary Nutrient Intake and Chronic Obstructive Pulmonary Disease Severity: A Nationwide Population-Based Representative Sample. 2020 , 17, 49-58	3
810	Sleep duration and health-related quality of life in Korean adults: 2007-2015 Korea National Health and Nutrition Examination Survey. 2020 , 24, 725-733	5
809	Metabolic syndrome and weight status may modify the inverse association between handgrip strength and C-reactive protein in Korean adults. 2020 , 74, 37-44	1
808	An association of blood mercury levels and hypercholesterolemia among Korean adolescents. 2020 , 709, 135965	7
807	High-Sensitivity C-Reactive Protein Is Associated with Prediabetes and Adiposity in Korean Youth. 2020 , 18, 47-55	1
806	Association between misalignment of circadian rhythm and obesity in Korean men: Sixth Korea National Health and Nutrition Examination Survey. 2020 , 37, 272-280	6
805	Contemporary blood lead levels of children aged 0-84 months in China: A national cross-sectional study. 2020 , 134, 105288	16
804	Relationship between coffee consumption and serum uric acid level in the general Korean population: A nationwide cross-sectional study. 2020 , 23, 420-427	2
803	Instability in daily life and depression: The impact of sleep variance between weekday and weekend in South Korean workers. 2020 , 28, 874-882	1
802	Different Associations of Socioeconomic Status on Protein Intake in the Korean Elderly Population: A Cross-Sectional Analysis of the Korea National Health and Nutrition Examination Survey. 2019 , 12,	8
801	Association between relative handgrip strength and prediabetes among South Korean adults. 2020 , 15, e0240027	2
800	The Relationship between Poor Pulmonary Function and Irregular Pulse in the Elderly: Findings from a Nationwide Cross-Sectional Survey in Korea. 2020 , 8,	
799	The Relationship between Muscular Strength and Depression in Older Adults with Chronic Disease Comorbidity. 2020 , 17,	2
798	Blood Lead Concentrations and Mortality in Korean Adults: the Korea National Health and Nutrition Examination Survey with Mortality Follow-Up. 2020 , 17,	9
797	Increased Overall Heart Rate Irregularity Risk by Hyperuricemia in the General Population: Results from the Korea National Health and Nutrition Examination Survey. 2020 , 56,	0
796	Association between reproductive lifespan and lung function among postmenopausal women. 2020 , 12, 4243-4252	1
795	The number of teeth is associated with diet quality in Korean adult population. 2020 , 118, 104882	1

794	Elements of Effective Population Surveillance Systems for Monitoring Obesity in School Aged Children. 2020 , 17,	0
793	Association between the severity of periodontitis and osteoarthritis in middle-aged and older patients with type 2 diabetes: a nationwide population-based study. 2020 ,	1
792	Effects of consumption of coffee, tea, or soft drinks on open-angle glaucoma: Korea National Health and Nutrition Examination Survey 2010 to 2011. 2020 , 15, e0236152	4
791	How to construct a nomogram for hypertension using complex sampling data from Korean adults. 2020 , 1-11	2
790	Mild chronic kidney disease and its relation to functional disability in Korean elderly population. 2020 , 52, 1929-1934	2
789	Handgrip Strength and Current Smoking Are Associated with Cardiometabolic Risk in Korean Adolescents: A Population-Based Study. 2020 , 17,	2
788	Nonparametric Mass Imputation for Data Integration.. 2022 , 10, 1-24	1
787	Inverse association between triglyceride glucose index and muscle mass in Korean adults: 2008-2011 KNHANES. 2020 , 19, 243	2
786	Association of Vitamin D Status and Physical Activity with Lipid Profile in Korean Children and Adolescents: A Population-Based Study. 2020 , 7,	2
785	Twenty-year trends in vegetable consumption by preparation method and eating location for Korean population from 1998 to 2017. 2021 , 126, 747-756	2
784	Association between the Intake of Fermented Soy Products and Hypertension Risk in Postmenopausal Women and Men Aged 50 Years or Older: The Korea National Health and Nutrition Examination Survey 2013-2018. 2020 , 12,	1
783	Animal Protein Intake Is Positively Associated with Metabolic Syndrome Risk Factors in Middle-Aged Korean Men. 2020 , 12,	5
782	Leucrose, a natural sucrose isomer, suppresses dextran sulfate sodium (DSS)-induced colitis in mice by regulating macrophage polarization via JAK1/STAT6 signaling. 2020 , 74, 104156	3
781	Association between Health Indicators and Health-Related Quality of Life according to Physical Activity of Older Women. 2020 , 8,	3
780	Increased Omega-3 Fatty Acid Intake is Inversely Associated with Sarcopenic Obesity in Women but not in Men, Based on the 2014-2018 Korean National Health and Nutrition Examination Survey. 2020 , 9,	2
779	Effects of Handgrip Strength on 10-Year Cardiovascular Risk among the Korean Middle-Aged Population: The Korea National Health and Nutrition Examination Survey 2014. 2020 , 8,	2
778	Association between Self-Reported Sleep Duration and Dietary Nutrients in Korean Adolescents: A Population-Based Study. 2020 , 7,	1
777	Sleep duration and mortality in Korean adults: a population-based prospective cohort study. 2020 , 20, 1623	8

776	Associations between Gender, Alcohol Use and Negative Consequences among Korean College Students: A National Study. 2020 , 17,	3
775	High Serum Folate Concentration Is Associated with Better Lung Function in Male Chronic Obstructive Pulmonary Disease Patients Who Are Current Smokers: Analysis of Nationwide Population-Based Survey. 2020 , 12,	0
774	Nutrition surveillance. 2020 , 217-233	0
773	Application of machine learning approaches for osteoporosis risk prediction in postmenopausal women. 2020 , 15, 169	9
772	Association between corneal refractive surgery and the prevalence of glaucoma: Korea National Health and Nutrition Examination Survey 2010-2012. 2020 ,	0
771	Correlation between body composition and blepharoptosis in adults. 2021 , 35, 1999-2007	0
770	Synergistic association of high-sensitivity C-reactive protein and body mass index with insulin resistance in non-diabetic adults. 2020 , 10, 18417	4
769	Hybrid Multi-Modal Deep Learning using Collaborative Concat Layer in Health Bigdata. 2020 , 8, 192469-192480,	0
768	Effects of Consumption of Alcohol on Intraocular Pressure: Korea National Health and Nutrition Examination Survey 2010 to 2011. 2020 , 12,	2
767	Association between electronic cigarette use and metabolic syndrome in the Korean general population: A nationwide population-based study. 2020 , 15, e0237983	3
766	Household Food Insecurity: Comparison between Families with and without Members with Disabilities. 2020 , 17,	4
765	Association of Blood Cadmium with Cardiovascular Disease in Korea: From the Korea National Health and Nutrition Examination Survey 2008-2013 and 2016. 2020 , 17,	11
764	Sex and Region-Specific Associations of Bone Mineral Content, Muscle Mass, and Fat Mass with Insulin Resistance. 2020 , 18, 471-478	1
763	Association between sitting time and non-alcoholic fatty liver disease in South Korean population: a cross-sectional study. 2020 , 19, 212	5
762	Opposite Effects of Work-Related Physical Activity and Leisure-Time Physical Activity on the Risk of Diabetes in Korean Adults. 2020 , 17,	3
761	Association of optimal blood pressure with mortality in patients taking antihypertensive medications. 2020 , 22, 2035-2043	3
760	Association between blood lead level and risk of stroke in Korean adults: a cross-sectional study in the Korea National Health and Nutrition Examination Survey 2008-2013. 2020 , 10, e035725	3
759	Nutrition Labeling Usage Influences Blood Markers in Body-Size Self-Conscious Individuals: The Korean National Health and Nutrition Examination Survey (KNHANES) 2013-2018. 2020 , 17,	0

758	A moderate-carbohydrate diet with plant protein is inversely associated with cardiovascular risk factors: the Korea National Health and Nutrition Examination Survey 2013-2017. 2020 , 19, 84	4
757	Development of a database of capsaicinoid contents in foods commonly consumed in Korea. 2020 , 8, 4611-4624	2
756	Measuring Environmental Exposure to Enteric Pathogens in Low-Income Settings: Review and Recommendations of an Interdisciplinary Working Group. 2020 , 54, 11673-11691	17
755	Trends in the Prevalence of Non-Alcoholic Fatty Liver Disease and Its Future Predictions in Korean Men, 1998-2035. 2020 , 9,	5
754	Impact of the severity of restrictive spirometric pattern on nutrition, physical activity, and quality of life: results from a nationally representative database. 2020 , 10, 19672	1
753	Factors Associated with Lifestyle Habits and Mental Health Problems in Korean Adolescents: The Korea National Health and Nutrition Examination Survey 2017-2018. 2020 , 17,	2
752	Environmental and Occupation Factors Associated with Vitamin D Deficiency in Korean Adults: The Korea National Health and Nutrition Examination Survey (KNHANES) 2010-2014. 2020 , 17,	3
751	Development of a simple nonalcoholic fatty liver disease scoring system indicative of metabolic risks and insulin resistance. 2020 , 8, 1414	1
750	Uric acid level and kidney function: a cross-sectional study of the Korean national health and nutrition examination survey (2016-2017). 2020 , 10, 21672	1
749	A 10-year trend in income disparity of cardiovascular health among older adults in South Korea. 2020 , 12, 100682	1
748	Positive Association of Serum Alkaline Phosphatase Level with Severe Knee Osteoarthritis: A Nationwide Population-Based Study. 2020 , 10,	4
747	Cardiorespiratory Fitness is Inversely Associated with Risk of Low Bone Mineral Density in Older Korean Men. 2020 , 17,	1
746	Differences in the Association Among the Vitamin D Concentration, Dietary Macronutrient Consumption, and Metabolic Syndrome Depending on Pre- and Postmenopausal Status in Korean Women: A Cross-Sectional Study. 2020 , 13, 3601-3609	3
745	Height Is Associated with Dyslipidemia in Korean Premenopausal Women: Data from the Korea National Health and Nutrition Examination Survey. 2020 , 145, 736-739	0
744	Sex differences in the association between self-rated health and high-sensitivity C-reactive protein levels in Koreans: a cross-sectional study using data from the Korea National Health and Nutrition Examination Survey. 2020 , 18, 341	1
743	Hypertension Is Associated with Increased Risk of Diabetic Lung. 2020 , 17,	2
742	Normative data and psychometric properties of the Patient Health Questionnaire-9 in a nationally representative Korean population. 2020 , 20, 194	12
741	Adult body height and age-related macular degeneration in healthy individuals: A nationwide population-based survey from Korea. 2020 , 15, e0232593	1

740	The combined effect of socioeconomic status and metabolic syndrome on depression: the Korean National Health and Nutrition Examination Survey (KNHANES). 2020 , 20, 617	6
739	Annual Disease Experience by Type and Correlations with Unmet Healthcare Needs among ROK Military Personnel. 2020 , 185, e944-e951	
738	Mineral Intake Status of Community-Dwelling Elderly from Urban and Rural Areas of South Korea: A Cross-Sectional Study Based on Korean National Health and Nutrition Examination Survey, 2013~2016. 2020 , 17,	1
737	Association between Frequency of Breakfast Consumption and Insulin Resistance Using Triglyceride-Glucose Index: A Cross-Sectional Study of the Korea National Health and Nutrition Examination Survey (2016-2018). 2020 , 17,	3
736	Household food insecurity and dental caries in Korean adults. 2020 , 48, 371-378	2
735	Did the Expansion of Insurance Coverage for Oral Health Reduce Self-reported Oral Health Inequalities in Korea? Results of Repeated Cross-Sectional Analysis, 2007-2015. 2020 , 30, 537-541	5
734	Heterogeneous association patterns of depressive subfactors in suicidality: The 2014 and 2016 Korea National Health and Nutrition Examination Surveys. 2020 , 272, 183-190	2
733	Association of serum ferritin and lung function in tobacco-naïve postmenopausal women: Analysis of population-based nationally representative data. 2020 , 14, 908-917	0
732	Association between Non-Alcoholic Fatty Liver Disease and Dietary Habits, Stress, and Health-Related Quality of Life in Korean Adults. 2020 , 12,	6
731	Cumulative Social Risk and Cardiovascular Disease Among Adults in South Korea: A Cross-Sectional Analysis of a Nationally Representative Sample. 2020 , 17, E39	0
730	Impact of the National Perinatal Hepatitis B Prevention Programme in the Republic of Korea: A retrospective registry-based cohort study. 2020 , 38, 5532-5540	0
729	Association Between Serum Retinol and Tocopherol Levels and Metabolic Syndrome in Korean General Population: Analysis of Population-based Nationally Representative Data. 2020 , 12,	3
728	Trends in the Utilization of Sodium Hyaluronate Eye Drops, Including Disposable and Multiuse Forms, in South Korea: A 14-Year Longitudinal Retrospective Cohort Study. 2020 , 11, 720	2
727	Impacts of ambient air pollution on glucose metabolism in Korean adults: a Korea National Health and Nutrition Examination Survey study. 2020 , 19, 70	18
726	Estimated Cardiorespiratory Fitness Attenuates the Impacts of Sarcopenia and Obesity on Non-Alcoholic Fatty Liver in Korean Adults. 2020 , 17,	6
725	Associations of Serum Retinol and Tocopherol Levels with Uric Acid Concentrations: Analysis of a Population-Based, Nationally Representative Sample. 2020 , 12,	0
724	CNN-Based Health Model for Regular Health Factors Analysis in Internet-of-Medical Things Environment. 2020 , 8, 52541-52549	37
723	Association between Sleep Duration and Body Composition in Girls Ten to Eighteen Years of Age: A Population-Based Study. 2020 , 16, 281-290	3

722	Factors associated with dietary adherence to the guidelines for prevention and treatment of hypertension among Korean adults with and without hypertension. 2020 , 26, 5	9
721	Association of grip strength with non-alcoholic fatty liver disease: investigation of the roles of insulin resistance and inflammation as mediators. 2020 , 74, 1401-1409	6
720	Pulmonary Tuberculosis is Associated with Elevated Risk of Lung cancer in Korea: The Nationwide Cohort Study. 2020 , 11, 1899-1906	15
719	Rate of inappropriate energy and micronutrient intake among the Korean working population. 2020 , 23, 3356-3367	1
718	Low handgrip strength is closely associated with anemia among adults: A cross-sectional study using Korea National Health and Nutrition Examination Survey (KNHANES). 2020 , 15, e0218058	11
717	Association between Blood Heavy Metal Levels and Predicted 10-Year Risk for A First Atherosclerosis Cardiovascular Disease in the General Korean Population. 2020 , 17,	7
716	Sarcopenia is Independently Associated with an Increased Risk of Peptic Ulcer Disease: A Nationwide Population-Based Study. 2020 , 56,	1
715	Annual Prevalence, Health Expenditures, and Co-Morbidities Trend of Iron Deficiency Anemia in Korea: National Health Insurance Service Data from 2002 to 2013. 2020 , 17,	0
714	Effect of endoscopic endonasal skull base surgery on snoring. 2020 , 5, 344-347	0
713	The sex-specific effects of blood lead, mercury, and cadmium levels on hepatic steatosis and fibrosis: Korean nationwide cross-sectional study. 2020 , 62, 126601	8
712	Protein intake and osteosarcopenic adiposity in Korean adults aged 50 years and older. 2020 , 31, 2363-2372	6
711	Muscle mass measurements in hip fracture patients and control general population depending on dual-energy X-ray absorptiometry device used: The General Electric Lunar and Hologic systems. 2020 , 6, 88-93	
710	Geological big data acquisition based on speech recognition. 2020 , 79, 24413-24428	1
709	Blood lead levels in relation to smoking and chronic obstructive pulmonary disease (COPD): a study from Korean National Health and Nutrition Examination Survey (KNHANES). 2020 , 12, 3135-3147	
708	Coexistence of metabolic syndrome and osteopenia associated with social inequalities and unhealthy lifestyle among postmenopausal women in South Korea: the 2008 to 2011 Korea National Health and Nutritional Examination Survey (KNHANES). 2020 , 27, 668-678	1
707	Association between Body Mass Index and Prevalence of Asthma in Korean Adults. 2020 , 56, 62-67	2
706	Non-Exercise Based Estimation of Cardiorespiratory Fitness Mediates Associations between Comorbidities and Health-Related Quality of Life in Older Korean Adults with Diabetes. 2020 , 17,	
705	Association of Blood Mercury Level with the Risk of Depression According to Fish Intake Level in the General Korean Population: Findings from the Korean National Health and Nutrition Examination Survey (KNHANES) 2008-2013. 2020 , 12,	3

704	Fruit intake and osteosarcopenic obesity in Korean postmenopausal women aged 50-64 years. 2020 , 134, 41-46	7
703	Association Between Fatty Liver Index and Risk of Breast Cancer: A Nationwide Population-Based Study. 2020 , 20, e450-e457	6
702	Origin and organ-specific bioaccumulation pattern of perfluorinated alkyl substances in crabs. 2020 , 261, 114185	6
701	Association between alcohol consumption and osteoarthritis prevalence in Korea as assessed by the alcohol use disorders identification test (AUDIT): a cross-sectional study. 2020 , 20, 227	2
700	Association between dyslipidemia and serum uric acid levels in Korean adults: Korea National Health and Nutrition Examination Survey 2016-2017. 2020 , 15, e0228684	18
699	Anthropometry, dietary intake, physical activity and sitting time patterns in adolescents aged 15-17 years: an international comparison in eight Latin American countries. 2020 , 20, 24	8
698	Influence of Vegetarian Dietary Intervention on Urinary Paraben Concentrations: A Pilot Study with 'Temple Stay' Participants. 2020 , 8,	8
697	A Deep Learning Model for Estimation of Patients with Undiagnosed Diabetes. 2020 , 10, 421	8
696	Association Between Electronic Cigarette Use and Levels of High-Sensitivity C-Reactive Protein and Uric Acid. 2020 , 32, 35-41	1
695	Low alanine aminotransferase levels predict low muscle strength in older patients with diabetes: A nationwide cross-sectional study in Korea. 2020 , 20, 271-276	8
694	Distribution of Tri-Ponderal Mass Index and its Relation to Body Mass Index in Children and Adolescents Aged 10 to 20 Years. 2020 , 105,	9
693	Effect of Aerobic Physical Activity on Health-Related Quality of Life in Middle Aged Women with Osteoarthritis: Korea National Health and Nutrition Examination Survey (2016-2017). 2020 , 17,	2
692	GEV-NN: A deep neural network architecture for class imbalance problem in binary classification. 2020 , 194, 105534	13
691	Factors associated with myopia in Korean children: Korea National Health and nutrition examination survey 2016-2017 (KNHANES VII). 2020 , 20, 31	10
690	Association of Total Flavonoid Intake with Hypo-HDL-Cholesterolemia among Korean Adults: Effect Modification by Polyunsaturated Fatty Acid Intake. 2020 , 12,	1
689	Factors associated with the suicide rates in Korea. 2020 , 284, 112745	9
688	Association between weekend catch-up sleep and high-sensitivity C-reactive protein levels in adults: a population-based study. 2020 , 43,	3
687	Burden of male hardcore smokers and its characteristics among those eligible for lung cancer screening. 2020 , 20, 151	4

686	Self-reported campus alcohol policy and college alcohol consumption: a multilevel analysis of 4592 Korean students from 82 colleges. 2020 , 15, 9	3
685	Potential impact of 2018 Korean Society of Hypertension guidelines on Korean population: a population-based cohort study. 2020 , 26, 3	3
684	Meal Frequency and Skipping Breakfast Are Associated with Chronic Kidney Disease. 2020 , 12,	1
683	Association between sleep duration and osteoarthritis and their prevalence in Koreans: A cross-sectional study. 2020 , 15, e0230481	3
682	Effect of work-related factors on the prevalence of peptic ulcer disease among Korean workers: a nationwide population-based study. 2020 , 93, 965-973	1
681	The change in prevalence of suspected non-alcoholic fatty liver disease in Korean adolescents from 2001 to 2017. 2020 , 40, 166-170	2
680	U-Shaped Association between Sleep Duration, C-Reactive Protein, and Uric Acid in Korean Women. 2020 , 17,	2
679	Estimation of Dietary Amino Acid Intake and Independent Correlates of Skeletal Muscle Mass Index among Korean Adults. 2020 , 12,	6
678	Association between Working Hours and Self-Rated Health. 2020 , 17,	6
677	Association of osteosarcopenic obesity and its components: osteoporosis, sarcopenia and obesity with insulin resistance. 2020 , 38, 695-701	7
676	The Joint Effects of Some Beverages Intake and Smoking on Chronic Obstructive Pulmonary Disease in Korean Adults: Data Analysis of the Korea National Health and Nutrition Examination Survey (KNHANES), 2008-2015. 2020 , 17,	3
675	Secular trends in hypertension and elevated blood pressure among Korean children and adolescents in the Korea National Health and Nutrition Examination Survey 2007-2015. 2020 , 22, 590-597	7
674	Associations between Meal Companions and Obesity in South Korean Adults. 2020 , 17,	1
673	Long Work Hours Are Associated with Hypothyroidism: A Cross-Sectional Study with Population-Representative Data. 2020 , 30, 1432-1439	2
672	Association between platelet count and osteoarthritis in women older than 50 years. 2020 , 12, 1759720X20912861	1
671	Non-exercise based estimation of cardiorespiratory fitness is inversely associated with metabolic syndrome in a representative sample of Korean adults. 2020 , 20, 146	0
670	Did the extended coverage policy contribute to alleviating socioeconomic inequality in untreated dental caries of both children and adolescents in South Korea?. 2020 , 20, 124	2
669	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. 2020 , 115, 584-595	24

668	Associations among Employment Status, Health Behaviors, and Mental Health in a Representative Sample of South Koreans. 2020 , 17,	6
667	Association between Reallocation Behaviors and Subjective Health and Stress in South Korean Adults: An Isotemporal Substitution Model. 2020 , 17,	2
666	Association between the change of total cholesterol during adolescence and depressive symptoms in early adulthood. 2021 , 30, 261-269	3
665	Intensity- and domain-specific physical activity levels between cancer survivors and non-cancer diagnosis individuals: a propensity score matching analysis. 2021 , 29, 661-668	1
664	Tobacco price increases in Korea and their impact on socioeconomic inequalities in smoking and subsequent socioeconomic inequalities in mortality: a modelling study. 2020 ,	
663	Determinants of concurrent use of Biomedicine and Korean Medicine on the hypertension patients: a cross-sectional study. 2021 , 10, 100429	
662	Comparison of the physical and mental health problems of unemployed with employees in South Korea. 2021 , 76, 163-172	3
661	Gender differences in factors associated with body weight misperception. 2021 , 24, 2483-2495	1
660	Drinking Patterns and Risk of Ischemic Stroke in Middle-Aged Adults: Do Beneficial Drinking Habits Indeed Exist?. 2021 , 52, 164-171	3
659	Regional factors associated with the prevalence of metabolic syndrome: Focusing on the role of healthcare providers. 2021 , 29, 104-112	2
658	Age, period and cohort trends in oral health status in South Korean adults. 2021 , 49, 136-143	3
657	Epidemiology and Comorbidity of Adrenal Cushing Syndrome: A Nationwide Cohort Study. 2021 , 106, e1362-e1372	7
656	Accident prevention activity and accident experience in the Republic of Korea military. 2021 , 167, 187-191	
655	Effects of long-term exposure to air pollution on all-cause mortality and cause-specific mortality in seven major cities of South Korea: Korean national health and nutritional examination surveys with mortality follow-up. 2021 , 192, 110290	6
654	Association between sources of stress and depressive mood in Korean adults. 2021 , 29, 305-308	1
653	Sarcopenic obesity and 10-year cardiovascular disease risk scores in cancer survivors and non-cancer participants using a nationwide survey. 2021 , 30, e13365	1
652	Vitamin D status is associated with bone mineral density in adolescents: Findings from the Korea National Health and Nutrition Examination Survey. 2021 , 87, 13-21	3
651	Insurance coverage expansion and inequalities in unmet oral healthcare needs in Korea: Repeated cross-sectional analysis, 2007-2015. 2021 , 49, 232-239	2

650	Developing equations to predict waist circumference measurements based on the National Heart, Lung, and Blood Institute method from the World Health Organization method. 2021 , 53, 21-26.e1	1
649	Is systemic inflammation a missing link between periodontitis and hypertension? Results from two large population-based surveys. 2021 , 289, 532-546	6
648	Association between depression and nonalcoholic fatty liver disease: Contributions of insulin resistance and inflammation. 2021 , 278, 259-263	9
647	Occupational physical activity, not leisure-time physical activity, is associated with increased high-sensitivity C reactive protein levels. 2021 , 78, 86-91	5
646	Attention-Based Deep Neural Network for Coronary Heart Disease Risk Prediction. 2021 , 401-408	
645	Modifiable Risk Factors for Cardiovascular Disease in Korea and Japan. 2021 , 51, 643-655	4
644	Different associations of specific non-alcoholic beverages with elevated high-sensitivity C-reactive protein in Korean adults: results from the Korea National Health and Nutrition Examination Survey (2015-2016).. 2022 , 70, 37-45	1
643	Association of waist circumference with muscle and fat mass in adults with a normal body mass index. 2021 , 15, 604-612	0
642	Assessment of Human Immunodeficiency Virus Care Continuum in Korea using the National Health Insurance System Data. 2021 , 53, 477-488	3
641	Low Thyroid-stimulating Hormone Levels Are Associated With Annoying Tinnitus in Adult Women: Korea National Health and Nutrition Examination Surveys. 2021 , 42, e408-e415	2
640	Chocolate consumption and the prevalence of metabolic syndrome in the Korean adult population: an analysis based on the 2014-2016 Korea National Health and Nutrition Examination Survey. 2021 , 15, 80-94	1
639	Development and validation of prediction equations for the assessment of muscle or fat mass using anthropometric measurements, serum creatinine level, and lifestyle factors among Korean adults. 2021 , 15, 95-105	3
638	Trends of Diabetes and Prediabetes Prevalence among Korean Adolescents From 2007 to 2018. 2021 , 36, e112	3
637	Risk of venous thromboembolism in Asian patients with inflammatory bowel disease: a nationwide cohort study. 2021 , 11, 2025	1
636	Intergenerational Differences in Factors Affecting Unmet Health Care Needs in South Korea: Comparison of Middle-aged and Older Adults. 2021 , 19, 144-162	1
635	Association between Parental Cotinine-verified Smoking Status and Childhood Asthma: a Population-based Nationally Representative Analysis. 2021 , 36, e193	0
634	Dental Caries in Adults with Atopic Dermatitis: A Nationwide Cross-Sectional Study in Korea. 2021 , 33, 154-162	1
633	Association between Socioeconomic Status and Metabolic Syndrome in Korean Adults: Data from the Korean National Health and Nutrition Examination Survey. 2021 , 1, 168	1

632	The association between occupational categories and grip strength in Korean male workers. 2021 , 94, 567-574	0
631	Effects of Behavioral Risk Factors and Social-Environmental Factors on Non-Communicable Diseases in South Korea: A National Survey Approach. 2021 , 18,	1
630	Korea Heart Disease Fact Sheet 2020: Analysis of Nationwide Data. 2021 , 51, 495-503	16
629	Ten-Year Trends of Metabolic Syndrome Prevalence and Nutrient Intake among Korean Children and Adolescents: A Population-Based Study. 2021 , 62, 344-351	7
628	Trends in sodium intake and major contributing food groups and dishes in Korea: the Korea National Health and Nutrition Examination Survey 2013-2017. 2021 , 15, 382-395	6
627	Time trends of colorectal cancer incidence and associated lifestyle factors in South Korea. 2021 , 11, 2413	10
626	Association of Participation in Disease Management Programs and Health-Related Quality of Life in Korean Population: Results from the Korea National Health and Nutrition Examination Survey IV and V (2007-2012). 2021 , 12, 21501327211012185	0
625	A Cross-Sectional Study of the Effects of Physical Activity and Nutrient Intakes on Blood Glucose Control Rates in Middle-Aged and Elderly Diabetes Patients: Korean National Health and Nutrition Examination Survey 2015-2017. 2021 , 58, 469580211035727	
624	Sex-related associations among anemia, body mass index, and kidney function in Koreans: A cross-sectional study with propensity analysis. 2021 , 100, e23990	2
623	Association between dietary omega-3 fatty acid intake and depression in postmenopausal women. 2021 , 15, 468-478	1
622	Community-Dwelling Individuals with Coronary Artery Disease Have Higher Risk of Depression than the General Population in Female, But Not in Male. 2021 , 51, 752-763	0
621	Dyslipidemia Fact Sheets in Korea 2020: an Analysis of Nationwide Population-based Data. 2021 , 10, 202-209	14
620	Association of the triglyceride and glucose index with low muscle mass: KNHANES 2008-2011. 2021 , 11, 450	1
619	Association between low potassium intake and the number of teeth in Korean adults: based on the national data (2013-2015). 2021 , 11, 3058	0
618	Association of the Risk of Osteoarthritis and Hypertension in the Korean Adult Population Aged 40-59 in Pre- and Postmenopausal Women: Using Korea National Health and Nutrition Examination Survey 2012-2016 Data. 2021 , 2021, 8065838	0
617	Factors Associated with Successful Smoking Cessation According to Age Group: Findings of an 11-Year Korea National Survey. 2021 , 18,	3
616	The Association between Alcohol Consumption and Grip Strength in a Nationwide Survey. 2021 , 28, 41-50	2
615	Association between socioeconomic status and longitudinal sleep quality patterns mediated by depressive symptoms. 2021 , 44,	2

614	Need for Confirmatory Neutralization Tests for Hepatitis B Surface Antigen Tests in Populations with Intermediate Prevalence. 2021 , 52, 485-492	0
613	Trends in Alcohol Consumption for Korean Adults from 1998 to 2018: Korea National Health and Nutritional Examination Survey. 2021 , 13,	3
612	Age-related height loss and health-related quality of life in a nationwide Korean survey. 2021 , 40, 218-222	
611	Associations of health inequality factors with physical activity and sedentary behaviors in Korean cancer survivors. 2021 , 29, 4809-4817	0
610	Association between parents' smoking status and tobacco exposure in school-age children: assessment using major urine biomarkers. 2021 , 11, 4536	7
609	Establishment of the Korea National Health and Nutrition Examination Survey air pollution study dataset for the researchers on the health impact of ambient air pollution. 2021 , 43, e2021015	1
608	Consumption of Ultra-Processed Foods Increases the Likelihood of Having Obesity in Korean Women. 2021 , 13,	7
607	Association between height and sleep duration in Korean adults. 2021 , 51, 272-275	
606	Assessment of Dietary Habits Using the Diet Quality Index-International in Cerebrovascular and Cardiovascular Disease Patients. 2021 , 13,	2
605	Association between blood cadmium levels and the risk of osteopenia and osteoporosis in Korean post-menopausal women. 2021 , 16, 22	2
604	Obesity and sleep mismatch between weekends and weekdays in the Korean population according to working status. 2021 , 144, 87-92	1
603	A nationwide population-based study in South Korea on a relationship between height and anosmia. 2021 , 11, 6753	
602	Nutrire. 2021 , 46,	
601	Association of Dietary Total Antioxidant Capacity with Bone Mass and Osteoporosis Risk in Korean Women: Analysis of the Korea National Health and Nutrition Examination Survey 2008-2011. 2021 , 13,	1
600	Association Between Owners' Attitudes Toward Companion Dogs and Their Opinions on Unprescribed Owner-Administered Injection of Their Dogs. 2021 , 34, 441-448	
599	Trends in the Socioeconomic Inequalities Related to Second-Hand Smoke Exposure as Verified by Urine Cotinine Levels Among Nonsmoking Adults: Korea National Health and Nutrition Examination Survey 2008-2018. 2021 , 23, 1518-1526	3
598	Prediction of Insulin Resistance by Modified Triglyceride Glucose Indices in Youth. 2021 , 11,	6
597	Prevalence, awareness, treatment, and control of dyslipidemia among diabetes mellitus patients and predictors of optimal dyslipidemia control: results from the Korea National Health and Nutrition Examination Survey. 2021 , 20, 29	0

596	Ten-year trends of hypertension treatment and control rate in Korea. 2021 , 11, 6966	3
595	Socioeconomic Characteristics and Trends in the Consumption of Ultra-Processed Foods in Korea from 2010 to 2018. 2021 , 13,	11
594	Characteristics of the Gut Microbiome of Healthy Young Male Soldiers in South Korea: The Effects of Smoking. 2021 , 15, 243-252	3
593	Are occupational and environmental noises associated with periodontitis? Evidence from a Korean representative cross-sectional study. 2021 , 21, 616	1
592	The number of household members as a risk factor for peptic ulcer disease. 2021 , 11, 5274	1
591	Association of electronic cigarette exposure with serum uric acid level and hyperuricemia: 2016-2017 Korea National Health and Nutritional Examination Survey. 2021 , 16, e0247868	0
590	Smart healthcare disease diagnosis and patient management: Innovation, improvement and skill development. 2021 , 3, 100011	7
589	Weight underestimation and weight nonregulation behavior may be related to weak grip strength. 2021 , 87, 41-48	1
588	Korea hypertension fact sheet 2020: analysis of nationwide population-based data. 2021 , 27, 8	23
587	Trends in food and nutrient intake over 20 years: findings from the 1998-2018 Korea National Health and Nutrition Examination Survey. 2021 , 43, e2021027	5
586	Gender and age differences in the prevalence and associated factors of metabolic syndrome among children and adolescents in South Korea.. 2021 , 27, 160-170	
585	The Relationship of Lifestyle Factors with the Prevalence of Major Depressive Disorder by Ecological Factors. 2021 , 18, 340-347	0
584	Trends in the prevalence and management of major metabolic risk factors for chronic disease over 20 years: findings from the 1998-2018 Korea National Health and Nutrition Examination Survey. 2021 , 43, e2021028	6
583	The Relationship between Change of Weight and Chronic Low Back Pain in Population over 50 Years of Age: A Nationwide Cross-Sectional Study. 2021 , 18,	2
582	Sex differences in the relationship between depression and cardiovascular disease risk: a nationwide study in Korea. 2021 , 12, 105-114	
581	Higher Branched-Chain Amino Acid Intake Is Associated with Handgrip Strength among Korean Older Adults. 2021 , 13,	3
580	Therapeutic Efficacy of a Novel Acetylated Tetrapeptide in Animal Models of Age-Related Macular Degeneration. 2021 , 22,	0
579	Hospitalization increases while economic status deteriorates in late stages of chronic obstructive pulmonary disease: the Korean National Health and Nutrition Examination Survey for 2007-2015. 2021 , 13, 2160-2168	

578	The association between the metabolic syndrome and iron status in pre- and postmenopausal women: Korean National Health and Nutrition Examination Survey (KNHANES) in 2012. 2021 , 1-11	8
577	Investigation of the Association between Smoking Behavior and Metabolic Syndrome Using Lipid Accumulation Product Index among South Korean Adults. 2021 , 18,	0
576	Associations between Age-Related Hearing Loss and Dietary Assessment Using Data from Korean National Health and Nutrition Examination Survey. 2021 , 13,	2
575	Relationship between Self-Reported Sleep Duration and Risk of Anemia: Data from the Korea National Health and Nutrition Examination Survey 2016-2017. 2021 , 18,	2
574	Trends and Inequalities in Overall and Abdominal Obesity by Sociodemographic Factors in Korean Adults, 1998-2018. 2021 , 18,	1
573	Korea National Health and Nutrition Examination Survey, 20th anniversary: accomplishments and future directions. 2021 , 43, e2021025	12
572	Classification and Prediction on the Effects of Nutritional Intake on Overweight/Obesity, Dyslipidemia, Hypertension and Type 2 Diabetes Mellitus Using Deep Learning Model: 4-7th Korea National Health and Nutrition Examination Survey. 2021 , 18,	3
571	Sleep Duration and Its Associations with Mortality and Quality of Life in Chronic Obstructive Pulmonary Disease: Results from the 2007-2015 KNAHNES. 2021 , 100, 1043-1049	0
570	Dietary Plant Protein and Mortality Among Patients Receiving Maintenance Hemodialysis: A Cohort Study. 2021 , 78, 649-657.e1	2
569	Nationwide Cross-Sectional Study of the Association between Knee Pain and Weight Change: Analysis of the Korea National Health and Nutrition Examination Survey (KNHANES 2013-2015). 2021 , 18,	
568	Comparison of anthropometric and body composition indices in the identification of metabolic risk factors. 2021 , 11, 9931	5
567	Bone Mediated and Moderated the Associations Between Sarcopenic Obesity Indices and Cardiovascular Disease Risk Scores. 2021 , 109, 490-498	
566	Concurrent smoking and alcohol consumers had higher triglyceride glucose indices than either only smokers or alcohol consumers: a cross-sectional study in Korea. 2021 , 20, 49	1
565	Comparison of EQ-5D-3L and metabolic components between patients with hyperhidrosis and the general population: a propensity score matching analysis. 2021 , 30, 2591-2599	0
564	Increasing prevalence of fasting hyperglycemia in adolescents aged 10-18 years and their relationship with metabolic indicators : The Korea National health and Nutrition Examination Study (KNHANES) 2007-2018. 2021 ,	0
563	Dynamics of Serum Retinol and Alpha-Tocopherol Levels According to Non-Alcoholic Fatty Liver Disease Status. 2021 , 13,	1
562	Diabetic Retinopathy and Hearing Loss: Results from the Fifth Korean National Health and Nutrition Survey. 2021 , 10,	1
561	Impact of Sleep Duration on Mortality and Quality of Life in Chronic Kidney Disease: Results from the 2007-2015 KNHANES. 2021 , 52, 396-403	1

560	Distribution of waist-to-height ratio and cardiometabolic risk in children and adolescents: a population-based study. 2021 , 11, 9524	2
559	Association between household income and pulse pressure: data from the Korean National Health and Nutrition Examination Survey. 2021 , 30, 258-264	1
558	Statistical Learning Methods Applicable to Genome-Wide Association Studies on Unbalanced Case-Control Disease Data. 2021 , 12,	2
557	Weight change and mental health according to obesity in relatively healthy middle-aged Korean women: The Korea National Health and Nutrition Examination Survey 2014, 2016, 2018. 2021 , 287, 174-181	1
556	Nicotine Dependence Evaluated by Urinary Cotinine and Heaviness of Smoking Index among Smokers, Vapers, and Dual Users: A Cross-Sectional Study Using the Korea National Health and Nutrition Examination Survey Data. 2021 , 42, 197-203	2
555	Long Working Hours and Risk of Nonalcoholic Fatty Liver Disease: Korea National Health and Nutrition Examination Survey VII. 2021 , 12, 647459	3
554	Relationship between muscle mass index and LDL cholesterol target levels: Analysis of two studies of the Korean population. 2021 , 325, 1-7	2
553	Low Serum Vitamin E Level Associated with Low Hand Grip Strength in Community-Dwelling Adults: Korean National Health and Nutrition Examination Survey (KNHANES VII) 2016-2018. 2021 , 13,	1
552	Sex differences in risk factors for depressive symptoms in patients with COPD: The 2014 and 2016 Korea National Health and Nutrition Examination Survey. 2021 , 21, 180	2
551	Parental long working hours and adult children's depression in South Korea: a cross-sectional study. 2021 , 1-8	
550	Association between toothbrushing and non-alcoholic fatty liver disease. 2021 , 16, e0243686	2
549	Long working hours and depressive symptoms: moderation by gender, income, and job status. 2021 , 286, 99-107	1
548	Association of Water Intake with Hand Grip Strength in Community-Dwelling Older Adults. 2021 , 13,	
547	Seroprevalence of SARS-CoV-2 antibodies in South Korea. 2021 , 50, 1-14	
546	Association between oral health and thyroid disorders: A population-based cross-sectional study. 2021 ,	2
545	Prevalence of chronic obstructive pulmonary disease in patients with rheumatoid arthritis: A cross-sectional study. 2021 , 24, 774-780	0
544	Mediation and Moderation of Adiposity Indicators for the Association Between Grip Strength and Cardiovascular Disease Risk Scores. 2021 , 19, 422-427	0
543	Dietary calcium, phosphorus, and osteosarcopenic adiposity in Korean adults aged 50 years and older. 2021 , 16, 89	2

542	Association between handgrip strength and mental health in Korean adolescents. 2021 , 38, 826-829	1
541	Relationship between Serum Alkaline Phosphatase and Low Muscle Mass Index Among Korean Adults: A Nationwide Population-Based Study. 2021 , 11,	0
540	Development of the Hypertension Index Model in General Adult Using the Korea National Health and Nutritional Examination Survey and the Korean Genome and Epidemiology Study (Preprint).	
539	Non-alcoholic fatty liver disease and sarcopenia additively increase mortality: a Korean nationwide survey. 2021 , 12, 964-972	4
538	Association between domain-specific physical activity and diabetes in Korean adults. 2021 , 11, 13066	1
537	Factors Related to Depression Associated with Chewing Problems in the Korean Elderly Population. 2021 , 18,	0
536	DoseResponse Relationships of Physical Activity with Metabolic Syndrome and Cardiometabolic Risk Factors in Korean Adults. 2021 , 52, 207-216	
535	Evaluation of Iodine Status among Korean Patients with Papillary Thyroid Cancer Using Dietary and Urinary Iodine. 2021 , 36, 607-618	1
534	Discovery of Depression-Associated Factors From a Nationwide Population-Based Survey: Epidemiological Study Using Machine Learning and Network Analysis. 2021 , 23, e27344	2
533	Association of dietary fiber intake with metabolic syndrome among adult cancer survivors: a population-based cross-sectional study. 2021 , 11, 11794	0
532	Analysis of factors contributing to occupational health inequality in Korea: a cross-sectional study using nationally representative survey data. 2021 , 79, 113	1
531	Epidemiology of cardiovascular disease and its risk factors in Korea. 2021 , 3, 134-141	5
530	Sleep time and duration is associated with periodontitis in a representative sample of Koreans. 2021 ,	0
529	Association of Alcohol Drinking Patterns with Metabolic Syndrome and Its Components in Korean Adults: The Korea National Health and Nutrition Examination Survey 2016-2018. 2021 , 18,	0
528	Association Between Smoking Behavior and Insulin Resistance Using Triglyceride-Glucose Index Among South Korean Adults. 2021 , 106, e4531-e4541	1
527	Association between the level of adherence to dietary guidelines and depression among Korean patients with type 2 diabetes mellitus. 2021 , 145, 110463	
526	Factors associated with influenza vaccine coverage among patients with diabetes: Korea National Health and Nutrition Examination Survey 2016-2018. 2021 , 1-8	0
525	Oral health status and behavior in elderly Koreans with periodontal disease. 2021 ,	0

524	Emotional Demand and Mental Health in Korean Employees. 2021 , 18,	0
523	Influenza Vaccination Status and Its Affecting Factors among Stroke Survivors: Findings from the Korea National Health and Nutrition Examination Survey. 2021 , 9,	
522	Is Rheumatoid Arthritis Related to Coffee Consumption in Korea? A Nationwide Cross-Sectional Observational Study. 2021 , 18,	0
521	Parental Factors Related to Adolescent Girls' Suicide Attempts: A Cross-Sectional Study from 2015 to 2018. 2021 , 18,	
520	Impact of a family history of cardiovascular disease on prevalence, awareness, treatment, control of dyslipidemia, and healthy behaviors: Findings from the Korea National Health and Nutrition Examination Survey. 2021 , 16, e0254907	0
519	Gender disparities in childhood obesity and household food insecurity. 2021 , 87-88, 111190	3
518	Differences among Three Skeletal Muscle Mass Indices in Predicting Non-Alcoholic Fatty Liver Disease: Korean Nationwide Population-Based Study. 2021 , 11,	0
517	Association between chronic low back pain and degree of stress: a nationwide cross-sectional study. 2021 , 11, 14549	1
516	Moderate-Vigorous Physical Activity and Clinical Outcomes in Adults with Nondialysis Chronic Kidney Disease. 2021 , 10,	
515	Comparison of fracture risk between type 1 and type 2 diabetes: a comprehensive real-world data. 2021 , 32, 2543-2553	3
514	Association between dual use of e-cigarette and cigarette and chronic obstructive pulmonary disease: an analysis of a nationwide representative sample from 2013 to 2018. 2021 , 21, 231	3
513	Estimation of Dietary Capsaicinoid Exposure in Korea and Assessment of Its Health Effects. 2021 , 13,	1
512	High Cadmium Levels in Individuals with Depressive Mood: Results from the 2008-2013 Korean National Health and Nutrition Survey.. 2021 , 50, 1595-1602	
511	Association of blepharoptosis with refractive error in the Korean general population. 2021 , 35, 3141-3146	1
510	Current Status and Associated Factors of Annual Eye Examination Among People with Type 2 Diabetes Mellitus: Using the 7th National Health and Nutrition Examination Survey. 2021 , 15, 239-246	
509	The Association Between Breastfeeding and Nonalcoholic Fatty Liver Disease in Parous Women: A Nation-wide Cohort Study. 2021 , 74, 2988-2997	2
508	Comparison of Dietary Behaviors and the Prevalence of Metabolic Syndrome in Single- and Multi-Person Households among Korean Adults. 2021 , 9,	2
507	Association between the severity of new-onset depression and unmet healthcare needs of South Korean adults. 2021 , 16, e0256222	0

506	Risk Factors for Depressive Symptoms in Korean Adult Stroke Survivors: The Korea National Health and Nutrition Examination Survey IV-VII (2007-2018). 2021 , 18,	
505	Environmental exposure to lead, mercury, and cadmium is not associated with abnormal kidney function in Korean adolescents. 2021 , 1	1
504	Usefulness of Relative Handgrip Strength as a Simple Indicator of Cardiovascular Risk in Middle-Aged Koreans. 2021 , 362, 486-495	0
503	Importance of smoking cessation for cardiovascular risk reduction. 2021 , 42, 4154-4156	2
502	Methodology and Rationale for Ophthalmic Examinations in the Seventh and Eighth Korea National Health and Nutrition Examination Surveys (2017-2021). 2021 , 35, 295-303	0
501	Health-related quality of life after pulmonary tuberculosis in South Korea: analysis from the Korea National Health and Nutrition Examination Survey between 2010 and 2018. 2021 , 19, 195	
500	Influence of age at complementary food introduction on the development of asthma and atopic dermatitis in Korean children aged 1-3 years. 2021 , 64, 408-414	0
499	Belgian population norms for the EQ-5D-5L, 2018. 2021 , 1	1
498	Predicting Depression in Community Dwellers Using a Machine Learning Algorithm. 2021 , 11,	0
497	Neck Circumference as a Predictor of Metabolic Syndrome in Koreans: A Cross-Sectional Study. 2021 , 13,	0
496	Association between high-sensitivity C-reactive protein levels and depression: Moderation by age, sex, obesity, and aerobic physical activity. 2021 , 291, 375-383	1
495	Development and validation of a new diabetes index for the risk classification of present and new-onset diabetes: multicohort study. 2021 , 11, 15748	2
494	Differing Nutrient Intake and Dietary Patterns According to the Presence of Hyper-Low-Density Lipoprotein Cholesterolemia or Hypertriglyceridemia. 2021 , 13,	
493	Association between Ultra-processed Food Consumption and Dietary Intake and Diet Quality in Korean Adults. 2021 ,	5
492	Association Between Food Security and 10-Year Cardiovascular Disease Risk Differs by Gender and Weight Status. 2021 , 19, 537-542	0
491	Association between Inflammatory Markers and Glycemic Control in Korean Diabetic Patients. 2021 , 46, 247-256	
490	Associations of Abnormal Sleep Duration with Occupational and Leisure-time Physical Activity in the Working Population: A Nation-wide Population-based Study. 2021 , 12, 311-316	1
489	Is there sufficient evidence to justify changes in dietary habits in heart failure patients? A systematic review. 2021 ,	2

488	Muscle Exercise Mitigates the Negative Influence of Low Socioeconomic Status on the Lack of Muscle Strength: A Cross-Sectional Study. 2021 , 9,	
487	Development of the Hypertension Index Model in General Adult Using the Korea National Health and Nutritional Examination Survey and the Korean Genome and Epidemiology Study. 2021 , 11,	0
486	Cohort profile: National Investigation of Birth Cohort in Korea study 2008 (NICKs-2008). 2021 , 64, 480-488	7
485	Hemoglobin and hematocrit levels are positively associated with blood pressure in children and adolescents 10 to 18 years old. 2021 , 11, 19052	0
484	Gender-Specific Association of Serum Uric Acid and Pulmonary Function: Data from the Korea National Health and Nutrition Examination Survey. 2021 , 57,	1
483	Reliability and Validity of an Ultrasonic Device for Measuring Height in Adults. 2021 , 42, 376-381	1
482	Dietary intake and nutritional status of Korean children and adolescents: a review of national survey data. 2021 , 64, 443-458	0
481	Synergistic associations of visual and self-reported hearing acuity with low handgrip strength in older adults: a population-based cross-sectional study. 2021 , 21, 513	2
480	An Analysis on Distribution of Handgrip Strength and Associated Factors in Korean Adults. 2021 , 31, 231-236	
479	Dietary Pattern Accompanied with a High Food Variety Score Is Negatively Associated with Frailty in Older Adults. 2021 , 13,	0
478	Advantages and limitations of using national survey datasets in child and adolescent research. 2021 , 64, 468-470	
477	Effects of heavy metals on hypertension during menopause: a Korean community-based cross-sectional study. 2021 , 28, 1400-1409	9
476	Intake of Dietary Fiber From Grains and the Risk of Hypertension in Late Midlife Women: Results From the SWAN Study. 2021 , 8, 730205	1
475	Association between Chronic Knee Pain and Psychological Stress in Those over 50 Years of Age: A Nationwide Cross-Sectional Study Based on the Sixth Korea National Health and Nutrition Examination Survey (KNHANES 2013-2015). 2021 , 18,	
474	Association between menstrual cycle irregularity and suicidal ideation among Korean women: Results from the Korea national health and nutrition examination survey (2010-2012). 2021 , 293, 279-284	
473	Trends of Dyslipidemia in Korean Youth According to Sex and Body Mass Index: Based on the Korea National Health and Nutrition Examination Survey (2007-2018). 2021 , 237, 71-78.e5	2
472	Weekend catch-up sleep and depression: results from a nationally representative sample in Korea. 2021 , 87, 62-68	0
471	Validity evaluation of indirect adjustment method for multiple unmeasured confounders: A simulation and empirical study. 2022 , 204, 111992	0

470	Risk Factors of Undiagnosed Diabetes Mellitus among Korean Adults: A National Cross-Sectional Study Using the KNHANES Data. 2021 , 18,	0
469	Increased Omega-3 Fatty Acid Intake Is Inversely Associated with Subclinical Inflammation in Healthy Elderly Men, Based on the 2015-2018 Korean National Health and Nutrition Examination Survey. 2021 , 13,	1
468	Did Dental Insurance Expansion Improve Dental Care Needs among Korean Adults? Difference in Difference Analysis. 2021 ,	
467	Cost-Effectiveness Analysis of Hypertension Screening in the Korea National Health Screening Program. 2021 , 51, 610-622	2
466	Sunlight exposure and eye disorders in an economically active population: data from the KNHANES 2008-2012. 2021 , 33, e24	0
465	Dietary Fiber and Its Source Are Associated with Cardiovascular Risk Factors in Korean Adults. 2021 , 13,	5
464	Association of Atopic Dermatitis with Dyslipidemia in Adolescents: A Cross-Sectional Study. 2021 , 33, 483-485	0
463	Association between dietary branched-chain amino acid intake and skeletal muscle mass index among Korean adults: Interaction with obesity. 2021 , 15, 203-212	2
462	Discovery of Depression-Associated Factors From a Nationwide Population-Based Survey: Epidemiological Study Using Machine Learning and Network Analysis (Preprint).	
461	Association between breakfast skipping and metabolic outcomes by sex, age, and work status stratification. 2021 , 18, 8	0
460	Key Foods selection using data from the 7th Korea National Health and Nutrition Examination Survey (2016-2018). 2021 , 54, 10	5
459	Adherence to Dietary Guidelines among Diabetes Patients: Comparison between Elderly and Non-Elderly Groups. 2021 , 10, 14-23	2
458	Cardiovascular age of workers with different employment categories. 2021 , 1-8	1
457	Diabetes Fact Sheets in Korea, 2020: An Appraisal of Current Status. 2021 , 45, 1-10	62
456	Perceptions of heated tobacco products (HTPs) and intention to quit among adult tobacco users in Korea. 2021 ,	3
455	Association between childhood obesity and familial salt intake: analysis of data from Korean National Health and Nutrition Examination Survey, 2014-2017. 2021 , 68, 1127-1134	0
454	Sex- and Age-Specific Trends in Cardiovascular Health in Korea, 2007-2018. 2021 , 51, 922-935	3
453	Relationship Between Emotional Labor and Perceived Health Status Among Service and Sales Workers: Findings From the Korea National Health and Nutrition Examination Survey 2007 to 2009. 2021 , 63, e86-e91	0

452	Characteristics of Appendicular Tissue Components in Patients with Rheumatoid Arthritis. 2020 , 27, 35-42	2
451	Progress on sodium reduction in South Korea. 2020 , 5,	20
450	Association between dietary flavonoid intake and obesity among adults in Korea. 2020 , 45, 203-212	7
449	Polyunsaturated fatty acids, lung function, and health-related quality of life in patients with chronic obstructive pulmonary disease. 2020 , 37, 194-201	2
448	Associations of Dietary Intake with Cardiovascular Disease, Blood Pressure, and Lipid Profile in the Korean Population: a Systematic Review and Meta-Analysis. 2020 , 9, 205-229	13
447	Estimated Trans-Lamina Cribrosa Pressure Differences in Low-Teen and High-Teen Intraocular Pressure Normal Tension Glaucoma: The Korean National Health and Nutrition Examination Survey. 2016 , 11, e0148412	13
446	Reference Values of Skeletal Muscle Mass for Korean Children and Adolescents Using Data from the Korean National Health and Nutrition Examination Survey 2009-2011. 2016 , 11, e0153383	34
445	Changes in Adherence to Non-Pharmacological Guidelines for Hypertension. 2016 , 11, e0161712	4
444	Three Toxic Heavy Metals in Open-Angle Glaucoma with Low-Teen and High-Teen Intraocular Pressure: A Cross-Sectional Study from South Korea. 2016 , 11, e0164983	15
443	Association between the Prevalence of Metabolic Syndrome and the Level of Coffee Consumption among Korean Women. 2016 , 11, e0167007	20
442	Estimation of years lived with disability due to noncommunicable diseases and injuries using a population-representative survey. 2017 , 12, e0172001	9
441	Clustering of four major lifestyle risk factors among Korean adults with metabolic syndrome. 2017 , 12, e0174567	27
440	Association of insulin resistance with near peak bone mass in the femur and lumbar spine of Korean adults aged 25-35: The Korean National Health and Nutrition Examination Survey 2008-2010. 2017 , 12, e0177311	6
439	Prevalence of microalbuminuria and its associated cardiometabolic risk factors in Korean youth: Data from the Korea National Health and Nutrition Examination Survey. 2017 , 12, e0178716	19
438	Association of peptic ulcer disease with obesity, nutritional components, and blood parameters in the Korean population. 2017 , 12, e0183777	10
437	Validation of surrogate markers for metabolic syndrome and cardiometabolic risk factor clustering in children and adolescents: A nationwide population-based study. 2017 , 12, e0186050	17
436	Comorbidities and health-related quality of life in Koreans with knee osteoarthritis: Data from the Korean National Health and Nutrition Examination Survey (KNHANES). 2017 , 12, e0186141	14
435	Trends in the management levels of metabolic risk factors in middle-aged and elderly patients with type 2 diabetes mellitus: The Korean National Health and Nutrition Examination Survey 1998-2014. 2017 , 12, e0189361	2

434	Temporal trends in educational inequalities in non-communicable diseases in Korea, 2007-2015. 2017 , 12, e0190143	8
433	U-shaped association between sleep duration and urinary albumin excretion in Korean adults: 2011-2014 Korea National Health and Nutrition Examination Survey. 2018 , 13, e0192980	8
432	Age-related hearing loss in the Korea National Health and Nutrition Examination Survey. 2020 , 15, e0243001	6
431	Use of workplace foodservices is associated with reduced meal skipping in Korean adult workers: A nationwide cross-sectional study. 2020 , 15, e0243160	3
430	Association between handgrip strength and cardiovascular risk factors among Korean adolescents. 2020 , 33, 1213-1217	1
429	PHYSICAL ACTIVITY AND CARDIORESPIRATORY FITNESS ATTENUATE THE IMPACT OF SARCOPENIC-OBESITY ON CARDIOVASCULAR DISEASE RISK IN KOREAN MEN: A CROSS SECTIONAL STUDY. 2020 , 16, 39	0
428	Prevalence and correlates of current use of heated tobacco products among a nationally representative sample of Korean adults: Results from a cross-sectional study. 2020 , 18, 66	13
427	Inverse relationship between serum hsCRP concentration and hand grip strength in older adults: a nationwide population-based study. 2018 , 10, 2051-2061	7
426	Low salt and low calorie diet does not reduce more body fat than same calorie diet: a randomized controlled study. 2018 , 9, 8521-8530	5
425	Disability of Hearing Impairment Is Positively Associated With Urine Albumin/Creatinine Ratio in Korean Adults: The 2011-2012 Korea National Health and Nutrition Examination Survey. 2016 , 9, 212-9	2
424	Sarcopenia Is an Independent Risk Factor for NAFLD in COPD: A Nationwide Survey (KNHANES 2008-2011). 2020 , 15, 1005-1014	5
423	Did Expanded Dental Insurance Improve Chewing Ability in the Older Korean Population? Results of an Interrupted Time-Series Analysis. 2020 ,	4
422	Explanatory Model of Dry Eye Disease Using Health and Nutrition Examinations: Machine Learning and Network-Based Factor Analysis From a National Survey. 2020 , 8, e16153	3
421	Sub-morbid dehydration-associated glomerular hyperfiltration: An emerging reality?. 2019 , 38, 196-204	7
420	The Effect of Stress and Depression on Unmet Medical Needs. 2017 , 27, 44-54	9
419	Changes of Cigarette Smoking Initiation Age among South Korean Adults: 2007-2012. 2017 , 8, 20-28	6
418	Longitudinal Trend of Prevalence of Meeting Physical Activity Guidelines among Korean Adults. 1, 2	6
417	Review of the state of the art of human biomonitoring for chemical substances and its application to human exposure assessment for food safety. 2015 , 12, 724E	25

416	The Association between Depressive Mood and Cholesterol Levels in Korean Adolescents. 2019 , 16, 737-744	7
415	Detection of Suicide Attempters among Suicide Ideators Using Machine Learning. 2019 , 16, 588-593	4
414	Association between Suicidal Ideation and Causes of Primary Care Visits: A Cross-Sectional Study to Identify Patients with Suspected Suicidal Ideation. 2020 , 17, 667-673	2
413	Positive influence of aqua exercise and burdock extract intake on fitness factors and vascular regulation substances in elderly. 2019 , 64, 73-78	6
412	Low Muscle Mass Is Associated with Lower 25-Hydroxyvitamin D Level in All Age Groups of South Korean Adults: The 2009-2010 Korea National Health and Nutrition Examination Surveys (KNHANES). 2020 , 66, 508-514	1
411	The trend of prevalence of pain in Korea from 2005 to 2016. 2020 , 33, 352-358	0
410	The Trends in Health Life Expectancy in Korea according to Age, Gender, Education Level, and Subregion: Using Quality-Adjusted Life Expectancy Method. 2018 , 33,	1
409	Cigarette Smoking in Men and Women and Electronic Cigarette Smoking in Men are Associated with Higher Risk of Elevated Cadmium Level in the Blood. 2020 , 35, e15	3
408	Trends in the prevalence of chronic liver disease in the Korean adult population, 1998-2017. 2020 , 26, 209-215	33
407	Health-Related Quality of Life and Related Factors in Persons with Preserved Ratio Impaired Spirometry: Data from the Korea National Health and Nutrition Examination Surve. 2020 , 57,	3
406	Naturally occurring mutations in the reverse transcriptase region of hepatitis B virus polymerase from treatment-naïve Korean patients infected with genotype C2. 2017 , 23, 4222-4232	10
405	Health behaviors of Korean adults with hepatitis B: Findings of the 2016 Korean National Health and Nutrition Examination Survey. 2018 , 24, 3163-3170	3
404	Prevalence and Current Management of Cardiovascular Risk Factors in Korean Adults Based on Fact Sheets. 2020 , 35, 85-94	21
403	Risk of Cancer in Middle-aged Patients With Gout: A Nationwide Population-based Study in Korea. 2021 , 48, 1465-1471	1
402	Effects of cigarette smoking on blood lipids in Korean men: Cardiovascular and Metabolic Diseases Etiology Research Center cohort. 2020 , 35, 369-382	4
401	Socioeconomic disparities in osteoporosis prevalence: different results in the overall Korean adult population and single-person households. 2015 , 48, 84-93	9
400	The Relationship of Socioeconomic and Behavioral Risk Factors With Trends of Overweight in Korea. 2015 , 48, 310-8	2
399	The Association Between Smoking Tobacco After a Diagnosis of Diabetes and the Prevalence of Diabetic Nephropathy in the Korean Male Population. 2016 , 49, 108-17	10

398	The Attributable Risk of Smoking on All-Cause Mortality in Korean: A Study Using KNHANES IV-VI (2007-2015) with Mortality Data. 2020 , 83, 268-275	7
397	Differential Control Rate of Systolic and Diastolic Blood Pressure among Korean Adults with Hypertension: the Sixth Korean National Health and Nutrition Examination Survey, 2013-2015 (KNHANES VI). 2019 , 49, 1035-1048	7
396	Blood Pressure Reference Values for Normal Weight Korean Children and Adolescents: Data from The Korea National Health and Nutrition Examination Survey 1998-2016: The Korean Working Group of Pediatric Hypertension. 2019 , 49, 1167-1180	5
395	Relationship between Waist Circumference and Cardiovascular Risk Factors in Adolescents: Analysis of the Korea National Health and Nutrition Examination Survey Data. 2020 , 50, 723-732	2
394	Comparison and Implication of the Contemporary Blood Pressure Guidelines on Korean Population. 2020 , 50, 485-498	4
393	Factors Associated with Awareness, Treatment, and Control Rate of Hypertension among Korean Young Adults Aged 30-49 Years. 2020 , 50, 1077-1091	8
392	Trends in Influenza Vaccination Coverage Rates among Korean Cancer Survivors: Analysis of the Korea National Health and Nutrition Examination Survey III-VI. 2020 , 41, 45-52	2
391	Relationship between Decreased Estimated Glomerular Filtration Rate and Sarcopenic Obesity among Postmenopausal Women: Korea National Health and Nutrition Examination Survey (2008-2011). 2020 , 41, 332-338	1
390	Association of Thyroid Status with Health-Related Quality of Life in Korean Older Adults. 2020 , 41, 38-44	4
389	Association between Relative Handgrip Strength and Dyslipidemia in Korean Adults: Findings of the 2014-2015 Korea National Health and Nutrition Examination Survey. 2020 , 41, 404-411	3
388	The Risk of Microalbuminuria by Obesity Phenotypes according to Metabolic Health and Obesity: The Korean National Health and Nutrition Examination Survey 2011-2014. 2018 , 39, 168-173	1
387	Increased Risk of Osteoporosis in Gastric Cancer Survivors Compared to General Population Control: A Study with Representative Korean Population. 2019 , 51, 530-537	3
386	Contribution of foods to absolute nutrient intake and between-person variations of nutrient intake in Korean preschoolers. 2019 , 13, 323-332	2
385	Differences in dietary intakes, body compositions, and biochemical indices between metabolically healthy and metabolically abnormal obese Korean women. 2019 , 13, 488-497	4
384	Association of circulating 25-hydroxyvitamin D levels with hypertension and blood pressure values in Korean adults: A Mendelian randomization study on a subset of the Korea National Health and Nutrition Survey 2011-2012 population. 2019 , 13, 498-508	4
383	Development of the anti-cancer food scoring system 2.0: Validation and nutritional analyses of quantitative anti-cancer food scoring model. 2020 , 14, 32-44	3
382	The association of potassium intake with bone mineral density and the prevalence of osteoporosis among older Korean adults. 2020 , 14, 55-61	5
381	Dietary and modifiable factors contributing to hyper-LDL-cholesterolemia prevalence in nationwide time series data and the implications for primary prevention strategies. 2020 , 14, 62-69	2

380	Association between phytochemical index and metabolic syndrome. 2020 , 14, 252-261	10
379	Regional disparities in the associations of cardiometabolic risk factors and healthy dietary factors in Korean adults. 2020 , 14, 519-531	3
378	Regional disparities in healthy eating and nutritional status in South Korea: Korea National Health and Nutrition Examination Survey 2017. 2020 , 14, 679-690	6
377	Cardiovascular and Metabolic Diseases Etiology Research Center (CMERC) cohort: study protocol and results of the first 3 years of enrollment. 2017 , 39, e2017016	29
376	Trends in the prevalence and management of diabetes in Korea: 2007-2017. 2019 , 41, e2019029	20
375	The Korea National Health and Nutrition Examination Survey (KNHANES): Current Status and Challenges. 2014 , 36, e2014002	136
374	Gender Differences in Relations of Smoking Status, Depression, and Suicidality in Korea: Findings from the Korea National Health and Nutrition Examination Survey 2008-2012. 2016 , 13, 239-46	15
373	Oral health status of Korean adults with implants according to their use of oral hygiene products: results from a nationwide population-based study (2013-2015). 2020 , 50, 268-277	3
372	Effect of long work hours and shift work on high-sensitivity C-reactive protein levels among Korean workers. 2021 , 47, 200-207	6
371	Total Diet Study: For a Closer-to-real Estimate of Dietary Exposure to Chemical Substances. 2015 , 31, 227-40	8
370	Evaluation of Total Fat and Fatty Acids Intakes in the Korean Adult Population using Data from the 2016-2017 Korea National Health and Nutrition Examination Surveys. 2019 , 24, 223	5
369	Association between Egg Consumption and Metabolic Disease. 2018 , 38, 209-223	9
368	Serum uric acid in Korean children and adolescents: reference percentiles and association with metabolic syndrome. 2020 , 25, 104-111	4
367	Short Sleep Duration and Its Correlates among Cancer Survivors in Korea: the Korea National Health and Nutrition Examination Surveys. 2015 , 16, 4705-10	6
366	Assessing activity limitation among cancer survivors in Korea using data from a nationwide survey. 2015 , 16, 2739-43	2
365	Secular Trends in Pediatric Overweight and Obesity in Korea. 2020 , 29, 12-17	20
364	. 2021 , 9, 135210-135223	5
363	Association between Blood Mercury Concentration and Prevalence of Borderline Hypercholesterolemia among Adolescents: The Korea National Health and Nutrition Examination Survey (KNHANES) 2010-2013 and 2016. 2021 , 9,	0

362	Isotemporal Substitution Analysis of Accelerometer-Derived Sedentary Behavior and Physical Activity on Cardiometabolic Health in Korean Adults: A Population-Based Cross-Sectional Study. 2021 , 18,	0
361	Relationship Between Handgrip Strength and Metabolic Syndrome Among Middle-Aged and Elderly Cancer Survivors: A National Population Study. 2021 ,	1
360	Association between Relative Handgrip Strength and Chronic Lower Back Pain: A Nationwide Cross-Sectional Analysis of the Korea National Health and Nutrition Examination Survey. 2021 , 18,	0
359	Risk factor assessments of temporomandibular disorders via machine learning. 2021 , 11, 19802	1
358	Dietary Mineral Intake from Nuts and Its Relationship to Hypertension Among Korean Adults. 2021 , 1	1
357	Body Shape Indices in Adolescents Based on the 2009-2012 Korea National Health and Nutrition Examination Survey. 2021 , 8,	
356	Long-Term Health Outcomes of Korean Adults With Classic Congenital Adrenal Hyperplasia Due to 21-Hydroxylase Deficiency. 2021 , 12, 761258	2
355	Relationship between Handgrip Strength and Low-grade Inflammation in Older Adults with Depression. 2021 , 19, 721-730	
354	Health Screening among HBV Carriers in the Korean National Health and Nutrition Examination Survey V (KNHANES V). 2015 , 16, 3653-7	
353	Design and Implementation of the Integrated Management System for Mass Health Examination Operations Management. 2015 , 24, 163-188	
352	Sex- and age group-specific associations between intakes of dairy foods and pulses and bone health in Koreans aged 50 years and older: Based on 2008~2011 Korea National Health and Nutrition Examination Survey. 2016 , 49, 165	5
351	Depression in family members of a patient with asthma: The Korean national health and nutrition examination survey 2007-2012. 2016 , 33, 47-55	2
350	High Level Physical Activity and Prevalence of Cardiovascular Disease Using the Korea National Health and Nutrition Examination Survey Data, 2007-2013. 2017 , 50, 320-327	1
349	Analysis of Family History of Myopia. 2018 , 23, 241-248	2
348	Comparison of the Marginal Utility and Disease Burden of Hearing Loss and Other Chronic Diseases. 2018 , 39, 364-369	0
347	Breast Cancer Screening Participation of Women with Chronic Diseases in Korea: Analysis of the 2012 Korean National Health and Nutrition Examination Survey. 2019 , 20, 207-213	1
346	Preterm Labor and Later Maternal Cardiovascular Disease in General Population: Doubtful Relationship with Atherosclerosis. 2019 , 1, 71	
345	Ketogenic Diet and Glucose Control. 2019 , 20, 244	

344	Association between High-Density Lipoprotein Cholesterol and Vitamin D Levels in Adult Men in the Fifth Korea National Health and Nutrition Examination Survey. 2019 , 19, 210	
343	Use of latent class analysis to identify multimorbidity patterns and associated factors in Korean adults aged 50 years and older.	0
342	The Association between Cancer Screening and Cancer History among Korean Adults: The 2010-2012 Korea National Health and Nutrition Examination Survey. 2019 , 40, 307-313	0
341	Differences in Oral Health Status between Rural and Urban Populations of Korean Elders: A Population-Based Study from the Korean National Health and Nutrition Examination Survey VI (2013∼2015). 2019 , 19, 181-189	
340	Association between diabetes mellitus and active periodontitis in Korean adults from Korea National Health and Nutrition Examination Surveys 2010-2015. 2019 , 43, 202-209	
339	Relationship between Socioeconomic Status and Prevalent Prostate Cancer in the South Korea. 2019 , 20, 3137-3144	5
338	Comparison of National Nutrition Surveys between Japan and Other Countries. 2019 , 77, 183-192	2
337	Challenges and Opportunities for Occupational Therapy in Big Data Research. 2019 , 27, 155-165	
336	Sleep Debt Is Not Associated with Mental Health Among School-Age Adolescents: The Gravity of Short Sleep. 2020 , 30,	
335	Decline in Carbon Monoxide Transfer Coefficient in Chronic Obstructive Pulmonary Disease. 2020 , 9,	1
334	Growth status of children and adolescents born small for gestational age at full term in Korea: data from the KNHANES-V. 2020 , 33, 743-750	1
333	25-Hydroxyvitamin D is Associated with Osteosarcopenia: the 2009-2011 Korea National Health and Nutrition Examination Survey. 2020 , 45, 139-146	
332	Economic benefit of prescribing an adjusted renal dose of dipeptidyl peptidase IV inhibitors in type 2 diabetes patients with chronic kidney disease. 2020 , 12, 645-648	
331	Deep Learning Approach for Imputation of Missing Values in Actigraphy Data: Algorithm Development Study. 2020 , 8, e16113	6
330	Association between Early Menopause, Gynecological Cancer, and Tobacco Smoking: A Cross-Sectional Study. 2021 , 22, 3165-3170	0
329	Alcohol Consumption and Cigarette Smoking among Young Adults: An Instrumental Variable Analysis Using Alcohol Flushing. 2021 , 18,	
328	Long Working Hours and Risk of Depression by Household Income Level: Findings from the Korea National Health and Nutrition Examination Survey (KNHANES). 2021 ,	1
327	Dietary factors associated with inflammatory laryngeal disease in South Korea. 2020 , 15, e0244216	1

326	Association between Relative Handgrip Strength and Osteoporosis in Older Women: The Korea National Health and Nutrition Examination Survey 2014-2018. 2020 , 24, 243-251	1
325	Limitations of Deep Learning Attention Mechanisms in Clinical Research: Empirical Case Study Based on the Korean Diabetic Disease Setting. 2020 , 22, e18418	1
324	Influence of serum ferritin combined with blood cadmium concentrations on blood pressure and hypertension: From the Korean National Health and Nutrition Examination Survey. 2022 , 288, 132469	1
323	Relationship of Riboflavin and Niacin with Cardiovascular Disease. 2019 , 51, 484-494	2
322	Poor glycemic control in workers with diabetes mellitus in relation to long working hours: a cross-sectional study. 2020 , 58, 451-459	2
321	Health-related quality of life in elderly patients with diabetes mellitus according to age: based on Korea National Health and Nutrition Examination Survey. 2020 , 53, 129	1
320	Anthropometric Assessment in Kidney Disease. 2020 , 53-62	
319	Self-Reported Diet Management and Adherence to Dietary Guidelines in Korean Adults with Hypertension. 2020 , 50, 432-440	4
318	Analysis of Association of Occupational Physical Activity, Leisure-Time Physical Activity, and Sedentary Lifestyle with Hypertension according to the Adherence with Aerobic Activity in Women Using Korea National Health and Nutrition Examination Survey 2016-2017 Data. 2020 , 2020, 8943492	2
317	Limitations of Deep Learning Attention Mechanisms in Clinical Research: Empirical Case Study Based on the Korean Diabetic Disease Setting (Preprint).	
316	Impact of Birth Cohorts in Breast Cancer Risk Among South Korean Women. 2021 , 44, 281-287	
315	Association of depression with chewing problems in Koreans : A cross-sectional study using the Korea National Health and Nutrition Examination Survey 2016. 2020 , 36, 12-20	1
314	A Structural Equation Modelling Approach to Determine Factors of Bone Mineral Density in Korean Women. 2021 , 18,	0
313	Association between thyroid hormones and insulin resistance indices based on the Korean National Health and Nutrition Examination Survey. 2021 , 11, 21738	0
312	Association between refractive errors and horizontal strabismus: the Korea National Health and Nutrition Examination Survey. 2021 ,	
311	Association of the Healthy Eating Index with Metabolic Abnormalities among Middle-Aged Adults Living in Single-Person Households in Korea. 2021 , 13,	0
310	Relationships between fasting glucose levels, lifestyle factors, and metabolic parameters in Korean adults without diagnosis of diabetes mellitus. 2021 ,	1
309	Hyperuricemia is Associated With an Increased Prevalence of Metabolic Syndrome in a General Population and a Decreased Prevalence of Diabetes in Men. 2020 , 27, 247-260	2

308	Prevalence, Awareness, and Treatment of Hepatitis C Virus Infection in South Korea: Evidence from the Korea National Health and Nutrition Examination Survey. 2020 , 14, 644-651	3
307	Association of Serum Vitamin D Levels with Depression in Adults: A Nationwide Population-based Study in Korea.	
306	Sex Differences in the Relationship Between High-Risk Drinking and the Triglyceride-Glucose (TyG) Index: An Analysis Using 2013 and 2015 Korean National Health and Nutrition Examination Survey Data. 2021 , 56, 393-400	2
305	Risk Factors of Binge Drinking in Adults Across Gender and Age Groups: Sixth Korea National Health and Nutrition Examination Survey 2014. 2020 , 31, E27-E37	
304	Urinary Iodine Concentration and Thyroid Peroxidase Antibodies in the Korean Population Using Korea National Health and Nutrition Examination Survey VI. 2020 , 13, 155-164	
303	Association of General Obesity and Abdominal Obesity with the Prevalence of Urinary Incontinence in Women: Cross-sectional Secondary Data Analysis. 2018 , 47, 830-837	4
302	Relative handgrip strength in relation to depressive mood and suicidal ideation in Koreans using the 2015 KNHANES data. 2018 , 18, 333-338	11
301	Secular Trends and Socioeconomic Differentials in Menarcheal Age for South Korean Women. 2018 , 47, 1254-1260	3
300	Consumption of Ultra-Processed Food and Blood Pressure in Korean Adults. 2021 ,	1
299	Patterns of physical activity and sedentary behavior and their associated factors among nondisabled stroke survivors.. 2022 , 158, 10-15	0
298	Using Dietary Macronutrient Patterns to Predict Sarcopenic Obesity in Older Adults: A Representative Korean Nationwide Population-Based Study. 2021 , 13,	0
297	Association between Long Working Hours and Chronic Kidney Disease according to Diabetic Status: A Nationwide Study (Korean National Health and Nutrition Examination Survey 2010-2017). 2021 , 64,	
296	Machine Learning Approaches to Predict Chronic Lower Back Pain in People Aged over 50 Years. 2021 , 57,	0
295	The dietary intake of chronic kidney disease according to stages: Findings from the Korean National Health and Nutritional Examination Survey. 2021 , 16, e0260242	
294	Comparison of Triglyceride Glucose (TyG) Index and Modified TyG Indices to Predict Non-Alcoholic Fatty Liver Disease in Youth. 2021 ,	3
293	Trends in intake and sources of dietary protein in Korean adults, 1998-2018. 2021 , 1-40	1
292	Age-Specific Association Between Handgrip Strength and Nutritional Quality in Korean Men: A Nationwide Cross-Sectional Study. 2021 , 15, 15579883211063339	1
291	Association of 3-hydroxy-3-methylglutaryl-coenzyme A reductase gene polymorphism with obesity and lipid metabolism in children and adolescents with autism spectrum disorder. 2021 , 1	0

290	Association of coffee drinking with all-cause and cause-specific mortality in over 190,000 individuals: data from two prospective studies. 2021 , 1-9	1
289	Implication of thyroid function in periodontitis: a nationwide population-based study. 2021 , 11, 22127	1
288	Characteristics and Prevalence of Early Chronic Obstructive Pulmonary Disease in a Middle-Aged Population: Results from a Nationwide-Representative Sample. 2021 , 16, 3083-3091	1
287	Late Eating and Blood Pressure Control and Cardiometabolic Risk Factors Among Hypertensive Adults: Results from the Korea National Health and Nutrition Examination Survey 2010-2018. 2021 , e2021101	
286	Association of Blood Mercury Levels with the Risks of Overweight and High Waist-to-Height Ratio in Children and Adolescents: Data from the Korean National Health and Nutrition Examination Survey.. 2021 , 8,	0
285	The Role of Physical Activity and Depression on Quality of Life in Community-Dwelling Older Adults: Using Propensity Score Matching Approaches. 2021 , 1-8	0
284	Association of protein consumption and energy intake on sarcopenia in tuberculosis survivors. 2021 , 12, 20406223211056712	0
283	Association between anemia and dynapenia in older adults: a population-based study.. 2022 , 1	3
282	Adding Estimated Cardiorespiratory Fitness to the Framingham Risk Score and Mortality Risk in a Korean Population-Based Cohort Study.. 2022 , 19,	1
281	Association between age-related cataract and blepharoptosis in Korean adults: a population-based study.. 2022 , 12, 389	0
280	Risk score-embedded deep learning for biological age estimation: Development and validation. 2022 , 586, 628-643	0
279	Sleep duration and mortality in patients with diabetes: Results from the 2007-2015 Korea national health and nutrition examination survey.. 2021 , 48, 101312	2
278	Prevalence of Unmet Healthcare Needs in Adolescents and Associated Factors: Data from the Seventh Korea National Health and Nutrition Examination Survey (2016-2018). 2021 , 18,	0
277	U-shaped association between body mass index and health-related quality of life impairment in Korean cancer survivors: a nationwide representative cross-sectional survey.. 2022 , 1	
276	Socioeconomic status, food security, and chewing discomfort of Korean elders: results from the Korea National Health and Nutrition Examination Survey.. 2022 , 16, 94-105	0
275	Association between oral health and hyperuricemia in Korean adults: Korea National Health and Nutrition Examination Survey 2016-2019.	
274	The predicting value of resting heart rate to identify undiagnosed diabetes in Korean adult: Korea National Health and Nutrition Examination Survey.. 2022 , e2022009	
273	Household marginal food security is associated with poorer self-rated health in Korean adults.. 2022 , 100, 33-41	2

272	The Association between Serum Uric Acid Levels and 10-Year Cardiovascular Disease Risk in Non-Alcoholic Fatty Liver Disease Patients.. 2022 , 19,	2
271	Associations of Serum Vitamin D Level with Sarcopenia, Non-Alcoholic Fatty Liver Disease (NAFLD), and Sarcopenia in NAFLD Among People Aged 50 Years and Older: The Korea National Health and Nutrition Examination Survey IV-V.. 2022 ,	0
270	Positive Associations between Body Mass Index and Hematological Parameters, Including RBCs, WBCs, and Platelet Counts, in Korean Children and Adolescents.. 2022 , 9,	2
269	Relation between Handgrip Strength and Quality of Life in Patients with Arthritis in Korea: The Korea National Health and Nutrition Examination Survey, 2015-2018.. 2022 , 58,	0
268	Prevalence of chronic kidney disease in Asia: a systematic review and analysis.. 2022 , 7,	6
267	Serum Low-Density Lipoprotein Cholesterol Levels and Depressive Mood in Korean Adults: A Nationwide Population-Based Study.. 2022 , 43, 63-68	
266	Comparison of dietary share of ultra-processed foods assessed with a food frequency questionnaire against a 24-hour dietary recall in adults: Results from KNHANES 2016.. 2022 , 1-25	2
265	The impact of free vaccination policies under the Korean Influenza National Immunization Program: Trends in influenza vaccination rates in South Korea from 2010 to 2019.. 2022 , 17, e0262594	0
264	Association between metabolic syndrome and radiographic spine osteoarthritis: Cross-sectional analysis using data from the Korea National Health and Nutrition Examination Survey.. 2022 ,	
263	Synergistic Interaction between Hyperuricemia and Abdominal Obesity as a Risk Factor for Metabolic Syndrome Components in Korean Population.. 2022 ,	0
262	The relationship between domain-specific physical activity and depressive symptoms in Korean adults: Analysis of the Korea National Health and Nutrition Examination Survey.. 2022 ,	0
261	Association of Muscle Strength with Non-Alcoholic Fatty Liver Disease in Korean Adults.. 2022 , 19,	2
260	Higher intakes of nutrients are linked with a lower risk of cardiovascular diseases, type 2 diabetes mellitus, arthritis, and depression among Korean adults.. 2021 , 100, 19-32	5
259	Assessment of sunlight exposure across industries and occupations using blood vitamin D as a biomarker.. 2022 , 64, e12318	1
258	Machine learning-based diagnosis and risk factor analysis of cardiocerebrovascular disease based on KNHANES.. 2022 , 12, 2250	0
257	Decreased Health-Seeking Behaviors in People With Depressive Symptoms: The Korea National Health and Nutrition Examination Survey 2014, 2016, and 2018.. 2022 ,	
256	Relationship between chronic exposure to ambient air pollution and mental health in Korean adult cancer survivors and the general population. 2021 , 21, 1298	1
255	Population-based study of the association between asthma and exogenous female sex hormone use.. 2021 , 11, e046400	0

- 254 Causes and Trends of Disabilities in Community-Dwelling Stroke Survivors: A Population-Based Study. **2022**, 15, ○
- 253 Workplace foodservice meals are associated with higher nutritional quality among adult Korean workers: a nationwide cross-sectional study.. **2022**, 16, 248-259
- 252 Development of the Korean Healthy Eating Index for adults, based on the Korea National Health and Nutrition Examination Survey.. **2022**, 16, 233-247 5
- 251 Increasing trends in dietary total fat and fatty acid intake among Korean children: using the 2007-2017 national data.. **2022**, 16, 260-271 ○
- 250 Trends in Dietary Protein Intake and Its Adequacy among Korean Adults: Data from the 2010 ~ 2019 Korea National Health and Nutrition Examination Survey (KNHANES). **2022**, 27, 47 ○
- 249 Impact of the Deep Neuromuscular Block on Oncologic Quality of Laparoscopic Surgery in Obese Gastric Cancer Patients: A Randomized Clinical Trial.. **2022**, 234, 326-339 ○
- 248 Association between sugar-sweetened beverage consumption and depression and suicidal ideation among Korean adults: a cross-sectional study from the 2014 and 2016 Korean National Health and Nutrition Examination Survey (KNHANES).. **2022**, 16, 194-204 ○
- 247 Lower dietary calcium intake is associated with a higher risk of mortality in Korean adults.. **2022**, ○
- 246 Impaired Lung Function and Lung Cancer Incidence: A Nationwide Population-Based Cohort Study.. **2022**, 11, ○
- 245 Food Security Moderates the Relationships of Muscle Mass with Metabolic Syndrome and Insulin Resistance.. **2022**, 29, 23-33
- 244 Depressive Symptoms and Suicidal Ideation in Individuals Living Alone in South Korea.. **2022**, 12, ○
- 243 Drug Repositioning: Exploring New Indications for Existing Drug-Disease Relationships.. **2022**, 37, 62-64 ○
- 242 Association between Rheumatoid Arthritis and Poor Self-Perceived Oral Health in Korean Adults.. **2022**, 10, ○
- 241 Efficacy of Aqueous Extract of *Anthriscus sylvestris* Leaves in Alleviating inflammation and Improving Articular Cartilage in an In Vivo Experimental Model. **2022**, 51, 93-99 ○
- 240 Difference in the Prevalence of Elevated Blood Pressure and Hypertension by References in Korean Children and Adolescents.. **2022**, 9, 793771 1
- 239 Seroprevalence study of SARS-CoV-2 antibodies in community based on participants in the 2020 Korea National Health and Nutrition Examination Survey (KNHANES).. **2022**, e2022028 ○
- 238 Factors associated with quitting status of smoking in Korean men with and without chronic kidney disease: A national population-based study.. **2022**, 20, 17 ○
- 237 Moderation of Weight Misperception on the Associations Between Obesity Indices and Estimated Cardiovascular Disease Risk.. **2022**, 1

236	Association of secondhand smoke exposure with cardiometabolic health in never-smoking adult cancer survivors: a population-based cross-sectional study.. 2022 , 22, 518	
235	Understanding health problems in people with extremely low health-related quality of life in Korea.. 2022 , 12, 4037	
234	Epidemiology and outcomes of severe injury patients: Nationwide community-based study in Korea.. 2022 ,	
233	Association between Cardiorespiratory Fitness and Metabolic Syndrome in Korean Older Adults.. 2022 , 19,	1
232	Fibrotic Burden Determines Cardiovascular Risk among Subjects with Metabolic Dysfunction-Associated Fatty Liver Disease.. 2022 ,	0
231	Mediation of Grip Strength on the Association Between Self-Rated Health and Estimated Cardiovascular Disease Risk.. 2022 ,	0
230	Association between lung function and the risk of atrial fibrillation in a nationwide population cohort study.. 2022 , 12, 4007	0
229	Integrated metagenomics and metabolomics analysis illustrates the systemic impact of the gut microbiota on host metabolism after bariatric surgery.. 2022 ,	1
228	Associations of walking and resistance training with chronic low back pain in older adults: A cross-sectional analysis of Korean National Health and Nutrition Examination Survey data.. 2022 , 101,	
227	Coffee consumption and diabetic retinopathy in adults with diabetes mellitus.. 2022 , 12, 3547	2
226	Trends in Prediabetes and Non-Alcoholic Fatty Liver Disease Associated with Abdominal Obesity among Korean Children and Adolescents: Based on the Korea National Health and Nutrition Examination Survey between 2009 and 2018.. 2022 , 10,	2
225	Short-term smoking increases the risk of insulin resistance.. 2022 , 12, 3550	0
224	Prevalence, awareness, and treatment of depression among community-dwelling stroke survivors in Korea.. 2022 , 12, 4050	
223	Long-term trajectory of postoperative health-related quality of life in young breast cancer patients: a 15-year follow-up study.. 2022 , 1	0
222	missForest with feature selection using binary particle swarm optimization improves the imputation accuracy of continuous data.. 2022 , 1	1
221	How do perceptions of public health measures affect experience of unmet healthcare needs among older Korean adults during COVID-19 pandemic?. 2022 , 26, 101735	0
220	Testing, tracing and treatment: a estratégia da Coreia do Sul no enfrentamento da Covid-19. 81-114	
219	Clinical Characteristics of Non-Smoking Chronic Obstructive Pulmonary Disease Patients: Findings from the KOCOSS Cohort.. 2022 , 19, 174-181	

- 218 Relationship between asthma and sarcopenia in the elderly: a nationwide study from the KNHANES.. **2022**, 1-18 0
- 217 effects of weight misperception on the association between BMI and self-rated health in midlife and elderly Koreans.. **2022**, 100, 104664 0
- 216 Association between exposure to fine particulate matter and kidney function: Results from the Korea National Health and Nutrition Examination Survey.. **2022**, 113080 0
- 215 Recent trends of refractive surgery rate and detailed analysis of subjects with refractive surgery: The 2008-2015 Korean National Health and Nutrition Examination Survey.. **2021**, 16, e0261347 0
- 214 Association Between Skeletal Muscle Mass, Physical Activity, and Metabolic Syndrome: the Korean National Health and Nutrition Examination Survey 2008-2011.. **2021**, 0
- 213 Association between occupational or environmental noise exposure and renal function among middle-aged and older Korean adults: a cross-sectional study.. **2021**, 11, 24127 0
- 212 Association between tinnitus and depressive symptoms in the South Korean population.. **2021**, 16, e0261257 1
- 211 Association of Temporomandibular Disorders and Tinnitus with Health-Related Quality of Life: A Cross-Sectional Study Using the Fifth Korea National Health and Nutrition Examination Survey. **2021**, 0
- 210 Bone mineral density and osteoporosis risk in young adults with atopic dermatitis.. **2021**, 11, 24228 0
- 209 Quality of Life in Adults with Metabolic Dysfunction-Associated Fatty Liver Disease.. **2021**, 18, 1
- 208 Association between Korean Healthy Eating Index and Dental Caries in Korean Adults: 2013-2015 Korea National Health and Nutrition Examination Survey. **2021**, 11, 415-421 0
- 207 Low serum cholesterol level as a risk factor for out-of-hospital cardiac arrest: a case-control study.. **2021**, 8, 296-306 0
- 206 Computer-Aided Diagnostics of Heart Disease Risk Prediction Using Boosting Support Vector Machine.. **2021**, 2021, 3152618 3
- 205 Association of Household Income Level with Vitamin and Mineral Intake.. **2021**, 14, 0
- 204 Anthropometric, biochemical, and nutritional risk factors for osteoporosis in Korean adults based on a large cross-sectional study.. **2021**, 16, e0261361 0
- 203 Association between Healthy Eating Index and Mental Health in Middle-Aged Adults Based on Household Size in Korea.. **2022**, 19, 0
- 202 Gender and tobacco epidemic in South Korea: implications from age-period-cohort analysis and the DPSEEA framework.. **2022**, 12, e058903 0
- 201 Impact of urinary iodine concentration on blood glucose levels and blood pressure: a nationwide population-based study.. **2022**, 0

200	Prolonged or Transition to Metabolically Unhealthy Status, Regardless of Obesity Status, Is Associated with Higher Risk of Cardiovascular Disease Incidence and Mortality in Koreans.. 2022 , 14,	1
199	Exposure and Risk Assessment of Second- and Third-Hand Tobacco Smoke Using Urinary Cotinine Levels in South Korea.. 2022 , 19,	1
198	Comparison of the Prevalence of Cardiometabolic Disorders and Comorbidities in Korea and the United States: Analysis of the National Health and Nutrition Examination Survey.. 2022 , 37, e149	0
197	Obesity, hypertension, diabetes mellitus, and hypercholesterolemia of Korean adults before and during the COVID-19 pandemic: Special report of the 2020 Korea National Health and Nutrition Examination Survey.. 2022 , e2022041	4
196	Low Vitamin D Status Is Associated with Increased Risk of Mortality in Korean Men and Adults with Hypertension: A Population-Based Cohort Study.. 2022 , 14,	0
195	Association between Use of Nutrition Labels and Risk of Chronic Kidney Disease: The Korean National Health and Nutrition Examination Survey (KNHANES) 2008-2019.. 2022 , 14,	0
194	Korean college students' attitudes toward a tobacco-free campus: a cross-sectional descriptive study.. 2022 , 28, 124-131	
193	Physical Activity Trends in Korean Adults from Korea National Health and Nutritional Examination Survey from 2014 to 2019.. 2022 , 19,	0
192	Association between Concentration of Air Pollutants and Prevalence of Inflammatory Sinonasal Diseases: A Nationwide Cross-sectional Study.. 2022 , 19458924221099373	0
191	Perturbation of Circadian Rhythm Is Associated with Increased Prevalence of Chronic Kidney Disease: Results of the Korean Nationwide Population-Based Survey.. 2022 , 19,	
190	Smoking, Drinking, and Physical Activity among Korean Adults Before and During the COVID-19 Pandemic: Special Report of the 2020 Korea National Health and Nutrition Examination Survey.. 2022 , e2022043	0
189	Association between physical activity and dynapenia in older adults with COPD: a nationwide survey.. 2022 , 12, 7480	0
188	The relationship between nutrient intake and cataract in the older adult population of Korea (Preprint).	
187	Changes in the prevalence of hepatitis B and metabolic abnormalities among young men in Korea.. 2022 ,	0
186	Pro-inflammatory diet associated with low back pain in adults aged 50 and older. 2022 , 151589	
185	Temporal trends in the prevalence of metabolically healthy overweight and obesity in Korean youth: Data from the Korea National Health and Nutrition Examination Survey 2011-2019.. 2022 ,	
184	Non-Linear Association between Serum Folate Concentration and Dyslipidemia: Korea National Health and Nutrition Examination Survey (KNHANES) 2016-2018.. 2022 , e2022046	0
183	Usual intake of dietary isoflavone and its major food sources in Koreans: Korea National Health and Nutrition Examination Survey 2016-2018 data. 2022 , 16, S134	0

- 182 Food behaviors accounting for the recent trends in dietary fatty acid profiles among Korean adults. **2022**, 16, 405
- 181 High Estimated 24-Hour Urinary Sodium Excretion Is Related to Symptomatic Knee Osteoarthritis: A Nationwide Cross-Sectional Population-Based Study.
- 180 Optimum Urine Cotinine and NNAL Levels to Distinguish Smokers from Non-Smokers by the Changes in Tobacco Control Policy in Korea from 2008 to 2018.
- 179 Association between Stroke and Abdominal Obesity in the Middle-Aged and Elderly Korean Population: KNHANES Data from 2011-2019. **2022**, 19, 6140 ○
- 178 Do Adults Who Practice Aerobic Physical Activities Have Different Influencing Factors for Depression: A Secondary Data Analysis. **2022**, 19, 6142 1
- 177 Perceptions of the General Public About Health-related Quality of Life and the EQ-5D Questionnaire: A Qualitative Study in Korea. **2022**, 55, 213-225
- 176 The relationships of food security with skeletal muscle mass and handgrip strength by gender. **2022**, 111746 ○
- 175 Exercise Reduces the Risk of Chronic Kidney Disease in Individuals with Nonalcoholic Fatty Liver Disease: A Nationwide Cohort Study. **2022**, 101362 ○
- 174 Health-Screening-Based Chronic Obstructive Pulmonary Disease and Its Effect on Cardiovascular Disease Risk. **2022**, 11, 3181
- 173 Phytochemical index and hypertension in Korean adults using data from the Korea National Health and Nutrition Examination Survey in 2008-2019. 1
- 172 Trends in Diet Quality and Cardiometabolic Risk Factors Among Korean Adults, 2007-2018. **2022**, 5, e2218297 1
- 171 Association between Dietary Fiber Intake and Colorectal Adenoma. 1-11 ○
- 170 Osteoporosis Pre-Screening Using Ensemble Machine Learning in Postmenopausal Korean Women. **2022**, 10, 1107 ○
- 169 Sex-specific bi-directional association between osteoporosis and depression from the national representative data of South Korea. **2022**, 12,
- 168 Cardiometabolic risk factors and metabolic syndrome based on severity of obesity in Korean children and adolescents: data from the Korea National Health and Nutrition Examination Survey 2007Ó2018. ○
- 167 Association between Obesity and Anemia in a Nationally Representative Sample of South Korean Adolescents: A Cross-Sectional Study. **2022**, 10, 1055
- 166 A Machine Learning Approach for Predicting Wage Workers' Suicidal Ideation. **2022**, 12, 945
- 165 Metabolic risk assessment in children and adolescents using the tri-ponderal mass index. **2022**, 12,

- 164 Variational Autoencoder-Based Deep Neural Network for Coronary Heart Disease Risk Prediction. **2022**, 1-8
- 163 Ultra-processed foods and total sugars intake in Korea: evidence from the Korea National Health and Nutrition Examination Survey 2016-2018. **2022**, 16, 476
- 162 The Association Between Long Working Hours of Parents and Dyslipidemia in Their Children. 10,
- 161 The association between C-reactive protein, metabolic syndrome, and prediabetes in Korean children and adolescents.
- 160 Cardiovascular risk factors and quality of life among stroke survivors in Korea from 2013 to 2018: a cross-sectional cohort study. **2022**, 20, ○
- 159 Digital health applications to establish a remote diagnosis for orthopedic knee disorders: a scoping review. (Preprint).
- 158 Greater Muscular Strength Is Associated with a Lower Risk of Pulmonary Dysfunction in Individuals with Non-Alcoholic Fatty Liver Disease. **2022**, 11, 4151
- 157 General purpose multiply robust data integration procedures for handling non-probability samples.
- 156 Associations Between Allergies, Walking, Sedentary Time, and Low Back Pain. **2022**,
- 155 Relationship between Anemia and Falls among Postmenopausal Women in Korea. **2022**, 19, 8242
- 154 Association between dual smoking and dyslipidemia in South Korean adults. **2022**, 17, e0270577 ○
- 153 Sarcopenia is associated with cardiovascular risk in men with COPD, independent of adiposity. **2022**, 23, ○
- 152 Obstructive Sleep Apnea and Nonalcoholic Fatty Liver Disease in the General Population: A Cross-Sectional Study Using Nationally Representative Data. **2022**, 19, 8398
- 151 Visual Acuity Outcomes in Diseases Associated with Reduced Visual Acuity: An Analysis of the National Health Insurance Service Database in Korea. **2022**, 19, 8689
- 150 The Use of Interdental Care Products in Korean Adults Aged 30 Years and Older and Factors Affecting Their Use: 4th to 7th Korean National Health and Nutrition Examination Survey. **2022**, 19, 8639
- 149 Age Group-specific Reference Intervals for the Elecsys Anti-Müllerian Hormone Assay in Healthy Korean Women: a Nationwide Population-based Study. **2022**, 42, 621-629 ○
- 148 Age-specific Reference Intervals for Anti-Müllerian Hormone. **2022**, 42, 617-618
- 147 Cost-effectiveness analysis of smoking cessation interventions with behavioral support: a study based on the Benefits of Smoking Cessation on Outcomes (BENESCO) model.

- 146 Physical Activity and Sedentary Time in Korean Adults before and during the COVID-19 Pandemic Using Data from the Korea National Health and Nutritional Examination Survey. **2022**, 12, 1217 1
- 145 The impact of Hunner lesion-type interstitial cystitis/bladder pain syndrome on health-related quality of life and the effects of transurethral ablation.
- 144 Association between lifestyle factors and the risk of metabolic syndrome in the South Korea. **2022**, 12, 2
- 143 Oculomics for sarcopenia prediction: a machine learning approach toward predictive, preventive, and personalized medicine. 0
- 142 The association of food insecurity with tooth decay and periodontitis among middle-aged and older adults in the United States and Korea. 0
- 141 Perception regarding live kidney donation in the general population of South Korea. **2022**, 17, e0272495
- 140 The association between long working hours and obstructive sleep apnea assessed by STOP-BANG score: a cross-sectional study. 1
- 139 Association of Handgrip Strength with Diabetes Mellitus in Korean Adults According to Sex. **2022**, 12, 1874
- 138 Oxidative balance in subjects with allergic rhinitis: A nationwide cross-sectional survey.
- 137 Association between oxidative balance score and neck circumference in Korean adults. **2022**,
- 136 Socioeconomic determinants of periodontitis. 1
- 135 Reference ranges of body composition using dual-energy X-ray absorptiometry and its relation to tri-ponderal mass index. **2022**,
- 134 Association between chronotype, tobacco use or alcohol use, and high-risk drinking by age group: The Seventh Korea National Health and Nutrition Examination Survey (VII: 2016-2017). **2022**,
- 133 Effects of sarcopenia and sarcopenic obesity on joint pain and degenerative osteoarthritis in postmenopausal women. **2022**, 12,
- 132 Intermittent Fasting Is Associated With a Decreased Risk of Age-Related Macular Degeneration. **2022**, 243, 1-9
- 131 The effect of the association between CETP variant type and alcohol consumption on cholesterol level differs according to the ALDH2 variant type. **2022**, 12, 0
- 130 Clinical Characteristics and Risk Factors of First-Ever Stroke in Young Adults: A Multicenter, Prospective Cohort Study. **2022**, 12, 1505 0
- 129 Association Between the Use of Tobacco Products and Food Insecurity Among South Korean Adults. 67, 0

128	Screening and prediction of NAFLD using a peripheral insulin resistance index: Potential benefits and limitations.	○
127	Association between sarcopenia defined as low lean mass by dual-energy X-ray absorptiometry and comorbidities of rheumatoid arthritis: Results of a nationwide cross-sectional health examination. 2022 , 57, 152090	○
126	Comparison of the triglyceride glucose (TyG) index, triglyceride to high-density lipoprotein cholesterol (TG/HDL-C) ratio, and metabolic score for insulin resistance (METS-IR) associated with periodontitis in Korean adults. 2022 , 13, 204062232211226	○
125	Impairment of Quality of Life and Mental Health Status in Adult-Onset Atopic Dermatitis. 2022 , 34, 278	○
124	Relationship between obstructive sleep apnea, insulin resistance, and metabolic syndrome: a nationwide population-based survey. 2022 ,	1
123	Trends and factors associated with influenza vaccination in subjects with asthma: analysis of the Korea National Health and Nutrition Examination Survey between 2010 and 2019. 2022 , 13, 204062232211239 [○]	○
122	Dynapenic-abdominal obesity as an independent risk factor for chronic kidney disease in postmenopausal women: a population-based cohort study. 2022 , 29, 1040-1046	○
121	Association between uric acid and depressive symptoms in older adults: The Korea National Health and Nutrition Examination Survey.	○
120	Regional Differences in Metabolic Risk in the Elderly in Korea. 2022 , 19, 11675	○
119	Prevalence of dental caries and associated factors of detention center inmates in South Korea compared with Korea National Health and Nutrition Examination Survey (KNHANES) respondents: a retrospective study. 2022 , 22,	○
118	Statistical modeling of health space based on metabolic stress and oxidative stress scores. 2022 , 22,	○
117	Updated reference ranges for aminotransferase levels of Korean children and young adolescents based on the risk factors for metabolic syndrome. 2022 , 12,	○
116	Understanding the role of e-cigarette use in smoking cessation based on the stages of change model. 2022 , 17, e0274311	○
115	Pulse pressure and the risk of renal hyperfiltration in young adults: Results from Korea National Health and Nutrition Examination Survey (2010-2019). 9,	○
114	Building and implementing a contactless clinical trial protocol for patients with COVID-19: A Korean perspective. 9,	○
113	Nationwide changes in physical activity, nutrient intake, and obesity in South Korea during the COVID-19 pandemic era. 13,	○
112	Reference Values for Waist Circumference and Waist-Height Ratio in Korean Children and Adolescents. 2022 , 31, 263-271	○
111	Analysis of correlation between the consumption of beverages and the risk of radiographic knee osteoarthritis in Korean people: A cross-sectional study using the Fifth Korea National Health and Nutrition Examination Survey (KNHANES V-1, 2). 2022 , 101, e30105	○

- 110 Low relative hand grip strength is associated with a higher risk for diabetes and impaired fasting glucose among the Korean population. **2022**, 17, e0275746 ○
- 109 Association of the Weekend Warrior and Other Physical Activity Patterns with Metabolic Syndrome in the South Korean Population. **2022**, 19, 13434 ○
- 108 Physical activity in the era of climate change and COVID-19 pandemic: Results from the South Korea's 2022 Report Card on physical activity for children and adolescents. **2022**, ○
- 107 Association between Nighttime Work and HbA1c Levels in South Korea. **2022**, 10, 1977 ○
- 106 Status of Workers' Health Behavior and the Association between Occupational Characteristics and Health Behavior. **2022**, 19, 13021 ○
- 105 Weight perception and self-rated health: are there differences between cancer survivors and non-cancer survivors?. ○
- 104 Chronic Comorbidities and Cervical Cancer Screening adherence in the Korean Population using KHNANES. ○
- 103 Association of Absolute and Relative Handgrip Strength with Prevalent Metabolic Syndrome in Adults: Korea National Health and Nutrition Examination Survey 2014-2018. **2022**, 19, 12585 ○
- 102 Association between the triglyceride-glucose (TyG) index and increased blood pressure in normotensive subjects: a population-based study. **2022**, 14, ○
- 101 Nutrition, Body Composition, and Blood Pressure in Children and Adolescents from the Korea National Health and Nutrition Examination Survey. **2022**, 19, 13272 ○
- 100 The Relationship Between Thiamine Intake and Long Sleep Duration: Results from the Korea National Health and Nutrition Examination Survey. ○
- 99 Association of Micronutrients and Handgrip Strength in Korean Older Population: A Cross-Sectional Study. **2022**, 10, 1980 ○
- 98 The association of non-alcoholic fatty liver disease between parents and adolescent children. 4
- 97 Exposure to Particulate Matter as a Potential Risk Factor for Attention-Deficit/Hyperactivity Disorder in Korean Children and Adolescents (KNHANES 2008-2018). **2022**, 19, 13966 ○
- 96 High Sodium Intake, as Assessed by Urinary Sodium Excretion, Is Associated with Nonalcoholic Fatty Liver Disease or Sarcopenia. **2022**, ○
- 95 Association between serum ferritin levels and colorectal cancer risk in Korea. **2022**, 37, 1205-1215 ○
- 94 Age at Menopause and Suicidal Ideation in Menopausal Women: A Study of Korea National Health and Nutrition Examination Survey Data. **2022**, 37, ○
- 93 An ensemble method based on marginal-effect models (EMM) for estimating usual food intake from single-day dietary data and internal/external two-day dietary data. ○

92	Adolescents' Self-Perceived Weight and Metabolic Syndrome.	0
91	Changes in eating behaviors according to household income in adolescents during the COVID-19 pandemic: Findings from the Korea National Health and Nutrition Examination Survey. e2022102	0
90	Impact of high-risk of obstructive sleep apnea on chronic cough: data from the Korea National Health and Nutrition Examination Survey. 2022 , 22,	0
89	Relative Handgrip Strength Mediates the Relationship between Hemoglobin and Health-Related Quality of Life in Older Korean Adults. 2022 , 10, 2215	0
88	Comorbidities associated with high-risk obstructive sleep apnea based on the STOP-BANG questionnaire: a nationwide population-based study.	0
87	Social jetlag and risk of depression: Results from the Korea National Health and Nutrition Examination Survey. 2023 , 323, 562-569	0
86	Lifestyle Behaviors According to the Duration of Hypertension: Korea National Health and Nutrition Examination Survey 2016-2018. 2022 , 37,	0
85	Digital health applications to establish a remote diagnosis for orthopedic knee disorders: a scoping review. (Preprint).	0
84	The Relationship between Nutrient Intake and Cataracts in the Older Adult Population of Korea. 2022 , 14, 4962	0
83	Sugar-Sweetened Coffee Intake and Blood Glucose Management in Korean Patients with Diabetes Mellitus. 2022 , 12, 1177	0
82	Serum Antioxidant Vitamins Mediate the Association between Periodontitis and Metabolically Unhealthy Overweight/Obesity. 2022 , 14, 4939	1
81	Association between periodontal disease and diabetes using propensity score matching: The seventh Korea National Health and Nutrition Examination Survey. 2022 , 101, e31729	0
80	Diabetes screening in South Korea: a new estimate of the number needed to screen to detect diabetes.	0
79	Daily Walking Accompanied with Intermittent Resistance Exercise Prevents Osteosarcopenia: A Large Cohort Study. 2022 , 29, 255-263	0
78	Self-perceived Weight and Mortality in Korean Adults Based on the Korea National Health and Nutrition Examination Survey Data Linked to Cause of Death Statistics. 2022 ,	0
77	Association between Breastfeeding and Restrictive Spirometric Pattern in Women Aged over 40 Years: A Cross-Sectional Study. 2022 , 19, 16291	0
76	Effect of weekend catch-up sleep on high-sensitivity C-reactive protein levels according to bedtime inconsistency: a population-based cross-sectional study. 2022 , 12,	0
75	Association Between Oral Health and Frailty in Older Korean Population: A Cross-Sectional Study. Volume 17, 1863-1872	1

- 74 Spousal concordance of ideal cardiovascular health metrics: findings from the 2014–2019 Korea National Health and Nutrition Examination Survey. **2022**, 28, ○
- 73 Associations of Physical Activity and Handgrip Strength with Health-Related Quality of Life in Older Korean Cancer Survivors. **2022**, 14, 6067 ○
- 72 Predictors of Depression among Individuals Receiving the Basic Livelihood Security Program Benefits in Korea: A Study Based on the Sixth and Seventh Korea National Health and Nutrition Examination Survey (2013–2018). **2023**, 20, 194 ○
- 71 The Risk of Major Depressive Disorder Due to Cataracts among the Korean Elderly Population: Results from the Korea National Health and Nutrition Examination Survey (KNHANES) in 2016 and 2018. **2023**, 20, 1547 ○
- 70 Association between weekend catch-up sleep and dyslipidemia among Korean workers. **2023**, 13, ○
- 69 Increased prevalence of periodontitis with hypouricemic status: findings from the Korean National Health and Nutrition Examination Survey, 2016–2018. 53, 1
- 68 Change in Prevalence of Hypertension among Korean Children and Adolescents during the Coronavirus Disease 2019 (COVID-19) Outbreak: A Population-Based Study. **2023**, 10, 159 ○
- 67 Prevalence of chronic low back pain and its associated factors in the general population of South Korea: a cross-sectional study using the National Health and Nutrition Examination Surveys. **2023**, 18, ○
- 66 Age-specific risk factors for the prediction of obesity using a machine learning approach. 10, ○
- 65 Hand grip strength for the working-age population in South Korea: Development of an estimation and evaluation model. **2023**, 94, 103398 ○
- 64 Age at onset of alcohol consumption and its association with alcohol misuse in adulthood. ○
- 63 Association of dietary factors with noise-induced hearing loss in Korean population: A 3-year national cohort study. **2022**, 17, e0279884 ○
- 62 Comparative analysis of the relationship between four hepatic steatosis indices and muscle mass. **2023**, 13, ○
- 61 The association between attention deficit hyperactivity disorder (ADHD) and smoking experience or exposure to environmental tobacco smoke among children and adolescents. **2023**, 21, 1-9 ○
- 60 Associations between School Lunch and Obesity in Korean Children and Adolescents Based on the Korea National Health and Nutrition Examination Survey 2017–2019 Data: A Cross-Sectional Study. **2023**, 15, 698 1
- 59 Triglyceride–Glucose Index as a Potential Indicator of Sarcopenic Obesity in Older People. **2023**, 15, 555 ○
- 58 Association Between Protein Intake From Different Animal and Plant Origins and the Risk of Non-Alcoholic Fatty Liver Disease: A Case-Control Study. **2023**, 12, 29 ○
- 57 Nonlinear Associations between Blood Cadmium Concentration and Thyroid Hormones According to Smoking Status in Korean Adults: The Korea National Health and Nutrition Examination Survey (KNHANES). **2023**, 11, 129 ○

56	Recent Prevalence of and Factors Associated With Chronic Obstructive Pulmonary Disease in a Rapidly Aging Society: Korea National Health and Nutrition Examination Survey 2015-2019. 2023 , 38,	1
55	Serum 25-hydroxyvitamin D concentrations are inversely associated with all-cause mortality among Koreans: a nationwide cohort study. 2023 , 113, 49-58	0
54	Interaction between blood cadmium and lead concentration and physical activity on hypertension from the Korean national health and nutrition examination survey in 2008-2013. 2023 , 23,	0
53	Lifestyle factors and suicide risk: A nationwide population-based study. 2023 , 328, 215-221	0
52	Dietary exposure and risk assessment of polybrominated diphenyl ethers in the Republic of Korea: A nationwide study. 2023 , 880, 163325	0
51	Magnesium intake and dietary sources among Koreans: findings from the Korea National Health and Nutrition Examination Survey 2016-2019. 2023 , 17, 48	1
50	Building a Patient-Centered Virtual Hospital Ecosystem Using Both Access Control and CNN-Based Models. 2022 ,	0
49	Analysis of microplastics in various foods and assessment of aggregate human exposure via food consumption in Korea. 2023 , 322, 121153	0
48	Air Pollution as a Risk Indicator for Periodontitis. 2023 , 11, 443	0
47	Development and Validation of a Risk-Prediction Nomogram for Chronic Low Back Pain Using a National Health Examination Survey: A Cross-Sectional Study. 2023 , 11, 468	2
46	Comparison of Operational Definition of Type 2 Diabetes Mellitus Based on Data from Korean National Health Insurance Service and Korea National Health and Nutrition Examination Survey. 2023 , 47, 201-210	0
45	Health-related quality of life and depressive symptoms of patients with chronic diseases and the general population before and during the COVID-19 pandemic in Korea. 14,	0
44	Association between sedentary behavior and chronic kidney disease in Korean adults. 2023 , 23,	0
43	Untreated hypertension and prognosis paradox in acute ischemic stroke.	0
42	The impact of the COVID-19 pandemic and the expansion of free vaccination policy on influenza vaccination coverage: An analysis of vaccination behavior in South Korea. 2023 , 18, e0281812	0
41	The prediction of undiagnosed diabetes using lifestyle and anthropometric measures: Machine learning vs. Traditional statistical methods.	0
40	Impact of Alcohol Consumption on Quality of Life, Depressive Mood and Metabolic Syndrome in Obstructive Lung Disease Patients: Analysis of Data from Korean National Health and Nutrition Examination Survey from 2014 and 2016. 2023 , 86, 111-119	0
39	Trends in chronic kidney disease awareness and related clinical and demographic characteristics from 1998 to 2018 in Koreans.	0

- 38 Risk factors for stroke among anthropometric indices and lipid profiles in the Korean population: a large-scale cross-sectional study. **2023**, 13, ○
- 37 Intake of omega-3 polyunsaturated fatty acids and fish associated with prevalence of low lean mass and muscle mass among older women: Analysis of Korea National Health and Nutrition Examination Survey, 2008-2011. 10, ○
- 36 The growth status of North Korean refugee adolescents in South Korea: comparison with South Korean adolescents. 1-16 ○
- 35 Associations of Food Insecurity with Dietary Inflammatory Potential and Risk of Low Muscle Strength. **2023**, 15, 1120 ○
- 34 Validity of fatty liver prediction scores for diagnosis of fatty liver by Fibroscan. **2023**, ○
- 33 Risk Factors of Microalbuminuria among Patients with Type 2 Diabetes Mellitus in Korea: A Cross-Sectional Study Based on 2019-2020 Korea National Health and Nutrition Examination Survey Data. **2023**, 20, 4169 ○
- 32 Association between dietary protein intake and overweight and obesity among Korean children and adolescents: data from the 2014-2019 Korea National Health and Nutrition Examination Survey. **2023**, 56, 54 ○
- 31 Prevalence and Related Factors of Depression Before and During the COVID-19 Pandemic: Findings From the Korea National Health and Nutrition Examination Survey. **2023**, 38, ○
- 30 The effect of combining nutrient intake and physical activity levels on central obesity, sarcopenia, and sarcopenic obesity: a population-based cross-sectional study in South Korea. **2023**, 23, ○
- 29 Trends in serum uric acid levels among Korean children and adolescents between 2016 and 2020: a nationwide study. ○
- 28 Mediating Effect of Non-Exercise Estimation of Cardiorespiratory Fitness on Relationship Between Physical Comorbidity and Depression in Korean Adult Cancer Survivors. ○
- 27 Population-based references for waist and hip circumferences, waist-to-hip and waist-to-height ratios for children and adolescents, and evaluation of their predictive ability. ○
- 26 The global burden of high fasting plasma glucose associated with zinc deficiency: Results of a systematic review and meta-analysis. **2023**, 3, e0001353 ○
- 25 Association of physical activity, smoking, and socioeconomic factors on health checkup participation in community-dwelling stroke survivors aged 50 years or older. **2023**, 23, ○
- 24 Association of Serum 25-Hydroxyvitamin D and Vitamin D Intake with the Prevalence of Metabolic Syndrome in Korean Adults: 2013-2014 Korea National Health and Nutrition Examination Survey. **2023**, 13, 3748 ○
- 23 The association between oxidative balance score and lung function: A nationwide cross-sectional survey. **2023**, 9, e14650 ○
- 22 Risk Assessment of Periodontitis according to Metabolic Score for Insulin Resistance in Korean Population: Korea National Health and Nutrition Examination Survey VI (2013-2015). **2023**, 13, 38-46 ○
- 21 The association of the Korean Healthy Eating Index with chronic conditions in middle-aged single-person households. **2023**, 17, 316 ○

- 20 Association between urinary albumin creatinine ratio and cardiovascular disease. **2023**, 18, e0283083 ○
- 19 Dietary zinc intake and sources among Koreans: findings from the Korea National Health and Nutrition Examination Survey 2016-2019. **2023**, 17, 257 ○
- 18 Utilization of nutrition labels and related factors among patients with diabetes in Korea. **2023**, 17, 297 ○
- 17 The Association between Advanced Liver Fibrosis and Mortality Is Modified by Dietary Quality among Korean Adults: Results From the Korea National Health and Nutrition Examination Survey with Mortality Data. **2023**, 15, 1501 ○
- 16 Underuse of Gastric Cancer Screening Services among Koreans with Type 2 Diabetes. **2023**, 11, 927 ○
- 15 Associations of physical activity domains and muscle strength exercise with non-alcoholic fatty liver disease: a nation-wide cohort study. **2023**, 13, ○
- 14 The effect of menopause on cardiovascular risk factors according to body mass index in middle-aged Korean women. **2023**, 18, e0283393 ○
- 13 Association between Weight Status and Mental Health among Korean Adolescents: A Nationwide Cross-Sectional Study. **2023**, 10, 620 ○
- 12 Effects of municipal smoke-free ordinances on secondhand smoke exposure in the Republic of Korea. 11, ○
- 11 Comparison of cardiovascular disease risk factors among FiLWHEL (2014-2016), NNS (2013) and KNHANES (2013-2015) women. **2023**, 23, ○
- 10 PREVELANCE OF ISCHEMIC AND HEMORRHAGIC STROKE AMONG GERAITIC PATIENTS ADMITTED IN THE PUBLIC TERTIARY CARE HOSPITALS OF PESHAWAR. ○
- 9 Growth, Nutritional Status, and Dietary Intake Patterns Associated With Prolonged Breastfeeding in Young Korean Children: A Nationwide Cross-Sectional Study. **2023**, 38, ○
- 8 Association of smoking and dietary polycyclic aromatic hydrocarbon exposure on the prevalence of metabolic syndrome in Korean adults. ○
- 7 Effect of Dietary Supplements on Vitamin and Mineral Intake Among Koreans: Data From the 2018-2020 Korea National Health and Nutrition Examination Survey. **2023**, 3, ○
- 6 Prevalence of Irritable Bowel Syndrome in East Asia: Are There Differences Between Countries?. **2023**, 29, 127-128 ○
- 5 National trends in the prevalence of chronic kidney disease among Korean adults, 2007-2020. **2023**, 13, ○
- 4 Prevalence, Trend, and Risk Factors for Early Chronic Obstructive Pulmonary Disease: An Analysis of the Nationwide Population-Based Survey from 2010 to 2019 in South Korea. **2023**, 20, 153-161 ○
- 3 Association between social jetlag and chronic kidney disease among the Korean working population. **2023**, 13, ○

- 2 Comparison of a Tobacco-Specific Carcinogen in Tobacco Cigarette, Electronic Cigarette, and Dual Users. **2023**, 38, ○
- 1 Trends in Frailty Prevalence Among Older Adults in Korea: A Nationwide Study From 2008 to 2020. **2023**, 38, ○