

CITATION REPORT

List of articles citing

A new dataset of spermatogenic vs. oogenic transcriptomes in the nematode *Caenorhabditis elegans*

DOI: 10.1534/g3.114.012351

G3: Genes, Genomes, Genetics, 2014, 4, 1765-72.

Source: <https://exaly.com/paper-pdf/58533724/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
126	From early lessons to new frontiers: the worm as a treasure trove of small RNA biology. 2014 , 5, 416		30
125	Competence for chemical reprogramming of sexual fate correlates with an intersexual molecular signature in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 2014 , 198, 561-75	4	3
124	Cell-Specific mRNA Profiling of the <i>Caenorhabditis elegans</i> Somatic Gonadal Precursor Cells Identifies Suites of Sex-Biased and Gonad-Enriched Transcripts. <i>G3: Genes, Genomes, Genetics</i> , 2015 , 5, 2831-41	3.2	10
123	CSR-1 and P granules suppress sperm-specific transcription in the <i>C. elegans</i> germline. 2015 , 142, 1745-55		45
122	Comparative functional characterization of the CSR-1 22G-RNA pathway in <i>Caenorhabditis</i> nematodes. 2015 , 43, 208-24		27
121	An Abundant Class of Non-coding DNA Can Prevent Stochastic Gene Silencing in the <i>C. elegans</i> Germline. 2016 , 166, 343-357		64
120	Genomic Analyses of Sperm Fate Regulator Targets Reveal a Common Set of Oogenic mRNAs in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 2016 , 202, 221-34	4	11
119	Specific down-regulation of spermatogenesis genes targeted by 22G RNAs in hybrid sterile males associated with an X-Chromosome introgression. 2016 , 26, 1219-32		15
118	The PUF binding landscape in metazoan germ cells. 2016 , 22, 1026-43		36
117	Stage-Specific Transcriptome and Proteome Analyses of the Filarial Parasite <i>Onchocerca volvulus</i> and Its <i>Wolbachia</i> Endosymbiont. 2016 , 7,		37
116	Untangling the Contributions of Sex-Specific Gene Regulation and X-Chromosome Dosage to Sex-Biased Gene Expression in <i>Caenorhabditis elegans</i> . <i>Genetics</i> , 2016 , 204, 355-69	4	8
115	Chondroitin 4-O-Sulfotransferase Is Indispensable for Sulfation of Chondroitin and Plays an Important Role in Maintaining Normal Life Span and Oxidative Stress Responses in Nematodes. 2016 , 291, 23294-23304		14
114	A Small RNA-Catalytic Argonaute Pathway Tunes Germline Transcript Levels to Ensure Embryonic Divisions. 2016 , 165, 396-409		56
113	Heat Shock Proteins and Maternal Contribution to Oogenesis and Early Embryogenesis. 2017 , 222, 1-27		2
112	Alternative Polyadenylation Directs Tissue-Specific miRNA Targeting in Somatic Tissues. <i>Genetics</i> , 2017 , 206, 757-774	4	38
111	LIN-41 and OMA Ribonucleoprotein Complexes Mediate a Translational Repression-to-Activation Switch Controlling Oocyte Meiotic Maturation and the Oocyte-to-Embryo Transition in. <i>Genetics</i> , 2017 , 206, 2007-2039	4	29
110	The RNAi Inheritance Machinery of. <i>Genetics</i> , 2017 , 206, 1403-1416	4	77

109	The Conserved Intron Binding Protein EMB-4 Plays Differential Roles in Germline Small RNA Pathways of <i>C. elegans</i> . <i>Developmental Cell</i> , 2017 , 42, 256-270.e6	10.2	17
108	Analysis of the <i>C. elegans</i> Germline Stem Cell Pool. 2017 , 1463, 1-33		18
107	<i>C. elegans</i> SUP-46, an HNRNPM Family RNA-binding protein that prevents paternally-mediated epigenetic sterility. 2017 , 15, 61		4
106	The piRNA targeting rules and the resistance to piRNA silencing in endogenous genes. 2018 , 359, 587-592		127
105	<i>Caenorhabditis elegans</i> sperm membrane protein interactome. 2018 , 98, 776-783		6
104	X exceptionalism in <i>Caenorhabditis</i> speciation. 2018 , 27, 3925-3934		8
103	The TRIM-NHL protein NHL-2 is a co-factor in the nuclear and somatic RNAi pathways in <i>C. elegans</i> . 2018 , 7,		5
102	Spatial Transcriptomics of <i>C. elegans</i> Males and Hermaphrodites Identifies Sex-Specific Differences in Gene Expression Patterns. <i>Developmental Cell</i> , 2018 , 47, 801-813.e6	10.2	27
101	Regulation of germ cell development by ARI1 family ubiquitin ligases in <i>C. elegans</i> . 2018 , 8, 17737		0
100	<i>Caenorhabditis elegans</i> DLC-1 associates with ribonucleoprotein complexes to promote mRNA regulation. 2018 , 592, 3683-3695		3
99	<i>Caenorhabditis elegans</i> sperm carry a histone-based epigenetic memory of both spermatogenesis and oogenesis. 2018 , 9, 4310		30
98	Multiple Histone Methyl-Lysine Readers Ensure Robust Development and Germline Immortality in <i>C. elegans</i> . <i>Genetics</i> , 2018 , 210, 907-923	4	7
97	Inverted repeat structures are associated with essential and highly expressed genes on autosome distal arms. 2018 , 24, 1634-1646		0
96	GTSF-1 is required for formation of a functional RNA-dependent RNA Polymerase complex in <i>C. elegans</i> . 2018 , 37,		16
95	Nematicidal activity of a major royal jelly protein containing glycoproteins from Acacia honey. 2018 , 192, 52-59		7
94	Genetic and cellular sensitivity of <i>C. elegans</i> to the chemotherapeutic agent cisplatin. 2018 , 11,		7
93	Developmental dynamics of gene expression and alternative polyadenylation in the <i>Caenorhabditis elegans</i> germline. 2018 , 19, 8		17
92	A <i>Caenorhabditis elegans</i> protein with a PRDM9-like SET domain localizes to chromatin-associated foci and promotes spermatocyte gene expression, sperm production and fertility. <i>PLoS Genetics</i> , 2018 , 14, e1007295	6	12

91	Spatiotemporal Gene Expression Analysis of the Germline Uncovers a Syncytial Expression Switch. <i>Genetics</i> , 2018 , 210, 587-605	4	21
90	Esrp1 is a marker of mouse fetal germ cells and differentially expressed during spermatogenesis. 2018 , 13, e0190925		3
89	Molecular evolution across developmental time reveals rapid divergence in early embryogenesis. 2019 , 3, 359-373		7
88	Gamma radiation induces life stage-dependent reprotoxicity in <i>Caenorhabditis elegans</i> via impairment of spermatogenesis. 2019 , 695, 133835		15
87	Effects of diethylcarbamazine and ivermectin treatment on gene expression in infected gerbils (). 2019 , 5,		3
86	Genome structure predicts modular transcriptome responses to genetic and environmental conditions. 2019 , 28, 3681-3697		4
85	Stage-specific combinations of opposing poly(A) modifying enzymes guide gene expression during early oogenesis. 2019 , 47, 10881-10893		7
84	Isolated <i>C. elegans</i> germ nuclei exhibit distinct genomic profiles of histone modification and gene expression. 2019 , 20, 500		6
83	Distinct roles of two myosins in <i>C. elegans</i> spermatid differentiation. 2019 , 17, e3000211		6
82	Progression of Meiosis Is Coordinated by the Level and Location of MAPK Activation Via OGR-2 in. <i>Genetics</i> , 2019 , 212, 213-229	4	6
81	Toward Identifying Subnetworks from FBF Binding Landscapes in Spermatogenic or Oogenic Germlines. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 153-165	3.2	8
80	Tissue- and sex-specific small RNAomes reveal sex differences in response to the environment. <i>PLoS Genetics</i> , 2019 , 15, e1007905	6	13
79	Disruption of the <i>Caenorhabditis elegans</i> Integrator complex triggers a non-conventional transcriptional mechanism beyond snRNA genes. <i>PLoS Genetics</i> , 2019 , 15, e1007981	6	15
78	Males, Outcrossing, and Sexual Selection in Nematodes. <i>Genetics</i> , 2019 , 213, 27-57	4	15
77	Multi-modal regulation of <i>C. elegans</i> hermaphrodite spermatogenesis by the GLD-1-FOG-2 complex. 2019 , 446, 193-205		8
76	UDP-N-acetylglucosamine-dolichyl-phosphate N-acetylglucosaminophosphotransferase is indispensable for oogenesis, oocyte-to-embryo transition, and larval development of the nematode <i>Caenorhabditis elegans</i> . 2019 , 29, 163-178		3
75	piRTarBase: a database of piRNA targeting sites and their roles in gene regulation. 2019 , 47, D181-D187		27
74	Widespread roles for piRNAs and WAGO-class siRNAs in shaping the germline transcriptome of <i>Caenorhabditis elegans</i> . 2020 , 48, 1811-1827		25

73	Analysis of GPI-anchored proteins involved in germline stem cell proliferation in the <i>Caenorhabditis elegans</i> germline stem cell niche. 2020 , 168, 589-602		1
72	Surveillance of cohesin-supported chromosome structure controls meiotic progression. 2020 , 11, 4345		8
71	WormCat: An Online Tool for Annotation and Visualization of Genome-Scale Data. <i>Genetics</i> , 2020 , 214, 279-294	4	33
70	CREB Non-autonomously Controls Reproductive Aging through Hedgehog/Patched Signaling. <i>Developmental Cell</i> , 2020 , 54, 92-105.e5	10.2	9
69	Insights into the Involvement of Spliceosomal Mutations in Myelodysplastic Disorders from Analysis of SACY-1/DDX41 in. <i>Genetics</i> , 2020 , 214, 869-893	4	6
68	Dual RNAseq analyses at soma and germline levels reveal evolutionary innovations in the elephantiasis-agent <i>Brugia malayi</i> , and adaptation of its <i>Wolbachia</i> endosymbionts. 2021 , 15, e0008935		0
67	The secreted endoribonuclease ENDU-2 from the soma protects germline immortality in <i>C. elegans</i> . 2021 , 12, 1262		4
66	Widespread misregulation of inter-species hybrid transcriptomes due to sex-specific and sex-chromosome regulatory evolution. <i>PLoS Genetics</i> , 2021 , 17, e1009409	6	5
65	HSP70/DNAJ Family of Genes in the Brown Planthopper, : Diversity and Function. 2021 , 12,		0
64	HDAC1 SUMOylation promotes Argonaute-directed transcriptional silencing in. 2021 , 10,		2
63	PIE-1 SUMOylation promotes germline fates and piRNA-dependent silencing in. 2021 , 10,		1
62	The double-stranded DNA-binding proteins TEBP-1 and TEBP-2 form a telomeric complex with POT-1. 2021 , 12, 2668		1
61	Translation and codon usage regulate Argonaute slicer activity to trigger small RNA biogenesis. 2021 , 12, 3492		7
60	The <i>Caenorhabditis elegans</i> TDRD5/7-like protein, LOTR-1, interacts with the helicase ZNFX-1 to balance epigenetic signals in the germline.		1
59	Somatic aging pathways regulate reproductive plasticity in. 2021 , 10,		2
58	SPE-51, a sperm secreted protein with an Immunoglobulin-like domain, is required for sperm-egg fusion in <i>C. elegans</i> .		1
57	Arginine methylation promotes siRNA-binding specificity for a spermatogenesis-specific isoform of the Argonaute protein CSR-1. 2021 , 12, 4212		7
56	Two isoforms of the essential <i>C. elegans</i> Argonaute CSR-1 differentially regulate sperm and oocyte fertility. 2021 , 49, 8836-8865		6

55	Subcellular patterns of SPE-6 localization reveal unexpected complexities in <i>Caenorhabditis elegans</i> sperm activation and sperm function. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	0
54	pre-piRNA trimming and 2FO-methylation protect piRNAs from 3Ttailing and degradation in <i>C. elegans</i> . <i>Cell Reports</i> , 2021 , 36, 109640	10.6	6
53	The zinc-finger protein OEF-1 stabilizes histone modification patterns and promotes efficient splicing in the <i>Caenorhabditis elegans</i> germline. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	
52	The molecular underpinnings of fertility: Genetic approaches in. 2021 , 2, e10034		0
51	Multivalent weak interactions between assembly units drive synaptonemal complex formation. 2020 , 219,		18
50	Two isoforms of the essential <i>C. elegans</i> Argonaute CSR-1 differentially regulate sperm and oocyte fertility.		2
49	Evolutionary analysis implicates RNA polymerase II pausing and chromatin structure in nematode piRNA biogenesis.		3
48	H3K9me3 is Required for Inheritance of Small RNAs that Target a Unique Subset of Newly Evolved Genes.		5
47	Genome structure predicts modular transcriptome responses to genetic and environmental conditions.		2
46	A primer for generating and using transcriptome data and gene sets. 2020 , 147,		1
45	Differential regulation of germ line apoptosis and germ cell differentiation by CPEB family members in <i>C. elegans</i> . 2017 , 12, e0182270		4
44	The Germline-Specific Factor OEF-1 Facilitates Coordinated Progression Through Germ Cell Development in. <i>Genetics</i> , 2018 , 208, 549-563	4	1
43	Single-molecule RNA Fluorescence Hybridization (smFISH) in. 2017 , 7, e2357		10
42	COMP-1 promotes competitive advantage of nematode sperm. 2015 , 4,		17
41	Nanos promotes epigenetic reprogramming of the germline by down-regulation of the THAP transcription factor LIN-15B. 2017 , 6,		25
40	H3K9me3 is required for inheritance of small RNAs that target a unique subset of newly evolved genes. 2019 , 8,		22
39	Endogenous siRNAs promote proteostasis and longevity in germline-less. 2020 , 9,		5
38	Specification of the germline by Nanos-dependent down-regulation of the somatic synMuvB transcription factor LIN-15B.		

37	Genetic and cellular sensitivity of <i>Caenorhabditis elegans</i> to the chemotherapeutic agent cisplatin.	
36	The TRIM-NHL protein NHL-2 is a Novel Co-Factor of the CSR-1 and HRDE-1 22G-RNA Pathways.	
35	Small RNA-mediated genomic silencing promotes telomere stability in the absence of telomerase.	
34	Spatial transcriptomics of <i>C. elegans</i> males and hermaphrodites identifies novel fertility genes.	
33	Tissue- and sex-specific small RNAomes reveal sex differences in response to the environment.	
32	Multi-modal regulation of <i>C. elegans</i> hermaphrodite spermatogenesis by the GLD-1-FOG-2 complex.	
31	Widespread cytoplasmic polyadenylation programs asymmetry in the germline and early embryo.	1
30	Molecular evolution across developmental time reveals rapid divergence in early embryogenesis.	2
29	Organism-wide single-cell transcriptomics of long-lived <i>C. elegans</i> <i>daf-2</i> ^{-/-} mutants reveals tissue-specific reprogramming of gene expression networks.	0
28	Somatic aging pathways regulate reproductive plasticity in <i>Caenorhabditis elegans</i> .	1
27	Reactivation of chromosome signalling induces reversal of the meiotic program.	
26	Persistent chromatin states, pervasive transcription, and shared cis-regulatory sequences have shaped the <i>C. elegans</i> genome.	0
25	Insights into the involvement of spliceosomal mutations in myelodysplastic disorders from an analysis of SACY-1/DDX41 in <i>Caenorhabditis elegans</i> .	
24	Widespread misregulation of inter-species hybrid transcriptomes due to sex-specific and sex-chromosome regulatory evolution.	1
23	HDAC1 SUMOylation promotes Argonaute directed transcriptional silencing in <i>C. elegans</i> .	
22	A secreted endoribonuclease ENDU-2 from the soma protects germline immortality in <i>C. elegans</i> .	
21	Bioinformatic Eggs: An Educational Primer for Use with "LIN-41 and OMA Ribonucleoprotein Complexes Mediate a Translational Repression-to-Activation Switch Controlling Oocyte Meiotic Maturation and the Oocyte-to-Embryo Transition in ". <i>Genetics</i> , 2018 , 209, 675-683	4
20	Coordinated maintenance of H3K36/K27 methylation by histone demethylases preserves germ cell identity and immortality. <i>Cell Reports</i> , 2021 , 37, 110050	10.6 0

19	piRNAs initiate transcriptional silencing of spermatogenic genes during <i>C. elegans</i> germline development.. <i>Developmental Cell</i> , 2021 ,	10.2	2
18	Target-dependent siRNA suppression distinguishes self from non-self endogenous siRNAs in <i>C. elegans</i> germline.		0
17	Transgenerational inheritance of sexual attractiveness via small RNAs enhances evolvability in <i>C. elegans</i> .. <i>Developmental Cell</i> , 2022 , 57, 298-309.e9	10.2	3
16	Membrane-associated cytoplasmic granules carrying the Argonaute protein WAGO-3 enable paternal epigenetic inheritance in <i>Caenorhabditis elegans</i> .. <i>Nature Cell Biology</i> , 2022 , 24, 217-229	23.4	3
15	Sex Determination in Nematode Germ Cells.. <i>Sexual Development</i> , 2022 , 1-18	1.6	
14	Maternal H3K36 and H3K27 HMTs protect germline immortality via regulation of the transcription factor LIN-15B.		
13	Zinc transporters ZIPT-2.4 and ZIPT-15 are required for normal <i>C. elegans</i> fecundity.. <i>Journal of Assisted Reproduction and Genetics</i> , 2022 ,	3-4	
12	The <i>Caenorhabditis elegans</i> TDRD5/7-like protein, LOTR-1, interacts with the helicase ZNFX-1 to balance epigenetic signals in the germline. <i>PLoS Genetics</i> , 2022 , 18, e1010245	6	
11	NHR-23 and SPE-44 regulate distinct sets of genes during <i>C. elegans</i> spermatogenesis.		0
10	A Comprehensive Survey of <i>C. elegans</i> Argonaute Proteins Reveals Organism-wide Gene Regulatory Networks and Functions.		0
9	Maternal H3K36 and H3K27 HMTs protect germline development via regulation of the transcription factor LIN-15B. 11,		0
8	GRAS-1 is a conserved novel regulator of early meiotic chromosome dynamics in <i>C. elegans</i> .		0
7	NHR-23 and SPE-44 regulate distinct sets of genes during <i>Caenorhabditis elegans</i> spermatogenesis.		0
6	GLH-1/Vasa represses neuropeptide expression and drives spermiogenesis in the <i>C. elegans</i> germline. 2022 , 492, 200-211		1
5	Transcriptome-wide analyses of piRNA binding sites suggest distinct mechanisms regulate piRNA binding and silencing in <i>C. elegans</i> . 2023 , 29, 557-569		0
4	A comprehensive survey of <i>C. elegans</i> argonaute proteins reveals organism-wide gene regulatory networks and functions. 12,		1
3	<i>C. elegans</i> male pheromone feminizes germline gene expression in hermaphrodites and imposes life-history costs.		0
2	GRAS-1 is a novel regulator of early meiotic chromosome dynamics in <i>C. elegans</i> . 2023 , 19, e1010666		0

1 SIN3 acts in distinct complexes to regulate the germline transcriptional program in *C. elegans*.

o