

Does Degree of Trochlear Dysplasia and Position of Femur After Medial Patellofemoral Ligament Reconstruction?

American Journal of Sports Medicine

42, 716-722

DOI: [10.1177/0363546513518413](https://doi.org/10.1177/0363546513518413)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Anatomical factors influencing patellar tracking in the unstable patellofemoral joint. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 2334-2341.	2.3	65
2	Clinical-radiographic correlation of the femoral insertion point of the graft in reconstruction of the medial patellofemoral ligament. <i>Revista Brasileira De Ortopedia</i> , 2015, 50, 700-704.	0.6	2
4	Complications and failure of MPFL reconstruction with free tendon grafts in cases of patellofemoral instability. <i>Technology and Health Care</i> , 2015, 23, 659-666.	0.5	11
6	Correlação clínico-radiográfica do ponto de inserção femoral do enxerto na reconstrução do ligamento patelofemoral medial. <i>Revista Brasileira De Ortopedia</i> , 2015, 50, 700-704.	0.2	4
7	Medial Patellofemoral Ligament Reconstruction. <i>JBJS Reviews</i> , 2015, 3, .	0.8	15
8	Accuracy of Femoral Tunnel Placement in Medial Patellofemoral Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 2228-2232.	1.9	38
9	Recurrent Patellar Instability: Assessment and Decision Making. <i>Operative Techniques in Sports Medicine</i> , 2015, 23, 68-76.	0.2	8
10	Factors Affecting the Outcomes of Double-Bundle Medial Patellofemoral Ligament Reconstruction for Recurrent Patellar Dislocations Evaluated by Multivariate Analysis. <i>American Journal of Sports Medicine</i> , 2015, 43, 2988-2996.	1.9	132
11	Deepening Trochleoplasty With a Thick Osteochondral Flap for Patellar Instability. <i>American Journal of Sports Medicine</i> , 2015, 43, 2706-2713.	1.9	47
12	À la Carte. <i>American Journal of Sports Medicine</i> , 2015, 43, 2099-2101.	1.9	3
13	La sévérité de la dysplasie de trochléa influence-t-elle l'évolution d'une instabilité patellaire traitée par reconstruction du ligament femoro-patellaire médial et transfert de la tubérosité tibiale antérieure?. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2015, 101, 452-457.	0.0	0
14	Effect of Trochlear Dysplasia on Outcomes After Isolated Soft Tissue Stabilization for Patellar Instability. <i>American Journal of Sports Medicine</i> , 2016, 44, 1515-1523.	1.9	78
15	Reconstrução do ligamento patelofemoral medial pela técnica anatômica do duplo feixe com ancoras metálicas. <i>Revista Brasileira De Ortopedia</i> , 2016, 51, 290-297.	0.2	10
16	Indications for Medial Patellofemoral Ligament Reconstruction: A Systematic Review. <i>Journal of Knee Surgery</i> , 2016, 29, 543-554.	0.9	29
17	Reconstruction of the medial patellofemoral ligament by means of the anatomical double-bundle technique using metal anchors. <i>Revista Brasileira De Ortopedia</i> , 2016, 51, 290-297.	0.6	16
18	Knee biomechanics during walking in recurrent lateral patellar dislocation are normalized by 1 year after medial patellofemoral ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 3254-3261.	2.3	21
19	The influence of medial patellofemoral ligament reconstruction on clinical results and sports activity level. <i>Physician and Sportsmedicine</i> , 2016, 44, 133-140.	1.0	23
20	Dynamic tracking influenced by anatomy in patellar instability. <i>Knee</i> , 2016, 23, 450-455.	0.8	36

#	ARTICLE	IF	CITATIONS
21	Femoral insertion site of the graft used to replace the medial patellofemoral ligament influences the ligament dynamic changes during knee flexion and the clinical outcome. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2433-2441.	2.3	46
22	Influence of graft source and configuration on revision rate and patient-reported outcomes after MPFL reconstruction: a systematic review and meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2511-2519.	2.3	52
23	Visual-palpatory versus fluoroscopic intraoperative determination of the femoral entry point in medial patellofemoral ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2545-2549.	2.3	25
24	Fluoroscopic control allows for precise tunnel positioning in MPFL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2688-2694.	2.3	25
25	Injury patterns of medial patellofemoral ligament after acute lateral patellar dislocation in children: Correlation analysis with anatomical variants and articular cartilage lesion of the patella. <i>European Radiology</i> , 2017, 27, 1322-1330.	2.3	22
26	Adolescent patellar instability. <i>Bone and Joint Journal</i> , 2017, 99-B, 159-170.	1.9	69
27	Relationship between bony tunnel and knee function in patients after patellar dislocation triple surgeriesâ€”a CT-based study. <i>Scientific Reports</i> , 2017, 7, 41360.	1.6	4
28	Quality-of-Life Outcomes of Patients following Patellofemoral Stabilization Surgery: The Influence of Trochlear Dysplasia. <i>Journal of Knee Surgery</i> , 2017, 30, 887-893.	0.9	17
29	Medial Patellofemoral Ligament Reconstruction Femoral Tunnel Accuracy. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711668774.	0.8	32
30	Trochleoplasty with a flexible osteochondral flap. <i>Bone and Joint Journal</i> , 2017, 99-B, 344-350.	1.9	46
31	Acquired femoral flexion deformity due to physeal injury during medial patellofemoral ligament reconstruction. <i>Knee</i> , 2017, 24, 680-685.	0.8	30
32	The lateral wedge augmentation trochleoplasty in a pediatric population: a 5-year follow-up study. <i>Journal of Pediatric Orthopaedics Part B</i> , 2017, 26, 458-464.	0.3	19
33	Isolated medial patellofemoral ligament reconstruction for posttraumatic recurrent lateral patellar instability. How can it be successful?. <i>Current Orthopaedic Practice</i> , 2017, 28, 479-483.	0.1	1
34	Evaluation of different surgical methods in treating recurrent patella dislocation after three-dimensional reconstruction. <i>International Orthopaedics</i> , 2017, 41, 2517-2524.	0.9	19
35	An evaluation of the effectiveness of medial patellofemoral ligament reconstruction using an anatomical tunnel site. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3206-3212.	2.3	32
36	Complications of medial patellofemoral ligament reconstruction using two transverse patellar tunnels. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 245-250.	2.3	65
37	Outcomes of Medializing Tibial Tubercle Osteotomy With Medial Reefing and Vastus Medialis Obliquus Advancement Coupled With Lateral Retinacular Z-Lengthening for Recurrent Patellar Instability. <i>Military Medicine</i> , 2017, 182, e1987-e1992.	0.4	3
38	Current Concepts in the Management of Patellar Instability. <i>Indian Journal of Orthopaedics</i> , 2017, 51, 493-504.	0.5	30

#	ARTICLE	IF	CITATIONS
39	Operative Options for Extensor Mechanism Malalignment and Patellar Dislocation. , 2017, , 970-1013.		7
40	Anterior Knee Pain in Children and Adolescents: Overview and Management. Journal of Knee Surgery, 2018, 31, 392-398.	0.9	20
41	Clinical Outcomes After Isolated Medial Patellofemoral Ligament Reconstruction for Patellar Instability Among Patients With Trochlear Dysplasia. American Journal of Sports Medicine, 2018, 46, 883-889.	1.9	80
42	Medial patellofemoral ligament reconstruction in children: do osseous abnormalities matter?. International Orthopaedics, 2018, 42, 1357-1362.	0.9	16
43	The medial patellofemoral complex. Current Reviews in Musculoskeletal Medicine, 2018, 11, 201-208.	1.3	26
44	Dynamic tracking influenced by anatomy following medial patellofemoral ligament reconstruction: Computational simulation. Knee, 2018, 25, 262-270.	0.8	25
45	Management of Injuries to the Medial Patellofemoral Ligament: A Review. Journal of Knee Surgery, 2018, 31, 439-447.	0.9	12
46	The trochlear isometric point is different in patients with recurrent patellar instability compared to controls: a radiographical study. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2797-2803.	2.3	9
47	Outcomes of medial patellofemoral ligament reconstruction in patients with patella alta. Revista Brasileira De Ortopedia, 2018, 53, 570-574.	0.6	10
48	No Growth Disturbance After Trochleoplasty for Recurrent Patellar Dislocation in Adolescents With Open Growth Plates. American Journal of Sports Medicine, 2018, 46, 3209-3216.	1.9	36
49	The Relationship of Femoral Tunnel Positioning in Medial Patellofemoral Ligament Reconstruction on Clinical Outcome and Postoperative Complications. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 2410-2416.	1.3	33
50	Lateral Patellar Instability in the Skeletally Mature Patient: Evaluation and Surgical Management. Journal of the American Academy of Orthopaedic Surgeons, The, 2018, 26, 429-439.	1.1	27
51	Combined Tibial Tubercle Osteotomy and Medial Patellofemoral Ligament Reconstruction for Recurrent Lateral Patellar Instability in Patients With Multiple Anatomic Risk Factors. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 2420-2426.e3.	1.3	57
52	Intraoperative fluoroscopy during MPFL reconstruction improves the accuracy of the femoral tunnel position. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3547-3552.	2.3	26
53	Avoiding Complications with MPFL Reconstruction. Current Reviews in Musculoskeletal Medicine, 2018, 11, 241-252.	1.3	32
55	Does patella alta lead to worse clinical outcome in patients who undergo isolated medial patellofemoral ligament reconstruction? A systematic review. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 1563-1573.	1.3	36
56	Predicting Risk of Recurrent Patellar Dislocation. Current Reviews in Musculoskeletal Medicine, 2018, 11, 253-260.	1.3	91
57	Editorial Commentary: When It Comes to Patient Outcome, Femoral Tunnel Vision May Miss the "Point"™ in Knee Medial Patellofemoral Ligament Reconstruction. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 2417-2419.	1.3	1

#	ARTICLE	IF	CITATIONS
58	Incidence of second-time lateral patellar dislocation is associated with anatomic factors, age and injury patterns of medial patellofemoral ligament in first-time lateral patellar dislocation: a prospective magnetic resonance imaging study with 5-year follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 197-205.	2.3	42
59	Influence of Risky Pathoanatomy and Demographic Factors on Clinical Outcomes After Isolated Medial Patellofemoral Ligament Reconstruction: A Regression Analysis. <i>American Journal of Sports Medicine</i> , 2019, 47, 2904-2909.	1.9	32
60	Tibial Tubercle Osteotomy and Medial Patellofemoral Ligament Imbrication for Patellar Instability Due to Trochlear Dysplasia. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711986517.	0.8	12
61	Radiographic images are inapplicable for a precise evaluation of the femoral tunnel position following MPFL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3432-3440.	2.3	4
62	Systematic Review of Medial Patellofemoral Ligament Reconstruction Techniques: Comparison of Patellar Bone Socket and Cortical Surface Fixation Techniques. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1618-1628.	1.3	20
63	Clinical Outcomes and Predictive Factors for Failure With Isolated MPFL Reconstruction for Recurrent Patellar Instability: A Series of 211 Reconstructions With a Minimum Follow-up of 3 Years. <i>American Journal of Sports Medicine</i> , 2019, 47, 1323-1330.	1.9	130
64	Medial Patellofemoral Ligament Repair With Suture Tape Augmentation. <i>Arthroscopy Techniques</i> , 2019, 8, e1-e5.	0.5	19
65	Medial patellofemoral ligament (MPFL) reconstruction technique using an epiphyseal femoral socket with fluoroscopic guidance helps avoid physeal injury in skeletally immature patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3536-3542.	2.3	28
66	Recurrent patellar dislocations: trochleoplasty improves the results of medial patellofemoral ligament surgery only in severe trochlear dysplasia. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3599-3613.	2.3	34
67	Comparation and evaluation of the accuracy of the sulcus localization method to establish the medial patellofemoral ligament femoral tunnel: a cadaveric and clinical study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 53.	0.8	10
68	Isolated versus combined medial patellofemoral ligament reconstruction for lateral instability of the patella. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901882069.	0.4	4
69	Femoral trochlea does not remodel after patellar stabilization in children older than 10 years of age. <i>Journal of Pediatric Orthopaedics Part B</i> , 2019, 28, 139-143.	0.3	15
70	Trochleoplasty: Groove-Deepening and Entrance Grooveplasty. <i>Operative Techniques in Sports Medicine</i> , 2019, 27, 150690.	0.2	3
71	Team Approach: Patellofemoral Instability in the Skeletally Immature. <i>JBJS Reviews</i> , 2019, 7, e10-e10.	0.8	1
72	Lateral patellar maltracking due to trochlear dysplasia: A computational study. <i>Knee</i> , 2019, 26, 1234-1242.	0.8	17
73	Persistent morbidity after Medial Patellofemoral Ligament Reconstruction "A registry study with an eight-year follow-up on a nationwide cohort from 1996 to 2014. <i>Knee</i> , 2019, 26, 20-25.	0.8	9
74	Accuracy of Schottle's point location by palpation and its role in clinical outcome after medial patellofemoral ligament reconstruction. <i>Journal of Arthroscopy and Joint Surgery</i> , 2019, 6, 117-122.	0.3	1
75	Bipolar Osteochondral Allograft Transplantation of the Patella and Trochlea. <i>Cartilage</i> , 2020, 11, 431-440.	1.4	23

#	ARTICLE	IF	CITATIONS
76	The complexity of bony malalignment in patellofemoral disorders: femoral and tibial torsion, trochlear dysplasia, TTâ€“TG distance, and frontal mechanical axis correlate with each other. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 897-904.	2.3	69
77	Clinical and radiological results after one hundred fifteen MPFL reconstructions with or without tibial tubercle transfer in patients with recurrent patellar dislocationâ€”a mean follow-up of 5.4Â“years. <i>International Orthopaedics</i> , 2020, 44, 301-308.	0.9	19
78	Clinical outcomes of medial retinaculum plasty versus MPFL reconstruction with concomitant tibial tubercle transfer: a retrospective study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1759-1766.	1.3	5
79	Patient-Reported Outcomes After Revision Surgery for Failed Medial Patellofemoral Ligament Reconstruction: A Matched-Pair Analysis Including Correction of Predisposing Factors. <i>American Journal of Sports Medicine</i> , 2020, 48, 3566-3572.	1.9	19
80	Five-years outcome of medial patellofemoral ligament reconstruction in isolated post-traumatic tear: A retrospective study. <i>Journal of Arthroscopy and Joint Surgery</i> , 2020, 7, 224-229.	0.3	2
81	Factors Influencing Graft Function following MPFL Reconstruction: A Dynamic Simulation Study. <i>Journal of Knee Surgery</i> , 2021, 34, 1162-1169.	0.9	9
82	Failure Analysis in Patients With Patellar Redislocation After Primary Isolated Medial Patellofemoral Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712092617.	0.8	29
83	Patella alta is reduced following MPFL reconstruction but has no effect on quality-of-life outcomes in patients with patellofemoral instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 546-552.	2.3	21
84	The presence of a preoperative high-grade J-sign and femoral tunnel malposition are associated with residual graft laxity after MPFL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1183-1190.	2.3	13
85	A proposed safety angle for dual bundle MPFL reconstruction: an observational magnetic resonance imaging study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 253-258.	0.6	1
86	Why compromise the patella? Five-year follow-up results of medial patellofemoral ligament reconstruction with soft tissue patellar fixation. <i>International Orthopaedics</i> , 2021, 45, 1493-1500.	0.9	5
87	Medial Plication Using an Arthroscopic All-Inside Technique for Treatment of Patellar Instability in Adolescents. <i>Journal of Knee Surgery</i> , 2021, , .	0.9	0
88	Simple Cost-Effective Reinsertion of Avulsed Medial Patellofemoral Ligament in Acute Patellar Dislocation. <i>Arthroscopy Techniques</i> , 2021, 10, e847-e853.	0.5	1
89	Return to Sport After Medial Patellofemoral Ligament Reconstruction: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2022, 50, 282-291.	1.9	24
90	Inconsistencies in Reporting Risk Factors for Medial Patellofemoral Ligament Reconstruction Failure: A Systematic Review. <i>American Journal of Sports Medicine</i> , 2022, 50, 867-877.	1.9	24
91	MPFL Reconstruction, 3 Years After the Goldthwait Patellar Tendon Hemi-transfer and Vastus Medialis Oblique Advancement, Performed to Treat Recurrent Patellar Instability: A Case Report. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1669-1674.	0.3	0
92	Anatomic and Biomechanical Properties of Flat Medial Patellofemoral Ligament Reconstruction Using an Adductor Magnus Tendon Graft: A Human Cadaveric Study. <i>American Journal of Sports Medicine</i> , 2021, 49, 1827-1838.	1.9	8
93	Evaluation of recurrent dislocation of the patella in children with MRI: Goldthwait technique combined with lateral release, and VMO advancementâ€”a retrospective study of 85 knees. <i>Musculoskeletal Surgery</i> , 2021, , 1.	0.7	0

#	ARTICLE	IF	CITATIONS
94	Conservative versus tailored surgical treatment in patients with first time lateral patella dislocation: a randomized-controlled trial. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 378.	0.9	9
95	Using Anatomic Landmarks to Locate Schöttle's Point Was Accurate Without Fluoroscopy During Medial Patellofemoral Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1902-1908.	1.3	12
96	MPFL reconstruction corrects patella alta: a cohort study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 883-889.	0.6	5
97	Dysplastic Patellofemoral Joints Lead to a Shift in Contact Forces: A 3D-Printed Cadaveric Model. <i>American Journal of Sports Medicine</i> , 2021, 49, 3344-3349.	1.9	6
98	Ability of Medial Patellofemoral Ligament Reconstruction to Overcome Lateral Patellar Motion in the Presence of Trochlear Flattening: A Cadaveric Biomechanical Study. <i>American Journal of Sports Medicine</i> , 2021, 49, 3569-3574.	1.9	7
99	Groove deepening trochleoplasty reduces lateral patellar maltracking and increases patellofemoral contact pressures: Dynamic simulation. <i>Journal of Orthopaedic Research</i> , 2022, 40, 1529-1537.	1.2	9
100	Trochleoplasty. , 2022, , 362-370.		0
101	Lateral Patellar Instability. , 2022, , 343-356.		0
102	Relationship Between Lateral Patellar Stability and Tibial Tubercle Location for Varying Patellofemoral Geometries. <i>Journal of Biomechanical Engineering</i> , 2019, 141, .	0.6	4
103	Patellar Instability. , 2019, , 184-193.		0
104	Return to Sport After Patellofemoral Realignment and Stabilization Procedures. , 2019, , 635-657.		0
105	Trochleoplasty in Children and Adolescents. , 2020, , 545-549.		0
106	Midterm clinical and functional outcomes after isolated double bundle anatomic MPFL reconstruction in patients with patellofemoral instability. <i>Medicine Science</i> , 2020, 9, 653.	0.0	0
108	Rehabilitation of a 23-year-old male after right knee arthroscopy and open reconstruction of the medial patellofemoral ligament with a tibialis anterior allograft: a case report. <i>International Journal of Sports Physical Therapy</i> , 2014, 9, 208-21.	0.5	3
110	Comparing Sex-Specific Outcomes After Medial Patellofemoral Ligament Reconstruction for Patellar Instability: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110581.	0.8	1
111	Medial patellofemoral ligament reconstruction. <i>Medicine (United States)</i> , 2022, 101, e28511.	0.4	11
112	Influence of Articular Geometry and Tibial Tubercle Location on Patellofemoral Kinematics and Contact Mechanics. <i>Journal of Applied Biomechanics</i> , 2022, 38, 58-66.	0.3	4
113	Computed Tomography Imaging Analysis of the MPFL Femoral Footprint Morphology and the Saddle Sulcus: Evaluation of 1094 Knees. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712110736.	0.8	6

#	ARTICLE	IF	CITATIONS
115	Isolated MPFL reconstruction for recurrent lateral patellar instability in patients with TT-TG distance <25 mm: A calculated safe risk!. Journal of Arthroscopic Surgery and Sports Medicine, 0, .	0.0	0
117	Influence of the Fluoroscopy Setting towards the Patient When Identifying the MPFL Insertion Point. Diagnostics, 2022, 12, 1427.	1.3	1
118	A Simple Instrument for Intraoperative Fluoroscopic Localization of Anatomic Insertions in Medial Patellofemoral Ligament Reconstruction. Arthroscopy Techniques, 2022, , .	0.5	0
119	Anatomical Characteristics Contributing to Patellar Dislocations Following MPFL Reconstruction: A Dynamic Simulation Study. Journal of Biomechanical Engineering, 2023, 145, .	0.6	3
120	Accuracy of femoral tunnel positioning in medial patellofemoral ligament reconstruction: anatomic insertion leads to better clinical outcome. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 2810-2817.	2.3	3
121	Medial Patellofemoral Ligament Reconstruction. Video Journal of Sports Medicine, 2022, 2, 263502542211325.	0.1	0
122	Anteromedialization Tibial Tubercle Osteotomy Improves Patellar Contact Forces: A Cadaveric Model of Patellofemoral Dysplasia. American Journal of Sports Medicine, 2023, 51, 453-460.	1.9	2
123	A Novel Technique of Arthroscopic Femoral Tunnel Placement during Medial Patellofemoral Ligament Reconstruction for Recurrent Patellar Dislocation. Journal of Clinical Medicine, 2023, 12, 680.	1.0	0
124	Failure of isolated medial patellofemoral ligament reconstruction in children: Risk factors and management. Journal of Children's Orthopaedics, 2023, 17, 34-39.	0.4	3
125	When Should Bony Correction Be Considered in Addition to Medial Patellofemoral Ligament Reconstruction? Results of a Clinically Derived 2-Group Classification of Lateral Patellar Instability Based on 122 Patients at 2- to 5-Year Follow-up. Orthopaedic Journal of Sports Medicine, 2023, 11, 232596712211475.	0.8	3
126	Biomechanical Analysis of the Influence of Trochlear Dysplasia on Patellar Tracking and Pressure Applied to Cartilage. , 2023, , 721-730.		0
133	Patella. , 2023, , 93-168.		0