

Dual-Isotope ^{99m}Tc -MIBI/ ^{123}I Parathyroid Scintigraphy

Clinical Nuclear Medicine

39, 32-36

DOI: 10.1097/rlu.0000000000000272

Citation Report

#	ARTICLE	IF	CITATIONS
1	SPECT/CT in hyperparathyroidism. <i>Clinical and Translational Imaging</i> , 2014, 2, 537-555.	1.1	7
2	Scintigraphie parathyroïdienne dans l'hyperparathyroïdie primitive: quelques considérations récentes. <i>Medecine Nucleaire</i> , 2014, 38, 208-215.	0.2	0
3	Endocrine Scintigraphy with Hybrid SPECT/CT. <i>Endocrine Reviews</i> , 2014, 35, 717-746.	8.9	14
4	A Pilot Comparison of 18F-fluorocholine PET/CT, Ultrasonography and 123I/99mTc-sestaMIBI Dual-Phase Dual-Isotope Scintigraphy in the Preoperative Localization of Hyperfunctioning Parathyroid Glands in Primary or Secondary Hyperparathyroidism. <i>Medicine (United States)</i> , 2015, 94, e1701.	0.4	145
5	Direct Comparison of Neck Pinhole Dual-Tracer and Dual-Phase MIBI Accuracies With and Without SPECT/CT for Parathyroid Adenoma Detection and Localization. <i>Clinical Nuclear Medicine</i> , 2015, 40, 476-482.	0.7	16
6	Radioguided Parathyroidectomy with Portable Mini Gamma-Camera for the Treatment of Primary Hyperparathyroidism. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-6.	0.6	18
7	Sensitivity and Specificity of Dual-Isotope 99mTc-Tetrofosmin and 123I Sodium Iodide Single Photon Emission Computed Tomography (SPECT) in Hyperparathyroidism. <i>PLoS ONE</i> , 2015, 10, e0129194.	1.1	8
8	99mTechnetium Sestamibi-123Iodine Scintigraphy Is More Accurate Than 99mTechnetium Sestamibi Alone before Surgery for Primary Hyperparathyroidism. <i>International Journal of Molecular Imaging</i> , 2015, 2015, 1-9.	1.3	4
9	Preoperative imaging for focused parathyroidectomy: making a good strategy even better. <i>European Journal of Endocrinology</i> , 2015, 172, 519-526.	1.9	40
10	Optimal Interpretative Strategy for Preoperative Parathyroid Scintigraphy. <i>Clinical Nuclear Medicine</i> , 2015, 40, 116-122.	0.7	8
11	Parathyroid adenoma localization with 99mTc-sestamibi SPECT/CT. <i>Nuclear Medicine Communications</i> , 2015, 36, 363-375.	0.5	123
12	A Prospective Comparative Study of Parathyroid Dual-Phase Scintigraphy, Dual-Isotope Subtraction Scintigraphy, 4D-CT, and Ultrasonography in Primary Hyperparathyroidism. <i>Clinical Nuclear Medicine</i> , 2016, 41, 93-100.	0.7	57
13	Hybrid-fusion SPECT/CT systems in parathyroid adenoma: Technological improvements and added clinical diagnostic value. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016, 35, 385-390.	0.1	0
14	Hybrid-fusion SPECT/CT systems in parathyroid adenoma: Technological improvements and added clinical diagnostic value. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016, 35, 385-390.	0.0	5
15	Detection rate of ^{99m} Tc-MIBI single photon emission computed tomography (SPECT)/CT in preoperative planning for patients with primary hyperparathyroidism: A meta-analysis. <i>Head and Neck</i> , 2016, 38, E2159-72.	0.9	92
16	SPECT/CT's Advantage for Preoperative Localization of Small Parathyroid Adenomas in Primary Hyperparathyroidism. <i>Clinical Nuclear Medicine</i> , 2017, 42, e109-e114.	0.7	31
17	Primary hyperparathyroidism: review and recommendations on evaluation, diagnosis, and management. A Canadian and international consensus. <i>Osteoporosis International</i> , 2017, 28, 1-19.	1.3	376
18	Preoperative imaging for parathyroid localization in patients with concurrent thyroid disease: A systematic review. <i>Head and Neck</i> , 2018, 40, 1577-1587.	0.9	9

#	ARTICLE	IF	CITATIONS
19	18F-Fluorocholine PET/CT as a second line nuclear imaging technique before surgery for primary hyperparathyroidism. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 654-657.	3.3	15
20	The role of imaging in the preoperative management of primary hyperparathyroidism: A current up-date. <i>Medecine Nucleaire</i> , 2018, 42, 49-58.	0.2	2
21	Parathyroid radionuclide imaging: update. <i>Clinical and Translational Imaging</i> , 2018, 6, 195-206.	1.1	0
22	Value of 123I/99mTc-sestamibi parathyroid scintigraphy with subtraction SPECT/CT in primary hyperparathyroidism for directing minimally invasive parathyroidectomy. <i>American Journal of Surgery</i> , 2019, 217, 108-113.	0.9	15
23	American Head and Neck Society Endocrine Surgery Section update on parathyroid imaging for surgical candidates with primary hyperparathyroidism. <i>Head and Neck</i> , 2019, 41, 2398-2409.	0.9	50
24	Comparison of hyperparathyroidism types and utility of dual radiopharmaceutical acquisition with Tc99m sestamibi and 123I for localization of rapid washout parathyroid adenomas. <i>Osteoporosis International</i> , 2019, 30, 1051-1057.	1.3	14
25	99mTcO4-/99mTc-MIBI dual-tracer scintigraphy for preoperative localization of parathyroid adenomas. <i>Journal of International Medical Research</i> , 2019, 47, 836-845.	0.4	8
26	Use of pinhole dual-phase Tc-99m sestamibi vs combined Tc-99m sestamibi and Tc-99m pertechnetate scintigraphy in patients with hyperparathyroidism where single-photon emission computed tomography/computed tomography is unavailable. <i>Nuclear Medicine Communications</i> , 2020, 41, 87-95.	0.5	1
27	11C-Choline PET/CT vs. 99mTc-MIBI/123Iodide Subtraction SPECT/CT for Preoperative Detection of Abnormal Parathyroid Glands in Primary Hyperparathyroidism: A Prospective, Single-Centre Clinical Trial in 60 Patients. <i>Diagnostics</i> , 2020, 10, 975.	1.3	10
28	Added Value of Subtraction SPECT/CT in Dual-Isotope Parathyroid Scintigraphy. <i>Diagnostics</i> , 2020, 10, 639.	1.3	3
30	18F-Fluorocholine PET and Multiphase CT Integrated in Dual Modality PET/4D-CT for Preoperative Evaluation of Primary Hyperparathyroidism. <i>Journal of Clinical Medicine</i> , 2020, 9, 2005.	1.0	24
32	Dual-isotope subtraction SPECT-CT in parathyroid localization. <i>Nuclear Medicine Communications</i> , 2017, 38, 1047-1054.	0.5	20
33	^{99m} Tc-Sestamibi/ ¹²³ I Subtraction SPECT/CT in Parathyroid Scintigraphy: Is Additional Pinhole Imaging Useful?. <i>International Journal of Molecular Imaging</i> , 2017, 2017, 1-8.	1.3	4
34	Endocrine radionuclide scintigraphy with fusion single photon emission computed tomography/computed tomography. <i>World Journal of Radiology</i> , 2016, 8, 635.	0.5	17
35	Technologists' Perspective of Parathyroid Scintigraphy. , 2017, , 501-509.		0
36	Optimization of 99mTc-sestamibi/123I subtraction SPECT/CT protocol for parathyroid scintigraphy. <i>IFMBE Proceedings</i> , 2018, , 847-851.	0.2	1
37	Experience of application the 99mTc-MIBI scintigraphy for preoperative visualization of parathyroid glands in patients with hyperparathyroidism. <i>Acta Medica Leopoliensia</i> , 2019, 25, 58-63.	0.0	0
39	ACR Appropriateness Criteria® Parathyroid Adenoma. <i>Journal of the American College of Radiology</i> , 2021, 18, S406-S422.	0.9	15

#	ARTICLE	IF	CITATIONS
40	Preoperative imaging in primary hyperparathyroidism: Are ¹¹ C-choline PET/CT and ^{99m} Tc-MIBI/ ¹²³ Iodide subtraction SPECT/CT interchangeable or do they supplement each other?. Clinical Endocrinology, 2022, 97, 258-267.	1.2	6
41	Localization of TSH-secreting pituitary adenoma using ¹¹ C-methionine image subtraction. EJNMMI Research, 2022, 12, 26.	1.1	4
43	Abnormal Parathyroid Gland Localization in Scintigraphic Images Using a Vision Transformer Network. , 2023, , .		0