

CITATION REPORT

List of articles citing

Novel blasting extrusion processing improved the physicochemical properties of soluble dietary fiber from soybean residue and in vivo evaluation

DOI: 10.1016/j.jfoodeng.2013.07.011
Journal of Food Engineering, 2014, 120, 1-8.

Source: <https://exaly.com/paper-pdf/58746463/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
139	Enhancement of the yield of L-aminobutyric acid by <i>Aspergillus oryzae</i> and antioxidant activities of rice bran through explosion puffing processing. 2014 , 49, 1420-1424		2
138	Optimization and characterization of wheat bran modified by in situ enhanced CO2 blasting extrusion. <i>LWT - Food Science and Technology</i> , 2014 , 59, 605-611	5.4	12
137	Exergy driven process synthesis for isoflavone recovery from okara. 2014 , 74, 471-483		12
136	Modification of insoluble dietary fibres in soya bean okara and their physicochemical properties. 2015 , 50, 2606-2613		42
135	Extrusion-assisted enzymatic hydrolysis extraction process of rice bran dietary fiber. 2015 ,		
134	Blasting extrusion processing: the increase of soluble dietary fiber content and extraction of soluble-fiber polysaccharides from wheat bran. 2015 , 180, 106-115		120
133	Effect of Voltage on the Mechanical and Water Resistance Properties of Zein Films by Electrophoretic Deposition. 2015 , 8, 486-491		7
132	Preparation and physicochemical properties of soluble dietary fiber from orange peel assisted by steam explosion and dilute acid soaking. 2015 , 185, 90-8		93
131	XRD, SEM, and XPS Analysis of Soybean Protein Powders Obtained Through Extraction Involving Reverse Micelles. 2015 , 92, 975-983		51
130	Physicochemical and Bioactive Properties of Soluble Dietary Fibers from Blasting Extrusion Processing (BEP)-Extruded Carrot Residues. 2015 , 8, 2036-2046		27
129	Acid-soluble and pepsin-soluble collagens from grass carp (<i>Ctenopharyngodon idella</i>) skin: a comparative study on physicochemical properties. 2015 , 50, 186-193		21
128	Fabrication of gelatin-laponite composite films: Effect of the concentration of laponite on physical properties and the freshness of meat during storage. 2015 , 44, 390-398		47
127	Characteristics of tiger nut milk: effects of milling. 2015 , 50, 381-388		13
126	Transglutaminase-induced crosslinking of gelatin-calcium carbonate composite films. 2015 , 166, 414-422		101
125	Effect of twin-screw extrusion processing of rice bran expansion rate. 2016 ,		
124	Extrusion-assisted extraction of insoluble dietary fiber from rice bran and its physical properties. 2016 ,		
123	Impact of melting point of palm oil on mechanical and water barrier properties of gelatin-palm oil emulsion film. 2016 , 60, 243-251		41

122	Biovalorisation of okara (soybean residue) for food and nutrition. 2016 , 52, 139-147	121
121	Functional Properties and Morphological Characters of Soluble Dietary Fibers in Different Edible Parts of <i>Angelica Keiskei</i> . 2016 , 81, C2189-98	19
120	Physicochemical Properties of Zein-Based Films by Electrophoretic Deposition Using Indium Tin Oxide Electrodes: Vertical and Horizontal Electric Fields. 2016 , 19, 945-957	4
119	Mechanical and barrier properties of maize starch-gelatin composite films: effects of amylose content. 2017 , 97, 3613-3622	30
118	Response surface methodology for optimisation of soluble dietary fibre extraction from sweet potato residue modified by steam explosion. 2017 , 52, 741-747	11
117	Comparison between collet and cooking extrusions on physicochemical properties of whole grain barley. 2017 , 40, e12480	7
116	Hydration properties and binding capacities of dietary fibers from bamboo shoot shell and its hypolipidemic effects in mice. 2017 , 109, 1003-1009	79
115	Effect of okara dietary fiber on the properties of starch-based films. 2017 , 69, 1700053	9
114	Characterisation of microemulsion nanofilms based on <i>Tilapia</i> fish skin gelatine and ZnO nanoparticles incorporated with ginger essential oil: meat packaging application. 2017 , 52, 1670-1679	23
113	Aggregation and rheological behavior of soluble dietary fibers from wheat bran. 2017 , 102, 291-302	20
112	Functional modifications by physical treatments of dietary fibers used in food formulations. 2017 , 15, 70-78	24
111	Mechanical properties and solubility in water of corn starch-collagen composite films: Effect of starch type and concentrations. 2017 , 216, 209-16	79
110	Insoluble dietary fibers from <i>Angelica keiskei</i> by-product and their functional and morphological properties. 2017 , 69, 1600122	6
109	<i>Optimized design of conditioner equipment and cooling device on rice bran extruder&/i>. 2017 ,	
108	Application and Development Prospects of Dietary Fibers in Flour Products. 2017 , 2017, 1-8	7
107	Modification and Application of Dietary Fiber in Foods. 2017 , 2017, 1-8	51
106	Okara: A soybean by-product as an alternative to enrich vegetable paste. <i>LWT - Food Science and Technology</i> , 2018 , 92, 593-599	5-4 38
105	Physicochemical and functional properties of dietary fiber from foxtail millet (<i>Setaria italic</i>) bran. 2018 , 79, 456-461	83

104	Modification of carrot (<i>Daucus carota</i> Linn. var. <i>Sativa</i> Hoffm.) pomace insoluble dietary fiber with complex enzyme method, ultrafine comminution, and high hydrostatic pressure. 2018 , 257, 333-340		67
103	Effects of superfine grinding on properties of sugar beet pulp powders. <i>LWT - Food Science and Technology</i> , 2018 , 87, 203-209	5-4	39
102	Steam-explosion-modified optimization of soluble dietary fiber extraction from apple pomace using response surface methodology. 2018 , 16, 20-26		11
101	Propiedades funcionales in-vitro y efectos fisiológicos in-vivo sobre ratas Holtzman de dietas con nuevas fuentes de fibra. 2018 , 45, 223-231		1
100	Ultrasound-assisted alkali extraction of insoluble dietary fiber from soybean residues. 2018 , 392, 052005		9
99	Modification of barley dietary fiber through chemical treatments in combination with thermal treatment to improve its bioactive properties. 2018 , 21, 2491-2499		3
98	Effects of thermal pre-treatment on physicochemical properties of nano-sized okara (soybean residue) insoluble dietary fiber prepared by wet media milling. <i>Journal of Food Engineering</i> , 2018 , 237, 18-26	6	42
97	Enrichment of soybean dietary fiber and protein fortified rice grain by dry flour extrusion cooking: the physicochemical, pasting, taste, palatability, cooking and starch digestibility properties.. 2018 , 8, 26682-26690		14
96	Modification of bamboo shoot dietary fiber by extrusion-cellulase technology and its properties. 2018 , 21, 1219-1232		16
95	Changes in Nutritional Properties and Bioactive Compounds in Cereals During Extrusion Cooking. 2018 ,		7
94	Modification of garlic skin dietary fiber with twin-screw extrusion process and in vivo evaluation of Pb binding. 2018 , 268, 550-557		33
93	Cross-linking and film-forming properties of transglutaminase-modified collagen fibers tailored by denaturation temperature. 2019 , 271, 527-535		47
92	Micronization and extrusion processing on the physicochemical properties of dietary fiber. 2019 , 49,		3
91	Soybean residue (okara) fermentation with the yeast <i>Kluyveromyces marxianus</i> . 2019 , 31, 100439		23
90	The bio-processing of soybean dregs by solid state fermentation using a poly γ -glutamic acid producing strain and its effect as feed additive. 2019 , 291, 121841		23
89	Physico-chemical and functional properties of dried male date palm flowers. 2019 , 31, 100441		5
88	Application in Bakery Products. 2019 , 279-311		1
87	Optimization of microwave-assisted extraction of soluble dietary fiber from potato pulp and its properties. 2019 , 43, e14204		2

86	Properties of soluble dietary fibre from defatted coconut flour obtained through subcritical water extraction. 2019 , 54, 1390-1404		6
85	Okara flour: its physicochemical, microscopical and functional properties. 2019 , 49, 1252-1264		11
84	Improved physicochemical and functional properties of dietary fiber from millet bran fermented by <i>Bacillus natto</i> . 2019 , 294, 79-86		60
83	Fermented Soybean Dregs by <i>Neurospora crassa</i> : a Traditional Prebiotic Food. 2019 , 189, 608-625		9
82	Physicochemical properties and bioactive function of Japanese grape (<i>Hovenia dulcis</i>) pomace insoluble dietary fibre modified by ball milling and complex enzyme treatment. 2019 , 54, 2363-2373		8
81	Effect of <i>Agaricus bisporus</i> polysaccharide flour and inulin on the antioxidant and structural properties of gluten-free breads. 2019 , 13, 1884-1897		3
80	Improving the physicochemical properties of partially enhanced soluble dietary fiber through innovative techniques: A coherent review. 2019 , 43, e13917		15
79	Hypoglycemic effect of dietary fibers from bamboo shoot shell: An in vitro and in vivo study. 2019 , 127, 120-126		27
78	Improved structure-stability and packaging characters of crosslinked collagen fiber-based film with casein, keratin and SPI. 2019 , 99, 4942-4951		14
77	Yield and Physicochemical Properties of Soluble Dietary Fiber Extracted from Untreated and Steam Explosion-Treated Black Soybean Hull. 2019 , 2019, 1-9		2
76	Effects of thermal processing on the structural and functional properties of soluble dietary fiber from whole grain oats. <i>Food Science and Technology International</i> , 2019 , 25, 282-294	2.6	12
75	Influence of fermented and unfermented <i>Agaricus bisporus</i> polysaccharide flours on the antioxidant and structural properties of composite gluten-free cookies. <i>LWT - Food Science and Technology</i> , 2019 , 101, 835-846	5-4	5
74	Modification of foxtail millet (<i>Setaria italica</i>) bran dietary fiber by xylanase-catalyzed hydrolysis improves its cholesterol-binding capacity. <i>LWT - Food Science and Technology</i> , 2019 , 101, 463-468	5-4	15
73	Extrusion cooking increases soluble dietary fibre of lupin seed coat. <i>LWT - Food Science and Technology</i> , 2019 , 99, 547-554	5-4	35
72	Anti-hyperlipidemic and hepatoprotective properties of wheat bran with different particle sizes. 2019 , 99, 1990-1996		4
71	Insoluble dietary fiber from soy hulls regulates the gut microbiota in vitro and increases the abundance of bifidobacteriales and lactobacillales. 2020 , 57, 152-162		19
70	Superfine wheat bran improves the hyperglycemic and hyperlipidemic properties in a high-fat rat model. 2020 , 29, 559-567		3
69	Innovative technologies for the production of food ingredients with prebiotic potential: Modifications, applications, and validation methods. 2020 , 104, 117-131		20

68	Insoluble dietary fibre from okara (soybean residue) modified by yeast <i>Kluyveromyces marxianus</i> . <i>LWT - Food Science and Technology</i> , 2020 , 134, 110252	5-4	10
67	Basics of extrusion processing. 2020 , 1-28		3
66	The micronization process for improving the dietary value of okara (soybean residue) by planetary ball milling. <i>LWT - Food Science and Technology</i> , 2020 , 132, 109848	5-4	5
65	Physicochemical, functional, and antioxidant properties of dietary fiber from <i>Rosa roxburghii</i> Tratt fruit modified by physical, chemical, and biological enzyme treatments. 2020 , 44, e14858		5
64	Effects of soluble dietary fiber from soybean residue fermented by on the intestinal flora in rats. <i>Food and Function</i> , 2020 , 11, 7433-7445	6.1	4
63	Optimization of the extrusion process through response surface methodology for improvement in functional and nutritional properties of soybean hull. 2020 , 57, 4054-4064		3
62	Valorisation of By-Products from Soybean (<i>L.</i> Merr.) Processing. 2020 , 25,		24
61	Superfine grinding affects physicochemical, thermal and structural properties of <i>Moringa Oleifera</i> leaf powders. 2020 , 151, 112472		14
60	Soluble dietary fibers from black soybean hulls: Physical and enzymatic modification, structure, physical properties, and cholesterol binding capacity. 2020 , 85, 1668-1674		12
59	Extrusion followed by ultrasound as a chemical-free pretreatment method to enhance enzymatic hydrolysis of rice hull for fermentable sugars production. 2020 , 149, 112356		20
58	Effects of fermentation on the structural characteristics and in vitro binding capacity of soluble dietary fiber from tea residues. <i>LWT - Food Science and Technology</i> , 2020 , 131, 109818	5-4	16
57	Extrusion and nixtamalization conditions influence the magnitude of change in the nutrients and bioactive components of cereals and legumes. 2020 , 8, 1753-1765		17
56	Production and characterization of okara dietary fiber produced by fermentation with <i>Monascus anka</i> . 2020 , 316, 126243		26
55	Effects of microbial fermentation and microwave treatment on the composition, structural characteristics, and functional properties of modified okara dietary fiber. <i>LWT - Food Science and Technology</i> , 2020 , 123, 109059	5-4	26
54	Digestibility, textural and sensory characteristics of cookies made from residues of enzyme-assisted aqueous extraction of soybeans. 2020 , 10, 4222		3
53	Upcycling Legume Water: from wastewater to food ingredients. 2020 ,		8
52	Effect of cavitation jet processing on the physicochemical properties and structural characteristics of okara dietary fiber. 2020 , 134, 109251		21
51	Structural and physicochemical properties of pectin-rich dietary fiber prepared from citrus peel. 2021 , 110, 106140		34

50	Extrusion improved the physical and chemical properties of dietary fibre from bamboo shoot by-products. 2021 , 56, 847-856		2
49	Wet media planetary ball milling remarkably improves functional and cholesterol-binding properties of okara. 2021 , 111, 106386		6
48	Anti-diabetic effects of the soluble dietary fiber from tartary buckwheat bran in diabetic mice and their potential mechanisms. 2021 , 65,		2
47	Extrusion Process as an Alternative to Improve Pulses Products Consumption. A Review. <i>Foods</i> , 2021 , 10,	4-9	7
46	Modification of tea residue dietary fiber by high-temperature cooking assisted enzymatic method: Structural, physicochemical and functional properties. <i>LWT - Food Science and Technology</i> , 2021 , 145, 111314	5-4	5
45	An update on the nutritional, functional, sensory characteristics of soy products, and applications of new processing strategies. 2021 , 112, 676-689		8
44	Physicochemical and structural properties of dietary fiber from Rosa roxburghii pomace by steam explosion. 1		0
43	Effects of different physical technology on compositions and characteristics of bean dregs. 2021 , 73, 102789		2
42	Systematic review on modification methods of dietary fiber. 2021 , 119, 106872		12
41	Functional, physicochemical and structural properties of soluble dietary fiber from rice bran with extrusion cooking treatment. 2021 , 121, 107057		5
40	Effects of ultrasonic and ozone pretreatment on the structural and functional properties of soluble dietary fiber from lemon peel. e13916		3
39	Effects of acid treatment on the physicochemical and functional properties of wheat bran insoluble dietary fiber. <i>Cereal Chemistry</i> ,	2-4	1
38	Healthy Dietary Fibers from Plant Food By-Products. <i>Food Additives</i> , 2015 , 25-56		
37	Changes of Complex Carbohydrates of White Jack Bean (<i>Canavalia Ensiformis</i>) During Autoclaving-Cooling Cycles. <i>Current Research in Nutrition and Food Science</i> , 2018 , 6, 470-480	1-1	2
36	Chemical and Functional Properties of Cavendish Jepara 30 (<i>Musa cavendishii</i>) Banana Pseudostem Flour after Blanching and Soaking in Sodium Bisulphite Solution. <i>Pakistan Journal of Nutrition</i> , 2019 , 18, 936-945	0-3	
35	Effects of fermentation with lactic bacteria on the structural characteristics and physicochemical and functional properties of soluble dietary fiber from prosomillet bran. <i>LWT - Food Science and Technology</i> , 2022 , 154, 112609	5-4	3
34	Extrusion effect on in vitro fecal fermentation of fruit peels used as dietary fiber sources. <i>LWT - Food Science and Technology</i> , 2022 , 153, 112569	5-4	0
33	Cooking Water Applications. 2020 , 105-120		

32	Effect of ultrafine grinding technology combined with high-pressure, microwave and high-temperature cooking technology on the physicochemical properties of bean dregs. <i>LWT - Food Science and Technology</i> , 2022 , 154, 112810	5.4	0
31	Effects of High-Temperature, High-Pressure, and Ultrasonic Treatment on the Physicochemical Properties and Structure of Soluble Dietary Fibers of Millet Bran.. <i>Frontiers in Nutrition</i> , 2021 , 8, 820715	6.2	1
30	Comparison the Structural, Physicochemical, and Prebiotic Properties of Litchi Pomace Dietary Fibers before and after Modification.. <i>Foods</i> , 2022 , 11,	4.9	0
29	Effect of Pretreatment and High Hydrostatic Pressure on Soluble Dietary Fiber in Lotus Root Residues. <i>Journal of Food Quality</i> , 2022 , 2022, 1-10	2.7	
28	The applications of conventional and innovative mechanical technologies to tailor structural and functional features of dietary fibers from plant wastes: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> ,	16.4	0
27	Soybean residue (okara) modified by extrusion with different moisture contents: Physical, chemical, and techno-functional properties.. <i>Food Science and Technology International</i> , 2022 , 10820132221095458	2.6	
26	Improved Physicochemical and Functional Properties of Dietary Fiber from Rosa Roxburghii Pomace Fermented by Bacillus Natto. <i>SSRN Electronic Journal</i> ,	1	
25	Effect of Lactobacillus rhamnosus GG fermentation on the structural and functional properties of dietary fiber in bamboo shoot and its application in bread.. <i>Journal of Food Biochemistry</i> , 2022 , e14231	3.3	2
24	Effects of Irradiation on Structure and Functional Properties of Pea Fiber. <i>Foods</i> , 2022 , 11, 1433	4.9	0
23	Combined Modification of Soluble Dietary Fibers from Apple Pomace by Steam Explosion and Enzymatic Hydrolysis to Improve its Structural, Physicochemical and Functional Properties. <i>Waste and Biomass Valorization</i> ,	3.2	0
22	The potential mechanisms of bergamot-derived dietary fiber alleviating high-fat diet-induced hyperlipidemia and obesity in rats. <i>Food and Function</i> ,	6.1	
21	Extrusion for Soluble Dietary Fiber Concentrate: Critical Overview on Effect of Process Parameters on Physicochemical, Nutritional, and Biological Properties. <i>Food Reviews International</i> , 1-22	5.5	0
20	The Pulsed Electric Field Assisted-Extraction Enhanced the Yield and the Physicochemical Properties of Soluble Dietary Fiber From Orange Peel. 9,		0
19	Screen of high efficiency cellulose degrading strains and effects on tea residues dietary fiber modification: Structural properties and adsorption capacities. 2022 , 220, 337-347		0
18	Physicochemical and functional characterization of dietary fibres from four Indian temperate rice cultivars. 2022 , 28, 100336		0
17	Improved physicochemical and functional properties of dietary fiber from Rosa roxburghii pomace fermented by Bacillus natto. 2022 , 102030		0
16	Co-production of nattokinase and α-amylase from Bacillus natto fermentation using okara.		1
15	Explorative Study of Reactive Extrusion over Nixtamalization-Maize Pericarp Residue: Effect on Dietary Fiber, Resistant Starch, and Nixtamalized Corn Flour Tortillas. 2200097		0

14	Principle and Application of Steam Explosion Technology in Modification of Food Fiber. 2022 , 11, 3370	0
13	Effect of Storage Temperature on Physical Properties and Application in Packaging of The Soybean Isolate Protein-Corn Starch Composite Films. 2200139	0
12	Physicochemical properties of dietary fiber of bergamot and its effect on diabetic mice. 9,	2
11	Properties of plant-derived soluble dietary fibers for fiber-enriched foods: A comparative evaluation. 2022 , 223, 1196-1207	0
10	Effects of boiling and steaming process on dietary fiber components and in vitro fermentation characteristics of 9 kinds of whole grains. 2023 , 164, 112328	1
9	Characterization of insoluble dietary fiber from <i>Pleurotus eryngii</i> and evaluation of its effects on obesity-preventing or relieving effects via modulation of gut microbiota. 2023 , 3, 55-66	1
8	Structural properties and adsorption capacities of <i>Mesona chinensis</i> Benth residues dietary fiber prepared by cellulase treatment assisted by <i>Aspergillus niger</i> or <i>Trichoderma reesei</i> . 2023 , 407, 135149	0
7	Comparison of physicochemical and in vitro hypoglycemic activity of bamboo shoot dietary fibers from different regions of Yunnan. 9,	0
6	Characterization of the structural, physicochemical, and functional properties of soluble dietary fibers obtained from the peanut shell using different extraction methods. 9,	0
5	Physicochemical, structure properties and in vitro hypoglycemic activity of soluble dietary fiber from adlay (<i>Coix lachryma-jobi</i> L. var. <i>ma-yuen</i> Stapf) bran treated by steam explosion. 10,	0
4	Chemical Characterization of White Lupin (<i>Lupinus albus</i>) Flour Treated by Extrusion Cooking and Aqueous Debitting Processes.	0
3	Bamboo Shoot Processing: Conventional to Modern Optimisations. 2023 , 163-199	0
2	Effect of superfine grinding on the physico-chemical and antioxidant properties of <i>Cistanche deserticola</i> powders.	0
1	Dietary fiber modification: structure, physicochemical properties, bioactivities, and application review. 1-21	0