

First report on simplified diagnostic criteria for pre-hypertension in a national sample of adolescents from the Middle East and North Africa: a study

Jornal De Pediatria

90, 85-91

DOI: [10.1016/j.jped.2013.06.005](https://doi.org/10.1016/j.jped.2013.06.005)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Hypertension Screening Using Blood Pressure to Height Ratio. <i>Pediatrics</i> , 2014, 134, e106-e111.	1.0	37
2	Blood pressure-to-height ratio for screening prehypertension and hypertension in Chinese children. <i>Journal of Human Hypertension</i> , 2015, 29, 618-622.	1.0	6
3	Simplification of childhood hypertension definition using blood pressure to height ratio among US youths aged 8-17 years, NHANES 1999-2012. <i>International Journal of Cardiology</i> , 2015, 180, 210-213.	0.8	17
4	Casual blood pressure of adolescents attending public secondary schools in Maiduguri, Nigeria. <i>Clinical Hypertension</i> , 2015, 21, 16.	0.7	6
5	Performance of blood pressure-to-height ratio as a screening tool for elevated blood pressure in pediatric population: a systematic meta-analysis. <i>Journal of Human Hypertension</i> , 2016, 30, 697-702.	1.0	10
6	A new modified blood pressure-to-height ratio simplifies the screening of hypertension in Han Chinese children. <i>Hypertension Research</i> , 2016, 39, 893-898.	1.5	10
7	Improving Hypertension Screening in Childhood Using Modified Blood Pressure to Height Ratio. <i>Journal of Clinical Hypertension</i> , 2016, 18, 557-564.	1.0	8
8	Blood pressure-to-height ratio as a screening tool for hypertension in children. <i>Indian Pediatrics</i> , 2016, 53, 137-139.	0.2	6
9	Comparison of Different Screening Methods for Hypertension in Han Adolescents. <i>Clinical Pediatrics</i> , 2016, 55, 363-367.	0.4	6
10	The performance of modified blood pressure-to-height ratio as a screening measure for identifying children with hypertension. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 155-159.	0.5	5
11	Accuracy of Blood Pressure-to-Height Ratio to Define Elevated Blood Pressure in Children and Adolescents: The CASPIAN-IV Study. <i>Pediatric Cardiology</i> , 2016, 37, 378-385.	0.6	5
12	Performance of User-Friendly Screening Tools for Elevated Blood Pressure in Children. <i>Pediatrics</i> , 2017, 139, e20161986.	1.0	6
13	Performance of blood pressure to height ratio as a screening tool for elevated blood pressure in rural children: Ellisras Longitudinal Study. <i>Journal of Human Hypertension</i> , 2017, 31, 591-595.	1.0	7
14	Review of hypertensive retinopathy. <i>Disease-a-Month</i> , 2017, 63, 63-69.	0.4	13
15	Suitability of blood-pressure-to-height ratio as the criterion for high blood pressure in children in an environmental study. <i>Current Medical Research and Opinion</i> , 2017, 33, 149-154.	0.9	2
16	How to Simplify the Diagnostic Criteria of Metabolic Syndrome in Adolescents. <i>Pediatrics and Neonatology</i> , 2017, 58, 178-184.	0.3	8
17	Performance of modified blood pressure-to-height ratio for identifying hypertension in Chinese and American children. <i>Journal of Human Hypertension</i> , 2018, 32, 408-414.	1.0	6
18	Height-Based Equations Can Improve the Diagnosis of Elevated Blood Pressure in Children. <i>American Journal of Hypertension</i> , 2018, 31, 1059-1065.	1.0	5

#	ARTICLE	IF	CITATIONS
19	Prevalence and determinants of hypertension in apparently healthy schoolchildren in India: A multi-center study. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1775-1784.	0.8	22
20	Using height-corrected definition of metabolic syndrome in children and adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2019, 32, 429-438.	0.4	4
21	Predictive value of the "Blood Pressure To Height Ratio" in diagnosis of prehypertension and hypertension during childhood in Southeastern Turkey. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 14-19.	0.5	2
22	Reliability of normative tables in assessing elevated blood pressure in children. <i>Journal of Human Hypertension</i> , 2020, 34, 241-247.	1.0	2
23	Subjective Proximity to Green Spaces and Blood Pressure in Children and Adolescents: The CASPIAN-V Study. <i>Journal of Environmental and Public Health</i> , 2020, 2020, 1-8.	0.4	8
24	Performance of modified blood pressure-to-height ratio for diagnosis of hypertension in children: The CASPIAN-V study. <i>Journal of Clinical Hypertension</i> , 2020, 22, 867-875.	1.0	4
25	Identification of Adolescents with Adiposities and Elevated Blood Pressure and Implementation of Preventive Measures Warrants the Use of Multiple Clinical Assessment Tools. <i>Journal of Personalized Medicine</i> , 2021, 11, 873.	1.1	2
26	Blood pressure to height ratio for screening hypertension among Indonesian adolescents. <i>Paediatrica Indonesiana</i> , 2023, 63, 7-12.	0.0	0