

# CITATION REPORT

List of articles citing

Swedish experience-based value sets for EQ-5D health states

DOI: 10.1007/s11136-013-0496-4

Quality of Life Research, 2014, 23, 431-42.

**Source:** <https://exaly.com/paper-pdf/58769563/citation-report.pdf>

**Version:** 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
222	EQ-5D-3L derived population norms for health related quality of life in Sri Lanka. <b>2014</b> , 9, e108434		29
221	Health utilities of type 2 diabetes-related complications: a cross-sectional study in Sweden. <b>2014</b> , 11, 4939-52		19
220	Patient-reported outcome measures and risk factors in a quality registry: a basis for more patient-centered diabetes care in Sweden. <b>2014</b> , 11, 12223-46		11
219	Health-related quality of life for pre-diabetic states and type 2 diabetes mellitus: a cross-sectional study in Västernorrland Sweden. <b>2014</b> , 12, 150		28
218	Women in Charnley class C fail to improve in mobility to a higher degree after total hip replacement. <b>2014</b> , 85, 335-41		12
217	The impact of differences between patient and general population EQ-5D-3L values on the mean tariff scores of different patient groups. <b>2014</b> , 17, 364-71		24
216	The impact of health economic evaluations in Sweden. <b>2014</b> , 108, 375-82		6
215	Does the choice of EQ-5D tariff matter? A comparison of the Swedish EQ-5D-3L index score with UK, US, Germany and Denmark among type 2 diabetes patients. <b>2015</b> , 13, 145		25
214	Differences between hypothetical and experience-based value sets for EQ-5D used in Sweden: Implications for decision makers. <b>2015</b> , 43, 848-54		14
213	Stroke treated at a neurosurgical ward: a cohort study. <b>2015</b> , 132, 329-36		9
212	Cost-Effectiveness of School-Based Prevention of Cannabis Use. <b>2015</b> , 13, 525-42		9
211	Determinants of Utility Based on the EuroQol Five-Dimensional Questionnaire in Patients with Chronic Heart Failure and Their Change Over Time: Results from the Swedish Heart Failure Registry. <b>2015</b> , 18, 439-48		16
210	Life after cardiac arrest: A very long term follow up. <b>2015</b> , 91, 99-103		16
209	Evaluation of the cost-effectiveness of buprenorphine in treatment of chronic pain using competing EQ-5D weights. <b>2015</b> , 6, 24-30		4
208	The associations between overweight, weight change and health related quality of life: Longitudinal data from the Stockholm Public Health Cohort 2002-2010. <b>2015</b> , 75, 12-7		12
207	Experience-based VAS values for EQ-5D-3L health states in a national general population health survey in China. <i>Quality of Life Research</i> , <b>2015</b> , 24, 693-703	3.7	38
206	Assessment of the Swedish EQ-5D experience-based value sets in a total hip replacement population. <i>Quality of Life Research</i> , <b>2015</b> , 24, 2963-70	3.7	14

205	Cost-effectiveness of Maintenance Treatment with a Barrier-strengthening Moisturizing Cream in Patients with Atopic Dermatitis in Finland, Norway and Sweden. <b>2016</b> , 96, 173-6	8
204	EQ-5D-5L in the General German Population: Comparison and Evaluation of Three Yearly Cross-Section Surveys. <b>2016</b> , 13,	25
203	Understanding excess skin in postbariatric patients: objective measurements and subjective experiences. <b>2016</b> , 12, 1410-1417	18
202	A general method for decomposing the causes of socioeconomic inequality in health. <b>2016</b> , 48, 89-106	60
201	Surgical treatment of multiple rib fractures and flail chest in trauma: a one-year follow-up study. <b>2016</b> , 11, 27	46
200	Health-related quality of life across all stages of autosomal dominant polycystic kidney disease. <b>2017</b> , 32, 2106-2111	12
199	Patient and general public preferences for health states: A call to reconsider current guidelines. <b>2016</b> , 165, 66-74	75
198	Association of knee pain and different definitions of knee osteoarthritis with health-related quality of life: a population-based cohort study in southern Sweden. <b>2016</b> , 14, 121	35
197	Costs in Relation to Disability, Disease Activity, and Health-related Quality of Life in Rheumatoid Arthritis: Observational Data from Southern Sweden. <b>2016</b> , 43, 1292-9	14
196	Assessing outcomes for cost-utility analysis in mental health interventions: mapping mental health specific outcome measure GHQ-12 onto EQ-5D-3L. <b>2016</b> , 14, 134	12
195	Health-related quality of life measured using the EQ-5D-5L: South Australian population norms. <b>2016</b> , 14, 133	148
194	Crosswalk algorithms for the conversion of mean EQ-5D indices calculated with different value sets. <b>2016</b> , 44, 455-61	6
193	What PASSes for good? Experience-based Swedish and hypothetical British EuroQol 5-Dimensions preference sets yield markedly different point estimates and patient acceptable symptom state cut-off values in chronic arthritis patients on TNF blockade. <b>2016</b> , 45, 470-473	5
192	Good responsiveness with EuroQol 5-Dimension questionnaire and Short Form (36) Health Survey in 20-69 years old patients with a femoral neck fracture: A 2-year prospective follow-up study in 182 patients. <b>2016</b> , 47, 1692-7	10
191	Assessing quality of life in a clinical study on heart rehabilitation patients: how well do value sets based on given or experienced health states reflect patients' valuations?. <b>2016</b> , 14, 48	9
190	EuroQol-5 dimensions utility gain according to British and Swedish preference sets in rheumatoid arthritis treated with abatacept, rituximab, tocilizumab, or tumour necrosis factor inhibitors: a prospective cohort study from southern Sweden. <b>2016</b> , 18, 51	7
189	Subjective Well-Being and Its Association with Subjective Health Status, Age, Sex, Region, and Socio-economic Characteristics in a Chinese Population Study. <b>2016</b> , 17, 833-873	95
188	Do Education and Income Really Explain Inequalities in Health? Applying a Twin Design. <b>2016</b> , 118, 25-48	11

187	Incremental Costs for Psoriasis and Psoriatic Arthritis in a Population-based Cohort in Southern Sweden: Is It All Psoriasis-attributable Morbidity?. <b>2016</b> , 43, 640-7		10
186	Cost-effectiveness of case-based training for primary care physicians in evidence-based medicine of patients with coronary heart disease. <b>2016</b> , 23, 420-7		3
185	Loss of offset after pertrochanteric hip fractures affects hip function one year after surgery with a short intramedullary nail. A prospective cohort study. <b>2016</b> , 40, 799-806		9
184	We Propose a Novel Measure for Social Welfare and Public Health: Capability-Adjusted Life-Years, CALYs. <b>2017</b> , 15, 437-440		8
183	An exploration of differences between Japan and two European countries in the self-reporting and valuation of pain and discomfort on the EQ-5D. <i>Quality of Life Research</i> , <b>2017</b> , 26, 2067-2078	3-7	20
182	Cost-Effectiveness of Acceptance and Commitment Therapy and a Workplace Intervention for Employees on Sickness Absence due to Mental Disorders. <b>2017</b> , 59, 1211-1220		12
181	Patient Experience-based Value Sets: Are They Stable?. <b>2017</b> , 55, 979-984		6
180	International Regulations and Recommendations for Utility Data for Health Technology Assessment. <b>2017</b> , 35, 11-19		71
179	Treatments for Metastatic Prostate Cancer (mPC): A Review of Costing Evidence. <b>2017</b> , 35, 1223-1236		32
178	Establishing benchmark EQ-5D-3L population health state utilities and identifying their correlates in Gansu Province, China. <i>Quality of Life Research</i> , <b>2017</b> , 26, 3049-3058	3-7	8
177	Costs and quality of life of small-incision laparoscopic cholecystectomy and laparoscopic cholecystectomy: an expertise-based randomised controlled trial. <b>2017</b> , 17, 48		7
176	Population-based normative data for the Scoliosis Research Society 22r questionnaire in adolescents and adults, including a comparison with EQ-5D. <b>2017</b> , 26, 1631-1637		15
175	QALYs as a measure of value in cancer. <b>2017</b> , 11, 19-25		31
174	Socioeconomic inequalities in knee pain, knee osteoarthritis, and health-related quality of life: a population-based cohort study in southern Sweden. <b>2017</b> , 46, 143-151		22
173	Quality of life during early radiotherapy in patients with head and neck cancer and pain. <b>2017</b> , 10, 1697-1704		4
172	Assessing Health-Related Quality of Life of Chinese Adults in Heilongjiang Using EQ-5D-3L. <b>2017</b> , 14,		28
171	Return to Work after a Stroke in Working Age Persons; A Six-Year Follow Up. <b>2017</b> , 12, e0169759		51
170	International comparison of experience-based health state values at the population level. <b>2017</b> , 15, 138		11

169	How is disease severity associated with quality of life in psoriasis patients? Evidence from a longitudinal population-based study in Sweden. <b>2017</b> , 15, 151		13
168	Health-related quality of life in the Brazilian Amazon: a population-based cross-sectional study. <b>2017</b> , 15, 159		8
167	Quality of life profile of general Vietnamese population using EQ-5D-5L. <b>2017</b> , 15, 199		49
166	Effectiveness, costs and cost-effectiveness of chiropractic care and physiotherapy compared with information and advice in the treatment of non-specific chronic low back pain: study protocol for a randomised controlled trial. <b>2017</b> , 18, 613		5
165	Long-term outcome after reperfusion-treated stroke. <b>2017</b> , 49, 316-321		3
164	Cost-effectiveness of therapist-guided internet-delivered cognitive behaviour therapy for paediatric obsessive-compulsive disorder: results from a randomised controlled trial. <b>2017</b> , 7, e015246		34
163	Effects of brief mindfulness-based cognitive behavioural therapy on health-related quality of life and sense of coherence in atrial fibrillation patients. <b>2018</b> , 17, 589-597		18
162	People in states worse than dead according to the EQ-5D UK value set: would they rather be dead?. <i>Quality of Life Research</i> , <b>2018</b> , 27, 1827-1833	3-7	13
161	Association between operative technique and intrusive thoughts on health-related Quality of Life 3 years after APE/ELAPE for rectal cancer: results from a national Swedish cohort with comparison with normative Swedish data. <b>2018</b> , 7, 2727-2735		3
160	New methods for modelling EQ-5D-5L value sets: An application to English data. <b>2018</b> , 27, 23-38		47
159	Chronic pain, discomfort, quality of life and impact on sex life after open inguinal hernia mesh repair: an expertise-based randomized clinical trial comparing lightweight and heavyweight mesh. <b>2018</b> , 22, 411-418		12
158	Cost-effectiveness of supported employment adapted for people with affective disorders. <b>2018</b> , 72, 236-239		5
157	Experience-Based Values: A Framework for Classifying Different Types of Experience in Health Valuation Research. <b>2018</b> , 11, 253-270		16
156	Early workplace dialogue in physiotherapy practice improved work ability at 1-year follow-up-WorkUp, a randomised controlled trial in primary care. <b>2018</b> , 159, 1456-1464		24
155	Predicting EuroQoL 5 Dimensions 5 Levels (EQ-5D-5L) Utilities from Older People's Quality of Life Brief Questionnaire (OPQoL-Brief) Scores. <b>2018</b> , 11, 39-54		5
154	Life situation 5 years after subarachnoid haemorrhage. <b>2018</b> , 137, 99-104		12
153	Responsiveness of EQ-5D in Patients With a Distal Radius Fracture. <b>2018</b> , 13, 572-580		8
152	Estimating a constant WTP for a QALY-a mission impossible?. <b>2018</b> , 19, 871-880		13

151	Mapping Quality of Life (EQ-5D) from DAPsA, Clinical DAPsA and HAQ in Psoriatic Arthritis. <b>2018</b> , 11, 329-340	5
150	Assessing health, quality of life and urogenital function in a sample of the Swedish general population: a cross-sectional study. <b>2018</b> , 8, e021974	5
149	Well-being among survivors of out-of-hospital cardiac arrest: a cross-sectional retrospective study in Sweden. <b>2018</b> , 8, e021729	13
148	Health Related Quality of Life in Individuals Transferred from a Needle Exchange Program and Starting Opioid Agonist Treatment. <b>2018</b> , 2018, 3025683	2
147	Effectiveness of implementing a best practice primary healthcare model for low back pain (BetterBack) compared with current routine care in the Swedish context: an internal pilot study informed protocol for an effectiveness-implementation hybrid type 2 trial. <b>2018</b> , 8, e019906	7
146	Increasing return-to-work among people on sick leave due to common mental disorders: design of a cluster-randomized controlled trial of a problem-solving intervention versus care-as-usual conducted in the Swedish primary health care system (PROSA). <b>2018</b> , 18, 889	11
145	Long-term quality of life after comprehensive surgical staging of high-risk endometrial cancer - results from the RASHEC trial. <b>2018</b> , 57, 1671-1676	12
144	Relative importance of the EQ-5D five dimensions among patients with chronic diseases in South Korea - a comparison with the general population preference weights. <b>2018</b> , 16, 159	1
143	Peer effects in health valuation: the relation between rating of contemporaries' health and own health. <b>2018</b> , 16, 148	1
142	Long-term health-related quality of life, survival and costs by different levels of functional outcome six months after stroke. <b>2018</b> , 3, 157-164	7
141	Time Trade-Off Value Set for EQ-5D-3L Based on a Nationally Representative Chinese Population Survey. <b>2018</b> , 21, 1330-1337	26
140	Cost-effectiveness and long-term follow-up of three forms of minimal-contact cognitive behaviour therapy for severe health anxiety: Results from a randomised controlled trial. <b>2018</b> , 107, 95-105	10
139	Costs and quality of life by disability among people with multiple sclerosis: a register-based study in Sweden. <b>2018</b> , 4, 2055217318783352	8
138	A utility valuation study assessing the impact of postprandial glucose control on quality of life of individuals with type 1 or type 2 diabetes. <b>2017</b> , 2, 20	1
137	Experience-based utility and own health state valuation for a health state classification system: why and how to do it. <b>2018</b> , 19, 881-891	22
136	Costs of illness progression for different multiple sclerosis phenotypes: a population-based study in Sweden. <b>2019</b> , 5, 2055217319858383	6
135	Do socio-demographic characteristics and/or health status explain the magnitude of differences between patient and general public utility values? A chronic low back pain patients case study. <b>2019</b> , 17, 166	3
134	Quality of life in chronic conditions using patient-reported measures and biomarkers: a DEA analysis in type 1 diabetes. <b>2019</b> , 9, 31	3

133	A 1-year perspective on goal-directed therapy in elderly with hip fracture: Secondary outcomes. <b>2019</b> , 63, 610-614		1
132	Health-related lifestyle and perceived health among people with severe mental illness: Gender differences and degree of sense of coherence. <b>2019</b> , 33, 182-188		8
131	Maintaining health-related quality of life from 85 to 93 years of age despite decreased functional ability. <b>2019</b> , 82, 348-356		4
130	Burden and costs of migraine in a Swedish defined patient population - a questionnaire-based study. <b>2019</b> , 20, 65		19
129	Depression and Anxiety as Key Factors Associated With Quality of Life Among Lung Cancer Patients in Hai Phong, Vietnam. <b>2019</b> , 10, 352		8
128	Health-Related Quality of Life and Its Determinants among Criminal Police Officers. <b>2019</b> , 16,		2
127	Does unemployment contribute to poorer health-related quality of life among Swedish adults?. <b>2019</b> , 19, 457		55
126	Exploring the Internal Structure of the EQ-5D Using Non-Preference-Based Methods. <b>2019</b> , 22, 527-536		6
125	Person-Centred Care in Patients with Acute Coronary Syndrome: Cost-Effectiveness Analysis Alongside a Randomised Controlled Trial. <b>2019</b> , 3, 495-504		12
124	A biological or a synthetic mesh in immediate breast reconstruction? A cohort-study of long-term Health related Quality of Life (HrQoL). <b>2019</b> , 45, 1812-1816		5
123	Does the Time Trade-Off Method Reflect Health-Related Quality of Life? A Mixed-Methods Analysis of Preference Measures 10 Years After Aneurysmal Subarachnoid Hemorrhage. <b>2019</b> , 126, 11-20		
122	Real-world cost-effectiveness of targeted therapy in metastatic renal cell carcinoma in Sweden: a population-based retrospective analysis. <b>2019</b> , 11, 1289-1297		2
121	Estimating the marginal cost of a life year in Sweden's public healthcare sector. <b>2019</b> , 20, 751-762		21
120	Patterns, trends and methodological associations in the measurement and valuation of childhood health utilities. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1705-1724	3-7	13
119	Health-related quality of life in adults with cerebral palsy living in Sweden and relation to demographic and disability-specific factors. <b>2019</b> , 12, 460-466		13
118	Can the COPD web be used to promote self-management in patients with COPD in swedish primary care: a controlled pragmatic pilot trial with 3 month- and 12 month follow-up. <b>2019</b> , 37, 69-82		14
117	The EXPANd trial: effects of exercise and exploring neuroplastic changes in people with Parkinson's disease: a study protocol for a double-blinded randomized controlled trial. <b>2019</b> , 19, 280		11
116	Structured physiotherapy including a work place intervention for patients with neck and/or back pain in primary care: an economic evaluation. <b>2019</b> , 20, 317-327		7

115	Economic evaluation of a person-centred care intervention in head and neck oncology: results from a randomized controlled trial. <b>2019</b> , 27, 1825-1834		7
114	Association between Disability, Cognition, Fatigue, EQ-5D-3L Domains, and Utilities Estimated with Different Western European Value Sets in Patients with Multiple Sclerosis. <b>2019</b> , 22, 231-238		7
113	Quality of life and service use amongst parents of young children: Results from the trial. <b>2019</b> , 47, 774-781		3
112	Cost-effectiveness of Pembrolizumab as Second-line Therapy for the Treatment of Locally Advanced or Metastatic Urothelial Carcinoma in Sweden. <b>2020</b> , 3, 663-670		5
111	Influence of elicitation procedure and phrasing on health state valuations in experience-based time trade-off tasks among diabetes patients in China. <i>Quality of Life Research</i> , <b>2020</b> , 29, 289-301	3-7	0
110	Health-related quality of life among Syrian refugees resettled in Sweden. <i>Quality of Life Research</i> , <b>2020</b> , 29, 505-514	3-7	12
109	On Inequality-Sensitive and Additive Achievement Measures Based on Ordinal Data. <b>2020</b> , 66, 267-286		5
108	Self-admission to inpatient treatment in anorexia nervosa: Impact on healthcare utilization, eating disorder morbidity, and quality of life. <b>2020</b> , 53, 1685-1695		4
107	Design and sample size considerations for valuation studies of multi-attribute utility instruments. <b>2020</b> , 39, 3074-3104		1
106	Implausible States: Prevalence of EQ-5D-5L States in the General Population and Its Effect on Health State Valuation. <b>2020</b> , 40, 735-745		1
105	Transcranial magnetic intermittent theta-burst stimulation for depression in pregnancy - A case series. <b>2020</b> , 13, 1665-1667		4
104	Evaluating the feasibility of ReWork-SCI: a person-centred intervention for return-to-work after spinal cord injury. <b>2020</b> , 10, e036000		3
103	Person-centred care by a combined digital platform and structured telephone support for people with chronic obstructive pulmonary disease and/or chronic heart failure: study protocol for the PROTECT randomised controlled trial. <b>2020</b> , 10, e036356		7
102	Person-centred eHealth intervention for patients on sick leave due to common mental disorders: study protocol of a randomised controlled trial and process evaluation (PROMISE). <b>2020</b> , 10, e037515		1
101	Quantifying and Describing the Natural History and Costs of Alzheimer's Disease and Effects of Hypothetical Interventions. <b>2020</b> , 75, 891-902		9
100	Self-Management Education for Persons with Parkinson's Disease and Their Care Partners: A Quasi-Experimental Case-Control Study in Clinical Practice. <b>2020</b> , 2020, 6920943		9
99	Similar responses to EQ-5D-3L by two elicitation methods: visual analogue scale and time trade-off. <b>2020</b> , 20, 118		1
98	EQ-5D-Y-5L as a patient-reported outcome measure in psychiatric inpatient care for children and adolescents - a cross-sectional study. <b>2020</b> , 18, 164		4



97	The cost-effectiveness of person-centred care provided to patients with chronic heart failure and/or chronic obstructive pulmonary disease. <b>2020</b> , 1, 100005		5
96	Using EQ-5D Data to Measure Hospital Performance: Are General Population Values Distorting Patients' Choices?. <b>2020</b> , 40, 511-521		3
95	Implementation of Key Components of Evidence-Based Family Therapy for Eating Disorders in Child and Adolescent Psychiatric Outpatient Care. <b>2020</b> , 11, 59		0
94	An EQ-5D-5L Value Set for Vietnam. <i>Quality of Life Research</i> , <b>2020</b> , 29, 1923-1933	3.7	30
93	Elicitation of Norwegian EQ-5D-5L values for hypothetical and experience-based health states based on the EuroQol Valuation Technology (EQ-VT) protocol. <b>2020</b> , 10, e034683		6
92	Predictive ability of the American Society of Anaesthesiologists physical status classification system on health-related quality of life of patients after total hip replacement: comparisons across eight EQ-5D-3L value sets. <b>2020</b> , 21, 441		5
91	Health and wellbeing in Norway: Population norms and the social gradient. <b>2020</b> , 259, 113155		4
90	Fear of Movement Is Related to Low Back Disability During a Two-Year Period in Patients Who Have Undergone Elective Lumbar Spine Surgery. <b>2020</b> , 137, e416-e424		3
89	Influence of fast-track programs on patient-reported outcomes in total hip and knee replacement (THR/TKR) at Swedish hospitals 2011-2015: an observational study including 51,169 THR and 8,393 TKR operations. <b>2020</b> , 91, 306-312		10
88	Deep tissue massage, strengthening and stretching exercises, and a combination of both compared with advice to stay active for subacute or persistent non-specific neck pain: A cost-effectiveness analysis of the Stockholm Neck trial (STONE). <b>2020</b> , 46, 102109		3
87	Whom should we ask? A systematic literature review of the arguments regarding the most accurate source of information for valuation of health states. <i>Quality of Life Research</i> , <b>2020</b> , 29, 1465-1482	3.7	16
86	Effect of Gonadotropin-Releasing Hormone Antagonist on Risk of Committing Child Sexual Abuse in Men With Pedophilic Disorder: A Randomized Clinical Trial. <b>2020</b> , 77, 897-905		19
85	Experience-Based Swedish TTO and VAS Value Sets for EQ-5D-5L Health States. <b>2020</b> , 38, 839-856		15
84	How do EQ-5D-3L and EQ-5D-5L compare in a Swedish total hip replacement population?. <b>2020</b> , 91, 272-278		4
83	Preventing sickness absence among employees with common mental disorders or stress-related symptoms at work: a cluster randomised controlled trial of a problem-solving-based intervention conducted by the Occupational Health Services. <b>2020</b> , 77, 454-461		7
82	Reverse total shoulder arthroplasty provides better shoulder function than hemiarthroplasty for displaced 3- and 4-part proximal humeral fractures in patients aged 70 years or older: a multicenter randomized controlled trial. <b>2021</b> , 30, 994-1006		6
81	Properties of the EQ-5D-3L index distribution when longitudinal data from 27,328 spine surgery procedures are applied to nine national EQ-5D-3L value sets. <i>Quality of Life Research</i> , <b>2021</b> , 30, 1467-1473	3.7	1
80	Quality of life among female childhood cancer survivors with and without premature ovarian insufficiency. <b>2021</b> , 1		1

79	The cost-effectiveness of dacomitinib in first-line treatment of advanced/metastatic epidermal growth factor receptor mutation-positive non-small-cell lung cancer (m NSCLC) in Sweden. <b>2021</b> , 24, 447-457		1
78	Variations in Patients' Overall Assessment of Their Health Across and Within Disease Groups Using the EQ-5D Questionnaire: Protocol for a Longitudinal Study in the Swedish National Quality Registers (Preprint).		
77	Oral nutritional supplement use is weakly associated with increased subjective health-related quality of life in malnourished older adults: a multicentre randomised controlled trial. <b>2021</b> , 1-9		0
76	Physical activity and health-related quality of life in men and women with hip and/or knee osteoarthritis before and after a supported self-management programme - a prospective observational study. <b>2021</b> , 1-9		1
75	Health-related quality of life, anxiety and depression up to 12 months post-stroke: Influence of sex, age, stroke severity and atrial fibrillation - A longitudinal subanalysis of the Find-AF trial. <b>2021</b> , 142, 110353		2
74	Valuation of the EQ-5D-3L in Russia. <i>Quality of Life Research</i> , <b>2021</b> , 30, 1997-2007	3.7	4
73	The cost-effectiveness of a culturally tailored parenting program: estimating the value of multiple outcomes. <b>2021</b> , 19, 23		1
72	Health utility in preclinical and prodromal Alzheimer's disease for establishing the value of new disease-modifying treatments-EQ-5D data from the Swedish BioFINDER study. <b>2021</b> , 17, 1832-1842		0
71	Intravenous iron supplement for iron deficiency in cardiac transplant recipients (IronIC): A randomized clinical trial. <b>2021</b> , 40, 359-367		5
70	Patient-controlled admissions to inpatient care: A twelve-month naturalistic study of patients with schizophrenia spectrum diagnoses and the effects on admissions to and days in inpatient care. <b>2021</b> , 21, 598		1
69	Insights on Genetic and Environmental Factors in Parkinson's Disease from a regional Swedish Case-Control Cohort.		
68	ReCOV: recovery and rehabilitation during and after COVID-19 - a study protocol of a longitudinal observational study on patients, next of kin and health care staff. <b>2021</b> , 13, 70		1
67	The Cost-Effectiveness of Lorlatinib Versus Chemotherapy as a Second- or Third-Line Treatment in Anaplastic Lymphoma Kinase (ALK)-Positive Non-small-cell Lung Cancer in Sweden. <b>2021</b> , 39, 941-952		1
66	Evolutionary benefits of personality traits when facing workplace bullying. <b>2021</b> , 177, 110849		1
65	Neuroplasticity following Nerve Transfer of the Anterior Interosseous Nerve for Proximal Ulnar Nerve Injuries. <b>2021</b> , 9, e3684		2
64	Dorsomedial prefrontal theta burst stimulation to treat anhedonia, avolition, and blunted affect in schizophrenia or depression - a randomized controlled trial. <b>2021</b> , 290, 308-315		5
63	Estimating an EQ-5D-3L Value Set for Romania Using Time Trade-Off. <b>2021</b> , 18,		0
62	Patient Utilities in Health States Based on Hoehn and Yahr and Off-Time in Parkinson's Disease: A Swedish Register-Based Study in 1823 Observations. <b>2021</b> , 39, 1141-1149		0

61	Variations in Patients' Overall Assessment of Their Health Across and Within Disease Groups Using the EQ-5D Questionnaire: Protocol for a Longitudinal Study in the Swedish National Quality Registers. <b>2021</b> , 10, e27669	2
60	Concordance among Swedish, German, Danish, and UK EQ-5D-3L Value Sets: Analyses of Patient-Reported Outcomes in the Swedish Hip Arthroplasty Register. <b>2021</b> , 10,	
59	Patient Empowerment and Associations with Disease Activity and Pain-Related and Lifestyle Factors in Patients With Rheumatoid Arthritis. <b>2021</b> ,	1
58	Three Versus Six Months of Adjuvant Doublet Chemotherapy for Patients With Colorectal Cancer: A Multi-Country Cost-Effectiveness and Budget Impact Analysis. <b>2021</b> , 20, 236-244	1
57	Impact of Adding Oseltamivir to Usual Care on Quality-Adjusted Life-Years During Influenza-Like Illness.. <b>2022</b> , 25, 178-184	0
56	Cost-effectiveness of nivolumab in squamous and non-squamous non-small cell lung cancer in Canada and Sweden: an update with 5-year data. <b>2021</b> , 24, 607-619	2
55	An Experience-Based Value Set for the EQ-5D-5L in Germany. <b>2017</b> , 20, 1150-1156	24
54	Health and Inequality in Health in the Nordic Countries.	1
53	Cost-Effectiveness of Therapist-Guided Internet-Based Cognitive Behavioral Therapy for Stress-Related Disorders: Secondary Analysis of a Randomized Controlled Trial. <b>2019</b> , 21, e14675	7
52	Virtual Reality Exercises in an Interdisciplinary Rehabilitation Programme for Persons with Chronic Neck Pain: a Feasibility Study. <b>2021</b> , 4, 1000067	
51	Trends in Health Equity Among Children in the United States, 1997-2018. <b>2021</b> , 25, 1939-1959	0
50	Cost-Effectiveness of Therapist-Guided Internet-Based Cognitive Behavioral Therapy for Stress-Related Disorders: Secondary Analysis of a Randomized Controlled Trial (Preprint).	
49	Physiotherapist-led rehabilitation for patients with chronic musculoskeletal pain: interventions and promising long-term outcomes. <b>2021</b> , 22, 910	2
48	Factors associated with self-reported capacity to walk, jog and run in individuals with systemic lupus erythematosus. <b>2021</b> , 36, 89-100	
47	Reporting and valuing one's own health: a think aloud study using EQ-5D-5L, EQ VAS and a time trade-off question among patients with a chronic condition. <b>2020</b> , 18, 388	2
46	Recovery and Quality of Life After Trauma: A 6-Month Follow-Up Study. <b>2020</b> , 27, 327-334	2
45	The impact of community-based prevention on quality of life-The necessity to control for general health trends the Northern Sweden MONICA study in 2014. <b>2021</b> , 16, e0256872	
44	Insights on Genetic and Environmental Factors in Parkinson's Disease from a Regional Swedish Case-Control Cohort. <b>2021</b> ,	1

43	Fatigue after acquired brain injury impacts health-related quality of life: an exploratory cohort study. <b>2021</b> , 11, 22153			0
42	The impact of community-based prevention on quality of life—The necessity to control for general health trends the Northern Sweden MONICA study in 2014. <b>2021</b> , 16, e0256872			
41	Rural population's preferences matter: a value set for the EQ-5D-3L health states for China's rural population.. <b>2022</b> , 20, 14			1
40	Exploring EQ-5D-Y-3L Experience-Based VAS Values Derived Among Adolescents.. <b>2022</b> , 1			0
39	Worse patient-reported outcomes and higher risk of reoperation and adverse events after total hip replacement in patients with opioid use in the year before surgery: a Swedish register-based study on 80,483 patients.. <b>2022</b> , 93, 190-197			0
38	Longitudinal study of patients' health-related quality of life using EQ-5D-3L in 11 Swedish National Quality Registers.. <b>2022</b> , 12, e048176			1
37	SLEEP: intervention with weighted blankets for children with attention deficit hyperactivity disorder (ADHD) and sleep problems: study protocol for a randomised control trial.. <b>2022</b> , 12, e047509			1
36	Short Term Economic Evaluation of the Digital Platform Support, Monitoring And Reminder Technology for Mild Dementia (SMART4MD) for People with Mild Cognitive Impairment and Their Informal Caregivers.. <b>2022</b> ,			1
35	'Like holding the axe on who should live or not': adolescents' and adults' perceptions of valuing children's health states using a standardised valuation protocol for the EQ-5D-Y-3L.. <i>Quality of Life Research</i> , <b>2022</b> , 1	3.7		0
34	First population norms for the EQ-5D-3L in the Russian Federation.. <b>2022</b> , 17, e0263816			
33	The QALY is ableist: on the unethical implications of health states worse than dead. <i>Quality of Life Research</i> , <b>2021</b> , 1	3.7		0
32	EQ-5D-3L Health Status Among Homeless People in Stockholm, Sweden, 2006 and 2018.. <b>2021</b> , 9, 780753			0
31	Guidance to Users of EQ-5D-5L Value Sets. <b>2022</b> , 213-233			0
30	Table_1.xls. <b>2019</b> ,			
29	Long-Term Outcome and Quality of Life in Patients With Stroke Presenting With Extensive Early Infarction. <b>2022</b> , 2,			0
28	Intravenous iron supplement for iron deficiency in patients with severe aortic stenosis scheduled for TAVI Results of the IIISAS randomised trial.. <b>2022</b> ,			0
27	Is ultra-hypo-fractionated radiotherapy more cost-effective relative to conventional fractionation in treatment of prostate cancer? A cost-utility analysis alongside a randomized HYPO-RT-PC trial.. <b>2022</b> ,			
26	Hyperbaric Oxygen for Treatment of Long COVID Syndrome (HOT-LoCO); Protocol for a Randomised, Placebo-Controlled, Double-Blind, Phase II Clinical Trial.			

25	Internet-based vestibular rehabilitation versus standard care after acute onset vertigo: a study protocol for a randomized controlled trial. <b>2022</b> , 23,	
24	Exploring the most important factors related to self-perceived health among older men in Sweden: a cross-sectional study using machine learning. <b>2022</b> , 12, e061242	
23	What are the effects of implementing patient-controlled admissions in inpatient care? A study protocol of a large-scale implementation and naturalistic evaluation for adult and adolescent patients with severe psychiatric conditions throughout Region Stockholm. <b>2022</b> , 12, e065770	
22	Factors and Predictors of Health Related Quality of Life of the General Population of Pakistan. 10,	
21	Patient Reported Outcome and Quality of Life After Delayed Breast Reconstruction - An RCT Comparing Different Reconstructive Methods in Radiated and Non-radiated Patients. <b>2022</b> ,	○
20	Completing the time trade-off with respondents who are older, in poorer health or with an immigrant background in an EQ-5D-5L valuation study.	○
19	The health cost of reducing hospital bed capacity. <b>2022</b> , 313, 115399	○
18	Health-related quality of life in adolescents with idiopathic scoliosis: a cross-sectional study including healthy controls.	1
17	Do they just know more, or do they also have different preferences? An exploratory analysis of the effects of self-reporting serious health problems on health state valuation. <b>2022</b> , 115474	○
16	Hyperbaric oxygen for treatment of long COVID-19 syndrome (HOT-LoCO): protocol for a randomised, placebo-controlled, double-blind, phase II clinical trial. <b>2022</b> , 12, e061870	1
15	Long-term functional outcome and quality of life following surgical evacuation of spontaneous supratentorial intracerebral hemorrhage. Results from a Swedish nationwide cohort. <b>2022</b> ,	○
14	Patient-reported outcomes among patients undergoing total hip replacement in an integrated care system and in a standard care system in Region Stockholm, Sweden. <b>2022</b> , 22,	○
13	Hypothetical versus experienced health state valuation: a qualitative study of adult general public views and preferences.	○
12	Estimating a social value set for EQ-5D-5L in Sweden. <b>2022</b> , 20,	○
11	An experience- and preference-based EQ-5D-3L value set derived using 18 months of longitudinal data in patients who sustained a fracture: results from the ICUROS.	○
10	Do Patients Aged 85 Years and above Benefit from Their Cochlear Implants?. <b>2023</b> , 13, 96-106	○
9	Assessment of Health-Related Quality of Life Among Male Patients With Controlled and Uncontrolled Hypertension in Semi Urban India. <b>2023</b> , 60, 004695802311670	○
8	Experience-based health state valuation using the EQ VAS: a register-based study of the EQ-5D-3L among nine patient groups in Sweden. <b>2023</b> , 21,	○

- 7 Previous Trauma Exposure and Its Associations with Fear of Childbirth and Quality of Life among Pregnant Lesbian, Bisexual, Transgender, and Queer People and Their Partners. **2023**, 19, 175-185 ○
- 6 Health-related quality of life and long-term symptoms among patients with non-severe covid-19: a prospective cohort study. **2023**, 55, 272-281 ○
- 5 Long-term health-related quality of life after trauma with and without traumatic brain injury: a prospective cohort study. **2023**, 13, ○
- 4 Validity of the short musculoskeletal function assessment questionnaire in patients with a spine fracture. **2023**, 32, 1471-1479 ○
- 3 A randomized trial comparing percutaneous endoscopic gastrostomy (PEG) and radiologically inserted percutaneous gastrostomy (RIG). 145749692311563 ○
- 2 Integrating health promotion with and for older people - eHealth (IHOPe) - Evaluating remote integrated person-centred care. **2023**, 23, ○
- 1 Cost-effectiveness of different exercise intensities during oncological treatment in the Phys-Can RCT. 1-8 ○