

# CITATION REPORT

List of articles citing

Experimental design and multiple response optimization. Using the desirability function in analytical methods development

DOI: 10.1016/j.talanta.2014.01.034  
Talanta, 2014, 124, 123-38.

**Source:** <https://exaly.com/paper-pdf/58813247/citation-report.pdf>

**Version:** 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 662 | Automatic Mesofluidic System Combining Dynamic Gastrointestinal Bioaccessibility with Lab-on-Valve-Based Sorptive Microextraction for Risk Exposure of Organic Emerging Contaminants in Filter-Feeding Organisms.                     |     |           |
| 661 | Ex situ online monitoring: application, challenges and opportunities for biopharmaceutical processes. <b>2014</b> , 2, 285-300  |     | 12        |
| 660 | Assessing oral bioaccessibility of trace elements in soils under worst-case scenarios by automated in-line dynamic extraction as a front end to inductively coupled plasma atomic emission spectrometry. <b>2014</b> , 842, 1-10      |     | 23        |
| 659 | Box-Behnken factorial design to obtain a phenolic-rich extract from the aerial parts of <i>Chelidonium majus</i> L. <i>Talanta</i> , <b>2014</b> , 130, 128-36  | 6.2 | 26        |
| 658 | A comparative study of multiresponse optimization criteria working ability. <b>2014</b> , 138, 171-177  |     | 8         |
| 657 | Multiresponse Optimisation Applied to the Development of a TLC Autography for the Detection of Tyrosinase Inhibitors. <b>2015</b> , 26, 287-92  |     | 22        |
| 656 | How Inhomogeneous Salt Distribution Can affect the Sensory Properties of Salt-Reduced Multi-Component Food: Contribution of A Mixture Experimental Design Approach Applied to Pizza. <b>2015</b> , 30, 484-498                        |     | 8         |
| 655 | Multi-Optimization of Ultrasonic-Assisted Enzymatic Extraction of <i>Atracylodes macrocephala</i> Polysaccharides and Antioxidants Using Response Surface Methodology and Desirability Function Approach. <b>2015</b> , 20, 22220-35  |     | 17        |
| 654 | The Study of an Optimal Robust Design and Adjustable Ordering Strategies in the HSCM. <b>2015</b> , 2015, 517245  |     | 0         |
| 653 | Simple and rapid analysis of muscarine in human urine using dispersive micro-solid phase extraction and ultra-high performance liquid chromatography-high resolution mass spectrometry. <b>2015</b> , 7, 3720-3727                    |     | 5         |
| 652 | Optimization of Ultrasonic-Assisted Extraction of Daurisoline and Dauricine from <i>Menispermis Rhizoma</i> by Response Surface Methodology. <b>2015</b> , 38, 1561-1570  |     | 2         |
| 651 | Chemometric-assisted spectrophotometric methods and high performance liquid chromatography for simultaneous determination of seven $\beta$ -blockers in their pharmaceutical products: a comparative study. <b>2015</b> , 141, 278-86 |     | 14        |
| 650 | New method for the determination of bile acids in human plasma by liquid-phase microextraction using liquid chromatography-ion-trap-time-of-flight mass spectrometry. <b>2015</b> , 1388, 102-9                                       |     | 14        |
| 649 | Application of response surface methodology for the optimization of lead removal from contaminated soil using chelants. <b>2015</b> , 5, 58010-58018  |     | 22        |
| 648 | Comparative study of the effect of auxiliary energies on the extraction of Citrus fruit components. <i>Talanta</i> , <b>2015</b> , 144, 522-8   | 6.2 | 12        |
| 647 | Response Surface Methodology to Optimize the Preparation of Chitosan/Alginate Nanoparticles Containing Curcumin Diethyl Disuccinate. <b>2015</b> , 1119, 398-402  |     |           |
| 646 | Experimental Design Optimization of the Determination of Total Halogens in Coal by Combustion Ion Chromatography. <b>2015</b> , 48, 2597-2612   |     | 5         |

|     |   |     |    |
|-----|---|-----|----|
| 645 | Multiple responses optimization in the development of a headspace gas chromatography method for the determination of residual solvents in pharmaceuticals. <b>2015</b> , 5, 296-306   |     | 16 |
| 644 | Determination of midodrine hydrochloride via Hantzsch condensation reaction: a factorial design based spectrophotometric approach. <b>2015</b> , 5, 48474-48483   |     | 14 |
| 643 | Optimisation of temperature-programmed gas chromatographic separation of organochloride pesticides by response surface methodology. <b>2015</b> , 1423, 149-57  |     | 7  |
| 642 | Optimal design of experiments applied to headspace solid phase microextraction for the quantification of vicinal diketones in beer through gas chromatography-mass spectrometric detection. <b>2015</b> , 887, 101-110  |     | 17 |
| 641 | Novel dispersive micro-solid-phase extraction combined with ultrahigh-performance liquid chromatography-high-resolution mass spectrometry to determine morpholine residues in citrus and apples. <b>2015</b> , 63, 485-92   |     | 17 |
| 640 | Investigation of influence of process variables on mechanical strength, size and homogeneity of pharmaceutical granules produced by fluidised hot melt granulation. <b>2015</b> , 272, 173-180  |     | 10 |
| 639 | Activated carbon-modified knotted reactor coupled to electrothermal atomic absorption spectrometry for sensitive determination of arsenic species in medicinal herbs and tea infusions. <b>2015</b> , 103-104, 49-56  |     | 7  |
| 638 | Experimental design and machine learning strategies for parameters screening and optimization of Hantzsch condensation reaction for the assay of sodium alendronate in oral solution. <b>2015</b> , 5, 6385-6394  |     | 17 |
| 637 | A novel dispersive micro solid phase extraction using PCX as the sorbent for the determination of melamine and cyromazine in milk and milk powder by UHPLC-HRMS/MS. <i>Talanta</i> , <b>2015</b> , 134, 144-152   | 6.2 | 55 |
| 636 | Monitoring simultaneous photocatalytic-ozonation of mixture of pharmaceuticals in the presence of immobilized TiO <sub>2</sub> nanoparticles using MCR-ALS: Identification of intermediates and multi-response optimization approach. <b>2015</b> , 136 Pt C, 1275-90 |     | 30 |
| 635 | Optimisation of ultrasound-assisted extraction conditions for maximal recovery of active monacolins and removal of toxic citrinin from red yeast rice by a full factorial design coupled with response surface methodology. <b>2015</b> , 170, 186-92                 |     | 45 |
| 634 | Nanocapsules of $\beta$ -carotene: Thermal degradation kinetics in a scraped surface heat exchanger (SSHE). <b>2015</b> , 60, 124-130   |     | 17 |
| 633 | Optimization of minoxidil microemulsions using fractional factorial design approach. <b>2016</b> , 21, 86-97  |     | 4  |
| 632 | A Rapid LC-HRMS Method for the Determination of Domoic Acid in Urine Using a Self-Assembly Pipette Tip Solid-Phase Extraction. <b>2015</b> , 8,   |     | 9  |
| 631 | Enantioselective extraction of phenylsuccinic acid in aqueous two-phase systems based on acetone and $\beta$ -cyclodextrin derivative: Modeling and optimization through response surface methodology. <b>2016</b> , 1467, 490-496                                    |     | 6  |
| 630 | Interaction of p-synephrine with p-chloranil: experimental design and multiple response optimization. <b>2016</b> , 6, 64967-64976  |     | 15 |
| 629 | Speciation and determination of Cr(III) and Cr(VI) by directly suspended droplet microextraction coupled with flame atomic absorption spectrometry: an application of central composite design strategy as an experimental design tool. <b>2016</b> , 8, 5070-5078    |     | 9  |
| 628 | A review of multivariate designs applied to the optimization of methods based on inductively coupled plasma optical emission spectrometry (ICP OES). <b>2016</b> , 128, 331-346   |     | 60 |

|     |   |    |
|-----|---|----|
| 627 | Supramolecular nanosolvent-based hollow fiber liquid phase microextraction as a novel method for simultaneous preconcentration of acidic, basic and amphiprotic pollutants. <b>2016</b> , 6, 41825-41834                                      | 9  |
| 626 | Optimization, modeling and characterization of sol-gel process parameters for the synthesis of nanostructured boron doped alumina catalyst supports. <b>2016</b> , 229, 134-144   | 9  |
| 625 | Enhancing the properties of friction stir welded stainless steel joints via multi-criteria optimization. <b>2016</b> , 16, 605-617  | 13 |
| 624 | Application of Analytical Quality by Design concept for bilastine and its degradation impurities determination by hydrophilic interaction liquid chromatographic method. <b>2016</b> , 125, 385-93  | 33 |
| 623 | Bioassay-guided extraction of crude fucose-containing sulphated polysaccharides from <i>Sargassum fusiforme</i> with response surface methodology. <b>2016</b> , 15, 533-540  | 4  |
| 622 | Advances in the Use of Cyclodextrins as Chiral Selectors in Capillary Electrokinetic Chromatography: Fundamentals and Applications. <b>2016</b> , 79, 1403-1435   | 85 |
| 621 | A comparative evaluation of different ionic liquids for arsenic species separation and determination in wine varieties by liquid chromatography - hydride generation atomic fluorescence spectrometry. <b>2016</b> , 1462, 44-54              | 22 |
| 620 | The use of chemometrics to study multifunctional indole alkaloids from <i>Psychotria nemorosa</i> ( <i>Palicourea comb. nov.</i> ). Part I: Extraction and fractionation optimization based on metabolic profiling. <b>2016</b> , 1463, 60-70 | 14 |
| 619 | One-pot stereoselective synthesis of chiral 1, 3-oxathiolane by <i>Trichosporon laibachii</i> lipase: Optimization by response surface methodology integrated a desirability function approach. <b>2016</b> , 133, 27-34                      | 9  |
| 618 | Ultrasound assisted extraction for the determination of mercury in sediment samples employing cold vapour atomic absorption spectrometry. <b>2016</b> , 8, 6554-6559  | 7  |
| 617 | Boosting model performance and interpretation by entangling preprocessing selection and variable selection. <b>2016</b> , 938, 44-52  | 28 |
| 616 | Characterization of a highly efficient N-doped TiO <sub>2</sub> photocatalyst prepared via factorial design. <b>2016</b> , 40, 7846-7855  | 19 |
| 615 | Rapid determination of some beta-blockers in complicated matrices by tandem dispersive liquid-liquid microextraction followed by high performance liquid chromatography. <b>2016</b> , 408, 8163-8176   | 15 |
| 614 | Multiresponse problems: desirability and other optimization approaches. <b>2016</b> , 30, 702-714   | 6  |
| 613 | Optimization of phytochemicals production from the ginseng by-products using pressurized hot water: Experimental and dynamic modelling. <b>2016</b> , 113, 141-151  | 28 |
| 612 | Poly(2-aminobenzothiazole)-coated graphene oxide/magnetite nanoparticles composite as an efficient sorbent for determination of non-steroidal anti-inflammatory drugs in urine sample. <b>2016</b> , 1435, 18-29                              | 59 |
| 611 | Multivariate Optimization of Method of Slurry Sampling for Determination of Iron and Zinc in Starch Samples by Flame Atomic Absorption Spectrometry. <b>2016</b> , 9, 1719-1725   | 17 |
| 610 | Optimized high performance liquid chromatography-ultraviolet detection method using core-shell particles for the therapeutic monitoring of methotrexate. <b>2016</b> , 6, 103-111   | 12 |

|     |  |     |    |
|-----|--|-----|----|
| 609 | Optimization of magnetosome production by <i>Acidithiobacillus ferrooxidans</i> using desirability function approach. <b>2016</b> , 59, 731-739  |     | 18 |
| 608 | Optimisation of recyclable beta plaster using plaster waste in a continuous reactor with a mobile helical element. <b>2016</b> , 124, 370-377  |     | 3  |
| 607 | A simple, comprehensive, and miniaturized solvent extraction method for determination of particulate-phase polycyclic aromatic compounds in air. <b>2016</b> , 1435, 6-17  |     | 41 |
| 606 | Desirability Based Optimization and Validation of New RP-HPLC Method for Simultaneous Determination of Bisoprolol Fumarate, Hydrochlorothiazide and Their Impurities. <b>2016</b> , 79, 571-579                                    |     | 7  |
| 605 | Chemometric optimization and validation of a novel dispersive liquid-liquid microextraction-HPLC method for gliclazide, glibenclamide and glimepiride quantitation in serum samples. <b>2016</b> , 127, 113-119                    |     | 22 |
| 604 | Development of an optimized HPLC method for the simultaneous determination of six compounds containing $\beta$ -lactam ring in human plasma and urine using experimental design methodology. <b>2016</b> , 6, 9465-9474            |     | 3  |
| 603 | Investigation by Response Surface Methodology of Extraction of Caffeine, Gallic Acid and Selected Catechins from Tea Using Water-Ethanol Mixtures. <b>2016</b> , 9, 2773-2779  |     | 6  |
| 602 | A novel combination of experimental design and artificial neural networks as an analytical tool for improving performance in thermospray flame furnace atomic absorption spectrometry. <b>2016</b> , 151, 44-50                    |     | 4  |
| 601 | Simultaneous spectrophotometric determination of synthetic dyes in food samples after cloud point extraction using multiple response optimizations. <i>Talanta</i> , <b>2016</b> , 148, 237-46                                     | 6.2 | 80 |
| 600 | Simplex optimization: A tutorial approach and recent applications in analytical chemistry. <b>2016</b> , 124, 45-54  |     | 44 |
| 599 | Development of a wet digestion method for paints for the determination of metals and metalloids using inductively coupled plasma optical emission spectrometry. <i>Talanta</i> , <b>2016</b> , 146, 188-94                         | 6.2 | 12 |
| 598 | Fabrication of lipidic nanocarriers of loratadine for facilitated intestinal permeation using multivariate design approach. <b>2016</b> , 42, 288-306  |     | 15 |
| 597 | Optimization using the gradient and simplex methods. <i>Talanta</i> , <b>2016</b> , 148, 641-8   | 6.2 | 14 |
| 596 | Multi-response optimization of factors affecting ultrasonic assisted extraction from Iranian basil using central composite design. <b>2016</b> , 190, 864-870  |     | 56 |
| 595 | Efficient and clean pre-concentration of ultra-trace calcium channel blockers from biological matrices via a hyphenated procedure of two sequential dispersive solid/liquid phase microextractions. <b>2017</b> , 960, 138-150     |     | 15 |
| 594 | A new state-of-charge estimation method for electric vehicle lithium-ion batteries based on multiple input parameter fitting model. <b>2017</b> , 41, 1265-1276  |     | 21 |
| 593 | Assessment of parabens and ultraviolet filters in human placenta tissue by ultrasound-assisted extraction and ultra-high performance liquid chromatography-tandem mass spectrometry. <b>2017</b> , 1487, 153-161                   |     | 30 |
| 592 | Simultaneous multi-residue determination of twenty one veterinary drugs in poultry litter by modeling three-way liquid chromatography with fluorescence and absorption detection data. <i>Talanta</i> , <b>2017</b> , 167, 442-452 | 6.2 | 24 |

|     |   |       |
|-----|---|-------|
| 591 | Chemometric-assisted QuEChERS extraction method for post-harvest pesticide determination in fruits and vegetables. <b>2017</b> , 7, 42489   | 12    |
| 590 | Modelling of moving bed biofilm reactor (MBBR) efficiency on hospital wastewater (HW) treatment: a comprehensive analysis on BOD and COD removal. <b>2017</b> , 14, 841-852   | 13    |
| 589 | Optimization of ion exchange sigmoidal gradients using hybrid models: Implementation of quality by design in analytical method development. <b>2017</b> , 1491, 145-152   | 11    |
| 588 | Multi-objective optimization of oxidative desulfurization in a sono-photochemical airlift reactor. <b>2017</b> , 38, 50-61  | 16    |
| 587 | Flotation-assisted homogeneous liquid-liquid microextraction for determination of thorium in water samples by inductively coupled plasma-mass spectrometry and Box-Behnken design. <b>2017</b> , 52, 1289-1297                                | 7     |
| 586 | Fabrication and performance evaluation of dissimilar magnesium-aluminium alloy multi-seam friction stir clad joints. <b>2017</b> , 27, 25-35  | 10    |
| 585 | Design of experiments (DoE) in pharmaceutical development. <b>2017</b> , 43, 889-901  | 155   |
| 584 | Multi-objective optimization in the development of oil and water repellent cellulose fabric based on response surface methodology and the desirability function. <b>2017</b> , 4, 035302  | 9     |
| 583 | Biological treatment of model dyes and textile wastewaters. <b>2017</b> , 181, 168-177  | 153   |
| 582 | Experimental Design in Ion Chromatography: Effect of the Organic Modifier and Complexing Agent on the Retention of Alkaline and Alkaline Earth Ions. <b>2017</b> , 80, 853-860  | 3     |
| 581 | An easily organic-inorganic hybrid optical sensor based on dithizone impregnation on mesoporous SBA-15 for simultaneous detection and removal of Pb(II) ions from water samples: Response-surface methodology. <b>2017</b> , 31, e3842        | 32    |
| 580 | Optimization of the treatment of an anaerobic pretreated landfill leachate by a coagulation-flocculation process using experimental design methodology. <b>2017</b> , 109, 621-630  | 40    |
| 579 | Rational Hydrogel Formulation Leads to Reversible and Enhanced Photocontrolled Rigidity. <b>2017</b> , 1, 311-316   | 4     |
| 578 | Evaluation of novel bitter cassava film for equilibrium modified atmosphere packaging of cherry tomatoes. <b>2017</b> , 13, 1-14  | 28    |
| 577 | Surrogate-based multi-experiment calibration of the BISON fission gas behavior model. <b>2017</b> , 320, 409-417  | 6     |
| 576 | Highly Efficient Malolactic Fermentation of Red Wine Using Encapsulated Bacteria in a Robust Biocomposite of Silica-Alginate. <b>2017</b> , 65, 5188-5197   | 10    |
| 575 | Investigating the organic and conventional production type of olive oil with target and suspect screening by LC-QTOF-MS, a novel semi-quantification method using chemical similarity and advanced chemometrics. <b>2017</b> , 409, 5413-5426 | 29    |
| 574 | Determination of 3-nitrotyrosine in food protein suspensions. <i>Talanta</i> , <b>2017</b> , 171, 81-89   | 6.2 4 |

|     |   |     |    |    |
|-----|---|-----|----|----|
| 573 | Application of random forest, radial basis function neural networks and central composite design for modeling and/or optimization of the ultrasonic assisted adsorption of brilliant green on ZnS-NP-AC. <b>2017</b> , 505, 278-292                           |     |    | 45 |
| 572 | Simultaneous optimization of quality and reliability characteristics through designed experiment. <b>2017</b> , 29, 344-357   |     |    | 7  |
| 571 | Computed determination of the in vitro optimal chemocombinations of sphaeropsidin A with chemotherapeutic agents to combat melanomas. <b>2017</b> , 79, 971-983   |     |    | 7  |
| 570 | Optimization of the recovery of high-value compounds from pitaya fruit by-products using microwave-assisted extraction. <b>2017</b> , 230, 463-474  |     |    | 48 |
| 569 | Multiresponse optimization of a UPLC method for the simultaneous determination of tryptophan and 15 tryptophan-derived compounds using a Box-Behnken design with a desirability function. <b>2017</b> , 225, 1-9  |     |    | 19 |
| 568 | Rapid Method Development in Hydrophilic Interaction Liquid Chromatography for Pharmaceutical Analysis Using a Combination of Quantitative Structure-Retention Relationships and Design of Experiments. <b>2017</b> , 89, 1870-1878                            |     |    | 36 |
| 567 | Robustness evaluation in analytical methods optimized using experimental designs. <b>2017</b> , 131, 163-169  |     |    | 61 |
| 566 | On line automated system for the determination of Sb(V), Sb(III), trimethyl antimony(v) and total antimony in soil employing multisyringe flow injection analysis coupled to HG-AFS. <i>Talanta</i> , <b>2017</b> , 165, 502-507                              | 6.2 | 22 |    |
| 565 | Thermal desorption comprehensive two-dimensional gas chromatography coupled to time of flight mass spectrometry for vapour phase mainstream tobacco smoke analysis. <b>2017</b> , 1525, 126-137   |     |    | 9  |
| 564 | Hydrothermal carbonization of coffee husk: Optimization of experimental parameters and adsorption of methylene blue dye. <b>2017</b> , 5, 4841-4849   |     |    | 54 |
| 563 | Rapid Screening of Haloacetonitriles in Water Samples by Optimized Vortex-assisted Liquid-Liquid Microextraction. <b>2017</b> , 64, 1227-1234   |     |    | 0  |
| 562 | Highly efficient recovery of biophenols onto graphene oxide nanosheets: Valorisation of a biomass. <b>2017</b> , 246, 208-214   |     |    | 11 |
| 561 | Improved extraction methods for simultaneous recovery of umami compounds from six different mushrooms. <b>2017</b> , 63, 171-183  |     |    | 29 |
| 560 | Optimisation of caffeine and antidepressants extraction from sediments and sewage sludge using experimental designs. <b>2017</b> , 97, 935-948  |     |    | 2  |
| 559 | Application of Response Surface Methodology to Optimize Aerodynamic Performance of NACA Inlet. <b>2017</b> ,  |     |    | 0  |
| 558 | Simultaneous determination of six rare earth elements in geological and spent catalyst samples using electrothermal vaporization inductively coupled plasma mass spectrometry following dispersive liquid-liquid microextraction. <b>2017</b> , 32, 1893-1904 |     |    | 5  |
| 557 | Experimentation and optimization of process parameters of abrasive jet drilling by surface response method with desirability based PSO. <b>2017</b> , 4, 7426-7437  |     |    | 2  |
| 556 | SRO_ANN: An integrated MatLab toolbox for multiple surface response optimization using radial basis functions. <b>2017</b> , 171, 198-206   |     |    | 9  |

|     |  |     |    |
|-----|--|-----|----|
| 555 | Optimization of a direct-acting pressure regulator for irrigation systems based on CFD simulation and response surface methodology. <b>2017</b> , 35, 383-395  |     | 3  |
| 554 | Fluidized bed abrasive jet machining (FB-AJM) of K-99 alumina ceramic using SiC abrasives. <b>2017</b> , 90, 3655-3672   |     | 26 |
| 553 | Multi-response optimization of R2R gravure printing using orthogonal array and principal component analysis as a weighting factor. <b>2017</b> , 90, 3595-3606   |     | 11 |
| 552 | Sequential determination of cadmium and lead in organic pharmaceutical formulations using high-resolution continuum source graphite furnace atomic absorption spectrometry. <b>2017</b> , 130, 157-161   |     | 25 |
| 551 | Vortex-assisted dispersive liquid-liquid microextraction for the analysis of major Aspergillus and Penicillium mycotoxins in rice wine by liquid chromatography-tandem mass spectrometry. <b>2017</b> , 73, 862-868  |     | 25 |
| 550 | Investigation by response surface methodology of the combined effect of pH and composition of water-methanol mixtures on the stability of curcuminoids. <b>2017</b> , 219, 414-418   |     | 13 |
| 549 | Magnetic Solid-Phase Extraction of Oxadiazon and Profenofos from Environmental Water Using Magnetite Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> Nanoparticles. <b>2017</b> , 25, 770-780   |     | 13 |
| 548 | Determination of pesticide residues in leafy vegetables at parts per billion levels by a chemometric study using GC-ECD in Cameron Highlands, Malaysia. <b>2017</b> , 224, 55-61   |     | 43 |
| 547 | Multivariate optimization of headspace trap for furan and furfural simultaneous determination in sponge cake. <i>Talanta</i> , <b>2017</b> , 164, 708-715  | 6.2 | 11 |
| 546 | Inorganic selenium speciation analysis in Allium and Brassica vegetables by ionic liquid assisted liquid-liquid microextraction with multivariate optimization. <b>2017</b> , 219, 102-108   |     | 21 |
| 545 | Optimisation of food processing with multiple quality characteristics using desirability function. <b>2017</b> , 6, 302  |     |    |
| 544 | Data-driven Modelling of Microfiltration Process with Embedded Static Mixer for Steepwater from Corn Starch Industry. <b>2017</b> ,  |     | 1  |
| 543 | Application of two-level full factorial design and response surface methodology in the optimization of inductively coupled plasma-optical emission spectrometry (ICPOES) instrumental parameters for the determination of platinum. <b>2017</b> , 9, 43-53 |     | 1  |
| 542 | RED WINE EXTRACT OBTAINED BY MEMBRANE-BASED SUPERCRITICAL FLUID EXTRACTION: PRELIMINARY CHARACTERIZATION OF CHEMICAL PROPERTIES.. <b>2017</b> , 34, 567-581  |     | 1  |
| 541 | Optimizing a sustainable ultrasound-assisted extraction method for the recovery of polyphenols from lemon by-products: comparison with hot water and organic solvent extractions. <b>2018</b> , 244, 1353-1365   |     | 28 |
| 540 | Prediction of emissions and performance of a diesel engine fueled with n-octanol/diesel blends using response surface methodology. <b>2018</b> , 184, 423-439  |     | 73 |
| 539 | Integrated combined effects of temperature, pH and sodium chloride concentration on biofilm formation by <i>Salmonella enterica</i> ser. Enteritidis and <i>Typhimurium</i> under low nutrient food-related conditions. <b>2018</b> , 107, 10-18           |     | 17 |
| 538 | Implementation of osmotic membrane distillation with various hydrophobic porous membranes for concentration of sugars solutions and preservation of the quality of cactus pear juice. <b>2018</b> , 230, 28-38   |     | 22 |



|     |  |     |     |
|-----|--|-----|-----|
| 537 | Investigation on enhanced photocatalytic degradation of bisphenol A with bismuth oxyiodide catalyst using response surface methodology.. <b>2018</b> , 8, 5967-5975  |     | 15  |
| 536 | Potential of cellulose paper coated with silver nanoparticles: a benign option for emergency drinking water filter. <b>2018</b> , 25, 2647-2658  |     | 14  |
| 535 | Development of a chromatographic method with multi-criteria decision making design for simultaneous determination of nifedipine and atenolol in content uniformity testing. <i>Talanta</i> , <b>2018</b> , 184, 296-306  | 6.2 | 10  |
| 534 | An on-line system using ion-imprinted polymer for preconcentration and determination of bismuth in seawater employing atomic fluorescence spectrometry. <i>Talanta</i> , <b>2018</b> , 184, 87-92                        | 6.2 | 17  |
| 533 | Implementation of multicriteria decision analysis in design of experiment for dispersive liquid-liquid microextraction optimization for chlorophenols determination. <b>2018</b> , 1553, 25-31                           |     | 11  |
| 532 | Successful Development by Design of Experiments of a Gas Chromatography Method for Simultaneous Analysis of Residual Solvents of Classes 1 and 2. <b>2018</b> , 56, 473-479  |     | 2   |
| 531 | Multivariate optimization techniques in analytical chemistry - an overview. <b>2018</b> , 140, 176-182   |     | 58  |
| 530 | Effective utilization of waste plastic oil in a direct injection diesel engine using high carbon alcohols as oxygenated additives for cleaner emissions. <b>2018</b> , 166, 81-97  |     | 74  |
| 529 | On printability, quality and nutritional properties of 3D printed cereal based snacks enriched with edible insects. <b>2018</b> , 106, 666-676   |     | 116 |
| 528 | Chemometrically assisted optimization and validation of a new HPLC method for the determination of paliperidone in pharmaceuticals. <b>2018</b> , 41, 129-134  |     | 0   |
| 527 | Application of mixture design for optimum antioxidant activity of mixtures of essential oils from <i>Ocimum basilicum</i> L., <i>Origanum majorana</i> L. and <i>Rosmarinus officinalis</i> L.. <b>2018</b> , 115, 52-61 |     | 29  |
| 526 | Determination of free and total sulfur(IV) compounds in coconut water using high-resolution continuum source molecular absorption spectrometry in gas phase. <i>Talanta</i> , <b>2018</b> , 179, 810-815                 | 6.2 | 7   |
| 525 | Design and characterization of monolaurin loaded electrospun shellac nanofibers with antimicrobial activity. <b>2018</b> , 13, 459-471   |     | 14  |
| 524 | ANFIS models for prediction of biodiesel fuels cetane number using desirability function. <b>2018</b> , 216, 665-672   |     | 35  |
| 523 | Development of micellar electrokinetic chromatography method for the determination of three defined impurities in indomethacin. <b>2018</b> , 39, 2550-2557  |     | 3   |
| 522 | Sol-gel based biogenic silica composite as green nanosorbent for chemometric optimization of micro-solid-phase extraction of beta blockers. <b>2018</b> , 1554, 16-27  |     | 13  |
| 521 | Crocins pattern in saffron detected by UHPLC-MS/MS as marker of quality, process and traceability. <b>2018</b> , 264, 241-249  |     | 25  |
| 520 | Sugar beet molasses purification by bentonite addition: Analysis of quality enhancement and treatment conditions. <b>2018</b> , 93, 142-149  |     | 7   |

|     |  |     |
|-----|--|-----|
| 519 | Advanced oxidation of commercial herbicides mixture: experimental design and phytotoxicity evaluation. <b>2018</b> , 25, 21393-21402   | 6   |
| 518 | An overview of experimental designs in HPLC method development and validation. <b>2018</b> , 147, 590-611  | 147 |
| 517 | Multi-objective parametric optimization of nano powder mixed electrical discharge machining of AlSiCp using response surface methodology and particle swarm optimization. <b>2018</b> , 57, 609-619                    | 32  |
| 516 | Design of experiments and regression modelling in food flavour and sensory analysis: A review. <b>2018</b> , 71, 202-215   | 65  |
| 515 | Steam explosion of sweet sorghum stems: Optimisation of the production of sugars by response surface methodology combined with the severity factor. <b>2018</b> , 111, 482-493   | 27  |
| 514 | A comparative assessment of ternary blends of three bio-alcohols with waste cooking oil and diesel for optimum emissions and performance in a CI engine using response surface methodology. <b>2018</b> , 156, 337-357 | 53  |
| 513 | Analytical approach, dissipation pattern and risk assessment of pesticide residue in green leafy vegetables: A comprehensive review. <b>2018</b> , 32, e4134   | 13  |
| 512 | The Desirability Optimization Methodology; a Tool to Predict Two Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited Hairy Roots. <b>2018</b> , 16, e1339     | 30  |
| 511 | Polyherbal formulations with optimum antioxidant properties. <b>2018</b> ,   | 0   |
| 510 | Sequential extraction of saponins from Eurycoma longifolia roots by water extraction and ultrasound-assisted extraction. <b>2018</b> , 5, 21672-21681  | 7   |
| 509 | A desirability functions-based approach for simultaneous optimization of quantitative and ordinal response variables in industrial processes. <b>2018</b> , 10, 76-87  | 17  |
| 508 | Recovery of Eryzanol from Rice Bran Acid Oil by an Acid-base Extraction Method with the Assistance of Response Surface Methodology. <b>2018</b> , 67, 1405-1415  | 2   |
| 507 | Modelling digestive hydrolysis of nutrients in fish using factorial designs and desirability function. <b>2018</b> , 13, e0206556  | 12  |
| 506 | Experimental Design. <b>2018</b> ,   |     |
| 505 | Design of Experiments (DoE) applied to Pharmaceutical and Analytical Quality by Design (QbD). <b>2018</b> , 54,  | 61  |
| 504 | Au@Cu Nanoarrays with Uniform Long-Range Ordered Structure: Synthesis and SERS Applications. <b>2018</b> , 9,  | 2   |
| 503 | Data-driven multi-objective optimization via grid compatible simplex technique and desirability approach for challenging high throughput chromatography applications. <b>2018</b> , 34, 1393-1406                      | 2   |
| 502 | SPME Method Optimized by Box-Behnken Design for Impact Odorants in Reduced Alcohol Wines. <b>2018</b> , 7,   | 7   |

|     |   |     |    |
|-----|---|-----|----|
| 501 | Graphene oxide reinforced polyamide nanocomposite coated on paper as a novel layered sorbent for microextraction by packed sorbent. <b>2018</b> , 98, 1118-1134   |     | 14 |
| 500 | Nanoscale characterization coupled to multi-parametric optimization of Hi5 cell transient gene expression. <b>2018</b> , 102, 10495-10510   |     | 12 |
| 499 | Optimized preparation of Phragmites australis activated carbon using the Box-Behnken method and desirability function to remove hydroquinone. <b>2018</b> , 165, 411-422  |     | 11 |
| 498 | Box-Behnken response surface modeling assisted enantiomeric resolution of some racemic Eblockers using HPTLC and Eyclodextrin as chiral mobile phase additive: Application to check the enantiomeric purity of betaxolol. <b>2018</b> , 30, 1195-1205 |     | 4  |
| 497 | Assessment of gallic acid-modified fish gelatin formulations to optimize the mechanical performance of films. <b>2018</b> , 120, 2131-2136  |     | 7  |
| 496 | Validated and rapid measurement of the ferric reducing antioxidant power in plasma samples. <b>2018</b> , 72, 2561-2574   |     | 4  |
| 495 | Direct immersion solid-phase microextraction analysis of multi-class contaminants in edible seaweeds by gas chromatography-mass spectrometry. <b>2018</b> , 1031, 83-97   |     | 43 |
| 494 | Optimization of Roba1 extrusion conditions and bean extrudate properties using response surface methodology and multi-response desirability function. <b>2018</b> , 96, 411-418   |     | 12 |
| 493 | Research on histamine in cheese by response surface methodology and its exposure risk in China. <b>2018</b> , 85, 263-269   |     | 0  |
| 492 | Improvement in dissolution rate and photodynamic efficacy of chlorin e6 by sucrose esters as drug carrier in nanosuspension formulation: optimisation and in vitro characterisation. <b>2018</b> , 70, 1152-1163                                      |     | 2  |
| 491 | Development and validation of a copper ligand-exchange chromatographic method for the estimation of D-lactic acid in Ringer-lactate solution. <i>Talanta</i> , <b>2018</b> , 189, 86-91   | 6.2 | 5  |
| 490 | Modeling assessment of recovering iron from red mud by direct reduction: magnetic separation based on response surface methodology. <b>2018</b> , 25, 497-505   |     | 5  |
| 489 | Development of preconcentration process of iron by using graphene adsorbent and experimental design methodology. <b>2018</b> , 143, 272-279   |     | 2  |
| 488 | Applications and opportunities of experimental design for the dispersive liquid-liquid microextraction method - A review. <i>Talanta</i> , <b>2018</b> , 190, 335-356   | 6.2 | 86 |
| 487 | UHPLC Analysis of Saffron ( L.): Optimization of Separation Using Chemometrics and Detection of Minor Crocetin Esters. <b>2018</b> , 23,  |     | 17 |
| 486 | Microwave and enzyme co-assisted aqueous two-phase extraction of polyphenol and lutein from marigold ( <i>Tagetes erecta</i> L.) flower. <b>2018</b> , 123, 296-302   |     | 40 |
| 485 | Development of an Electro-Thermal Model for Electric Vehicles Using a Design of Experiments Approach. <b>2018</b> , 4, 29   |     | 10 |
| 484 | Chitosan/gelatin as a new nano-carrier system for calcium hydroxide delivery in endodontic applications: Development, characterization and process optimization. <b>2018</b> , 92, 540-546  |     | 19 |

|     |  |     |
|-----|--|-----|
| 483 | Experimental Design Approach in the Optimization of Potentiometric Method for Lansoprazole Determination Using Lansoprazole-Tungstate Based Ion-Selective Electrode. <b>2018</b> , 57, 9351-9361   | 15  |
| 482 | Application of Box-Behnken design and desirability function in the optimization of Cd(II) removal from aqueous solution using poly(o-phenylenediamine)/hydrous zirconium oxide composite: equilibrium modeling, kinetic and thermodynamic studies. <b>2018</b> , 25, 26114-26134 | 34  |
| 481 | How To Optimize Materials and Devices via Design of Experiments and Machine Learning: Demonstration Using Organic Photovoltaics. <b>2018</b> , 12, 7434-7444   | 130 |
| 480 | Preparation of nanodispersions by solvent displacement using the Venturi tube. <b>2018</b> , 545, 254-260  | 4   |
| 479 | Multiobjective optimization of liquid chromatography-triple-quadrupole mass spectrometry analysis of underivatized human urinary amino acids through chemometrics. <b>2018</b> , 410, 4275-4284  | 6   |
| 478 | Optimization using chemometrics of HS-SPME/GCMS profiling of saffron aroma and identification of geographical volatile markers. <b>2018</b> , 244, 1605-1613   | 21  |
| 477 | PAMAM dendrimer-enhanced removal of cobalt ions based on multiple-response optimization using response surface methodology. <b>2018</b> , 15, 1685-1698  | 9   |
| 476 | Improving reproducibility between batches of silver nanoparticles using an experimental design approach. <b>2018</b> , 141, 110-117  | 12  |
| 475 | Experimental optimization of chicory root ( <i>Cichorium intybus</i> L.) aqueous extracts formulation by novel approach of ongoing ultrasonic vacuum spray drying using response surface methodology. <b>2018</b> , 41, e12830   |     |
| 474 | Optimization of Ciprofloxacin Hydrochloride Spray-Dried Microparticles for Pulmonary Delivery Using Design of Experiments. <b>2018</b> , 19, 3085-3096   | 9   |
| 473 | Optimization, validation and application of headspace solid-phase microextraction gas chromatography for the determination of 1-nitro-2-phenylethane and methyleugenol from Aniba canelilla (H.B.K.) Mez essential oil in skin permeation samples. <b>2018</b> , 1564, 163-175   | 8   |
| 472 | A simple, rapid and novel method based on salting-out assisted liquid-liquid extraction for ochratoxin A determination in beer samples prior to ultra-high-performance liquid chromatography coupled to tandem mass spectrometry. <b>2018</b> , 35, 1622-1632                    | 7   |
| 471 | Lipase-catalyzed glycerolysis of anchovy oil in a solvent-free system: Simultaneous optimization of monoacylglycerol synthesis and end-product oxidative stability. <b>2019</b> , 271, 372-379   | 19  |
| 470 | . <b>2019</b> , 61, 564-571  | 11  |
| 469 | Quality by design based development and optimization of novel gastroretentive floating osmotic capsules of clopidogrel bisulfate. <b>2019</b> , 49, 295-311  | 8   |
| 468 | Experimental Design and Optimization. <b>2019</b> , 69-86  | 2   |
| 467 | Mathematical modeling of bovine hides swelling behavior by response surface methodology for minimization of sulfide pollution in leather manufacture. <b>2019</b> , 237, 117800  | 10  |
| 466 | The development and testing of a new method of qualitative analysis of the microstructure quality, for example of steel AISI 321 subjected to radial shear rolling. <b>2019</b> , 94, 105702   | 10  |

|     |   |    |
|-----|---|----|
| 465 | Optimization of wheat straw co-composting for carrier material development. <b>2019</b> , 98, 37-49   | 19 |
| 464 | Recycling of Date Pits Into a Green Adsorbent for Removal of Heavy Metals: A Fractional Factorial Design-Based Approach. <b>2019</b> , 7, 552   | 26 |
| 463 | Porphyrin-functionalized graphene oxide sheets: An efficient nanomaterial for micro solid phase extraction of non-steroidal anti-inflammatory drugs from urine samples. <b>2019</b> , 1607, 460387  | 10 |
| 462 | Application of breakthrough curve analysis and response surface methodology for optimization of a hybrid separation system consisting of fixed-bed column adsorption and dead-end depth filtration. <b>2019</b> , 143, 107594   | 14 |
| 461 | Chiral separation of lansoprazole and rabeprazole by capillary electrophoresis using dual cyclodextrin systems. <b>2019</b> , 40, 2799-2805   | 16 |
| 460 | Development of an analytical methodology for the determination of organochlorine pesticides by ethylene-vinyl acetate passive samplers in marine surface waters based on ultrasound-assisted solvent extraction followed with headspace solid-phase microextraction and gas chromatography-tandem mass spectrometry. <b>2019</b> , 1605, 360344 | 8  |
| 459 | Developing Cream Formulations: Renewed Interest in an Old Problem. <b>2019</b> , 108, 3240-3251   | 9  |
| 458 | Optimization of CVD parameters on 3D graphene foam structures with response surface methodology (RSM). <b>2019</b> , 6, 095604  | 4  |
| 457 | Synthesis of stable CdS nanocrystals using experimental design: optimization of the emission. <b>2019</b> , 43, 12836-12845   | 1  |
| 456 | Identification of some factors influencing soil transfer on shoes. <b>2019</b> , 59, 643-653  | 2  |
| 455 | Brewing process optimization by artificial neural network and evolutionary algorithm approach. <b>2019</b> , 42, e13103   | 4  |
| 454 | Ultrasound-Assisted Extraction of Two Types of Antioxidant Compounds (TPC and TA) from Black Chokeberry ( <i>Aronia melanocarpa</i> L.): Optimization of the Individual and Simultaneous Extraction Methods. <b>2019</b> , 9, 456   | 12 |
| 453 | Optimization of Air-assisted Liquid-Liquid Microextraction by Box-Behnken Design for Spectrophotometric Determination of Palladium in Water Samples. <b>2019</b> , 74, 1073-1080  | 1  |
| 452 | Development of multi-response optimization and quadratic calibration curve for determination of ten pesticides in complex sample matrices using QuEChERS dispersive liquid-liquid microextraction followed by gas chromatography. <b>2019</b> , 42, 3553-3562   | 10 |
| 451 | A hybrid mathematical modeling strategy for controlling the mechanical performance of polyethylene/poly(ethylene-co-vinyl acetate)/Nanoclay cast films. <b>2019</b> , 79, 106089  | 3  |
| 450 | Controlled Production of Monodisperse Plant-Mediated AgNP Catalysts Using Microwave Chemistry: A Desirability-Function-Based Multiple-Response Optimization Approach. <b>2019</b> , 4, 9300-9308  | 5  |
| 449 | Effect of obstacle position on attached cavitation control through response surface methodology. <b>2019</b> , 33, 4265-4279  | 4  |
| 448 | Growth Parameters and Survivability of for Probiotic Alcoholic Beverages Development. <b>2019</b> , 10, 2092  | 15 |

|     |  |    |
|-----|--|----|
| 447 | A Stepwise Strategy Employing Automated Screening for Reversed-Phase Chromatographic Separation of Itraconazole and Its Impurities. <b>2019</b> , 82, 1767-1775  | 1  |
| 446 | Experimental design methodology as a tool to optimize the adsorption of new surfactant on the Algerian rock reservoir: cEOR applications. <b>2019</b> , 134, 1   | 5  |
| 445 | Bioscouring of cotton fabrics by multienzyme combinations: application of BoxBehnken design and desirability function. <b>2019</b> , 26, 2771-2790   | 15 |
| 444 | Influence of processing conditions on bioactive compound extraction from L. var. Alicante Bouschet grape skin. <b>2019</b> , 56, 1066-1072   | 4  |
| 443 | A chemotherapeutic approach targeting the acidic tumor microenvironment: combination of a proton pump inhibitor and paclitaxel for statistically optimized nanotherapeutics.. <b>2018</b> , 9, 240-254     | 10 |
| 442 | Multi-Response Optimization of Electrical Discharge Machining Using the Desirability Function. <b>2019</b> , 10,   | 33 |
| 441 | Optimization of a nanostructured surface for the development of electrochemical immunosensors. <b>2019</b> , 836, 38-44  | 3  |
| 440 | Headspace conditions and ingredients can affect artefactual benzene formation in beverages. <b>2019</b> , 293, 278-284   | 0  |
| 439 | Vanillin as a natural cross-linking agent in chitosan-based films: Optimizing formulation by response surface methodology. <b>2019</b> , 78, 105935  | 30 |
| 438 | Synthesis of 3D Hierarchical Flower-like MgO Microstructure: Investigation of its Adsorption and Antibacterial Properties. <b>2019</b> , 44, 9951-9964   | 4  |
| 437 | Green, infrared-assisted extraction based on statistical modeling for ultra-high performance liquid chromatography determination of bioactive isoflavones from Puerariae Lobatae. <b>2019</b> , 2, 216-224 | 1  |
| 436 | Understanding the cumulative effects of salinity, temperature and inoculation size for the design of optimal halothermotolerant bioanodes from hypersaline sediments. <b>2019</b> , 129, 179-188           | 6  |
| 435 | Experimental Design Methodologies for the Optimization of Chiral Separations: An Overview. <b>2019</b> , 1985, 453-478   | 5  |
| 434 | Optimization of ultrafiltration of cutting oil wastewater enhanced by application of twisted tapes: Response surface methodology approach. <b>2019</b> , 231, 320-330                                      | 9  |
| 433 | AuPd Selectivity-switchable Alcohol-oxidation Catalyst: Controlling the Duality of the Mechanism using a Multivariate Approach. <b>2019</b> , 11, 3022-3034  | 3  |
| 432 | Characterization and performance evaluation of functional monomer effect on molecular imprinted polyurethane foam. <b>2019</b> , 1602, 30-40   | 6  |
| 431 | Optimization of biosorption potential of nano biomass derived from walnut shell for the removal of Malachite Green from liquids solution: Experimental design approaches. <b>2019</b> , 286, 110904        | 28 |
| 430 | A fuzzy optimisation approach for software reliability estimation. <b>2019</b> , 13, 259   | 1  |

|     |  |     |    |
|-----|--|-----|----|
| 429 | Chiral separation of tramadol enantiomers by capillary electrophoresis using cyclodextrins as chiral selectors and experimental design method optimization. <b>2019</b> , 73, 2363-2370  |     | 10 |
| 428 | Thermal depolymerization of biogas digestate as a viable digestate processing and resource recovery strategy. <b>2019</b> , 277-308  |     | 5  |
| 427 | Optimization of benzene removal by air gap membrane distillation using response surface methodology. <b>2019</b> , 68, 231-242   |     | 2  |
| 426 | Using response surface regression method to evaluate the influence of window types on ventilation performance of Hong Kong residential buildings. <b>2019</b> , 154, 167-181   |     | 16 |
| 425 | Optimization of preparation method by W/O/W emulsion for entrapping metformin hydrochloride into poly (lactic acid) microparticles using Box-Behnken design. <b>2019</b> , 51, 419-429   |     | 9  |
| 424 | Optimizing exergetic performance of a continuous conveyor infrared-hot air dryer with air recycling system. <b>2019</b> , 154, 358-367   |     | 11 |
| 423 | An efficient strategy for grinding carbon fiber-reinforced silicon carbide composite using minimum quantity lubricant. <b>2019</b> , 45, 10852-10864   |     | 14 |
| 422 | Multivariate optimization methods for in-situ growth of LDH/ZIF-8 nanocrystals on anodized aluminium substrate as a nanosorbent for stir bar sorptive extraction in biological and food samples. <b>2019</b> , 288, 39-46  |     | 32 |
| 421 | Screening, optimization of culture conditions and scale-up for production of the L-Glutaminase by novel isolated Bacillus sps. mutant endophyte using response surface methodology. <b>2019</b> , 18, 101077   |     | 3  |
| 420 | Optimization and modeling of a green dual detected RP-HPLC method by UV and fluorescence detectors using two level full factorial design for simultaneous determination of sofosbuvir and ledipasvir: Application to average content and uniformity of dosage unit testing. <b>2019</b> , 147, 374-392 |     | 17 |
| 419 | An enhanced beta-blockers degradation method using copper-boron-ferrite supported graphite electrodes and continuous droplet flow-assisted electro-Fenton reactor. <b>2019</b> , 221, 408-420  |     | 10 |
| 418 | Multivariate optimization and validation of a procedure to direct determine acetonitrile and ethanol in radiopharmaceuticals by GC-FID. <b>2019</b> , 147, 654-659   |     | 6  |
| 417 | Chemometrics-assisted optimization of liquid chromatography-quadrupole-time-of-flight mass spectrometry analysis for targeted metabolomics. <i>Talanta</i> , <b>2019</b> , 199, 380-387  | 6.2 | 7  |
| 416 | Valorization of chestnut ( <i>Castanea sativa</i> ) residues: Characterization of different materials and optimization of the acid-hydrolysis of chestnut burrs for the elaboration of culture broths. <b>2019</b> , 87, 472-484   |     | 12 |
| 415 | Optimization of As (III) and As (V) removal by <i>Saccharomyces cerevisiae</i> biomass for biosorption of critical levels in the food and water resources. <b>2019</b> , 7, 102949   |     | 16 |
| 414 | Nanostructured polyaniline based pipette tip solid phase extraction coupled with high-performance liquid chromatography for the selective determination of trace levels of three sulfonamides in honey and milk samples with the aid of experimental design methodology. <b>2019</b> , 146, 974-985    |     | 22 |
| 413 | Model-assisted Design of Experiments as a concept for knowledge-based bioprocess development. <b>2019</b> , 42, 867-882  |     | 39 |
| 412 | Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice grains. <b>2019</b> , 288, 221-227  |     | 36 |

|     |  |        |
|-----|--|--------|
| 411 | Response Surface Methodology for the Optimisation of Electrochemical Biosensors for Heavy Metals Detection. <b>2019</b> , 9,   | 17     |
| 410 | Controlled Design of Phase- and Size-Tunable Monodisperse Ni <sub>2</sub> P Nanoparticles in a Phosphonium-Based Ionic Liquid through Response Surface Methodology. <b>2019</b> , 31, 1552-1560                  | 20     |
| 409 | Fast Determination of Phenolic Compounds in Rice Grains by Ultrapformance Liquid Chromatography Coupled to Photodiode Array Detection: Method Development and Validation. <b>2019</b> , 67, 3018-3027            | 6      |
| 408 | Phytochemical profile of <i>Syzygium formosum</i> (Wall.) Masam leaves using HPLC-PDA-MS/MS and a simple HPLC-ELSD method for quality control. <b>2019</b> , 168, 1-12   | 9      |
| 407 | Multi-objective optimization of microextraction procedures. <b>2019</b> , 116, 266-273   | 8      |
| 406 | Optimisation of subtractive rapid prototyping process parameters using response surface methodology. <b>2019</b> , 703, 012022   |        |
| 405 | Optimisation and modelling of thinning and geometric accuracy in incremental sheet forming combined with stretch forming. <b>2019</b> , 10, 2  | 0      |
| 404 | FACTORIAL DESIGN AS THE METHOD IN THE OPTIMIZATION OF TIMOLOL MALEATE-LOADED NANOPARTICLE PREPARED BY IONIC GELATION TECHNIQUE. <b>2019</b> , 66-70  | 3      |
| 403 | OPTIMIZATION OF PCL-PEG-PCL TRIBLOCK COPOLYMER MICELLES AS HYDROPHOBIC DRUG CARRIER WITH A 22 FULL FACTORIAL DESIGN. <b>2019</b> , 42-47   |        |
| 402 | Enhanced Nematocidal Activity of a Novel Artemisia Extract Formulated as a Microemulsion. <b>2019</b> , 14, 1934578X1985243  | 2      |
| 401 | Covalently linked organo-sulfonic acid modified titanate nanotube hybrid nanostructures for the catalytic esterification of levulinic acid with n-butyl alcohol. <b>2019</b> , 361, 571-577                      | 22     |
| 400 | Investigation of a rapid infrared heating assisted mineralization of soybean matrices for trace element analysis. <b>2019</b> , 280, 96-102  | 3      |
| 399 | Development and validation of a fully automated solid phase microextraction high throughput method for quantitative analysis of multiresidue veterinary drugs in chicken tissue. <b>2019</b> , 1056, 34-46       | 25     |
| 398 | Voltammetric method for simultaneous determination of ascorbic acid, paracetamol and guaifenesin using a sequential experimentation strategy. <b>2019</b> , 145, 428-434   | 10     |
| 397 | Laser beam build-up welding of AlSi <sub>12</sub> -powder on AlSi <sub>1</sub> MgMn-alloy substrate. <b>2019</b> , 4, 117-129  |        |
| 396 | Optimization of ultrasound and microwave assisted oil extraction from sea buckthorn seeds by response surface methodology. <b>2019</b> , 42, e12947  | 20     |
| 395 | A green single-tube sample preparation method for wear metal determination in lubricating oil by microwave induced plasma with optical emission spectrometry. <i>Talanta</i> , <b>2019</b> , 195, 573-579        | 6.2 15 |
| 394 | Porous magnetized carbon sheet nanocomposites for dispersive solid-phase microextraction of organophosphorus pesticides prior to analysis by gas chromatography-ion mobility spectrometry. <b>2019</b> , 186, 88 | 27     |



|     |   |     |    |
|-----|---|-----|----|
| 393 | Application of Box-Behnken design and desirability function in the optimization of spectrophotometric method for the quantification of WADA banned drug: Acetazolamide. <b>2019</b> , 274, 270-277                                    |     | 27 |
| 392 | Simultaneous optimization of multiple responses and its application in Analytical Chemistry - A review. <i>Talanta</i> , <b>2019</b> , 194, 941-959   | 6.2 | 56 |
| 391 | Ultrasound-assisted extraction of bioactive compounds from green tea leaves and clarification with natural coagulants (chitosan and <i>Moringa oleifera</i> seeds). <b>2019</b> , 51, 111-119   |     | 43 |
| 390 | Brain Delivery of Curcumin Using Solid Lipid Nanoparticles and Nanostructured Lipid Carriers: Preparation, Optimization, and Pharmacokinetic Evaluation. <b>2019</b> , 10, 728-739  |     | 82 |
| 389 | Moving window partial least squares after orthogonal signal correction as a coupling method for determination of uranium and thorium by ultrasound-assisted emulsification microextraction. <b>2019</b> , 33, e3083                   |     | 3  |
| 388 | Relevance and Analysis of Citrus Flavonoids. <b>2019</b> , 133-150  |     | 4  |
| 387 | Determination of six veterinary pharmaceuticals in egg by liquid chromatography: Chemometric optimization of a novel air assisted-dispersive liquid-liquid microextraction by solid floating organic drop. <b>2019</b> , 273, 194-202 |     | 15 |
| 386 | Multivariate optimization techniques in food analysis - A review. <b>2019</b> , 273, 3-8  |     | 56 |
| 385 | Experimental and numerical analysis and multi-objective optimization of quasi-static compressive test on thin-walled cylindrical with internal networking. <b>2019</b> , 26, 1644-1660  |     | 4  |
| 384 | Direct determination of Ca, K, Mg, Na, P, S, Fe and Zn in bivalve mollusks by wavelength dispersive X-ray fluorescence (WDXRF) and laser-induced breakdown spectroscopy (LIBS). <b>2019</b> , 273, 91-98                              |     | 22 |
| 383 | Microwave-assisted digestion using diluted HNO and HO for macro and microelements determination in guarana samples by ICP OES. <b>2019</b> , 273, 159-165   |     | 29 |
| 382 | Investigation of the numerical, experimental, statistical and optimization of thin-walled energy absorber with novel configuration using response surface method under axial loading. <b>2020</b> , 22, 2735-2767                     |     | 1  |
| 381 | Multivariate Optimization of Ultrasound-Assisted Extraction Procedure for the Determination of Ca, Fe, K, Mg, Mn, P, and Zn in Pepper Samples by ICP OES. <b>2020</b> , 13, 69-77   |     | 9  |
| 380 | Cost optimization of drilling operations in open-pit mines through parameter tuning. <b>2020</b> , 17, 173-185  |     | 4  |
| 379 | Analysis of factors responsible for optimizing the clarification process of soybean oil: a case study using the desirability function. <b>2020</b> , 55, 1862-1870  |     |    |
| 378 | Magnetic molecularly imprinted polymers prepared by reversible addition fragmentation chain transfer polymerization for dispersive solid phase extraction of polycyclic aromatic hydrocarbons in water. <b>2020</b> , 1610, 460534    |     | 37 |
| 377 | Optimization of ultrasonic-assisted extraction of kahweol and cafestol from roasted coffee using response surface methodology. <b>2020</b> , 117, 108593  |     | 7  |
| 376 | Optimising functional properties and chemical composition of <i>Pinus halepensis</i> Mill. Seeds protein concentrates. <b>2020</b> , 100, 105416  |     | 5  |

|     |   |        |
|-----|---|--------|
| 375 | Design of experiments and method development. <b>2020</b> , 589-608   | 8      |
| 374 | Hydrolysed Gelatin-Derived, Solvent-Free, Electrospun Nanofibres for Edible Applications: Physical, Chemical and Thermal Behaviour. <b>2020</b> , 15, 133-142   | 1      |
| 373 | Optimization of liquid chromatographic separation of pharmaceuticals within green analytical chemistry framework. <b>2020</b> , 152, 104323   | 9      |
| 372 | Determination of alkylpyrazines in cocoa samples applying head-space hollow fiber protected-liquid phase microextraction followed by gas chromatography-flame ionization detection. <b>2020</b> , 14, 322-332       | 1      |
| 371 | Enhancement of multianalyte mass spectrometry detection through response surface optimization by least squares and artificial neural network modelling. <b>2020</b> , 1611, 460613                                  | 5      |
| 370 | Optimization and kinetic study of ultrasonic-mediated in situ transesterification for biodiesel production from the almonds of <i>Syagrus cearensis</i> . <b>2020</b> , 147, 1815-1824                              | 28     |
| 369 | Synthesis of graphite/PbO <sub>2</sub> anode: electrodeposition process modeling for improved landfill leachate treatment using RSM and ANN approach. <b>2020</b> , 17, 1947-1962                                   | 4      |
| 368 | Optimization of Milk Sample Cleanup Using Response Surface Methodology. <b>2020</b> , 13, 166-175   | 3      |
| 367 | Proposition of Sample Preparation Procedure of Cassava Flour with Diluted Acid Using Mixture Design and Evaluation of Nutrient Profiles by Multivariate Data Analysis. <b>2020</b> , 13, 145-154                    | 4      |
| 366 | Thermodynamic modelling and optimization of oxy-reforming and oxy-steam reforming of biogas by RSM. <b>2020</b> , 41, 14-28   | 6      |
| 365 | A non-edible waste as a potential sorptive media for removal of herbicide from the watershed. <b>2020</b> , 390, 121671   | 1      |
| 364 | Identification and characterization of human interferon alpha inhibitors through a WISH cell line-based reporter gene assay. <b>2020</b> , 94, 103372   | 0      |
| 363 | Extraction of diclofenac by SiO <sub>2</sub> -NH <sub>2</sub> @Fe <sub>3</sub> O <sub>4</sub> and its determination: Central composite design. <b>2020</b> , 43, 470-477  | 8      |
| 362 | Multivariate analysis applied to oxidation of cyclohexane and benzyl alcohol promoted by mononuclear iron and copper complexes. <b>2020</b> , 44, 2514-2526   | 7      |
| 361 | Speciation analysis of inorganic As and Sb in urban dust using slurry sampling and detection by fast sequential hydride generation atomic absorption spectrometry. <b>2020</b> , 42, 2179-2193                      | 5      |
| 360 | A simple process for the production of fuel additives using residual lignocellulosic biomass. <b>2020</b> , 264, 116702   | 5      |
| 359 | Systematic investigation of the extractive desulfurization of fuel using deep eutectic solvents from multifarious aspects. <b>2020</b> , 264, 116848  | 33     |
| 358 | Modelling of bioprocess non-linear fluorescence data for at-line prediction of etanercept based on artificial neural networks optimized by response surface methodology. <i>Talanta</i> , <b>2020</b> , 210, 120664 | 6.2 10 |

|     |   |     |    |
|-----|---|-----|----|
| 357 | Optimization and analysis of ultrasound-assisted extraction of bioactive polyphenols from <i>Garcinia indica</i> using RSM and ANFIS modeling and its anticancer activity. <b>2020</b> , 17, 789-801  |     | 1  |
| 356 | Optimization and kinetic modelling of total water extracts and water soluble proteins in root extracts of <i>Eurycoma apiculata</i> by microwave assisted extraction. <b>2020</b> , 31, 1-8   |     | 3  |
| 355 | A review of bioanalytical methods for the therapeutic drug monitoring of $\beta$ -lactam antibiotics in critically ill patients: Evaluation of the approaches used to develop and validate quality attributes. <i>Talanta</i> , <b>2020</b> , 210, 120619 | 6.2 | 11 |
| 354 | Design of experiments in $^{241}\text{Am}$ alpha source preparation by electrodeposition: an approach to process optimization. <b>2020</b> , 323, 473-493   |     |    |
| 353 | A new strategy for development of eco-friendly RP-HPLC method using Corona Charged Aerosol Detector and its application for simultaneous analysis of risperidone and its related impurities. <b>2020</b> , 153, 104394                                    |     | 9  |
| 352 | A novel approach to the quantification of urinary aryl-propionamide-derived SARMs by UHPLC-MS/MS. <b>2020</b> , 34, e4700   |     | 3  |
| 351 | Efficient solid phase extraction of $\beta$ -tocopherol and $\beta$ -sitosterol from sunflower oil waste by improving the mesoporosity of the zeolitic adsorbent. <b>2020</b> , 311, 125890   |     | 11 |
| 350 | Experimental study of the anti-knock efficiency of high-octane fuels in spark ignited aircraft engine using response surface methodology. <b>2020</b> , 259, 114150   |     | 15 |
| 349 | Applications of liquid-phase microextraction procedures to complex samples assisted by response surface methodology for optimization. <b>2020</b> , 152, 104436   |     | 22 |
| 348 | Fluorescent sensing of $\text{Pb}^{2+}$ by microwave-assisted synthesized N-doped carbon dots: application of response surface methodology and Doehlert design. <b>2020</b> , 17, 839-846   |     | 0  |
| 347 | Effect of $\text{CaO}/\text{SiO}_2$ ratio on phase transformation and properties of anorthite-based ceramics from coal fly ash and steel slag. <b>2020</b> , 46, 7550-7558  |     | 28 |
| 346 | Optimization of process parameters in magnetic field assisted powder mixed EDM of aluminium 6061 alloy. <b>2020</b> , 095440622095910   |     | 12 |
| 345 | Enhanced Adsorptive Removal of $\beta$ -Estradiol from Aqueous and Wastewater Samples by Magnetic Nano-Akaganeite: Adsorption Isotherms, Kinetics, and Mechanism. <b>2020</b> , 8, 1197   |     | 3  |
| 344 | A capillary electrophoresis method for the determination of the linagliptin enantiomeric impurity. <b>2020</b> , 43, 4480-4487  |     | 5  |
| 343 | Development and validation of UHPLC-PDA method for simultaneous determination of bioactive polyphenols of horse-chestnut bark using numerical optimization with MS Excel Solver. <b>2020</b> , 190, 113544  |     | 4  |
| 342 | Subcritical water extraction of phenolics, antioxidants and dietary fibres from waste date pits. <b>2020</b> , 8, 104490  |     | 9  |
| 341 | Phenolic compound extraction from Nigerian <i>Azadirachta Indica</i> leaves: Response surface and neuro-fuzzy modelling performance evaluation with Cuckoo Search multi-objective optimization. <b>2020</b> , 8, 100160                                   |     | 9  |
| 340 | Calibration strategies for determination of Pb content in recycled polypropylene from car batteries using laser-induced breakdown spectroscopy (LIBS). <b>2020</b> , 159, 105558  |     | 10 |

|     |  |    |
|-----|--|----|
| 339 | Helical multi-walled carbon nanotube-coated fibers for solid-phase microextraction determination of polycyclic aromatic hydrocarbons at ultra-trace levels in ice and snow samples. <b>2020</b> , 1631, 461589   | 8  |
| 338 | Electrochemically deposition of ionic liquid modified graphene oxide for circulated headspace in-tube solid phase microextraction of naphthalene from honey samples followed by on-line liquid chromatography analysis. <b>2020</b> , 1628, 461486                 | 9  |
| 337 | Adsorption of phenol and bisphenol A on river sediments: Effects of particle size, humic acid, pH and temperature. <b>2020</b> , 204, 111093   | 18 |
| 336 | Experimental optimisation comparison of detonation characteristics between leaded aviation gasoline low lead and its possible unleaded alternatives. <b>2020</b> , 281, 118726   | 1  |
| 335 | Progressing Towards the Sustainable Development of Cream Formulations. <b>2020</b> , 12,   | 6  |
| 334 | Optimization of Microparticle Coating Parameters with Cell Wall of <i>Saccharomyces cerevisiae</i> by Fractional Factorial Design. <b>2020</b> , 1   | 0  |
| 333 | Modeling an in silico platform to predict chromatographic profiles of UV filters using ChromSimulator. <b>2020</b> , 157, 105002   | 2  |
| 332 | A green stability-indicating RP-HPLC-UV method using factorial design for determination of ribavirin, sofosbuvir and ledipasvir: Application to average content, acid degradation kinetics and in vitro drug interactions study. <b>2020</b> , 158, 105251         | 4  |
| 331 | Montmorillonite reinforced polystyrene nanocomposite supported on cellulose as a novel layered sorbent for microextraction by packed sorbent for determination of fluoxetine followed by spectrofluorimetry based on multivariate optimisation. <b>2020</b> , 1-16 | 1  |
| 330 | Optimization and Mechanism Study on Destruction of the Simulated Waste Ion-Exchange Resin from the Nuclear Industry in Supercritical Water. <b>2020</b> , 59, 18269-18279  | 9  |
| 329 | Experimental Design Step by Step: A Practical Guide for Beginners. <b>2020</b> , 1-14  | 7  |
| 328 | Optimization of the phytoremediation conditions of wastewater in post-treatment by and : kinetic model for pollutants removal. <b>2020</b> , 1-14  | 3  |
| 327 | Celecoxib Loaded In-Situ Provesicular Powder and Its In-Vitro Cytotoxic Effect for Cancer Therapy: Fabrication, Characterization, Optimization and Pharmacokinetic Evaluation. <b>2020</b> , 12,   | 3  |
| 326 | Improving Polyphenolic Compounds: Antioxidant Activity in Chickpea Sprouts through Elicitation with Hydrogen Peroxide. <b>2020</b> , 9,  | 8  |
| 325 | Parametric optimization of laser deposited high entropy alloys using response surface methodology (RSM). <b>2020</b> , 109, 2719-2732  | 7  |
| 324 | Innovative Quality by Design Approach for Development of Green Micellar HPLC Method for Simultaneous Determination of Atorvastatin and Amlodipine. <b>2020</b> , 83, 1221-1231   | 6  |
| 323 | Electrospun polyamide/graphene oxide/polypyrrole composite nanofibers: an efficient sorbent for headspace solid phase microextraction of methamphetamine in urine samples followed by GC-MS analysis. <b>2020</b> , 44, 14429-14437                                | 8  |
| 322 | Determination of Chloramphenicol in Honey Using Salting-Out Assisted Liquid-Liquid Extraction Coupled with Liquid Chromatography-Tandem Mass Spectrometry and Validation According to 2002/657 European Commission Decision. <b>2020</b> , 25,                     | 9  |

|     |  |    |
|-----|--|----|
| 321 | Development of monolithic sorbent cartridges (m-SPE) for the extraction of non-steroidal anti-inflammatory drugs from surface waters and their determination by HPLC. <b>2020</b> , 159, 105447                              | 4  |
| 320 | Optimization of processing parameters in fiber laser cladding. <b>2020</b> , 111, 2553-2568  | 8  |
| 319 | Enzyme Selection and Hydrolysis under Optimal Conditions Improved Phenolic Acid Solubility, and Antioxidant and Anti-Inflammatory Activities of Wheat Bran. <b>2020</b> , 9,   | 12 |
| 318 | Quality by design as an emerging concept in the development of pharmaceuticals. <b>2020</b> , 1-25   |    |
| 317 | Analysis and Multi-Objective Optimization for Reducing Energy Consumption and Improving Surface Quality during Dry Machining of 304 Stainless Steel. <b>2020</b> , 13,   | 3  |
| 316 | The application of pharmaceutical quality by design concepts to evaluate the antioxidant and antimicrobial properties of a preservative system including desferrioxamine. <b>2020</b> , 28, 635-646                          | 0  |
| 315 | Predictive modeling of solidification characteristics of a phase change material in a metallic spherical capsule fitted with fins of different lengths. <b>2020</b> , 1-14   | 5  |
| 314 | Magnetic Solid Phase Extraction Based on Nanostructured Magnetic Porous Porphyrin Organic Polymer for Simultaneous Extraction and Preconcentration of Neonicotinoid Insecticides From Surface Water. <b>2020</b> , 8, 555847 | 6  |
| 313 | Development and Validation of HPLC-DAD Method for Simultaneous Determination of Seven Food Additives and Caffeine in Powdered Drinks. <b>2020</b> , 9,   | 2  |
| 312 | The Effect of Sea Salt, Dry Sourdough and Fermented Sugar as Sodium Chloride Replacers on Rheological Behavior of Wheat Flour Dough. <b>2020</b> , 9,  | 4  |
| 311 | Non-Additive Effects of Forest Litter on Flammability. <b>2020</b> , 3, 12   | 3  |
| 310 | Soluble Phenolic Composition Tailored by Germination Conditions Accompany Antioxidant and Anti-inflammatory Properties of Wheat. <b>2020</b> , 9,  | 14 |
| 309 | Optimization of Reactive Blue 19 dye removal using ozone and ozone/UV employing response surface methodology. <b>2020</b> , 2, 1   | 7  |
| 308 | Optimization of substrate composition in anaerobic co-digestion of agricultural waste using central composite design. <b>2020</b> , 138, 105602  | 10 |
| 307 | Experimental study of the performance and emissions characteristics of fusel oil/gasoline blends in spark ignited engine using response surface methodology. <b>2020</b> , 277, 118182                                       | 19 |
| 306 | Assessment of ampicillin removal efficiency from aqueous solution by polydopamine/zirconium(iv) iodate: optimization by response surface methodology.. <b>2020</b> , 10, 20322-20337   | 19 |
| 305 | A Novel Method of Calibrating Micro-Scale Parameters of PFC Model and Experimental Validation. <b>2020</b> , 10, 3221  | 4  |
| 304 | The Effect of Sodium Reduction by Sea Salt and Dry Sourdough Addition on the Wheat Flour Dough Rheological Properties. <b>2020</b> , 9,  | 12 |

|     |   |    |
|-----|---|----|
| 303 | Multivariate optimization of an analytical method for the analysis of Abruzzo white wines by ICP OES. <b>2020</b> , 12, 2772-2778   | 5  |
| 302 | Intensification and optimization of the characteristics of polyacrylonitrile nanofiltration membranes with improved performance through experimental design and statistical analysis. <b>2020</b> , 60, 1795-1811   | 8  |
| 301 | Qualitative and Quantitative Analysis of Soils Using Laser-Induced Breakdown Spectroscopy and Chemometrics Tools. <b>2020</b> , 87, 378-386   | 5  |
| 300 | In-syringe dispersive liquid-liquid microextraction vs. solid phase extraction: A comparative analysis for the liquid chromatographic determination of three neonicotinoids in cotyledons. <b>2020</b> , 158, 105181  | 2  |
| 299 | The use of experimental design for optimisation of QuEChERS extraction of commonly used pesticides in Egyptian soil and drainage water and their determination by GC/MS. <b>2020</b> , 1-12   | 1  |
| 298 | Enantioseparation of citalopram enantiomers by capillary electrophoresis: Method development through experimental design and computational modeling. <b>2020</b> , 32, 1119-1128  | 11 |
| 297 | Energy ratio of produced biodiesel in hydrodynamic cavitation reactor equipped with LabVIEW controller and artificial intelligence. <b>2020</b> , 6, 1456-1467  | 8  |
| 296 | Removal of heavy metals from urban soil using functionalized carbon-coated composite. <b>2020</b> , 17, 4787-4802   | 2  |
| 295 | Preliminary analysis of selected tropical fruit seed extracts potential as natural coagulant in water. <b>2020</b> , 2, 1   | 1  |
| 294 | Determination of Kresoxim-Methyl in Water and in Grapes by High-Performance Liquid Chromatography (HPLC) Using Photochemical-Induced Fluorescence and Dispersive Liquid-Liquid Microextraction (DLLME). <b>2020</b> , 53, 2202-2221                                   | 7  |
| 293 | D-optimal experimental design for production models in nonstandard experiments. <b>2020</b> , 36, 1537-1552   | 5  |
| 292 | Volcanic ashes as a source for nitrated and oxygenated polycyclic aromatic hydrocarbon pollution. <b>2020</b> , 27, 16972-16982   | 2  |
| 291 | Application of a magnetic nanocomposite of cross-linked poly(styrene/divinylbenzene) as an adsorbent for the magnetic dispersive solid phase extraction-dispersive liquid-liquid microextraction of atrazine in soil and aqueous samples. <b>2020</b> , 12, 1834-1844 | 6  |
| 290 | Combined Amoebicidal Effect of Atorvastatin and Commercial Eye Drops against Neff: In Vitro Assay Based on Mixture Design. <b>2020</b> , 9,   | 3  |
| 289 | Development of alginate-pectin microcapsules by the extrusion for encapsulation and controlled release of polyphenols from papaya ( <i>Carica papaya</i> L.). <b>2020</b> , 44, e13331  | 11 |
| 288 | Use of Response Surface Methodology to Investigate the Effects of Sodium Chloride Substitution with Potassium Chloride on Dough Rheological Properties. <b>2020</b> , 10, 4039  | 3  |
| 287 | Recovery of Metals from Discarded Integrated Circuits. <b>2020</b> , 37, 1641-1651  | 0  |
| 286 | Dispersive liquid-liquid microextraction followed by green high-performance liquid chromatography for fluconazole determination in cerebrospinal fluid with the aid of chemometric tools. <b>2020</b> , 12, 3106-3114   | 2  |

|     |   |    |
|-----|---|----|
| 285 | Factorial design of experiments for optimization of photocatalytic degradation of tartrazine by zinc oxide (ZnO) nanorods with different aspect ratios. <b>2020</b> , 8, 104235   | 12 |
| 284 | Optimisation of performance and emission parameters of diesel engine using tyre pyrolysis oil. <b>2020</b> , 1-13   | 2  |
| 283 | Optimization of Material Removal Rate and Dimensional Errors in Subtractive Rapid Prototyping of Polycarbonate Material. <b>2020</b> , 975, 235-241   |    |
| 282 | Multi-response optimization of a green solid-phase extraction for the analysis of heterocyclic aromatic amines in environmental samples. <b>2020</b> , 12, 1504-1513  | 3  |
| 281 | Optimization of content of components over activated carbon catalyst on CO <sub>2</sub> reforming of methane using multi-response surface methodology. <b>2020</b> , 45, 9695-9709  | 11 |
| 280 | Multi-target optimization of solid phase microextraction to analyse key flavour compounds in wort and beer. <b>2020</b> , 317, 126466   | 5  |
| 279 | Application of multi-response robust parameter design for performance optimization of a hybrid draft biomass cook stove. <b>2020</b> , 153, 1127-1139   | 8  |
| 278 | Combining chemometrics and the technique for the order of preference by similarity to ideal solution: A new approach to multiple-response optimization of HPLC compared to desirability function. <b>2020</b> , 155, 104752 | 2  |
| 277 | Chemical-free and synergistic interaction of ultrasound combined with plasma-activated water (PAW) to enhance microbial inactivation in chicken meat and skin. <b>2020</b> , 10, 1559                                       | 36 |
| 276 | Synthesis of Magnetic Gluten/Pectin/Fe <sub>3</sub> O <sub>4</sub> Nano-hydrogel and Its Use to Reduce Environmental Pollutants from Lake Urmia Sediments. <b>2020</b> , 30, 3188-3198                                      | 35 |
| 275 | Multi-response robust design optimization of natural draft biomass cook stove using response surface methodology and desirability function. <b>2020</b> , 135, 105507   | 6  |
| 274 | Plateau honing of a diesel engine cylinder with special topography and reasonable machining time. <b>2020</b> , 146, 106204   | 9  |
| 273 | Development and optimization of a stability-indicating chromatographic method for verapamil hydrochloride and its impurities in tablets using an analytical quality by design (AQbD) approach. <b>2020</b> , 154, 104610    | 5  |
| 272 | Micro solid phase extraction of parabens from breast milk samples using Mg-Al layered double hydroxide functionalized partially reduced graphene oxide nanocomposite. <b>2020</b> , 314, 126223                             | 25 |
| 271 | Deep eutectic solvent-based headspace single-drop microextraction for the quantification of terpenes in spices. <b>2020</b> , 412, 933-948  | 21 |
| 270 | A smartphone-based bioassay for determining relative potency estimated from sigmoidal-response curves and respective measurement uncertainty. <b>2020</b> , 154, 104626   | 2  |
| 269 | Application of pareto-optimal front as an option to desirability function for the optimization of a microbiological process. <b>2020</b> , 155, 104682  | 2  |
| 268 | Investigation of biodegradable polyaspartate as an effective chelant for washing of lead from soil: response surface methodology approach. <b>2020</b> , 1-18   | 1  |

|     |   |    |
|-----|---|----|
| 267 | Experimental designs for solid-phase microextraction method development in bioanalysis: A review. <b>2020</b> , 1119, 77-100  | 21 |
| 266 | Microstructure and physical properties of thermoplastic corn starch foams as influenced by polyvinyl alcohol and plasticizer contents. <b>2020</b> , 157, 359-367   | 12 |
| 265 | Optimization in the extraction of polyphenolic compounds and antioxidant activity from <i>Opuntia ficus-indica</i> using response surface methodology. <b>2020</b> , 44, e14485   | 2  |
| 264 | Applications of mixture experiments for response surface methodology implementation in analytical methods development. <b>2020</b> , 34, e3246  | 4  |
| 263 | Quality by design and formulation optimization using statistical tools for safe and efficient bioactive loading. <b>2020</b> , 555-594  | 2  |
| 262 | Multivariate optimization of an ultrasound-assisted extraction procedure for the determination of Cu, Fe, Mn, and Zn in plant samples by flame atomic absorption spectrometry. <b>2020</b> , 12, 2509-2516                              | 11 |
| 261 | Hypericin-mediated photoinactivation of polymeric nanoparticles against <i>Staphylococcus aureus</i> . <b>2020</b> , 30, 101737   | 6  |
| 260 | Development and optimization of beer containing malted and non-malted substitutes using quality by design (QbD) approach. <b>2021</b> , 289, 110182   | 3  |
| 259 | Analytical Quality by Design as an Important Tool to Determine the Best Analytical Conditions for Isoniazid and Its Respective Succinylated Prodrug. <b>2021</b> , 104, 239-247   | 2  |
| 258 | Wettability behavior of solution blow spun polysulfone by controlling morphology. <b>2021</b> , 138, 50200  | 5  |
| 257 | Dual-template molecularly imprinted paper for the determination of drugs of abuse in saliva samples by direct infusion mass spectrometry. <b>2021</b> , 160, 105686   | 13 |
| 256 | A combined approach of green chemistry and Quality-by-Design for sustainable and robust analysis of two newly introduced pharmaceutical formulations treating benign prostate hyperplasia. <b>2021</b> , 160, 105711                    | 9  |
| 255 | Electrochemical extraction of palladium from spent heterogeneous catalysts of a petrochemical unit using the leaching and flat plate graphite electrodes. <b>2021</b> , 258, 117527   | 2  |
| 254 | A simple preconcentration method for highly sensitive determination of Pb in bee products by magnetic ionic liquid dispersive liquid-liquid microextraction and electrothermal atomic absorption spectrometry. <b>2021</b> , 95, 103661 | 7  |
| 253 | A quality by design approach for optimization of Lecithin/Span <sup>®</sup> 80 based nanoemulsions loaded with hydrophobic drugs. <b>2021</b> , 321, 114743   | 4  |
| 252 | Role of nano-lipid formulation of CARP-1 mimetic, CFM-4.17 to improve systemic exposure and response in osimertinib resistant non-small cell lung cancer. <b>2021</b> , 158, 172-184  | 4  |
| 251 | pH interferes in photoinhibitory activity of curcumin nanoencapsulated with pluronic <sup>®</sup> P123 against <i>Staphylococcus aureus</i> . <b>2021</b> , 33, 102085  | 1  |
| 250 | Ohmic heating as a new tool for protein scaffold engineering. <b>2021</b> , 120, 111784   | 2  |



|     |   |     |    |
|-----|---|-----|----|
| 249 | Essential oil-based dispersive liquid-liquid microextraction for the determination of N,N-dimethyltryptamine and Ecabrolines in human plasma: A novel solvent-free alternative. <i>Talanta</i> , <b>2021</b> , 225, 121976                      | 6.2 | 2  |
| 248 | Degradation and mineralization of the emerging pharmaceutical pollutant sildenafil by ozone and UV radiation using response surface methodology. <b>2021</b> , 28, 23868-23886  |     | 4  |
| 247 | Design and evaluation of cabazitaxel loaded NLCs against breast cancer cell lines. <b>2021</b> , 199, 111535  |     | 9  |
| 246 | Multivariate optimization of a dispersive liquid-liquid microextraction method for the determination of six antiparasite drugs in kennel effluent waters by using second-order chromatographic data. <i>Talanta</i> , <b>2021</b> , 224, 121929 | 6.2 | 6  |
| 245 | Application of quality by design approach for HPTLC simultaneous determination of amlodipine and celecoxib in presence of process-related impurity. <b>2021</b> , 162, 105857   |     | 3  |
| 244 | Studies on effective interaction parameters in extraction of Pr and Nd using Aliquat 336 from NdFeB magnet-leaching solution: Multiple response optimizations by desirability function. <b>2021</b> , 324, 115123                               |     | 3  |
| 243 | Parametric Sensitivity of Municipal Solid Waste Integrated Power Plant: CO <sub>2</sub> Footprint and Energy Analysis. <b>2021</b> , 44, 291-299  |     |    |
| 242 | Box-Behnken Design-Desirability Function Approach in Optimization of HPLC Method for Simultaneous Determination of Ibuprofen Along with Additives in Syrup Formulation. <b>2021</b> , 104, 78-83  |     | 0  |
| 241 | Central Composite Design for Response Surface Methodology and Its Application in Pharmacy.  |     | 18 |
| 240 | Spectrophotometric and spectrofluorimetric determinations of lomefloxacin lanthanum complex in tablets using multivariate modeling and optimization stratagem. <b>2021</b> , 18, 1825-1837  |     | 0  |
| 239 | Model-assisted DoE software: optimization of growth and biocatalysis in <i>Saccharomyces cerevisiae</i> bioprocesses. <b>2021</b> , 44, 683-700   |     | 4  |
| 238 | Production, purification, characterization, and biological properties of <i>Rhodospiridium paludigenum</i> polysaccharide. <b>2021</b> , 16, e0246148   |     | 2  |
| 237 | Method Optimisation in Hydrophilic-Interaction Liquid Chromatography by Design of Experiments Combined with Quantitative StructureRetention Relationships*. <b>2021</b> ,   |     | 1  |
| 236 | Intensification of Extraction of Antioxidant Compounds from <i>Moringa Oleifera</i> Leaves Using Ultrasound-Assisted Approach: BBD-RSM Design. <b>2021</b> , 21, 693-705  |     | 4  |
| 235 | Detection of Plant-Derived Adulterants in Saffron ( <i>Crocus sativus</i> L.) by HS-SPME/GC-MS Profiling of Volatiles and Chemometrics. <b>2021</b> , 14, 784-796   |     | 3  |
| 234 | The Importance of Factorial Design of Experiments in Functional Nanomaterials Preparation and Performance. <b>2021</b> , 387-438  |     | 2  |
| 233 | Preliminaries to sample preparation. <b>2021</b> , 3-50   |     |    |
| 232 | Development and validation of an LC-MS/MS screening method for macrolide and quinolone residues in baby food. <b>2021</b> , 56, 197-211   |     | 1  |

|     |  |    |
|-----|--|----|
| 231 | Customized dispersive micro-solid-phase extraction device combined with micro-desorption for the simultaneous determination of 39 multiclass pesticides in environmental water samples. <b>2021</b> , 1639, 461781   | 9  |
| 230 | An appraisal of experimental designs: Application to enantioselective capillary electromigration techniques. <b>2021</b> , 42, 1726-1743   | 0  |
| 229 | Adsorption onto MWCNTs Coupled with Cloud Point Extraction for Dye Removal from Aqueous Solutions: Optimization by Experimental Design. <b>2021</b> , 24, 246-258  | 1  |
| 228 | A guide to good practice in chemometric methods for vibrational spectroscopy, electrochemistry, and hyphenated mass spectrometry. <b>2021</b> , 135, 116157  | 14 |
| 227 | Development of intravaginal rod insert bearing liposomal raloxifene hydrochloride and Leuprolide acetate as a potential carrier for uterine targeting. <b>2021</b> , 73, 653-663   | 1  |
| 226 | Advanced Killing Potential of Thymol against a Time and Temperature Optimized Attached Population in Lettuce Broth. <b>2021</b> , 11,  | 2  |
| 225 | Low-temperature lithium extraction from Epidumene with NH <sub>4</sub> HF <sub>2</sub> : Modeling and optimization by least squares and artificial neural networks. <b>2021</b> , 167, 73-83   | 4  |
| 224 | Polycarbonate Colours Optimization Using Box Behnken Design (BBD). <b>2021</b> , 13, 398-406   |    |
| 223 | Medium optimization for biomass production of three peat moss (Sphagnum L.) species using fractional factorial design and response surface methodology.  |    |
| 222 | In-situ synthesis of nanocubic cobalt oxide @ graphene oxide nanocomposite reinforced hollow fiber-solid phase microextraction for enrichment of non-steroidal anti-inflammatory drugs from human urine prior to their quantification via high-performance liquid chromatography-ultraviolet detection. <b>2021</b> , 1641, 461984 | 2  |
| 221 | Facile Synthesis and Characterization of Zn(II)-Impregnated Chitosan/Graphene Oxide: Evaluation of Its Efficiency for Removal of Ciprofloxacin from Aqueous Solution. <b>2021</b> , 31, 3595-3612  | 5  |
| 220 | A Novel Sustainable Biosorbent (Ulocladium Consortiale) Proposal with Central Composite Design to Reduce Water Pollution. <b>2021</b> , 45, 1131-1141  | 0  |
| 219 | Resistance Control of an Additively Manufactured Conductive Layer in Roll-to-Roll Gravure Printing Systems. <b>2021</b> , 8, 817-828   | 2  |
| 218 | Taguchi Yaklaşım Kullanarak Benzin-AVGAS Karışımlarında Benzinli Motorun Egzoz Emisyonlarının Etkisi.  |    |
| 217 | Hybrid mathematical modeling and multi-objective optimization of mechanical properties of green composites based on starch and modified rice straw fillers. <b>2021</b> , 138, 50915   | 0  |
| 216 | Effective removal of doxycycline from aqueous solution using CuO nanoparticles decorated poly(2-acrylamido-2-methyl-1-propanesulfonic acid)/chitosan. <b>2021</b> , 28, 43599-43617  | 5  |
| 215 | Quality-by-Design Approach for Chromatographic Analysis of Metformin, Empagliflozin and Linagliptin. <b>2021</b> ,   | 0  |
| 214 | Multi-objective optimization of the first stage dilute sulfuric acid hydrolysis of Moroccan beet pulp. 1   | 3  |

|     |  |    |
|-----|--|----|
| 213 | Optimization of cold press and enzymatic-assisted aqueous oil extraction from tomato seed by response surface methodology: Effect on quality characteristics. <b>2021</b> , 45, e15471                 | 2  |
| 212 | Microfluidics for nanomedicines manufacturing: An affordable and low-cost 3D printing approach. <b>2021</b> , 599, 120464  | 13 |
| 211 | Multi-response optimization of drying process parameters for <i>Laurus Nobilis</i> . <b>2021</b> , 22, 100302  | 0  |
| 210 | Simple One-Step Synthesis of Bismuth Nanoparticles for Voltammetric Sensing of Metal Ions. 1   | 0  |
| 209 | Microwave-assisted extraction of <i>Clausena anisata</i> leaves and <i>Vernonia cinerea</i> whole plants to maximize nitrate content: optimization approach, antioxidant activity, and cytotoxicity. 1 | 2  |
| 208 | Effects of Anaerobic Fermentation on Black Garlic Extract by : Changes in Flavor and Functional Components. <b>2021</b> , 8, 645416  | 1  |
| 207 | Multivariate thinking for optical microfluidic analytical devices [A tutorial review. <b>2021</b> , 164, 105959  | 0  |
| 206 | Development of a novel method for the in-situ dechlorination of immovable iron elements: optimization of Cl extraction yield through experimental design. <b>2021</b> , 11, 10789                      | 3  |
| 205 | On the Application of a Design of Experiments along with an ANFIS and a Desirability Function to Model Response Variables. <b>2021</b> , 13, 897   | 1  |
| 204 | One-Pot Synthesis of Xanthone by Carbonylative Suzuki Coupling Reaction. <b>2021</b> , 6, 4511-4514  | 1  |
| 203 | Multivariate optimization and evaluation of quaternary mixture in bulk and co-formulated dosage forms by central composite design. <b>2021</b> , 7,  |    |
| 202 | Optimization of Glycerol-Water Extraction of Selected Bioactive Compounds from Peppermint and Common Nettle. <b>2021</b> , 10,   | 4  |
| 201 | Determination of design parameters to minimize LCOE, for a 1 MWe CSP plant in different sites. <b>2021</b> , 169, 1013-1025  | 6  |
| 200 | Optimization of the Endotoxin Removal Performance of Solid-Phase Conjugated S3E3 Antimicrobial Peptide Using Response Surface Methodology. <b>2021</b> , 27, 2029-2037                                 | 1  |
| 199 | Experimental Design and Response Surface Methodology Applied to Graphene Oxide Reduction for Adsorption of Triazine Herbicides. <b>2021</b> , 6, 16943-16954   | 7  |
| 198 | HS-SPME/GCMS volatile fraction determination and chemometrics for the discrimination of typical Italian Pecorino cheeses. <b>2021</b> , 165, 106133  | 4  |
| 197 | Modelling and optimization of P2O5 losses in phosphoric acid attack and filtration process. <b>2021</b> , 51, 1998-1998  | 3  |
| 196 | Sugaring-out induced homogeneous liquid-liquid microextraction as an alternative mode for biological sample preparation: A comparative study. <b>2021</b> , 44, 3117-3125                              | 7  |

|     |   |    |
|-----|---|----|
| 195 | Design of experiment (DOE), multiple response optimization and utilizing the desirability function in the simultaneous HPLC separation of five antihypertensive drugs. 1  | 1  |
| 194 | Eco-friendly chiral HPLC method for determination of alfuzosin enantiomers and solifenacin in their newly pharmaceutical combination: Method optimization via central composite design. <b>2021</b> , 165, 106095                                       | 6  |
| 193 | Utilization of sludge derived from landfill leachate treatment as a source of nutrients for the growth of <i>Nicotiana glauca</i> L. <b>2021</b> , 289, 112488  | 0  |
| 192 | Rotary friction welded C45 to 16NiCr6 steel rods: statistical optimization coupled to mechanical and microstructure approaches. <b>2021</b> , 116, 2285-2298  | 2  |
| 191 | Optimisation of Mechanical Properties in Saw-Dust/Woven-Jute Fibre/Polyester Structural Composites under Liquid Nitrogen Environment Using Response Surface Methodology. <b>2021</b> , 13,  | 9  |
| 190 | Determination of bisphenols, parabens, and benzophenones in placenta by dispersive liquid-liquid microextraction and gas chromatography-tandem mass spectrometry. <b>2021</b> , 274, 129707   | 11 |
| 189 | Optimization of machining parameters using response surface methodology with desirability function in turning duplex stainless steel UNS S32760. <b>2021</b> , 117, 1633  | 1  |
| 188 | Composition of different media for enzyme production and its effect on the recovery of phenolic compounds from grape pomace. <b>2021</b> , 35, 102067   | 0  |
| 187 | Application of Experimental Design Methodologies in the Enantioseparation of Pharmaceuticals by Capillary Electrophoresis: A Review. <b>2021</b> , 26,  | 3  |
| 186 | Thermodynamic, microstructural and chemometric analyses of the reuse of sugarcane ashes in cement manufacturing. <b>2021</b> , 9, 105350  | 4  |
| 185 | Colossolactone-G synergizes the anticancer properties of 5-fluorouracil and gemcitabine against colorectal cancer cells. <b>2021</b> , 140, 111730  | 2  |
| 184 | Optimum conditions of zero-valent iron nanoparticle stabilized foam application for diesel-contaminated soil remediation involving three major soil types. <b>2021</b> , 193, 611   | 2  |
| 183 | Applications of Statistical Tools for Optimization and Development of Smart Drug Delivery System.   | 0  |
| 182 | Chemometrics approaches to green analytical chemistry procedure development. <b>2021</b> , 30, 100498   | 6  |
| 181 | Application of response surface methodology for roasting optimization in composite roasting/acid leaching vanadium extraction process. <b>2021</b> , 172, 254-263   | 3  |
| 180 | Green Synthesized Honokiol Transfersomes Relieve the Immunosuppressive and Stem-Like Cell Characteristics of the Aggressive B16F10 Melanoma. <b>2021</b> , 16, 5693-5712  | 1  |
| 179 | Medium optimization for biomass production of three peat moss ( <i>Sphagnum</i> L.) species using fractional factorial design and response surface methodology. <b>2021</b> , 15, 100729  | 1  |
| 178 | Multivariate optimization of a novel electrode film architecture containing gold nanoparticle-decorated activated charcoal for voltammetric determination of levodopa levels in pre-therapeutic phase of Parkinson's disease. <b>2021</b> , 390, 138851 | 0  |

|     |   |       |
|-----|---|-------|
| 177 | Experimental and numerical analyses of geometrical and microstructural features of Tribaloy T-800 composite coating deposited via laser cladding-assisted with pre-heat (LCAP) process. <b>2021</b> , 69, 84-111                            | 4     |
| 176 | Microscale extraction combined with gas chromatography/mass spectrometry for the simultaneous determination of polycyclic aromatic hydrocarbons and polycyclic aromatic sulfur heterocycles in marine sediments. <b>2021</b> , 1653, 462414 | 5     |
| 175 | Biochar from the mixture of poultry litter and charcoal fines as soil conditioner: Optimization of preparation conditions via response surface methodology. <b>2021</b> , 15, 100800  | 0     |
| 174 | Process performance improvement for the simultaneous production of ligninolytic enzymes in solid culture using agricultural wastes through the Taguchi method. <b>2021</b> , 293, 112966  | 3     |
| 173 | Multiple response optimization of ultrasound-assisted procedure for multi-element determination in Brazilian wine samples by microwave-induced plasma optical emission spectrometry. <b>2021</b> , 171, 106857                              | 0     |
| 172 | Drying Characteristics and Quality Attributes Affected by a Fluidized-Bed Drying Assisted with Swirling Compressed-Air for Preparing Instant Red Jasmine Rice. <b>2021</b> , 9, 1738  | 3     |
| 171 | Microstructural and Physical Properties of Thermoplastic Corn Starch/Polystyrene Blend Foams Affected by Different Contents and Combinations of Plasticizers. 1   | 1     |
| 170 | Design of experiments applied to stress testing of pharmaceutical products: A case study of Albendazole. <b>2021</b> , 165, 105939  | 0     |
| 169 | Application of response surface methodology for the optimization of viscosity of foam fracturing fluids for the unconventional reservoir. <b>2021</b> , 94, 104086  | 3     |
| 168 | Box-Behnken experimental design for the process optimization of catfish bones derived hydroxyapatite: A pedagogical approach. <b>2021</b> , 272, 124916   | 4     |
| 167 | Multivariate optimization of a goat meat alkaline solubilization procedure using tetramethylammonium hydroxide for metals determination using FAAS. <b>2021</b> , 362, 130176   |       |
| 166 | Application of the lifecycle approach to the development and validation of a chromatographic method for therapeutic drug monitoring of ceftazidime, meropenem, and piperacillin. <b>2021</b> , 170, 106692                                  |       |
| 165 | A sensitive microextraction by packed sorbent-gas chromatography-mass spectrometry method for the assessment of polycyclic aromatic hydrocarbons contamination in Antarctic surface snow. <b>2021</b> , 282, 131082                         | 3     |
| 164 | Doehlert design in the optimization of procedures aiming food analysis - A review. <b>2021</b> , 364, 130429  | 1     |
| 163 | Optimization studies and compositional analysis of subcritical water extraction of essential oil from <i>Citrus hystrix</i> DC. leaves. <b>2021</b> , 178, 105384   | 1     |
| 162 | Optimization of a liquid chromatography-ion mobility-high resolution mass spectrometry platform for untargeted lipidomics and application to HepaRG cell extracts. <i>Talanta</i> , <b>2021</b> , 235, 122808                               | 6.2 6 |
| 161 | Multivariate optimization of dual-sorbent dynamic headspace extraction of volatiles in wine analysis. <b>2021</b> , 365, 130449   | 1     |
| 160 | Review of the destruction of organic radioactive wastes by supercritical water oxidation. <b>2021</b> , 799, 149396   | 6     |

|     |  |     |    |
|-----|--|-----|----|
| 159 | Self-supported 3D reduced graphene oxide for solid-phase extraction: An efficient and low-cost sorbent for environmental contaminants in aqueous solution. <i>Talanta</i> , <b>2021</b> , 235, 122750    | 6.2 | 3  |
| 158 | Enhancement of isopropanol removal with concomitant power generation by microbial fuel cells: Optimization of deoxidizing composite anodes using response surface methodology. <b>2022</b> , 286, 131732 |     | 1  |
| 157 | Optimization of a saccharin molecularly imprinted solid-phase extraction procedure and evaluation by MIR hyperspectral imaging for analysis of diet tea by HPLC. <b>2022</b> , 367, 130732               |     | 0  |
| 156 | Evaluation of the nutritional quality of cereal bars made with pulse flours using desirability functions. <b>2021</b> , 27, 702-711  |     | 2  |
| 155 | How Can Chemometrics Support the Development of Point of Need Devices?. <b>2021</b> , 93, 2713-2722  |     | 13 |
| 154 | Biological nutrient recovery from human urine by enriching mixed microalgal consortium for biodiesel production. <b>2020</b> , 260, 110111   |     | 12 |
| 153 | Optimization of hydrolyzation procedure for amino acid analysis in fish meat with HPLC-DAD by Response Surface Methodology (RSM). <b>2020</b> , 37, 113-123  |     | 2  |
| 152 | Combined Response Surface Method and Modified Differential Evolution for Parameter Optimization of Friction Stir Welding. <b>2020</b> , 8, 1080  |     | 8  |
| 151 | A Novel Method to Extract Juglone from Juglans mandshurica Waste Branches Using a Water-in-Oil Microemulsion. 1  |     | 0  |
| 150 | Equally weighted multivariate optimization of feeding rate for sub-yearling great sturgeon ( <i>Huso huso</i> ) using desirability function model.   |     | 0  |
| 149 | An Alternative to Multi-response Optimization Using a Bayesian Approach. <b>2018</b> , 111-128   |     |    |
| 148 | OPTIMIZATION OF EXTRACTION PARAMETERS FOR FUcoxanthin, GALLIC ACID AND RUTIN FROM NITZSCHIA THERMALIS. <b>2019</b> , 13,   |     |    |
| 147 | Atık Lastik Piroлиз Yabıle Bıle Bir Dizel Motorda Emısyon ve Performans Eđamanları Tahminine Yönelik Bir Cevap Yözy Metoduunun Gelişirilmesi. <b>2019</b> , 7, 1261-1278                                 |     | 1  |
| 146 | RP-HPLC Method for Determination of Salbutamol and Bromhexine in Syrup: Modelling and Optimization by Response Surface Methodology. <b>2020</b> , 32, 3135-3143  |     |    |
| 145 | Development of foamy-like 3-dimensional graphene networks decorated with iron oxide nanoparticles for strontium adsorption. <b>2021</b> , 56, 1184-1194  |     | 1  |
| 144 | Chaotropic effect of trifluoroacetic and perchloric acid on B-cyclodextrin inclusion complexation process with risperidone, olanzapine and their selected impurities. <b>2020</b> , 70, 360-376          |     |    |
| 143 | Optimization of Ceramic Paste Viscosity Use for the Elaboration of Tubular Membrane Support by Extrusion and Its Application. <b>2020</b> , 08, 1-22   |     | 2  |
| 142 | The Design of Experiments as a Methodological Framework for the Improvement of Manufacturing Processes. <b>2020</b> , 270-298  |     | 1  |

|     |   |       |
|-----|---|-------|
| 141 | Desirability Based Optimization of New Mesalazine Modified Release Formulations: Compression Coated Tablets and Mini Tablets in Capsules. <b>2020</b> , 17, 114-123   | 0     |
| 140 | Validated Modernized Assay for Foscarnet in Pharmaceutical Formulations Using Suppressed Ion Chromatography Developed through a Quality by Design Approach. <b>2021</b> , 8, 209  | 0     |
| 139 | Development of a Chiral Capillary Electrophoresis Method for the Enantioseparation of Verapamil Using Cyclodextrins as Chiral Selectors and Experimental Design Optimization. <b>2021</b> , 13, 2186  | 0     |
| 138 | Chemometrics in Bioanalytical Chemistry. <b>2022</b> , 497-541  | 0     |
| 137 | Optimization of <i>Arthrospira maxima</i> cultivation for biomass and protein production and biomass technological treatment to color, flavor, and aroma masking for addition to food products. 1   | 0     |
| 136 | Aerial drone furnished with miniaturized versatile air sampling systems for selective collection of nitrogen containing compounds in boreal forest. <b>2021</b> , 808, 152011   | 1     |
| 135 | Cnicus benedictus Oil as a Raw Material for Biodiesel: Extraction Optimization and Biodiesel Yield. <b>2021</b> , 13, 13193   | 1     |
| 134 | Solid-phase microextraction. <b>2021</b> , 33-77  |       |
| 133 | Optimization of Microwave Assisted Extraction Conditions to Improve Phenolic Content and In Vitro Antioxidant and Anti-Microbial Activity in Bark Extracts.. <b>2022</b> , 11,  | 3     |
| 132 | Hydrogen-atom and oxygen-atom transfer reactivities of iron(IV)-oxo complexes of quinoline-substituted pentadentate ligands.. <b>2022</b> , 51, 870-884   | 0     |
| 131 | Evaluation of the Mucoadhesive Properties of Chitosan-Based Microstructured Lipid Carrier (CH-MLC).. <b>2022</b> , 14,  | 0     |
| 130 | Extraction Induced by Emulsion Breaking for Ca, Fe, Mg, and Zn Determination in Edible Oils Using High-Resolution Continuous Source Flame Atomic Absorption Spectrometry. 1   | 1     |
| 129 | A simple and straightforward combination of surfactant-assisted magnetic dispersive micro-solid-phase extraction and hydride generation procedure to determine arsenic (III) species in environmental, biological, and fruit juice samples. 1   | 2     |
| 128 | Simultaneous optimization of quality and censored reliability characteristics with constrained randomization experiment. 1-20   | 0     |
| 127 | Application of Optimization and Modeling for the Composting Process Enhancement. <b>2022</b> , 10, 229  | 0     |
| 126 | Chromatographic method development for the simultaneous assay of pseudoephedrine hydrochloride and chlorphenamine maleate in oral dosage formulations. <b>2022</b> , 15, e01109   |       |
| 125 | Risk Mitigation of Plunger-Stopper Displacement under Low Atmospheric Pressure by establishing Design Space for Filling-Stoppering Process of Prefilled Syringes: A Design of Experiment (DoE) Approach.. <b>2022</b> ,   |       |
| 124 | Response surface methodology assisted development of a simplified sample preparation procedure for the multielement (Ba, Ca, Cu, Fe, K, Mg, Mn, Na, Sr and Zn) analysis of different coffee brews by means of inductively coupled plasma optical emission spectrometry.. <i>Talanta</i> , <b>2022</b> , 241, 123315 | 6.2 2 |

|     |   |     |   |
|-----|---|-----|---|
| 123 | Optimization of Square Wave Voltammetry (SWV) Parameters by Design of Experiment (DoE) Methodologies for the Determination of Mifepristone at Glassy Carbon Electrode (GCE). <b>2021</b> ,  |     |   |
| 122 | Throughput Optimization of Molybdenum Carbide Nanoparticle Catalysts in a Continuous Flow Reactor Using Design of Experiments.  |     | 0 |
| 121 | Using a mixture of hydrocolloids to mimic texture and rheological properties of a massive consumption food product.   |     | 0 |
| 120 | Natural deep eutectic solvent: A novelty alternative as multi-walled carbon nanotubes dispersing agent for the determination of paracetamol in urine.. <i>Talanta</i> , <b>2022</b> , 242, 123290   | 6.2 | 0 |
| 119 | Development of novel curcumin nanoemulgel: Optimisation, characterisation, and ex vivo permeation. 98-103   |     | 1 |
| 118 | Dietary Carotenoids Influence Growth, Fillet Pigmentation, and Quality Characteristics of Black Sea Trout ( <i>Salmo labrax</i> Pallas, 1814). 1  |     |   |
| 117 | Chemometrically Assisted Optimization of Pregabalin Fluorescent Derivatization Reaction with a Novel Xanthone Analogue and Validation of the Method for the Determination of Pregabalin in Bulk via a Plate Reader.. <b>2022</b> , 27,  |     |   |
| 116 | Validated Kinetic Spectrophotometric Methods to Optimize Robustness Study with Youden Factorial Combinations to Determine Repaglinide Using Response Surface Methodology via BoxBehnken Design. 1   |     | 0 |
| 115 | Optimized Identification of Triacylglycerols in Milk by HPLC-HRMS. 1  |     | 0 |
| 114 | Optimization of reaction parameters by using response surface methodology (RSM) for the selective dehydration of glucose to 5-hydroxymethylfurfural (5-HMF), a valuable platform chemical over a mesoporous TiO <sub>2</sub> catalyst in dimethylsulfoxide (DMSO) medium. <b>2022</b> , |     | 0 |
| 113 | Modelling of Decision Processes in Construction Activity. <b>2022</b> , 12, 3797  |     | 0 |
| 112 | Factorial design in optimizing parameters for thermoresponsive ionic liquids as draw solution. <b>2022</b> , 161, 34-49   |     | 1 |
| 111 | ANFIS with input space division for modeling magnetorheological energy absorber. <b>2022</b> , 221, 107183  |     | 0 |
| 110 | Analytical quality-by-design optimization of UHPLC method for the analysis of octreotide release from a peptide-based hydrogel in-vitro.. <b>2022</b> , 214, 114699   |     | 1 |
| 109 | Optimization of the pre-application process of a reactive resin before direct dyeing for imparting reserve effects on Elastane/cotton pant garments. <b>2022</b> , 61, 9365-9376  |     | 1 |
| 108 | Optimization of Commercial Microwave Assisted-Extraction Conditions for Recovery of Phenolics from Lemon-Scented Tee Tree () and Comparison with Other Extraction Techniques.. <b>2021</b> , 11,  |     | 1 |
| 107 | Development and Optimization of a Topical Formulation with Castanea sativa Shells Extract Based on the Concept Quality by Design 2022, 14, 129  |     | 0 |
| 106 | Chemometric Approach Based on Factorial and Box-Behnken Designs for Determination of Anti Coronavirus Drug; Favipiravir in Bulk and Spiked Human Plasma by Green HPLC Method.   |     | 2 |



|     |   |   |
|-----|---|---|
| 105 | Development of a Validated Stability-Indicating HPLC Method for Vinpocetine in the Presence of Potential Impurities in Tablet Dosage Form by Multi-Response Optimization.. <b>2021</b> ,  | 0 |
| 104 | Table_1.DOC. <b>2020</b> ,  |   |
| 103 | [Research progress of microextraction by packed sorbent and its application in microvolume sample extraction]. <b>2021</b> , 39, 219-228  |   |
| 102 | OUP accepted manuscript.  |   |
| 101 | Determination of efficient configurations of vertical axis wind turbine using design of experiments. 095765092210953  |   |
| 100 | Green extraction of hemp ( <i>Cannabis sativa</i> L.) using microwave method for recovery of three valuable fractions (essential oil, phenolic compounds and cannabinoids): a central composite design optimization study.. <b>2022</b> , | 2 |
| 99  | Design optimization of Double-Darrieus hybrid vertical axis wind turbine. <b>2022</b> , 254, 111171   | 2 |
| 98  | Selection of the optimal diagrid patterns in tall buildings within a multi-response framework: Application of the desirability function. <b>2022</b> , 104645   | 1 |
| 97  | Response surface optimization of a vortex-assisted dispersive liquid-liquid microextraction method for highly sensitive determination of repaglinide in environmental water by HPLC/UV.. <b>2022</b> , 16, 33                             | 0 |
| 96  | Evaluation of physicochemical properties of Nile tilapia skin collagen extracted in acid medium.. <b>2022</b> , 84, e255440   |   |
| 95  | Desirability Function in analytical method development for determination of glitazones and metabolites employing HF-LPME. 58,   |   |
| 94  | Reformulating Bread Using Sprouted Pseudo-cereal Grains to Enhance Its Nutritional Value and Sensorial Attributes. <b>2022</b> , 11, 1541   | 0 |
| 93  | Optimization of combined mechanical activation-leaching parameters of low-grade Epodumene/NaF mixture using response surface methodology. <b>2022</b> , 184, 107633   | 0 |
| 92  | Improving heat extraction performance of enhanced geothermal systems: Insights from critical fracture network parameter and multi-objective optimization method. <b>2022</b> , 213, 118671  | 0 |
| 91  | Optimized O3/Fe(II) Using Response Surface Methodology for Organic Phosphorus Removal in Tetrakis(hydroxymethyl)phosphonium Sulfate Wastewater. <b>2022</b> , 14, 6318  | 0 |
| 90  | Coproduction of Microbial Oil and Carotenoids within the Circular Bioeconomy Concept: A Sequential Solid-State and Submerged Fermentation Approach. <b>2022</b> , 8, 258  | 2 |
| 89  | Lead analysis by SPE/FF-AAS: A comparative study based on dimethylglyoxime functionalized silica-coated magnetic iron/graphene oxides. <b>2022</b> , 114739   | 2 |
| 88  | Optimization of enantiomer separation in flow-modulated comprehensive two-dimensional gas chromatography by response surface methodology coupled to artificial neural networks: Wine analysis case study. <b>2022</b> , 1675, 463189      | 0 |

- 87 One-step green synthesis of hybrid Fe-Mn nanoparticles: Methodology, characterization and mechanism. **2022**, 363, 132406 0
- 86 A New Strategy for the Software-Assisted LC Separations of Ketoconazole and Its Impurities. 0
- 85 Multi-response optimization in turning of EN-24 steel under MQL. 0
- 84 DoE-assisted development and validation of a stability-indicating HPLC-DAD method for simultaneous determination of five cannabinoids in Cannabis sativa L. based on analytical quality by design (AQbD) concept. 0
- 83 Almond Shells and Exhausted Olive Cake as Fuels for Biomass Domestic Boilers: Optimization, Performance and Pollutant Emissions. **2022**, 14, 7271 0
- 82 Optimizing the Culture Medium of Lasiodiplodia sp. to Improve the Yield of Ethyl Acetate Extract as an Antimicrobial Source. **2022**, 79, 0
- 81 Optimization and troubleshooting of preparative liquid chromatography using statistical design of experiments: Four small-molecule case studies. **2022**, 1676, 463212 0
- 80 Formulation and Optimization of Diclofenac Sodium Loaded Ethylcellulose Nanoparticles. 58, 1
- 79 Design of experiment techniques for the optimization of chromatographic analysis conditions: A review. 0
- 78 Laser-Induced Breakdown Spectroscopy Associated with the Design of Experiments and Machine Learning for Discrimination of Brachiaria brizantha Seed Vigor. **2022**, 22, 5067 0
- 77 Response surface methodology as a tool for optimization of the extraction of bioactive compounds from plant sources. 5
- 76 Nitrate removal from groundwater using chemically modified coconut husk based granular activated carbon: characterization of the adsorbent, kinetics and mechanism. 0
- 75 Roughness investigation of steel 316L parts fabricated by Metal Fused Filament Fabrication. **2022**, 81, 261-280 0
- 74 Statistical Design for Formulation Optimization of Diclofenac Sodium-Loaded Ethylcellulose Microsponges. **2022**, 2633-2638 0
- 73 Study on antemortem stress and seasonal influence to mitigate the incidence of disaggregated fillets in the fish slaughtering industry. 0
- 72 Dynamic Simulation of A Reactive Distillation Column for Ethyl Acetate Production: Optimization of Operating Conditions Using Response Surface Methodology. 0-0 0
- 71 Dispersive solid phase microextraction based on magnesium oxide nanoparticles for preconcentration of auramine O and methylene blue from water samples. **2022**, 12, 0
- 70 Design of acrylamide-based thermoresponsive copolymer with potential capability for physical network formation in water: a molecular dynamics study. 0

|    |   |   |
|----|---|---|
| 69 | Adopting Sustainable Jatropha Oil Bio-Based Polymer Membranes as Alternatives for Environmental Remediation. <b>2022</b> , 14, 3325   | 0 |
| 68 | Evaporative cooling performance prediction and multi-objective optimization for hollow fiber membrane module using response surface methodology. <b>2022</b> , 325, 119855  | 0 |
| 67 | Evaluation of a liquid-phase plasma discharge process for ammonia oxidation in wastewater: Process optimization and kinetic modeling. <b>2022</b> , 224, 119107   | 0 |
| 66 | Natural surfactant used as an additive in the homogenate-ultrasound-synergistic extraction of regaloside A and polysaccharides from <i>Lilium lancifolium</i> bulbs using Doehlert matrix design. <b>2022</b> , 188, 115689               | 1 |
| 65 | Optimizing the Design Parameters of a Continuous Electrocoagulation Reactor Used for the Treatment of Oily Wastewater by the Response Surface Methodology.  | 0 |
| 64 | Software tools application in IT products selection. <b>2022</b> , 7, 37-45   | 0 |
| 63 | Multivariate approaches applied to optimization of an ultrasound-assisted extraction procedure for determination of essential elements in guarana samples by ICP OES. 42,   | 0 |
| 62 | Implementation of QbD in formulation development of nanocarriers drug delivery systems. <b>2022</b> ,   | 0 |
| 61 | Development of Orally Disintegrating Films HPMC-Based Containing Captopril: Mechanical, Optical and Physicochemical Studies. 65,  | 0 |
| 60 | A nonlinear time-series prediction methodology based on neural networks and tracking signals. 32,   | 0 |
| 59 | Biocatalysis assisted by electrochemical processes for the removal of bisphenol A and triclosan in wastewater. <b>2022</b> , 102921   | 1 |
| 58 | Response Surface Methodology for Copper Flotation Optimization in Saline Systems. <b>2022</b> , 12, 1131  | 0 |
| 57 | Papaya dietary fiber concentrates for providing functionality to muffin formulations.   | 0 |
| 56 | A synergistic framework for development of green HPLC methods for determination of amlodipine besylate and candesartan cilexetil in presence of their hydrolytic degradation products in two different matrices. <b>2022</b> , 30, 100857 | 0 |
| 55 | Additive manufacturing for sustainable energy production in pico hydroelectric power plants. <b>2022</b> ,  | 0 |
| 54 | Statistics-Based Optimization of the Extraction Process of N,N-dimethyltryptamine from <i>Mimosa tenuiflora</i> Stem Bark.  | 0 |
| 53 | Hybrid modeling of the nonlinear behaviors for magnetorheological energy absorber. <b>2022</b> , 107820   | 0 |
| 52 | Analytical Quality by Design (AQbD) Approach to the Development of Analytical Procedures for Medicinal Plants. <b>2022</b> , 11, 2960   | 1 |

- 51 Bio-conversion of whey lactose using enzymatic hydrolysis with  $\beta$ -galactosidase: an experimental and kinetic study. 1-14 ○
- 50 Catalytic Esterification of Levulinic Acid into the Biofuel n-Butyl Levulinate over Nanosized TiO<sub>2</sub> Particles. **2022**, 12, 3870 ○
- 49 Optimization of fluidized bed agglomeration process of a pineapple powder mixture using a binder solution of ginger extract and vitamin C. **2022**, 171, 114075 ○
- 48 Upgradation of coconut waste shell to value-added hydrochar via hydrothermal carbonization: Parametric optimization using response surface methodology. **2022**, 327, 120136 ○
- 47 Combination of in-situ electro synthesized ZnAl-LDH@ pencil graphite fiber and three phase hollow fiber LPME for microextraction of some antibiotics in urine samples and quantification via HPLC-UV. **2022**, 1235, 340532 ○
- 46 Electrometallurgical recovery of nickel and vanadium from spent desulfurization catalysts using an acidic leaching-electrolysis technique. ○
- 45 Colloidal aspects of calcium carbonate scaling in water-in-oil emulsions: A fundamental study using droplet-based microfluidics. **2022**, ○
- 44 Multi-response optimization of IC wire bonding for large probe marks by the RSM and desirability function approach. **2022**, 123, 2719-2731 ○
- 43 A machine learning approach for ball milling of alumina ceramics. ○
- 42 CHITOSAN NANOBUBBLES DEVELOPMENT AND EVALUATION FOR THE DELIVERY OF SUNITINIB-AN ANTICANCER AGENT. 58-67 ○
- 41 Optimization of antioxidant compounds extraction from feijoa (*Acca sellowiana* berg) residues. 42, ○
- 40 User-Driven Strategy for In Silico Screening of Reversed-Phase Liquid Chromatography Conditions for Known Pharmaceutical-Related Small Molecules. **2022**, 27, 8306 ○
- 39 Dimensional optimization of variable thickness tube in T-shaped tube hydroforming using response surface methodology. **2022**, 1270, 012073 ○
- 38 Improvement of amidase production with high specific acyltransferase activity using *Bacillus smithii* IITR6B2. **2022**, 102584 ○
- 37 Removal of propionic acid from aqueous solutions by tributyl phosphate in a room-temperature ionic liquid using Box-Behnken design. **2022**, 2 ○
- 36 DEVELOPMENT AND OPTIMIZATION OF STABILITY-INDICATING METHOD OF ETHINYLESTRADIOL, LEVONORGESTREL, AND THEIR MAIN IMPURITIES USING QUALITY BY DESIGN APPROACH. **2022**, 115208 ○
- 35 A New Approach of Magnetic Field Application in Miniaturized Pipette-Tip Extraction for Trace Analysis of Four Synthetic Hormones in Breast Milk Samples. **2022**, 135222 1
- 34 Simultaneous Optimization of Phenolic Compounds and Antioxidant Abilities of Moroccan *Pimpinella anisum* Extracts Using Mixture Design Methodology. **2022**, 10, 2580 ○

- 33 NOVEL QUERCETIN NANOEMULGEL OPTIMIZATION: GELLING AGENTS EVALUATION AND THE APPLICATION OF RESPONSE SURFACE METHODOLOGY. 72-78 ○
- 32 Comparative study of uncoated and tetraethylorthosilicate-coated magnetic chitosan beads in the adsorption of two textile dyes. ○
- 31 Parametric and hydrodynamics studies on gasification performance of biomass pellets in a pilot-scale fluidized bed gasifier. ○
- 30 Formulation of a Synergistic Enzyme Cocktail for Controlled Degradation of Sorghum Grain Pericarp. **2023**, 12, 306 ○
- 29 Application of plant-based coagulant with a novel MnO<sub>2</sub>.MoS<sub>2</sub> nanocatalyst in coagulation/photocatalytic ozonation process for wastewater treatment. 1-23 ○
- 28 Factorial design-assisted reverse phase HPLC-UV approach for the concurrent estimation of cetirizine and azelastine in aqueous humor. **2022**, 12, ○
- 27 Quality by design based development of nanostructured lipid carrier: a risk based approach. 617-638 ○
- 26 Statistical Optimization of E-Scooter Micro-Mobility Utilization in Postal Service. **2023**, 16, 1291 ○
- 25 Analysis of Home Healthcare Practice to Improve Service Quality: Case Study of Megacity Istanbul. **2023**, 11, 319 ○
- 24 Mechanical, optical, and physicochemical properties of HPMC-based doxazosin mesylate orodispersible films. 59, ○
- 23 Analytical quality-by-design (AQbD) approach for comprehensive analysis of bioactive compounds from Citrus peel wastes by UPLC. ○
- 22 Exploring the use of the desirability function to optimize the separation of oligonucleotide impurities by ion pair-RP LCMS. **2023**, 1220, 123666 ○
- 21 Study on modified SA-H<sub>3</sub>BO<sub>3</sub> immobilization microorganism method for wastewater treatment in seawater recirculating aquaculture system. **2023**, 226, 115636 ○
- 20 High enhancement of macro and micronutrients quantification in Cajuña by ICP OES using ultrasound and multivariate analysis. **2023**, 2, 100265 ○
- 19 Pressurized solvent extraction for the determination of alkanes and polycyclic aromatic hydrocarbons by GC/MS in diesel engine emissions: optimization by response surface methodology. ○
- 18 Development and optimization of a LC-MS/MS compatible method for quantification of losartan, hydrochlorothiazide and their impurities using AQbD approach and measurement uncertainty evaluation. **2023**, 259, 124481 ○
- 17 Design optimization of bladeless ceiling fan using design of experiments. **2023**, 233, 105313 ○
- 16 Lithium fluoride dissolution in sulfuric acid solution: Optimization and application in the extraction of lithium from fluorinated spodumene. **2023**, 217, 106027 ○

- 15 A brief review of the classic methods of experimental statistics. 45, e56882
- 14 Application of Graphical Optimization, Desirability, and Multiple Response Functions in the Extraction of Food Bioactive Compounds.
- 13 Optimizing the mechanical properties of coal-fines briquettes produced with steam-exploded sugarcane bagasse as a binder. 1-19
- 12 Exploration of polymethacrylate and Hypromellose for the development of a non-sulphydryl ACE inhibitor mucoadhesive system using Box-Behnken design: in-vitro and ex-vivo evaluation. **2023**, 49, 115-128
- 11 Formulation design and physicochemical evaluation of an anti-inflammatory hydrogel patch containing Crinum asiaticum L. extract. **2023**, 18, 244
- 10 Zirconium-2-Imidazolidinethione Functionalized Reduced Graphene Oxide Aerogel for Efficient Removal of Fluoride Ions and Anionic Dyes from Aqueous Solutions: Multivariate Process Optimization.
- 9 Analytical Quality by Design: Achieving Robustness of an LC-CAD Method for the Analysis of Non-Volatile Fatty Acids. **2023**, 16, 478
- 8 Fabrication of Direct Compressible Tablets Containing Chatuphalathika Extract Obtained through Microwave-Assisted Extraction: An Optimization Approach. **2023**, 91, 17
- 7 Scientific research trends about metaheuristics in process optimization and case study using the desirability function. **2023**, 14, 3348-3367
- 6 Preparation and characterization of superior hydrophilic PVDF/DA membranes by the self-polymerization approach of dopamine. 11,
- 5 Development of UPLC method for simultaneous assay of some COVID-19 drugs utilizing novel instrumental standard addition and factorial design. **2023**, 13,
- 4 Development of a sensitive HPLC method with fluorescence detection for the determination of motilin in human plasma. **2023**, 15, 219-229
- 3 Experimental investigation and optimization of tribological characteristics of wooden journal bearings. **2023**, 35-36, 100241
- 2 Application of Response Surface Methodology to Optimize the Extraction Process of Bioactive Compounds Obtained from Coffee Silverskin. **2023**, 13, 5388
- 1 A novel and sustainable pipette-tip solid-phase microextraction testing of six carbon-based nanomaterials as proof of concept for the determination of sixteen emerging pollutants from active veterinary principles. **2023**, 5, 100060