

CITATION REPORT

List of articles citing

Prefrontal cortical circuit for depression- and anxiety-related behaviors mediated by cholecystokinin: role of FosB

DOI: 10.1523/jneurosci.1787-13.2014
Journal of Neuroscience, 2014, 34, 3878-87.

Source: <https://exaly.com/paper-pdf/58830708/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
238	Optogenetics: illuminating the neural bases of rodent behavior. 2014 , 33		
237	Subcircuit-specific neuromodulation in the prefrontal cortex. 2014 , 8, 54		66
236	Optogenetic dissection of medial prefrontal cortex circuitry. 2014 , 8, 230		134
235	Optogenetics in preclinical neuroscience and psychiatry research: recent insights and potential applications. 2014 , 10, 1369-79		9
234	Sex-specific behavioral traits in the Brd2 mouse model of juvenile myoclonic epilepsy. 2014 , 13, 702-12		15
233	Pathological circuit function underlying addiction and anxiety disorders. 2014 , 17, 1635-43		130
232	Prefrontal cortex reactivity underlies trait vulnerability to chronic social defeat stress. <i>Nature Communications</i> , 2014 , 5, 4537	17.4	69
231	Molecular neurobiology of addiction: what's all the FosB about?. 2014 , 40, 428-37		43
230	Left brain cortical activity modulates stress effects on social behavior. 2015 , 5, 13342		23
229	The Effects of Psychological Stress on Depression. 2015 , 13, 494-504		216
228	Acute Treatment with a Novel TRPC4/C5 Channel Inhibitor Produces Antidepressant and Anxiolytic-Like Effects in Mice. 2015 , 10, e0136255		34
227	Ventral hippocampal afferents to the nucleus accumbens regulate susceptibility to depression. <i>Nature Communications</i> , 2015 , 6, 7062	17.4	242
226	Excitatory transmission at thalamo-striatal synapses mediates susceptibility to social stress. 2015 , 18, 962-4		73
225	Lipo-oxytocin-1, a Novel Oxytocin Analog Conjugated with Two Palmitoyl Groups, Has Long-Lasting Effects on Anxiety-Related Behavior and Social Avoidance in CD157 Knockout Mice. <i>Brain Sciences</i> , 2015 , 5, 3-13	3.4	30
224	Brain 5-HT deficiency increases stress vulnerability and impairs antidepressant responses following psychosocial stress. 2015 , 112, 2557-62		70
223	FosB: a transcriptional regulator of stress and antidepressant responses. 2015 , 753, 66-72		108
222	Effect of antidepressant drugs on the vmPFC-limbic circuitry. 2015 , 92, 116-24		14

221	Repeated forced swim stress prior to complete Freund's adjuvant injection enhances mechanical hyperalgesia and attenuates the expression of pCREB and FosB and the acetylation of histone H3 in the insular cortex of rat. 2015 , 301, 12-25		23
220	Anhedonia and the brain reward circuitry in depression. 2015 , 2, 146-153		115
219	Neurobiological mechanisms supporting experience-dependent resistance to social stress. 2015 , 291, 1-14		24
218	An excitatory synapse hypothesis of depression. 2015 , 38, 279-94		156
217	Brain transcriptome profiles in mouse model simulating features of post-traumatic stress disorder. 2015 , 8, 14		33
216	Antidepressant action of HDAC inhibition in the prefrontal cortex. 2015 , 298, 329-35		55
215	Ketamine Strengthens CRF-Activated Amygdala Inputs to Basal Dendrites in mPFC Layer V Pyramidal Cells in the Prelimbic but not Infralimbic Subregion, A Key Suppressor of Stress Responses. 2015 , 40, 2066-75		38
214	Alterations in brain-derived neurotrophic factor (BDNF) and its precursor proBDNF in the brain regions of a learned helplessness rat model and the antidepressant effects of a TrkB agonist and antagonist. 2015 , 25, 2449-58		93
213	Role of the Brain's Reward Circuitry in Depression: Transcriptional Mechanisms. 2015 , 124, 151-70		53
212	Experience-Dependent Induction of Hippocampal FosB Controls Learning. <i>Journal of Neuroscience</i> , 2015 , 35, 13773-83	6.6	55
211	RGS9-2--controlled adaptations in the striatum determine the onset of action and efficacy of antidepressants in neuropathic pain states. 2015 , 112, E5088-97		23
210	Deactivation of excitatory neurons in the prelimbic cortex via Cdk5 promotes pain sensation and anxiety. <i>Nature Communications</i> , 2015 , 6, 7660	17.4	106
209	Differential induction of FosB isoforms throughout the brain by fluoxetine and chronic stress. 2015 , 99, 28-37		49
208	Aberrant function of frontoamygdala circuits in adolescents with previous verbal abuse experiences. 2015 , 79, 76-85		20
207	Nucleus accumbens medium spiny neuron subtypes mediate depression-related outcomes to social defeat stress. 2015 , 77, 212-222		200
206	Illuminating circuitry relevant to psychiatric disorders with optogenetics. 2015 , 30, 9-16		67
205	Cortical-Subcortical Interactions in Depression: From Animal Models to Human Psychopathology. 2016 , 10, 20		41
204	Chronic Stress Is Associated with Pain Precipitation and Elevation in DeltaFosB Expression. <i>Frontiers in Pharmacology</i> , 2016 , 7, 138	5.6	8

203	Social functioning in major depressive disorder. 2016 , 69, 313-32		251
202	N-acetylcysteine treatment blocks the development of ethanol-induced behavioural sensitization and related FosB alterations. 2016 , 110, 135-142		18
201	The recovery trajectory of adolescent social defeat stress-induced behavioral, (1)H-MRS metabolites and myelin changes in Balb/c mice. 2016 , 6, 27906		15
200	Altered behavior and neural activity in conspecific cagemates co-housed with mouse models of brain disorders. 2016 , 163, 167-176		11
199	EphB2 in the Medial Prefrontal Cortex Regulates Vulnerability to Stress. 2016 , 41, 2541-56		27
198	Circuit-wide Transcriptional Profiling Reveals Brain Region-Specific Gene Networks Regulating Depression Susceptibility. 2016 , 90, 969-83		176
197	Persistent post-stroke depression in mice following unilateral medial prefrontal cortical stroke. 2016 , 6, e863		47
196	Repeated forced swim stress affects the expression of pCREB and FosB and the acetylation of histone H3 in the rostral ventromedial medulla and locus coeruleus. 2016 , 127, 11-22		8
195	Chronic stress and moderate physical exercise prompt widespread common activation and limited differential activation in specific brain regions. 2016 , 99, 252-261		13
194	Ventral Tegmental Area Dopamine Cell Activation during Male Rat Sexual Behavior Regulates Neuroplasticity and d-Amphetamine Cross-Sensitization following Sex Abstinence. <i>Journal of Neuroscience</i> , 2016 , 36, 9949-61	6.6	19
193	Sensitivity of the prefrontal GABAergic system to chronic stress in male and female mice: Relevance for sex differences in stress-related disorders. 2016 , 332, 1-12		64
192	Reduction of Cocaine-Induced Locomotor Effects by Enriched Environment Is Associated with Cell-Specific Accumulation of FosB in Striatal and Cortical Subregions. 2017 , 20, 237-246		6
191	Support for the efficacy of behavioural activation in treating anxiety in breast cancer patients. 2016 , 20, 17-26		10
190	Dysregulation of Prefrontal Cortex-Mediated Slow-Evolving Limbic Dynamics Drives Stress-Induced Emotional Pathology. 2016 , 91, 439-52		60
189	The effects of gestational stress and Selective Serotonin reuptake inhibitor antidepressant treatment on structural plasticity in the postpartum brain--A translational model for postpartum depression. 2016 , 77, 124-31		32
188	Pathogenesis of depression: Insights from human and rodent studies. 2016 , 321, 138-162		238
187	Involvement of TLR4 in the long-term epigenetic changes, rewarding and anxiety effects induced by intermittent ethanol treatment in adolescence. 2016 , 53, 159-171		87
186	A novel approach to PTSD modeling in rats reveals alternating patterns of limbic activity in different types of stress reaction. 2016 , 21, 630-41		51

185	Neuroanatomic Differences Associated With Stress Susceptibility and Resilience. 2016 , 79, 840-849		89
184	Ketamine as a Prophylactic Against Stress-Induced Depressive-like Behavior. 2016 , 79, 776-786		135
183	Animal models of major depression and their clinical implications. 2016 , 64, 293-310		194
182	Ketamine and Imipramine Reverse Transcriptional Signatures of Susceptibility and Induce Resilience-Specific Gene Expression Profiles. 2017 , 81, 285-295		81
181	Exposure to prolonged controllable or uncontrollable stress affects GABAergic function in sub-regions of the hippocampus and the amygdala. 2017 , 138, 271-280		10
180	Neural Substrates of Depression and Resilience. 2017 , 14, 677-686		82
179	Comparison of the VTA and LC response to methylphenidate: a concomitant behavioral and neuronal study of adolescent male rats. 2017 , 118, 1501-1514		10
178	Dominance status alters restraint-induced neural activity in brain regions controlling stress vulnerability. 2017 , 179, 153-161		5
177	Metabolomics reveals distinct neurochemical profiles associated with stress resilience. 2017 , 7, 103-112		19
176	Comparison of chronic physical and emotional social defeat stress effects on mesocorticolimbic circuit activation and voluntary consumption of morphine. 2017 , 7, 8445		19
175	Molecular basis of dendritic atrophy and activity in stress susceptibility. 2017 , 22, 1512-1519		53
174	Adolescence and Reward: Making Sense of Neural and Behavioral Changes Amid the Chaos. <i>Journal of Neuroscience</i> , 2017 , 37, 10855-10866	6.6	77
173	Brain activation induced by chronic psychosocial stress in mice. 2017 , 7, 15061		39
172	Addressing sufficiency of the CB1 receptor for endocannabinoid-mediated functions through conditional genetic rescue in forebrain GABAergic neurons. 2017 , 222, 3431-3452		19
171	Chronic stress affects the number of GABAergic neurons in the orbitofrontal cortex of rats. <i>Behavioural Brain Research</i> , 2017 , 316, 104-114	3.4	21
170	Emerging Role for Nucleus Accumbens Medium Spiny Neuron Subtypes in Depression. 2017 , 81, 645-653		102
169	Biological markers for anxiety disorders, OCD and PTSD: A consensus statement. Part II: Neurochemistry, neurophysiology and neurocognition. 2017 , 18, 162-214		143
168	Palmitoylethanolamide Reduces Neuropsychiatric Behaviors by Restoring Cortical Electrophysiological Activity in a Mouse Model of Mild Traumatic Brain Injury. <i>Frontiers in Pharmacology</i> , 2017 , 8, 95	5.6	34

167	Reward Network Immediate Early Gene Expression in Mood Disorders. 2017 , 11, 77		20
166	Beyond Neuronal Activity Markers: Select Immediate Early Genes in Striatal Neuron Subtypes Functionally Mediate Psychostimulant Addiction. 2017 , 11, 112		31
165	Effects of Social Defeat Stress on Sleep in Mice. 2017 , 11, 227		21
164	Tryptophan overloading activates brain regions involved with cognition, mood and anxiety. 2017 , 89, 273-283		4
163	Ventral CA3 Activation Mediates Prophylactic Ketamine Efficacy Against Stress-Induced Depressive-like Behavior. 2018 , 84, 846-856		42
162	Stress Impacts the Regulation Neuropeptides in the Rat Hippocampus and Prefrontal Cortex. 2018 , 18, e1700408		18
161	Juvenile social defeat stress exposure persistently impairs social behaviors and neurogenesis. 2018 , 133, 23-37		26
160	Adolescent Social Stress Increases Anxiety-like Behavior and Alters Synaptic Transmission, Without Influencing Nicotine Responses, in a Sex-Dependent Manner. 2018 , 373, 182-198		14
159	Loss of Intercalated Cells (ITCs) in the Mouse Amygdala of Mutants Correlates with Fear, Depression, and Social Interaction Phenotypes. <i>Journal of Neuroscience</i> , 2018 , 38, 1160-1177	6.6	24
158	Acute stress evokes sexually dimorphic, stressor-specific patterns of neural activation across multiple limbic brain regions in adult rats. 2018 , 21, 136-150		17
157	Chemogenetic Excitation of Accumbens-Projecting Infralimbic Cortical Neurons Blocks Toluene-Induced Conditioned Place Preference. <i>Journal of Neuroscience</i> , 2018 , 38, 1462-1471	6.6	14
156	d-Cycloserine enhanced extinction of cocaine-induced conditioned place preference is attenuated in serotonin transporter knockout rats. 2018 , 23, 120-129		11
155	Molecular Adaptations to Social Defeat Stress and Induced Depression in Mice. 2018 , 55, 3394-3407		25
154	Use of proton-pump inhibitors is associated with depression: a population-based study. 2018 , 30, 153-159		17
153	Widespread transcriptional alternations in oligodendrocytes in the adult mouse brain following chronic stress. 2018 , 78, 152-162		32
152	CK2 regulates 5-HT4 receptor signaling and modulates depressive-like behavior. 2018 , 23, 872-882		15
151	Glutamine has antidepressive effects through increments of glutamate and glutamine levels and glutamatergic activity in the medial prefrontal cortex. 2018 , 143, 143-152		34
150	Excitability regulation in the dorsomedial prefrontal cortex during sustained instructed fear responses: a TMS-EEG study. 2018 , 8, 14506		6

149	Sex Differences in Risk and Resilience: Stress Effects on the Neural Substrates of Emotion and Motivation. <i>Journal of Neuroscience</i> , 2018 , 38, 9423-9432	6.6	40
148	Environmental enrichment reduces adolescent anxiety- and depression-like behaviors of rats subjected to infant nerve injury. 2018 , 15, 262		34
147	Social Dominance Modulates Stress-induced Neural Activity in Medial Prefrontal Cortex Projections to the Basolateral Amygdala. 2018 , 388, 274-283		10
146	Alterations of the Innate Immune System in Susceptibility and Resilience After Social Defeat Stress. 2018 , 12, 141		34
145	A Comprehensive Overview on Stress Neurobiology: Basic Concepts and Clinical Implications. 2018 , 12, 127		173
144	Immediate Early Genes, Memory and Psychiatric Disorders: Focus on c-Fos, Egr1 and Arc. 2018 , 12, 79		136
143	Long-Term Stress Disrupts the Structural and Functional Integrity of GABAergic Neuronal Networks in the Medial Prefrontal Cortex of Rats. 2018 , 12, 148		58
142	Sex differences in the traumatic stress response: the role of adult gonadal hormones. 2018 , 9, 32		25
141	Plastic change of prefrontal cortex mediates anxiety-like behaviors associated with chronic pain in neuropathic rats. 2018 , 14, 1744806918783931		20
140	JHU-083 selectively blocks glutaminase activity in brain CD11b cells and prevents depression-associated behaviors induced by chronic social defeat stress. 2019 , 44, 683-694		27
139	Prefrontal excitatory/inhibitory balance in stress and emotional disorders: Evidence for over-inhibition. 2019 , 105, 39-51		43
138	The signaling proteins GPR158 and RGS7 modulate excitability of L2/3 pyramidal neurons and control A-type potassium channel in the prelimbic cortex. 2019 , 294, 13145-13157		11
137	Vulnerability to depressive behavior induced by overexpression of striatal Shat1/Nat8l via the serotonergic neuronal pathway in mice. <i>Behavioural Brain Research</i> , 2019 , 376, 112227	3-4	5
136	Maternal separation disturbs postnatal development of the medial prefrontal cortex and affects the number of neurons and glial cells in adolescent rats. 2019 , 423, 131-147		12
135	Social defeat stress-specific increase in c-Fos expression in the extended amygdala in mice: Involvement of dopamine D1 receptor in the medial prefrontal cortex. 2019 , 9, 16670		15
134	Chronic exposure to fluoxetine of female mice before mating causes impaired stress resilience in female offspring. 2019 , 126, 1231-1239		1
133	"Braking" the Prefrontal Cortex: The Role of Glucocorticoids and Interneurons in Stress Adaptation and Pathology. 2019 , 86, 669-681		38
132	Exposure to prenatal antidepressant alters medial prefrontal-striatal synchronization in mice. 2019 , 1717, 27-34		6

131	Viral labeling of neurons synaptically connected to nucleus accumbens somatostatin interneurons. 2019 , 14, e0213476		10
130	Oral Cannabidiol Prevents Allodynia and Neurological Dysfunctions in a Mouse Model of Mild Traumatic Brain Injury. <i>Frontiers in Pharmacology</i> , 2019 , 10, 352	5.6	27
129	Deficiencies of microglia and TNF α in the mPFC-mediated cognitive inflexibility induced by social stress during adolescence. 2019 , 79, 256-266		18
128	Molecular, Cellular, and Circuit Basis of Depression Susceptibility and Resilience. 2019 , 123-136		7
127	Optogenetics: Illuminating the Neural Circuits of Depression. 2019 , 147-157		0
126	Prefrontal parvalbumin cells are sensitive to stress and mediate anxiety-related behaviors in female mice. 2019 , 9, 19772		34
125	Transcriptional and Epigenetic Regulation of Reward Circuitry in Drug Addiction. 2019 , 23-34		1
124	Wiring the depressed brain: optogenetic and chemogenetic circuit interrogation in animal models of depression. 2019 , 44, 1013-1026		42
123	Beneficial Effects of Physical Activity and Crocin Against Adolescent Stress Induced Anxiety or Depressive-Like Symptoms and Dendritic Morphology Remodeling in Prefrontal Cortex in Adult Male Rats. 2019 , 44, 917-929		17
122	Effects of β adrenergic receptor stimulation on the resting holding current of medial prefrontal cortex pyramidal neurons in young rats. 2019 , 698, 192-197		3
121	Intracerebroventricular administration of sulphated cholecystokinin octapeptide induces anxiety-like behaviour in goldfish. 2019 , 31, e12667		5
120	Behavioral tests that reveal long-term deficits after permanent focal cerebral ischemia in mouse. <i>Behavioural Brain Research</i> , 2019 , 360, 69-80	3.4	16
119	Social brain, social dysfunction and social withdrawal. 2019 , 97, 10-33		96
118	Metabotropic glutamate receptor subtype 3 gates acute stress-induced dysregulation of amygdalo-cortical function. 2019 , 24, 916-927		28
117	SIRT1 in forebrain excitatory neurons produces sexually dimorphic effects on depression-related behaviors and modulates neuronal excitability and synaptic transmission in the medial prefrontal cortex. 2020 , 25, 1094-1111		31
116	Androgen-Dependent Excitability of Mouse Ventral Hippocampal Afferents to Nucleus Accumbens Underlies Sex-Specific Susceptibility to Stress. 2020 , 87, 492-501		29
115	Rapid Anxiolytic Effects of RS67333, a Serotonin Type 4 Receptor Agonist, and Diazepam, a Benzodiazepine, Are Mediated by Projections From the Prefrontal Cortex to the Dorsal Raphe Nucleus. 2020 , 87, 514-525		18
114	Optogenetics: What it has uncovered in potential pathways of depression. 2020 , 152, 104596		8

113	Region-specific brain area reductions and increased cholecystokinin-positive neurons in diabetic OLETF rats: implication for anxiety-like behavior. 2020 , 70, 42	3
112	AMPA receptors mediate the pro-cognitive effects of electrical and optogenetic stimulation of the medial prefrontal cortex in antidepressant non-responsive Wistar-Kyoto rats. 2020 , 34, 1418-1430	4
111	Infralimbic cortical glutamate output is necessary for the neural and behavioral consequences of chronic stress. 2020 , 13, 100274	7
110	Internal threats to police wellness. 2020 , 29-36	
109	The cornucopia of central disinhibition pain - An evaluation of past and novel concepts. 2020 , 145, 105041	1
108	Chemogenetic activation of an infralimbic cortex to basolateral amygdala projection promotes resistance to acute social defeat stress. 2020 , 10, 6884	11
107	Revision to psychopharmacology mRNA and microRNA profiles are associated with stress susceptibility and resilience induced by psychological stress in the prefrontal cortex. <i>Psychopharmacology</i> , 2020 , 237, 3067-3093	4-7 4
106	Ketamine contributes to the alteration of Ca transient evoked by behavioral tests in the prelimbic area of mPFC: A study on chronic CORT-induced depressive mice. 2020 , 735, 135220	1
105	Acute mitragynine administration suppresses cortical oscillatory power and systems theta coherence in rats. 2020 , 34, 759-770	3
104	Projections from the dorsomedial division of the bed nucleus of the stria terminalis to hypothalamic nuclei in the mouse. 2021 , 529, 929-956	9
103	Post-weaning social isolation increases FosB/FosB protein expression in sex-specific patterns in the prelimbic/infralimbic cortex and hippocampus in mice. 2021 , 740, 135423	1
102	Molecular and neurocircuitry mechanisms of social avoidance. 2021 , 78, 1163-1189	4
101	Depression and substance use disorders: Clinical comorbidity and shared neurobiology. 2021 , 157, 245-309	2
100	Mitofusin-2 in the Nucleus Accumbens Regulates Anxiety and Depression-like Behaviors Through Mitochondrial and Neuronal Actions. 2021 , 89, 1033-1044	11
99	Optogenetic and chemogenetic insights into the neurocircuitry of depression-like behaviour: A systematic review. 2021 , 53, 9-38	27
98	Neuronal protein-tyrosine phosphatase 1B hinders sensory-motor functional recovery and causes affective disorders in two different focal ischemic stroke models. 2021 , 16, 129-136	2
97	Expression and Distribution of Neuropeptide-Expressing Cells Throughout the Rodent Paraventricular Nucleus of the Thalamus. 2020 , 14, 634163	6
96	Unique effects of social defeat stress in adolescent male mice on the Netrin-1/DCC pathway, prefrontal cortex dopamine and cognition (Social stress in adolescent vs. adult male mice). 2021 ,	4

95	Translating the Transcriptome: Sex Differences in the Mechanisms of Depression and Stress, Revisited. 2022 , 91, 25-35		5
94	Inhibitory corticotropin-releasing factor neurons in the dorsomedial prefrontal cortex promote stress-resilient behavior in male rodents. 2021 , 125, 533-536		2
93	Chronic Stress Prevents Cortico-Accumbens Cue Encoding and Alters Conditioned Approach. <i>Journal of Neuroscience</i> , 2021 , 41, 2428-2436	6.6	0
92	Adolescent Stress Confers Resilience to Traumatic Stress Later in Life: Role of the Prefrontal Cortex.		1
91	NPAS4 in the medial prefrontal cortex mediates chronic social defeat stress-induced anhedonia and dendritic spine loss.		
90	Post-weaning social isolation increases reward-seeking behavior in a sex-specific manner in mice.		
89	Olfactory modulation of the medial prefrontal cortex circuitry: Implications for social cognition. 2021 ,		1
88	Role of trace amine-associated receptor 1 in the medial prefrontal cortex in chronic social stress-induced cognitive deficits in mice. 2021 , 167, 105571		6
87	Regulation of depression-related behaviors by GABAergic neurons in the lateral septum through periaqueductal gray neuronal projections. 2021 , 137, 202-214		2
86	Optogenetic Dissection of Neural Circuits Underlying Stress-Induced Mood Disorders. 2021 , 12, 600999		1
85	Animal models of stress and stress-related neurocircuits: A comprehensive review. 2021 , 1		1
84	Functional Contribution of the Medial Prefrontal Circuitry in Major Depressive Disorder and Stress-Induced Depressive-Like Behaviors. 2021 , 15, 699592		3
83	Effects of early life adversity on immediate early gene expression: systematic review and 3-level meta-analysis of rodent studies.		0
82	The Role of Gasotransmitters in Gut Peptide Actions. <i>Frontiers in Pharmacology</i> , 2021 , 12, 720703	5.6	4
81	Shisa6 mediates cell-type specific regulation of depression in the nucleus accumbens. 2021 ,		1
80	Genomic Modules and Intramodular Network Convergency of Susceptibility and Resilience in Multimodeled Stress in Male Mice.		0
79	Perspectives for therapy of treatment-resistant depression. 2021 ,		5
78	The paraventricular thalamus input to central amygdala controls depression-related behaviors. 2021 , 342, 113744		2

77	Activation of monoaminergic system contributes to the antidepressant- and anxiolytic-like effects of J147. <i>Behavioural Brain Research</i> , 2021 , 411, 113374	3-4	5
76	Chronic Stress Induces Sex-Specific Functional and Morphological Alterations in Corticoaccumbal and Corticotegmental Pathways. 2021 , 90, 194-205		8
75	Single-chain Fragment variable antibody targeting cholecystokinin-B receptor for pain reduction. 2021 , 10, 100067		4
74	N-Methyladenosine Modification in Chronic Stress Response Due to Social Hierarchy Positioning of Mice. 2021 , 9, 705986		1
73	Targeting metabotropic glutamate receptors for the treatment of depression and other stress-related disorders. 2021 , 196, 108687		4
72	Medial prefrontal area reductions, altered expressions of cholecystokinin, parvalbumin, and activating transcription factor 4 in the corticolimbic system, and altered emotional behavior in a progressive rat model of type 2 diabetes. 2021 , 16, e0256655		1
71	Gene-Targeted, CREB-Mediated Induction of FosB Controls Distinct Downstream Transcriptional Patterns Within D1 and D2 Medium Spiny Neurons. 2021 , 90, 540-549		3
70	Trace amine-associated receptor 1 (TAAR1): Potential application in mood disorders: A systematic review. 2021 , 131, 192-210		2
69	Social play in juvenile hamsters alters dendritic morphology in the medial prefrontal cortex and attenuates effects of social stress in adulthood. 2016 , 130, 437-47		30
68	Infralimbic cortical glutamate output is necessary for the neural and behavioral consequences of chronic stress.		0
67	Stress-induced epigenetic regulation of transcription in neocortical excitatory neurons drives depression-like behavior.		1
66	VIPergic neurons of the infralimbic and prelimbic cortices control palatable food intake through separate cognitive pathways. 2019 , 5,		3
65	Differential Expression of FosB Proteins and Potential Target Genes in Select Brain Regions of Addiction and Depression Patients. 2016 , 11, e0160355		15
64	FosB Decreases Excitability of Dorsal Hippocampal CA1 Neurons. 2018 , 5,		12
63	Genetic Control of Myelin Plasticity after Chronic Psychosocial Stress. 2018 , 5,		23
62	Pubertal Testosterone Programs Adult Behavioral Adaptations to Sexual Experience through Infralimbic Cortex FosB. 2019 , 6,		3
61	Chemogenetic Inhibition of Infralimbic Prefrontal Cortex GABAergic Parvalbumin Interneurons Attenuates the Impact of Chronic Stress in Male Mice. 2020 , 7,		7
60	Testing Depression in Mice: a Chronic Social Defeat Stress Model. 2017 , 7, e2203		4

59	Excitability regulation in the dorsomedial prefrontal cortex during sustained instructed fear responses: a TMS-EEG study.	0
58	Clozapine impact on FosB/ F osB expression in stress preconditioned rats: response to a novel stressor. 2019 , 53, 83-92	1
57	On the Role of Cholecystokinin (CCK) in Fear and Anxiety: A Review and Research Proposal. 2019 , 1, 1-10	0
56	Epigenetic signatures of chronic social stress in stress-susceptible animals.	2
55	Changes in the functional connectome and behavior after exposure to chronic stress and increasing neurogenesis.	
54	Post-weaning social isolation increases FosB/FosB protein expression in the prefrontal cortex and hippocampus in mice.	
53	Chemogenetic Inhibition of Infralimbic Prefrontal Cortex GABA-ergic Parvalbumin Interneurons Attenuates Chronic Stress Adaptions in Male Mice.	
52	Altered intrinsic brain activity and regional cerebral blood flow in patients with chronic neck and shoulder pain. 2020 , 85, e155-e162	2
51	Targeting the Neuronal Activity of Prefrontal Cortex: New Directions for the Therapy of Depression. 2020 , 18, 332-346	2
50	Chronic stress induces sex-specific functional and morphological alterations in cortico-accumbal and cortico-tegmental pathways.	
49	Herpes zoster chronification to postherpetic neuralgia induces brain activity and grey matter volume change. 2018 , 10, 184-199	18
48	The Cholecystokinin Type 2 Receptor, a Pharmacological Target for Pain Management. 2021 , 14,	1
47	Genomic modules and intramodular network concordance in susceptible and resilient male mice across models of stress. 2021 ,	3
46	Efeito comportamental em modelos experimentais de depressã por microinjeções do peptídeo liberador de gastrina via intra nucleus accumbens. 11, 1-26	
45	Neuronal Yin Yang1 in the prefrontal cortex regulates transcriptional and behavioral responses to chronic stress in mice.. <i>Nature Communications</i> , 2022 , 13, 55	17.4 1
44	Effects of early life adversity on immediate early gene expression: Systematic review and 3-level meta-analysis of rodent studies.. 2022 , 17, e0253406	
43	Chronic social stress induces isolated deficits in reward anticipation on a neuroeconomic foraging task.	
42	BOSB: A Potentially Druggable Master Orchestrator of Activity-Dependent Gene Expression.. 2022 ,	1

41 Optogenetic Animal Models of Depression: From Mice to Men. **2022**, 167-191

40 The ATP Level in the Medial Prefrontal Cortex Regulates Depressive-like Behavior via the Medial Prefrontal Cortex-Lateral Habenula Pathway.. **2022**,

2

39 Molecular characteristics and laminar distribution of prefrontal neurons projecting to the mesolimbic system.

38 Midbrain projection to the basolateral amygdala encodes anxiety-like but not depression-like behaviors.. *Nature Communications*, **2022**, 13, 1532

17.4 1

37 Optogenetic stimulation of medial prefrontal cortex excites GABAergic cells in the nucleus accumbens and hippocampus of Wistar-Kyoto rats exposed to chronic mild stress.. *Psychopharmacology*, **2022**, 1

4.7 0

36 Voluntary exercise reverses social behavior deficits and the increases in the densities of cholecystokinin-positive neurons in specific corticolimbic regions of diabetic OLETF rats.. *Behavioural Brain Research*, **2022**, 113886

3.4

35 Cholecystokinin B receptor gene polymorphism (rs2941026) is associated with anxious personality and suicidal thoughts in a longitudinal study.. *Acta Neuropsychiatrica*, **2021**, 1-33

3.9

34 A circuit of COCH neurons encodes social-stress-induced anxiety via MTF1 activation of Cacna1h.. *Cell Reports*, **2021**, 37, 110177

10.6 2

33 Data_Sheet_1.docx. **2018**,

32 Image_1.TIF. **2019**,

31 Image_2.TIF. **2019**,

30 Table_1.DOCX. **2019**,

29 Image_1.pdf. **2018**,

28 Image_2.PDF. **2018**,

27 Table_1.PDF. **2018**,

26 Table_2.PDF. **2018**,

25 Table_3.PDF. **2018**,

24 Middle cingulate cortex function contributes to response to non-steroidal anti-inflammatory drug in cervical spondylosis patients: a preliminary resting-state fMRI study.. *Neuroradiology*, **2022**, 1

3.2 0

23	Immediate Early Gene c-fos in the Brain: Focus on Glial Cells. <i>Brain Sciences</i> , 2022 , 12, 687	3.4	3
22	Non-rapid eye movement sleep determines resilience to social stress.		
21	Uncovering the Underlying Mechanisms of Ketamine as a Novel Antidepressant. <i>Frontiers in Pharmacology</i> , 12,	5.6	1
20	Anxiety and Depression: What Do We Know of Neuropeptides?. 2022 , 12, 262		2
19	Behavioral state-dependent oscillatory activity in prefrontal cortex induced by chronic social defeat stress. 16,		
18	Prefrontal circuits guiding social preference: Implications in autism spectrum disorder. 2022 , 141, 104803		
17	Advances in optogenetic studies of depressive-like behaviors and underlying neural circuit mechanisms. 13,		0
16	Non-rapid eye movement sleep determines resilience to social stress. 11,		0
15	Molecular characteristics and laminar distribution of prefrontal neurons projecting to the mesolimbic system. 11,		0
14	Cholecystokinin (CCK) and its receptors (CCK1R and CCK2R) in chickens: functional analysis and tissue expression. 2022 , 102273		0
13	Behavioral flexibility impacts on coping and emotional responses in male mice submitted to social defeat stress. 2023 , 123, 110696		0
12	Prefrontal contributions to mental resilience: Lessons from rodent studies of stress and antidepressant actions. 2022 ,		0
11	High-frequency rTMS modulates emotional behaviors and structural plasticity in layers II/III and V of the mPFC. 16,		0
10	Probing the antidepressant potential of psilocybin: integrating insight from human research and animal models towards an understanding of neural circuit mechanisms.		1
9	Upregulations of α adrenergic receptors and noradrenaline synthases in the medial prefrontal cortex are associated with emotional and cognitive dysregulation induced by post-weaning social isolation in male rats. 2023 , 797, 137071		0
8	Optogenetic stimulation of transmission from prelimbic cortex to nucleus accumbens core overcomes resistance to venlafaxine in an animal model of treatment-resistant depression. 2023 , 123, 110715		1
7	Neurobiologia del cervello sociale nei disturbi d'ansia e dell'umore - Mini-review. 2022 , 32-71		0
6	Maturation of Nucleus Accumbens Synaptic Transmission Signals a Critical Period for the Rescue of Social Deficits in a Mouse Model of Autism Spectrum Disorder.		0

- 5 NPAS4 in the medial prefrontal cortex mediates chronic social defeat stress-induced anhedonia-like behavior and reductions in excitatory synapses. 12,
- 4 Comparing the ontogeny, neurobiology, and function of social play in hamsters and rats. **2023**, 147, 105102
- 3 Sex-Specific Timelines for Adaptations of Prefrontal Parvalbumin Neurons in Response to Stress and Changes in Anxiety- and Depressive-Like Behaviors. **2023**, 10, ENEURO.0300-22.2023
- 2 Awakening the dormant: Role of axonal guidance cues in stress-induced reorganization of the adult prefrontal cortex leading to depression-like behavior. 17,
- 1 Chronic social defeat alters behaviors and neuronal activation in the brain of female Mongolian gerbils. **2023**, 448, 114456