

Prioritising anticancer drugs for environmental monitoring

Science of the Total Environment

473-474, 159-170

DOI: [10.1016/j.scitotenv.2013.11.145](https://doi.org/10.1016/j.scitotenv.2013.11.145)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Cytostatic drugs and metabolites in municipal and hospital wastewaters in Spain: Filtration, occurrence, and environmental risk. <i>Science of the Total Environment</i> , 2014, 497-498, 68-77. | 3.9 | 126 |
| 2 | Occurrence of cytostatic compounds in hospital effluents and wastewaters, determined by liquid chromatography coupled to high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 3801-3814. | 1.9 | 73 |
| 3 | Acute toxic and genotoxic activities of widely used cytostatic drugs in higher plants: Possible impact on the environment. <i>Environmental Research</i> , 2014, 135, 196-203. | 3.7 | 48 |
| 4 | Incidence of anticancer drugs in an aquatic urban system: From hospital effluents through urban wastewater to natural environment. <i>Environmental Pollution</i> , 2014, 193, 216-223. | 3.7 | 164 |
| 5 | Probabilistic modelling of prospective environmental concentrations of gold nanoparticles from medical applications as a basis for risk assessment. <i>Journal of Nanobiotechnology</i> , 2015, 13, 93. | 4.2 | 54 |
| 6 | Predicting concentrations of cytostatic drugs in sewage effluents and surface waters of Catalonia (NE Spain). <i>Environmental Research</i> , 2015, 138, 161-172. | 3.7 | 75 |
| 7 | Evaluation of the toxic effects of four anti-cancer drugs in plant bioassays and its potency for screening in the context of waste water reuse for irrigation. <i>Chemosphere</i> , 2015, 135, 403-410. | 4.2 | 42 |
| 8 | In vitro and in vivo antimutagenic effects of DIG, a herbal preparation of <i>Berberis vulgaris</i> , <i>Taraxacum officinale</i> and <i>Arctium lappa</i> , against mitomycin C. <i>Journal of Natural Medicines</i> , 2015, 69, 267-277. | 1.1 | 8 |
| 9 | Electrodegradation of ifosfamide and cyclophosphamide at BDD electrode: Decomposition pathway and its kinetics. <i>Chemical Engineering Journal</i> , 2015, 276, 274-282. | 6.6 | 33 |
| 10 | Occurrence and fate of selected anticancer, antimicrobial, and psychotropic pharmaceuticals in an urban river in a subcatchment of the Yodo River basin, Japan. <i>Environmental Science and Pollution Research</i> , 2015, 22, 18676-18686. | 2.7 | 53 |
| 11 | Antineoplastic compounds in the environment—substances of special concern. <i>Environmental Science and Pollution Research</i> , 2016, 23, 14791-14804. | 2.7 | 69 |
| 12 | Toxicity of the mixture of selected antineoplastic drugs against aquatic primary producers. <i>Environmental Science and Pollution Research</i> , 2016, 23, 14780-14790. | 2.7 | 40 |
| 13 | Environmental risk analysis and prioritization of pharmaceuticals in a developing world context. <i>Science of the Total Environment</i> , 2016, 557-558, 31-43. | 3.9 | 54 |
| 14 | Detection of pharmaceuticals and phytochemicals together with their metabolites in hospital effluents in Japan, and their contribution to sewage treatment plant influents. <i>Science of the Total Environment</i> , 2016, 548-549, 189-197. | 3.9 | 99 |
| 15 | Human metabolites and transformation products of cyclophosphamide and ifosfamide: analysis, occurrence and formation during abiotic treatments. <i>Environmental Science and Pollution Research</i> , 2016, 23, 11209-11223. | 2.7 | 34 |
| 16 | Removal of polycyclic synthetic musks and antineoplastic drugs in ozonated wastewater: Quantitation based on the data of differential spectroscopy. <i>Journal of Hazardous Materials</i> , 2016, 304, 242-250. | 6.5 | 42 |
| 17 | The leaching behavior of cyclophosphamide and ifosfamide from soil in the presence of co-contaminant — Mixture sorption approach. <i>Science of the Total Environment</i> , 2016, 542, 915-922. | 3.9 | 6 |
| 18 | Acute and sub-chronic toxicity of four cytostatic drugs in zebrafish. <i>Environmental Science and Pollution Research</i> , 2016, 23, 14718-14729. | 2.7 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Determination of cytostatic drugs in BesÅ²s River (NE Spain) and comparison with predicted environmental concentrations. <i>Environmental Science and Pollution Research</i> , 2017, 24, 6492-6503. | 2.7 | 38 |
| 20 | Development of a macroporous ceramic passive sampler for the monitoring of cytostatic drugs in water. <i>Chemosphere</i> , 2017, 182, 681-690. | 4.2 | 21 |
| 21 | Cytotoxicity and genotoxicity of anticancer drug residues and their mixtures in experimental model with zebrafish liver cells. <i>Science of the Total Environment</i> , 2017, 601-602, 293-300. | 3.9 | 70 |
| 22 | Prioritization of Active Pharmaceutical Ingredients in Hospital Wastewater. <i>Handbook of Environmental Chemistry</i> , 2017, , 49-69. | 0.2 | 1 |
| 23 | Assessment of the genotoxicity of the tyrosine kinase inhibitor imatinib mesylate in cultured fish and human cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2017, 814, 14-21. | 0.9 | 20 |
| 24 | Acute aquatic toxicity assessment of six anti-cancer drugs and one metabolite using biotest battery â€“ Biological effects and stability under test conditions. <i>Chemosphere</i> , 2017, 189, 689-698. | 4.2 | 38 |
| 25 | Removal of cytostatic drugs by AOPs: A review of applied processes in the context of green technology. <i>Critical Reviews in Environmental Science and Technology</i> , 2017, 47, 1282-1335. | 6.6 | 38 |
| 26 | Overview of experimental and computational methods for the determination of the pKa values of 5-fluorouracil, cyclophosphamide, ifosfamide, imatinib and methotrexate. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 97, 283-296. | 5.8 | 60 |
| 27 | The impact assessment of anticancer drug imatinib on the feeding behavior of rotifers with an integrated perspective: Exposure, post-exposure and re-exposure. <i>Chemosphere</i> , 2017, 185, 423-430. | 4.2 | 10 |
| 28 | Distribution of six anticancer drugs and a variety of other pharmaceuticals, and their sorption onto sediments, in an urban Japanese river. <i>Environmental Science and Pollution Research</i> , 2017, 24, 19021-19030. | 2.7 | 22 |
| 29 | Anticancer drugs: Consumption trends in Spain, prediction of environmental concentrations and potential risks. <i>Environmental Pollution</i> , 2017, 229, 505-515. | 3.7 | 47 |
| 30 | Anticancer drugs in Portuguese surface waters â€“ Estimation of concentrations and identification of potentially priority drugs. <i>Chemosphere</i> , 2017, 184, 1250-1260. | 4.2 | 49 |
| 31 | Ecotoxicological assessment of the anticancer drug cisplatin in the polychaete <i>Nereis diversicolor</i> . <i>Science of the Total Environment</i> , 2017, 575, 162-172. | 3.9 | 43 |
| 32 | Biological and photochemical degradation of cytostatic drugs under laboratory conditions. <i>Journal of Hazardous Materials</i> , 2017, 323, 319-328. | 6.5 | 62 |
| 33 | Forgotten public health impacts of cancer â€“ an overview. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2017, 68, 287-297. | 0.4 | 31 |
| 34 | DÃ©gradation photocatalytique du 5-fluorouracile par un systÃ©me UV-A/TiO2 : effet de la concentration du catalyseur et du polluant, du pH et des matrices de dilution. <i>International Journal of Biological and Chemical Sciences</i> , 2017, 11, 1373. | 0.1 | 4 |
| 35 | Platinum cytotoxic drugs in the municipal wastewater and drinking water, a validation method and health risk assessment. <i>Human and Ecological Risk Assessment (HERA)</i> , 2018, 24, 784-796. | 1.7 | 21 |
| 36 | Insights on Carbonaceous Materials Tailoring for Effective Removal of the Anticancer Drug 5-Fluorouracil from Contaminated Waters. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 3932-3940. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | A simultaneous determination of anti-cancer drugs in hospital effluent by DLLME HPLC-FLD, together with a risk assessment. <i>Chemosphere</i> , 2018, 201, 178-188. | 4.2 | 44 |
| 38 | Pemetrexed degradation by photocatalytic process: Kinetics, identification of transformation products and estimation of toxicity. <i>Science of the Total Environment</i> , 2018, 624, 1082-1094. | 3.9 | 11 |
| 39 | Application of prioritization approaches to optimize environmental monitoring and testing of pharmaceuticals. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2018, 21, 115-141. | 2.9 | 51 |
| 40 | Environmental relevant levels of the cytotoxic drug cyclophosphamide produce harmful effects in the polychaete <i>Nereis diversicolor</i> . <i>Science of the Total Environment</i> , 2018, 636, 798-809. | 3.9 | 33 |
| 41 | Pharmaceuticals released from senior residences: occurrence and risk evaluation. <i>Environmental Science and Pollution Research</i> , 2018, 25, 6095-6106. | 2.7 | 24 |
| 42 | Distribution of Anticancer Drugs in River Waters and Sediments of the Yodo River Basin, Japan. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 2043. | 1.3 | 20 |
| 43 | How cyclophosphamide at environmentally relevant concentration influences <i>Daphnia magna</i> life history and its proteome. <i>PLoS ONE</i> , 2018, 13, e0195366. | 1.1 | 15 |
| 44 | Development of an analytical methodology for the analysis of priority cytostatics in water. <i>Science of the Total Environment</i> , 2018, 645, 1264-1272. | 3.9 | 19 |
| 45 | Toxicogenomic responses of low level anticancer drug exposures in <i>Daphnia magna</i> . <i>Aquatic Toxicology</i> , 2018, 203, 40-50. | 1.9 | 24 |
| 46 | Cytostatic drug removal using electrochemical oxidation with BDD electrode: Degradation pathway and toxicity. <i>Water Research</i> , 2018, 144, 235-245. | 5.3 | 92 |
| 47 | Environmental risk assessment of widely used anticancer drugs (5-fluorouracil, cisplatin, etoposide,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 9.3 | 56 |
| 48 | Ozonation of the 5-fluorouracil anticancer drug and its prodrug capecitabine: Reaction kinetics, oxidation mechanisms, and residual toxicity. <i>Frontiers of Environmental Science and Engineering</i> , 2019, 13, 1. | 3.3 | 33 |
| 49 | Photocatalytic Degradation of 5-Fluorouracil by Diatomite-Supported Titanium Dioxide under UV-A Irradiation. <i>ChemistrySelect</i> , 2019, 4, 11413-11416. | 0.7 | 3 |
| 50 | New insights on cytostatic drug risk assessment in aquatic environments based on measured concentrations in surface waters. <i>Environment International</i> , 2019, 133, 105236. | 4.8 | 32 |
| 51 | Coupling of nanofiltration and UV, UV/TiO ₂ and UV/H ₂ O ₂ processes for the removal of anti-cancer drugs from real secondary wastewater effluent. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 103351. | 3.3 | 34 |
| 52 | Occurrence and ranking of pharmaceuticals in the major rivers of China. <i>Science of the Total Environment</i> , 2019, 696, 133991. | 3.9 | 37 |
| 53 | Do Amazon turtles exposed to environmental concentrations of the antineoplastic drug cyclophosphamide present mutagenic damages? If so, would such damages be reversible?. <i>Environmental Science and Pollution Research</i> , 2019, 26, 6234-6243. | 2.7 | 10 |
| 54 | Impacts of in vivo and in vitro exposures to tamoxifen: Comparative effects on human cells and marine organisms. <i>Environment International</i> , 2019, 129, 256-272. | 4.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Review of cytostatic wastewater degradation by ozone and advanced oxidation processes: results from Cuban studies. <i>Environmental Reviews</i> , 0, , 1-11. | 2.1 | 3 |
| 56 | Removal of 5-fluorouracil by solar-driven photoelectrocatalytic oxidation using Ti/TiO ₂ (NT) photoelectrodes. <i>Water Research</i> , 2019, 157, 610-620. | 5.3 | 52 |
| 57 | 5-Fluorouracilâ€™ Complete Insight into Its Neutral and Ionised Forms. <i>Molecules</i> , 2019, 24, 3683. | 1.7 | 41 |
| 58 | Imatinib: Major photocatalytic degradation pathways in aqueous media and the relative toxicity of its transformation products. <i>Science of the Total Environment</i> , 2019, 655, 547-556. | 3.9 | 21 |
| 59 | Local environmental risk assessment of anticancer drugs in a developing country. <i>Human and Ecological Risk Assessment (HERA)</i> , 2020, 26, 2142-2161. | 1.7 | 3 |
| 60 | Prioritization of pharmaceuticals in water environment in China based on environmental criteria and risk analysis of top-priority pharmaceuticals. <i>Journal of Environmental Management</i> , 2020, 253, 109732. | 3.8 | 50 |
| 61 | Occurrence of anticancer drugs in the aquatic environment: a systematic review. <i>Environmental Science and Pollution Research</i> , 2020, 27, 1339-1347. | 2.7 | 39 |
| 62 | Photocatalysis Using UV-A and UV-C Light Sources for Advanced Oxidation of Anti-Cancer Drugs Spiked in Laboratory-Grade Water and Synthetic Urine. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 647-653. | 1.8 | 14 |
| 63 | Development of costâ€™effective RPâ€™HPLC methods for detection of cyclophosphamide, etoposide and paclitaxel. <i>Separation Science Plus</i> , 2020, 3, 40-43. | 0.3 | 2 |
| 64 | A framework for the analysis of polar anticancer drugs in wastewater: On-line extraction coupled to HILIC or reverse phase LC-MS/MS. <i>Talanta</i> , 2020, 220, 121407. | 2.9 | 22 |
| 65 | Environmental Remediation of Antineoplastic Drugs: Present Status, Challenges, and Future Directions. <i>Processes</i> , 2020, 8, 747. | 1.3 | 10 |
| 66 | Predicted concentrations of anticancer drugs in the aquatic environment: What should we monitor and where should we treat?. <i>Journal of Hazardous Materials</i> , 2020, 392, 122330. | 6.5 | 55 |
| 67 | Radiolytic degradation of anticancer drug capecitabine in aqueous solution: kinetics, reaction mechanism, and toxicity evaluation. <i>Environmental Science and Pollution Research</i> , 2020, 27, 20807-20816. | 2.7 | 13 |
| 68 | Photolytic and photocatalytic degradation of antineoplastic drug irinotecan. Kinetic study, identification of transformation products and toxicity evaluation. <i>Chemical Engineering Journal</i> , 2021, 405, 126866. | 6.6 | 18 |
| 69 | Application of BiOCl ₂ Br photocatalyst to cytostatic drugs removal from water; mechanism and toxicity assessment. <i>Separation and Purification Technology</i> , 2021, 254, 117601. | 3.9 | 13 |
| 70 | Environmental fate, distribution and state-of-the-art removal of antineoplastic drugs: A comprehensive insight. <i>Chemical Engineering Journal</i> , 2021, 407, 127184. | 6.6 | 26 |
| 71 | Deregulation of whole-transcriptome gene expression in zebrafish (<i>Danio rerio</i>) after chronic exposure to low doses of imatinib mesylate in a complete life cycle study. <i>Chemosphere</i> , 2021, 263, 128097. | 4.2 | 9 |
| 72 | Degradation of anticancer drug capecitabine in aquatic media by three advanced oxidation processes: Mechanisms, toxicity changes and energy cost evaluation. <i>Chemical Engineering Journal</i> , 2021, 413, 127489. | 6.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Threat and sustainable technological solution for antineoplastic drugs pollution: Review on a persisting global issue. <i>Chemosphere</i> , 2021, 263, 128285. | 4.2 | 48 |
| 74 | Performance of a Slurry Photocatalytic Membrane Reactor for the Treatment of Real Secondary Wastewater Effluent Polluted by Anticancer Drugs. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 2223-2231. | 1.8 | 11 |
| 75 | Insight into the Sorption of 5-Fluorouracil and Methotrexate onto Soilâ€“pH, Ionic Strength, and Co-Contaminant Influence. <i>Molecules</i> , 2021, 26, 1674. | 1.7 | 2 |
| 76 | The antineoplastic drugs cyclophosphamide and cisplatin in the aquatic environment â€“ Review. <i>Journal of Hazardous Materials</i> , 2021, 412, 125028. | 6.5 | 39 |
| 77 | Hydrolytic stability of anticancer drugs and one metabolite in the aquatic environment. <i>Environmental Science and Pollution Research</i> , 2021, 28, 57939-57951. | 2.7 | 5 |
| 78 | Environmental risk assessment of commonly used anti-cancer drugs. <i>Cumhuriyet Science Journal</i> , 2021, 42, 310-320. | 0.1 | 3 |
| 79 | A novel workflow utilizing open-source software tools in the environmental fate studies: The example of imatinib biotransformation. <i>Science of the Total Environment</i> , 2021, 797, 149063. | 3.9 | 3 |
| 80 | Ozonation of cytostatic drugs in aqueous phase. <i>Science of the Total Environment</i> , 2021, 795, 148855. | 3.9 | 11 |
| 81 | Effects of the antineoplastic drug cyclophosphamide on the biochemical responses of the mussel <i>Mytilus galloprovincialis</i> under different temperatures. <i>Environmental Pollution</i> , 2021, 288, 117735. | 3.7 | 8 |
| 82 | Occurrence of Cytostatics in Different Water Compartments. , 2020, , 221-244. | | 1 |
| 83 | Toxicity of Anticancer Drug Residues in Organisms of the Freshwater Aquatic Chain. , 2020, , 379-401. | | 3 |
| 84 | Genotoxicity of the Residues of Anticancer Drugs: A Hazard for Aquatic Environment. , 2020, , 403-420. | | 1 |
| 85 | Predicted Environmental Concentrations: A Useful Tool to Evaluate the Presence of Cytostatics in Surface Waters. , 2020, , 27-54. | | 5 |
| 86 | Cytostatic Drug Residues in Wastewater Treatment Plants: Sources, Removal Efficiencies and Current Challenges. , 2020, , 103-138. | | 4 |
| 87 | Ecotoxicity of disinfectant benzalkonium chloride and its mixture with antineoplastic drug 5-fluorouracil towards alga <i>Pseudokirchneriella subcapitata</i> . <i>PeerJ</i> , 2018, 6, e4986. | 0.9 | 20 |
| 88 | The Dark Side of Platinum Based Cytostatic Drugs: From Detection to Removal. <i>Processes</i> , 2021, 9, 1873. | 1.3 | 10 |
| 89 | Graphene Quantum Dots and Cu(I) Liquid Crystal for Advanced Electrochemical Detection of Doxorubicine in Aqueous Solutions. <i>Nanomaterials</i> , 2021, 11, 2788. | 1.9 | 10 |
| 90 | Fate and Effects of Cytostatic Pharmaceuticals in the Marine Environment. , 2020, , 295-330. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Degradation and Elimination of Anticancer Drugs by Water and Wastewater Treatment – Toxicity and Biodegradability Before and After the Treatment. , 2020, , 139-168. | | 2 |
| 92 | Degradation of antineoplastic drug etoposide in aqueous environment by photolysis and photocatalysis. Identification of photocatalytic transformation products and toxicity assessment. Chemical Engineering Journal, 2022, 431, 133969. | 6.6 | 9 |
| 93 | Evaluation of uptake of the cytostatic methotrexate in Elliptio complanata mussels by LC-MS/MS. Environmental Science and Pollution Research, 2022, 29, 45303-45313. | 2.7 | 2 |
| 94 | A Fully Automated Online SPE-LC-MS/MS Method for the Determination of 10 Pharmaceuticals in Wastewater Samples. Toxics, 2022, 10, 103. | 1.6 | 6 |
| 95 | Current knowledge on the application of membrane-based technologies for the removal of cytostatics from water. Journal of Water Process Engineering, 2022, 47, 102731. | 2.6 | 5 |
| 96 | Lethal and Sub-Lethal Effects and Modulation of Gene Expression Induced by T Kinase Inhibitors in Zebrafish (Danio Rerio) Embryos. Toxics, 2022, 10, 4. | 1.6 | 4 |
| 97 | Sorption Potential of Different Forms of TiO ₂ for the Removal of Two Anticancer Drugs from Water. Applied Sciences (Switzerland), 2022, 12, 4113. | 1.3 | 2 |
| 98 | Long-Term Calculation of Predicted Environmental Concentrations to Assess the Risk of Anticancer Drugs in Environmental Waters. Molecules, 2022, 27, 3203. | 1.7 | 3 |
| 99 | Re-designing environmentally persistent pharmaceutical pollutant through programmed inactivation: The case of methotrexate. Chemosphere, 2022, 306, 135616. | 4.2 | 3 |
| 100 | Contributions towards the hazard evaluation of two widely used cytostatic drugs. Environmental Science and Pollution Research, 0, , . | 2.7 | 0 |
| 101 | Photocatalytic Activity of TiO ₂ for the Degradation of Anticancer Drugs. Nanomaterials, 2022, 12, 3532. | 1.9 | 4 |
| 102 | Enhanced degradation mechanism of anticancer drug irinotecan through low-frequency ultrasound assisted reactive electrochemical membrane. Journal of Cleaner Production, 2023, 383, 135419. | 4.6 | 5 |
| 103 | Fast and Complete Destruction of the Anti-Cancer Drug Cytarabine from Water by Electrocatalytic Oxidation Using Electro-Fenton Process. Catalysts, 2022, 12, 1598. | 1.6 | 3 |
| 104 | Anticancer drugs in wastewater and natural environments: A review on their occurrence, environmental persistence, treatment, and ecological risks. Journal of Hazardous Materials, 2023, 447, 130818. | 6.5 | 21 |
| 105 | Role of operating parameters in photoelectrocatalytic degradation of anticancer drugs: Ifosfamide, 5-fluorouracil and imatinib using CdS/TiO ₂ . Journal of Water Process Engineering, 2023, 51, 103460. | 2.6 | 4 |
| 106 | Optimizing Dacarbazine Therapy: Design of a Laser-Triggered Delivery System Based on β -Cyclodextrin and Plasmonic Gold Nanoparticles. Pharmaceutics, 2023, 15, 458. | 2.0 | 3 |
| 107 | Evaluation of separation performance for eggshell-based reversed-phase HPLC columns by controlling particle size and application in quantitative therapeutic drug monitoring. Analytical Methods, 2023, 15, 1790-1796. | 1.3 | 0 |
| 108 | Antineoplastic drugs in environmentally relevant concentrations cause endocrine disruption and testicular dysfunction in experimental conditions. Environmental Toxicology and Pharmacology, 2023, 100, 104122. | 2.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
|---|---------|----|-----------|