

CITATION REPORT

List of articles citing

Impaired systolic function by strain imaging in heart failure with preserved ejection fraction

DOI: 10.1016/j.jacc.2013.09.052

Journal of the American College of Cardiology, 2014, 63, 447-56.

Source: <https://exaly.com/paper-pdf/58875743/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
530	Elevation in high-sensitivity troponin T in heart failure and preserved ejection fraction and influence of treatment with the angiotensin receptor neprilysin inhibitor LCZ696. 2014 , 7, 953-9		62
529	LVEF: long-standing monarch of systolic dysfunction, buckling under the strain?. 2014 , 16, 1270-2		5
528	Pulmonary capillary wedge pressure during exercise and long-term mortality in patients with suspected heart failure with preserved ejection fraction. 2014 , 35, 3103-12		153
527	EURObservational Research Programme: a worldwide registry on peripartum cardiomyopathy (PPCM) in conjunction with the Heart Failure Association of the European Society of Cardiology Working Group on PPCM. 2014 , 16, 583-91		80
526	Impaired left atrial function in heart failure with preserved ejection fraction. 2014 , 16, 1096-103		150
525	The middle child in heart failure: heart failure with mid-range ejection fraction (40-50%). 2014 , 16, 1049-55		137
524	Current perspectives on systemic hypertension in heart failure with preserved ejection fraction. 2014 , 16, 545		22
523	Does speckle tracking really improve diagnosis and risk stratification in patients with HF with normal EF?. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1535	15.1	4
522	Echocardiographic Deformation Imaging for the Assessment of Left Ventricular Function: Clinical Implications and Perspectives Update 2014. 2014 , 7, 1		
521	The pathophysiology of heart failure with preserved ejection fraction. 2014 , 11, 507-15		353
520	New strategies for heart failure with preserved ejection fraction: the importance of targeted therapies for heart failure phenotypes. 2014 , 35, 2797-815		231
519	Imaging in heart failure with preserved ejection fraction. 2014 , 10, 419-34		6
518	Invasive hemodynamic characterization of heart failure with preserved ejection fraction. 2014 , 10, 435-44		32
517	Accurate high-resolution measurements of 3-D tissue dynamics with registration-enhanced displacement encoded MRI. 2014 , 33, 1350-62		4
516	Misconceptions and facts about 'diastolic' heart failure. 2014 , 127, 1144-7		4
515	Reply: does speckle tracking really improve diagnosis and risk stratification in patients with HF with normal EF?. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1535-6	15.1	
514	Pseudobendopnea?. 2014 , 2, 539-40		

513	Heart failure with preserved ejection fraction: mechanisms, clinical features, and therapies. 2014 , 115, 79-96	322
512	Heart failure with preserved ejection fraction: a heterogenous disorder with multifactorial pathophysiology. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 457-9	15.1 25
511	Heart failure with preserved ejection fraction: current understandings and challenges. 2014 , 16, 501	27
510	Natriuretic peptides in heart failure with preserved ejection fraction. 2014 , 10, 453-70	24
509	A pilot study of angiogenin in heart failure with preserved ejection fraction: a novel potential biomarker for diagnosis and prognosis?. 2014 , 18, 2189-97	24
508	Heterogeneous responses of systolic and diastolic left ventricular function to exercise in patients with heart failure and preserved ejection fraction. 2015 , 2, 121-132	21
507	Myocardial shortening in 3 orthogonal directions and its transmural variation in patients with nonobstructive hypertrophic cardiomyopathy. 2015 , 79, 2471-9	22
506	Left ventricular mechanical dysfunction in diet-induced obese mice is exacerbated during inotropic stress: a cine DENSE cardiovascular magnetic resonance study. 2015 , 17, 75	7
505	Detection of Myocardial Dysfunction in Septic Shock: A Speckle-Tracking Echocardiography Study. 2015 , 121, 1547-54	38
504	Advances in the pathophysiology and treatment of heart failure with preserved ejection fraction. 2015 , 30, 250-8	18
503	New diagnostic perspectives on heart failure with preserved ejection fraction: systolic function beyond ejection fraction. 2015 , 16, 527-37	7
502	Reduced Longitudinal Function in Chronic Aortic Regurgitation. 2015 , 23, 219-27	3
501	The year in cardiology 2014: imaging. 2015 , 36, 206-13	1
500	Alterations of left ventricular deformation and cardiac sympathetic derangement in patients with systolic heart failure: a 3D speckle tracking echocardiography and cardiac ^{123}I -MIBG study. 2015 , 42, 1601-11	4
499	Imaging Techniques in Acute Heart Failure. 2015 , 68, 612-23	
498	Clinical outcomes and cardiovascular responses to exercise training in heart failure patients with preserved ejection fraction: a systematic review and meta-analysis. 2015 , 119, 726-33	53
497	Prognostic significance of semiautomatic quantification of left ventricular long axis shortening in systemic light-chain amyloidosis. 2015 , 22, 45-53	10
496	Left ventricular diastolic function and dysfunction: Central role of echocardiography. 2015 , 2015, 3	20

495	Tissue Tracking Technology for Assessing Cardiac Mechanics: Principles, Normal Values, and Clinical Applications. 2015 , 8, 1444-1460	236
494	Clinical perspectives and evidence of diastolic stress test in heart failure with preserved ejection fraction. 2015 , 67, 279-288	1
493	Myocardial hypertrophy and its role in heart failure with preserved ejection fraction. 2015 , 119, 1233-42	74
492	What the dead can teach the living: systemic nature of heart failure with preserved ejection fraction. 2015 , 131, 522-4	24
491	Stage B heart failure: is it more common than we think?. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 267-9	15.1 4
490	Left ventricular long-axis performance during exercise is an important prognosticator in patients with heart failure and preserved ejection fraction. 2015 , 178, 131-5	34
489	Increased extracellular volume and altered mechanics are associated with LVH in hypertensive heart disease, not hypertension alone. 2015 , 8, 172-80	102
488	Human Immunodeficiency Virus and Heart Failure in Low- and Middle-Income Countries. 2015 , 3, 579-90	42
487	Técnicas de imagen en la insuficiencia cardiaca aguda. 2015 , 68, 612-623	1
486	Echocardiographic quantification of left ventricular systolic function. 2015 , 24, 532-5	5
485	Functional Organ Damage in Cardiovascular Low Risk Patients with High Central Aortic Pressure. 2015 , 22, 281-7	5
484	Clinical applications and prognostic implications of strain and strain rate imaging. 2015 , 13, 853-66	5
483	Low Fitness in Midlife: A Novel Therapeutic Target for Heart Failure with Preserved Ejection Fraction Prevention. 2015 , 58, 87-93	20
482	Angiotensin receptor neprilysin inhibition in heart failure: mechanistic action and clinical impact. 2015 , 21, 741-50	22
481	Prognostic Importance of Impaired Systolic Function in Heart Failure With Preserved Ejection Fraction and the Impact of Spironolactone. 2015 , 132, 402-14	263
480	Longitudinal Strain in Heart Failure With Preserved Ejection Fraction: Is There a Role for Prognostication?. 2015 , 132, 368-70	9
479	Heart failure with preserved ejection fraction in the elderly: scope of the problem. 2015 , 83, 73-87	94
478	Apport de l'imagerie cardiovasculaire dans l'insuffisance cardiaque à fraction d'éjection préservée en 2015. 2015 , 2015, 14-20	

477	Patient selection in heart failure with preserved ejection fraction clinical trials. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 1668-1682	15.1	89
476	Update on management of heart failure with preserved ejection fraction. 2015 , 30, 173-178		5
475	Diastolic dysfunction, diagnostic and perioperative management in cardiac surgery. 2015 , 28, 60-6		10
474	Head-to-Head Comparison of Global Longitudinal Strain Measurements among Nine Different Vendors: The EACVI/ASE Inter-Vendor Comparison Study. 2015 , 28, 1171-1181, e2		373
473	Association between left ventricular global longitudinal strain and natriuretic peptides in outpatients with chronic systolic heart failure. 2015 , 15, 92		7
472	Left ventricular ejection fraction is determined by both global myocardial strain and wall thickness. 2015 , 7, 113-118		32
471	Cardiac Imaging to Evaluate Left Ventricular Diastolic Function. 2015 , 8, 1071-1093		118
470	Management of heart failure with preserved ejection fraction: a review. 2015 , 37, 2186-98		25
469	Global longitudinal two-dimensional systolic strain is associated with hemodynamic alterations in arterial hypertension. 2015 , 9, 680-9		19
468	Assessing Contractile Function When Ejection Fraction Is Normal: A Case for Strain Imaging. 2015 , 8, e004181		23
467	Exercise training in heart failure patients with preserved ejection fraction: a systematic review and meta-analysis. 2016 , 86, 759		31
466	Cardiac Imaging in Heart Failure with Comorbidities. 2017 , 13, 63-75		5
465	Incremental Value of Two Dimensional Speckle Tracking Echocardiography in the Functional Assessment and Characterization of Subclinical Left Ventricular Dysfunction. 2017 , 13, 32-40		15
464	Targeting heart failure with preserved ejection fraction: current status and future prospects. 2016 , 12, 129-41		19
463	Impaired Left and Right Ventricular Systolic and Diastolic Function in Response to Exercise in Patients with Diastolic Dysfunction. 2016 , 33, 1209-18		4
462	Diagnosis, Clinical Course, and 1-Year Outcome in Patients Hospitalized for Heart Failure With Preserved Ejection Fraction (from the Polish Cohort of the European Society of Cardiology Heart Failure Long-Term Registry). 2016 , 118, 535-42		12
461	Diastolic heart failure: diagnosis and therapy. 2016 , 29, 61-7		16
460	Myocardial function at the early phase of traumatic brain injury: a prospective controlled study. 2016 , 24, 129		17

459	Speckle Tracking Echocardiographic Imaging in Metabolic Cardiomyopathies. 2016 , 9, 1		
458	Blood Pressure and LV Remodeling Among American-Style Football Players. 2016 , 9, 1367-1376		31
457	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. 2016 , 29, 277-314		2369
456	Noninvasive Imaging to Evaluate Women With Stable Ischemic Heart Disease. 2016 , 9, 421-35		31
455	Abnormal left ventricular relaxation and symptoms of heart failure. 2016 , 14, 113-9		1
454	Cardiac aging phenomenon and its clinical features by echocardiography. 2016 , 14, 139-145		8
453	Diastolic dysfunction in cirrhosis. 2016 , 21, 599-610		20
452	Noninvasive Measures of Ventricular-Arterial Coupling and Circumferential Strain Predict Cancer Therapeutics-Related Cardiac Dysfunction. 2016 , 9, 1131-1141		59
451	Myocardial Extracellular Volume: Unifying Form and Function in Heart Failure With Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1826-1828	15.1	1
450	Association of chronic kidney disease with abnormal cardiac mechanics and adverse outcomes in patients with heart failure and preserved ejection fraction. 2016 , 18, 103-12		103
449	Renal dysfunction in heart failure with a preserved ejection fraction: cause or consequence?. 2016 , 18, 113-4		11
448	Loss of myocardial retinoic acid receptor induces diastolic dysfunction by promoting intracellular oxidative stress and calcium mishandling in adult mice. 2016 , 99, 100-112		12
447	Echocardiography in shock management. 2016 , 20, 275		56
446	Magnetic Resonance Imaging of Cardiac Strain Pattern Following Transplantation of Human Tissue Engineered Heart Muscles. 2016 , 9,		13
445	Advances in Echocardiographic Imaging in Heart Failure With Reduced and Preserved Ejection Fraction. 2016 , 119, 357-74		43
444	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. 2016 , 17, 1321-1360		1096
443	Speckle tracking echocardiography in patients with septic shock: a case control study (SPECKSS). 2016 , 20, 145		43
442	Einstein, the Blind Men, and the Elephant: Making Sense of Heart Failure With Preserved Ejection Fraction. 2016 , 22, 1028-1032		0

441	Early-stage heart failure with preserved ejection fraction in the pig: a cardiovascular magnetic resonance study. 2016 , 18, 63	23
440	Fibrosis assessment by integrated backscatter and its relationship with longitudinal deformation and diastolic function in heart failure with preserved ejection fraction. 2016 , 32, 1071-80	19
439	Factors related to outcome in heart failure with a preserved (or normal) left ventricular ejection fraction. 2016 , 2, 153-163	8
438	Additive Prognostic Value of Echocardiographic Global Longitudinal and Global Circumferential Strain to Electrocardiographic Criteria in Patients With Heart Failure Undergoing Cardiac Resynchronization Therapy. 2016 , 9,	31
437	Prognostic Implications of LV Strain Risk Score in Asymptomatic Patients With Hypertensive Heart Disease. 2016 , 9, 911-21	64
436	Abnormal right ventricular-pulmonary artery coupling with exercise in heart failure with preserved ejection fraction. 2016 , 37, 3293-3302	176
435	Feasibility of Automated Three-Dimensional Rotational Mechanics by Real-Time Volume Transthoracic Echocardiography: Preliminary Accuracy and Reproducibility Data Compared with Cardiovascular Magnetic Resonance. 2016 , 29, 62-73	9
434	Abdominal obesity and hypertension: a double burden to the heart. 2016 , 39, 349-55	21
433	Plasma Biomarkers Reflecting Profibrotic Processes in Heart Failure With a Preserved Ejection Fraction: Data From the Prospective Comparison of ARNI With ARB on Management of Heart Failure With Preserved Ejection Fraction Study. 2016 , 9,	68
432	Prehypertension is Associated With Abnormalities of Cardiac Structure and Function in the Atherosclerosis Risk in Communities Study. 2016 , 29, 568-74	34
431	Epidemiology of heart failure: the prevalence of heart failure and ventricular dysfunction in older adults over time. A systematic review. 2016 , 18, 242-52	302
430	Author's reply. 2016 , 67, 122-3	
429	Cardiac time intervals and the association with 2D-speckle-tracking, tissue Doppler and conventional echocardiography: the Thousand&1 Study. 2016 , 32, 789-98	4
428	Heart Failure With Preserved Ejection Fraction. 2016 , 41, 145-88	80
427	Utility of strain-echocardiography in current clinical practice. 2016 , 14, 61-70	9
426	Self-reported dyspnea is associated with impaired global longitudinal strain in ambulatory type 1 diabetes patients with normal ejection fraction and without known heart disease - The Thousand & 1 Study. 2016 , 30, 928-34	6
425	Assessment of cardiac dysfunction by dissipative energy loss derived from vector flow mapping. 2016 , 67, 122	2
424	Beyond ejection fraction: an integrative approach for assessment of cardiac structure and function in heart failure. 2016 , 37, 1642-50	163

423	Myocardial strain imaging: how useful is it in clinical decision making?. 2016 , 37, 1196-207		403
422	Differential response of LV sublayer twist during dobutamine stress echocardiography as a novel marker of contractile reserve after acute myocardial infarction: relationship with follow-up LVEF improvement. 2016 , 17, 652-9		1
421	The prognostic value of mechanical left ventricular dyssynchrony defined by phase analysis from gated single-photon emission computed tomography myocardial perfusion imaging among patients with coronary heart disease. 2017 , 24, 482-490		29
420	Disease activity is associated with reduced left ventricular systolic myocardial function in patients with rheumatoid arthritis. 2017 , 76, 371-376		25
419	Fracción de eyección del ventrículo izquierdo de pacientes con insuficiencia cardiaca aguda: ¿un marcador útil?. 2017 , 70, 318-319		1
418	A Test in Context: Myocardial Strain Measured by Speckle-Tracking Echocardiography. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1043-1056	15.1	243
417	Impaired left ventricular global longitudinal strain in patients with heart failure with preserved ejection fraction: insights from the RELAX trial. 2017 , 19, 893-900		68
416	Global Longitudinal Strain by Echocardiography Predicts Long-Term Risk of Cardiovascular Morbidity and Mortality in a Low-Risk General Population: The Copenhagen City Heart Study. 2017 , 10,		170
415	Current Perspectives on Systemic Hypertension in Heart Failure with Preserved Ejection Fraction. 2017 , 19, 12		14
414	Comparison of Echocardiography, Cardiac Magnetic Resonance, and Computed Tomographic Imaging for the Evaluation of Left Ventricular Myocardial Function: Part 1 (Global Assessment). 2017 , 19, 9		15
413	Towards Precision in HF Pharmacotherapy. 2017 , 14, 1-6		3
412	Assessment of cardiac allograft systolic function by global longitudinal strain: From donor to recipient. 2017 , 31, e12961		1
411	Five-year changes in cardiac structure and function in patients with rheumatoid arthritis compared with the general population. 2017 , 240, 379-385		24
410	The fallacy of resting echocardiographic parameters of cardiac function in heart failure with preserved ejection fraction: add global longitudinal strain to the list. 2017 , 19, 901-903		5
409	Left ventricular strain and twisting in heart failure with preserved ejection fraction: an updated review. 2017 , 22, 371-379		16
408	Importance of combined left atrial size and estimated pulmonary pressure for clinical outcome in patients presenting with heart failure with preserved ejection fraction. 2017 , 18, 629-635		26
407	Comparison of two-dimensional and three-dimensional echocardiographic strain in children with CHD. 2017 , 27, 1557-1565		4
406	Prognostic impact of diastolic dysfunction in systolic heart failure-A cross-project analysis from the German Competence Network Heart Failure. 2017 , 40, 667-673		12

405	Heart failure. 2017 , 390, 1981-1995	306
404	Who are patients classified within the new terminology of heart failure from the 2016 ESC guidelines?. 2017 , 4, 99-104	25
403	Diagnostic capability of feature-tracking cardiovascular magnetic resonance to detect infarcted segments: a comparison with tagged magnetic resonance and wall thickening analysis. 2017 , 72, 828-834	10
402	Comparison of magnetic resonance feature tracking with CSPAMM HARP for the assessment of global and regional layer specific strain. 2017 , 244, 340-346	6
401	Left atrial structure and function in cardiac amyloidosis. 2017 , 18, 1128-1137	50
400	Investigation on left ventricular multi-directional deformation in patients of hypertension with different LVEF. 2017 , 15, 14	4
399	Speckle tracking echocardiography and tissue Doppler imaging reveal beneficial effect of pharmacotherapy in hypertensives with asymptomatic left ventricular dysfunction. 2017 , 11, 334-342	13
398	Right ventricular dysfunction in left-sided heart failure with preserved versus reduced ejection fraction. 2017 , 19, 1664-1671	124
397	Left ventricular longitudinal strain impairment predicts cardiovascular events in asymptomatic type 1 myotonic dystrophy. 2017 , 243, 424-430	9
396	Hypertrophic cardiomyopathy and left ventricular hypertrophy in hypertensive heart disease with mildly reduced or preserved ejection fraction: insight from altered mechanics and native T1 mapping. 2017 , 72, 835-843	12
395	Prognostic Factors After Index Hospitalization for Heart Failure With Preserved Ejection Fraction. 2017 , 119, 2017-2020	20
394	The Devilish Details of Cardiovascular Imaging for Heart Failure Prevention. 2017 , 10, 227-229	
393	Phenotyping heart failure with preserved ejection fraction by echocardiography: a light in the tunnel?. 2017 , 18, 636-638	
392	Early marker of regional left ventricular deformation in patients with hypertrophic cardiomyopathy evaluated by MRI tissue tracking: The effects of myocardial hypertrophy and fibrosis. 2017 , 46, 1368-1376	19
391	Diastolic dysfunction in hypertension. 2017 , 34, 128-139	6
390	Left Ventricular Ejection Fraction in Patients With Acute Heart Failure: A Limited Tool?. 2017 , 70, 318-319	
389	Diagnostic and Prognostic Value of CMR T-Mapping in Patients With Heart Failure and Preserved Ejection Fraction. 2017 , 70, 848-855	4
388	Prognostic importance of left ventricular mechanical dyssynchrony in heart failure with preserved ejection fraction. 2017 , 19, 1043-1052	22

387	Management of Heart Failure with Preserved Ejection Fraction: Current Challenges and Future Directions. 2017 , 17, 283-298	6
386	New indices of left ventricular function: let's move from ejection fraction to more physiological parameters. 2017 , 595, 3959-3960	1
385	Redefining the role of biomarkers in heart failure trials: expert consensus document. 2017 , 22, 263-277	13
384	The presence of diastolic and systolic dysfunction in patients with impaired relaxation filling pattern. 2017 , 34, 825-830	3
383	The effect of exercise training on biventricular myocardial strain in heart failure with preserved ejection fraction. 2017 , 4, 356-359	10
382	The heart-kidney relationship in heart failure: it's not you, it's me. 2017 , 19, 624-626	
381	LA Strain When Ejection Fraction Is Preserved: A New Measure of Diastolic Function?. 2017 , 10, 744-746	17
380	LA Strain for Categorization of LV Diastolic Dysfunction. 2017 , 10, 735-743	163
379	Left ventricular longitudinal systolic function analysed by 2D speckle-tracking echocardiography in heart failure with preserved ejection fraction: a meta-analysis. 2017 , 4, e000630	42
378	Cardiac Imaging in Patients With Heart Failure and Preserved Ejection Fraction. 2017 , 10,	12
377	Heart rate in heart failure with preserved ejection fraction: target or marker?. 2017 , 19, 1504-1506	3
376	Valor diagnóstico y pronóstico del mapeo de T 1 mediante RMC de los pacientes con insuficiencia cardíaca y fracción de eyección conservada. 2017 , 70, 848-855	8
375	Relationship of Cardiorespiratory Fitness and Adiposity With Left Ventricular Strain in Middle-Age Adults (from the Dallas Heart Study). 2017 , 120, 1405-1409	7
374	Left ventricular global longitudinal strain in patients with heart failure with preserved ejection fraction: outcomes following an acute heart failure hospitalization. 2017 , 4, 432-439	28
373	Geometry as a Confounder When Assessing Ventricular Systolic Function: Comparison Between Ejection Fraction and Strain. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 942-954	15.1 203
372	Strain Echocardiography: The New Gold Standard for Imaging Ventricular Function?. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 955-957	15.1 10
371	Noninvasive Cardiac Imaging and the Prediction of Heart Failure Progression in Preclinical Stage A/B Subjects. 2017 , 10, 1504-1519	12
370	A Feline HFpEF Model with Pulmonary Hypertension and Compromised Pulmonary Function. 2017 , 7, 16587	17

369	Evolution of a Geriatric Syndrome: Pathophysiology and Treatment of Heart Failure with Preserved Ejection Fraction. 2017 , 65, 2431-2440	38
368	Organ-level validation of a cross-bridge cycling descriptor in a left ventricular finite element model: effects of ventricular loading on myocardial strains. 2017 , 5, e13392	18
367	Angiotensin Receptor Neprilysin Inhibition in Heart Failure With Preserved Ejection Fraction: Rationale and Design of the PARAGON-HF Trial. 2017 , 5, 471-482	176
366	Relationship Between Myocardial Function, Body Mass Index, and Outcome After ST-Segment-Elevation Myocardial Infarction. 2017 , 10,	9
365	Designing Future Clinical Trials in Heart Failure With Preserved Ejection Fraction: Lessons From TOPCAT. 2017 , 14, 217-222	11
364	Heart failure 2016: still more questions than answers. 2017 , 227, 766-777	12
363	Left Ventricular Mechanics in Untrained and Trained Males with Tetraplegia. 2017 , 34, 591-598	7
362	Left ventricular deformation at rest predicts exercise-induced elevation in pulmonary artery wedge pressure in patients with unexplained dyspnoea. 2017 , 19, 101-110	21
361	Murine Models of Heart Failure with Preserved Ejection Fraction: a "Fishing Expedition". 2017 , 2, 770-789	96
360	Role of the deformation imaging in the evaluation of patients with cardiomyopathy. 2017 , 3, 141-152	
359	Diastolic Dysfunction in Individuals With Human Immunodeficiency Virus Infection: Literature Review, Rationale and Design of the Characterizing Heart Function on Antiretroviral Therapy (CHART) Study. 2018 , 24, 255-265	22
358	Sacubitril/valsartan: A novel angiotensin receptor-neprilysin inhibitor. 2018 , 70 Suppl 1, S102-S110	8
357	Machine Learning Analysis of Left Ventricular Function to Characterize Heart Failure With Preserved Ejection Fraction. 2018 , 11, e007138	57
356	American-Style Football and Cardiovascular Health. 2018 , 7,	19
355	Assessment of Left Ventricular Function by Echocardiography: The Case for Routinely Adding Global Longitudinal Strain to Ejection Fraction. 2018 , 11, 260-274	205
354	Impact of Cardiac Progenitor Cells on Heart Failure and Survival in Single Ventricle Congenital Heart Disease. 2018 , 122, 994-1005	25
353	Improved segmental myocardial strain reproducibility using deformable registration algorithms compared with feature tracking cardiac MRI and speckle tracking echocardiography. 2018 , 48, 404-414	12
352	Assessment of left ventricular myocardial deformation by cardiac MRI strain imaging reveals myocardial dysfunction in patients with primary cardiac tumors. 2018 , 253, 176-182	11

351	Changes in global longitudinal strain and left ventricular ejection fraction during the first year after myocardial infarction: results from a large consecutive cohort. 2018 , 19, 1165-1173	8
350	Teasing Apart Heart Failure With Preserved Ejection Fraction Phenotypes With Echocardiographic Imaging: Potential Approach to Research and Clinical Practice. 2018 , 122, 23-25	9
349	Global Longitudinal Strain to Predict Mortality in Patients With Acute Heart Failure. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 1947-1957	15.1 175
348	Current Management and Future Directions of Heart Failure With Preserved Ejection Fraction: a Contemporary Review. 2018 , 20, 28	11
347	Left atrial volume index is critical for the diagnosis of heart failure with preserved ejection fraction. 2018 , 19, 304-309	8
346	Left ventricular hypertrophy as protective factor after bypass grafting. 2018 , 114, 35-39	
345	Diminished Cardiac Performance and Left Ventricular Dimensions in Neonates with Congenital Diaphragmatic Hernia. 2018 , 39, 993-1000	18
344	Feature Tracking by CMR: A "Double Feature"?. 2018 , 11, 206-208	11
343	Echocardiographic evaluation of cardiac function after cancer chemotherapy. 2018 , 16, 20-27	17
342	Right heart dysfunction and failure in heart failure with preserved ejection fraction: mechanisms and management. Position statement on behalf of the Heart Failure Association of the European Society of Cardiology. 2018 , 20, 16-37	137
341	Reduced Myocardial Flow Reserve Is Associated With Diastolic Dysfunction and Decreased Left Atrial Strain in Patients With Normal Ejection Fraction and Epicardial Perfusion. 2018 , 24, 90-100	20
340	Structural and functional alterations of the heart in Parkinson's disease. 2018 , 40, 53-61	20
339	Aldosterone induces left ventricular subclinical systolic dysfunction: a strain imaging study. 2018 , 36, 353-360	18
338	N-Terminal B-type Natriuretic Peptide in Heart Failure. 2018 , 14, 27-39	30
337	Left ventricular geometry as a major determinant of left ventricular ejection fraction: physiological considerations and clinical implications. 2018 , 20, 436-444	15
336	Right heart function in impaired left ventricular diastolic function: 2D speckle tracking echocardiography-based and Doppler tissue imaging-based analysis of right atrial and ventricular function. 2018 , 35, 47-55	9
335	Comprehensive Echocardiographic and Cardiac Magnetic Resonance Evaluation Differentiates Among Heart Failure With Preserved Ejection Fraction Patients, Hypertensive Patients, and Healthy Control Subjects. 2018 , 11, 577-585	55
334	Diagnosing HFpEF: On Track at Last?. 2018 , 11, 586-588	1

333	OBSOLETE: Ventricular Remodeling in Heart Failure. 2018,	
332	Ventricular Remodeling in Heart Failure. 2018, 683-689	0
331	ACR Appropriateness Criteria Suspected New-Onset and Known Nonacute Heart Failure. 2018, 15, S418-S431	5
330	Updates in heart failure: what last year brought to us. 2018, 5, 989-1007	6
329	Echocardiography in Heart Failure. 2018, 619-642	1
328	Myocardial Deformation Imaging. 2018, 129-157	0
327	Imaging and Management of Heart Failure and Preserved Ejection Fraction. 2018, 20, 90	8
326	Exercise training in patients with chronic heart failure: A new challenge for Cardiac Rehabilitation Community. 2018, 88, 987	17
325	Quantification of Biventricular Strains in Heart Failure With Preserved Ejection Fraction Patient Using Hyperelastic Warping Method. 2018, 9, 1295	10
324	IGFBP7 (Insulin-Like Growth Factor-Binding Protein-7) and Neprilysin Inhibition in Patients With Heart Failure. 2018, 11, e005133	16
323	Childhood and adult exposure to secondhand tobacco smoke and cardiac structure and function: results from Echo-SOL. 2018, 5, e000831	3
322	Markers of left ventricular systolic dysfunction when left ventricular ejection fraction is normal. 2018, 20, 1636-1638	5
321	Prognostic Value of Biventricular Strain in Risk Stratifying in Patients With Acute Heart Failure. 2018, 7, e009331	10
320	Central role of RIPK1-VDAC1 pathway on cardiac impairment in a non-human primate model of rheumatoid arthritis. 2018, 125, 50-60	7
319	Comprehensive assessment of left ventricular myocardial function by two-dimensional speckle-tracking echocardiography. 2018, 16, 16	3
318	Is heart failure with mid range ejection fraction (HFmrEF) a distinct clinical entity or an overlap group?. 2018, 21, 1-6	9
317	Stage B Heart Failure: To Strain or Not to Strain. 2018, 11, 1401-1404	2
316	A new risk score for ventricular tachyarrhythmia in acute myocardial infarction with preserved left ventricular ejection fraction. 2018, 72, 420-426	4

315	Utility of Echocardiography in Heart Failure With Preserved Ejection Fraction. 2018 , 24, 397-403	4
314	Global longitudinal strain corrected by RR-interval is a superior echocardiographic predictor of outcome in patients with atrial fibrillation. 2018 , 263, 42-47	8
313	Echocardiographic Assessment of Acute Dyspnea in the CCU. 2018 , 27-44	1
312	Heart failure with mid-range ejection fraction and with preserved ejection fraction. 2018 , 43, 392-405	6
311	Echo and heart failure: when do people need an echo, and when do they need natriuretic peptides?. 2018 , 5, R65-R79	8
310	A step forward in resolving an old issue: treatment of heart failure with preserved ejection fraction and renal dysfunction?. 2018 , 25, 1263-1267	2
309	Prevalence and correlates of coronary microvascular dysfunction in heart failure with preserved ejection fraction: PROMIS-HFpEF. 2018 , 39, 3439-3450	195
308	Impact of Ambulatory Blood Pressure on Early Cardiac and Renal Dysfunction in Hypertensive Patients without Clinically Apparent Target Organ Damage. 2018 , 59, 265-272	3
307	Exercise Physiology for the Clinician. 2018 , 23-62	
306	Left Ventricular Regional Function in Children with Beta Thalassemia with No Cardiac Manifestations (Four-Dimensional Echocardiographic Study). 2019 , 35, 750-757	0
305	CMR feature tracking left ventricular strain-rate predicts ventricular tachyarrhythmia, but not deterioration of ventricular function in patients with repaired tetralogy of Fallot. 2019 , 295, 1-6	13
304	[Heart failure with preserved left ventricular ejection fraction]. 2019 , 60, 925-942	1
303	Cutting the Gordian knot of left ventricular diastolic dysfunction: Role of opportunistic screening models. 2019 , 26, 1666-1669	
302	E/e' ratio is superior to speckle tracking for detecting elevated left ventricular end-diastolic pressure in patients with coronary artery disease and preserved ejection fraction. 2019 , 36, 1263-1272	2
301	Serial Changes in Left Ventricular Ejection Fraction and Outcomes in Outpatients With Heart Failure and Preserved Ejection Fraction. 2019 , 124, 729-735	5
300	Palliative Inotrope Therapy: A Narrative Review. 2019 , 4, 815-822	14
299	Global longitudinal strain before cardiac surgery: Improving feasibility, reproducibility, and variability. 2019 , 36, 2176-2184	1
298	Cardiac Pathology. 2019 ,	0

297	Myocardial Strain for Identification of β -Blocker Responders in Heart Failure with Preserved Ejection Fraction. 2019 , 32, 1462-1469.e8	10
296	20th Annual Feigenbaum Lecture: Echocardiography for Precision Medicine-Digital Biopsy to Deconstruct Biology. 2019 , 32, 1379-1395.e2	6
295	Range Variability in CMR Feature Tracking Multilayer Strain across Different Stages of Heart Failure. 2019 , 9, 16478	11
294	Hyperdynamic left ventricular function and the prognostic implications for heart failure with preserved ejection fraction. 2020 , 41, 1258-1259	3
293	Angiotensin-Nepriylsin Inhibition in Heart Failure with Preserved Ejection Fraction. 2019 , 381, 1609-1620	705
292	How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). 2019 , 40, 3297-3317	379
291	2- and 3-Dimensional Myocardial Strain in Cardiac Health and Disease. 2019 , 12, 1849-1863	82
290	Full Issue PDF. 2019 , 12, I-CXCII	
289	Utilidad del Speckle tracking en pacientes no oncológicos. 2019 , 26, 91-102	0
288	Changes in Cardiac Morphology and Function in Individuals With Diabetes Mellitus: The UK Biobank Cardiovascular Magnetic Resonance Substudy. 2019 , 12, e009476	20
287	Alteration of Cardiac Performance and Serum B-Type Natriuretic Peptide Level in 'Healthy' Aging. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 1789-1800	15.1 28
286	Cardiac Microvascular Endothelial Enhancement of Cardiomyocyte Function Is Impaired by Inflammation and Restored by Empagliflozin. 2019 , 4, 575-591	71
285	Different Impact of Changes in Left Ventricular Ejection Fraction Between Heart Failure Classifications in Patients With Acute Decompensated Heart Failure. 2019 , 83, 584-594	7
284	Myocardial Strain and Dyssynchrony: Incremental Value?. 2019 , 15, 167-178	0
283	Cardiorenal syndrome in heart failure with preserved ejection fraction-an under-recognized clinical entity. 2019 , 24, 421-437	15
282	Natriuretic Peptides in Heart Failure with Preserved Left Ventricular Ejection Fraction: From Molecular Evidences to Clinical Implications. 2019 , 20,	23
281	Heart Failure With Preserved Ejection Fraction: A Review of Cardiac and Noncardiac Pathophysiology. 2019 , 10, 638	50
280	Impact of Myocardial Fibrosis on Left Ventricular Function Evaluated by Feature-Tracking Myocardial Strain Cardiac Magnetic Resonance in Competitive Male Triathletes With Normal Ejection Fraction. 2019 , 83, 1553-1562	10

- 279 Myocardial strain imaging: review of general principles, validation, and sources of discrepancies. **2019**, 20, 605-619 142
- 278 The continuous heart failure spectrum: moving beyond an ejection fraction classification. **2019**, 40, 2155-2163 107
- 277 Cross-Talk between Neurohormonal Pathways and the Immune System in Heart Failure: A Review of the Literature. **2019**, 20, 17
- 276 Echocardiographic Strain in Clinical Practice. **2019**, 28, 1320-1330 22
- 275 Heart Failure with Preserved Ejection Fraction: Time to Revisit the Stiff Heart. **2019**, 3, 409-420 1
- 274 AntagomiR-103 and -107 Treatment Affects Cardiac Function and Metabolism. **2019**, 14, 424-437 18
- 273 Myocardial Strain in the Assessment of Patients With Heart Failure: A Review. **2019**, 4, 287-294 45
- 272 Left Ventricular Size and Ejection Fraction: Are They Still Relevant?. **2019**, 15, 147-158 4
- 271 Left Ventricular Torsion in Hypertension and Hypertensive Heart Failure - 3-Dimensional Speckle Tracking Echocardiography Assessment. **2019**, 1, 78-86 1
- 270 Integration between volumetric change and strain for describing the global mechanical function of the left ventricle. **2019**, 74, 65-72 1
- 269 Stress Echocardiography-Derived E/e' Predicts Abnormal Exercise Hemodynamics in Heart Failure With Preserved Ejection Fraction. **2019**, 10, 1470 3
- 268 Left ventricular global strains by linear measurements in three dimensions: interrelations and relations to age, gender and body size in the HUNT Study. **2019**, 6, e001050 5
- 267 Cardiac Imaging in Liver Transplantation Candidates: Current Knowledge and Future Perspectives. **2019**, 8, 3
- 266 Effect of Early Metoprolol During ST-Segment Elevation Myocardial Infarction on Left Ventricular Strain: Feature-Tracking Cardiovascular Magnetic Resonance Substudy From the METOCARD-CNIC Trial. **2019**, 12, 1188-1198 11
- 265 Autonomic Neuromodulation Acutely Ameliorates Left Ventricular Strain in Humans. **2019**, 12, 221-230 26
- 264 Effects of Patisiran, an RNA Interference Therapeutic, on Cardiac Parameters in Patients With Hereditary Transthyretin-Mediated Amyloidosis. **2019**, 139, 431-443 180
- 263 Early Change in Global Longitudinal Strain is an Independent Predictor of Left Ventricular Adverse Remodelling in Patients With Right Ventricular Apical Pacing. **2019**, 28, 1780-1787 2
- 262 Neurocardiac Injury Assessed by Strain Imaging Is Associated With In-Hospital Mortality in Patients With Subarachnoid Hemorrhage. **2020**, 13, 535-546 12

261	Myocardial Mechanics in Patients With Normal LVEF and Diastolic Dysfunction. 2020 , 13, 258-271	25
260	Structural and myocardial dysfunction in heart failure beyond ejection fraction. 2020 , 25, 9-17	23
259	Biomarkers in Heart Failure With Preserved Ejection Fraction: An Update on Progress and Future Challenges. 2020 , 29, 62-68	7
258	Impact of gender on heart failure presentation in non-obstructive hypertrophic cardiomyopathy. 2020 , 35, 214-222	4
257	Usefulness and clinical relevance of left ventricular global longitudinal systolic strain in patients with heart failure with preserved ejection fraction. 2020 , 25, 67-73	7
256	The Chronic stage. 2020 , 135-147	
255	Diastolic strain imaging: a new non-invasive tool to detect subclinical myocardial dysfunction in early cardiac allograft rejection. 2020 , 36, 317-323	1
254	Cardiac wall mechanics analysis in hypertension-induced heart failure rats with preserved ejection fraction. 2020 , 98, 109428	8
253	Imaging of Diastolic Dysfunction in Community-Based Epidemiological Studies and Randomized Controlled Trials of HFpEF. 2020 , 13, 310-326	7
252	Magnetic Resonance-based Assessment of Myocardial 2-Dimensional Strain Using Feature Tracking: Association With Cardiovascular Risk Factors in a Population-based Cohort Free of Cardiovascular Disease. 2020 , 35, 49-55	8
251	HDAC inhibition improves cardiopulmonary function in a feline model of diastolic dysfunction. 2020 , 12,	37
250	Effects of Sacubitril-Valsartan Versus Valsartan in Women Compared With Men With Heart Failure and Preserved Ejection Fraction: Insights From PARAGON-HF. 2020 , 141, 338-351	122
249	Sacubitril/Valsartan Across the Spectrum of Ejection Fraction in Heart Failure. 2020 , 141, 352-361	145
248	Reproducibility and Intervendor Agreement of Left Ventricular Global Systolic Strain in Children Using a Layer-Specific Analysis. 2020 , 33, 110-119	13
247	Feature tracking for assessment of diastolic function by cardiovascular magnetic resonance imaging. 2020 , 75, 321.e1-321.e11	5
246	Inhaled Prostacyclin on Exercise Echocardiographic Cardiac Function in Preserved Ejection Fraction Heart Failure. 2020 , 52, 269-277	3
245	Prognostic utility of diastolic dysfunction and speckle tracking echocardiography in heart failure with reduced ejection fraction. 2020 , 7, 147-157	5
244	Derivation and validation of a mortality risk prediction model using global longitudinal strain in patients with acute heart failure. 2020 , 21, 1412-1420	8

243	Risk stratifying asymptomatic left ventricular systolic dysfunction in the community: beyond left ventricular ejection fraction. 2020 , 21, 1405-1411	2
242	Relationship of Degree of Systolic Dysfunction to Variations in Exercise Capacity and Hemodynamic Status in HFpEF. 2020 , 13, 528-530	3
241	Current Understanding of the Biomechanics of Ventricular Tissues in Heart Failure. 2019 , 7,	12
240	Left ventricular longitudinal shortening: relation to stroke volume and ejection fraction in ageing, blood pressure, body size and gender in the HUNT3 study. 2020 , 7,	4
239	Left Atrial Strain as a Predictor of New-Onset Atrial Fibrillation in Patients With Heart Failure. 2020 , 13, 2071-2081	18
238	Determinants of LA reservoir strain: Independent effects of LA volume and LV global longitudinal strain. 2020 , 37, 2018-2028	4
237	Cardiovascular magnetic resonance-derived left ventricular mechanics-strain, cardiac power and end-systolic elastance under various inotropic states in swine. 2020 , 22, 79	1
236	Layer-specific strain in patients with heart failure using cardiovascular magnetic resonance: not all layers are the same. 2020 , 22, 81	7
235	Comparison of global and regional myocardial strains in patients with heart failure with a preserved ejection fraction vs hypertension vs age-matched control. 2020 , 18, 44	3
234	Associations of Left Ventricular Structure and Function With Blood Pressure in Heart Failure With Preserved Ejection Fraction: Analysis of the TOPCAT Trial. 2020 , 9, e016009	5
233	Valsartan Versus Amlodipine Effect on Left Ventricular Multidirectional Deformation and Adipocytokines Levels in Hypertensive Patients: Speckle Tracking Echocardiography. 2020 , 27, 379-388	2
232	Relationships of global longitudinal strain with s' , long-axis systolic excursion, left ventricular length and heart rate. 2020 , 15, e0235791	2
231	Targeting cardiac fibrosis in heart failure with preserved ejection fraction: mirage or miracle?. 2020 , 12, e10865	33
230	Identification of physiologic treatment targets with favourable haemodynamic consequences in heart failure with preserved ejection fraction. 2020 , 7, 3685	7
229	Cardiovascular responses to rhythmic handgrip exercise in heart failure with preserved ejection fraction. 2020 , 129, 1267-1276	5
228	A sonographer's guide to the clinical utility of left ventricular speckle tracking strain. 2020 , 7, 154-160	
227	Diagnosis and Management of Patients with Heart Failure with Preserved Ejection Fraction (HFpEF): Current Perspectives and Recommendations. 2020 , 16, 769-785	10
226	Fibroblast Growth Factor 23 and Long-Term Cardiac Function: The Multi-Ethnic Study of Atherosclerosis. 2020 , 13, e011925	7

225	Pathophysiological role of fatty acid-binding protein 4 in Asian patients with heart failure and preserved ejection fraction. 2020 , 7, 4256	5
224	Subclinical Systolic and Diastolic Dysfunction Is Evident in Youth With Elevated Blood Pressure. 2020 , 75, 1551-1556	20
223	Speckle tracking echocardiography could detect the difference of pressure overload-induced myocardial remodelling between young and adult rats. 2020 , 17, 20190808	4
222	Multiparametric Differentiation of Idiopathic Dilated Cardiomyopathy With and Without Congestive Heart Failure by Means of Cardiac and Hepatic T1-Weighted MRI Mapping. 2020 , 215, 79-86	5
221	Feature Tracking of Global Longitudinal Strain by Using Cardiovascular MRI Improves Risk Stratification in Heart Failure with Preserved Ejection Fraction. 2020 , 296, 290-298	12
220	Right Ventricular Global Longitudinal Strain and Outcomes in Heart Failure with Preserved Ejection Fraction. 2020 , 33, 973-984.e2	14
219	Changes in Myocardial Microstructure and Mechanics With Progressive Left Ventricular Pressure Overload. 2020 , 5, 463-480	4
218	Mid- to Late-Life Time-Averaged Cumulative Blood Pressure and Late-Life Cardiac Structure, Function, and Heart Failure. 2020 , 76, 808-818	5
217	Quantifying left ventricular function in heart failure: What makes a clinically valuable parameter?. 2020 , 63, 552-560	3
216	Cardiovascular magnetic resonance feature tracking for characterization of patients with heart failure with preserved ejection fraction: correlation of global longitudinal strain with invasive diastolic functional indices. 2020 , 22, 42	14
215	Phenotyping Heart Failure According to the Longitudinal Ejection Fraction Change: Myocardial Strain, Predictors, and Outcomes. 2020 , 9, e015009	9
214	Cardiac Function and Sudden Cardiac Death in Heart Failure With Preserved Ejection Fraction (from the TOPCAT Trial). 2020 , 129, 46-52	4
213	Prediction of cardiac events using fully automated GLS and BNP titers in patients with known or suspected heart failure. 2020 , 15, e0234294	2
212	Extended-Release Oral Milrinone for the Treatment of Heart Failure With Preserved Ejection Fraction. 2020 , 9, e015026	16
211	Cellular Adhesion Molecules in Young Adulthood and Cardiac Function in Later Life. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 2156-2165	15.1 13
210	Twist/untwist parameters are promising evaluators of myocardial mechanic changes in heart failure patients with preserved ejection fraction. 2020 , 43, 587-593	4
209	Impact of epicardial adipose tissue volume upon left ventricular dysfunction in patients with mild-to-moderate aortic stenosis: A post-hoc analysis. 2020 , 15, e0229636	1
208	How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). 2020 , 22, 391-412	84

207	Sex-specific difference in the association between arterial stiffness and subclinical left ventricular dysfunction. 2021 , 22, 817-823	5
206	Variability of Myocardial Strain During Isometric Exercise in Subjects With and Without Heart Failure. 2020 , 7, 111	3
205	Echocardiographic and Clinical Correlates of Ejection Fraction Among 2000 Patients with Heart Failure in Western Saudi Arabia. 2020 , 13, 281-288	4
204	Is heart failure misdiagnosed in hospitalized patients with preserved ejection fraction? From the European Society of Cardiology - Heart Failure Association EURObservational Research Programme Heart Failure Long-Term Registry. 2020 , 7, 2098-2112	14
203	The Vicious Circle of Left Ventricular Dysfunction and Diabetes: From Pathophysiology to Emerging Treatments. 2020 , 105,	3
202	Fast long-axis strain: a simple, automatic approach for assessing left ventricular longitudinal function with cine cardiovascular magnetic resonance. 2020 , 30, 3672-3683	10
201	How Should Physicians Assess Myocardial Contraction?: Redefining Heart Failure With a Preserved Ejection Fraction. 2020 , 13, 873-878	8
200	Early predictors of left ventricular dysfunction in hypertensive patients: comparative cross-section study. 2020 , 36, 1031-1040	4
199	Regional myocardial strain analysis via 2D speckle tracking echocardiography: validation with sonomicrometry and correlation with regional blood flow in the presence of graded coronary stenoses and dobutamine stress. 2020 , 18, 2	8
198	The Current and Future Role of Echocardiography for the Detection of Cardiotoxicity Related to Cancer Therapy. 2020 , 13, 1	
197	The effect of parity on exercise physiology in women with heart failure with preserved ejection fraction. 2020 , 7, 213-222	1
196	Therapeutic approaches in heart failure with preserved ejection fraction: past, present, and future. 2020 , 109, 1079-1098	41
195	Towards standardization of echocardiography for the evaluation of left ventricular function in adult rodents: a position paper of the ESC Working Group on Myocardial Function. 2021 , 117, 43-59	25
194	Heart Failure With Preserved Ejection Fraction: A Comprehensive Review and Update of Diagnosis, Pathophysiology, Treatment, and Perioperative Implications. 2021 , 35, 1839-1859	6
193	Impaired global longitudinal strain in elderly patients with preserved ejection fraction is associated with raised post-exercise left ventricular filling pressure. 2021 , 19, 37-44	1
192	Prognostic power of left atrial strain in patients with acute heart failure. 2021 , 22, 210-219	15
191	The utility of cardiovascular imaging in heart failure with preserved ejection fraction: diagnosis, biological classification and risk stratification. 2021 , 26, 661-678	2
190	Obstructive sleep apnoea, intermittent hypoxia and heart failure with a preserved ejection fraction. 2021 , 107, 190-194	10

189	Multimodality imaging in chronic heart failure. 2021 , 126, 231-242	6
188	Quantification of myocardial strain assessed by cardiovascular magnetic resonance feature tracking in healthy subjects-influence of segmentation and analysis software. 2021 , 31, 3962-3972	7
187	The Effect of Sacubitril-Valsartan in Heart Failure Patients With Mid-Range and Preserved Ejection Fraction: A Meta-Analysis. 2021 , 30, 683-691	11
186	Assessing left ventricular systolic function: from ejection fraction to strain analysis. 2021 , 42, 789-797	18
185	Heart Failure With Preserved Ejection Fraction in Hypertension Patients: A Myocardial MR Strain Study. 2021 , 53, 527-539	8
184	Echo-Based Approach to the Management of Heart Failure With Preserved Ejection Fraction. 2021 , 473-488	
183	Treatment of Heart Failure with Mid-Range Ejection Fraction: What Is the Evidence. 2021 , 10,	1
182	Global and Regional Systolic Function of the Left Ventricle. 2021 , 391-413	
181	Effect of sodium-glucose cotransporter 2 inhibitors on cardiac structure and function in type 2 diabetes mellitus patients with or without chronic heart failure: a meta-analysis. 2021 , 20, 25	7
180	Sacubitril/valsartan ameliorates cardiac hypertrophy and preserves diastolic function in cardiac pressure overload. 2021 , 8, 918-927	4
179	Heart Failure With Preserved Ejection Fraction. 2021 , 201-222	
178	Shape Constraints in Deep Learning for Robust 2D Echocardiography Analysis. 2021 , 22-34	1
177	Impaired left atrial function in clinically well heart transplant patients. 2021 , 37, 1937-1945	0
176	Comparison between conventional and compressed sensing cine cardiovascular magnetic resonance for feature tracking global circumferential strain assessment. 2021 , 23, 10	1
175	The corrected left ventricular ejection fraction: a potential new measure of ventricular function. 2021 , 37, 1987-1997	0
174	Effects of Left Ventricular Hypertrophy and Myocardial Stiffness on Myocardial Strain Under Preserved Ejection Fraction. 2021 , 49, 1670-1687	1
173	Clinical Utility of Echocardiographic Strain and Strain Rate Measurements. 2021 , 23, 18	5
172	Role of confirmed and potential predictors of an unfavorable outcome in heart failure in everyday clinical practice. 2021 , 1	0

171	Incremental role of CT coronary angiography in the assessment of left ventricular diastolic function. 2021 , 8,	1
170	Risk stratification with echocardiographic biomarkers in heart failure with preserved ejection fraction: the media echo score. 2021 , 8, 1827-1839	7
169	Alternative Echocardiographic Algorithm for Left Ventricular Filling Pressure in Patients With Heart Failure With Preserved Ejection Fraction. 2021 , 143, 80-88	0
168	Left ventricular reverse remodeling and function by strain analysis in aortic stenosis: A CMR analysis of the EPICHEART study. 2021 , 40, 153-164	
167	Left ventricular reverse remodeling and function by strain analysis in aortic stenosis: A CMR analysis of the EPICHEART study. 2021 , 40, 153-164	1
166	Effects of different exercise modalities on cardiac dysfunction in heart failure with preserved ejection fraction. 2021 , 8, 1806-1818	4
165	Computational Modeling Studies of the Roles of Left Ventricular Geometry, Afterload, and Muscle Contractility on Myocardial Strains in Heart Failure with Preserved Ejection Fraction. 2021 , 14, 1131-1145	6
164	Layer-specific strain and dyssynchrony index alteration in new-onset systemic lupus erythematosus patients without cardiac symptoms. 2021 , 11, 1271-1283	3
163	Myocardial Involvement in COVID-19: an Interaction Between Comorbidities and Heart Failure with Preserved Ejection Fraction. A Further Indication of the Role of Inflammation. 2021 , 18, 99-106	9
162	Left ventricular diastolic dysfunction and exercise intolerance in obese heart failure with preserved ejection fraction. 2021 , 320, H1535-H1542	2
161	Characterization of the left ventricular response to hypertension: beyond global longitudinal strain. 2021 , 22, 751-752	
160	Quantification of Myocardial Deformation Applying CMR-Feature-Tracking-All About the Left Ventricle?. 2021 , 18, 225-239	0
159	Comparing cardiovascular magnetic resonance strain software packages by their abilities to discriminate outcomes in patients with heart failure with preserved ejection fraction. 2021 , 23, 55	1
158	Epidemiological and clinical boundaries of heart failure with preserved ejection fraction. 2021 ,	1
157	Left Ventricular Deformation and Vortex Analysis in Heart Failure: From Ultrasound Technique to Current Clinical Application. 2021 , 11,	1
156	Invasive validation of the left ventricular global longitudinal strain for estimating left ventricular filling pressure. 2021 , 38, 1133-1140	
155	Mechanisms of reduced peak oxygen consumption in subjects with uncomplicated type 2 diabetes. 2021 , 20, 124	8
154	Prognostic Value of Right Ventricular 3D Speckle-Tracking Strain and Ejection Fraction in Patients With HFpEF. 2021 , 8, 694365	2

153	Left ventricular global longitudinal strain predicts elevated cardiac pressures and poor clinical outcomes in patients with non-ischemic dilated cardiomyopathy. 2021 , 19, 21	3
152	Characterisation of haemodynamic and metabolic abnormalities in the heart failure spectrum: the role of combined cardiopulmonary and exercise echocardiography stress test. 2021 ,	9
151	Understanding the role of left and right ventricular strain assessment in patients hospitalized with COVID-19. 2021 , 6, 100018	1
150	Making the Case for an Expanded Indication for Sacubitril/Valsartan in Heart Failure. 2021 , 27, 693-695	3
149	Prevalence of Coronary Artery Disease and Coronary Microvascular Dysfunction in Patients With Heart Failure With Preserved Ejection Fraction. 2021 , 6, 1130-1143	26
148	Machine Learning of ECG Waveforms to Improve Selection for Testing for Asymptomatic Left Ventricular Dysfunction. 2021 , 14, 1904-1915	3
147	Correlation of Myocardial Strain and Late Gadolinium Enhancement by Cardiac Magnetic Resonance After a First Anterior ST-Segment Elevation Myocardial Infarction. 2021 , 8, 705487	0
146	Importance of left ventricular contraction for left atrial reservoir function. 2021 , 19, 250-257	
145	Left Atrial Strain to Predict Stroke in Patients With Acute Heart Failure and Sinus Rhythm. 2021 , 10, e020414	4
144	Usefulness of Global Longitudinal Strain to Predict Heart Failure Progression in Patients With Nonobstructive Hypertrophic Cardiomyopathy. 2021 , 151, 86-92	4
143	Noninvasive Hemodynamic Evaluation at Rest in Heart Failure with Preserved Ejection Fraction. 2021 , 17, 423-434	
142	Impaired myocardial work efficiency in heart failure with preserved ejection fraction. 2021 , 22, 1312-1320	7
141	Prognostic Impact of Echocardiographic Diastolic Dysfunction on Outcomes in Patients With Heart Failure With Preserved Ejection Fraction - Insights From the PURSUIT-HFpEF Registry. 2021 ,	2
140	Left atrial conduit flow rate at baseline and during exercise: an index of impaired relaxation in HFpEF patients. 2021 , 8, 4334-4342	4
139	Heart Failure with Preserved Ejection Fraction: Mechanisms and Treatment Strategies. 2021 ,	6
138	The effects of sacubitril/valsartan on heart failure with preserved ejection fraction: a meta-analysis. 2021 , 1-9	0
137	Acute regional changes in myocardial strain may predict ventricular remodelling after myocardial infarction in a large animal model. 2021 , 11, 18322	2
136	Early Diastolic Longitudinal Strain Rate at MRI and Outcomes in Heart Failure with Preserved Ejection Fraction. 2021 , 301, 582-592	2

135	Heart failure with mid-range or mildly reduced ejection fraction. 2021 ,	16
134	Right ventricular function as assessed by cardiac magnetic resonance imaging-derived strain parameters compared to high-fidelity micromanometer catheter measurements. 2021 , 11, 2045894021103252 [†]	
133	Supplementary role of left ventricular global longitudinal strain for predicting sudden cardiac death in hypertrophic cardiomyopathy. 2021 ,	1
132	Mitochondrial function, dynamics and quality control in the pathophysiology of HFpEF. 2021 , 1867, 166208	4
131	Advanced Heart Failure in a Special Population: Heart Failure with Preserved Ejection Fraction. 2021 , 17, 685-695	0
130	Evaluation of patients with heart failure. 2022 , 51-76	
129	Future applications of strain imaging. 2022 , 220-235	
128	Strain in valvular diseases. 2022 , 144-167	
127	Quantification of Biventricular Myocardial Strain Using CMR Feature Tracking: Reproducibility in Small Animals. 2021 , 2021, 8492705	
126	Evaluation of Diastolic Function by Tissue Doppler, Strain, and Torsion Analysis. 2021 , 137-149	
125	General Treatment of Heart Failure With Preserved Ejection Fraction and Randomized Trials. 2021 , 463-472	
124	Multimodality imaging in patients with heart failure and preserved ejection fraction: an expert consensus document of the European Association of Cardiovascular Imaging. 2021 ,	19
123	Right and left ventricular interactions, strain, and remodeling in repaired pulmonary stenosis patients with preserved right ventricular ejection fraction: A cardiac magnetic resonance study. 2020 , 52, 129-138	1
122	Impact of chest wall deformity on cardiac function by CMR and feature-tracking strain analysis in paediatric patients with Marfan syndrome. 2021 , 31, 3973-3982	5
121	A multi-vendor, multi-center study on reproducibility and comparability of fast strain-encoded cardiovascular magnetic resonance imaging. 2020 , 36, 899-911	8
120	How myofilament strain and strain rate lead the dance of the cardiac cycle. 2019 , 664, 62-67	2
119	Heart Failure With Preserved Ejection Fraction - Time for a Paradigm Shift Beyond Diastolic Function. 2018 , 1, 8-16	1
118	Left ventricular long axis tissue Doppler systolic velocity is independently related to heart rate and body size. 2017 , 12, e0173383	8

117	Sacubitril/Valsartan Therapy for 14 Months Induces a Marked Improvement of Global Longitudinal Strain in Patients With Chronic Heart Failure: A Retrospective Cohort Study. 2019 , 10, 293-302	9
116	[Mechanisms of exercise intolerance in patients with heart failure and preserved ejection fraction. Part I: The role of impairments in the left heart chambers]. 2019 , 59, 4-16	2
115	Sacubitril/valsartan improves left ventricular longitudinal deformation in heart failure patients with reduced ejection fraction. 2019 , 67, 456-463	6
114	Fucoidan and Fucoxanthin Ameliorate Cardiac Function of Aging Canine. 2017 , 12, 294-301	2
113	Normal Reference Values for Left Atrial Strain and Its Determinants from a Large Korean Multicenter Registry. 2020 , 28, 186-198	11
112	Longitudinal, circumferential and radial systolic left ventricular function in patients with heart failure and preserved ejection fraction. 2016 , 160, 385-92	6
111	Inflammation in Metabolic Cardiomyopathy. 2021 , 8, 742178	7
110	Unraveling diagnostic co-morbidity makeup of each HF category as characteristically derived by ECG- and ECHO-findings, a prevalence analysis.	0
109	Preoperative left ventricular longitudinal strain predicts outcome of septal myectomy for obstructive hypertrophic cardiomyopathy. 2021 ,	1
108	Heart Failure Population with Therapeutic Response to Sacubitril/Valsartan, Spironolactone and Candesartan: FDA Perspective. 2021 , 56, 4	2
107	Loss of Mitochondrial Ca Uniporter Limits Inotropic Reserve and Provides Trigger and Substrate for Arrhythmias in Barth Syndrome Cardiomyopathy. 2021 , 144, 1694-1713	3
106	Pulmonary Hypertension Due to Heart Failure With Preserved Ejection Fraction: Clinical Relevance, Management, and Future Directions. 2015 , 14, 88-94	
105	Assessment of Left Ventricular Systolic and Diastolic Function by Echocardiography. 2016 , 35-61	
104	Practical approach to strain echocardiography. 2016 , 43, 417-426	
103	Haemodynamics of Heart Failure With Preserved Ejection Fraction: A Clinical Perspective. 2016 , 2, 102-105	7
102	Echocardiographic Measures of Strain and Prognosis. 2016 , 2, 5-18	
101	Heart Failure with Normal Left Ventricular Ejection Fraction (HFNEF). 2017 , 273-339	
100	Increase in global function index in subjects with preserved left ventricular ejection fraction. 2017 , 44, 439-445	

- 99 Echocardiographic Evaluation of Left Ventricular Diastolic Function. **2017**, 92, 521-525 0
- 98 Arterial Stiffness and Ventricular Arterial Coupling and Pulsatative Load on the Left Ventricle in Patients with Hypertension with Initial and Fulminant Heart Failure and Preserved Ejection Fraction According to E/e'Estimates. **2018**, 89-96
- 97 Cardiac Imaging. **2019**, 49-74
- 96 Let's Look Right during Diastolic Dysfunction Evaluation?. **2019**, 112, 258-259
- 95 Heart Failure with Preserved Ejection Fraction. **2019**, 397-408
- 94 STUDY OF THE EFFECT OF LEFT VENTRICULAR DIASTOLIC DYSFUNCTION ON PULMONARY HYPERTENSION IN CHRONIC SYSTOLIC HEART FAILURE AND ITS EFFECT ON PROGNOSIS. **2019**, 8, 1059-1063
- 93 COMPARISON OF EJECTION FRACTION AND END VOLUMES OF THE LEFT VENTRICLE AS INDICATORS OF THE SEVERITY OF HEART FAILURE. **2019**, 26, 33-40 2
- 92 Cardiac MRI Assessment of Mouse Myocardial Infarction and Regeneration. **2021**, 2158, 81-106
- 91 Exercise in Specific Diseases: Heart Failure with Preserved Ejection Fraction. **2020**, 927-955
- 90 ECG Monitoring of Reactions to Sacubitril-valsartan in Heart Failure with Reduced Ejection Fraction. **2020**, 28, 254-256
- 89 Transcriptomic Research in Heart Failure with Preserved Ejection Fraction: Current State and Future Perspectives. **2020**, 6, e24 1
- 88 Left ventricular global longitudinal strain and cardiac surgical outcomes. **2020**, 68, 489-496 2
- 87 Systolic Longitudinal Function of the Left Ventricle Assessed by Speckle Tracking in Heart Failure Patients with Preserved Ejection Fraction. **2015**, 10, 194-200 3
- 86 Left atrial diameter and atrial fibrillation, but not elevated NT-proBNP, predict the development of pulmonary hypertension in patients with HFpEF. **2020**, 17, 400-409 1
- 85 Imaging techniques for the assessment of adverse cardiac remodeling in metabolic syndrome. **2021**, 1 1
- 84 Performance of non-invasive myocardial work to predict the first hospitalization for de novo heart failure with preserved ejection fraction. **2021**, 1
- 83 Echocardiography in the diagnostic evaluation and phenotyping of heart failure with preserved ejection fraction. **2021**, 0
- 82 CMR-derived myocardial strain analysis differentiates ischemic and dilated cardiomyopathy-a propensity score-matched study. **2021**, 1 0

81	Correlation between left ventricular fractal dimension and impaired strain assessed by cardiac MRI feature tracking in patients with left ventricular noncompaction and normal left ventricular ejection fraction. 2021 , 1	1
80	Investigation of Left Ventricular Strain and its Morphological Basis during Different Stages of Diastolic and Systolic Dysfunction in SHR.. 2022 ,	0
79	Walking the Line Between Failure and Remission: Can We Predict the Fall?. 2022 , 10, 38-40	
78	Prognostic Value of T1 Mapping and Feature Tracking by Cardiac Magnetic Resonance in Patients With Signs and Symptoms Suspecting Heart Failure and No Clinical Evidence of Coronary Artery Disease.. 2022 , e020981	
77	Prognostic Implications of Left Ventricular Global Longitudinal Strain in Patients With Surgically Treated Mitral Valve Disease and Preserved Ejection Fraction.. 2021 , 8, 775533	1
76	Myocardial Deformation in the Pediatric Age Group: Normal Values for Strain and Strain Rate Using 2D Magnetic Resonance Feature Tracking.. 2022 ,	0
75	Neuromodulation of Inflammation to Treat Heart Failure With Preserved Ejection Fraction: A Pilot Randomized Clinical Trial.. 2022 , e023582	1
74	Cardiac Power Output Is Independently and Incrementally Associated With Adverse Outcomes in Heart Failure With Preserved Ejection Fraction.. 2022 , CIRCIMAGING121013495	1
73	Do the Current Guidelines for Heart Failure Diagnosis and Treatment Fit with Clinical Complexity?. 2022 , 11,	4
72	A Novel Three-Dimensional and Tissue Doppler Echocardiographic Index for Diagnosing and Prognosticating Heart Failure With Preserved Ejection Fraction.. 2022 , 9, 822314	0
71	Coronary microvascular dysfunction and findings of heart failure with preserved ejection fraction in patients with microvascular angina.. 2022 ,	0
70	Functional Tricuspid Regurgitation: Behind the Scenes of a Long-Time Neglected Disease.. 2022 , 9, 836441	0
69	Value of Fast MVO Identification From Contrast-Enhanced Cine (CE-SSFP) Combined With Myocardial Strain in Predicting Adverse Events in Patients After ST-Elevation Myocardial Infarction.. 2021 , 8, 804020	0
68	Reactive Oxygen Species Induced Pathways in Heart Failure Pathogenesis and Potential Therapeutic Strategies.. 2022 , 10,	3
67	'Health-related quality of life in operated adult patients with Tetralogy of Fallot and correlation with advanced imaging indexes and cardiopulmonary exercise test'a narrative review.. 2022 , 101184	
66	[Evaluation of the effectiveness of the chronic heart failure therapy using the device cardiac contractility modulation according to the new non-invasive method of the myocardium work analysis].. 2021 , 61, 31-40	1
65	Pathophysiological role of right ventricular function and interventricular functional mismatch in the development of pulmonary edema in acute heart failure.. 2021 ,	
64	Longitudinal systolic dysfunction in hypertensive cardiomyopathy with normal ejection fraction.. 2021 ,	0

- 63 Contribution of Global and Regional Longitudinal Strain for Clinical Assessment of HFpEF in Coronary and Hypertensive Patients.. **2021**, 57, 1
- 62 Assessment of cardiac function using the modified ejection fraction as an indicator of myocardial circumferential strain. **2022**, 17,
- 61 Data_Sheet_1.pdf. **2020**,
- 60 Table_1.docx. **2019**,
- 59 Left ventricular ejection fraction correlation with stroke volume as estimated by Doppler echocardiography in cardiogenic shock: A retrospective observational study. **2022**,
- 58 Cancer Therapy-Related Cardiac Dysfunction in Patients Treated with a Combination of an Immune Checkpoint Inhibitor and Doxorubicin.. **2022**, 14, 0
- 57 Myocardial Mechanics. **2017**, 128-146
- 56 Left Ventricular Diastolic Function. **2017**, 147-165
- 55 Impaired left ventricular systolic synchrony in patients with lupus Nephritis: A speckle tracking echocardiography study.. **2022**, 9612033221102713 0
- 54 Left ventricular dysfunction with preserved ejection fraction: the most common left ventricular disorder in chronic kidney disease patients. 1
- 53 Highlighting the role of global longitudinal strain assessment in valvular heart disease. **2022**, 74,
- 52 Right Ventricular Dysfunction Predicts Outcome in Acute Heart Failure. **2022**, 9,
- 51 Feasibility of tissue-tracking mitral annular displacement in single four-chamber view as a simple index of left ventricular longitudinal deformation.
- 50 Effects of Hypertrophic and Dilated Cardiac Geometric Remodeling on Ejection Fraction. **2022**, 13, 0
- 49 Decreased Peak Left Atrial Longitudinal Strain Is Associated with Persistent Pulmonary Hypertension Associated with Left Heart Disease. **2022**, 11, 3510
- 48 Heart Failure With Preserved Ejection Fraction: Heterogeneous Syndrome, Diverse Preclinical Models. **2022**, 130, 1906-1925 3
- 47 Agreement of two vendor-independent strain analysis software platforms in assessing left ventricular global longitudinal strain.
- 46 Cardiac Contractility Modulation Therapy Improves Health Status in Patients with Heart Failure with Preserved Ejection Fraction; a Pilot Study (CCM-HFpEF). 2

- 45 Left ventricular strain derived from cardiac magnetic resonance can predict outcomes of pulmonary valve replacement in patients with repaired tetralogy of Fallot. **9,**
- 44 Prognostic significance of resting cardiac power to left ventricular mass and E/e² ratio in heart failure with preserved ejection fraction. **9,**
- 43 Left ventricular global function index is associated with myocardial iron overload and heart failure in thalassemia major patients.
- 42 Contractile Reserve in Heart Failure with Preserved Ejection Fraction. **2022, 9, 248**
- 41 Associations between Subclinical Myocardial Dysfunction and Premature Fusion of Early and Late Diastolic Filling with Uncertain Cause. **2022, 63, 817** ○
- 40 **ROLE OF STRAIN RATE IMAGING OF LEFT VENTRICLE TO ASSESS UNDERLYING SYSTOLIC DYSFUNCTION IN PATIENTS WITH HEART FAILURE WITH PRESERVED EJECTION FRACTION (HFPEF)** **2022, 43-46** ○
- 39 Heart Failure and Cardiomyopathies: CT and MR from Basics to Advanced Imaging. **2022, 12, 2298** ○
- 38 From Structural to Functional Hypertension Mediated Target Organ Damage – A Long Way to Heart Failure with Preserved Ejection Fraction. **2022, 11, 5377** ○
- 37 Molecular Approaches and Echocardiographic Deformation Imaging in Detecting Myocardial Fibrosis. **2022, 23, 10944** 1
- 36 Role of Cardiac Contractility Modulation in Heart Failure with a Higher Ejection Fraction. **2022,** ○
- 35 Defining the Phenotypes for Heart Failure With Preserved Ejection Fraction. ○
- 34 Right ventricular strain measurements in critically ill patients: an observational SICS sub-study. **2022, 12,** ○
- 33 Optimization of Drug Therapy for Heart Failure With Reduced Ejection Fraction Based on Gender. ○
- 32 Effect of Ivabradine on Left Ventricular Diastolic Function of Patients With Preserved Ejection Fraction [Results of the IVA-PEF Study] **2022, 4, 499-504** ○
- 31 Epidemiology, Diagnosis, Pathophysiology, and Initial Approach to Heart Failure with Preserved Ejection Fraction. **2022, 40, 397-413** 1
- 30 Association between left ventricular geometry and global myocardial work in patients with heart failure with preserved ejection fraction: assessment using strain-pressure loop. ○
- 29 Left Ventricular Global Longitudinal Strain and its Prognostic Significance After Kidney Transplantation. **2022,** ○
- 28 The basic heart anatomy and physiology from the cardiologist’s perspective: Toward a better understanding of left ventricular mechanics, systolic, and diastolic function. **2022, 50, 1026-1040** ○

- 27 Non-invasive assessment of HFpEF in mouse models: current gaps and future directions. **2022**, 20, ○
- 26 Detecting Heart Failure using novel bio-signals and a Knowledge Enhanced Neural Network. ○
- 25 Clinical features, myocardial strain and tissue characteristics of heart failure with preserved ejection fraction in patients with obesity: A prospective cohort study. **2023**, 55, 101723 ○
- 24 The role of conventional echocardiographic parameters on detecting subclinical anthracycline therapy related cardiac dysfunction in the SATRACD study. 9, ○
- 23 Quality of glycemic control has significant impact on myocardial mechanics in type 1 diabetes mellitus. **2022**, 12, ○
- 22 Cardiac contractility index identifies systolic dysfunction in preserved ejection fraction heart failure. ○
- 21 Multiparametric cardiovascular magnetic resonance characteristics and dynamic changes in asymptomatic heart-transplanted patients. ○
- 20 Myocardial contraction fraction predicts mortality in the oldest old. **2022**, 43, 101158 ○
- 19 Paradoxical increase in global longitudinal strain by handgrip exercise despite left ventricular diastolic dysfunction. ○
- 18 The value of CMR Left ventricular strain analysis in evaluating ICM. ○
- 17 Evaluation of Diastolic Dysfunction and the Role Thereof in Heart Failure with Preserved Ejection Fraction. **2022**, 97, 368-374 ○
- 16 The four pillars of HFrEF therapy: is it time to treat heart failure regardless of ejection fraction?. **2022**, 24, L10-L19 ○
- 15 Visualizing diastolic failure: Non-invasive imaging-biomarkers in patients with heart failure with preserved ejection fraction. **2022**, 86, 104369 1
- 14 Left ventricular global function index is associated with myocardial iron overload and heart failure in thalassemia major patients. ○
- 13 Detecting heart failure using novel bio-signals and a knowledge enhanced neural network. **2023**, 106547 ○
- 12 CMR detects decreased myocardial deformation in asymptomatic patients at risk for heart failure. 9, ○
- 11 Sacubitril/valsartan reduces cardiac decompensation in heart failure with preserved ejection fraction: a meta-analysis. **2023**, 24, 44-51 ○
- 10 Changes in Cardiac Structure and Function After Kidney Transplantation: A New Perspective Based on Strain Imaging. 31, ○

- 9 Rapid MRI Assessment of Long-Axis Strain to Indicate Systolic Dysfunction in Patients With Sickle Cell Disease. ○
- 8 Multi-Parametric Cardiac Magnetic Resonance for Prediction of Heart Failure Death in Thalassemia Major. **2023**, 13, 890 ○
- 7 Prognostic impact of left ventricular systolic dysfunction in patients with mixed aortic valve disease undergoing aortic valve replacement. **2023**, 40, 318-326 ○
- 6 Diagnostic and Prognostic Value of Global Longitudinal Strain in Heart Failure with Preserved Ejection Fraction: A Systematic Review and Meta-Analysis. ○
- 5 Left ventricular global function index: diagnostic and prognostic value in cardiovascular diseases. **2023**, 28, 5225 ○
- 4 The clinical application of longitudinal layer specific strain as a diagnostic and prognostic instrument in ischemic heart diseases: A systematic review and meta-analysis. 10, ○
- 3 The Effect of Sacubitril/Valsartan on Left Ventricular Myocardial Deformation in Heart Failure with Preserved Ejection Fraction (PARAMOUNT trial). **2023**, ○
- 2 Speckle tracking echocardiography in early disease stages: a therapy modifier?. **2023**, 24, e55-e66 ○
- 1 Link between myocardial deformation phenotyping using longitudinal and circumferential strain and risk of incident heart failure and cardiovascular death. ○