

# CITATION REPORT

List of articles citing

**SDMtoolbox: a python-based GIS toolkit for landscape genetic, biogeographic and species distribution model analysis**

**DOI: 10.1111/2041-210x.12200**

**Methods in Ecology and Evolution, 2014, 5, 694-700.**

**Source:** <https://exaly.com/paper-pdf/58899912/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF | Citations |
|-----|--|----|-----------|
| 727 | Demographic history and niche conservatism of tropical rainforest trees separated along an altitudinal gradient of a biogeographic barrier. <b>2014</b> , 62, 438  |    | 8         |
| 726 | A necessarily complex model to explain the biogeography of the amphibians and reptiles of Madagascar. <b>2014</b> , 5, 5046  |    | 65        |
| 725 | Combining the least cost path method with population genetic data and species distribution models to identify landscape connectivity during the late Quaternary in Himalayan hemlock. <b>2015</b> , 5, 5781-91 |    | 26        |
| 724 | Differential effects of climate and species interactions on range limits at a hybrid zone: potential direct and indirect impacts of climate change. <b>2015</b> , 5, 5120-37                                   |    | 36        |
| 723 | Drifting baited stereo-videography: a novel sampling tool for surveying pelagic wildlife in offshore marine reserves. <b>2015</b> , 6, art137  |    | 25        |
| 722 | Shifting ranges and conservation challenges for lemurs in the face of climate change. <b>2015</b> , 5, 1131-42   |    | 74        |
| 721 | Evidence of niche shift and global invasion potential of the Tawny Crazy ant, <i>Nylanderia fulva</i> . <b>2015</b> , 5, 4628-41   |    | 43        |
| 720 | Do non-native conifer plantations provide benefits for a native forest specialist, the wood ant <i>Formica lugubris</i> ?. <b>2015</b> , 357, 22-32  |    | 14        |
| 719 | Multiple glacial refugia lead to genetic structuring and the potential for reproductive isolation in a herbaceous plant. <b>2015</b> , 102, 1842-53  |    | 33        |
| 718 | Multilocus phylogenetic and geospatial analyses illuminate diversification patterns and the biogeographic history of Malagasy endemic plated lizards (Gerrhosauridae: Zonosaurinae). <b>2015</b> , 28, 481-92  |    | 5         |
| 717 | Assessing the Global Risk of Establishment of <i>Cydia pomonella</i> (Lepidoptera: Tortricidae) using CLIMEX and MaxEnt Niche Models. <b>2015</b> , 108, 1708-19   |    | 58        |
| 716 | Mapping the stray domestic cat ( <i>Felis catus</i> ) population in New Zealand: Species distribution modelling with a climate change scenario and implications for protected areas. <b>2015</b> , 63, 146-154 |    | 17        |
| 715 | Phylogeography of the arid-adapted Malagasy bullfrog, <i>Laliostoma labrosum</i> , influenced by past connectivity and habitat stability. <b>2015</b> , 92, 11-24  |    | 10        |
| 714 | Wetland Conservation in the Gulf of Mexico: The Example of the Salt Marsh Morning Glory, <i>Ipomoea sagittata</i> . <b>2015</b> , 35, 709-721  |    | 4         |
| 713 | Past climate change drives current genetic structure of an endangered freshwater mussel species. <b>2015</b> , 24, 1910-26   |    | 25        |
| 712 | Niche and movement models identify corridors of introduced feral cats infringing ecologically sensitive areas in New Zealand. <b>2015</b> , 192, 48-56   |    | 13        |
| 711 | Global Potential Distribution of <i>Bactrocera carambolae</i> and the Risks for Fruit Production in Brazil. <b>2016</b> , 11, e0166142   |    | 13        |

|     |   |     |
|-----|---|-----|
| 710 | Impacts of Climate Change on the Global Invasion Potential of the African Clawed Frog <i>Xenopus laevis</i> . <b>2016</b> , 11, e0154869  | 31  |
| 709 | Mapping Global Potential Risk of Mango Sudden Decline Disease Caused by <i>Ceratocystis fimbriata</i> . <b>2016</b> , 11, e0159450  | 22  |
| 708 | Exploring the Distribution of the Spreading Lethal Salamander Chytrid Fungus in Its Invasive Range in Europe - A Macroecological Approach. <b>2016</b> , 11, e0165682   | 26  |
| 707 | Investigating past range dynamics for a weed of cultivation, <i>Silene vulgaris</i> . <b>2016</b> , 6, 4800-11  | 8   |
| 706 | Population status and distribution modelling of the critically endangered riverine rabbit ( <i>Bunolagus monticularis</i> ). <b>2016</b> , 54, 195-206  | 8   |
| 705 | Quantifying the similarity between genes and geography across Alaska's alpine small mammals. <b>2016</b> , 43, 1464-1476  | 27  |
| 704 | Identifying habitat cores and corridors for the Iranian black bear in Iran. <b>2016</b> , 27, 18  | 48  |
| 703 | Environmental correlates of floristic regions and plant turnover in the Atlantic Forest hotspot. <b>2016</b> , 43, 2322-2331  | 29  |
| 702 | Evaluating Landscape Suitability for Golden-Headed Lion Tamarins ( <i>Leontopithecus Chrysomelas</i> ) and Wied's Black Tufted-Ear Marmosets ( <i>Callithrix Kuhlii</i> ) in the Bahian Atlantic Forest. <b>2016</b> , 9, 735-757 | 6   |
| 701 | Modelling the spatial and seasonal distribution of suitable habitats of schistosomiasis intermediate host snails using Maxent in Ndumo area, KwaZulu-Natal Province, South Africa. <b>2016</b> , 9, 572                           | 29  |
| 700 | Using spatiotemporal correlative niche models for evaluating the effects of climate change on mountain pine beetle. <b>2016</b> , 7, e01396   | 13  |
| 699 | Navigating the pitfalls and promise of landscape genetics. <b>2016</b> , 25, 849-63   | 105 |
| 698 | Revision of widespread red squirrels (genus: <i>Tamiasciurus</i> ) highlights the complexity of speciation within North American forests. <b>2016</b> , 100, 170-182  | 27  |
| 697 | Species distribution models for natural enemies of monarch butterfly ( <i>Danaus plexippus</i> ) larvae and pupae: distribution patterns and implications for conservation. <b>2016</b> , 20, 223-237                             | 9   |
| 696 | The Anatolian diagonal revisited: Testing the ecological basis of a biogeographic boundary. <b>2016</b> , 62, 189-199   | 29  |
| 695 | MODIS Imagery Improves Pest Risk Assessment: A Case Study of Wheat Stem Sawfly ( <i>Cephus cinctus</i> , Hymenoptera: Cephidae) in Colorado, USA. <b>2016</b> , 45, 1343-1351   | 6   |
| 694 | Selecting umbrella species for conservation: A test of habitat models and niche overlap for beach-nesting birds. <b>2016</b> , 203, 233-242   | 32  |
| 693 | The reliability of a composite biodiversity indicator in predicting bird species richness at different spatial scales. <b>2016</b> , 71, 627-635  | 9   |

|     |   |    |
|-----|---|----|
| 692 | Mapping Global Potential Risk of Establishment of <i>Rhagoletis pomonella</i> (Diptera: Tephritidae) Using MaxEnt and CLIMEX Niche Models. <b>2016</b> , 109, 2043-2053                 | 34 |
| 691 | Predicting Future Effects of Multiple Drivers of Extinction Risk in Peru's Endemic Primate Fauna. <b>2016</b> , 315-349   | 3  |
| 690 | Spatial distribution modelling reveals climatically suitable areas for bumblebees in undersampled parts of the Iberian Peninsula. <b>2016</b> , 9, 391-401                              | 17 |
| 689 | Taxonomy and biogeography of <i>Bunopus spatulurus</i> (Reptilia; Gekkonidae) from the Arabian Peninsula. <b>2016</b> , 54, 67-81   | 17 |
| 688 | Cityscape genetics: structural vs. functional connectivity of an urban lizard population. <b>2016</b> , 25, 4984-5000   | 35 |
| 687 | Do Ecological Niche Models Accurately Identify Climatic Determinants of Species Ranges?. <b>2016</b> , 187, 423-35  | 59 |
| 686 | Inferring responses to climate dynamics from historical demography in neotropical forest lizards. <b>2016</b> , 113, 7978-85  | 73 |
| 685 | Modelling cetacean distribution and mapping overlap with fisheries in the northeast Atlantic. <b>2016</b> , 134, 140-149  | 23 |
| 684 | Effects of habitat suitability and minimum patch size thresholds on the assessment of landscape connectivity for jaguars in the Sierra Gorda, Mexico. <b>2016</b> , 204, 296-305        | 17 |
| 683 | Mapping the ecological dimensions and potential distributions of endangered relic shrubs in western Ordos biodiversity center. <b>2016</b> , 6, 26268                                   | 11 |
| 682 | Drainage isolation and climate change-driven population expansion shape the genetic structures of <i>Tuber indicum</i> complex in the Hengduan Mountains region. <b>2016</b> , 6, 21811 | 20 |
| 681 | Niche partitioning among sexual and unisexual <i>Ambystoma</i> salamanders. <b>2016</b> , 7, e01579   | 10 |
| 680 | Predicting the distributions of predator (snow leopard) and prey (blue sheep) under climate change in the Himalaya. <b>2016</b> , 6, 4065-75  | 67 |
| 679 | Landscape connectivity of <i>Cercidiphyllum japonicum</i> , an endangered species and its implications for conservation. <b>2016</b> , 33, 51-56  | 3  |
| 678 | Model-based integration of observed and expert-based information for assessing the geographic and environmental distribution of freshwater species. <b>2016</b> , 39, 1078-1088         | 22 |
| 677 | Predicting the genetic consequences of future climate change: The power of coupling spatial demography, the coalescent, and historical landscape changes. <b>2016</b> , 103, 153-63     | 30 |
| 676 | Population differentiation at a regional scale in spadefoot toads: contributions of distance and divergent selective environments. <b>2016</b> , 62, 193-206                            | 3  |
| 675 | Modeling habitat distribution of <i>Cornus officinalis</i> with Maxent modeling and fuzzy logics in China. <b>2016</b> , 9, 742-751   | 32 |

|     |  |    |
|-----|--|----|
| 674 | Shaken but not stirred: multiscale habitat suitability modeling of sympatric marten species ( <i>Martes martes</i> and <i>Martes foina</i> ) in the northern Iberian Peninsula. <b>2016</b> , 31, 1241-1260                            | 33 |
| 673 | LecoS DA python plugin for automated landscape ecology analysis. <b>2016</b> , 31, 18-21   | 76 |
| 672 | Global climate suitability of citrus huanglongbing and its vector, the Asian citrus psyllid, using two correlative species distribution modeling approaches, with emphasis on the USA. <b>2016</b> , 144, 655-670                      | 78 |
| 671 | Integrating morphology, phylogeography, and ecological niche modeling to explore population differentiation in North African Common Chaffinches. <b>2017</b> , 158, 1-13   | 11 |
| 670 | Predicting the effects of climate change on population connectivity and genetic diversity of an imperiled freshwater mussel, <i>Cumberlandia monodonta</i> (Bivalvia: Margaritiferidae), in riverine systems. <b>2017</b> , 23, 94-107 | 32 |
| 669 | Incorporating anthropogenic variables into ecological niche modeling to predict areas of invasion of <i>Popillia japonica</i> . <b>2017</b> , 90, 151-160  | 14 |
| 668 | Potential global and regional geographic distribution of <i>Phomopsis vaccinii</i> on <i>Vaccinium</i> species projected by two species distribution models. <b>2017</b> , 148, 919-930  | 16 |
| 667 | Landscape genetics indicate recently increased habitat fragmentation in African forest-associated chafers. <b>2017</b> , 23, 1988-2004   | 6  |
| 666 | A performance based consensus approach for predicting spatial extent of the Chinese windmill palm ( <i>Trachycarpus fortunei</i> ) in New Zealand under climate change. <b>2017</b> , 39, 130-139                                      | 5  |
| 665 | Spatial overlaps of foraging and resting areas of black-legged kittiwakes breeding in the English Channel with existing marine protected areas. <b>2017</b> , 164, 1   | 11 |
| 664 | Geographic characteristics of sable ( <i>Neofiber zibellina</i> ) distribution over time in Northeast China. <b>2017</b> , 7, 4016-4023  | 6  |
| 663 | A Mesoamerican origin of cherimoya ( <i>Annona cherimola</i> Mill.): Implications for the conservation of plant genetic resources. <b>2017</b> , 26, 4116-4130   | 22 |
| 662 | Due South: A first assessment of the potential impacts of climate change on Cape vulture occurrence. <b>2017</b> , 210, 16-25  | 15 |
| 661 | Distributional shifts - not geographic isolation - as a probable driver of montane species divergence. <b>2017</b> , 40, 1475-1485   | 32 |
| 660 | Reexamining <i>Phylloscopus trochiloides</i> complex as a ring species: a refugial counter-hypothesis. <b>2017</b> , 48, 1608-1613   | 5  |
| 659 | On the need to consider multiphasic sensitivity of marine organisms to climate change: a case study of the Antarctic acorn barnacle. <b>2017</b> , 44, 2165-2175   | 10 |
| 658 | Dispersal corridors for plant species in the Poyang Lake Basin of southeast China identified by integration of phylogeographic and geospatial data. <b>2017</b> , 7, 5140-5148   | 11 |
| 657 | Do plant populations on distinct inselbergs talk to each other? A case study of genetic connectivity of a bromeliad species in an Ocbil landscape. <b>2017</b> , 7, 4704-4716  | 24 |

|     |   |    |
|-----|---|----|
| 656 | Ecological niche model comparison under different climate scenarios: a case study of <i>Olea</i> spp. in Asia. <b>2017</b> , 8, e01825  | 34 |
| 655 | Integrating multiple datasets with species distribution models to inform conservation of the poorly-recorded Chinese seahorses. <b>2017</b> , 211, 161-171  | 15 |
| 654 | Convergence, Consilience, and the Evolution of Temperate Deciduous Forests. <b>2017</b> , 190, S87-S104   | 29 |
| 653 | Tracing a toad invasion: lack of mitochondrial DNA variation, haplotype origins, and potential distribution of introduced <i>Duttaphrynus melanostictus</i> in Madagascar. <b>2017</b> , 38, 197-207        | 9  |
| 652 | Setting conservation priorities for Argentina's pseudocereal crop wild relatives. <b>2017</b> , 209, 349-355  | 9  |
| 651 | Where is the risk? Integrating a spatial distribution model and a risk assessment to identify areas of cetacean interaction with fisheries in the northeast Atlantic. <b>2017</b> , 136, 148-155            | 7  |
| 650 | Inferring the geographic origin of a range expansion: Latitudinal and longitudinal coordinates inferred from genomic data in an ABC framework with the program x-origin. <b>2017</b> , 26, 6908-6920        | 16 |
| 649 | The phylogeography of two disjunct Neotropical <i>Ficus</i> (Moraceae) species reveals contrasted histories between the Amazon and the Atlantic Forests. <b>2017</b> , 185, 272-289                         | 4  |
| 648 | Species distribution models for a migratory bird based on citizen science and satellite tracking data. <b>2017</b> , 11, 298-311  | 48 |
| 647 | Coupling of pollination services and coffee suitability under climate change. <b>2017</b> , 114, 10438-10442  | 33 |
| 646 | Is evolution of apomicts driven by the phylogeography of the sexual ancestor? Insights from European and Caucasian brambles ( <i>Rubus</i> , Rosaceae). <b>2017</b> , 44, 2717-2728                         | 6  |
| 645 | Climate variability affects the germination strategies exhibited by arid land plants. <b>2017</b> , 185, 437-452  | 19 |
| 644 | Evaluating mechanisms of diversification in a Guineo-Congolian tropical forest frog using demographic model selection. <b>2017</b> , 26, 5245-5263  | 91 |
| 643 | Parallelization in Predicting Species Distribution. <b>2017</b> ,   |    |
| 642 | Potential distribution of <i>Mikania micrantha</i> Kunth in India: Evidence of climatic niche and biome shifts. <b>2017</b> , 234, 215-223  | 13 |
| 641 | A spatial framework for targeting urban planning for pollinators and people with local stakeholders: A route to healthy, blossoming communities?. <b>2017</b> , 158, 255-268                                | 24 |
| 640 | Effects of life-history requirements on the distribution of a threatened reptile. <b>2017</b> , 31, 427-436   | 2  |
| 639 | South African mouse shrews ( <i>Myosorex</i> ) feel the heat: using species distribution models (SDMs) and IUCN Red List criteria to flag extinction risks due to climate change. <b>2017</b> , 62, 149-162 | 5  |

|     |  |     |
|-----|--|-----|
| 638 | Patterns of niche filling and expansion across the invaded ranges of <i>Halyomorpha halys</i> in North America and Europe. <b>2017</b> , 90, 1045-1057   | 20  |
| 637 | The Persian squirrel of Kurdistan Province, western Iran: what determines its geographic distribution?. <b>2017</b> , 81,  | 2   |
| 636 | Local and regional spread of banana xanthomonas wilt (BXW) in space and time in Kagera, Tanzania. <b>2017</b> , 66, 1003-1014  | 9   |
| 635 | A low-altitude mountain range as an important refugium for two narrow endemics in the Southwest Australian Floristic Region biodiversity hotspot. <b>2017</b> , 119, 289-300   | 26  |
| 634 | Environmental factors related to biogeographical transition zones of areas of endemism of Neotropical mammals. <b>2017</b> , 30, 485   | 1   |
| 633 | Mapping the Potential Global Range of the Brown Marmorated Stink Bug, <i>Halyomorpha halys</i> , with Particular Reference to New Zealand. <b>2017</b> , 5, 75   | 5   |
| 632 | Predicting Future Seed Sourcing of <i>Platycladus orientalis</i> (L.) for Future Climates Using Climate Niche Models. <b>2017</b> , 8, 471   | 10  |
| 631 | A Climate-Oriented Approach to Support Decision-Making for Seed Provenance in Ecological Restoration. <b>2017</b> , 5,   | 9   |
| 630 | Incorporating abundance information and guiding variable selection for climate-based ensemble forecasting of species' distributional shifts. <b>2017</b> , 12, e0184316  | 8   |
| 629 | Climate change versus deforestation: Implications for tree species distribution in the dry forests of southern Ecuador. <b>2017</b> , 12, e0190092   | 17  |
| 628 | Ice age unfrozen: severe effect of the last interglacial, not glacial, climate change on East Asian avifauna. <b>2017</b> , 17, 244  | 19  |
| 627 | Little pigeons can carry great messages: potential distribution and ecology of <i>Uranotaenia</i> ( <i>Pseudoficalbia</i> ) <i>unguiculata</i> Edwards, 1913 (Diptera: Culicidae), a lesser-known mosquito species from the Western Palaearctic. <b>2017</b> , 10, 464 | 2   |
| 626 | Diverse range dynamics and dispersal routes of plants on the Tibetan Plateau during the late Quaternary. <b>2017</b> , 12, e0177101  | 13  |
| 625 | An updated understanding of Texas bumble bee (Hymenoptera: Apidae) species presence and potential distributions in Texas, USA. <b>2017</b> , 5, e3612  | 5   |
| 624 | Predicting the distribution of <i>Encephalartos latifrons</i> , a critically endangered cycad in South Africa. <b>2018</b> , 27, 1961-1980   | 8   |
| 623 | Assessing habitat loss and fragmentation and their effects on population viability of forest specialist birds: Linking biogeographical and population approaches. <b>2018</b> , 24, 820-830  | 14  |
| 622 | Maxent modeling for predicting the potential geographical distribution of two peony species under climate change. <b>2018</b> , 634, 1326-1334   | 142 |
| 621 | Potential global distribution of <i>Diabrotica</i> species and the risks for agricultural production. <b>2018</b> , 74, 2100   | 17  |

|     |   |    |
|-----|---|----|
| 620 | Modeling potential tree belt functions in rural landscapes using a new GIS tool. <b>2018</b> , 217, 315-326   | 6  |
| 619 | Current and Future Potential Risk of Establishment of <i>Grapholita molesta</i> (Lepidoptera: Tortricidae) in Washington State. <b>2018</b> , 47, 448-456   | 7  |
| 618 | Disentangling morphologically similar species of the Andean forest: integrating results from multivariate morphometric analyses, niche modelling and climatic space comparison in <i>Kaunia</i> (Eupatorieae: Asteraceae). <b>2018</b> , 186, 259-272 | 1  |
| 617 | Potential spatial interaction of the invasive species <i>Harmonia axyridis</i> (Pallas) with native and endemic coccinellids. <b>2018</b> , 142, 513-524  | 12 |
| 616 | Geological effects influence population genetic connectivity more than Pleistocene glaciations in the water strider <i>Metrocoris sichuanensis</i> (Insecta: Hemiptera: Gerridae). <b>2018</b> , 45, 690-701  | 8  |
| 615 | Ecological niche modelling of pedunculate oak ( <i>Quercus robur</i> ) supports the Expansion-Contraction model of Pleistocene biogeography. <b>2018</b> , 123, 338-347   | 17 |
| 614 | An integrative assessment of the taxonomic status of putative hybrid leopard frogs (Anura: Ranidae) from the Chort Highlands of Central America, with description of a new species. <b>2018</b> , 16, 340-356  | 6  |
| 613 | Contrasting climate niches among co-occurring subdominant forbs of the sagebrush steppe. <b>2018</b> , 24, 1291-1307  | 9  |
| 612 | A climate-associated multispecies cryptic cline in the northwest Atlantic. <b>2018</b> , 4, eaaq0929  | 49 |
| 611 | The Macroecology of Chemical Communication in Lizards: Do Climatic Factors Drive the Evolution of Signalling Glands?. <b>2018</b> , 45, 259-267   | 6  |
| 610 | Modelling the spatial distribution of snake species in northwestern Tunisia using maximum entropy (Maxent) and Geographic Information System (GIS). <b>2018</b> , 29, 233-245   | 13 |
| 609 | Projecting present and future habitat suitability of ship-mediated aquatic invasive species in the Canadian Arctic. <b>2018</b> , 20, 501-517   | 29 |
| 608 | Forest cover and level of protection influence the island-wide distribution of an apex carnivore and umbrella species, the Sri Lankan leopard ( <i>Panthera pardus kotiya</i> ). <b>2018</b> , 27, 235-263  | 21 |
| 607 | Population mitogenomics provides insights into evolutionary history, source of invasions and diversifying selection in the House Crow ( <i>Corvus splendens</i> ). <b>2018</b> , 120, 296-309   | 6  |
| 606 | Do climate-driven altitudinal range shifts explain the intraspecific diversification of a narrow ranging montane mammal, Taurus ground squirrels?. <b>2018</b> , 63, 197-211  | 7  |
| 605 | Trust as a proxy indicator for intrinsic quality of Volunteered Geographic Information in biodiversity monitoring programs. <b>2018</b> , 55, 502-538   | 11 |
| 604 | Reynoutria niche modelling and protected area prioritization for restoration and protection from invasion: A Southeastern Europe case study. <b>2018</b> , 41, 1-15   | 10 |
| 603 | Predicting Climate-Driven Habitat Shifting of the near Threatened Satyr Tragopan ( <i>Tragopan Satyra</i> ; Galliformes) in the Himalayas. <b>2018</b> , 11, 221-230  | 11 |



|     |  |    |
|-----|--|----|
| 602 | Structure of Ecologo-Climatic Niches of <i>Poa palustris</i> L. and <i>P. nemoralis</i> L. (Himalayan Asian Russia). <b>2018</b> , 11, 604-613   | 2  |
| 601 | Modelling the Distributions of Maize Stem Borers at Local Scale in East African Mountain Gradients Using Climatic and Edaphic Variables. <b>2018</b> , 26, 458-470                               | 1  |
| 600 | The influence of environmental factors on breeding system allocation at large spatial scales. <b>2018</b> , 10, ply069   | 3  |
| 599 | Modelling the potential distribution and shifts of three varieties of <i>Stipa tianschanica</i> in the eastern Eurasian Steppe under multiple climate change scenarios. <b>2018</b> , 16, e00501 | 12 |
| 598 | Direct modelling of limited migration improves projected distributions of Himalayan amphibians under climate change. <b>2018</b> , 227, 352-360  | 28 |
| 597 | Dataset and GIS toolbox for modeling potential tree belt functions. <b>2018</b> , 20, 326-332  |    |
| 596 | The importance of forest conservation for the survival of the range-restricted <i>Pipistrellus hanaki</i> , an endemic bat from Crete and Cyrenaica. <b>2018</b> , 93, 109-117                   | 2  |
| 595 | Habitat loss of a rainforest specialist pollinator fly as an indicator of conservation status of the South American Temperate Rainforests. <b>2018</b> , 22, 745-755                             | 9  |
| 594 | An Integrated View of Complex Landscapes: A Big Data-Model Integration Approach to Transdisciplinary Science. <b>2018</b> , 68, 653-669  | 22 |
| 593 | Assessing fire hazard potential and its main drivers in Mazandaran province, Iran: a data-driven approach. <b>2018</b> , 190, 670  | 8  |
| 592 | Evaluating the risk for Usutu virus circulation in Europe: comparison of environmental niche models and epidemiological models. <b>2018</b> , 17, 35   | 17 |
| 591 | Climate change-driven range losses among bumblebee species are poised to accelerate. <b>2018</b> , 8, 14464  | 35 |
| 590 | The effects of climate warming and urbanised areas on the future distribution of <i>Cortaderia seloana</i> , pampas grass, in France. <b>2018</b> , 58, 413-423                                  | 7  |
| 589 | Environmental niche overlap between snow leopard and four prey species in Kazakhstan. <b>2018</b> , 48, 97-103   | 10 |
| 588 | Mapping global risk levels of <i>Bemisia tabaci</i> in areas of suitability for open field tomato cultivation under current and future climates. <b>2018</b> , 13, e0198925                      | 26 |
| 587 | Data to model risks for recolonizing wolves in Scandinavia through the integration of territory presence and human-driven mortalities. <b>2018</b> , 20, 686-690                                 | 0  |
| 586 | Vanishing refuge? Testing the forest refuge hypothesis in coastal East Africa using genome-wide sequence data for seven amphibians. <b>2018</b> , 27, 4289-4308                                  | 18 |
| 585 | Identification of endemic vascular plant species hotspots and the effectiveness of the protected areas for their conservation in Sierra Madre Oriental, Mexico. <b>2018</b> , 46, 6-27           | 11 |

|     |  |    |
|-----|--|----|
| 584 | Distribution modelling and multi-scale landscape connectivity highlight important areas for the conservation of savannah elephants. <b>2018</b> , 224, 1-8   | 7  |
| 583 | Niche models inform the effects of climate change on the endangered Nilgiri Tahr ( <i>Nilgiritragus hylocrius</i> ) populations in the southern Western Ghats, India. <b>2018</b> , 120, 355-363                     | 25 |
| 582 | Spatio-temporal variation in fitness responses to contrasting environments in <i>Arabidopsis thaliana</i> . <b>2018</b> , 72, 1570   | 23 |
| 581 | Applying species distribution modelling to improving conservation based decisions: a gap analysis of Trinidad and Tobago's endemic vascular plants. <b>2018</b> , 27, 2931-2949                                      | 22 |
| 580 | Invasion of a Legume Ecosystem Engineer in a Cold Biome Alters Plant Biodiversity. <b>2018</b> , 9, 715  | 11 |
| 579 | Incipient road to extinction of a keystone herbivore in south-eastern Europe: Harting's vole ( <i>Microtus hartingi</i> ) under climate change. <b>2018</b> , 149, 443-456   | 1  |
| 578 | Population Genetics and Speciation of Yellow-Bellied, Red-Naped, and Red-Breasted Sapsuckers ( <i>Sphyrapicus varius</i> , <i>S. nuchalis</i> , and <i>S. ruber</i> ). <b>2018</b> , 109, 663-674                    | 3  |
| 577 | Species distribution model transferability and model grain size - finer may not always be better. <b>2018</b> , 8, 7168  | 51 |
| 576 | Climate niche conservatism and complex topography illuminate the cryptic diversification of Asian shrew-like moles. <b>2018</b> , 45, 2400-2414  | 11 |
| 575 | Distribution of Pinyon Jay <i>Gymnorhinus cyanocephalus</i> in Chihuahua, Mexico: new records and environmental characterisation. <b>2018</b> , 138, 30-40   | 2  |
| 574 | Potential species richness of frogs and diurnal butterflies in three biogeographical units from northeastern Colombia: conservation Implications. <b>2018</b> , 23,  | 1  |
| 573 | Distance, elevation and environment as drivers of diversity and divergence in bumble bees across latitude and altitude. <b>2018</b> , 27, 2926-2942  | 27 |
| 572 | Comparison of genetic variation between northern and southern populations of <i>Lilium cernuum</i> (Liliaceae): Implications for Pleistocene refugia. <b>2018</b> , 13, e0190520                                     | 7  |
| 571 | Predicting the potential impact of climate change on the declining agroforestry species <i>Borassus aethiopicum</i> Mart. in Benin: a mixture of geostatistical and SDM approach. <b>2019</b> , 93, 1513-1530        | 6  |
| 570 | Spatial global assessment of the pest <i>Bagrada hilaris</i> (Burmeister) (Heteroptera: Pentatomidae): current and future scenarios. <b>2019</b> , 75, 809-820   | 16 |
| 569 | Identifying corridors for landscape connectivity using species distribution modeling of <i>Hydnocarpus kurzii</i> (King) Warb., a threatened species of the Indo-Burma Biodiversity Hotspot. <b>2019</b> , 15, 13-23 | 1  |
| 568 | Global distribution modelling, invasion risk assessment and niche dynamics of <i>Leucanthemum vulgare</i> (Ox-eye Daisy) under climate change. <b>2019</b> , 9, 11395  | 14 |
| 567 | Ecological niche modelling for predicting the risk of cutaneous leishmaniasis in the Neotropical moist forest biome. <b>2019</b> , 13, e0007629  | 17 |

|     |   |    |
|-----|---|----|
| 566 | Phylogeographic Analysis and Genetic Structure of an Endemic Sino-Japanese Disjunctive Genus (Caprifoliaceae). <b>2019</b> , 10, 913  | 6  |
| 565 | Modeling the effects of climate change on the distribution of <i>Tagetes lucida</i> Cav. (Asteraceae). <b>2019</b> , 20, e00747   | 7  |
| 564 | Evaluating high-altitude Ramsar wetlands in the Eastern Himalayas. <b>2019</b> , 20, e00715   | 8  |
| 563 | Using invaded-range species distribution modeling to estimate the potential distribution of <i>Linaria</i> species and their hybrids in the U.S. northern Rockies. <b>2019</b> , 12, 97-111                                   | 2  |
| 562 | Distribution models for <i>Ascia monuste</i> and the host <i>Brassica oleracea</i> var. <i>capitata</i> . <b>2019</b> , 143, 1043-1051  | 3  |
| 561 | Effects of climate change on the distributional potential of three range-restricted West African bird species. <b>2019</b> , 121,   | 6  |
| 560 | Rethinking restoration targets for American chestnut using species distribution modeling. <b>2019</b> , 28, 3199-3220   | 9  |
| 559 | Climate change amplifies plant invasion hotspots in Nepal. <b>2019</b> , 25, 1599-1612  | 35 |
| 558 | Spatial Genetic Patterns and Distribution Dynamics of the Rare Oak <i>Quercus chungii</i> : Implications for Biodiversity Conservation in Southeast China. <b>2019</b> , 10, 821  | 7  |
| 557 | Combining ecological niche modeling with genetic lineage information to predict potential distribution of <i>Mikania micrantha</i> Kunth in South and Southeast Asia under predicted climate change. <b>2019</b> , 20, e00800 | 7  |
| 556 | Manmade structures are used by an invasive species to colonize new territory across a fragmented landscape. <b>2019</b> , 101, 103479   | 2  |
| 555 | Biodiversity hotspots for modeled habitat patches and corridors of species richness and threatened species of reptiles in central Iran. <b>2019</b> , 65, 1   | 6  |
| 554 | Investigating the Current and Future Co-Occurrence of and in Europe through Ecological Modelling and Remote Sensing Data Analysis. <b>2019</b> , 16,  | 11 |
| 553 | Do hotspots fall within protected areas? A Geographic Approach to Planning analysis of regional freshwater biodiversity. <b>2019</b> , 64, 2046-2056  | 3  |
| 552 | Exploring rain forest diversification using demographic model testing in the African foam-nest treefrog <i>Chiromantis rufescens</i> . <b>2019</b> , 46, 2706-2721  | 15 |
| 551 | Geographic variation in dispersal distance facilitates range expansion of a lake shore plant in response to climate change. <b>2019</b> , 25, 1429-1440   | 3  |
| 550 | Distributions of Alien Invasive Weeds under Climate Change Scenarios in Mountainous Bhutan. <b>2019</b> , 9, 442  | 7  |
| 549 | Adding ecology into phylogeography: ecological niche models and phylogeography in tandem reveals the demographic history of the subalpine warbler complex. <b>2019</b> , 66, 234-242  | 3  |

|     |   |    |
|-----|---|----|
| 548 | Landscape Features and Climatic Forces Shape the Genetic Structure and Evolutionary History of an Oak Species () in East China. <b>2019</b> , 10, 1060                                  | 14 |
| 547 | The relative influence of abiotic and biotic factors on suitable habitat of Old World fruit bats under current and future climate scenarios. <b>2019</b> , 98, 188-200                  | 6  |
| 546 | Multi-scale niche modeling of three sympatric felids of conservation importance in central Iran. <b>2019</b> , 34, 2451-2467  | 20 |
| 545 | Species distribution modelling to support forest management. A literature review. <b>2019</b> , 411, 108817   | 58 |
| 544 | Spatio-Temporal Patterns of Climatic Niche Dynamics of an Invasive Plant <i>Mikania micrantha</i> Kunth and Its Potential Distribution Under Projected Climate Change. <b>2019</b> , 7, | 13 |
| 543 | Climate change, range shifts, and the disruption of a pollinator-plant complex. <b>2019</b> , 9, 14048  | 10 |
| 542 | Current and future distribution of <i>Metcalfa pruinosa</i> (Say) (Hemiptera: Flatidae) in Korea: Reasoning of fast spreading. <b>2019</b> , 22, 933-940                                | 2  |
| 541 | The Establishment Risk of <i>Lycorma delicatula</i> (Hemiptera: Fulgoridae) in the United States and Globally. <b>2020</b> , 113, 306-314   | 21 |
| 540 | Potential distribution and ecological conditions of <i>Lonomia obliqua</i> Walker 1855 (Saturniidae: Hemileucinae) in Brazil. <b>2019</b> , 192, 158-164                                | 4  |
| 539 | Modelling potential habitat for snow leopards ( <i>Panthera uncia</i> ) in Ladakh, India. <b>2019</b> , 14, e0211509  | 11 |
| 538 | Potential Spatial Distribution of the Newly Introduced Long-horned Tick, <i>Haemaphysalis longicornis</i> in North America. <b>2019</b> , 9, 498  | 57 |
| 537 | Potential migratory routes of <i>Urania boisduvalii</i> (Lepidoptera: Uraniidae) among host plant populations. <b>2019</b> , 25, 478-488  | 2  |
| 536 | Integrating phylogeography and ecological niche modelling to test diversification hypotheses using a Neotropical rodent. <b>2019</b> , 33, 111-148                                      | 7  |
| 535 | <i>Centaurea</i> subsect. <i>Phalolepis</i> in Southern Italy: ongoing speciation or species overestimation? Genetic evidence based on SSRs analyses. <b>2019</b> , 17, 93-109          | 6  |
| 534 | Mapping changes in the spatiotemporal distribution of lumpy skin disease virus. <b>2019</b> , 66, 2045-2057   | 11 |
| 533 | Habitat suitability and connectivity for the brown bear ( <i>Ursus arctos</i> ) along the Iran-Iraq border. <b>2019</b> , 65, 1   | 15 |
| 532 | Disentangling an avian assemblages' evolutionary and functional history in a Chihuahuan desert city. <b>2019</b> , 22, 893-906  | 2  |
| 531 | Landscape effects on the contemporary genetic structure of Ruffed Grouse () populations. <b>2019</b> , 9, 5572-5592   | 13 |

|     |   |    |
|-----|---|----|
| 530 | The potential geographical distribution of <i>Haloxylon</i> across Central Asia under climate change in the 21st century. <b>2019</b> , 275, 243-254  | 26 |
| 529 | Circumpolar frontal systems as potential feeding grounds of Southern Right whales. <b>2019</b> , 176, 102123  | 4  |
| 528 | Using remotely sensed and climate data to predict the current and potential future geographic distribution of a bird at multiple scales: the case of <i>Agelastes meleagrides</i> , a western African forest endemic. <b>2019</b> , 10, | 3  |
| 527 | Global terrestrial distribution of penguins (Spheniscidae) and their conservation by protected areas. <b>2019</b> , 28, 2861-2876   | 4  |
| 526 | Genetic landscape and landscape connectivity of <i>Ceratopteris thalictroides</i> , an endangered aquatic fern. <b>2019</b> , 53, 100973  | 3  |
| 525 | Modeling impacts of climate change on the potential habitat of an endangered Brazilian endemic coral: Discussion about deep sea refugia. <b>2019</b> , 14, e0211171   | 6  |
| 524 | Predicting invasion potential and niche dynamics of <i>Parthenium hysterophorus</i> (Congress grass) in India under projected climate change. <b>2019</b> , 28, 2319-2344   | 24 |
| 523 | Evaluation of species boundaries in sympatric and parapatric populations of Mesoamerican toads. <b>2019</b> , 48, 454-465   | 2  |
| 522 | Modeling <i>Cedrus atlantica</i> potential distribution in North Africa across time: new putative glacial refugia and future range shifts under climate change. <b>2019</b> , 19, 1667-1682   | 10 |
| 521 | Identifying climate refugia and its potential impact on small population of Asian elephant ( <i>Elephas maximus</i> ) in China. <b>2019</b> , 19, e00664  | 19 |
| 520 | Risk of spread of tomato yellow leaf curl virus (TYLCV) in tomato crops under various climate change scenarios. <b>2019</b> , 173, 524-535  | 24 |
| 519 | Influence of the Quaternary Glacial Cycles and the Mountains on the Reticulations in the Subsection of the Genus. <b>2019</b> , 10, 303   | 2  |
| 518 | 3RAD-based systematics of the transitional Nearctic-Neotropical lubber grasshopper genus <i>Taeniopoda</i> (Orthoptera: Romaleidae). <b>2019</b> , 137, 64-75   | 5  |
| 517 | Peste des petits ruminants in China: Spatial risk analysis. <b>2019</b> , 66, 1784-1788   | 9  |
| 516 | Risk map for the range expansion of <i>Thrips palmi</i> in Korea under climate change: Combining species distribution models with land-use change. <b>2019</b> , 22, 666-674  | 4  |
| 515 | Biogeography of <i>Mesalina</i> (Reptilia: Lacertidae), with special emphasis on the <i>Mesalina adramitana</i> group from Arabia and the Socotra Archipelago. <b>2019</b> , 137, 300-312   | 7  |
| 514 | Quaternary climatic fluctuations and resulting climatically suitable areas for Eurasian owlets. <b>2019</b> , 9, 4864-4874  | 1  |
| 513 | Land-use changes and the expansion of biofuel crops threaten the giant anteater in southeastern Brazil. <b>2019</b> , 100, 435-444  | 6  |

|     |  |    |
|-----|--|----|
| 512 | Experience in the Use of GIS Tools in Plant Systematics and Conservation. <b>2019</b> , 159-168  |    |
| 511 | Vulnerability of East Asian bumblebee species to future climate and land cover changes. <b>2019</b> , 277, 11-20   | 9  |
| 510 | Climatic Change Can Influence Species Diversity Patterns and Potential Habitats of Salicaceae Plants in China. <b>2019</b> , 10, 220   | 4  |
| 509 | Alternative reproductive adaptations predict asymmetric responses to climate change in lizards. <b>2019</b> , 9, 5093  | 9  |
| 508 | Assessing effects of genetic, environmental, and biotic gradients in species distribution modelling. <b>2019</b> , 76, 1762-1775   | 5  |
| 507 | Spatial Distribution of the Mexican Daisy, <i>Erigeron karvinskianus</i> , in New Zealand under Climate Change. <b>2019</b> , 7, 24  | 6  |
| 506 | Predicting the Potential Distribution of <i>Paeonia veitchii</i> (Paeoniaceae) in China by Incorporating Climate Change into a Maxent Model. <b>2019</b> , 10, 190                                     | 26 |
| 505 | Modelling the potential distribution of arbovirus vector <i>Aedes aegypti</i> under current and future climate scenarios in Taiwan, China. <b>2019</b> , 75, 3076-3083                                 | 12 |
| 504 | Modeling the present and future distribution of arbovirus vectors <i>Aedes aegypti</i> and <i>Aedes albopictus</i> under climate change scenarios in Mainland China. <b>2019</b> , 664, 203-214        | 35 |
| 503 | An evaluation of the current extent and potential spread of Black Bass invasions in South Africa. <b>2019</b> , 21, 1721-1736  | 7  |
| 502 | Assessing the impact of climate change on the worldwide distribution of <i>Dalbulus maidis</i> (DeLong) using MaxEnt. <b>2019</b> , 75, 2706-2715  | 22 |
| 501 | Strategies to optimize modeling habitat suitability of in the Pan-Amazonia. <b>2019</b> , 9, 12623-12638   | 7  |
| 500 | Links between prey assemblages and poison frog toxins: A landscape ecology approach to assess how biotic interactions affect species phenotypes. <b>2019</b> , 9, 14317-14329                          | 6  |
| 499 | Sufficient versus optimal climatic stability during the Late Quaternary: using environmental quality to guide phylogeographic inferences in a Neotropical montane system. <b>2019</b> , 100, 1783-1807 | 5  |
| 498 | Concealed truth: Modeling reveals unique Quaternary distribution dynamics and refugia of four related endemic keystone taxa on the Tibetan Plateau. <b>2019</b> , 9, 14295-14316                       | 3  |
| 497 | Modelling Climate Suitability for Rainfed Maize Cultivation in Kenya Using a Maximum Entropy (MaxENT) Approach. <b>2019</b> , 9, 727   | 24 |
| 496 | Modeling endangered mammal species distributions and forest connectivity across the humid Upper Guinea lowland rainforest of West Africa. <b>2019</b> , 28, 671-685                                    | 12 |
| 495 | A spatially explicit approach to prioritize protection areas for endangered freshwater mussels. <b>2019</b> , 29, 12-23  | 10 |

|     |   |    |
|-----|---|----|
| 494 | Global spatial assessment of and : a scenario of Zika virus exposure. <b>2018</b> , 147, e52  | 13 |
| 493 | Testing multiple hypotheses for the high endemic plant diversity of the Tibetan Plateau. <b>2019</b> , 28, 131-144  | 24 |
| 492 | Climate change impacts on the distribution of venomous snakes and snakebite risk in Mozambique. <b>2019</b> , 152, 195-207  | 16 |
| 491 | Climate and land use changes will degrade the distribution of Rhododendrons in China. <b>2019</b> , 659, 515-528  | 27 |
| 490 | Current and Future Distribution of the Lone Star Tick, <i>Amblyomma americanum</i> (L.) (Acari: Ixodidae) in North America. <b>2019</b> , 14, e0209082  | 77 |
| 489 | Phylogeography of Atlantic Forest glassfrogs ( <i>Vitreorana</i> ): when geography, climate dynamics and rivers matter. <b>2019</b> , 122, 545-557  | 17 |
| 488 | Diversification and historical demography of the rapid racerunner ( <i>Eremias velox</i> ) in relation to geological history and Pleistocene climatic oscillations in arid Central Asia. <b>2019</b> , 130, 244-258 | 7  |
| 487 | High probability areas for ASF infection in China along the Russian and Korean borders. <b>2019</b> , 66, 852-864   | 15 |
| 486 | Rising Tides: Assessing Habitat Vulnerability for an Endangered Salt Marsh-Dependent Species with Sea-Level Rise. <b>2019</b> , 39, 1203-1218   | 4  |
| 485 | Impact of climate change on the distribution range and niche dynamics of Himalayan birch, a typical treeline species in Himalayas. <b>2019</b> , 28, 2345-2370  | 45 |
| 484 | The influence of climatic changes on distribution pattern of six typical <i>Kobresia</i> species in Tibetan Plateau based on MaxEnt model and geographic information system. <b>2019</b> , 135, 375-390             | 6  |
| 483 | Priority areas for jaguar <i>Panthera onca</i> conservation in the Cerrado. <b>2020</b> , 54, 854-865   | 2  |
| 482 | The impacts of climate change on the habitat distribution of the vulnerable Patagonian-Fuegian species <i>Ctenomys magellanicus</i> (Rodentia, Ctenomyidae). <b>2020</b> , 173, 104016                              | 8  |
| 481 | Shifting ranges of eleven invasive alien plants in China in the face of climate change. <b>2020</b> , 55, 101024  | 13 |
| 480 | Geography alone cannot explain <i>Tetranychus truncatus</i> (Acari: Tetranychidae) population abundance and genetic diversity in the context of the center-periphery hypothesis. <b>2020</b> , 124, 383-396         | 5  |
| 479 | Do selfing species have greater niche breadth? Support from ecological niche modeling. <b>2020</b> , 74, 73-88  | 12 |
| 478 | Effects of climate and geography on spatial patterns of genetic structure in tropical skinks. <b>2020</b> , 143, 106661   | 2  |
| 477 | Geographic shifts in the bioclimatic suitability for under climate change scenarios in Colombia. <b>2020</b> , 6, e03101  | 6  |

|     |  |    |
|-----|--|----|
| 476 | Modelling the climate suitability of green carpenter bee ( <i>Xylocopa aerata</i> ) and its nesting hosts under current and future scenarios to guide conservation efforts. <b>2020</b> , 45, 271-282          | 5  |
| 475 | Using aerial surveys and citizen science to create species distribution models for an imperiled grouse. <b>2020</b> , 29, 967-986  | 2  |
| 474 | The expanding distribution of the Indian Peafowl ( <i>Pavo cristatus</i> ) as an indicator of changing climate in Kerala, southern India: A modelling study using MaxEnt. <b>2020</b> , 110, 105930            | 19 |
| 473 | Use of geospatial methods to characterize dispersion of the Emerald ash borer in southern Ontario, Canada. <b>2020</b> , 55, 101037  | 1  |
| 472 | Investigating spatial non-stationary environmental effects on the distribution of giant pandas in the Qinling Mountains, China. <b>2020</b> , 21, e00894   | 3  |
| 471 | ResDisMapper: An r package for fine-scale mapping of resistance to dispersal. <b>2020</b> , 20, 819  | 4  |
| 470 | Present and future of the critically endangered <i>Araucaria angustifolia</i> due to climate change and habitat loss. <b>2020</b> , 93, 401-410  | 10 |
| 469 | Molossid unlimited: extraordinary extension of range and unusual vocalization patterns of the bat, <i>Promops centralis</i> . <b>2020</b> , 101, 417-432   | 7  |
| 468 | African swine fever emerging in China: Distribution characteristics and high-risk areas. <b>2020</b> , 175, 104861   | 27 |
| 467 | Land-use change drives present and future distributions of Fall armyworm, <i>Spodoptera frugiperda</i> (J.E. Smith) (Lepidoptera: Noctuidae). <b>2020</b> , 706, 135872  | 17 |
| 466 | Spatiotemporal landscape genetics: Investigating ecology and evolution through space and time. <b>2020</b> , 29, 218-246   | 38 |
| 465 | Potential distribution patterns of scorpions in north-eastern Brazil under scenarios of future climate change. <b>2020</b> , 45, 215-228   | 9  |
| 464 | Climate change jointly with migration ability affect future range shifts of dominant fir species in Southwest China. <b>2020</b> , 26, 352-367   | 16 |
| 463 | Spatial Surveillance of Invasion by Alien Species in a Heterogeneous Ecological Landscape. <b>2020</b> , 11, 1-17  |    |
| 462 | Are population isolations and declines a threat to island endemic water striders? A lesson from demographic and niche modelling of <i>Metrocoris esakii</i> (Hemiptera: Gerridae). <b>2020</b> , 29, 4573-4587 | 0  |
| 461 | Prediction of the Suitable Area of the Chinese White Pines ( <i>Pinus subsect. Strobus</i> ) under Climate Changes and Implications for Their Conservation. <b>2020</b> , 11, 996                              | 10 |
| 460 | Habitat suitability for primate conservation in north-east Brazil. <b>2020</b> , 54, 803-813   | 6  |
| 459 | Biotic interactions govern the distribution of coexisting ungulates in the Arctic Archipelago [A case for conservation planning. <b>2020</b> , 24, e01239  | 4  |



|     |  |    |
|-----|--|----|
| 458 | Identifying suitable reintroduction sites for the White-rumped Vulture ( <i>Gyps bengalensis</i> ) in India's Western Ghats using niche models and habitat requirements. <b>2020</b> , 158, 106034                                 | 3  |
| 457 | Trophic behavior of specialist predators from a macroecological approach: The case of the magellanic woodpecker in south American temperate forests. <b>2020</b> , 24, e01285  | 4  |
| 456 | Fire from policy, human interventions, or biophysical factors? Temporal-spatial patterns of forest fire in southwestern China. <b>2020</b> , 474, 118381   | 16 |
| 455 | Multi-scale habitat modelling and predicting change in the distribution of tiger and leopard using random forest algorithm. <b>2020</b> , 10, 11473  | 18 |
| 454 | Modelling and mapping the current and future potential habitats of the Algero-Tunisian endemic newt <i>Pleurodeles nebulosus</i> under climate change. <b>2020</b> , 66, 1   | 2  |
| 453 | Current occurrence and potential future climatic niche distribution of the invasive shrub <i>Spiraea tomentosa</i> L. in its native and non-native ranges. <b>2020</b> , 24, e01226  | 1  |
| 452 | Ecological niche modeling predicting the potential invasion of the non-native millipede <i>Oxidus gracilis</i> (C. L. Koch, 1847) (Polydesmida: Paradoxosomatidae) in Brazilian Atlantic Forest. <b>2020</b> , 56, 387-394         | 1  |
| 451 | Common Bottlenose Dolphin Protection and Sustainable Boating: Species Distribution Modeling for Effective Coastal Planning. <b>2020</b> , 7,   | 7  |
| 450 | Modelling landscape connectivity change for chimpanzee conservation in Tanzania. <b>2020</b> , 252, 108816   | 6  |
| 449 | How often do they do it? An in-depth analysis of the hybrid zone of two grass snake species ( <i>Natrix astreptophora</i> and <i>Natrix helvetica</i> ). <b>2020</b> , 131, 756-773  | 2  |
| 448 | Incorporating in situ prey distribution into foraging habitat modelling for marine megafauna in the Solor waters of the Savu Sea, Indonesia. <b>2020</b> , 30, 2384-2401   | 5  |
| 447 | Postglacial recolonization of North America by spadefoot toads: integrating niche and corridor modeling to study species range dynamics over geologic time. <b>2020</b> , 43, 1499-1509  | 2  |
| 446 | Assessment of endemic northern swamp deer ( <i>Rucervus duvaucelii duvaucelii</i> ) distribution and identification of priority conservation areas through modeling and field surveys across north India. <b>2020</b> , 24, e01263 | 1  |
| 445 | Habitat suitability modelling for <i>Lagotis cashmeriana</i> (ROYLE) RUPR., a threatened species endemic to Kashmir Himalayan alpine. <b>2020</b> , 1-11   | 0  |
| 444 | Modelling the impact of climate change on Tanzanian forests. <b>2020</b> , 26, 1663-1686   | 6  |
| 443 | Predicting the habitat distribution of rubber plantations with topography, soil, land use, and climatic factors. <b>2020</b> , 192, 598  | 2  |
| 442 | The speciation and adaptation of the polyploids: a case study of the Chinese <i>Isoetes</i> L. diploid-polyploid complex. <b>2020</b> , 20, 118  | 4  |
| 441 | Biogeography, phylogenetic relationships and morphological analyses of the South American genus <i>Mutisia</i> L.f. (Asteraceae) shows early connections of two disjunct biodiversity hotspots. <b>2020</b> , 20, 639-656          | 2  |

|     |   |     |
|-----|---|-----|
| 440 | Species distribution models for the eastern blacklegged tick, <i>Ixodes scapularis</i> , and the Lyme disease pathogen, <i>Borrelia burgdorferi</i> , in Ontario, Canada. <b>2020</b> , 15, e0238126                          | 12  |
| 439 | Hybridization and introgression between toads with different sex chromosome systems. <b>2020</b> , 4, 444-456   | 8   |
| 438 | Quantifying range decline and remaining populations of the large marsupial carnivore of Australia's tropical rainforest. <b>2020</b> , 101, 1021-1034   | 2   |
| 437 | Spatiotemporal evaluation of red flour beetle ( <i>Tribolium castaneum</i> ) dispersion under the effect of climate and topography in South Korea. <b>2020</b> , 89, 101735   | 1   |
| 436 | Niche determinants in a salamander complex: Does hybridism or reproductive parasitism explain patterns of distribution?. <b>2020</b> , 11, e03265   |     |
| 435 | Predicting the Potential Distribution of Apple Canker Pathogen ( <i>Valsa mali</i> ) in China under Climate Change. <b>2020</b> , 11, 1126  | 5   |
| 434 | Habitat-Suitability Model for the Yellow Rail ( <i>Coturnicops noveboracensis</i> ) in the Northern Gulf Coast of Alabama and Mississippi, USA. <b>2020</b> , 12, 848   | 4   |
| 433 | Phylogeography of the widespread white-eared hummingbird ( <i>Hylocharis leucotis</i> ): pre-glacial expansion and genetic differentiation of populations separated by the Isthmus of Tehuantepec. <b>2020</b> , 130, 247-267 | 2   |
| 432 | Soil and root nutrient chemistry structure root-associated fungal assemblages in temperate forests. <b>2020</b> , 22, 3081-3095   | 7   |
| 431 | Concentrated conservation and utilization: Four medicinal crops for diabetes treatment showed similar habitat distribution patterns in China. <b>2020</b> , 152, 112478   | 6   |
| 430 | A standard protocol for reporting species distribution models. <b>2020</b> , 43, 1261-1277  | 141 |
| 429 | Potential Distribution and the Risks of and Its Associated Plant Pathogen <i>Liberibacter Solanacearum</i> for Global Potato Production. <b>2020</b> , 11,  | 8   |
| 428 | What and where? Predicting invasion hotspots in the Arctic marine realm. <b>2020</b> , 26, 4752-4771  | 10  |
| 427 | A leopard's favourite spots: Habitat preference and population density of leopards in a semi-arid biodiversity hotspot. <b>2020</b> , 181, 104218   | 5   |
| 426 | Migratory connectivity of Swan Geese based on species' distribution models, feather stable isotope assignment and satellite tracking. <b>2020</b> , 26, 944-957   | 3   |
| 425 | Potential Effects of Climate Change on the Geographic Distribution of the Endangered Plant Species <i>Manihot walkerae</i> . <b>2020</b> , 11, 689  | 9   |
| 424 | Different processes shape the patterns of divergence in the nuclear and chloroplast genomes of a relict tree species in East Asia. <b>2020</b> , 10, 4331-4342  | 2   |
| 423 | Double-edged effects of climate change on plant invasions: Ecological niche modeling global distributions of two invasive alien plants. <b>2020</b> , 740, 139933   | 13  |

|     |  |    |
|-----|--|----|
| 422 | Risk of the introduction of <i>Lobesia botrana</i> in suitable areas for <i>Vitis vinifera</i> . <b>2020</b> , 93, 1167-1179   | 11 |
| 421 | Local environmental selection and lineage admixture act as significant mechanisms in the adaptation of the widespread East Asian pond skater <i>Gerris latiaabdominis</i> to heterogeneous landscapes. <b>2020</b> , 47, 1154-1165 | 1  |
| 420 | Phylogeny of the Eurasian Wren <i>Nannus troglodytes</i> (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns of Ibero-Maghrebian and Cyrenaican populations. <b>2020</b> , 15, e0230151         | 2  |
| 419 | Predicted distributions of avian specialists: A framework for conservation of endangered forests under future climates. <b>2020</b> , 26, 652-667  | 7  |
| 418 | Seeing the forest through many trees: Multi-taxon patterns of phylogenetic diversity in the Atlantic Forest hotspot. <b>2020</b> , 26, 1160-1176   | 9  |
| 417 | Recognizing sources of uncertainty in disease vector ecological niche models: An example with the tick <i>Rhipicephalus sanguineus sensu lato</i> . <b>2020</b> , 18, 91-102   | 7  |
| 416 | Current and future spatial assessment of biological control as a mechanism to reduce economic losses and carbon emissions: the case of <i>Solanum sisymbriifolium</i> in Africa. <b>2020</b> , 76, 2395-2405                       | 5  |
| 415 | Niche dynamics and potential distribution of <i>Butomus umbellatus</i> under current and future climate scenarios in North America. <b>2020</b> , 847, 1505-1520   | 3  |
| 414 | Mapping of the <i>Steneotarsonemus spinki</i> invasion risk in suitable areas for rice ( <i>Oryza sativa</i> ) cultivation using MaxEnt. <b>2020</b> , 80, 445-461   | 5  |
| 413 | Global distribution patterns and niche modelling of the invasive <i>Kalanchoe pinnatifida</i> (Crassulaceae). <b>2020</b> , 10, 3143   | 6  |
| 412 | Extinction threat to neglected <i>Plinia edulis</i> exacerbated by climate change, yet likely mitigated by conservation through sustainable use. <b>2020</b> , 45, 376-383   | 3  |
| 411 | Marmots from space: assessing population size and habitat use of a burrowing mammal using publicly available satellite images. <b>2020</b> , 6, 153-167  | 4  |
| 410 | West to east shift in range predicted for Himalayan Langur in climate change scenario. <b>2020</b> , 22, e00926  | 7  |
| 409 | Under predicted climate change: Distribution and ecological niche modelling of six native tree species in Gilgit-Baltistan, Pakistan. <b>2020</b> , 111, 106049  | 27 |
| 408 | Habitat transformation and climate change: Implications for the distribution, population status, and colony extinction of Southern Bald Ibis ( <i>Geronticus calvus</i> ) in southern Africa. <b>2020</b> , 122,                   | 1  |
| 407 | Temporal landscape genetic data indicate an ongoing disruption of gene flow in a relict bird species. <b>2020</b> , 21, 329-340  | 3  |
| 406 | Pollution control can help mitigate future climate change impact on European grayling in the UK. <b>2020</b> , 26, 517-532   | 2  |
| 405 | Potential distribution and predator-prey interactions with terrestrial vertebrates of four pet commercialized exotic snakes in Mexico. <b>2020</b> , 103, 103526   | 2  |

|     |  |    |
|-----|--|----|
| 404 | Is the lady's-slipper orchid ( <i>Cypripedium calceolus</i> ) likely to shortly become extinct in Europe?-Insights based on ecological niche modelling. <b>2020</b> , 15, e0228420   | 13 |
| 403 | Past, present and future distributions of bumblebees in South America: Identifying priority species and areas for conservation. <b>2020</b> , 57, 1829-1839  | 10 |
| 402 | Influence of late Quaternary climate on the biogeography of Neotropical aquatic species as reflected by non-marine ostracodes. <b>2020</b> , 17, 145-161   | 3  |
| 401 | A multi-scale, multi-species approach for assessing effectiveness of habitat and connectivity conservation for endangered felids. <b>2020</b> , 245, 108523  | 31 |
| 400 | Rapid Shifts in the Temperature Dependence of Locomotor Performance in an Invasive Frog, <i>Xenopus laevis</i> , Implications for Conservation. <b>2020</b> , 60, 456-466  | 6  |
| 399 | Hide-and-seek with hoverflies: <i>Merodon aureus</i> ♀ species, a complex or a subgroup?. <b>2020</b> , 190, 974-1001  | 3  |
| 398 | How many species of angulate tortoises occur in Southern Africa? (Testudines: Testudinidae: <i>Chersina</i> ). <b>2020</b> , 49, 412-426   | 1  |
| 397 | The potential distribution and dynamics of important vectors <i>Culex pipiens pallens</i> and <i>Culex pipiens quinquefasciatus</i> in China under climate change scenarios: an ecological niche modelling approach. <b>2020</b> , 76, 3096-3107 | 5  |
| 396 | The moss genus <i>Didymodon</i> as an indicator of climate change on the Tibetan Plateau. <b>2020</b> , 113, 106204  | 10 |
| 395 | Assessment of effective conservation of the Sichuan takin by giant panda reserves through functional zoning. <b>2020</b> , 15, 558-568   | 1  |
| 394 | Predicting the dynamic distribution of Sphagnum bogs in China under climate change since the last interglacial period. <b>2020</b> , 15, e0230969  | 6  |
| 393 | The failed invasion of <i>Harmonia axyridis</i> in the Azores, Portugal: Climatic restriction or wrong population origin?. <b>2021</b> , 28, 238-250   | 7  |
| 392 | Ecological niche divergence contributes species differentiation in worm lizards ( <i>Blanus</i> sp.) (Squamata: Amphisbaenia: Blanidae) in Mediterranean part of Anatolian peninsula and the Levantine region. <b>2021</b> , 76, 525-532         | 3  |
| 391 | Geoclimatic factors influence the population genetic connectivity of <i>Incarvillea arguta</i> (Bignoniaceae) in the Himalaya-Hengduan Mountains biodiversity hotspot. <b>2021</b> , 59, 151-168   | 7  |
| 390 | Oh the places they'll go: improving species distribution modelling for invasive forest pests in an uncertain world. <b>2021</b> , 23, 297-349  | 10 |
| 389 | Maximum entropy model: Estimating the relative suitability of cetacean habitat in the northern Savu Sea, Indonesia. <b>2021</b> , 37, 6-28   | 4  |
| 388 | Potential geographical distribution and habitat shift of the genus <i>Ammopiptanthus</i> in China under current and future climate change based on the MaxEnt model. <b>2021</b> , 184, 104328   | 17 |
| 387 | The dynamics of historical and recent range shifts in the ruffed grouse ( <i>Bonasa umbellus</i> ). <b>2021</b> , 162, 43-52   | 0  |

|     |   |    |
|-----|---|----|
| 386 | Environmental niche and functional role similarity between invasive and native palms in the Atlantic Forest. <b>2021</b> , 23, 741-754  | 3  |
| 385 | Identifying high-priority conservation areas for endangered waterbirds using a flagship species in the Korean DMZ. <b>2021</b> , 159, 106080  | 3  |
| 384 | Could wild boar be the Trans-Siberian transmitter of African swine fever?. <b>2021</b> , 68, 1465-1475  | 3  |
| 383 | Giants are coming? Predicting the potential spread and impacts of the giant Asian hornet ( <i>Vespa mandarinia</i> , Hymenoptera:Vespidae) in the USA. <b>2021</b> , 77, 104-112                          | 15 |
| 382 | Evaluating the invasion risk of longhorn crazy ants ( <i>Paratrechina longicornis</i> ) in South Korea using spatial distribution model. <b>2021</b> ,  | 3  |
| 381 | Brazilian stingless bees are threatened by habitat conversion and climate change. <b>2021</b> , 21, 1   | 2  |
| 380 | Potential Movement Corridors and High Road-Kill Likelihood do not Spatially Coincide for Felids in Brazil: Implications for Road Mitigation. <b>2021</b> , 67, 412-423                                    | 7  |
| 379 | Potential Himalayan community turnover through the Late Pleistocene. <b>2021</b> , 164, 1   | 1  |
| 378 | Identifying priority core habitats and corridors for effective conservation of brown bears in Iran. <b>2021</b> , 11, 1044  | 16 |
| 377 | Richness patterns of endemic and threatened conifers in south-west China: topographic-soil fertility explanation. <b>2021</b> , 16, 034017  | 4  |
| 376 | Potential distribution of Guiana dolphin ( <i>Sotalia guianensis</i> ): a coastal-estuarine and tropical habitat specialist. <b>2021</b> , 102, 308-318   | 0  |
| 375 | Spatiotemporal dynamics of habitat suitability for the Ethiopian staple crop, (teff), under changing climate. <b>2021</b> , 9, e10965   | 1  |
| 374 | Prediction of Potential Geographical Distribution Patterns of <i>Actinidia arguta</i> under Different Climate Scenarios. <b>2021</b> , 13, 3526   | 2  |
| 373 | Present and Future Ecological Niche Modeling of Rift Valley fever in East Africa in Response to Climate Change.   |    |
| 372 | Mapping Invasion Potential of the Pest from Central Asia, (Coleoptera: Curculionidae: Scolytinae), in the Shelter Forests of Northwest China. <b>2021</b> , 12,   | 1  |
| 371 | Relationship between net primary production and climate change in different vegetation zones based on EEMD detrending [A case study of Northwest China. <b>2021</b> , 122, 107276                         | 10 |
| 370 | Invasion of <i>Lantana camara</i> L. and its response to climate change in the mountains of Eastern Ghats. <b>2021</b> , 76, 1391-1408  | 0  |
| 369 | Modelled distribution of an invasive alien plant species differs at different spatiotemporal scales under changing climate: a case study of <i>Parthenium hysterophorus</i> L.. <b>2021</b> , 62, 398-417 | 4  |

|     |   |    |
|-----|---|----|
| 368 | Bioacoustics for in situ validation of species distribution modelling: An example with bats in Brazil.  |    |
| 367 | Historical, current, and future climate niche of the red dwarf honey bee across its native range. 1-13  | 1  |
| 366 | First Detection of <i>Batrachochytrium dendrobatidis</i> in Wild Frogs from Bangladesh. <b>2021</b> , 18, 31-43   |    |
| 365 | Reduction in the potential distribution of bumble bees (Apidae: <i>Bombus</i> ) in Mesoamerica under different climate change scenarios: Conservation implications. <b>2021</b> , 27, 1772-1787                           | 8  |
| 364 | Will climate change impact distribution of bats in Nepal Himalayas? A case study of five species. <b>2021</b> , 26, e01483  | 2  |
| 363 | Development of Tools for Coastal Management in Google Earth Engine: Uncertainty Bathtub Model and Bruun Rule. <b>2021</b> , 13, 1424  | 3  |
| 362 | Geographical distribution and migration routes of the medical bryophyte, <i>Climacium dendroides</i> , under climate warming in China. 1-8  | 1  |
| 361 | Modelling the Effects of Climate Change on the Distribution of Endangered <i>Cypripedium japonicum</i> in China. <b>2021</b> , 12, 429  | 3  |
| 360 | A Robust Prediction Model for Species Distribution Using Bagging Ensembles with Deep Neural Networks. <b>2021</b> , 13, 1495  | 4  |
| 359 | From Phenology and Habitat Preferences to Climate Change: Importance of Citizen Science in Studying Insect Ecology in the Continental Scale with American Red Flat Bark Beetle, as a Model Species. <b>2021</b> , 12,     | 3  |
| 358 | Distribution of Temminck's pangolin ( <i>Smutsia temminckii</i> ) in South Africa, with evaluation of questionable historical and contemporary occurrence records. <b>2021</b> , 59, 597-604                              | 1  |
| 357 | Reproductive traits explain occupancy of predicted distributions in a genus of eastern North American understory herbs. <b>2021</b> , 27, 1489-1506   | 0  |
| 356 | Species-Distribution Modeling: Advantages and Limitations of Its Application. 1. General Approaches. <b>2021</b> , 11, 254-264  | 3  |
| 355 | Climate change and its effect on the vulnerability to zoonotic cutaneous leishmaniasis in Iran. <b>2021</b> ,   | 3  |
| 354 | Cetacean habitat modelling to inform conservation management, marine spatial planning, and as a basis for anthropogenic threat mitigation in Indonesia. <b>2021</b> , 205, 105555   | 3  |
| 353 | Spatiotemporal patterns and ecological consequences of a fragmented landscape created by damming. <b>2021</b> , 9, e11416   | 2  |
| 352 | Species-Distribution Modeling: Advantages and Limitations of Its Application. 2. MaxEnt. <b>2021</b> , 11, 265-275  | 10 |
| 351 | Reusing Old and Producing New Data Is Useful for Species Delimitation in the Taxonomically Controversial Iberian Endemic Pair <i>Petrocoptis montsiciana</i> / <i>P. pardoii</i> (Caryophyllaceae). <b>2021</b> , 13, 205 | 1  |

|     |   |   |
|-----|---|---|
| 350 | Landscape epidemiology of <i>Batrachochytrium</i> salamandrivorans: reconciling data limitations and conservation urgency. <b>2021</b> , 31, e02342   | 0 |
| 349 | Atlantic Forest: centres of diversity and endemism for ferns and lycophytes and conservation status. <b>2021</b> , 30, 2207-2222  | 1 |
| 348 | Species distribution models for two subspecies of <i>Dodonaea viscosa</i> (Sapindaceae) in Indonesia. <b>2021</b> , 743, 012027   |   |
| 347 | Modelling current and future potential distributions of <i>Vachellia tortilis</i> (Forssk.) Hayne subsp. <i>raddiana</i> (Savi.) Brenan var. <i>raddiana</i> under climate change in Tunisia. | 0 |
| 346 | Potential Distribution of Colonizing Nine-Banded Armadillos at Their Northern Range Edge. <b>2021</b> , 13, 266   | 1 |
| 345 | Predicting shifts in distribution range and niche breadth of plant species in contrasting arid environments under climate change. <b>2021</b> , 193, 427                                      | 3 |
| 344 | Impact of climate change on Asiatic black bear ( <i>Ursus thibetanus</i> ) and its autumn diet in the northern highlands of Pakistan. <b>2021</b> , 27, 4294-4306                             | 5 |
| 343 | Potential areas for the establishment of citrus leprosis virus vectors, <i>Brevipalpus</i> spp., in Mexico. <b>2021</b> , 84, 365-388   |   |
| 342 | Integrating spatial analysis and questionnaire survey to better understand human-onager conflict in Southern Iran. <b>2021</b> , 11, 12423  | 5 |
| 341 | Underlying microevolutionary processes parallel macroevolutionary patterns in ancient neotropical mountains. <b>2021</b> , 48, 2312-2327  | 0 |
| 340 | Projected shifts in the distribution range of Asiatic black bear ( <i>Ursus thibetanus</i> ) in the Hindu Kush Himalaya due to climate change. <b>2021</b> , 63, 101312                       | 7 |
| 339 | Potential distribution of <i>Leptospermum</i> species (Myrtaceae) in Australia for bioactive honey production purposes. 1-12  | 2 |
| 338 | Ecological specialization promotes diversity and diversification in the Eastern Mediterranean genus <i>Ricotia</i> (Brassicaceae).  | 1 |
| 337 | Broad-scale patterns of geographic avoidance between species emerge in the absence of fine-scale mechanisms of coexistence. <b>2021</b> , 27, 1606-1618                                       | 0 |
| 336 | What Makes a Hot-Spring Habitat Hot? For the Hot-Spring Snake: Distributional Data and Niche Modelling for the Genus <i>Thermophis</i> (Serpentes, Colubridae). <b>2021</b> , 13, 325         |   |
| 335 | Making the connection: combining habitat suitability and landscape connectivity to understand species distribution in an agricultural landscape. <b>2021</b> , 36, 2795-2809                  | 1 |
| 334 | Taxonomy and ecology of genus <i>Phlogophora</i> Treitschke, 1825 (Lepidoptera: Noctuidae) in Indian Himalaya with description of a new species. <b>2021</b> , 5004, 311-342                  |   |
| 333 | Variable precipitation leads to dynamic range limits of forest songbirds at a forest-grassland ecotone. <b>2021</b> , 11, 11123-11133   | 1 |

|     |   |    |
|-----|---|----|
| 332 | Climate-based ensemble modelling to evaluate the global distribution of <i>Anoplophora glabripennis</i> (Motschulsky). <b>2021</b> , 23, 569  | 1  |
| 331 | A Test of Species Distribution Model Transferability Across Environmental and Geographic Space for 108 Western North American Tree Species. <b>2021</b> , 9,  | 5  |
| 330 | A new approach of deep neural computing for spatial prediction of wildfire danger at tropical climate areas. <b>2021</b> , 63, 101300   | 10 |
| 329 | Two species of the <i>Rhodiola yunnanensis</i> species complex distributed around the Sichuan Basin of China: Speciation in a ring?.  |    |
| 328 | Modeling the distribution of the Near Eastern fire salamander ( <i>Salamandra infraimmaculata</i> ) and Kurdistan newt ( <i>Neurergus derjugini</i> ) under current and future climate conditions in Iraq. <b>2021</b> , 63, 101309 | 6  |
| 327 | Integrating Livestock Grazing and Sympatric Takin to Evaluate the Habitat Suitability of Giant Panda in the Wanglang Nature Reserve. <b>2021</b> , 11,  | 1  |
| 326 | Habitat-linked genetic structure for white-crowned sparrow ( <i>Zonotrichia leucophrys</i> ): Local factors shape population genetic structure. <b>2021</b> , 11, 11700-11717   | 0  |
| 325 | Predicting the distributions of <i>Pouteria adolfi-friederici</i> and <i>Prunus africana</i> iconic tree species under current and future climate change scenarios in Ethiopia.   |    |
| 324 | Limited refugia and high velocity range-shifts predicted for bat communities in drought-risk areas of the Northern Hemisphere. <b>2021</b> , 28, e01608   | 4  |
| 323 | Predicting Impacts of Climate Change on Northward Range Expansion of Invasive Weeds in South Korea. <b>2021</b> , 10,   | 7  |
| 322 | Ensemble evaluation of the potential risk areas of yellow-legged hornet distribution. <b>2021</b> , 193, 601  | 4  |
| 321 | Habitat suitability and connectivity implications for the conservation of the Persian leopard along the Iran-Iraq border. <b>2021</b> , 11, 13464-13474   | 6  |
| 320 | United States port interceptions and predicted climate suitability of the red dwarf honeybee, <i>Apis florea</i> (Hymenoptera: Apidae), with notes on its identification. <b>2021</b> , 52, 915-932                                 |    |
| 319 | Mitochondrial Differentiation and Biogeography of Rock Nuthatches. <b>2021</b> , 109,   |    |
| 318 | Patterns of morphological differentiation within <i>Manacus manacus</i> (Aves: Pipridae) in Colombia: revisiting hypotheses of isolation and secondary contact.   |    |
| 317 | Setting priority conservation management regions to reverse rapid range decline of a key neotropical forest ungulate. <b>2021</b> , 31, e01796  | 0  |
| 316 | Spatial conservation prioritization for the Amur tiger in Northeast China. <b>2021</b> , 12, e03758   | 1  |
| 315 | The biogeography of the Mediterranean Taurus Mountains: Illustrating how complex topography and climatic conditions have shaped their biodiversity.   |    |



- 314 Linking the past and present to predict the distribution of Asian crested ibis (*Nipponia nippon*) under global changes. **2021**, 0
- 313 On Additional Samples of *Vipera berus barani* Břime and Joger, 1983 (Reptilia: Ophidia: Viperidae). 1725-1733
- 312 Want to model a species niche? A step-by-step guideline on correlative ecological niche modelling. **2021**, 456, 109671 9
- 311 Modeling potential hotspots of invasive *Prosopis juliflora* (Swartz) DC in India. **2021**, 64, 101386 2
- 310 Assessment of connectivity between core habitats of the red dwarf honey bees in Iran based on climate and environmental niche modeling. 1-13 0
- 309 Evaluating the Influence of Climate Change on *Sophora moorcroftiana* (Benth.) Baker Habitat Distribution on the Tibetan Plateau Using Maximum Entropy Model. **2021**, 12, 1230 2
- 308 A global assessment of the potential distribution of naturalized and planted populations of the ornamental alien tree *Schinus molle*. 68, 105-126
- 307 White-bellied heron a species on the verge of extinction: Ensemble model reveals loss of habitats and resultant prolonged isolation driving the species to extinction. **2021**, 64, 101383 1
- 306 Relationship between niche breadth and range shifts of *Rhinopoma muscatellum* (Chiroptera: Rhinopomatidae) in climate change scenarios in arid and semiarid mountainous region of Iran. **2021**, 18, 2357-2376 2
- 305 A step towards SDMs: A double-and-weight framework based on accessible data for biodiversity conservation and landscape planning. 1
- 304 Dynamics of invasive alien plant species in China under climate change scenarios. **2021**, 129, 107919 4
- 303 Identifying and prioritizing aquatic habitats for conservation in a poorly studied region. **2021**, 63, 126043
- 302 Predicting the potential distribution of wintering Asian Great Bustard (*Otis tarda dybowskii*) in China: Conservation implications. **2021**, 31, e01817 0
- 301 Methodological analysis of bioclimatic variable selection in species distribution modeling with application to agricultural pests (*Metcalfa pruinosa* and *Spodoptera litura*). **2021**, 190, 106430 2
- 300 Forecasting the effects of bioclimatic characteristics and climate change on the potential distribution of *Colophospermum mopane* in southern Africa using Maximum Entropy (Maxent). **2021**, 65, 101419 4
- 299 The impact of global warming on the niches and pollinator availability of sexually deceptive orchid with a single pollen vector. **2021**, 795, 148850 0
- 298 Potential distribution of four vectors of American Cutaneous Leishmaniasis: The effect of El Niřo and La Niřa episodes from the perspective of the ecological niche. **2021**, 223, 105894 1
- 297 Predicting the invasion risk of non-native reptiles as pets in the Middle East. **2021**, 31, e01818

|     |  |    |
|-----|--|----|
| 296 | Integration of phlebotomine ecological niche modelling, and mapping of cutaneous leishmaniasis surveillance data, to identify areas at risk of under-estimation. <b>2021</b> , 224, 106122   | 0  |
| 295 | Geographical distribution of As-hyperaccumulator <i>Pteris vittata</i> in China: Environmental factors and climate changes. <b>2022</b> , 803, 149864  | 4  |
| 294 | Mountain frog species losing out to climate change around the Sichuan Basin. <b>2022</b> , 806, 150605   | 1  |
| 293 | Impact of Past and Future Climate Change on the Potential Distribution of an Endangered Montane Shrub <i>Lonicera oblata</i> and Its Conservation Implications. <b>2021</b> , 12, 125        | 10 |
| 292 | Predicting the Distribution of the Invasive Species : Combining MaxEnt and Geodetector Models. <b>2021</b> , 12,   | 4  |
| 291 | Predicting the future redistribution of Chinese white pine <i>Pinus armandii</i> Franch. Under climate change scenarios in China using species distribution models. <b>2021</b> , 25, e01420 | 8  |
| 290 | Changes of <i>Taxus chinensis</i> var. <i>mairei</i> habitat distribution under global climate change. <b>2021</b> , 36, 783   | 2  |
| 289 | Wetlands rise and fall: Six endangered wetland species showed different patterns of habitat shift under future climate change. <b>2020</b> , 731, 138518                                     | 14 |
| 288 | Current and potential future distributions of Hass avocados in the face of climate change across the Americas. <b>2019</b> , 70, 694   | 10 |
| 287 | The fate of standing variation and new mutation under climate change.  | 1  |
| 286 | Identifying Priority Landscapes for Conservation of Snow Leopards in Pakistan.   | 1  |
| 285 | Mapping current and potential future distributions of the oak tree ( <i>Quercus aegilops</i> ) in the Kurdistan Region, Iraq. <b>2020</b> , 9,   | 10 |
| 284 | Multi-scale habitat selection and impacts of climate change on the distribution of four sympatric meso-carnivores using random forest algorithm. <b>2020</b> , 9,                            | 3  |
| 283 | Assessment of the Geographic Distribution of <i>Ornithodoros turicata</i> (Argasidae): Climate Variation and Host Diversity. <b>2016</b> , 10, e0004383                                      | 41 |
| 282 | Epidemic and Non-Epidemic Hot Spots of Malaria Transmission Occur in Indigenous Comarcas of Panama. <b>2016</b> , 10, e0004718   | 13 |
| 281 | <i>Schistosoma japonicum</i> transmission risk maps at present and under climate change in mainland China. <b>2017</b> , 11, e0006021  | 19 |
| 280 | Predicting Impacts of Future Climate Change on the Distribution of the Widespread Conifer <i>Platycladus orientalis</i> . <b>2015</b> , 10, e0132326   | 36 |
| 279 | Spatial Biodiversity Patterns of Madagascar's Amphibians and Reptiles. <b>2016</b> , 11, e0144076  | 23 |

|     |  |    |
|-----|--|----|
| 278 | Predicting the Potential Distribution of <i>Polygala tenuifolia</i> Willd. under Climate Change in China. <b>2016</b> , 11, e0163718   | 23 |
| 277 | Current and Future Distribution of the Tropical Tree <i>Cedrela odorata</i> L. in Mexico under Climate Change Scenarios Using MaxLike. <b>2016</b> , 11, e0164178  | 12 |
| 276 | Combining dispersal, landscape connectivity and habitat suitability to assess climate-induced changes in the distribution of Cunningham's skink, <i>Egernia cunninghami</i> . <b>2017</b> , 12, e0184193 | 11 |
| 275 | Genetic and ecological insights into glacial refugia of walnut ( <i>Juglans regia</i> L.). <b>2017</b> , 12, e0185974  | 20 |
| 274 | Identifying priority landscapes for conservation of snow leopards in Pakistan. <b>2020</b> , 15, e0228832  | 9  |
| 273 | Environmental features of the distribution areas and climate sensitivity assesment of Korean Fir and Khinghan Fir. <b>2015</b> , 24, 260-277   | 9  |
| 272 | Forecasting the spread associated with climate change in Eastern Europe of the invasive Asiatic flea beetle, <i>Luperomorpha xanthodera</i> (Coleoptera: Chrysomelidae). 117, 130-138                    | 10 |
| 271 | Climate change impact on endangered cloud forest tree species in Mexico. <b>2019</b> , 90,   | 3  |
| 270 | Land Conversion for Solar Facilities and Urban Sprawl in Southwest Deserts Causes Different Amounts of Habitat Loss for <i>Ashmeadiella</i> Bees. <b>2020</b> , 92, 468                                  | 4  |
| 269 | Zoning of the republic of Kazakhstan as to the risk of natural focal diseases in animals: the case of rabies and anthrax. <b>2020</b> , 13, 134-144  | 1  |
| 268 | Climate-Driven Range Shifts of the Sharp-Tailed Grouse <i>Tympanuchus phasianellus</i> . <b>2020</b> , 54, 213   | 2  |
| 267 | Effects of spatial resolution on predicting the distribution of aquatic invasive species in nearshore marine environments. <b>2016</b> , 556, 17-30  | 15 |
| 266 | Distributional changes in a guild of non-indigenous tunicates in the NW Atlantic under high-resolution climate projections. <b>2017</b> , 570, 173-186   | 6  |
| 265 | The Winter Habitat Selection of Red Deer ( <i>Cervus elaphus</i> ) Based on a Multi-Scale Model. <b>2020</b> , 10,   | 1  |
| 264 | The great capricorn beetle <i>Cerambyx cerdo</i> L. in south-western Poland [The current state and perspectives of conservation in one of the recent distribution centres in Central Europe. 19, 111-134 | 3  |
| 263 | Prioritising potential incursions for contingency planning: pathways, species, and sites in Durban (eThekweni), South Africa as an example. 47, 1-21   | 4  |
| 262 | Updating the distribution of <i>Vampyrum spectrum</i> (Chiroptera, Phyllostomidae) in Colombia: new localities, potential distribution and notes on its conservation. <b>2020</b> , 15, 689-709          | 1  |
| 261 | Habitat Suitability & Connectivity of Alborz Wild Sheep in the East of Tehran, Iran. <b>2016</b> , 06, 325-342   | 3  |

|     |  |     |
|-----|--|-----|
| 260 | Simulation of potential habitat overlap between red deer ( <i>Cervus elaphus</i> ) and roe deer ( <i>Capreolus capreolus</i> ) in northeastern China. <b>2016</b> , 4, e1756   | 13  |
| 259 | Climate, soil or both? Which variables are better predictors of the distributions of Australian shrub species?. <b>2017</b> , 5, e3446   | 31  |
| 258 | Phylogeographic investigation and ecological niche modelling of the endemic frog species revealed multiple refugia in the eastern Tibetan Plateau. <b>2017</b> , 5, e3770  | 11  |
| 257 | Influence of current climate, historical climate stability and topography on species richness and endemism in Mesoamerican geophyte plants. <b>2017</b> , 5, e3932   | 19  |
| 256 | SDMtoolbox 2.0: the next generation Python-based GIS toolkit for landscape genetic, biogeographic and species distribution model analyses. <b>2017</b> , 5, e4095  | 313 |
| 255 | Historical connections among river basins and climatic changes explain the biogeographic history of a water rat. <b>2018</b> , 6, e5333  | 3   |
| 254 | Impacts of climate change on L. based on ecological niche modeling. <b>2018</b> , 6, e5792   | 13  |
| 253 | First steps towards assessing the evolutionary history and phylogeography of a widely distributed Neotropical grassland bird ( <i>Motacillidae</i> : ). <b>2018</b> , 6, e5886   | 8   |
| 252 | Niche modeling for the genus ( <i>Squamata</i> : <i>Agamidae</i> ) in Australia: predicting past (late Quaternary) and future (2070) areas of suitable habitat. <b>2018</b> , 6, e6128   | 6   |
| 251 | Reconstruction of past distribution for the Mongolian toad, ( <i>Anura</i> : <i>Bufo</i> ) using environmental modeling. <b>2020</b> , 8, e9216  | 1   |
| 250 | OUP accepted manuscript.   | 0   |
| 249 | Integrating Gap Analysis and Corridor Design with Less Used Species Distribution Models to Improve Conservation Network for Two Rare Mammal Species ( <i>Gazella bennettii</i> and <i>Vulpes cana</i> ) in Central Iran. <b>2021</b> , 14, 550-563 | 0   |
| 248 | Bioacoustics for in situ validation of species distribution modelling: An example with bats in Brazil. <b>2021</b> , 16, e0248797  | 1   |
| 247 | Setting the priorities straight - Species distribution models assist to prioritize conservation targets for the mangroves. <b>2022</b> , 806, 150937   | 0   |
| 246 | Rapid range expansion predicted for the Common Grackle ( <i>Quiscalus quiscula</i> ) in the near future under climate change scenarios. <b>2021</b> , 12,  | 0   |
| 245 | Distribution analysis of <i>Leptoglossus occidentalis</i> Heidemann ( <i>Heteroptera</i> : <i>Coreidae</i> ) in South Korea using climate and host plant ensemble maps. <b>2021</b> , 24, 1077-1086  | 0   |
| 244 | Stable climate corridors promote gene flow in the Cape sand snake species complex ( <i>Psammophiidae</i> ).  | 0   |
| 243 | Ensemble ecological niche modeling of West Nile virus probability in Florida. <b>2021</b> , 16, e0256868   | 3   |

|     |  |   |
|-----|--|---|
| 242 | Population ecology and habitat suitability modelling of <i>Betula utilis</i> D. Don in the sub-alpine ecosystem of Great Himalayan National Park, North-Western Indian Himalaya: a UNESCO World Heritage site. <b>2021</b> , 87, 640 | 0 |
| 241 | Future landscape of renewable fuel resources: Current and future conservation and utilization of main biofuel crops in China. <b>2022</b> , 806, 150946  | 1 |
| 240 | Global distribution of soapberries ( <i>Sapindus</i> L.) habitats under current and future climate scenarios. <b>2021</b> , 11, 19740  | 1 |
| 239 | Species Distribution Models of the Loisel in Its Origin and Invasive Country Reveal an Ecological Niche Shift. <b>2021</b> , 12, 738769  | 2 |
| 238 | Predicting distribution and range dynamics of <i>Trillium govanianum</i> under climate change and growing human footprint for targeted conservation. <b>2022</b> , 223, 53   | 0 |
| 237 | The mitochondrial phylogeography of the Crimean endemic lizard <i>Darevskia lindholmi</i> (Sauria, Lacertidae): Hidden diversity in an isolated mountain system. 71, 559-576   |   |
| 236 | Projected Impact of Climate Change on Habitat Suitability of a Vulnerable Endemic <i>Vachellia negrii</i> (pic.serm.) kyal. & Boatwr (Fabaceae) in Ethiopia. <b>2021</b> , 13, 11275   | 0 |
| 235 | Centers of richness and endemism of Lauraceae in the Espinhaço Range, Brazil. <b>2021</b> , 285, 151943  |   |
| 234 | Regional Vulnerability Assessment of Invasive Alien Plants in Seoul and Gyeonggi Province. <b>2015</b> , 18, 1-13  | 1 |
| 233 | A constraint-based model reveals hysteresis in island biogeography.  |   |
| 232 | KRESEL KLIM DEKLIN ORIGANUM MINUTIFLORUM SCHWARZ & P. H. DAVIS IN COBAF<br>DALLIMINA ETKSNN MAXIMUM ENTROPYALGORITMASI IE TAHMNN   | 2 |
| 231 | Ecological niche modelling of the wattled crane ( <i>Bugeranus carunculatus</i> ) suggest range expansion and contraction during the Pleistocene.  |   |
| 230 | Modeling impacts of climate change on the potential habitat of an endangered Brazilian endemic coral: discussion about deep sea refugia.   |   |
| 229 | Mapping changes in the spatiotemporal distribution of lumpy skin disease virus.  | 0 |
| 228 | Distribuci3 potencial bajo escenarios de cambio clim3tico de corales del g3nero <i>Pocillopora</i> (Anthozoa: Scleractinia) en el Pac3fico oriental tropical. <b>2019</b> , 90,  | 2 |
| 227 | Effects of prey turnover on poison frog toxins: a landscape ecology approach to assess how biotic interactions affect species phenotypes.  | 1 |
| 226 | Predicting the potential distribution of the endemic seabird in the Humboldt Current Large Marine Ecosystem under different climate change scenarios. <b>2019</b> , 7, e7642   | 0 |
| 225 | Conservation of Pleske's Racerunner ( <i>Eremias pleskei</i> ) in a Changing Climate. <b>2019</b> , 56, 93   |   |

- 224 Species distribution modeling and conservation assessment of the black-headed night monkey (*Aotus nigriceps*) [A species of Least Concern that faces widespread anthropogenic threats. 1
- 223 New Locality Record of *Platyceps najadum* (Eichwald, 1831) With Ecological Niche Modeling in Turkey. 855-864
- 222 Late Quaternary Range Dynamics in the Common Grackle *Quiscalus quiscula*. **2020**, 108, 95 1
- 221 Underlying microevolutionary processes parallel macroevolutionary patterns in ancient Neotropical Mountains.
- 220 Distribution modelling of the Pudu deer (*Pudu puda*) in southern Chile. 41, 47-69 0
- 219 Ecological specialization promotes diversity and diversification in the East Mediterranean genus *Ricotia* (Brassicaceae).
- 218 Assessing distribution changes of selected native and alien invasive plant species under changing climatic conditions in Nyeri County, Kenya. 1
- 217 THE DYNAMICS OF HISTORICAL AND RECENT RANGE SHIFTS IN THE RUFFED GROUSE (*Bonasa umbellus*).
- 216 Predicting the Potential Distribution of Perennial Plant *Coptis chinensis* Franch. in China under Multiple Climate Change Scenarios. **2021**, 12, 1464 2
- 215 Ecological niche complexity of invasive and native cryptic species of the *Bemisia tabaci* species complex in China. 1 2
- 214 Estimation of the Climate Preference Between Two Lineages of Europe-an Ground Squirrel Using Maximum Entropy Modeling. 328-341 1
- 213 Impacts of climate change on extant Ailurids. **2022**, 369-392 1
- 212 Status and potential distribution of the Asian carpenter bee, *Xylocopa appendiculata* Smith (*Apidae*, *Xylocopini*), in the United States. 76, 99-111
- 211 Interspecific Variance of Suitable Habitat Changes for Four Alpine *Rhododendron* Species under Climate Change: Implications for Their Reintroductions. **2021**, 12, 1520 1
- 210 Current and future distribution of the deciduous shrub in China estimated by MaxEnt. **2021**, 11, 16099-16112 3
- 209 Cetacean habitat modelling to inform conservation management, marine spatial planning, and as a basis for anthropogenic threat mitigation in Indonesia.
- 208 Assessment of endemic northern swamp deer (*Rucervus duvaucelii duvaucelii*) distribution and identification of priority conservation areas through modeling and field surveys across north India.
- 207 Climate Change Alarms the Survival of Near Threatened Species Malayan Giant Squirrel (*Ratufa bicolor* Sparrman, 1778) in India. **2020**, 45, 0

|     |  |   |
|-----|--|---|
| 206 | Assessing tiger corridor functionality with landscape genetics and modelling across Terai-Arc Landscape, India.  | 0 |
| 205 | Tracking the Rain Bird—Modeling the monthly distribution of Pied cuckoo in India.  | 1 |
| 204 | Research of the ecologo-climatical niche of <i>Brunnera sibirica</i> Stev.. 6, 413-421   |   |
| 203 | Spatial distribution modeling of the wild boar ( <i>Sus scrofa</i> ) under current and future climate conditions in Iraq. <b>2022</b> , 77, 369  | 0 |
| 202 | Cattle Grazing Effects on Vegetation and Wild Ungulates in the Forest Ecosystem of a National Park in Northeastern China. <b>2021</b> , 9,   | 0 |
| 201 | Reconciling biome-wide conservation of an apex carnivore with land-use economics in the increasingly threatened Pantanal wetlands. <b>2021</b> , 11, 22808   | 1 |
| 200 | Invasive hornets on the road: motorway-driven dispersal must be considered in management plans of <i>Vespa velutina</i> . 69, 177-198  | 3 |
| 199 | The Effects of Climate Change on Landscape Connectivity and Genetic Clusters in a Small Subtropical and Warm-Temperate Tree. <b>2021</b> , 12, 671336  |   |
| 198 | Geographic concordance of genetic barriers in New Zealand coastal marine species. <b>2021</b> , 31, 3607   | 1 |
| 197 | Global cultivation of wheat crops induces considerable shifts in the range and niche of species relative to their wild progenitors. <b>2021</b> , 3, 115012  | 1 |
| 196 | Genetic divergence and local adaptation of <i>Liriodendron</i> driven by heterogeneous environments. <b>2021</b> ,   | 0 |
| 195 | Ecological assessment and environmental niche modelling of Himalayan rhubarb ( <i>Rheum webbianum</i> Royle) in northwest Himalaya. <b>2021</b> , 16, e0259345   | 2 |
| 194 | Projected impacts of climate change on snow leopard habitat in Qinghai Province, China.. <b>2021</b> , 11, 17202-17218   |   |
| 193 | The future of a montane orchid species and the impact of climate change on the distribution of its pollinators and magnet species. <b>2021</b> , 32, e01939  | 1 |
| 192 | Impacts of climate change on the geographic distribution of African oak tree ( <i>Sm.</i> ) in Burkina Faso, West Africa.. <b>2022</b> , 8, e08688   | 0 |
| 191 | OUP accepted manuscript.   | 0 |
| 190 | Assessment of suitable cultivation region for <i>Panax notoginseng</i> under different climatic conditions using MaxEnt model and high-performance liquid chromatography in China. <b>2022</b> , 176, 114416 | 2 |
| 189 | The Influence of Climate Change on Three Dominant Alpine Species under Different Scenarios on the Qinghai-Tibetan Plateau. <b>2021</b> , 13, 682   | 1 |

- 188 Historical climate change as driver of populational range expansion and differentiation in a rare and partially migratory Neotropical bird. **2022**, 163, 495
- 187 Predictive modeling of sand fly distribution incriminated in the transmission of *Leishmania (Viannia) braziliensis* and the incidence of Cutaneous Leishmaniasis in the state of Paraná, Brazil.. **2022**, 106335 1
- 186 Comparison of habitat suitability and connectivity modelling for three carnivores of conservation concern in an Iranian montane landscape. **2022**, 37, 411-430 2
- 185 On the Edge: Identifying priority areas for conservation of Fishing Cat, a threatened wetland felid, amidst rapidly altering freshwater landscapes.
- 184 Habitat suitability modeling for the endangered Bengal slow loris (*Nycticebus bengalensis*) in the Indo-Chinese subregion of India: a case study from southern Assam (India).. **2022**, 63, 173 1
- 183 Sequential use of niche and occupancy models identifies conservation and research priority areas for two data-poor endemic birds from the Colombian Andes. **2022**, 124, 1
- 182 Distinct ecological habits and habitat responses to future climate change in three east and southeast Asian Sapindus species. **2022**, 507, 119982 0
- 181 Global assessment of the distribution and conservation status of a key medicinal plant (*Artemisia annua* L.): The roles of climate and anthropogenic activities.. **2022**, 153378 1
- 180 A sustainable conservation strategy of wildlife in urban ecosystems: Case of *Gallinula chloropus* in Beijing-Tianjin-Hebei region. **2022**, 68, 101571
- 179 PyCLKDE: A big data-enabled high-performance computational framework for species habitat suitability modeling and mapping. 0
- 178 Tropical and subtropical Asia's valued tree species under threat. **2021**, 1
- 177 Potential Spatiotemporal Distribution Changes and Conservation Strategies of Two Connected Endangered Tree Peony Species (*Paeonia Decomposita* & *P. Rotundiloba*).
- 176 Current climate overrides past climate change in explaining multi-site beta diversity of Lauraceae species in China. **2022**, 9, 100018 0
- 175 Projecting future changes in distributions of small-scale pelagic fisheries of the southern Colombian Pacific Ocean.. **2022**, 8, e08975 0
- 174 Identifying core habitats and corridors for giant pandas by combining multiscale random forest and connectivity analysis.. **2022**, 12, e8628 0
- 173 Climate change induced habitat expansion of nutria (*Myocastor coypus*) in South Korea.. **2022**, 12, 3300 0
- 172 Molecular phylogeography and species distribution modelling evidence of 'oceanic' adaptation for *Actinidia eriantha* with a refugium along the oceanic-continental gradient in a biodiversity hotspot.. **2022**, 22, 89 1
- 171 Predicting potential distribution of (Bunge) H.H. Hu ex F.H. Chen in China under climate change scenarios.. **2022**, 12, e8629 1



|     |   |   |
|-----|---|---|
| 170 | Past climate cooling promoted global dispersal of amphipods from Tian Shan montane lakes to circumboreal lakes.. <b>2022,</b>   | 1 |
| 169 | Identifying core habitats and corridors of a near threatened carnivore, striped hyaena ( <i>Hyaena hyaena</i> ) in southwestern Iran.. <b>2022,</b> 12, 3425  | 4 |
| 168 | Kiawah and Seabrook islands are a critical site for the rufa Red Knot ( <i>Calidris canutus rufa</i> ).   |   |
| 167 | MaxEnt Modeling to Estimate the Impact of Climate Factors on Distribution of <i>Pinus densiflora</i> . <b>2022,</b> 13, 402   | 2 |
| 166 | Assessing the Invasion Risk of Using Ensemble Species Distribution Modeling and Habitat Connectivity Analysis.. <b>2022,</b> 11,  | 1 |
| 165 | Amphibious mudskipper populations are genetically connected along coastlines, but differentiated across water. <b>2022,</b> 49, 767-779   | 0 |
| 164 | Phylogeography of the endangered orchids <i>Cypripedium japonicum</i> and <i>Cypripedium formosanum</i> in East Asia: Deep divergence at infra- and interspecific levels.                               | 0 |
| 163 | The impact of climate change on three indicator Galliformes species in the northern highlands of Pakistan.. <b>2022,</b> 1  | 0 |
| 162 | Changes in the potential distribution of valuable tree species based on their regeneration in the Neotropical seasonal dry forest of north-western Argentina. 1-7                                       |   |
| 161 | Lek habitat suitability for the sharp-tailed grouse ( <i>Tympanuchus phasianellus jamesi</i> ) on the Northern Great Plains.. <b>2022,</b> 17, e0265316   |   |
| 160 | Future simulated landscape predicts habitat loss for the Golden Langur ( <i>Trachypithecus geei</i> ): A range level analysis for an endangered primate.. <b>2022,</b> 154081                           |   |
| 159 | Opening a door to the spatiotemporal history of plants from the tropical Indochina Peninsula to subtropical China.. <b>2022,</b> 171, 107458  | 1 |
| 158 | Climate change may plunder the facultative top predator Yellow-throated Martin from the Hindu-Kush Himalayan Region. <b>2022,</b> 69, 101622  |   |
| 157 | Impact of climate change on wheat security through an alternate host of stripe rust. <b>2022,</b> 11,   | 1 |
| 156 | Are Climates in Canada and the United States Suitable for the European Spruce Bark Beetle, <i>Ips typographus</i> , and Its Fungal Associate, <i>Endoconidiophora polonica</i> ?. <b>2021,</b> 12, 1725 | 1 |
| 155 | Living on the edge: genetic structure and geographic distribution in the threatened Markham's Storm-Petrel ( <i>Puffinus pacificus</i> ).. <b>2021,</b> 9, e12669                                       |   |
| 154 | Assessment of drivers of spatial genetic variation of a ground-dwelling bird species and its implications for conservation.. <b>2022,</b> 12, e8460   | 1 |
| 153 | Estimating the Potential Impacts of Climate Change on the Spatial Distribution of <i>Garuga forrestii</i> , an Endemic Species in China. <b>2021,</b> 12, 1708  | 1 |

- 152 The legacy of over a century of introductions: Spread debt of rainbow trout ( *Oncorhynchus mykiss* ) in Mpumalanga Province, South Africa. 1
- 151 Biodiversity and conservation of solar-powered sea slugs from the Western Atlantic under climate change scenarios.
- 150 Taxonomy and ecology of genus *Psyra* Walker, 1860 (Lepidoptera: Geometridae: Ennominae) from Indian Himalaya.. **2022**, 17, e0266100
- 149 Identification of risk areas for and in China, based on the major host plant and CMIP6 climate scenarios.. **2022**, 12, e8824 2
- 148 Habitat suitability, core habitats and diversity hotspots for the conservation of the mustelid species in Iran. **2022**, 36, e02120 0
- 147 Image\_1.JPEG. **2019**,
- 146 Table\_1.pdf. **2019**,
- 145 Table\_2.pdf. **2019**,
- 144 Data\_Sheet\_1.docx. **2020**,
- 143 Image\_1.JPEG. **2019**,
- 142 Image\_2.JPEG. **2019**,
- 141 Image\_3.JPEG. **2019**,
- 140 Image\_4.JPEG. **2019**,
- 139 Image\_5.JPEG. **2019**,
- 138 Table\_1.xls. **2019**,
- 137 Table\_2.XLSX. **2019**,
- 136 Table\_3.XLSX. **2019**,
- 135 Table\_4.xlsx. **2019**,

134 DataSheet\_1.zip. **2019**,

133 Data\_Sheet\_1.pdf. **2018**,

132 Data\_Sheet\_1.docx. **2019**,

131 OUP accepted manuscript.

130 OUP accepted manuscript.

129 Spatial Surveillance of Invasion by Alien Species in a Heterogeneous Ecological Landscape. **2022**, 575-593

128 Seasonality and Ecological Suitability Modelling for Anthrax () in Western Africa.. **2022**, 12, 1

127 Climate warming since the Holocene accelerates west-east communication for a Eurasian temperate species *Aquarius paludum*.. **2022**, 1

126 Towards Conserving Crop Wild Relatives along the TexasMexico Border: The Case of *Manihot walkerae*. **2022**, 14, 5392

125 Phylogeography of in relation to Quaternary climatic aridification and oscillations in northwestern China.. **2022**, 10, e13345 0

124 Habitat suitability of neotenic net-winged beetles (Coleoptera: Lycidae) in China using combined ecological models, with implications for biological conservation. 2

123 Spatial assessment of potential areas at risk from blueberry gall midge distribution in South Korea.

122 Contrasting patterns from two invasion fronts suggest a niche shift of an invasive predator of native bees.. **2022**, 10, e13269 1

121 Impacts of changing climate on the distribution of *Solenopsis invicta* Buren in Mainland China: Exposed urban population distribution and suitable habitat change. **2022**, 139, 108944 1

120 Incorporation of latitude-adjusted bioclimatic variables increases accuracy in species distribution models. **2022**, 469, 109986 0

119 Habitat suitability modeling for the conservation and cultivation of the multipurpose fruit tree, *Balanites aegyptiaca* L., in the Republic of Chad, Sahel.

118 The hotspots and conservation gaps of the mega genus *Astragalus* (Fabaceae) in the Old-World. 0

117 The Effects of Climate Change on Habitat Connectivity: A Case Study of the Brown-Eared Pheasant in China. **2022**, 11, 806

- 116 Stepped Geomorphology Shaped the Phylogeographic Structure of a Widespread Tree Species (*Toxicodendron vernicifluum*, Anacardiaceae) in East Asia. **2022**, 13, 1
- 115 Good news for a rare plant: Fine-resolution distributional predictions and field testing for the critically endangered plant *Dianthus pseudocrinitus* .
- 114 Climate change and range restriction of common salamanders in eastern Canada and the United States. **2022**, 86,
- 113 Comparison between optimized MaxEnt and random forest modeling in predicting potential distribution: A case study with *Quasipaa boulengeri* in China. **2022**, 156867 2
- 112 Into the New World: first report of introduction of the Portuguese millipede *Ommatoiulus moreleti* (Lucas, 1860) (Julida: Julidae) in South America and its potential invasion range into the continent. **2022**, 58, 187-196 0
- 111 Predicted threats to a native squirrel from two invading species based on citizen science data. 0
- 110 Identifying priority areas for bat conservation in the Western Ghats mountain range, peninsular India. 1
- 109 Predicting Distribution of the Asian Longhorned Beetle, *Anoplophora glabripennis* (Coleoptera: Cerambycidae) and Its Natural Enemies in China. **2022**, 13, 687 0
- 108 Niche conservatism and evolution of climatic tolerance in the Neotropical orchid genera *Sobralia* and *Brasolia* (Orchidaceae). **2022**, 12, 0
- 107 Assessing tiger corridor functionality with landscape genetics and modelling across Terai-Arc landscape, India. 0
- 106 Predicting the past, current, and future climate niche distribution of *Tetragonula iridipennis* Smith 1854 (Apidae: Meliponini) across the Indomalayan realm: insights into the impact of climate change. 1-13
- 105 Identifying humanBrown bear conflict hotspots for prioritizing critical habitat and corridor conservation in southwestern Iran. 0
- 104 Spatiotemporal Distributions and Source Apportionment of PM 2.5 -Bound Antimony in Beijing, China. **2022**, 127,
- 103 Using consensus mapping methods as an efficient way of depicting avian distributions in the Caatinga Dry Forest, a poorly known Neotropical biome.
- 102 An overview of computational tools for preparing, constructing and using resistance surfaces in connectivity research. **2022**, 37, 2195-2224 0
- 101 Evaluation of Spatial Distribution of Three Major *Leptocorisa* (Hemiptera: Alydidae) Pests Using MaxEnt Model. **2022**, 13, 750 0
- 100 Contemporary genetic structure of Xantus's Hummingbird (*Basilinna xantusii*) in the Baja California peninsula.
- 99 Predicting the potential geographical distribution of *Ageratina adenophora* in China using equilibrium occurrence data and ensemble model. 10,

|    |   |   |
|----|---|---|
| 98 | Potential spatiotemporal distribution changes and conservation recommendations of two connected endangered tree peony species ( <i>Paeonia decomposita</i> & <i>P. rotundiloba</i> ). <b>2022</b> , 294, 152131                   |   |
| 97 | Climate change threatens the distribution of major woody species and ecosystem services provision in southern Africa. <b>2022</b> , 850, 158006   |   |
| 96 | Contradictory effect of climate change on American and European populations of <i>Impatiens capensis</i> Meerb. - is this herb a global threat?. <b>2022</b> , 850, 157959  | 0 |
| 95 | Richness and distribution of endangered orchid species under different climate scenarios on the Qinghai-Tibetan Plateau. 13,  | 1 |
| 94 | Spatiotemporal Statistics for Analyzing Climatic Conditions Influencing <i>Lymantria dispar</i> Outbreaks. <b>2022</b> , 13, 1474   | 0 |
| 93 | Global niche shifts of rice and its weak adaptability to climate change. <b>2022</b> , 71, 101813   | 0 |
| 92 | Mapping the changing distribution of two important pollinating giant honeybees across 21000 years. <b>2022</b> , 39, e02282   | 1 |
| 91 | Threatened Fabaceae taxa in coastal East Africa: Current and future modelled distributions and conservation priorities. <b>2022</b> , 150, 779-788  | 0 |
| 90 | Predicting the impact of climate change on the distribution of two relict <i>Liriodendron</i> species by coupling the MaxEnt model and actual physiological indicators in relation to stress tolerance. <b>2022</b> , 322, 116024 | 0 |
| 89 | Cheer Pheasant ( <i>Catreus wallichii</i> ) and the Conservation Paradox: Importance of Unprotected Areas. <b>2022</b> , 14, 785  | 2 |
| 88 | Analysis on the hotspot characteristics of bird diversity distribution along the continental coastline of China. 9,   | 1 |
| 87 | Cultivation has selected for a wider niche and large range shifts in maize. 10, e14019  | 0 |
| 86 | Analysis of niche shift and potential suitable distributions of <i>Dendrobium</i> under the impact of global climate change.  | 0 |
| 85 | Potential distribution prediction of <i>Deyeuxia angustifolia</i> in the Tumen River Basin and analysis of major impact factors. 10,  | 0 |
| 84 | Comparative evolutionary history of two closely related desert plant, <i>Convolvulus tragacanthoides</i> and <i>Convolvulus gortschakovii</i> (Convolvulaceae) from northwest China. <b>2022</b> , 12,                            | 0 |
| 83 | Historical Demography and Climate Driven Range Shifts in the Blue-spotted Salamander Under the Climate Change Scenarios.  | 0 |
| 82 | Modeling a Potential Plant Habitat Using Machine Learning Methods. <b>2022</b> , 85-92  | 0 |
| 81 | Spatial modeling and ecological suitability of monkeypox disease in Southern Nigeria. <b>2022</b> , 17, e0274325  | 1 |

- 80 Assessing distribution changes of selected native and alien invasive plant species under changing climatic conditions in Nyeri County, Kenya. **2022**, 17, e0275360 ○
- 79 Habitat restoration is the greatest challenge for population recovery of Hainan gibbons (*Nomascus hainanus* ). ○
- 78 Local chronicles reveal the effect of anthropogenic and climatic impacts on local extinctions of Chinese pangolins (*Manis pentadactyla* ) in mainland China. **2022**, 12, ○
- 77 Distributions of two native ungulates at the third pole are highly sensitive to global warming. **2022**, 39, e02292 ○
- 76 Spatial ensemble modeling for predicting the potential distribution of *Lymantria dispar asiatica* (Lepidoptera: Erebidiae: Lymantriinae) in South Korea. **2022**, 194, ○
- 75 Global niche and range shifts of *Batrachochytrium dendrobatidis*, a highly virulent amphibian-killing fungus. **2022**, 1 ○
- 74 Spatial Evaluation of Machine Learning-Based Species Distribution Models for Prediction of Invasive Ant Species Distribution. **2022**, 12, 10260 ○
- 73 Assessment of Climate Change and Land Use Effects on Water Lily (*Nymphaea* L.) Habitat Suitability in South America. **2022**, 14, 830 ○
- 72 Range expansion and establishment of a non-indigenous tunicate (*Diplosoma listerianum*) in thermal refugia is mediated by environmental variability in changing coastal environments.. ○
- 71 Seeing from space makes sense: Novel earth observation variables accurately map species distributions over Himalaya. **2023**, 325, 116428 ○
- 70 Living on the sea-coast: ranging and habitat distribution of Asiatic lions. **2022**, 12, ○
- 69 An Integrated Approach to Map the Impact of Climate Change on the Distributions of *Crataegus azarolus* and *Crataegus monogyna* in Kurdistan Region, Iraq. **2022**, 14, 14621 ○
- 68 Identifying the Past, Present, and Future Distribution Patterns of the Balkan Wall Lizard (Sauria: Lacertidae: *Podarcis tauricus*) by Ecological Niche Modelling. 146-159 ○
- 67 Investigation of the ecological and climatic niche of the protected species *Erythronium sibiricum* (Fisch. et Mey.) Kryl.. **2022**, 21, 101-104 ○
- 66 Ensemble evaluation of the spatial distribution of pine wilt disease mediated by insect vectors in South Korea. **2023**, 529, 120677 1
- 65 Climate change has increased the global threats posed by three ragweeds (*Ambrosia* L.) in the Anthropocene. **2023**, 859, 160252 ○
- 64 A curated list of R packages for ecological niche modelling. **2023**, 476, 110242 ○
- 63 Predictive mapping of two endemic oak tree species under climate change scenarios in a semiarid region: Range overlap and implications for conservation. **2023**, 73, 101930 ○

- 62 New Distributional Records and Characterization of the Climatic Niche of Lepturges (Lepturges) limpidus Bates, 1872 (Coleoptera, Cerambycidae): Sink or Source Population?. **2022**, 13, 1069 ○
- 61 Predicting Climate Change Effects on the Potential Distribution of Two Invasive Cryptic Species of the Bemisia tabaci Species Complex in China. **2022**, 13, 1081 ○
- 60 Range shift and loss of genetic diversity under climate change in the red-backed fairywren (Malurus melanocephalus), an Australian endemic bird species. **2023**, 138, 121-131 ○
- 59 Effects of Climate Change and Environmental Factors on Bamboo (Ferrocalamus strictus), a PSESP Unique to China. **2022**, 13, 2108 ○
- 58 Genomic divergence between two sister Ostrya species through linked selection and recombination. **2022**, 12, ○
- 57 Potential distribution of threatened maples in China under climate change: Implications for conservation. **2022**, 40, e02337 ○
- 56 Monitoring the little fire ant, Wasmannia auropunctata (Roger 1863), in the early stage of its invasion in China: predicting its geographical distribution pattern under climate change. **2022**, ○
- 55 Vulnerability of the CerradoAtlantic Forest ecotone in the Espinhaõ Range Biosphere Reserve to climate change. ○
- 54 Predicting the potential suitable distribution area of Emeia pseudosauteri in Zhejiang Province based on the MaxEnt model. ○
- 53 Prediction of Native Seed Habitat Distribution According to SSP Scenario and Seed Transfer Zones: A Focus on Acer pictum subsp. mono and Quercus acuta. **2023**, 14, 87 ○
- 52 Geographic distribution pattern and ecological niche differentiation of endangered Opisthopappus in Taihang Mountains. 1
- 51 Predicting the impact of future climate changes and range-shifts of Indian hornbills (family: Bucerotidae). **2023**, 101987 ○
- 50 Habitat suitability for Dickcissels (Spiza americana) during spring and fall migration: A species distribution modeling approach. 10, ○
- 49 Predicting the distributions of Pouteria adolfi-friederici and Prunus africana tree species under current and future climate change scenarios in Ethiopia. ○
- 48 The current and future seasonal geographic distribution of largehead hairtail Trichiurus japonicus in the Beibu Gulf, South China Sea. 9, ○
- 47 Large shifts of niche and range in the golden apple snail ( Pomacea canaliculata ), an aquatic invasive species. **2023**, 14, 1
- 46 Identifying core habitats and connectivity paths for the conservation of mouflon (Ovis gmelini) in Western Iran. **2023**, 41, e02377 ○
- 45 Livestock Depredation by Coyotes and Domestic Dogs in Mexico. **2023**, 87, 97-104 ○

- 44 Modeling the Impact of Climate Change on Sustainable Production of Two Legumes Important Economically and for Food Security: Mungbeans and Cowpeas in Ethiopia. **2023**, 15, 600 ○
- 43 Mitochondrial DNA and Distribution Modelling Evidenced the Lost Genetic Diversity and Wild-Residence of Star Tortoise, *Geochelone elegans* (Testudines: Testudinidae) in India. **2023**, 13, 150 ○
- 42 Potential Global Distribution of the Habitat of Endangered *Gentiana rhodantha* Franch: Predictions Based on MaxEnt Ecological Niche Modeling. **2023**, 15, 631 ○
- 41 Will Greenland be the last refuge for the continental European small-white orchid? Niche modeling of future distribution of *Pseudorchis albida*. 10, ○
- 40 Modeling a Potential Plant Habitat by Ensemble Machine Learning. **2023**, 206-216 ○
- 39 New insights into the geographic patterns of functional role and taxonomic richness of ants from Mexico. ○
- 38 The effect of global warming on the Australian endemic orchid *Cryptostylis leptochila* and its pollinator. **2023**, 18, e0280922 ○
- 37 Predicting the current and future suitable-habitat distribution of tropical adult and juvenile targeted fishes in multi-sector fisheries of central Queensland, Australia. **2023**, ○
- 36 Predicting the potential suitable distribution area of *Emeia pseudosauteri* in Zhejiang Province based on the MaxEnt model. **2023**, 13, 1 ○
- 35 Maximum Entropy Modeling of Giant Pangolin *Smutsia gigantea* (Illiger, 1815) habitat suitability in a protected forest-savannah transition area of Central Cameroon. **2023**, e02395 ○
- 34 Current and paleoclimate models for an Atlantic Forest kissing bug indicate broader distribution outside biome delimitations. 10, ○
- 33 Geographic distribution of two *Montivipera* taxa using ecological niche modeling. **2023**, 48, ○
- 32 Mapping Impacts of Climate Change on the Distributions of Two Endemic Tree Species under Socioeconomic Pathway Scenarios (SSP). **2023**, 15, 5469 ○
- 31 Dynamic Analysis of Regional Wheat Stripe Rust Environmental Suitability in China. **2023**, 15, 2021 ○
- 30 Research on Application of 3D GIS in Urban Landscape Based on Speech Recognition System. ○
- 29 Distribution change and protected area planning of *Tilia amurensis* in China: A study of integrating the climate change and present habitat landscape pattern. **2023**, 43, e02438 ○
- 28 Environmental and climatic drivers of phenotypic evolution and distribution changes in a widely distributed subfamily of subterranean mammals. **2023**, 878, 163177 ○
- 27 Identifying stable and overlapping habitats for a predator (common leopard) and prey species (Himalayan grey goral & Himalayan grey langur) in northern Pakistan. **2023**, 43, e02418 ○



- 26 Ensemble modelling under multiple climate change scenarios predicts reduction in highly suitable range of habitats of *Dactylorhiza hatagirea* (D.Don) Soo in Himachal Pradesh, western Himalaya. **2023**, 154, 203-218 ○
- 25 Uporaba metode maksimalne entropije pri proučevanju potencialnega vpliva podnebnih sprememb na slovenske gozdove. **2022**, 57-88 ○
- 24 Effects of Climate Change on the Spatial Distribution of the Threatened Species *Rhododendron purdomii* in Qinling-Daba Mountains of Central China: Implications for Conservation. **2023**, 15, 3181 1
- 23 Predicting current and future potential distribution of *Cynaesus angustus* (Coleoptera: Tenebrionidae) in global scale using the MaxEnt model. **2023**, 101, 102089 ○
- 22 Dulong People's Traditional Knowledge of *Caryota obtusa* (Arecaceae): a Potential Starch Plant with Emphasis on Its Starch Properties and Distribution Prediction. **2023**, 77, 63-81 ○
- 21 Areas of endemism and environmental heterogeneity: a case study in Mexican legumes. **2023**, 36, 21-37 ○
- 20 MaxEnt Modeling for Predicting the Potential Wintering Distribution of Eurasian Spoonbill (*Platalea leucorodia leucorodia*) under Climate Change in China. **2023**, 13, 856 ○
- 19 Ecological niche modelling of a critically endangered species *Commiphora wightii* (Arn.) Bhandari using bioclimatic and non-bioclimatic variables. **2023**, 12, ○
- 18 Geographic Genetic Structure of *Alectoris chukar* in Türkiye: Post-LGM-Induced Hybridization and Human-Mediated Contaminations. **2023**, 12, 401 ○
- 17 New and Noteworthy Taxa of the Genus *Dactylorhiza* Necker ex Nevski (Orchidaceae Juss.) in Kazakhstan Flora and Its Response to Global Warming. **2023**, 15, 369 ○
- 16 How future climate and tree distribution changes shape the biodiversity of macrofungi across Europe. **2023**, 29, 666-682 ○
- 15 Prioritizing road mitigation using ecologically based land-use planning. ○
- 14 Potentially suitable habitat prediction of *Pinus massoniana* Lamb. in China under climate change using Maxent model. 6, ○
- 13 Prediction of potentially suitable distribution areas of *Thesium chinense* Turcz. in China against the background of climate change. ○
- 12 Assessing environmental suitability of *Ligusticum chuanxiong* based on ecological analyses with chemical and molecular verification. **2023**, 9, e14629 ○
- 11 Extreme shifts in habitat suitability under contemporary climate change for a high-Arctic herbivore. **2023**, 176, ○
- 10 Endemic lineages of spiny frogs demonstrate the biogeographic importance and conservational needs of the Hindu Kush-Himalaya region. ○
- 9 Niche and Range Shifts of the Fall Webworm (*Hyphantria cunea* Dury) in Europe Imply Its Huge Invasion Potential in the Future. **2023**, 14, 316 ○

- 8 Spatial Distribution Characteristics of Suitable Planting Areas for *Pyrus* Species under Climate Change in China. **2023**, 12, 1559
- 7 Mapping Brazilian Expansion Risk Levels of Mango Weevil (*Sternochetus mangiferae* Fabricius) Based on MaxEnt.
- 6 Climate change and the potential distribution of the invasive shrub, *Leucaena leucocephala* (Lam.) De Wit in Africa.
- 5 Genetic consequence of widespread plantations of *Cryptomeria japonica* var. *sinensis* in Southern China: implications for afforestation strategies under climate change. **2023**, 19,
- 4 elapid: Species distribution modeling tools for Python. **2023**, 8, 4930
- 3 Effects of Climate Change on the Habitat Suitability and Distribution of Endemic Freshwater Fish Species in Semi-Arid Central Anatolian Ecoregion in Türkiye. **2023**, 15, 1619
- 2 Loss of fungal symbionts and changes in pollinator availability caused by climate change will affect the distribution and survival chances of myco-heterotrophic orchid species. **2023**, 13,
- 1 Impact of climate change on potential habitat distribution of Sciaenidae in the coastal waters of China.