

CITATION REPORT

List of articles citing

Nondestructive measurement of total volatile basic nitrogen (TVB-N) in pork meat by integrating near infrared spectroscopy, computer vision and electronic nose techniques

DOI: 10.1016/j.foodchem.2013.06.073
Food Chemistry, 2014, 145, 228-36.

Source: <https://exaly.com/paper-pdf/58924766/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
213	Development of electronic nose and near infrared spectroscopy analysis techniques to monitor the critical time in SSF process of feed protein. 2014 , 14, 19441-56		11
212	Integrating NIR Spectroscopy and Electronic Tongue Together with Chemometric Analysis for Accurate Classification of Cocoa Bean Varieties. 2014 , 37, 560-566		15
211	Comparison of Storage Characteristics and Quality of Semi-Dry Fermented Sausage Using Microwave Vacuum Drying and Hot Air Drying. 2014 , 1010-1012, 1783-1788		1
210	Rapid measurement of total polyphenols content in cocoa beans by data fusion of NIR spectroscopy and electronic tongue. 2014 , 6, 5008-5015		19
209	Multispectral imaging for rapid and non-destructive determination of aerobic plate count (APC) in cooked pork sausages. 2014 , 62, 902-908		33
208	Non-destructive evaluation of pork freshness using a portable electronic nose (E-nose) based on a colorimetric sensor array. 2014 , 6, 6271-6277		40
207	A Novel Method for the Discrimination of Semen Arecae and Its Processed Products by Using Computer Vision, Electronic Nose, and Electronic Tongue. 2015 , 2015, 753942		15
206	Non-destructive prediction of thiobarbituric acid reactive substances (TBARS) value for freshness evaluation of chicken meat using hyperspectral imaging. <i>Food Chemistry</i> , 2015 , 179, 175-81	8.5	139
205	Non-destructively sensing pork's freshness indicator using near infrared multispectral imaging technique. 2015 , 154, 69-75		40
204	Quantifying of total volatile basic nitrogen (TVB-N) content in chicken using a colorimetric sensor array and nonlinear regression tool. 2015 , 7, 5682-5688		30
203	Data fusion methodologies for food and beverage authentication and quality assessment - a review. 2015 , 891, 1-14		383
202	Nondestructive Measurement in Food and Agro-products. 2015 ,		10
201	E-nose based rapid prediction of early mouldy grain using probabilistic neural networks. 2015 , 6, 222-6		8
200	Litchi freshness rapid non-destructive evaluating method using electronic nose and non-linear dynamics stochastic resonance model. 2015 , 6, 218-21		15
199	Applications of near-infrared spectroscopy in food safety evaluation and control: a review of recent research advances. 2015 , 55, 1939-54		107
198	Fabrication of gelatin-laponite composite films: Effect of the concentration of laponite on physical properties and the freshness of meat during storage. 2015 , 44, 390-398		47
197	Determination of sucrose content in sugar beet by portable visible and near-infrared spectroscopy. <i>Food Chemistry</i> , 2015 , 167, 264-71	8.5	46

196	A novel method for the discrimination of Hawthorn and its processed products using an intelligent sensory system and artificial neural networks. 2016 , 25, 1545-1550		5
195	Feasibility study on nondestructively sensing meat's freshness using light scattering imaging technique. 2016 , 119, 102-9		21
194	Synthesis and application of novel tricyanofuran hydrazone dyes as sensors for detection of microbes. 2016 , 132, 460-465		29
193	Machine vision system for food grain quality evaluation: A review. 2016 , 56, 13-20		90
192	Conductometric titration to determine total volatile basic nitrogen (TVB-N) for post-mortem interval (PMI). 2016 , 44, 133-137		6
191	Possible Application of Electronic Nose Systems for Meat Safety: An Overview. 2016 , 59-71		7
190	Green method for determination of phenolic compounds in mung bean (<i>Vigna radiata</i> L.) based on near-infrared spectroscopy and chemometrics. 2016 , 51, 2520-2527		22
189	Application of Electronic Nose for Measuring Total Volatile Basic Nitrogen and Total Viable Counts in Packaged Pork During Refrigerated Storage. 2016 , 81, M906-12		27
188	Chinese Quince (<i>Cydonia oblonga</i> Miller) Freshness Rapid Determination Method Using Surface Acoustic Wave Resonator Combined with Electronic Nose. 2016 , 19, 2623-2634		10
187	Relationship between chemical characteristics and bacterial community of a Korean salted-fermented anchovy sauce, Myeolchi-Aekjeot. 2016 , 73, 251-258		18
186	Integration of spectral and textural data for enhancing hyperspectral prediction of K value in pork meat. 2016 , 72, 322-329		71
185	Prediction of total volatile basic nitrogen contents using wavelet features from visible/near-infrared hyperspectral images of prawn (<i>Metapenaeus ensis</i>). <i>Food Chemistry</i> , 2016 , 197, 257-65	8.5	91
184	Nondestructive quantifying total volatile basic nitrogen (TVB-N) content in chicken using hyperspectral imaging (HSI) technique combined with different data dimension reduction algorithms. <i>Food Chemistry</i> , 2016 , 197 Pt B, 1191-9	8.5	107
183	Non-invasive sensing for food reassurance. 2016 , 141, 1587-610		30
182	Data mining derived from food analyses using non-invasive/non-destructive analytical techniques; determination of food authenticity, quality & safety in tandem with computer science disciplines. 2016 , 50, 11-25		101
181	A data fusion detection method for fish freshness based on computer vision and near-infrared spectroscopy. 2016 , 8, 2929-2935		47
180	Corona discharge plasma jet for inactivation of <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> on inoculated pork and its impact on meat quality attributes. 2016 , 66, 685-694		38
179	Nondestructively sensing of total viable count (TVC) in chicken using an artificial olfaction system based colorimetric sensor array. 2016 , 168, 259-266		50

178	Fusion of artificial senses as a robust approach to food quality assessment. 2016 , 171, 230-239	54
177	Enhancing Visible and Near-Infrared Hyperspectral Imaging Prediction of TVB-N Level for Fish Fillet Freshness Evaluation by Filtering Optimal Variables. 2017 , 10, 1888-1898	33
176	Freshness evaluation of grass carp (<i>Ctenopharyngodon idellus</i>) by electronic nose. 2017 , 11, 1026-1034	7
175	Glucose Biosensor Based on a Glassy Carbon Electrode Modified with Multi-Walled Carbon Nanotubes-Chitosan for the Determination of Beef Freshness. 2017 , 10, 2667-2676	14
174	Effect of vacuum packaging on the shelf-life of silver carp (<i>Hypophthalmichthys molitrix</i>) fillets stored at 4 °C. 2017 , 80, 163-168	22
173	Portable spectroscopy system determination of acid value in peanut oil based on variables selection algorithms. 2017 , 103, 179-185	26
172	Real-Time Detection of Volatiles Released During Meat Spoilage: a Case Study of Modified Atmosphere-Packaged Chicken Breast Fillets Inoculated with <i>Br. thermosphacta</i> . 2017 , 10, 310-319	23
171	Fusion of electronic nose, electronic tongue and computer vision for animal source food authentication and quality assessment – A review. 2017 , 210, 62-75	156
170	Electronic noses: Powerful tools in meat quality assessment. 2017 , 131, 119-131	98
169	Variation analysis in spectral indices of volatile chlorpyrifos and non-volatile imidacloprid in jujube (<i>Ziziphus jujuba</i> Mill.) using near-infrared hyperspectral imaging (NIR-HSI) and gas chromatograph-mass spectrometry (GC-MS). 2017 , 139, 41-55	32
168	Characterisation of microemulsion nanofilms based on Tilapia fish skin gelatine and ZnO nanoparticles incorporated with ginger essential oil: meat packaging application. 2017 , 52, 1670-1679	23
167	Sensitive variables extraction, non-destructive detection and visualization of total viable count (TVC) and pH in vacuum packaged lamb using hyperspectral imaging. 2017 , 9, 3172-3183	10
166	Angular absorption of light used for evaluation of structural damage to porcine meat caused by aging, drying and freezing. 2017 , 126, 22-28	2
165	Quality evaluation of <i>Hanyuan Zanthoxylum bungeanum</i> Maxim. Using computer vision system combined with artificial neural network: A novel method. 2017 , 20, 3056-3063	4
164	Determination of the moisture content of fresh meat using visible and near-infrared spatially resolved reflectance spectroscopy. 2017 , 162, 40-56	7
163	Rapid determination of biogenic amines in cooked beef using hyperspectral imaging with sparse representation algorithm. 2017 , 86, 23-34	17
162	Prediction of pork storage time using Fourier transform near infrared spectroscopy and Adaboost-ULDA. 2017 , 40, e12566	9
161	Sensory quality evaluation for appearance of needle-shaped green tea based on computer vision and nonlinear tools. 2017 , 18, 544-548	17

160	Intelligent evaluation of total volatile basic nitrogen (TVB-N) content in chicken meat by an improved multiple level data fusion model. 2017 , 238, 337-345		55
159	Chemical spoilage extent traceability of two kinds of processed pork meats using one multispectral system developed by hyperspectral imaging combined with effective variable selection methods. <i>Food Chemistry</i> , 2017 , 221, 1989-1996	8.5	68
158	Real-time detection of intact pork freshness based on near infrared spectroscopy. 2017 ,		
157	Improvement of Prediction Models for Nondestructive Detection of TVB-N Using Dual-Band Vis/NIR Spectroscopic Technique. 2017 , 60, 1075-1082		3
156	Evaluation of Freshness in Determination of Volatile Organic Compounds Released from Pork by HS-SPME-GC-MS. 2018 , 11, 1321-1329		8
155	Spectral Detection Techniques for Non-Destructively Monitoring the Quality, Safety, and Classification of Fresh Red Meat. 2018 , 11, 2707-2730		20
154	Comparison of models and visualization of total volatile basic nitrogen content in mutton using hyperspectral imaging and variable selection methods. 2018 , 51, 226-235		6
153	A QR code based tracing method for fresh pork quality in cold chain. 2018 , 41, e12685		8
152	Effects of lactoperoxidase system-alginate coating on chemical, microbial, and sensory properties of chicken breast fillets during cold storage. 2018 , 38, e12449		14
151	Determination of the total volatile basic nitrogen (TVB-N) content in pork meat using hyperspectral fluorescence imaging. 2018 , 259, 532-539		47
150	Intelligent poly (vinyl alcohol)-chitosan nanoparticles-mulberry extracts films capable of monitoring pH variations. 2018 , 108, 576-584		110
149	Assessment of the quality of refrigerated and frozen pork by multivariate exploratory techniques. 2018 , 139, 7-14		14
148	Determination of toxigenic fungi and aflatoxins in nuts and dried fruits using imaging and spectroscopic techniques. <i>Food Chemistry</i> , 2018 , 252, 228-242	8.5	44
147	Influences of cold atmospheric plasma on microbial safety, physicochemical and sensorial qualities of meat products. 2018 , 55, 846-857		19
146	Titanium dioxide-polyaniline/silk fibroin microfiber sensor for pork freshness evaluation. 2018 , 260, 465-474		27
145	Developing a machine vision system for simultaneous prediction of freshness indicators based on tilapia (<i>Oreochromis niloticus</i>) pupil and gill color during storage at 4°C. <i>Food Chemistry</i> , 2018 , 243, 134-140	8.5	35
144	Hyperspectral image-based multi-feature integration for TVB-N measurement in pork. 2018 , 218, 61-68		32
143	Nondestructive Freshness Discriminating of Shrimp Using Visible/Near-Infrared Hyperspectral Imaging Technique and Deep Learning Algorithm. 2018 , 11, 768-780		27

142	<i>EARLY DETECTION OF TRUNK BORER DAMAGE IN PLATYCLADUS ORIENTALIS PLANTS USING E-NOSE AND GC-MS</i>. 2018 ,	
141	Bio-protective potential of lactic acid bacteria: Effect of and on changes of the microbial community in vacuum-packaged chilled beef. 2018 , 31, 585-594	16
140	Detection of <i>Aspergillus</i> spp. contamination levels in peanuts by near infrared spectroscopy and electronic nose. 2018 , 93, 1-8	40
139	An embedded system based on DSP platform and PCA-SVM algorithms for rapid beef meat freshness prediction and identification. 2018 , 152, 385-392	21
138	Nondestructive Prediction of Tilapia Fillet Freshness During Storage at Different Temperatures by Integrating an Electronic Nose and Tongue with Radial Basis Function Neural Networks. 2018 , 11, 1840-1852	31
137	Electronic Noses as a Powerful Tool for Assessing Meat Quality: a Mini Review. 2018 , 11, 2916-2924	21
136	Real-time assessment of food freshness in refrigerators based on a miniaturized electronic nose. 2018 , 10, 4741-4749	16
135	Data processing approaches and strategies for non-destructive fruits quality inspection and authentication: a review. 2018 , 12, 2758-2794	9
134	Real-time inspection of pork quality attributes using dual-band spectroscopy. 2018 , 237, 103-109	16
133	Changes in the microbial communities in vacuum-packaged smoked bacon during storage. 2019 , 77, 26-37	27
132	Synthesized Au NPs@silica composite as surface-enhanced Raman spectroscopy (SERS) substrate for fast sensing trace contaminant in milk. 2019 , 206, 405-412	32
131	Combination of spectra and image information of hyperspectral imaging data for fast prediction of lipid oxidation attributes in pork meat. 2019 , 42, e13225	11
130	Evaluating aroma quality of black tea by an olfactory visualization system: Selection of feature sensor using particle swarm optimization. 2019 , 126, 108605	23
129	Analysis of chicken breast meat freshness with an electrochemical approach. 2019 , 855, 113622	3
128	Correlation between physical properties and freshness of chilled mutton in China. 2019 , 43, e14231	1
127	Rapid and nondestructive detection of freshness quality of postharvest spinaches based on machine vision and electronic nose. 2019 , 39, e12708	12
126	Fabrication and characterization of alizarin colorimetric indicator based on cellulose-chitosan to monitor the freshness of minced beef. 2019 , 285, 519-528	79
125	An improved nondestructive measurement method for salmon freshness based on spectral and image information fusion. 2019 , 158, 11-19	11

124	Meat quality evaluation based on computer vision technique: A review. 2019 , 156, 183-195	35
123	Rapid and Nondestructive Quantification of Trimethylamine by FT-NIR Coupled with Chemometric Techniques. 2019 , 12, 2035-2044	19
122	Information fusion of hyperspectral imaging and electronic nose for evaluation of fungal contamination in strawberries during decay. 2019 , 153, 152-160	29
121	Data Fusion Strategies in Food Analysis. 2019 , 271-310	19
120	Research on Distinguishing Fish Meal Quality Using Different Characteristic Parameters Based on Electronic Nose Technology. 2019 , 19,	10
119	A Noninvasive Accurate Measurement of Blood Glucose Levels with Raman Spectroscopy of Blood in Microvessels. 2019 , 24,	28
118	Electronic nose for food sensory evaluation. 2019 , 7-22	5
117	Electronic eye for food sensory evaluation. 2019 , 37-59	1
116	Effect of the incorporation of a fermented rooibos (<i>Aspalathus linearis</i>) extract in the manufacturing of rabbit meat patties on their physical, chemical, and sensory quality during refrigerated storage. 2019 , 108, 31-38	17
115	Advances in Nondestructive Methods for Meat Quality and Safety Monitoring. 2019 , 35, 536-562	27
114	Intelligent pH-sensitive indicator based on starch-cellulose and alizarin dye to track freshness of rainbow trout fillet. 2019 , 132, 157-165	85
113	Freshness Evaluation of Three Kinds of Meats Based on the Electronic Nose. 2019 , 19,	30
112	The effect of freezing time on the quality of normal and pale, soft and exudative (PSE)-like pork. 2019 , 152, 1-7	15
111	Applications of miniaturized and portable near infrared spectroscopy (NIRS) for inspection and control of meat and meat products. 2019 , 35, 201-220	37
110	Hyperspectral Imaging and Chemometrics for Nondestructive Quantification of Total Volatile Basic Nitrogen in Pacific Oysters (<i>Crassostrea gigas</i>). 2019 , 12, 799-810	6
109	A deep learning based feature extraction method on hyperspectral images for nondestructive prediction of TVB-N content in Pacific white shrimp (<i>Litopenaeus vannamei</i>). 2019 , 178, 244-255	42
108	Effects of chitosan-tomato plant extract edible coatings on the quality and shelf life of chicken fillets during refrigerated storage. 2019 , 39, 103-111	11
107	An implementation of IoT-based microwave sensing system for the evaluation of tissues moisture. 2019 , 88, 117-127	9

106	Multi-sensor integration approach based on hyperspectral imaging and electronic nose for quantitation of fat and peroxide value of pork meat. 2020 , 412, 1169-1179	18
105	Nondestructive determination of salmon fillet freshness during storage at different temperatures by electronic nose system combined with radial basis function neural networks. 2020 , 55, 2080-2091	12
104	Preparation and characterization of indicator films from carboxymethyl-cellulose/starch and purple sweet potato (<i>Ipomoea batatas</i> (L.) lam) anthocyanins for monitoring fish freshness. 2020 , 143, 359-372	76
103	On-line prediction of hazardous fungal contamination in stored maize by integrating Vis/NIR spectroscopy and computer vision. 2020 , 229, 118012	8
102	A Comprehensive Method for Assessing Meat Freshness Using Fusing Electronic Nose, Computer Vision, and Artificial Tactile Technologies. 2020 , 2020, 1-14	9
101	Historical Evolution and Food Control Achievements of Near Infrared Spectroscopy, Electronic Nose, and Electronic Tongue-Critical Overview. 2020 , 20,	16
100	Effect of three kinds of natural preservative cocktails on vacuum-packed chilled pork. 2020 , 8, 3110-3118	1
99	A comparison of different optical instruments and machine learning techniques to identify sprouting activity in potatoes during storage. 2020 , 14, 3565-3579	3
98	Advances in infrared spectroscopy combined with artificial neural network for the authentication and traceability of food. 2020 , 1-22	10
97	Rapid Profiling of the Volatilome of Cooked Meat by PTR-ToF-MS: Underlying Latent Explanatory Factors. 2020 , 9,	2
96	Information fusion of emerging non-destructive analytical techniques for food quality authentication: A survey. 2020 , 127, 115901	28
95	A mid-level data fusion approach for evaluating the internal and external changes determined by FT-NIR, electronic nose and colorimeter in Curcumae Rhizoma processing. 2020 , 188, 113387	9
94	A feasibility of nondestructive rapid detection of total volatile basic nitrogen content in frozen pork based on portable near-infrared spectroscopy. 2020 , 157, 105020	10
93	Gas Sensors Based on Chemi-Resistive Hybrid Functional Nanomaterials. 2020 , 12, 71	131
92	Effects of different thermal temperatures on the shelf life and microbial diversity of Dezhou-braised chicken. 2020 , 136, 109471	9
91	Effects of two yellowing process on colour, taste and nonvolatile compounds of bud yellow tea. 2020 , 55, 2931-2941	6
90	An Overview on the Applications of Typical Non-linear Algorithms Coupled With NIR Spectroscopy in Food Analysis. 2020 , 12, 173-190	30
89	Eugenol nanocapsules embedded with gelatin-chitosan for chilled pork preservation. 2020 , 158, 837-844	13

88	Effects of Different Selenium Sources on Meat Quality and Shelf Life of Fattening Pigs. 2020 , 10,	4
87	Gas sensors for volatile compounds analysis in muscle foods: A review. 2020 , 126, 115877	21
86	High-level Fusion Coupled with Mahalanobis Distance Weighted (MDW) Method for Multivariate Calibration. 2020 , 10, 5478	0
85	Fish meal freshness detection by GBDT based on a portable electronic nose system and HS-SPME-MS. 2020 , 246, 1129-1140	4
84	Trace-Level, Multi-Gas Detection for Food Quality Assessment Based on Decorated Silicon Transistor Arrays. 2020 , 32, e1908385	31
83	A novel paper-based and pH-sensitive intelligent detector in meat and seafood packaging. 2021 , 224, 121913	10
82	Detecting cooking state of grilled chicken by electronic nose and computer vision techniques. <i>Food Chemistry</i> , 2021 , 345, 128747	8.5 7
81	Recent trends in quality control, discrimination and authentication of alcoholic beverages using nondestructive instrumental techniques. 2021 , 107, 80-113	17
80	The profile of dynamic changes in yellow tea quality and chemical composition during yellowing process. 2021 , 139, 110792	12
79	Authentication and Quality Assessment of Meat Products by Fourier-Transform Infrared (FTIR) Spectroscopy. 2021 , 13, 66-91	20
78	Measuring chemical deterioration of foods. 2021 , 637-679	
77	Backpropagation Neural Network-Based Machine Learning Model for Prediction of Blood Urea and Glucose in CKD Patients. 2021 , 9, 4900608	1
76	Oxygen vacancies for promoting the electrochemical nitrogen reduction reaction. 2021 , 9, 6694-6709	19
75	Nanomaterial-Based Gas Sensors for Agriculture Sector. 2021 , 51-80	0
74	Multi-sensor Data Fusion Technologies in Food. 2021 , 233-255	
73	Non-Destructive Spectroscopic and Imaging Techniques for the Detection of Processed Meat Fraud. 2021 , 10,	4
72	Total volatile basic nitrogen (TVB-N) and its role in meat spoilage: A review. 2021 , 109, 280-302	73
71	Total volatile basic nitrogen and trimethylamine in muscle foods: Potential formation pathways and effects on human health. 2021 , 20, 3620-3666	7

70	Combination of spectral and image information from hyperspectral imaging for the prediction and visualization of the total volatile basic nitrogen content in cooked beef. 2021 , 15, 4006-4020	2
69	Shortwave infrared hyperspectral imaging system coupled with multivariable method for TVB-N measurement in pork. 2021 , 124, 107854	6
68	Machine Learning-Reinforced Noninvasive Biosensors for Healthcare. 2021 , 10, e2100734	7
67	Quantitative analysis of fish meal freshness using an electronic nose combined with chemometric methods. 2021 , 179, 109484	3
66	A Review on Meat Quality Evaluation Methods Based on Non-Destructive Computer Vision and Artificial Intelligence Technologies. 2021 , 41, 563-588	4
65	Effect of Different and Strains on Quality Characteristics of Dry Fermented Sausage after Completion of Ripening Period. 2021 , 41, 636-649	2
64	Data Science in the Food Industry. 2021 , 4, 341-367	4
63	An intelligent pH indicator film based on cassava starch/polyvinyl alcohol incorporating anthocyanin extracts for monitoring pork freshness. 2021 , 45, e15822	2
62	Antibacterial mechanism of adzuki bean seed coat polyphenols and their potential application in preservation of fresh raw beef. 2021 , 56, 5025	7
61	Rapid and non-destructive spectroscopic method for classifying beef freshness using a deep spectral network fused with myoglobin information. <i>Food Chemistry</i> , 2021 , 352, 129329	8.5 7
60	Analysis of Microbial Diversity and Dynamics During Bacon Storage Inoculated With Potential Spoilage Bacteria by High-Throughput Sequencing. 2021 , 12, 713513	0
59	Fast quantification of total volatile basic nitrogen (TVB-N) content in beef and pork by near-infrared spectroscopy: Comparison of SVR and PLS model. 2021 , 180, 108559	8
58	Rapid and real-time detection of black tea fermentation quality by using an inexpensive data fusion system. <i>Food Chemistry</i> , 2021 , 358, 129815	8.5 6
57	Improving quality attributes of refrigerated prepared pork chops by injecting l-arginine and l-lysine solution. 2022 , 153, 112423	0
56	Qualitative identification of the edible oil storage period using a homemade portable electronic nose combined with multivariate analysis. 2021 , 101, 3448-3456	5
55	Characterization of Jinhua ham aroma profiles in specific to aging time by gas chromatography-ion mobility spectrometry (GC-IMS). 2020 , 168, 108178	40
54	Preliminary investigation of Terahertz spectroscopy to predict pork freshness non-destructively. 2019 , 39, 563-570	3
53	Biogenic amines and polyamines in foods of animal origin. 2019 , 281-311	2

52	Application of Electronic Nose Systems on Animal-Source Food. 2018 , 151-174	3
51	Assessment of frozen storage duration effect on quality characteristics of various horse muscles. 2017 , 30, 1756-1763	16
50	(KACC 92189) as a Potential Probiotic Starter Culture for Quality Improvement of Fermented Sausages. 2018 , 38, 189-202	11
49	A Novel Hyperspectral Microscopic Imaging System for Evaluating Fresh Degree of Pork. 2018 , 38, 362-375	10
48	Comparison of Storage Stability, Volatile Compounds and Sensory Properties between Coarsely-and Finely-Marbled 1 Grade Hanwoo Beef Loins. 2020 , 40, 497-511	5
47	Sensor Fusion Measurement. 2015 , 345-367	
46	Antimicrobial property of recombinant Lactolisterin BU in vitro and its initial application in pork refrigerated storage. 2021 , 64,	3
45	Quality Improvement of the Chicken Sausage with Pepper Seed (<i>Capsicum Annuum</i> L.). 2020 , 8, 829-836	1
44	Detection of frozen pork freshness by fluorescence hyperspectral image. 2022 , 316, 110840	4
43	Correlation-Based Incremental Learning Network for Gas Sensors Drift Compensation Classification. 2020 , 5, 660-666	
42	Incorporation of Selected Strains of spp. on Quality Characteristics of Dry Fermented Sausage during Fermentation and Ripening. 2021 , 41, 1078-1094	0
41	Non-destructive and Rapid Method for Monitoring Fish Freshness of Grass Carp Based on Printable Colorimetric Paper Sensor in Modified Atmosphere Packaging. 1	1
40	Correlation-Based Incremental Learning Network with Sliding Window for Perfume Classification. 2020 ,	
39	Rapid and non-destructive freshness evaluation of squid by FTIR coupled with chemometric techniques. 2021 ,	
38	Development, characterization and stability of a white cachama pE-type product (<i>Piaractus brachipomus</i>). <i>Food Chemistry</i> , 2021 , 375, 131660	8.5 1
37	Colorimetric Sensor Development and Modulation of the Sensitivity of Basic Volatiles Detection to Monitor Fish Freshness.	
36	A smartphone-adaptable fluorescent sensing tag for non-contact and visual monitoring of the freshness of fish.. 2022 ,	2
35	Toward the Development of Combined Artificial Sensing Systems for Food Quality Evaluation: A Review on the Application of Data Fusion of Electronic Noses, Electronic Tongues and Electronic Eyes.. 2022 , 22,	6

34	Microbial Inactivation Property of Pulsed Corona Discharge Plasma and Its Effect on Chilled Pork Preservation.. 2021 ,	1
33	Blood Glucose Prediction Using Machine Learning on Jetson Nanoplatfrom. 2022 , 835-848	0
32	Volatilome Evaluation of Modified Atmosphere Packaged Chilled and Super-Chilled Pork Loins Using Electronic Nose and Hs-Gc-Ims Integration.	
31	An insight into the changes in the microbial community of Kantuan-sliced chicken during storage at different temperatures.	0
30	Characteristic wavelengths optimization improved the predictive performance of near-infrared spectroscopy models for determination of aflatoxin B1 in maize. 2022 , 103474	2
29	Development of Portable Device for Non-Destructive Testing of Livestock Meat Quality based on Machine Vision. 2021 ,	
28	Gas sensing technology for meat quality assessment: A review.	0
27	Emerging nondestructive techniques for the quality and safety evaluation of pork and beef: Recent advances, challenges, and future perspectives. 2022 , 2, 100147	0
26	A decision fusion method based on hyperspectral imaging and electronic nose techniques for moisture content prediction in frozen-thawed pork. 2022 , 113778	2
25	Monitoring the freshness of pork during storage via near-infrared spectroscopy based on colorimetric sensor array coupled with efficient multivariable calibration. 2022 , 113, 104726	1
24	UV-fluorescence imaging for real-time non-destructive monitoring of pork freshness. <i>Food Chemistry</i> , 2022 , 396, 133673	8.5 0
23	Application of pH-indicating film containing blue corn anthocyanins on corn starch/polyvinyl alcohol as substrate for preservation of tilapia.	0
22	Real-Time Monitoring the Effects of Storage Conditions on Volatile Compounds and Quality Indexes of Halal-Certified Kimchi during Distribution Using Electronic Nose. 2022 , 11, 2323	
21	Different dietary sources of selenium alter meat quality, shelf life, selenium deposition, and antioxidant status in Hu lambs. 2022 , 194, 108961	0
20	Employment of cold atmospheric plasma in chilled chicken breasts and the analysis of microbial diversity after the shelf-life storage. 2022 , 162, 111934	0
19	Volatilome evaluation of modified atmosphere packaged chilled and super-chilled pork loins using electronic nose and HS-GC-IMS integration. 2022 , 34, 100953	0
18	Real-time and rapid prediction of TVB-N of livestock and poultry meat at three depths for freshness evaluation using a portable fluorescent film sensor. 2023 , 400, 134041	1
17	Feasibility of near-infrared spectroscopy and chemometrics analysis for discrimination of <i>Cymbopogon nardus</i> from <i>Cymbopogon citratus</i> . 2022 , 15, 104277	0

- 16 Microencapsulation of Rose Essential Oil Using Perilla Protein Isolate-Sodium Alginate Complex Coacervates and Application of Microcapsules to Preserve Ground Beef. ○
- 15 Assessment of the Microbial Spoilage and Quality of Marinated Chicken Souvlaki through Spectroscopic and Biomimetic Sensors and Data Fusion. **2022**, 10, 2251 ○
- 14 Bibliometric Review on the Volatile Organic Compounds in Meat. **2022**, 11, 3574 ○
- 13 Determination of salmon freshness by computer vision based on eye color. **2022**, 34, 100984 ○
- 12 Biophotonics in food technology: Quo vadis?. **2023**, 11, 100482 ○
- 11 Non-Destructive Techniques for the Analysis and Evaluation of Meat Quality and Safety: A Review. **2022**, 11, 3713 ○
- 10 Elektronik Burun Metal Oksit Yarıiletken Sensörlerin Gıda Analizlerinde Kullanımı. **2022**, 454-473 ○
- 9 Simultaneous quantitation of free fatty acid in rice by synergetic data fusion of colorimetric sensor arrays, NIR, and MIR spectroscopy. **2023**, 122359 ○
- 8 Non-destructive detection of frozen pork freshness based on portable fluorescence spectroscopy. **2023**, 118, 105175 ○
- 7 Antioxidant and ammonia-sensitive films based on starch, Earrageenan and Oxalis triangularis extract as visual indicator of beef meat spoilage. **2023**, 235, 123698 ○
- 6 A colorimetric and fluorescent sensor for non-destructive screening of the freshness of shrimp and fish. **2023**, 296, 122647 ○
- 5 VIS/NIR hyperspectral imaging with artificial neural networks to evaluate the content of thiobarbituric acid reactive substances in beef muscle. **2023**, 350, 111500 ○
- 4 Development of a pH-sensing indicator for shrimp freshness monitoring: Curcumin and anthocyanin-loaded gelatin films. ○
- 3 Novel flexible sensing technology for nondestructive detection on live fish health/quality during waterless and low-temperature transportation. **2023**, 228, 115211 ○
- 2 Properties of Roselle and alizarin mixed loaded gelatin films as a pH-sensing indicator for shrimp freshness monitoring. ○
- 1 Artificial Intelligence in Food Safety: A Decade Review and Bibliometric Analysis. **2023**, 12, 1242 ○