

CITATION REPORT

List of articles citing

Engineering BiOX (X = Cl, Br, I) nanostructures for highly efficient photocatalytic applications

DOI: 10.1039/c3nr05529a
Nanoscale, 2014, 6, 2009-26.

Source: <https://exaly.com/paper-pdf/59001544/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
928	Shape-dependent photocatalytic activity of Bi ₅ O ₇ I caused by facets synergetic and internal electric field effects. 2014 , 4, 65056-65064		32
927	Structural, electronic, and optical properties of Eu-doped BiOX (X = F, Cl, Br, I): a DFT+U study. 2014 , 53, 13001-11		97
926	Synthesis of BiOI flowerlike hierarchical structures toward photocatalytic reduction of CO ₂ to CH ₄ . 2014 , 55, 43-47		35
925	Ultrathin BiOBr nanocrystals with dominant {001} facets and their high photocatalytic activity. 2014 , 16, 1		20
924	The stabilities and electronic structures of single-layer bismuth oxyhalides for photocatalytic water splitting. 2014 , 16, 25854-61		90
923	Immobilization of BiOX (X = Cl, Br) on activated carbon fibers as recycled photocatalysts. 2014 , 43, 8170-3		38
922	Highly efficient and stable Ag/AgIOParticles for photocatalytic reduction of COUnder visible light. <i>Nanoscale</i> , 2014 , 6, 10540-4	7.7	45
921	Facile fabrication and photoelectrochemical properties of a one axis-oriented NiO thin film with a (111) dominant facet. 2014 , 2, 19867-19872		20
920	Enhanced photocatalytic performance of g-C ₃ N ₄ nanosheetsBiOBr hybrids. 2014 , 76, 90-104		40
919	Reactable ionic liquid-assisted rapid synthesis of BiOI hollow microspheres at room temperature with enhanced photocatalytic activity. 2014 , 2, 15864-15874		170
918	Facile fabrication and enhanced visible light photocatalytic activity of few-layer MoS ₂ coupled BiOBr microspheres. 2014 , 43, 15429-38		122
917	In situ decoration of plasmonic Ag nanocrystals on the surface of (BiO) ₂ CO ₃ hierarchical microspheres for enhanced visible light photocatalysis. 2014 , 43, 9468-80		92
916	Bismuth oxyhalide nanomaterials: layered structures meet photocatalysis. <i>Nanoscale</i> , 2014 , 6, 8473-88	7.7	655
915	One-pot synthesis of bismuth oxyhalide/oxygen-rich bismuth oxyhalide heterojunction and its photocatalytic activity. 2014 , 431, 187-93		27
914	Recent advances in BiOX (X = Cl, Br and I) photocatalysts: synthesis, modification, facet effects and mechanisms. 2014 , 1, 90		522
913	Bi ₂ O ₃ and BiOCl electrospun nanosheets and morphology-dependent photocatalytic properties. 2014 , 4, 29957		20
912	Synthesis, characterization, and visible-light photocatalytic activity of BiOI hierarchical flower-like microspheres. 2014 , 4, 31393-31399		41

911	Solvothermal synthesis of BiOCl flower-like hierarchical structures with high photocatalytic activity. 2014 , 51, 1-4	33
910	Polyoxomolybdate-supported bismuth trihalides [Mo8O26(BiX3)2](4-) (X = Cl, Br, I): syntheses and study of polymorphism. 2014 , 53, 6886-92	10
909	Enhanced photocatalytic performance of g-C3N4 with BiOCl quantum dots modification. 2014 , 55, 212-215	23
908	BiOCl Hierarchical Nanoflowers with Superior Mixed-dye Photodegradation Activity. 2015 , 44, 1306-1308	10
907	Solvothermal Synthesis of Flower-like BiOClxly Solid Solution Microspheres with Excellent Organic Dye Adsorption Ability. 2015 , 44, 506-508	2
906	Visible-light-induced Photodegradation Enhancement of Methyl Orange over Bismuth Oxybromide Through a Semiconductor Mediated Process. 2015 , 18,	
905	Enhancing the Efficiency of Water Oxidation by Boron-Doped BiVO under Visible Light: Hole Trapping by BO Tetrahedra. 2015 , 80, 1113-1118	12
904	Enhanced Photoelectrocatalytic Activity of BiOI Nanoplate-Zinc Oxide Nanorod p-n Heterojunction. 2015 , 21, 15360-8	117
903	One-step synthesis of amorphous silver silicates with tunable light absorption spectra and photocatalytic activities in the visible region. 2015 , 21, 8706-10	14
902	Highly efficient photocatalytic degradation of methyl orange and Rhodamine B by hierarchical BiOBr microspheres. 2015 , 50, 405-412	11
901	Facile synthesized highly active BiOI/Zn2GeO4 composites for the elimination of endocrine disrupter BPA under visible light irradiation. 2015 , 39, 3964-3972	23
900	The synergistic role of carbon quantum dots for the improved photocatalytic performance of Bi2MoO6. <i>Nanoscale</i> , 2015 , 7, 11433-43	7.7 251
899	One-pot solvothermal synthesis of S doped BiOCl for solar water oxidation. 2015 , 5, 47261-47264	37
898	Light converting phosphor-based photocatalytic composites. 2015 , 5, 4727-4740	35
897	Visible-light-driven BiOBr nanosheets for highly facet-dependent photocatalytic inactivation of Escherichia coli. 2015 , 3, 15148-15155	134
896	Synthesis of black ultrathin BiOCl nanosheets for efficient photocatalytic H2 production under visible light irradiation. 2015 , 293, 409-415	104
895	A eutectic mixture of choline chloride and urea as an assisting solvent in the synthesis of flower-like hierarchical BiOCl structures with enhanced photocatalytic activity. 2015 , 5, 49598-49605	11
894	Modulation of Photocatalytic Properties by Strain in 2D BiOBr Nanosheets. 2015 , 7, 27592-6	100

893	Substrate-dependent photoreactivities of BiOBr nanoplates prepared at different pH values. 2015 , 36, 2145-2154	32
892	The enhanced visible light photocatalytic activity of yttrium-doped BiOBr synthesized via a reactable ionic liquid. 2015 , 331, 170-178	36
891	Harnessing single-active plasmonic nanostructures for enhanced photocatalysis under visible light. 2015 , 3, 5244-5258	109
890	Well-defined BiOCl colloidal ultrathin nanosheets: synthesis, characterization, and application in photocatalytic aerobic oxidation of secondary amines. 2015 , 6, 1873-1878	174
889	Hierarchical bismuth oxychlorides constructed by porous nanosheets: Preparation, growth mechanism, and application in photocatalysis. 2015 , 31, 666-677	7
888	An innovative anion regulation strategy for energy bands of semiconductors: a case from Bi ₂ O ₃ to Bi ₂ O(OH)2SO ₄ . 2015 , 5, 7770	35
887	Controllable synthesis of highly active BiOCl hierarchical microsphere self-assembled by nanosheets with tunable thickness. 2015 , 172-173, 91-99	37
886	One-pot synthesis of heterostructured Bi ₂ S ₃ /BiOBr microspheres with highly efficient visible light photocatalytic performance. 2015 , 5, 16239-16249	108
885	An anion-exchange strategy for 3D hierarchical (BiO) ₂ CO ₃ /amorphous Bi ₂ S ₃ heterostructures with increased solar absorption and enhanced visible light photocatalysis. 2015 , 5, 11714-11723	51
884	Recent developments in heterogeneous photocatalytic water treatment using visible light-responsive photocatalysts: a review. 2015 , 5, 14610-14630	669
883	Electrical conductivity of p-type BiOCl nanosheets. 2015 , 51, 2629-32	42
882	BiOBr/BiOI microsphere assembled with atom-thick ultrathin nanosheets and its high photocatalytic activity. 2015 , 5, 24777-24782	20
881	Synthesis of bismuth oxyiodides and their composites: characterization, photocatalytic activity, and degradation mechanisms. 2015 , 5, 23450-23463	150
880	The role of Sn in enhancing the visible-light photocatalytic activity of hollow hierarchical microspheres of the Bi/BiOBr heterojunction. 2015 , 17, 8078-86	63
879	Electrospun Cr-doped Bi ₄ Ti ₃ O ₁₂ /Bi ₂ Ti ₂ O ₇ heterostructure fibers with enhanced visible-light photocatalytic properties. 2015 , 3, 6586-6591	53
878	Single crystalline tantalum oxychloride microcubes: controllable synthesis, formation mechanism and enhanced photocatalytic hydrogen production activity. 2015 , 51, 12455-8	8
877	Ag ₃ PO ₄ nanoparticles loaded on 3D flower-like spherical MoS ₂ : a highly efficient hierarchical heterojunction photocatalyst. 2015 , 44, 14625-34	72
876	Synthesis, characterization and photocatalytic properties of BiOBr/amidoxime fiber composites. 2015 , 40, 344-350	10

- 875 BiOBr photocatalyzed decarboxylation of glutamic acid: reaction rates, intermediates and mechanism. **2015**, 5, 55727-55730 3
- 874 Crystal-facet-dependent hot-electron transfer in plasmonic-Au/semiconductor heterostructures for efficient solar photocatalysis. **2015**, 3, 7538-7542 46
- 873 From BiOCl to Bi₂WO₆ in Bi₂WO₆ solvothermal system: phase-morphology evolution and photocatalytic performance. **2015**, 30, 23-27 1
- 872 P123-assisted hydrothermal synthesis of BiOI with enhanced photocatalytic performance. **2015**, 153, 179-181 11
- 871 Steering charge kinetics in photocatalysis: intersection of materials syntheses, characterization techniques and theoretical simulations. **2015**, 44, 2893-939 732
- 870 Rapid room-temperature synthesis and visible-light photocatalytic properties of BiOI nanoflowers. **2015**, 639, 445-451 23
- 869 Synthesis of BiOBr-PVP hybrids with enhanced adsorption-photocatalytic properties. **2015**, 347, 258-264 50
- 868 Epitaxial growth of silver chloride crystals on bismuth oxychloride. **2015**, 44, 176-81 3
- 867 A step closer to the binary: the (1)([Bi₆I₂₀](2-) anion. **2015**, 44, 10069-77 36
- 866 Photofuel cell comprising titanium oxide and bismuth oxychloride (BiO_{1-x}Cl_{1-x}) photocatalysts that uses acidic water as a fuel. **2015**, 3, 8389-8404 45
- 865 Synthesis of Zn²⁺ doped BiOCl hierarchical nanostructures and their exceptional visible light photocatalytic properties. **2015**, 638, 148-154 52
- 864 Facet-Level Mechanistic Insights into General Homogeneous Carbon Doping for Enhanced Solar-to-Hydrogen Conversion. **2015**, 25, 2189-2201 121
- 863 Photocatalytic property of a Bi₂O₃ nanoparticle modified BiOCl composite with a nanolayered hierarchical structure synthesized by in situ reactions. **2015**, 44, 5386-95 34
- 862 Enhanced visible-light photocatalytic performance of BiOBr/UiO-66(Zr) composite for dye degradation with the assistance of UiO-66. **2015**, 5, 39592-39600 86
- 861 Controlled synthesis of thin BiOCl nanosheets with exposed {001} facets and enhanced photocatalytic activities. **2015**, 17, 3845-3851 34
- 860 Nanoscale architecture of bimetallic hybrid Fe₃Au nanostructures with and without 1,4-phenylene diisocyanide pre-functionalization. **2015**, 5, 31472-31478 12
- 859 Band-structure-controlled BiO(ClBr)($\frac{1-x}{2}$)₂ solid solutions for visible-light photocatalysis. **2015**, 3, 8123-8132 95
- 858 BiOCl_xBr_yI_z (x + y + z = 1) solid solutions with controllable band gap and highly enhanced visible light photocatalytic performances. **2015**, 638, 254-260 26

- 857 Synthesis of BiOI hierarchical nanospheres and their application in photocatalysis. **2015**, 152, 248-251 9
- 856 One-Step Synthesis of Immobilized BiOCl Film with Excellent Adsorption Capacity for Dyes. **2015**, 10, 1550119 5
- 855 A selectively exposed crystal facet-engineered TiO₂ thin film photoanode for the higher performance of the photoelectrochemical water splitting reaction. **2015**, 8, 3646-3653 89
- 854 Novel synthesis route to uniform nanosheet Bi₂O₂CO₃:Eu³⁺ crystals with luminescence properties. **2015**, 357, 255-261 10
- 853 Poly(vinyl pyrrolidone)-assisted hydrothermal synthesis and enhanced visible-light photocatalytic performance of oxygen-rich bismuth oxychlorides. **2015**, 459, 136-145 24
- 852 SDS-assisted solvothermal synthesis of rose-like BiOBr partially enclosed by {111} facets and enhanced visible-light photocatalytic activity. **2015**, 44, 20475-83 26
- 851 Enhancing visible-light photocatalytic activity of g-C₃N₄ by doping phosphorus and coupling with CeO₂ for the degradation of methyl orange under visible light irradiation. **2015**, 5, 68728-68735 72
- 850 Comprehensive Study on the Controlled Plasmon-Enhanced Photocatalytic Activity of Hybrid Au/ZnO Systems Mediated by Thermoresponsive Polymer Linkers. **2015**, 7, 21073-81 27
- 849 In situ preparation of novel heterojunction BiOBr/BiVO₄ photocatalysts with enhanced visible light photocatalytic activity. **2015**, 5, 92769-92777 21
- 848 In situ growth of Au nanoparticles on 3D Bi₂O₂CO₃ for surface plasmon enhanced visible light photocatalysis. **2015**, 39, 8446-8453 23
- 847 Graphene, charcoal, ZnO, and ZnS/BiOX (X = Cl, Br, and I) hybrid microspheres for photocatalytic simulated real mixed dye treatments. **2015**, 32, 137-152 38
- 846 Synthesis of BiOI/Bi₄O₅I₂/Bi₂O₂CO₃ p-n heterojunctions with superior photocatalytic activities. **2015**, 39, 8321-8328 28
- 845 One-pot synthesis of three bismuth oxyhalides (BiOCl, BiOBr, BiOI) and their photocatalytic properties in three different exposure conditions. **2015**, 1, 1076371 28
- 844 Self-fluorinated Bi₃Ti₂O₈F formed by cross-linked nanosheets as a superior dye-sensitized photocatalyst. **2015**, 5, 81087-81092 2
- 843 Recyclable magnetic CoFe₂O₄/BiOX (X = Cl, Br and I) microflowers for photocatalytic treatment of water contaminated with methyl orange, rhodamine B, methylene blue, and a mixed dye. **2015**, 5, 79624-79634 47
- 842 Improved photocatalytic performance of self-assembled Bi/BiOBr square microflowers with square nanopetals. **2015**, 5, 80853-80858 13
- 841 Flower-like Bi₂S₃/Bi₂MoO₆ heterojunction superstructures with enhanced visible-light-driven photocatalytic activity. **2015**, 5, 75081-75088 63
- 840 Self-assembly of ultrathin Cu₂MoS₄ nanobelts for highly efficient visible light-driven degradation of methyl orange. *Nanoscale*, **2015**, 7, 17998-8003 7-7 31

839	Synthesis and structure of BiPbO ₂ Cl nanosheet with enhanced visible light photocatalytic activity. 2015 , 356, 1341-1348	10
838	Comprehensive investigation of the reciprocity of structure and enhanced photocatalytic performance in finned-tube structured TiO ₂ /BiOBr heterojunctions. 2015 , 5, 102228-102237	30
837	Bi ₂ O ₂ (OH)(NO ₃) as a desirable [Bi ₂ O ₂] ²⁺ layered photocatalyst: strong intrinsic polarity, rational band structure and {001} active facets co-beneficial for robust photooxidation capability. 2015 , 3, 24547-24556 ³¹⁰	310
836	Synthesis of homogeneous sphere-like Bi ₂ WO ₆ nanostructure by silica protected calcination with high visible-light-driven photocatalytic activity under direct sunlight. 2015 , 17, 1037-1049	45
835	Fabrication of multiple heterojunctions with tunable visible-light-active photocatalytic reactivity in BiOBr-BiOI full-range composites based on microstructure modulation and band structures. 2015 , 7, 482-92	606
834	Rapid adsorption and photocatalytic activity for Rhodamine B and Cr(VI) by ultrathin BiOI nanosheets with highly exposed {001} facets. 2015 , 39, 1874-1882	66
833	Generation of singlet oxygen over Bi(V)/Bi(III) composite and its use for oxidative degradation of organic pollutants. 2015 , 264, 681-689	65
832	Hydrothermal synthesis of C ₃ N ₄ /BiOI/O ₃ heterostructures with enhanced photocatalytic properties. 2015 , 442, 97-102	61
831	One-dimensional Bi ₂ O ₃ QD-decorated BiVO ₄ nanofibers: electrospinning synthesis, phase separation mechanism and enhanced photocatalytic performance. 2015 , 5, 3767-3773	19
830	A dye-sensitized visible light photocatalyst-Bi ₂₄ O ₃₁ Cl ₁₀ . 2014 , 4, 7384	73
829	3D BiOI/C ₃ N ₄ composite with enhanced photocatalytic performance for phenol degradation under visible-light. 2015 , 41, 3511-3517	66
828	Ionic liquid self-combustion synthesis of BiOBr/Bi ₂₄ O ₃₁ Br ₁₀ heterojunctions with exceptional visible-light photocatalytic performances. <i>Nanoscale</i> , 2015 , 7, 1116-26	7-7 151
827	In situ ion exchange synthesis of the Bi ₄ Ti ₃ O ₁₂ /Bi ₂ S ₃ heterostructure with enhanced photocatalytic activity. 2015 , 60, 23-26	32
826	Zinc oxide based photocatalysis: tailoring surface-bulk structure and related interfacial charge carrier dynamics for better environmental applications. 2015 , 5, 3306-3351	566
825	BiOI/TiO ₂ -nanorod array heterojunction solar cell: Growth, charge transport kinetics and photoelectrochemical properties. 2015 , 324, 532-537	49
824	A novel ternary plasmonic photocatalyst: ultrathin g-C ₃ N ₄ nanosheet hybridized by Ag/AgVO ₃ nanoribbons with enhanced visible-light photocatalytic performance. 2015 , 165, 335-343	184
823	BiOCl nanosheet/Bi ₄ Ti ₃ O ₁₂ nanofiber heterostructures with enhanced photocatalytic activity. 2015 , 58, 122-126	33
822	Preparation of Hierarchical BiOBr Microspheres for Visible Light-Induced Photocatalytic Detoxification and Disinfection. 2016 , 2016, 1-10	25

821	Facile Synthesis of High {001} Facets Dominated BiOCl Nanosheets and Their Selective Dye-Sensitized Photocatalytic Activity Induced by Visible Light. 2016 , 2016, 1-7	3
820	Some Unitary, Binary, and Ternary Non-TiO ₂ Photocatalysts. 2016 ,	2
819	Charge storage performances of micro-supercapacitor predominated by two-dimensional (2D) crystal structure. 2016 , 27, 58-67	33
818	A dual-cocatalyst-loaded Au/BiOI/MnO _x system for enhanced photocatalytic greenhouse gas conversion into solar fuels. 2016 , 3, 902-909	48
817	Synthesis of Multiwalled Carbon Nanotube Modified BiOCl Microspheres with Enhanced Visible-Light Response Photoactivity. 2016 , 44, 781-787	17
816	Synthesis of belt-like BiOBr hierarchical nanostructure with high photocatalytic performance. 2016 , 77, 171-177	27
815	Novel synthesis of bismuth oxyiodide/graphitic carbon nitride nanocomposites with enhanced visible-light photocatalytic activity. 2016 , 6, 33478-33491	100
814	Facile fabrication and enhanced visible-light photocatalytic activity of In ₂ O ₃ /Ag ₂ CrO ₄ composites. 2016 , 6, 52627-52635	21
813	Synthesis and Facet-Dependent Properties of Layered BiOCl Photocatalysts. 2016 , 341-358	1
812	Controlled hydrothermal synthesis of PbBiO ₂ Br/BiOBr heterojunction with enhanced visible-driven-light photocatalytic activities. 2016 , 417, 168-183	90
811	Self-floating graphitic carbon nitride/zinc phthalocyanine nanofibers for photocatalytic degradation of contaminants. 2016 , 317, 17-26	49
810	Graphitic Carbon Nitride (g-C ₃ N ₄)-Based Photocatalysts for Artificial Photosynthesis and Environmental Remediation: Are We a Step Closer To Achieving Sustainability?. 2016 , 116, 7159-329	4018
809	A novel heterojunction photocatalyst, Bi ₂ SiO ₅ /g-C ₃ N ₄ : synthesis, characterization, photocatalytic activity, and mechanism. 2016 , 6, 40664-40675	70
808	Construction of ultrathin C ₃ N ₄ /Bi ₄ O ₅ I ₂ layered nanojunctions via ionic liquid with enhanced photocatalytic performance and mechanism insight. 2016 , 191, 235-245	109
807	Graphene-like BN/BiOBr composite: synthesis via a reactable ionic liquid and enhanced visible light photocatalytic performance. 2016 , 31, 463-470	4
806	Synthesis and enhanced photocatalytic activity of a BiOI/TiO ₂ nanobelt array for methyl orange degradation under visible light irradiation. 2016 , 6, 36881-36887	22
805	Structural and morphological modulation of BiOCl visible-light photocatalyst prepared via an in situ oxidation synthesis. 2016 , 32, 338-342	2
804	Bismuth Oxyhalide Nano- and Microstructures: Morphology Modulation and Functionalization. 2016 , 325-340	

803	Synthesis, Properties, and Applications of Hollow Micro-/Nanostructures. 2016 , 116, 10983-1060	996
802	g-C ₃ N ₄ /Bi ₄ O ₅ I ₂ heterojunction with I ³ /I ⁻ redox mediator for enhanced photocatalytic CO ₂ conversion. 2016 , 194, 98-104	204
801	Visible/near-IR-light-driven TNFePc/BiOCl organic-inorganic heterostructures with enhanced photocatalytic activity. 2016 , 45, 9497-505	37
800	Strongly-coupled silver chloride-tungsten oxide hybrid nanocomposite with excellent antibacterial effect. 2016 , 27, 1295-1300	3
799	Bi ₄ O ₅ Br ₂ ultrasmall nanosheets in situ strong coupling to MWCNT and improved photocatalytic activity for tetracycline hydrochloride degradation. 2016 , 424, 331-341	42
798	Preparation and formation mechanism of BiOCl _{0.75} IO _{0.25} nanospheres by precipitation method in alcohol-water mixed solvents. 2016 , 478, 1-10	17
797	Coupling with a narrow-band-gap semiconductor for the enhancement of visible-light photocatalytic activity: preparation of Bi ₂ O ₃ S _{3-x} Nb ₆ O ₁₇ and application to the degradation of methyl orange. 2016 , 45, 13944-50	13
796	BiOCl/TiO ₂ Nanocomposites for Photoelectrochemical Water Splitting. 2016 , 3, 1500273	27
795	Core-shell Cd _{0.2} Zn _{0.8} S@BiOX (X = Cl, Br and I) microspheres: a family of hetero-structured catalysts with adjustable bandgaps, enhanced stability and photocatalytic performance under visible light irradiation. 2016 , 45, 13709-16	10
794	BiOCl/SnS ₂ Core-Shell Photocatalyst for the Degradation of Organic Pollutants. 2016 , 11, 1650087	10
793	A series of BiOxly/GO photocatalysts: synthesis, characterization, activity, and mechanism. 2016 , 6, 82743-82754	54
792	Ion Exchange Synthesis of Bi ₂ MoO ₆ /BiOI Heterojunctions for Photocatalytic Degradation and Photoelectrochemical Water Splitting. 2016 , 11, 1650095	10
791	Hydrothermal synthesis of 3D Ba ₅ Ta ₄ O ₁₅ flower-like microsphere photocatalyst with high photocatalytic properties. 2016 , 31, 2640-2648	9
790	Controlled synthesis of {001} facets-dominated dye-sensitized BiOCl with high photocatalytic efficiency under visible-light irradiation. 2016 , 18, 1	19
789	Hierarchical nanostructured 3D flowerlike BiOX particles with excellent visible-light photocatalytic activity. 2016 , 18, 1	6
788	One-pot synthesis of BiOCl half-shells using microemulsion droplets as templates with highly photocatalytic performance for the degradation of ciprofloxacin. 2016 , 389, 742-750	43
787	An oxygen-vacancy rich 3D novel hierarchical MoS ₂ /BiOI/AgI ternary nanocomposite: enhanced photocatalytic activity through photogenerated electron shuttling in a Z-scheme manner. 2016 , 18, 24984-24993	99
786	Facile one-step synthesis of BiOCl/BiOI heterojunctions with exposed {001} facet for highly enhanced visible light photocatalytic performances. 2016 , 71, 45-49	26

785	Facile synthesis of BiOI in hierarchical nanostructure preparation and its photocatalytic application to organic dye removal and biocidal effect of bacteria. 2016 , 481, 47-56	46
784	Transition-Metal-Complex Cationic Dyes Photosensitive to Two Types of 2D Layered Silver Bromides with Visible-Light-Driven Photocatalytic Properties. 2016 , 55, 12193-12203	54
783	Design and simple synthesis of composite BiTiO/BiTiO with a good photocatalytic quantum efficiency and high production of photo-generated hydroxyl radicals. 2016 , 18, 26530-26538	34
782	Synthesis of BiOBr/carbon quantum dots microspheres with enhanced photoactivity and photostability under visible light irradiation. 2016 , 527, 127-136	55
781	Reduced-graphene-oxide-wrapped BiOI-AgI heterostructured nanocomposite as a high-performance photocatalyst for dye degradation under solar light irradiation. 2016 , 61, 32-39	47
780	BiOX/BiOY (X, Y = F, Cl, Br, I) superlattices for visible light photocatalysis applications. 2016 , 6, 91508-91516	28
779	Tuning the physicochemical property of BiOBr via pH adjustment: Towards an efficient photocatalyst for degradation of bisphenol A. 2016 , 423, 379-385	38
778	Bismuth-based photocatalytic semiconductors: Introduction, challenges and possible approaches. 2016 , 423, 533-549	332
777	Bismuth-rich Bi ₄ O ₅ X ₂ (X = Br, and I) nanosheets with dominant {1 0 1} facets exposure for photocatalytic H ₂ evolution. 2016 , 304, 454-460	126
776	Facets and defects cooperatively promote visible light plasmonic photocatalysis with Bi nanowires@BiOCl nanosheets. 2016 , 344, 401-410	149
775	Theoretical perspective of energy harvesting properties of atomically thin BiI ₃ . 2016 , 4, 19086-19094	41
774	Fabrication of BiOBr _x I _{1-x} photocatalysts with tunable visible light catalytic activity by modulating band structures. 2016 , 6, 22800	53
773	A Chelation Strategy for In-situ Constructing Surface Oxygen Vacancy on {001} Facets Exposed BiOBr Nanosheets. 2016 , 6, 24918	71
772	An efficient visible-light photocatalyst made from a nonpolar layered semiconductor by grafting electron-withdrawing organic molecules to its surface. 2016 , 52, 13507-13510	29
771	One-step solvothermal synthesis of Fe-doped BiOI film with enhanced photocatalytic performance. 2016 , 6, 106615-106624	18
770	A novel layered bismuth-based photocatalytic material LiBi ₃ O ₄ Cl ₂ with OH and h ⁺ as the active species for efficient photodegradation applications. 2016 , 62, 43-49	9
769	Structural, Electronic, and Optical Properties of BiOX _{1-x} Y _x (X, Y = F, Cl, Br, and I) Solid Solutions from DFT Calculations. 2016 , 6, 31449	22
768	Spatial separation of photo-generated electron-hole pairs in BiOBr/BiOI bilayer to facilitate water splitting. 2016 , 6, 32764	44

767	Hexagonal 2H-MoSe broad spectrum active photocatalyst for Cr(VI) reduction. 2016 , 6, 35304	55
766	Room-temperature synthesis of BiOI with tailorable (001) facets and enhanced photocatalytic activity. 2016 , 478, 201-8	65
765	Enhanced performance of photoelectrochemical water oxidation using a three-dimensional interconnected nanostructural photoanode via simultaneously harnessing charge transfer and coating with an oxygen evolution catalyst. 2016 , 26, 257-266	23
764	In situ assembly of BiOI@Bi ₂ O ₃ /Bi ₂ Cl ₂ p-n junction: charge induced unique front-lateral surfaces coupling heterostructure with high exposure of BiOI {001} active facets for robust and nonselective photocatalysis. 2016 , 199, 75-86	494
763	Ionic liquid-assisted bidirectional regulation strategy for carbon quantum dots (CQDs)/Bi ₄ O ₅ I ₂ nanomaterials and enhanced photocatalytic properties. 2016 , 478, 324-33	41
762	Defect Physics of BiOI as High Efficient Photocatalyst Driven by Visible Light. 2016 , 99, 3015-3024	17
761	Adsorptional photocatalytic mineralization of oxytetracycline and ampicillin antibiotics using Bi ₂ O ₃ /BiOCl supported on graphene sand composite and chitosan. 2016 , 479, 271-283	100
760	Enhancing the Photocatalytic Activity of BiVO ₄ for Oxygen Evolution by Ce Doping: Ce ³⁺ Ions as Hole Traps. 2016 , 120, 2058-2063	93
759	Thickness-ultrathin and bismuth-rich strategies for BiOBr to enhance photoreduction of CO ₂ into solar fuels. 2016 , 187, 281-290	213
758	Novel Ag/AgCl/K ₆ Nb _{10.8} O ₃₀ photocatalyst and its enhanced visible light photocatalytic activities for the degradation of microcystin-LR and acid red G. 2016 , 411, 364-371	19
757	AgX (X = Cl, Br, I)/BiOX nanoplates and microspheres for pure and mixed (methyl orange, rhodamine B and methylene blue) dyes. 2016 , 35, 231-252	25
756	Fabrication, modification and application of (BiO) ₂ CO ₃ -based photocatalysts: A review. 2016 , 365, 314-335	119
755	Controllable one-pot synthesis of a nest-like Bi ₂ WO ₆ /BiVO ₄ composite with enhanced photocatalytic antifouling performance under visible light irradiation. 2016 , 45, 4588-602	98
754	Indirect Z-Scheme BiOI/g-C ₃ N ₄ Photocatalysts with Enhanced Photoreduction CO ₂ Activity under Visible Light Irradiation. 2016 , 8, 3765-75	457
753	TiO ₂ /BiOX (X=Cl, Br, I) hybrid microspheres for artificial waste water and real sample treatment under visible light irradiation. 2016 , 160, 28-42	37
752	Carbon quantum dots in situ coupling to bismuth oxyiodide via reactable ionic liquid with enhanced photocatalytic molecular oxygen activation performance. 2016 , 98, 613-623	104
751	Synthesis and photocatalytic activity of porous bismuth oxychloride hexagonal prisms. 2016 , 52, 994-7	35
750	Nitrogen-Doped Carbon Quantum Dots/BiOBr Ultrathin Nanosheets: In Situ Strong Coupling and Improved Molecular Oxygen Activation Ability under Visible Light Irradiation. 2016 , 4, 136-146	182

749	Visible light Bi ₂ S ₃ /Bi ₂ O ₃ /Bi ₂ O ₂ CO ₃ photocatalyst for effective degradation of organic pollutions. 2016 , 185, 68-76	226
748	Efficient synthesis of sunlight-driven ZnO-based heterogeneous photocatalysts. 2016 , 98, 324-332	68
747	Boron doped BiOBr nanosheets with enhanced photocatalytic inactivation of Escherichia coli. 2016 , 192, 35-45	156
746	Carbon-modified bismuth titanate with an enhanced photocatalytic activity under nature sunlight. 2016 , 172, 184-187	10
745	Alkali-Induced in Situ Fabrication of Bi ₂ O ₄ -Decorated BiOBr Nanosheets with Excellent Photocatalytic Performance. 2016 , 120, 7715-7727	94
744	Highly photocatalytic active thiomolybdate [Mo ₃ S ₁₃] ₂ clusters/Bi ₂ WO ₆ nanocomposites. 2016 , 274, 22-27	10
743	Alkali metal bismuth(III) chloride double salts. 2016 , 670, 337-345	25
742	Carbon Quantum Dots Induced Ultrasmall BiOI Nanosheets with Assembled Hollow Structures for Broad Spectrum Photocatalytic Activity and Mechanism Insight. 2016 , 32, 2075-84	114
741	Bidirectional acceleration of carrier separation spatially via N-CQDs/atomically-thin BiOI nanosheets nanojunctions for manipulating active species in a photocatalytic process. 2016 , 4, 5051-5061	110
740	A self-sacrifice template route to iodine modified BiOI/O ₃ : band gap engineering and highly boosted visible-light active photoreactivity. 2016 , 18, 7851-9	32
739	Effect of phosphorus doping on electronic structure and photocatalytic performance of g-C ₃ N ₄ : Insights from hybrid density functional calculation. 2016 , 672, 271-276	89
738	BiOI hierarchical nanoflowers as novel robust peroxidase mimetics for colorimetric detection of H ₂ O ₂ . 2016 , 6, 17483-17493	28
737	The photocatalytic properties of ultrathin bismuth oxychloride nanosheets: a first principles study. 2016 , 18, 7261-8	31
736	In situ preparation of g-C ₃ N ₄ /bismuth-based oxide nanocomposites with enhanced photocatalytic activity. 2016 , 188, 1-12	161
735	Synthesis, characterisation and photocatalytic properties of BiOCl/amidoxime fibre composites. 2016 , 20, 216-222	1
734	Wavelength-dependent differences in photocatalytic performance between BiOBr nanosheets with dominant exposed (0 0 1) and (0 1 0) facets. 2016 , 187, 342-349	108
733	Interplay of Orbital and Relativistic Effects in Bismuth Oxyhalides: BiOF, BiOCl, BiOBr, and BiOI. 2016 , 28, 1980-1984	225
732	Morphology-dependent photoelectrochemical properties of multi-scale layered Bi(C ₂ O ₄)OH. 2016 , 6, 23537-23549	7

731	Bismuth oxychloride hollow microspheres with high visible light photocatalytic activity. 2016 , 9, 593-601	70
730	Efficient visible light photocatalytic oxidation of NO with hierarchical nanostructured 3D flower-like BiOCl _x Br _{1-x} solid solutions. 2016 , 671, 318-327	50
729	Photocurrent switching effect on platelet-like BiOI electrodes: influence of redox system, light wavelength and thermal treatment. 2016 , 190, 612-619	19
728	Bactericidal activity and mechanism of AgI/AgBr/BiOBr(0.75)I(0.25) under visible light irradiation. 2016 , 138, 102-9	28
727	One-pot fabrication of Bi ₃ O ₄ Cl/BiOCl plate-on-plate heterojunction with enhanced visible-light photocatalytic activity. 2016 , 185, 203-212	113
726	Solvothermal method coupled with thermal decomposition for synthesis of non-stoichiometric BiO _{1.18} I _{0.64} with excellent photocatalytic activity. 2016 , 6, 2641-2650	13
725	Fabrication of BiOBr nanosheets@TiO ₂ nanobelts p-n junction photocatalysts for enhanced visible-light activity. 2016 , 365, 209-217	115
724	Solvent-free in situ synthesis of g-C ₃ N ₄ /TiO ₂ composite with enhanced UV- and visible-light photocatalytic activity for NO oxidation. 2016 , 182, 587-597	140
723	Photocatalytic efficiency of bismuth oxyhalide (Br, Cl and I) nanoplates for RhB dye degradation under LED irradiation. 2016 , 34, 146-156	69
722	In Situ Composition-Transforming Fabrication of BiOI/BiOIO ₃ Heterostructure: Semiconductor p-n Junction and Dominantly Exposed Reactive Facets. 2016 , 16, 221-228	67
721	Simultaneous Pd ²⁺ doping and Pd metal deposition on (BiO) ₂ CO ₃ microspheres for enhanced and stable visible light photocatalysis. 2016 , 510, 161-170	19
720	Synthesis of olive-green few-layered BiOI for efficient photoreduction of CO ₂ into solar fuels under visible/near-infrared light. 2016 , 144, 732-739	97
719	Thickness-dependent photocatalytic activity of bismuth oxybromide nanosheets with highly exposed (0 1 0) facets. 2016 , 182, 431-438	77
718	Temperature-induced phase changes in bismuth oxides and efficient photodegradation of phenol and p-chlorophenol. 2016 , 301, 362-70	76
717	Highly photocatalytic active thiomolybdate [Mo ₃ S ₁₃] ₂ clusters/BiOBr nanocomposite with enhanced sulfur tolerance. 2016 , 183, 1-7	28
716	Advanced photocatalytic performance of graphene-like BN modified BiOBr flower-like materials for the removal of pollutants and mechanism insight. 2016 , 183, 254-262	250
715	SDS-assisted solvothermal synthesis of BiOBr microspheres with highly visible-light photocatalytic activity. 2016 , 164, 243-247	34
714	Atmospheric pressure synthesis of nitrogen doped graphene quantum dots for fabrication of BiOBr nanohybrids with enhanced visible-light photoactivity and photostability. 2016 , 96, 1157-1165	85

7 ¹³	Iodide surface decoration: a facile and efficacious approach to modulating the band energy level of semiconductors for high-performance visible-light photocatalysis. 2016 , 52, 354-7	49
7 ¹²	Microwave-assisted solvothermal synthesis of Bi ₄ O ₅ I ₂ hierarchical architectures with high photocatalytic performance. 2016 , 264, 221-228	82
7 ¹¹	Efficient visible light photocatalytic NO _x removal with cationic Ag clusters-grafted (BiO)CO hierarchical superstructures. 2017 , 322, 223-232	42
7 ¹⁰	Down-conversion phosphors as noble-metal-free co-catalyst in ZnO for efficient visible light photocatalysis. 2017 , 391, 468-475	13
7 ⁰⁹	Visible-Light-Driven BiOI-Based Janus Micromotor in Pure Water. 2017 , 139, 1722-1725	222
7 ⁰⁸	The {001} facets-dominated photocatalyst of nanostructured rose-like BiOCl 1k Br x solid solutions enhanced photocatalytic activity. 2017 , 71, 355-363	10
7 ⁰⁷	Bismuth oxyiodide incorporated reduced graphene oxide nanocomposite material as an efficient photocatalyst for visible light assisted degradation of organic pollutants. 2017 , 418, 163-170	38
7 ⁰⁶	Preparation, characterization and photocatalytic properties of BiOBr/ZnO composites. 2017 , 26, 416-421	40
7 ⁰⁵	Facile constructing novel 2D porous g-C ₃ N ₄ /BiOBr hybrid with enhanced visible-light-driven photocatalytic activity. 2017 , 178, 6-17	101
7 ⁰⁴	Achieving highly promoted visible-light sensitive photocatalytic activity on BiOIO ₃ via facile iodine doping. 2017 , 518, 158-165	24
7 ⁰³	Surface photovoltage phase spectra for analysing the photoinduced charge transfer kinetics of novel BiOBr/Bi ₂ S ₃ heterojunction films. 2017 ,	3
7 ⁰²	Pt quantum dots deposited on N-doped (BiO) ₂ CO ₃ : enhanced visible light photocatalytic NO removal and reaction pathway. 2017 , 7, 1324-1332	40
7 ⁰¹	Superior Adsorption and Regenerable Dye Adsorbent Based on Flower-Like Molybdenum Disulfide Nanostructure. 2017 , 7, 43599	95
7 ⁰⁰	Facile synthesis of Fe(2)O(3) nanoparticles anchored on Bi(2)MoO(6) microflowers with improved visible light photocatalytic activity. 2017 , 497, 93-101	83
6 ⁹⁹	Photocatalytic oxidation removal of Hg ⁰ by ternary Ag@AgCl/Ag ₂ CO ₃ hybrid under fluorescent light. 2017 , 159, 222-231	21
6 ⁹⁸	Structural and electronic properties of low-index stoichiometric BiOI surfaces. 2017 , 193, 164-176	16
6 ⁹⁷	Solvent co-mediated synthesis of ultrathin BiOCl nanosheets with highly efficient visible-light photocatalytic activity. 2017 , 7, 10235-10241	27
6 ⁹⁶	Mechanistic insights into the photoinduced charge carrier dynamics of BiOBr/CdS nanosheet heterojunctions for photovoltaic application. <i>Nanoscale</i> , 2017 , 9, 3180-3187	7·7 35

695	Carbon dots/BiOCl films with enhanced visible light photocatalytic performance. 2017 , 19, 1	11
694	Enhancing visible light photocatalytic degradation performance and bactericidal activity of BiOI via ultrathin-layer structure. 2017 , 211, 252-257	79
693	2D-2D stacking of graphene-like g-C ₃ N ₄ /Ultrathin Bi ₄ O ₅ Br ₂ with matched energy band structure towards antibiotic removal. 2017 , 413, 372-380	87
692	Oxygen Vacancy Associated Surface Fenton Chemistry: Surface Structure Dependent Hydroxyl Radicals Generation and Substrate Dependent Reactivity. 2017 , 51, 5685-5694	251
691	Synergetic effects of I ⁻ ions and BiOI on visible-light-activity enhancement of wide-band-gap (BiO) ₂ CO ₃ . 2017 , 414, 365-372	14
690	A facile route to the synthesis of magnetically separable BiOBr/NiFe ₂ O ₄ composites with enhanced photocatalytic performance. 2017 , 419, 586-594	52
689	Single-crystal Bi ₂ Ga ₄ O ₉ nanoplates with exposed {110} facets for photocatalytic degradation of Acid Red 1. 2017 , 433, 354-362	9
688	Determining the Charge-Transfer Direction in a p-n Heterojunction BiOCl/g-C ₃ N ₄ Photocatalyst by Ultrafast Spectroscopy. 2017 , 1, 350-354	15
687	Dahlia-shaped BiOCl structures prepared by a facile solid-state method: Evidence and mechanism of improved photocatalytic degradation of rhodamine B dye. 2017 , 503, 115-123	37
686	In situ preparation of (BiO) ₂ CO ₃ /BiOBr sheet-on-sheet heterojunctions with enhanced visible light photocatalytic activity. 2017 , 108, 30-38	17
685	NIR-driven water splitting by layered bismuth oxyhalide sheets for effective photodynamic therapy. 2017 , 5, 4152-4161	32
684	Facile synthesis of flower-like AgVO/BiVO ₄ heterojunction with enhanced visible-light photocatalytic activity. 2017 , 501, 156-163	130
683	Crystal-chemistry insight into the photocatalytic activity of BiOCl _x Br _{1-x} nanoplate solid solutions. 2017 , 11, 120-129	16
682	Single- and few-layer BiOI as promising photocatalysts for solar water splitting. 2017 , 7, 24446-24452	40
681	Construction of 2D lateral pseudoheterostructures by strain engineering. 2017 , 4, 025102	22
680	Efficient Visible Light Formaldehyde Oxidation with 2D p-n Heterostructure of BiOBr/BiPO ₄ Nanosheets at Room Temperature. 2017 , 5, 5008-5017	58
679	Vertically Aligned Nanosheets-Array-like BiOI Homostructure: Three-in-One Promoting Photocatalytic Oxidation and Reduction Abilities. 2017 , 5, 5253-5264	51
678	Highly enhanced visible light photocatalytic activity of CeO ₂ through fabricating a novel p-n junction BiOBr/CeO ₂ . 2017 , 90, 51-55	90

677	BiOBr nanoplates@TiO nanowires/carbon fiber cloth as a functional water transport network for continuous flow water purification. 2017 , 46, 347-354	17
676	Synthesis and characterization of Bi ₄ Si ₃ O ₁₂ , Bi ₂ SiO ₅ , and Bi ₁₂ SiO ₂₀ by controlled hydrothermal method and their photocatalytic activity. 2017 , 78, 157-167	48
675	Morphology-controlled facile surfactant-free synthesis of 3D flower-like BiOI:Eu ³⁺ or Tb ³⁺ microarchitectures and their photoluminescence properties. 2017 , 5, 6880-6890	14
674	Novel Bismuth-Oxyhalide-Based Materials and their Applications. 2017 ,	6
673	Preparation and characterization of highly photocatalytic active hierarchical BiOX (X=Cl, Br, I) microflowers for rhodamine B degradation with kinetic modelling studies. 2017 , 24, 754-765	9
672	Synthesis and enhanced visible light photocatalytic activity of WO ₃ -BiOCl _x Br _{1-x} heterojunctions with tunable energy band structure. 2017 , 43, 12302-12310	13
671	Recent Progress in the Development of Semiconductor-Based Photocatalyst Materials for Applications in Photocatalytic Water Splitting and Degradation of Pollutants. 2017 , 1, 1700006	88
670	Charge separation behaviors of novel AgI/BiOI heterostructures with enhanced solar-photocatalytic performance. 2017 , 17, 1202-1207	12
669	Coupling of solid-solution and heterojunction in a 2D-1D core-shell-like BiOCl/BiOI hierarchy for promoting full-spectrum photocatalysis and molecular oxygen activation. 2017 , 504, 257-267	33
668	Synthetic adjustable energy band structure of BiPO ₄ -BiOCl _x Br _{1-x} heterojunctions with excellent photocatalytic activity. 2017 , 77, 216-226	18
667	A Bi _{7.38} Cr _{0.62} O _{12+x} crystal as a novel visible-light-active photocatalyst up to ~650 nm. 2017 , 7, 28797-28801	4
666	Recent Advances in Bismuth-Based Nanomaterials for Photoelectrochemical Water Splitting. 2017 , 10, 3001-3018	77
665	Visible light photocatalytic performance and mechanism of highly efficient SnS/BiOI heterojunction. 2017 , 504, 711-720	43
664	Enhancing the photocatalytic activity of BiOX (X = Cl, Br, and I), (BiO) ₂ CO ₃ and Bi ₂ O ₃ by modifying their surfaces with polar organic anions, 4-substituted thiophenolates. 2017 , 5, 14406-14414	57
663	A series of bismuth-oxychloride/bismuth-oxyiodide/graphene-oxide nanocomposites: Synthesis, characterization, and photocatalytic activity and mechanism. 2017 , 432, 196-209	82
662	Direct sunlight driven photocatalytic activity of GeO ₂ / monoclinic -BiVO ₄ nanoplate composites. 2017 , 148, 87-97	16
661	CuI as Hole-Transport Channel for Enhancing Photoelectrocatalytic Activity by Constructing CuI/BiOI Heterojunction. 2017 , 9, 13223-13230	65
660	Hierarchical BiOI nanostructures supported on a metal organic framework as efficient photocatalysts for degradation of organic pollutants in water. 2017 , 46, 6013-6023	82

659	Assembled and isolated Bi ₅ O ₇ I nanowires with good photocatalytic activities. 2017 , 19, 2113-2125	28
658	Solar Water Splitting and Nitrogen Fixation with Layered Bismuth Oxyhalides. 2017 , 50, 112-121	425
657	Investigation of the charges separation and transfer behavior of BiOCl/BiF ₃ heterojunction. 2017 , 205, 412-420	58
656	Metal-deposited bismuth oxyiodide nanonetworks with tunable enzyme-like activity: sensing of mercury and lead ions. 2017 , 1, 893-899	24
655	BiVO ₄ /3DOM TiO ₂ nanocomposites: Effect of BiVO ₄ as highly efficient visible light sensitizer for highly improved visible light photocatalytic activity in the degradation of dye pollutants. 2017 , 205, 121-132	81
654	A facile preparation of immobilized BiOCl nanosheets/TiO ₂ arrays on FTO with enhanced photocatalytic activity and reusability. 2017 , 399, 67-76	53
653	Novel in situ fabrication of conjugated microporous poly(benzothiadiazole)Bi ₂ MoO ₆ Z-scheme heterojunction with enhanced visible light photocatalytic activity. 2017 , 345, 319-328	55
652	Facile Synthesis of Ag/Ag ₃ PO ₄ Composites with Highly Efficient and Stable Photocatalytic Performance under Visible Light. 2017 , 64, 1172-1180	2
651	Au-BiOCl _{1-x} Br _x composites with highly enhanced photocatalytic activity for phenol decomposition. 2017 , 726, 1147-1154	8
650	Two-dimensional nanomaterials for photocatalytic CO ₂ reduction to solar fuels. 2017 , 1, 1875-1898	115
649	Giant Incident Photon-to-Current Conversion with Photoconductivity Gain on Nanostructured Bismuth Oxysulfide Photoelectrodes under Visible-Light Illumination. 2017 , 29, 1702387	18
648	Achieving UV and visible-light photocatalytic activity enhancement of AgI/BiOI/O ₃ heterostructure: Decomposition for diverse industrial contaminants and high mineralization ability. 2017 , 28, 2244-2250	37
647	Micro and nano hierarchical structures of BiOI/activated carbon for efficient visible-light-photocatalytic reactions. 2017 , 7, 11665	42
646	Enhanced photocatalytic properties of CdS -decorated BiPO ₄ heterogeneous semiconductor catalyst under UV-light irradiation. 2017 , 729, 189-197	21
645	Role of Metal Nanoparticles and Its Surface Plasmon Activity on Nanocomposites for Visible Light-Induced Catalysis. 2017 , 69-105	
644	PVP-assisted synthesis and photocatalytic properties of magnetic Fe ₃ O ₄ /SiO ₂ /BiOBr composite. 2017 , 28, 18542-18550	5
643	Bismuth-rich bismuth oxyhalides for environmental and energy photocatalysis. 2017 , 349, 84-101	227
642	Bismuth oxyhalide layered materials for energy and environmental applications. 2017 , 41, 172-192	272

- 641 One-step hydrothermal fabrication of visible-light-responsive AgInS₂/SnIn₄S₈ heterojunction for highly-efficient photocatalytic treatment of organic pollutants and real pharmaceutical industry wastewater. **2017**, 219, 163-172 60
- 640 Achieving Enhanced UV and Visible Light Photocatalytic Activity for Ternary Ag/AgBr/BiOIO₃: Decomposition for Diverse Industrial Contaminants with Distinct Mechanisms and Complete Mineralization Ability. **2017**, 5, 7777-7791 65
- 639 New LnOCl (Ln = Sm, Nd) photocatalyst and novel cocatalytic effect on BiOCl in humid environment. **2017**, 53, 8854-8857 6
- 638 Constructing highly catalytic oxidation over BiOBr-based hierarchical microspheres: Importance of redox potential of doped cations. **2017**, 438, 19-29 41
- 637 Bi metal-modified Bi₄O₅I₂ hierarchical microspheres with oxygen vacancies for improved photocatalytic performance and mechanism insights. **2017**, 7, 3580-3590 50
- 636 Facile fabrication of a direct Z-scheme MoO₃/Ag₂CrO₄ composite photocatalyst with improved visible light photocatalytic performance. **2017**, 28, 15967-15979 20
- 635 Single-unit-cell layer established Bi₂WO₆ 3D hierarchical architectures: Efficient adsorption, photocatalysis and dye-sensitized photoelectrochemical performance. **2017**, 219, 526-537 217
- 634 Constructing 2D BiOCl/C₃N₄ layered composite with large contact surface for visible-light-driven photocatalytic degradation. **2017**, 426, 897-905 81
- 633 Novel 3D Semiconducting Open-Frameworks based on Cuprous Bromides with Visible Light Driven Photocatalytic Properties. **2017**, 23, 14547-14553 44
- 632 Unique band structure enhanced visible light photocatalytic activity of phosphorus-doped BiOI hierarchical microspheres. **2017**, 7, 36288-36296 28
- 631 BiOBr/BiOCl/carbon quantum dot microspheres with superior visible light-driven photocatalysis. **2017**, 7, 52614-52620 22
- 630 HCl post-processing BiOBr photocatalyst: structure, morphology, and composition and their impacts to activity. **2017**, 7, 50079-50086 7
- 629 Visible-Light-Driven Photocatalytic Degradation of Organic Water Pollutants Promoted by Sulfite Addition. **2017**, 51, 13372-13379 131
- 628 Understanding size-dependent properties of BiOCl nanosheets and exploring more catalysis. **2017**, 505, 653-663 34
- 627 Towards the liquid phase exfoliation of bismuth iodide. **2017**, 46, 8359-8362 5
- 626 Photocatalytic reduction of CO₂ to methanol by three-dimensional hollow structures of Bi₂WO₆ quantum dots. **2017**, 219, 209-215 99
- 625 Tuning band gaps and optical absorption of BiOCl through doping and strain: insight from DFT calculations. **2017**, 19, 20968-20973 25
- 624 Novel multi-heterostructured Pt-BiOBr/TiO₂ nanotube arrays with remarkable visible-light photocatalytic performance and stability. **2017**, 13, 165-171 1

623	Chemical-bond conjugated BiO(OH) _x 1-x-AgI heterojunction with high visible light activity and stability in degradation of pollutants. 2017 , 218, 443-451	23
622	Polypyrrole decorated BiOI nanosheets: Efficient photocatalytic activity for treating diverse contaminants and the critical role of bifunctional polypyrrole. 2017 , 505, 719-727	77
621	Plasmonic Ag ₂ MoO ₄ /AgBr/Ag composite: Excellent photocatalytic performance and possible photocatalytic mechanism. 2017 , 396, 791-798	93
620	Ternary Ag/AgCl-(BiO) ₂ CO ₃ composites as high-performance visible-light plasmonic photocatalysts. 2017 , 284, 67-76	25
619	Rational design on 3D hierarchical bismuth oxyiodides via in situ self-template phase transformation and phase-junction construction for optimizing photocatalysis against diverse contaminants. 2017 , 203, 879-888	230
618	A novel bismuth oxychloride-graphene hybrid nanosheets based non-enzymatic photoelectrochemical glucose sensing platform for high performances. 2017 , 89, 352-360	61
617	Facile synthesis, structure and enhanced photocatalytic activity of novel BiOBr/Bi(CO)OH composite photocatalysts. 2017 , 486, 8-15	24
616	Beyond methylammonium lead iodide: prospects for the emergent field of ns containing solar absorbers. 2016 , 53, 20-44	280
615	Ag/Bi ₁₂ O ₁₇ Cl ₂ composite: A case study of visible-light-driven plasmonic photocatalyst. 2017 , 427, 45-53	27
614	Synthesizing Bi ₂ O ₃ /BiOCl heterojunctions by partial conversion of BiOCl. 2017 , 52, 2117-2130	38
613	Pd-doped Bi ₂ MoO ₆ plasmonic photocatalysts with enhanced visible light photocatalytic performance. 2017 , 392, 169-180	97
612	A Novel Heterostructure of BiOI Nanosheets Anchored onto MWCNTs with Excellent Visible-Light Photocatalytic Activity. 2017 , 7,	37
611	Ultrathin g-C ₃ N ₄ Nanosheet-Modified BiOCl Hierarchical Flower-Like Plate Heterostructure with Enhanced Photostability and Photocatalytic Performance. 2017 , 7, 266	27
610	Efficient Degradation of Aqueous Carbamazepine by Bismuth Oxybromide-Activated Peroxide Oxidation. 2017 , 7, 315	14
609	Efficient Room-Temperature Selective Oxidation of Benzyl Alcohol into Benzaldehyde Over Pt/BiOCl Nanocomposite. 2018 , 148, 1093-1099	12
608	Synthesis of BiOCl nanosheets with oxygen vacancies for the improved photocatalytic properties. 2018 , 439, 697-704	74
607	Nitrogen functionalized graphene quantum dots/3D bismuth oxyiodine hybrid hollow microspheres as remarkable photoelectrode for photoelectrochemical sensing of chlpyrifos. 2018 , 260, 1034-1042	31
606	Preparation and Photocatalytic Properties of a Hierarchical BiOCl/BiOF Composite Photocatalyst. 2018 , 148, 1281-1288	18

605	Carbon quantum dots modified BiOBr microspheres with enhanced visible light photocatalytic performance. 2018 , 90, 97-100	23
604	Investigation on enhanced photocatalytic degradation of bisphenol A with bismuth oxyiodide catalyst using response surface methodology.. 2018 , 8, 5967-5975	15
603	Constructing a direct Z-scheme La ₂ NiO ₄ /g-C ₃ N ₄ hybrid photocatalyst with boosted visible light photocatalytic activity. 2018 , 201, 327-335	39
602	Simultaneous generation of oxygen vacancies on ultrathin BiOBr nanosheets during visible-light-driven CO ₂ photoreduction evoked superior activity and long-term stability. 2018 , 314, 20-27	57
601	Bismuth oxychloride (BiOCl)/copper phthalocyanine (CuTNPc) heterostructures immobilized on electrospun polyacrylonitrile nanofibers with enhanced activity for floating photocatalysis. 2018 , 525, 187-195	26
600	Template-Free Solvothermal Synthesis of Flower-Like BiOBr Microspheres in Ethanol Medium for Photocatalytic Applications. 2018 , 92, 984-991	7
599	Synthesis and photocatalytic activity of BiOBr nanosheets with tunable crystal facets and sizes. 2018 , 8, 2588-2597	46
598	Theoretical methods for calculations of optical phonons in BiOBr: Analysis and correction of propagated errors. 2018 , 49, 1356-1363	16
597	Visible light-enhanced electrocatalytic alcohol oxidation based on two dimensional Pt-BiOBr nanocomposite. 2018 , 524, 195-203	31
596	Synergistic Effect of Charge Generation and Separation in Epitaxially Grown BiOCl/BiS Nano-Heterostructure. 2018 , 10, 15304-15313	64
595	Bactericidal activity and mechanisms of BiOBr-AgBr under both dark and visible light irradiation conditions. 2018 , 167, 275-283	25
594	Preparation of perovskites PbBiO ₂ /PbO exhibiting visible-light photocatalytic activity. 2018 , 314, 28-41	25
593	Spinel NiFe ₂ O ₄ nanoparticles decorated BiOBr nanosheets for improving the photocatalytic degradation of organic dye pollutants. 2018 , 85, 257-264	25
592	Photocatalytic selective hydroxylation of phenol to dihydroxybenzene by BiOI/TiO ₂ p-n heterojunction photocatalysts for enhanced photocatalytic activity. 2018 , 439, 1047-1056	56
591	Controlled preparation of MoS/PbBiOI hybrid microspheres with enhanced visible-light photocatalytic behaviour. 2018 , 517, 278-287	33
590	Construction of novel BiOCl/MoS ₂ nanocomposites with Z-scheme structure for enhanced photocatalytic activity. 2018 , 218, 110-114	21
589	Photocatalytic properties of BiOCl-TiO ₂ composites for phenol photodegradation. 2018 , 6, 1601-1612	109
588	Oxygen vacancy induced superior visible-light-driven photodegradation pollutant performance in BiOCl microflowers. 2018 , 42, 3614-3618	24

587	Enhanced photocatalytic degradation of phenol over Ag ₃ PO ₄ -BiOCl/BiBr composites. 2018 , 102, 16-23	18
586	High Performance BiOCl Nanosheets/TiO ₂ Nanotube Arrays Heterojunction UV Photodetector: The Influences of Self-Induced Inner Electric Fields in the BiOCl Nanosheets. 2018 , 28, 1707178	262
585	Facile synthesis of bismuth oxyhalide nanosheet films with distinct conduction type and photo-induced charge carrier behavior. 2018 , 441, 832-840	22
584	Visible-Light-Responsive Sill \bar{b} -Structured Mixed-Cationic CdBiO ₂ Br Nanosheets: Layer Structure Design Promoting Charge Separation and Oxygen Activation Reactions. 2018 , 122, 2661-2672	51
583	Novel p-n junction UiO-66/BiOI photocatalysts with efficient visible-light-induced photocatalytic activity. 2018 , 77, 1441-1448	13
582	Facile aqueous synthesis of Bi ₄ O ₅ Br ₂ nanosheets for improved visible-light photocatalytic activity. 2018 , 44, 5392-5401	23
581	Bi superlattice nanopolygons at BiOCl (001) nanosheet assembled architectures for visible-light photocatalysis. 2018 , 101, 39-47	27
580	Hybrid BiOBr/UiO-66-NH composite with enhanced visible-light driven photocatalytic activity toward RhB dye degradation.. 2018 , 8, 2048-2058	58
579	Pt nanoparticles decorated rose-like BiOCO configurations for efficient photocatalytic removal of water organic pollutants.. 2018 , 8, 914-920	7
578	Room-Temperature Synthesis and Enhanced Photocatalytic Performance of BiOCl Microsphere. 2018 , 3, 4512-4521	10
577	Visible-light-responsive graphene-functionalized Bi-bridge Z-scheme black BiOCl/Bi ₂ O ₃ heterojunction with oxygen vacancy and multiple charge transfer channels for efficient photocatalytic degradation of 2-nitrophenol and industrial wastewater treatment. 2018 , 238, 61-69	140
576	CMC/BiOCl 3D Hierarchical Nanostructures with Exposed {001} Facets and Its Enhanced Photocatalytic Activity. 2018 , 3, 4463-4470	11
575	One-pot fabrication of Bi ₂ O ₃ @Bi ₂ S ₃ hierarchical hollow spheres with advanced sunlight photocatalytic RhB oxidation and Cr(VI) reduction activities. 2018 , 455, 8-17	61
574	Optimized design of novel Pt decorated 3D BiOBr flower-microsphere synthesis for highly efficient photocatalytic properties. 2018 , 72, 2413-2423	6
573	Solvothermal-Assisted Synthesis of Biomass Carbon Quantum Dots/Bismuth Oxyiodide Microflower for Enhanced Photocatalytic Activity. 2018 , 13, 1850031	9
572	Postillumination Activity in a Single-Phase Photocatalyst of Mo-Doped TiO ₂ Nanotube Array from Its Photocatalytic Memory \square 2018 , 6, 6166-6174	31
571	Synthesis of a novel one-dimensional BiOBr/Bi ₄ O ₅ Br ₂ heterostructure with a high quality interface and its enhanced visible-light photocatalytic activity. 2018 , 20, 2292-2298	26
570	BiOX (X = Cl, Br, I) photocatalytic nanomaterials: Applications for fuels and environmental management. 2018 , 254, 76-93	288

569	pH-Dependence in facet-selective photo-deposition of metals and metal oxides on semiconductor particles. 2018 , 6, 7500-7508	18
568	Significant enhancement in photocatalytic activity of (GaN) _{1-x} (ZnO) _x nanowires via solubility and crystal facet tailoring. 2018 , 8, 015206	9
567	Utilization of LaCoO ₃ as an efficient co-catalyst to boost the visible light photocatalytic performance of g-C ₃ N ₄ . 2018 , 201, 309-317	27
566	Facile synthesis of magnetic FeO@BiOI@AgI for water decontamination with visible light irradiation: Different mechanisms for different organic pollutants degradation and bacterial disinfection. 2018 , 137, 120-129	92
565	Enhanced visible light photocatalytic activity of nano-BiOCl/BiVO ₄ /Zeolite p-n heterojunction and Ag/BiOCl/BiVO ₄ hybrid. 2018 , 22, 137-143	16
564	Novel synthesis of PbBiO ₂ Cl/BiOCl nanocomposite with enhanced visible-driven-light photocatalytic activity. 2018 , 300, 112-123	70
563	Two dimensional visible-light-active Pt-BiOI photoelectrocatalyst for efficient ethanol oxidation reaction in alkaline media. 2018 , 430, 578-584	35
562	Facile synthesis and photocatalytic activity of La-doped BiOCl hierarchical, flower-like nano-/micro-structures. 2018 , 98, 103-110	23
561	Synthesis of visible-light-driven BiOBr _{1-x} solid solution nanoplates by ultrasound-assisted hydrolysis method with tunable bandgap and superior photocatalytic activity. 2018 , 732, 167-177	33
560	Enhanced visible-light-driven photocatalysis from WS ₂ quantum dots coupled to BiOCl nanosheets: synergistic effect and mechanism insight. 2018 , 8, 201-209	75
559	pH-dependent synthesis of iodine-deficient bismuth oxyiodide microstructures: Visible-light photocatalytic activity. 2018 , 510, 228-236	40
558	Heterogeneous activation of persulfate for Rhodamine B degradation with 3D flower sphere-like BiOI/Fe ₃ O ₄ microspheres under visible light irradiation. 2018 , 192, 88-98	92
557	Enhanced photocatalytic activity induced by sp ³ to sp ² transition of carbon dopants in BiOCl crystals. 2018 , 221, 467-472	41
556	Photocatalytic fixation of nitrogen to ammonia: state-of-the-art advancements and future prospects. 2018 , 5, 9-27	435
555	In-situ topotactic synthesis and photocatalytic activity of plate-like BiOCl/2D networks Bi ₂ S ₃ heterostructures. 2018 , 220, 570-580	128
554	Graphene-like boron nitride induced accelerated charge transfer for boosting the photocatalytic behavior of Bi ₄ O ₅ I ₂ towards bisphenol a removal. 2018 , 331, 355-363	89
553	Synthesis of CdS/BiOBr nanosheets composites with efficient visible-light photocatalytic activity. 2018 , 112, 80-87	50
552	Ferroelectric spontaneous polarization steering charge carriers migration for promoting photocatalysis and molecular oxygen activation. 2018 , 509, 113-122	75

551	Preparation and characterization of CdS/BiOI composites with enhanced photocatalytic activity for degradation of 17 β -ethinyl estradiol. 2018 , 99, 444-452	19
550	Facile preparation of novel Fe ₂ O ₃ /BiOI hybrid nanostructures for efficient visible light photocatalysis. 2018 , 53, 3682-3691	21
549	Synthesis of BiOBr microspheres with ethanol as self-template and solvent with controllable morphology and photocatalytic activity. 2018 , 106, 1-5	28
548	Highly efficient degradation of phenol over a Pd-BiOBr Mott-Schottky plasmonic photocatalyst. 2018 , 99, 471-478	40
547	Synthesis, characterization, and photocatalytic activities of novel bentonite-supported BiOCl/nO heterojunction (BiOCl/nOBentonite) under UV light. 2018 , 13, e2154	6
546	Insights into enhanced visible light photocatalytic activity of t-Se nanorods/BiOCl ultrathin nanosheets 1D/2D heterojunctions. 2018 , 338, 218-229	56
545	Photoelectrochemical monitoring of ciprofloxacin based on metallic Bi self-doping BiOBr nanocomposites. 2018 , 259, 873-881	62
544	Heterostructure nano-NiO/BiOCl composites with advanced adsorption and photocatalytic performance for organic dyes. 2018 , 736, 22-28	21
543	Synthesis and Photocatalytic Performance of Bi ₂ O ₃ /BiOCl Semiconductors Calcined at Different Temperatures. 2018 , 28, 721-730	21
542	The excellent dye-photosensitized degradation performance over hierarchical BiOCl nanostructures fabricated via a facile microwave-hydrothermal process. 2018 , 42, 137-149	21
541	One dimensional hierarchical BiOCl microrods: their synthesis and their photocatalytic performance. 2018 , 20, 7809-7817	13
540	Multiple halide anion doped layered bismuth terephthalate with excellent photocatalysis for pollutant removal.. 2018 , 8, 38370-38375	5
539	Application of BiOX Photocatalysts in Remediation of Persistent Organic Pollutants. 2018 , 8, 604	18
538	Enhanced visible-light-driven photocatalysis of Bi ₂ YO ₄ Cl heterostructures functionalized by bimetallic RhNi nanoparticles. 2018 , 12, 405-414	1
537	Facile synthesis of hierarchical BiOCl _x Br _{1-x} solid solution with enhanced photocatalytic activity. 2018 , 25, 1619-1627	5
536	Facile Synthesis of Bi ₂ MoO ₆ Microspheres Decorated by CdS Nanoparticles with Efficient Photocatalytic Removal of Levofloxacin Antibiotic. 2018 , 8, 477	8
535	Syntheses and Applications of Silver Halide-Based Photocatalysts. 2018 , 307-343	1
534	Handbook of Materials Characterization. 2018 ,	15

533	Heavy pnictogen chalcogenides: the synthesis, structure and properties of these rediscovered semiconductors. 2018 , 54, 12133-12162	17
532	Optical Spectroscopy and Its Applications in Inorganic Materials. 2018 , 293-315	
531	One-pot preparation of $\text{Bi}_6\text{O}_6(\text{OH})_3(\text{NO}_3)_3 \cdot 1.5\text{H}_2\text{O}$ (BBN)/ $\text{Bi}_0.5\text{O}_0.5\text{Cl}_x\text{Br}_{0.5-x}$ heterostructure with improved photocatalytic activity. 2018 , 367, 375-383	8
530	Crystal stacking: A route to control photoelectrochemical behavior of BiOBr films. 2018 , 290, 63-71	3
529	Bi_2OS_2 : a direct-gap two-dimensional semiconductor with high carrier mobility and surface electron states. 2018 , 5, 1058-1064	28
528	Perovskite-like photocatalyst, $\text{PbBiO}_2\text{Br}/\text{PbO}/\text{g-C}_3\text{N}_4$: Synthesis, characterization, and visible-light-driven photocatalytic activity. 2018 , 93, 315-328	21
527	$\text{BiOI}/\text{BiVO}_4$ Two-Dimensional Heteronanostructures for Visible-Light Photocatalytic Degradation of Rhodamine B. 2018 , 1, 5128-5141	35
526	Doping bismuth oxyhalides with Indium: A DFT calculations on tuning electronic and optical properties. 2018 , 705, 31-37	13
525	Enhanced photoelectrocatalytic performance of temperature-dependent 2D/1D $\text{BiOBr}/\text{TiO}_2$ -x nanotubes. 2018 , 105, 322-329	29
524	Green synthesis of catalytic gold/bismuth oxyiodide nanocomposites with oxygen vacancies for treatment of bacterial infections. <i>Nanoscale</i> , 2018 , 10, 11808-11819	7-7 25
523	Notable light-free catalytic activity for pollutant destruction over flower-like BiOI microspheres by a dual-reaction-center Fenton-like process. 2018 , 527, 251-259	25
522	Fabrication of $\text{PET}/\text{BiOI}/\text{SnO}_2$ heterostructure nanocomposites for enhanced visible-light photocatalytic activity. 2018 , 82, 34-43	9
521	$\text{BiOCl}/\text{Fe}_2\text{O}_3$ heterojunction nanoplates with enhanced visible-light-driven photocatalytic performance for degrading organic pollutants and reducing $\text{Cr}(\text{VI})$. 2018 , 364, 240-249	19
520	Facile synthesis of cerium oxide nanoparticles decorated flower-like bismuth molybdate for enhanced photocatalytic activity toward organic pollutant degradation. 2018 , 530, 171-178	137
519	Enhanced electrocatalytic ethanol oxidation reaction in alkaline media over Pt on a 2D BiVO_4 -modified electrode under visible light irradiation. 2018 , 8, 3562-3571	22
518	Adsorption and photocatalytic study of dye degradation over the $\text{g-C}_3\text{N}_4/\text{W}_18\text{O}_49$ nanocomposite. 2018 , 13, 541-545	5
517	Synthesis of $\text{MoS}_2/\text{YVO}_4$ composite and its high photocatalytic performance in methyl orange degradation and H_2 evolution. 2018 , 171, 426-434	25
516	Mechanism insights into the enhanced activity and stability of hierarchical bismuth oxyiodide microspheres with selectively exposed (0 0 1) or (1 1 0) facets for photocatalytic oxidation of gaseous mercury. 2018 , 455, 864-875	26

515	Synthesis of flower-like CeO ₂ /BiOCl heterostructures with enhanced ultraviolet light photocatalytic activity. 2018 , 13, 1394-1398	6
514	Facile synthesis of Ag ₃ PO ₄ modified with QDs composites with enhanced visible-light photocatalytic activity. 2018 , 29, 16691-16701	17
513	Graphene Oxide/BiOCl Nanocomposite Films as Efficient Visible Light Photocatalysts. 2018 , 6, 274	21
512	Morphology modulation of SnO photocatalyst: from microplate to hierarchical architectures self-assembled with thickness controllable nanosheets. 2018 , 20, 4651-4665	8
511	A recyclable and stable BiOI/agarose hybrid gel photocatalyst for photodegradation of Rhodamine B. 2018 , 29, 16454-16459	11
510	An integrated multifunctional photoelectrochemical platform for simultaneous capture, detection, and inactivation of pathogenic bacteria. 2018 , 274, 228-234	21
509	In-situ establishment of binary composites FeO/BiOCl with both photocatalytic and photo-Fenton features. 2018 , 210, 257-266	45
508	Facile Preparation of Nano-Bi ₂ MoO ₇ /Diatomite Composite for Enhancing Photocatalytic Performance under Visible Light Irradiation. 2018 , 11,	16
507	BiZrO nanoparticles synthesized by soft-templated sol-gel methods for visible-light-driven catalytic degradation of tetracycline. 2018 , 210, 424-432	22
506	Insight into crystal-structure dependent charge separation and photo-redox catalysis: A combined experimental and theoretical study on Bi(IO ₃) ₃ and BiOIO ₃ . 2018 , 458, 129-138	19
505	Facile constructing novel 3D porous g-C ₃ N ₄ /BiOBr _{0.2} IO ₃ hybrids: Efficient charge separation for visible-light photocatalysis. 2018 , 767, 241-252	10
504	Solvent-Free Synthesis of Bismuth Oxychloride Microflower/Nanosheet Homojunctions for Photoactivity Enhancement. 2018 , 10, 3726-3735	15
503	Facile Fabrication of BiOI/BiOCl Immobilized Films With Improved Visible Light Photocatalytic Performance. 2018 , 6, 58	22
502	CuI-BiOI/Cu film for enhanced photo-induced charge separation and visible-light antibacterial activity. 2018 , 235, 238-245	61
501	Enhanced photocatalytic performance of carbon quantum dots/BiOBr composite and mechanism investigation. 2018 , 29, 805-810	57
500	Review on nanoscale Bi-based photocatalysts. 2018 , 3, 464-504	319
499	UV Photodetectors Based on BiOCl Nanosheet Arrays: The Effects of Morphologies and Electrode Configurations. 2018 , 14, e1801611	26
498	One-step synthesis of Bi ₂ MoO ₆ /reduced graphene oxide aerogel composite with enhanced adsorption and photocatalytic degradation performance for methylene blue. 2018 , 88, 214-223	29

497	A review and recent developments on strategies to improve the photocatalytic elimination of organic dye pollutants by BiOX (X=Cl, Br, I, F) nanostructures. 2018 , 35, 1955-1968	58
496	A sensitizing photoelectrochemical sensing platform strategy based on bio-etching preparation of BiS/BiOCl p-n heterojunction. 2018 , 190, 357-362	16
495	Synthesis of g-C3N4/Bi5O7I microspheres with enhanced photocatalytic activity under visible light. 2018 , 462, 18-28	36
494	Highly efficient light responsive BiOCl/AgI composites for photocatalytic degradation of 3-CP under visible and UV light irradiations. 2018 , 29, 13292-13301	3
493	0D Bi nanodots/2D Bi3NbO7 nanosheets heterojunctions for efficient visible light photocatalytic degradation of antibiotics: Enhanced molecular oxygen activation and mechanism insight. 2019 , 240, 39-49	154
492	Composite photocatalyst, tetragonal lead bismuth oxyiodide/bismuth oxyiodide/graphitic carbon nitride: Synthesis, characterization, and photocatalytic activity. 2019 , 533, 319-332	71
491	Construction of binary BiVO4/g-C3N4 photocatalyst and their photocatalytic performance for reactive blue 19 reduction from aqueous solution coupling with H2O2. 2019 , 30, 16015-16029	3
490	Quercetin-sensitized BiOF nanostructures: An investigation on photoinduced charge transfer and regeneration process for degradation of organic pollutants. 2019 , 383, 112014	12
489	Few-layer WS modified BiOBr nanosheets with enhanced broad-spectrum photocatalytic activity towards various pollutants removal. 2019 , 694, 133756	33
488	Br doped porous bismuth oxychloride micro-sheets with rich oxygen vacancies and dominating {0 0 1} facets for enhanced nitrogen photo-fixation performances. 2019 , 556, 111-119	39
487	Bandgap narrowing of Bi13TeMo4V1+xO34 (0 ≤ x ≤ 1). 2019 , 495, 143640	3
486	Photocatalytic ammonia synthesis: Recent progress and future. 2019 , 1, 100013	109
485	Flower-like direct Z-scheme WS2/Bi2O2CO3 photocatalyst with enhanced photocatalytic activity. 2019 , 810, 151872	23
484	A bismuth rich hollow Bi4O5Br2 photocatalyst enables dramatic CO2 reduction activity. 2019 , 64, 103955	81
483	Photocatalytic nitrogen fixation: the role of defects in photocatalysts. 2019 , 7, 19616-19633	108
482	Fabrication of leaf extract mediated bismuth oxybromide/oxyiodide (BiOBr) photocatalysts with tunable band gap and enhanced optical absorption for degradation of organic pollutants. 2019 , 555, 304-314	27
481	Synthesis of single-phase CuCoNiS for high-performance supercapacitors. 2019 , 555, 284-293	13
480	Visible-light-driven, hierarchically heterostructured, and flexible silver/bismuth oxyiodide/titania nanofibrous membranes for highly efficient water disinfection. 2019 , 555, 636-646	23

479	Synergetic photocatalysis/piezocatalysis of bismuth oxybromide for degradation of organic pollutants. 2019 , 809, 151840	88
478	Enhanced visible light photocatalytic performance of a novel heterostructured Bi ₄ Ti ₃ O ₁₂ /BiOBr photocatalyst. 2019 , 43, 12932-12940	13
477	Constructing a 2D/2D Bi ₂ O ₂ CO ₃ /Bi ₄ O ₅ Br ₂ heterostructure as a direct Z-scheme photocatalyst with enhanced photocatalytic activity for NO _x removal. 2019 , 493, 913-925	73
476	One-pot grinding method to BiO(HCOO)I solid solution with enhanced visible-light photocatalytic activity. 2019 , 554, 66-73	6
475	Plasmon-enhanced photo(electro)chemical nitrogen fixation under ambient conditions using visible light responsive hybrid hollow Au-Ag ₂ O nanocages. 2019 , 63, 103886	49
474	Synthesis Of Samarium Oxychloride Nanoplates By Chemical Vapour Deposition. 2019 , 14, 33-40	1
473	Substitution-induced band modification and developmental changes of optical properties in Bi ₆ Te _x Mo ₂ V _x O ₁₅ (0 ≤ x ≤ 1) solid solutions. 2019 , 52, 415107	
472	The Electronic Structure and Optical Properties of Two-Dimensional BiOX ₂ O ₃ (X = Cl, Br, and I; Y = Mo, W) Heterostructures. 2019 , 256, 1900185	2
471	Carbon black decorated BiOCl with largely enhanced photocatalytic activity toward removal of RhB. 2019 , 97, 105989	18
470	Enhanced photocatalytic degradation and antibacterial performance by GO/CN/BiOI composites under LED light. 2019 , 497, 143753	34
469	Synthesis of direct Z-scheme ZnIn ₂ S ₄ @BiOBr-(110) heterojunction structure with high photocatalytic activity. 2019 , 30, 19137-19146	5
468	Exosomes: Versatile Nano Mediators of Immune Regulation. 2019 , 11,	42
467	Plate-like WO ₃ inserting into I-deficient BiO _{1.2} IO _{0.6} microsphere for highly efficient photocatalytic degradation of VOCs. 2019 , 105, 96-103	2
466	AgBr/BiOBr Nano-Heterostructure-Decorated Polyacrylonitrile Nanofibers: A Recyclable High-Performance Photocatalyst for Dye Degradation under Visible-Light Irradiation. 2019 , 11,	28
465	Iodine-Deficient BiO I Coupling with Bi O for Degradation of Volatile Organic Compounds under Simulated Sunlight Irradiation. 2019 , 12, 4874-4881	6
464	A novel effect of glycine on the growth and starch biosynthesis of storage root in sweetpotato (Ipomoea batatas Lam.). 2019 , 144, 395-403	3
463	Improved visible light photocatalytic performance through an in situ composition-transforming synthesis of BiVO ₄ /BiOBr photocatalyst. 2019 , 21, 1	6
462	Novel Bi ₃ O ₅ I ₂ Hollow Microsphere and Its Enhanced Photocatalytic Activity. 2019 , 9, 709	12

- 461 Facet-dependent photocatalytic performances of BiOCl under simulated sunlight irradiation. **2019**, 546, 33-40
- 460 New BiOXs/TiO₂ heterojunction photocatalyst towards efficient degradation of organic pollutants under visible-light irradiation. **2019**, 14, 911-914 0
- 459 Fabrication of a Z-scheme AgBr/Bi₄O₅Br₂ nanocomposite and its high efficiency in photocatalytic N₂ fixation and dye degradation. **2019**, 6, 3083-3092 47
- 458 Constructing a novel hierarchical Ag₂MoO₄/BiVO₄ photocatalyst with Z-scheme heterojunction utilizing Ag as an electron mediator. **2019**, 498, 143860 30
- 457 Bottom-up growth of homogeneous Moiré superlattices in bismuth oxychloride spiral nanosheets. **2019**, 10, 4472 31
- 456 Novel Au/La-BiOI Microspheres with Efficient Visible-Light Photocatalytic Activity for NO Removal: Synergistic Effect of Au Nanoparticles, La Doping, and Oxygen Vacancy. **2019**, 11, 37822-37832 44
- 455 Active Sites in Single-Layer BiOX (X = Cl, Br, and I) Catalysts for the Hydrogen Evolution Reaction. **2019**, 58, 13195-13202 21
- 454 Room temperature synthesis of ultrathin iodine-doped BiOCl nanosheets. **2019**, 582, 123899 12
- 453 Semiconductor-Based Nanocomposites for Photodegradation of Organic Pollutants. **2019**, 25-58 3
- 452 An in situ Bi-decorated BiOBr photocatalyst for synchronously treating multiple antibiotics in water. **2019**, 1, 1124-1129 38
- 451 Enhanced charge separation in g-C₃N₄/BiOI heterostructures for visible light driven photoelectrochemical water splitting. **2019**, 1, 1460-1471 77
- 450 Functionalization of cotton fabric with bismuth oxyiodide nanosheets: applications for photodegrading organic pollutants, UV shielding and self-cleaning. **2019**, 26, 2873-2884 16
- 449 Visible-light-driven photocatalytic removal of PPCPs using magnetically separable bismuth oxybromo-iodide solid solutions: Mechanisms, pathways, and reusability in real sewage. **2019**, 216, 102-114 30
- 448 Composite microsphere resulting from assembly of BiOCl nanosheets and palygorskite nanorods for enhanced photocatalytic activity. **2019**, 168, 450-458 15
- 447 BiOBr-photocatalyzed cis/trans isomerization of 9-octadecenoic acids in different atmospheres. **2019**, 9, 3380-3387 4
- 446 Investigation of photodegradation of rhodamine B over a BiOX (X = Cl, Br and I) photocatalyst under white LED irradiation. **2019**, 42, 12
- 445 Controllable synthesis of solar-light-driven BiOCl nanostructures for highly efficient photocatalytic degradation of carbamazepine. **2019**, 277, 133-138 16
- 444 Facet-Engineered Surfaces of Two-Dimensional Layered BiOI and AuBiOI Substrates for Tuning the Surface-Enhanced Raman Scattering and Visible Light Photodetector Response. **2019**, 2, 3906-3915 10

443	Recent advances in enhanced photocatalytic activity of bismuth oxyhalides for efficient photocatalysis of organic pollutants in water: A review. 2019 , 78, 1-20	172
442	Ultrafast NaN ₃ -deflagration induced nitrogen vacancy-enriched g-C ₃ N ₄ for tailoring band structures and enhanced photocatalytic performance. 2019 , 434, 226731	20
441	BiOCl-Coated Electroactive Film for Potential-Triggered Selective Removal of Cesium Ions from Simulated Wastewater. 2019 , 58, 12816-12824	7
440	Facile synthesis of BiCuOS for photocatalytic application. 2019 , 253, 331-334	1
439	MIL-53(Fe) incorporated in the lamellar BiOBr: Promoting the visible-light catalytic capability on the degradation of rhodamine B and carbamazepine. 2019 , 374, 975-982	74
438	Nanostructured materials for photocatalysis. 2019 , 48, 3868-3902	479
437	Interfacial Electronic Interaction Induced Engineering of ZnO-BiOI Heterostructures for Efficient Visible-Light Photocatalysis. 2019 , 58, 8525-8532	24
436	Immobilization of green BiOX (X= Cl, Br and I) photocatalysts on ceramic fibers for enhanced photocatalytic degradation of recalcitrant organic pollutants and efficient regeneration process. 2019 , 45, 17715-17722	29
435	Vis-NIR responsive Bi ₂₄ O ₃₁ Br ₁₀ and corresponding composite with up-conversion phosphor towards efficient photocatalytic oxidation. 2019 , 489, 210-219	16
434	Enhanced photocatalytic reduction of CO to CO over BiOBr assisted by phenolic resin-based activated carbon spheres.. 2019 , 9, 14391-14399	15
433	Single-layer BiOBr: An effective p-type 2D thermoelectric material. 2019 , 125, 205111	14
432	Poly(sodium 4-styrenesulfonate) Assisted Room-Temperature Synthesis for the Mass Production of Bismuth Oxychloride Ultrathin Nanoplates with Enhanced Photocatalytic Activity. 2019 , 84, 828-837	7
431	Multiply structural optimized strategies for bismuth oxyhalide photocatalysis and their environmental application. 2019 , 374, 1025-1045	114
430	Core/shell rGO/BiOBr particles with visible photocatalytic activity towards water pollutants. 2019 , 490, 580-591	40
429	Bismuth-Based Photocatalysts for Solar Photocatalytic Carbon Dioxide Conversion. 2019 , 12, 3671-3701	88
428	Hydrothermal fabrication of BiOBr/magnetic reduced graphene oxide composites with efficient visible light photocatalytic activity. 2019 , 45, 15458-15465	7
427	An efficient Ce-BiOI/luffa photocatalyst with enhanced visible light photocatalytic activity for organic dyes degradation. 2019 , 6, 045911	1
426	Design of a highly efficient ternary AgI/rGO/BiVO ₄ nanocomposite and its direct solar light induced photocatalytic activity. 2019 , 487, 1289-1300	39

425	The reinforced photocatalytic performance of binary-phased composites Bi-Bi ₂ O ₁₇ Cl ₂ fabricated by a facile chemical reduction protocol. 2019 , 572, 290-298		12
424	2D Semiconductor Bi ₂ WO ₆ Nanosheets as the Pt Carriers for Ethylene Glycol Oxidation Reaction with Photoelectric Interaction. 2019 , 7, 1900253		7
423	A Novel CdWO ₄ /BiOCl - Heterojunction Nanocomposites with Excellent Photocatalytic Activity Under Simulated Solar Light. 2019 , 19, 5150-5157		5
422	Mechanochemical Syntheses of Oxygen-Rich Bismuth Oxychlorides Bi _x O _y Cl _z to Enhance Ciprofloxacin Degradation Under Visible Light Irradiation. 2019 , 149, 2247-2255		14
421	Efficient photocatalytic nitrogen fixation under ambient conditions enabled by the heterojunctions of n-type BiMoO and oxygen-vacancy-rich p-type BiOBr. <i>Nanoscale</i> , 2019 , 11, 10439-10445	7-7	102
420	Enhanced photocatalytic activities of CdS-BiOCl/PAN composites towards photocatalytic hydrogen evolution. 2019 , 117, 9-17		16
419	Ultrasound-assisted two-step water-bath synthesis of g-C ₃ N ₄ /BiOBr composites: visible light-driven photocatalysis, sterilization, and reaction mechanism. 2019 , 43, 8711-8721		24
418	Facile Synthesis of Ag/ZnO Hollow Microspheres with Enhanced Photocatalytic Performance under Simulated Sunlight Irradiation. 2019 , 14, 1950036		2
417	Reversibly tuning the surface state of Ag via the assistance of photocatalysis in Ag/BiOCl. 2019 , 30, 305601		10
416	Structure-Activity Relationship of Defective Metal-Based Photocatalysts for Water Splitting: Experimental and Theoretical Perspectives. 2019 , 6, 1900053		126
415	One-step low-temperature synthesis of 0D CeO ₂ quantum dots/2D BiOX (X = Cl, Br) nanoplates heterojunctions for highly boosting photo-oxidation and reduction ability. 2019 , 250, 17-30		88
414	Fabricating photoelectrochemical aptasensor for sensitive detection of aflatoxin B1 with visible-light-driven BiOBr/nitrogen-doped graphene nanoribbons. 2019 , 840, 67-73		14
413	Layer-assembled 3D Bi ₂ WO ₆ hierarchical architectures by Ti-doping for enhanced visible-light driven photocatalytic and photoelectrochemical performance. 2019 , 792, 878-893		27
412	A regularly combined magnetic 3D hierarchical FeO/BiOBr heterostructure: Fabrication, visible-light photocatalytic activity and degradation mechanism. 2019 , 546, 139-151		49
411	BiOBr nanosheets-decorated TiO ₂ nanofibers as hierarchical p-n heterojunctions photocatalysts for pollutant degradation. 2019 , 54, 8426-8435		41
410	Crystal Facet Engineering of Photoelectrodes for Photoelectrochemical Water Splitting. 2019 , 119, 5192-5247	285	
409	Synthesis flower-like BiVO ₄ /BiOI core/shell heterostructure photocatalyst for tetracycline degradation under visible-light irradiation. 2019 , 30, 9311-9321		15
408	Modulation of Bi MoO ₄ -Based Materials for Photocatalytic Water Splitting and Environmental Application: a Critical Review. 2019 , 15, e1901008		104

407	Oxygen Vacancy Engineering of Bi O Cl for Boosted Photocatalytic CO Conversion. 2019 , 12, 2740-2747	48
406	Iodine-Deficient BiOI Nanosheets with Lowered Valence Band Maximum To Enable Visible Light Photocatalytic Activity. 2019 , 7, 7900-7907	39
405	Design and engineering heterojunctions for the photoelectrochemical monitoring of environmental pollutants: A review. 2019 , 248, 405-422	85
404	Effect of Alloyed BiOCl _x Br _{1-x} Nanosheets Thickness on the Photocatalytic Performance. 2019 , 4, 1757-1762	5
403	A carnation-like rGO/Bi ₂ O ₂ CO ₃ /BiOCl composite: efficient photocatalyst for the degradation of ciprofloxacin. 2019 , 30, 5986-5994	23
402	Efficient photocatalytic degradation of herbicide glyphosate in water by magnetically separable and recyclable BiOBr/Fe ₃ O ₄ nanocomposites under visible light irradiation. 2019 , 368, 212-222	70
401	Cocatalysts for Selective Photoreduction of CO into Solar Fuels. 2019 , 119, 3962-4179	965
400	Facile one-pot ultrasound-assisted solvothermal fabrication of ball-flowerlike nanostructured (BiOBr) _x (Bi ₇ O ₉ I ₃) _{1-x} solid-solution for high active photodegradation of antibiotic levofloxacin under sun-light. 2019 , 248, 320-331	65
399	Morphology, surface properties and photocatalytic activity of the bismuth oxyhalides semiconductors prepared by ionic liquid assisted solvothermal method. 2019 , 217, 164-173	23
398	Plasmon Ag and CdS quantum dot co-decorated 3D hierarchical ball-flower-like Bi ₅ O ₇ I nanosheets as tandem heterojunctions for enhanced photothermal photocatalytic performance. 2019 , 9, 6714-6722	18
397	Enhanced adsorption of Cr(VI) on BiOBr under alkaline conditions: interlayer anion exchange. 2019 , 6, 3601-3610	16
396	Crucial Effect of Halogen on the Photocatalytic Hydrogen Evolution for Bi ₁₉ X ₃ S ₂₇ (X = Cl, Br) Nanomaterials. 2019 , 58, 22958-22966	9
395	Cellulose nanofibrils enable flower-like BiOCl for high-performance photocatalysis under visible-light irradiation. 2019 , 464, 606-615	43
394	A facile two-step method to synthesize immobilized CdS/BiOCl film photocatalysts with enhanced photocatalytic activities. 2019 , 771, 309-316	40
393	Construction of 2D heterojunction system with enhanced photocatalytic performance: Plasmonic Bi and reduced graphene oxide co-modified Bi ₅ O ₇ I with high-speed charge transfer channels. 2019 , 361, 245-258	97
392	Development of Mixed-Anion Photocatalysts with Wide Visible-Light Absorption Bands for Solar Water Splitting. 2019 , 12, 1872-1888	20
391	Synthesis of belt-like bismuth-rich bismuth oxybromide hierarchical nanostructures with high photocatalytic activities. 2019 , 534, 301-311	23
390	Novel FeVO ₄ /Bi ₇ O ₉ I ₃ nanocomposite with enhanced photocatalytic dye degradation and photoelectrochemical properties. 2019 , 475, 175-184	35

389	Flower-like BiOBr/UiO-66-NH nanosphere with improved photocatalytic property for norfloxacin removal. 2019 , 220, 98-106	76
388	Citric acid-modulated in situ synthesis of 3D hierarchical Bi@BiOCl microsphere photocatalysts with enhanced photocatalytic performance. 2019 , 54, 4559-4572	14
387	Enhanced LED-light-driven photocatalytic antibacterial by g-C ₃ N ₄ /BiOI composites. 2019 , 30, 2783-2794	14
386	Synthesis of yttrium doped BiOF/RGO composite for visible light: Photocatalytic applications. 2019 , 2, 112-116	20
385	Accelerated photocatalytic oxidation of carbamazepine by a novel 3D hierarchical protonated g-C ₃ N ₄ /BiOBr heterojunction: Performance and mechanism. 2019 , 473, 527-539	80
384	Enhanced Photoreduction of Chromium(VI) Intercalated Ion Exchange in BiOBr _{0.75} IO _{0.25} Layers Structure by Bulk Charge Transfer. 2019 , 7, 2429-2436	10
383	Theoretical insights into photo-induced electron transfer at BiOX (X = F, Cl, Br, I) (001) surfaces and interfaces. 2019 , 21, 868-875	34
382	Br-doped Bi ₂ O ₂ CO ₃ nanosheets with improved electronic structure and accelerated charge migration for outstanding photocatalytic behavior. 2019 , 470, 63-73	34
381	Exploring the effects of crystal facet in Bi ₂ WO ₆ /BiOCl heterostructures on photocatalytic properties: A first-principles theoretical study. 2019 , 469, 125-134	32
380	Enhancement of photocatalytic activities in hierarchical BiOBr microfibers induced by oxygen vacancies. 2019 , 335, 193-199	38
379	Synthesis and enhanced photocatalytic activity of AgI-BiOI/CNFs for tetracycline hydrochloride degradation under visible light irradiation. 2019 , 270, 129-134	24
378	Solid-state synthesis strategy of hierarchically-structured BiOCl desert-roses for the selective detection of C ₂ H ₅ OH. 2019 , 778, 532-541	14
377	Recoverable magnetic CoFe ₂ O ₄ /BiOI nanofibers for efficient visible light photocatalysis. 2019 , 562, 127-135	31
376	Glass fiber supported BiOI thin-film fixed-bed photocatalytic reactor for water decontamination under solar light irradiation. 2019 , 80, 277-286	17
375	Solution growth of 1D zinc tungstate (ZnWO) nanowires; design, morphology, and electrochemical sensor fabrication for selective detection of chloramphenicol. 2019 , 367, 205-214	40
374	KBiO ₃ as an Effective Visible-Light-Driven Photocatalyst: Stability Improvement by In Situ Constructing KBiO ₃ /BiOX (X = Cl, Br, I) Heterostructure. 2019 , 58, 1875-1887	10
373	Boosting Visible-Light-Driven Photo-oxidation of BiOCl by Promoted Charge Separation via Vacancy Engineering. 2019 , 7, 3010-3017	57
372	Bi ₂ O ₃ /TiO ₂ photocatalytic film coated on floated glass balls for efficient removal of organic pollutant. 2019 , 467-468, 354-360	25

371	Hierarchical flower-like BiOlxBr(1-x) solid solution spheres with enhanced visible-light photocatalytic activity. 2019 , 467-468, 792-801	21
370	Efficient nano-regional photocatalytic heterostructure design via the manipulation of reaction site self-quenching effect. 2019 , 243, 220-228	17
369	Full spectrum light driven photocatalytic in-situ epitaxy of one-unit-cell Bi2O2CO3 layers on Bi2O4 nanocrystals for highly efficient photocatalysis and mechanism unveiling. 2019 , 243, 667-677	83
368	Enhanced visible-light photocatalytic activity of ZnS/BiOBr/graphene oxide ternary composite. 2019 , 127, 19-27	16
367	Towards visible-light photocatalysis for environmental applications: band-gap engineering versus photons absorption-a review. 2019 , 26, 4155-4170	49
366	Experimental and DFT insights of the Zn-doping effects on the visible-light photocatalytic water splitting and dye decomposition over Zn-doped BiOBr photocatalysts. 2019 , 243, 502-512	106
365	Photocatalytic degradation of organic pollutant with polypyrrole nanostructures under UV and visible light. 2019 , 242, 284-292	100
364	Bi O I Nanobelts: Synthesis, Modification, and Photocatalytic Antifouling Activity. 2015 , 25, 16157	2
363	Two-dimensional tetragonal GaOI and InOI sheets: In-plane anisotropic optical properties and application to photocatalytic water splitting. 2020 , 340, 178-182	8
362	Recent progress on bismuth oxyiodide (BiOI) photocatalyst for environmental remediation. 2020 , 81, 237-268	78
361	Synthesis of bismuth oxyiodide (BiOI) by means of microwaves in glycerol with high photocatalytic activity for the elimination of NOx and SO2. 2020 , 46, 923-941	8
360	3D-Printed Grids with Polymeric Photocatalytic System as Flexible Air Filter. 2020 , 262, 118307	16
359	In situ synthesis of Pt and N co-doped hollow hierarchical BiOCl microsphere as an efficient photocatalyst for organic pollutant degradation and photocatalytic CO2 reduction. 2020 , 502, 144083	35
358	Two layered Bi-based borate photocatalysts MBi2B2O7 (M = Ca, Sr) for photocatalytic degradation and oxygen activation. 2020 , 584, 123994	8
357	2D/2D BiOBr/Ti3C2 heterojunction with dual applications in both water detoxification and water splitting. 2020 , 386, 112099	32
356	Heterojunctions of halogen-doped carbon nitride nanosheets and BiOI for sunlight-driven water-splitting. 2019 , 31, 084001	14
355	Space-confined microwave synthesis of ternary-layered BiOCl crystals with high-performance ultraviolet photodetection. 2020 , 2, 593-600	25
354	Fabrication of the Ni/ZnO/BiOI foam for the improved electrochemical biosensing performance to glucose. 2020 , 1095, 93-98	7

353	Enhanced photocatalytic removal of indoor formaldehyde by ternary heterogeneous BiOCl/TiO ₂ /sepiolite composite under solar and visible light. 2020 , 168, 106481	26
352	Investigation the High Photocatalytic Activity of Magnetically Separable Graphene Oxide Modified BiOBr Nanocomposites for Degradation of Organic Pollutants and Antibiotic. 2020 , 30, 1703-1715	4
351	The BiOCl/diatomite composites for rapid photocatalytic degradation of ciprofloxacin: Efficiency, toxicity evaluation, mechanisms and pathways. 2020 , 380, 122422	81
350	Synthesis, characterization, and design of a photocatalyst based on BiOBr nanoplates and tin porphyrin with enhanced visible light photocatalytic activity. 2020 , 46, 197-213	6
349	Core/shell FeVO ₄ @BiOCl heterojunction as a durable heterogeneous Fenton catalyst for the efficient sonophotocatalytic degradation of p-nitrophenol. 2020 , 231, 115915	39
348	Advances and Challenges in BiOX (X: Cl, Br, I)-Based Materials for Harvesting Sunlight. 2020 , 235-282	
347	Synthesis, properties and photocatalytic activity of a semiconductor/cellulose composite for dye degradation-a review. 2020 , 27, 595-609	17
346	Two-dimensional ultrathin BiOCl nanosheet/graphene heterojunction with enhanced photocatalytic activity. 2019 , 31, 085706	7
345	In Situ Growth of BiOI/MoS ₂ Heterostructure as Pt Supports for Visible Light-Assisted Electrocatalytic Methanol Oxidation Reaction. 2020 , 8, 1900731	6
344	Hydroxyl-regulated BiOI nanosheets with a highly positive valence band maximum for improved visible-light photocatalytic performance. 2020 , 268, 118390	41
343	Regulation of visible-light-driven photocatalytic degradation of Rhodamine B on BiOBr via zeta potential. 2020 , 46, 509-520	3
342	A 2D mesoporous photocatalyst constructed by the modification of biochar on BiOCl ultrathin nanosheets for enhancing the TC-HCl degradation activity. 2020 , 44, 79-86	16
341	3D BiOBr/BiOCl heterostructure microspheres with enhanced photocatalytic activity. 2020 , 31, 1868-1878	7
340	Bismuth chromate (Bi ₂ CrO ₆): A promising semiconductor in photocatalysis. 2020 , 382, 40-48	38
339	Structurally Engineered Two-Dimensional Layered Bismuth Oxyiodide Surfaces as a Dip Photocatalyst For a Photocatalytic Reaction. 2020 , 20, 4909-4918	2
338	Photoelectrochemical biosensor for histone acetyltransferase detection based on ZnO quantum dots inhibited photoactivity of BiOI nanoflower. 2020 , 307, 127633	23
337	Z-scheme BiOCl/BiBi ₂ O ₃ heterojunction with oxygen vacancy for excellent degradation performance of antibiotics and dyes. 2020 , 55, 4017-4029	28
336	New 2D material Ti ₃ C ₂ and AgBr co-modified BiOBr with improved photocatalytic activity for degradation of organic pollutants. 2020 , 31, 1183-1190	1

335	Synergistic enhancing photoelectrochemical response of Bi ₁₀ O ₆ S ₉ with WO ₃ optical heterojunction in wide wavelength range. 2020 , 509, 144697	6
334	Plasmonic Bi metal as a co-catalyst deposited on C-doped Bi ₆ O ₆ (OH) ₃ (NO ₃) ₃ ·1.5H ₂ O for efficient visible light photocatalysis. 2020 , 389, 112290	6
333	BiOCl-based photocathode for photocatalytic fuel cell. 2020 , 506, 144949	14
332	Modulation of single-band red upconversion luminescence in Er ³⁺ /Yb ³⁺ codoped bismuth oxyiodide nanoplates by bandgap engineering and their application in NIR photocatalysis. 2020 , 46, 6351-6359 ¹⁰	
331	Highly efficient photocatalytic degradation toward perfluorooctanoic acid by bromine doped BiOI with high exposure of (001) facet. 2020 , 268, 118442	41
330	Rational combination of covalent-organic framework and nano TiO ₂ by covalent bonds to realize dramatically enhanced photocatalytic activity. 2020 , 266, 118586	73
329	Alternative Bi precursor effects on the structural, optical, morphological and photocatalytic properties of BiOI nanostructures. 2020 , 7, 015912	3
328	Effects of different exposed-facets on photocatalytic activity of BiOBr /Bi ₂ Ti ₂ O ₇ heterostructure and mechanism analysis. 2020 , 252, 123426	4
327	Impurity doping approach on bandgap narrowing and improved photocatalysis of Ca ₂ Bi ₂ O ₅ . 2020 , 376, 708-723	4
326	Phase, optical property, and photocatalytic performance behaviors of non-stoichiometric bismuth oxyiodide. 2020 , 1-6	1
325	Innovative and Cost-Efficient BiOI Immobilization Technique on Ceramic Paper-Total Coverage and High Photocatalytic Activity. 2020 , 10,	8
324	Bi-based photocatalysts for light-driven environmental and energy applications: Structural tuning, reaction mechanisms, and challenges. 2020 , 2, e12047	35
323	Synthesis of a novel one-dimensional Bi ₂ O ₂ CO ₃ /BiOCl heterostructure and its enhanced photocatalytic activity. 2020 , 22, 6822-6830	5
322	First-principles study on the electronic structure and optical properties of BiOBr. 2020 , 565, 128-136	1
321	Facile synthesis of a Ag/AgCl/BiOCl composite photocatalyst for visible light driven pollutant removal. 2020 , 401, 112747	11
320	Synthesis, and New Design into Enhanced Photocatalytic Activity of Porphyrin Immobilization on the Surface of Bismuth Oxyhalides Modified with Polyaniline. 2020 , 30, 4637-4654	4
319	Hierarchical self-assembly of graphene-bridged on AgIO ₃ /BiVO ₄ : An efficient heterogeneous photocatalyst with enhanced photodegradation of organic pollutant under visible light. 2020 , 831, 154820	7
318	Architecting epitaxial-lattice-mismatch-free (LMF) zinc oxide/bismuth oxyiodide nano-heterostructures for efficient photocatalysis. 2020 , 8, 11263-11273	9

317	Heterojunction Photocatalysts Based on 2D Materials: The Role of Configuration. 2020 , 4, 2000130	49
316	Hybrid Density Functional Theory Study of Native Defects and Nonmetal (C, N, S, and P) Doping in a BiWO Photocatalyst. 2020 , 5, 29081-29091	10
315	Oriented construction of S-doped, exposed {001} facet BiOBr nanosheets with abundant oxygen vacancies and promoted visible-light-driven photocatalytic performance. 2020 , 22, 7684-7692	13
314	Van der Waals Epitaxial Growth of Two-Dimensional BiOBr Flakes with Dendritic Structures for the Hydrogen Evolution Reaction. 2020 , 3, 11848-11854	3
313	Physical spread and technical upshift in the band gaps of visible-light photocatalytic bismuth oxyhalide solid solutions. 2020 , 184, 109870	5
312	Photoluminescence, thermoluminescence and photocatalytic studies of sonochemical synthesis of Bi ₂ Zr ₂ O ₇ :Sm ³⁺ nanomaterials. 2020 , 31, 15627-15643	3
311	Anti-aggregation and morphology-controlled effects of bacterial cellulose encapsulated BiOBr for enhanced photodegradation efficiency. 2020 , 27, 8843-8858	3
310	BiOBr photocatalyst with high activity for NO _x elimination. 2020 , 31, 3618-3627	2
309	Recent advances in bismuth oxyhalide-based functional materials for photoelectrochemical sensing. 2020 , 131, 116020	13
308	Bismuth-based photocatalysts for solar energy conversion. 2020 , 8, 24307-24352	85
307	A novel flower-like Z-type heterojunction CuS/Bi ₇ O ₉ I ₃ composite catalyst prepared under mild conditions for degradation of antibiotics and sterilization under visible light. 2020 , 7, 3074-3087	11
306	Regulating the phase transition of monoclinic Bi ₄ O ₅ Br ₂ through the synergistic effect of drag force and facet recognition by branched polyethyleneimine. 2020 , 22, 5871-5881	3
305	Synthesis of SiC/BiOCl Composites and Its Efficient Photocatalytic Activity. 2020 , 10, 946	3
304	One-dimensional CdS@CdZnS@ZnS-Ni(OH) nano-hybrids with epitaxial heterointerfaces and spatially separated photo-redox sites enabling highly-efficient visible-light-driven H ₂ evolution. <i>Nanoscale</i> , 2020 , 12, 20522-20535	7-7 9
303	Semiconducting Nanocrystalline Bismuth Oxychloride (BiOCl) for Photocatalytic Reduction of CO ₂ . 2020 , 10, 998	4
302	Harmonizing the Electronic Structures on BiOI with Active Oxygen Vacancies toward Facet-Dependent Antibacterial Photodynamic Therapy. 2020 , 30, 2004108	24
301	Effect of temperature and reaction time during solvothermal synthesis of BiOCl on microspheres formation: implications in the photocatalytic oxidation of gallic acid under simulated solar radiation. 2020 , 95, 146-156	5
300	Experimental and DFT investigation on the different effects of Er ³⁺ - and Ag ⁺ -doped BiOBr microspheres in enhancing photocatalytic activity under visible light irradiation. 2020 , 55, 11226-11240	8

299	In situ self-growing 3D hierarchical BiOBr/BiOI/O ₃ Z-scheme heterojunction with rich oxygen vacancies and iodine ions as carriers transfer dual-channels for enhanced photocatalytic activity. 2020 , 396, 125258	102
298	Controllable construction and efficient photocatalysis performance of Bi@Bi ₆ O ₇ FCl ₃ heterostructures exposed with the (012) plane bi-quantum-dots. 2020 , 192, 108737	4
297	p-n Heterojunction of BiOI/ZnO nanorod arrays for piezo-photocatalytic degradation of bisphenol A in water. 2020 , 399, 123109	52
296	First-principles investigation of nonmetal doped single-layer BiOBr as a potential photocatalyst with a low recombination rate. 2020 , 22, 15354-15364	45
295	Pressure-driven chemical lock-in structure and optical properties in Sillen compounds PbBiO ₂ X (X = Cl, Br, and I). 2020 , 8, 13610-13618	6
294	La-doping induced localized excess electrons on (BiO)CO for efficient photocatalytic NO removal and toxic intermediates suppression. 2020 , 400, 123174	25
293	BiVO ₄ photocatalysis design and applications to oxygen production and degradation of organic compounds: a review. 2020 , 18, 1779-1801	24
292	A facile template-free synthesis of Bi ₂ Sn ₂ O ₇ with flower-like hierarchical architecture for enhanced visible-light photocatalytic activity. 2020 , 44, 11196-11202	8
291	Ag nanoparticles-embellished Bi ₁₂ GeO ₂₀ composites: A plasmonic system featured with reinforced visible-light photocatalytic performance and ultra-stability. 2020 , 527, 146946	8
290	2D/2D Z-scheme BiO ₁ -XBr/g-C ₃ N ₄ heterojunction with rich oxygen vacancies as electron mediator for enhanced visible-light degradation activity. 2020 , 528, 146925	28
289	A sensitive and stable visible-light-driven photoelectrochemical aptasensor for determination of oxytetracycline in tomato samples. 2020 , 398, 122944	18
288	Creation of oxygen vacancies to activate lanthanum-doped bismuth titanate nanosheets for efficient synchronous photocatalytic removal of Cr(VI) and methyl orange. 2020 , 314, 113613	9
287	Controllable Synthesis and Photocatalytic Activity of Nano-BiOBr Photocatalyst. 2020 , 2020, 1-7	5
286	Simulated solar light-driven photocatalytic degradation of trichloroethylene in water using BiOBr promoted by sulfite addition. 2020 , 32,	7
285	Large-scale synthesis of 2D bismuth-enriched bismuth oxyiodides at low temperatures for high-performance supercapacitor and photocatalytic applications. 2020 , 31, 5385-5401	9
284	Visible-light-responsive K-doped g-C ₃ N ₄ /BiOBr hybrid photocatalyst with highly efficient degradation of Rhodamine B and tetracycline. 2020 , 112, 105023	32
283	Parallel Evaluation of the BiI ₃ , BiOI, and Ag ₃ BiI ₆ Layered Photoabsorbers. 2020 , 32, 3385-3395	18
282	The Pt/h-BN/BiOBr composite towards photocatalytic degradation of bisphenol A: the synergistic effect of h-BN and Pt. 2020 , 126, 1	3

281	OD to 3D controllable nanostructures of BiOBr via a facile and fast room-temperature strategy. 2020 , 603, 125233	15
280	Thermochemical stability, and electronic and dielectric properties of Janus bismuth oxyhalide BiOX (X = Cl, Br, I) monolayers. 2020 , 2, 1090-1104	8
279	Hierarchical Bi-doped BiOBr microspheres assembled from nanosheets with (001) facet exposed via crystal facet engineering toward highly efficient visible light photocatalysis. 2020 , 514, 145927	30
278	Sunlight-activated BiOCl/BiOBrBi ₂₄ O ₃₁ Br ₁₀ photocatalyst for the removal of pharmaceutical compounds. 2020 , 259, 120679	52
277	Nanostructured photocatalysts for nitrogen fixation. 2020 , 71, 104645	51
276	Tailored fabrication of triple-surface-features in well-crystalline BiOCl photocatalyst and their synergistic role in catalytic processes. 2020 , 10, 2242-2253	8
275	Construction of well-crystalline ultrathin bismuth oxybromide nanoplates via one-pot room-temperature synthesis for enhanced decontamination of aqueous pollutants under visible light irradiation. 2020 , 31, 1708-1719	2
274	TBAOH assisted synthesis of ultrathin BiOCl nanosheets with enhanced charge separation efficiency for superior photocatalytic activity in carbamazepine degradation. 2020 , 570, 242-250	28
273	Excellent photo- and sono- catalytic BiOF/Bi ₂ O ₃ heterojunction nanoflakes synthesized via pH-dependent and ionic liquid assisted solvothermal method. 2020 , 23, 100980	4
272	Synthesis of sodium dodecyl sulfate modified BiOBr/magnetic bentonite photocatalyst with Three-dimensional parterre like structure for the enhanced photodegradation of tetracycline and ciprofloxacin. 2020 , 388, 124374	35
271	Interlayer coupling prolonged the photogenerated carrier lifetime of few layered BiOS semiconductors. <i>Nanoscale</i> , 2020 , 12, 6057-6063	7-7 7
270	Performance enhancement strategies of bi-based photocatalysts: A review on recent progress. 2020 , 389, 124402	63
269	Ultrathin BiOX (X = Cl, Br, I) Nanosheets with Exposed {001} Facets for Photocatalysis. 2020 , 3, 1981-1991	54
268	Nanocatalysts and other nanomaterials for water remediation from organic pollutants. 2020 , 408, 213180	197
267	Fe(III) modified Bi ₂ O ₄ nano-rods for boosting photocatalytic performance through interfacial charge transfer effect. 2020 , 46, 11261-11267	16
266	Electronic Structures and Lattice Dynamics of Layered BiOCl Single Crystals. 2020 , 11, 1038-1044	20
265	Artificial nitrogen fixation over bismuth-based photocatalysts: fundamentals and future perspectives. 2020 , 8, 4978-4995	48
264	Green BiOI impregnated 2-dimensional cylindrical carbon block: A promising solution for environmental remediation and easy recovery of the photocatalyst. 2020 , 240, 116628	16

263	Study of the Structure, Electronic and Optical Properties of BiOI/Rutile-TiO Heterojunction by the First-Principle Calculation. 2020 , 13,	5
262	In-situ fabrication SnO ₂ /SnS ₂ heterostructure for boosting the photocatalytic degradation of pollutants. 2020 , 41, 1554-1563	10
261	Bismuth metal and semiconductor-based photocatalysts: structure tuning, activity enhancement, and reaction mechanism. 2020 , 31, 349-377	1
260	Silver-based visible light-responsive photocatalysts. 2020 , 415-452	3
259	Construction of nitrogen and phosphorus co-doped graphene quantum dots/Bi ₅ O ₇ I composites for accelerated charge separation and enhanced photocatalytic degradation performance. 2020 , 41, 1230-1239	13
258	Halogen-containing semiconductors: From artificial photosynthesis to unconventional computing. 2020 , 415, 213316	9
257	Fabrication of a ternary BiOCl/CQDs/rGO photocatalyst: The roles of CQDs and rGO in adsorption-photocatalytic removal of ciprofloxacin. 2020 , 597, 124758	20
256	A new insight on the role of CQDs in driving BiOBr into broader-spectrum-response: Dual function of up-conversion and photosensitization effect. 2020 , 747, 137340	4
255	Bismuth oxybromide nanoplates embedded on activated charcoal as effective visible light driven photocatalyst. 2020 , 749, 137435	12
254	Molecularly imprinted polymer functionalized flower-like BiOBr microspheres for photoelectrochemical sensing of chloramphenicol. 2020 , 344, 136161	13
253	Solvothermal synthesis of multiwall carbon nanotubes/BiOI photocatalysts for the efficient degradation of antipyrine under visible light. 2020 , 185, 109468	23
252	Biomolecule-assisted route to obtain nanostructured bismuth oxybromide with enhanced photocatalytic activity. 2021 , 60, 2-12	2
251	Preparation of perovskite-like PbBiO ₂ I/g-C ₃ N ₄ exhibiting visible-light-driven activity. 2021 , 375, 472-483	7
250	Visible light-driven photoelectrochemical ampicillin aptasensor based on an artificial Z-scheme constructed from Ru(bpy)-sensitized BiOI microspheres. 2020 , 173, 112771	12
249	Oxygen vacancy modified Bi ₂ MoO ₆ /WO ₃ electrode with enhanced photoelectrocatalytic degradation activity toward RhB. 2021 , 285, 119171	8
248	Elemental mercury removal by IEdoped Bi ₂ WO ₆ with remarkable visible-light-driven photocatalytic oxidation. 2021 , 282, 119534	26
247	Ultrathin nanoflake-assembled hierarchical BiOBr microflower with highly exposed {001} facets for efficient photocatalytic degradation of gaseous ortho-dichlorobenzene. 2021 , 281, 119478	45
246	Interfacial facet engineering on the Schottky barrier between plasmonic Au and TiO ₂ in boosting the photocatalytic CO ₂ reduction under ultraviolet and visible light irradiation. 2021 , 404, 127145	52

245	Microwave-aided synthesis of BiOI/g-C ₃ N ₄ composites and their enhanced catalytic activities for Cr(VI) removal. 2021 , 762, 138143	12
244	Wide-band-gaps two dimensional C ₃ XN (X = N and P) for metal-free photocatalytic water splitting. 2021 , 542, 148597	6
243	Photo-electrochemical and photocatalytic properties of hierarchical flower-like BiOI/CoFe ₂ O ₄ nanocomposites synthesized by co-precipitation method. 2021 , 111, 110643	8
242	ZnO-dispersedly-hybridizing BiOBr/BiO _{1.1} nanoflakes with p-type semiconducting character for improved photocatalysis. 2021 , 851, 156888	2
241	Fine-tuning internal electric field of BiOBr for suppressed charge recombination. 2021 , 9, 104766	9
240	1 ⁺ 1 ⁺ 2 ⁻ : A critical review of MOF/bismuth-based semiconductor composites for boosted photocatalysis. 2021 , 417, 128022	15
239	Enhanced photocatalytic degradation of glyphosate over 2D CoS/BiOBr heterojunctions under visible light irradiation. 2021 , 407, 124798	37
238	Cationic dye adsorption and separation at discrete molecular level: first example of an iron cluster with rapid and selective adsorption of methylene blue from aqueous system. 2021 , 45, 1415-1422	5
237	Facile fabrication of BiOCl nanoplates with high exposure {001} facets for efficient photocatalytic degradation of nitro explosives. 2021 , 8, 777-786	8
236	Topological transformation of bismuth vanadate into bismuth oxychloride: Band-gap engineering of ultrathin nanosheets with oxygen vacancies for efficient molecular oxygen activation. 2021 , 420, 127573	13
235	BiOBr _{1-n} solid solutions as versatile photooxidation catalysts for phenolics and endocrine disrupting chemicals. 2021 , 375, 547-557	5
234	Bismuth-based heterostructured photocatalysts. 2021 , 283-325	
233	Modulating formation rates of active species population by optimizing electron transport channels for boosting the photocatalytic activity of a Bi ₂ S ₃ /BiO _{1-x} Cl heterojunction. 2021 , 11, 4196-4207	2
232	Construction and photocatalytic properties of WS ₂ /MoS ₂ /BiOCl heterojunction. 2021 , 763, 138203	8
231	The n-type and p-type conductivity mechanisms of the bulk BiOCl photocatalyst from hybrid density functional theory calculations. 2021 , 23, 19841-19853	4
230	Semiconductor photocatalysts and mechanisms of the carbon dioxide reduction and molecular nitrogen fixation under UV- and visible light irradiation. 2021 , 90,	0
229	Controlling the shape and size of BiOBr sheets by varying the bromine source and reactant concentration.	1
228	New Cd(II) coordination polymers bearing Y-shaped tricarboxylate ligands as photocatalysts for dye degradation. 2021 , 23, 6400-6408	2

227	Facile Synthesis of BiOCl Nanoflakes with Highly Efficient Photocatalytic Activity. 2021 , 6, 852-857	3
226	The Effect of the Reducing Sugars in the Synthesis of Visible-Light-Active Copper(I) Oxide Photocatalyst. 2021 , 26,	1
225	New Insights into Cd/Fe Co-Doped BiOBr for Enhancing the Photocatalysis Efficiency of Dye Decomposition under Visible-Light. 2021 , 11,	4
224	Facile preparation of flexible polyacrylonitrile/BiOCl/BiOI nanofibers via SILAR method for effective floating photocatalysis. 2021 , 97, 610-621	4
223	Development of novel BiOBr nanostructures with remarkably High dark phase bactericidal activities. 2021 , 199, 111558	6
222	Synthesis of FeBiOBr _n by microwave-assisted solvothermal method: Characterization and evaluation of its photocatalytic properties. 2021 , 123, 105499	5
221	Advanced Two-Dimensional Heterojunction Photocatalysts of Stoichiometric and Non-Stoichiometric Bismuth Oxyhalides with Graphitic Carbon Nitride for Sustainable Energy and Environmental Applications. 2021 , 11, 426	19
220	Facile synthesis of BiOCl/g-C ₃ N ₄ heterojunction via in situ hydrolysis of Bi nanospheres: a high-efficiency visible-light-driven photocatalyst. 2021 , 32, 9972-9989	2
219	Enhanced interfacial electronic transfer of BiVO ₄ coupled with 2D g-C ₃ N ₄ for visible-light photocatalytic performance. 2021 , 104, 3004-3018	2
218	Tackling Challenges in Perovskite-Type Metal Oxide Photocatalysts. 2021 , 9, 2001019	2
217	Bi ₄ O ₅ Br Solid Solution towards Boosted Photocatalytic Reduction and Oxidation Activities Induced by Efficient Carrier Separation. 2021 , 56, 2000240	0
216	Afterglow-Catalysis and Self-Reporting of Pollutant Degradation by Ethylenediaminetetraacetic Acid Disodium-Etched Cr:ZnGa ₂ O ₄ . 2021 , 125, 9096-9106	3
215	Optimized fabrication of BiOBr/TiO ₂ nanotube arrays for efficient degradation of organic pollutant under visible light irradiation. 2021 , 9, 104833	6
214	Bismuth Oxychloride Nanowires for Photocatalytic Decomposition of Organic Dyes. 2021 , 4, 3887-3892	5
213	Bismuth-Graphene Nanohybrids: Synthesis, Reaction Mechanisms, and Photocatalytic Applications A Review. 2021 , 14, 2281	22
212	Recent advances in BiOBr-based photocatalysts for environmental remediation. 2021 , 32, 3265-3265	12
211	Morphology and Environmental Applications of Bismuth Compound Nano-Photocatalytic Materials: A Review. 1	
210	Facile fabrication of heterostructure with p-BiOCl nanoflakes and n-ZnO thin film for UV photodetectors. 2021 , 42, 052301	10

209	2D Bismuthene Metal Electron Mediator Engineering Super Interfacial Charge Transfer for Efficient Photocatalytic Reduction of Carbon Dioxide. 2021 , 13, 21582-21592	5
208	Hollow BiOBr/reduced graphene oxide hybrids encapsulating hemoglobin for a mediator-free biosensor. 2021 , 25, 2115-2125	1
207	Bi ₂ MoO ₆ /Bi ₂ S ₃ S-scheme heterojunction for efficient photocatalytic oxygen evolution. 2021 , 27, 100244	7
206	Review on Bismuth-Based Photocatalyst for CO ₂ Conversion. 2021 , 7, 684-698	9
205	Research Progress on Photocatalytic/Photoelectrocatalytic Oxidation of Nitrogen Oxides. 2021 , 27, 295	2
204	Plasmonic composites WO ₃ /Bi ₂ O ₃ decorated with uniform Ag nanoparticles in tiny size: Synthesis, analyses, and visible-light photocatalytic performance. 2021 , 15, 100436	1
203	One-step synthesis of two dimensional Bi ₂ VO ₆ solid solution for photocatalytic hydrogen evolution. 2021 , 267, 115097	0
202	In Situ Construction of Porous g-C ₃ N ₄ Isotype Heterojunction/BiOBr Nanosheets Ternary Composite Catalyst for Highly Efficient Visible-Light Photocatalytic Activity. 2021 , 6, 6212-6222	1
201	Preparation of two-dimensional [Bi ₂ O ₂]-based layered materials: Progress and prospects. 2021 , 9, 060905	4
200	Optically Induced Coherent Phonons in Bismuth Oxyiodide (BiOI) Nanoplatelets. 2021 , 21, 7887-7893	2
199	Sulfur-doped graphitic carbon nitride incorporated bismuth oxychloride/Cobalt based type-II heterojunction as a highly stable material for photoelectrochemical water splitting. 2021 , 591, 85-95	18
198	Regulation of band edge and specific surface area of Bi ₂ In ₂ O ₇ microsphere for excellent photocatalytic performance. 2021 , 867, 159052	4
197	In-situ prepared MIL-53(Fe)/BiOI photocatalyst for efficient degradation of tetracycline under visible-light driven photo-Fenton system: Investigation of performance and mechanism. 2021 , 870, 159524	20
196	Durable Metal Heteroanionic Photocatalysts. 2021 , 13, 36670-36678	3
195	Multielement 2D layered material photodetectors. 2021 , 32,	4
194	Recent progress and perspectives in heterogeneous photocatalytic CO ₂ reduction through a solid-gas mode. 2021 , 438, 213906	25
193	Rational design bionic flower-like BiOBr _{0.5} IO ₃ /WS ₂ Z-scheme heterojunction for efficient oxidation of Hg ⁰ : Synergistic effect of facets exposed and intrinsic defects. 2021 , 416, 129537	7
192	Electronic Structure of Bi-Activated Luminescent Compounds and Pure Bismuth Photocatalytic Compounds. 2021 , 10, 086002	1

191	Oxygen vacancies boosted charge separation towards enhanced photodegradation ability over 3D/2D Z-scheme BiO _{1-x} Br/Fe ₂ O ₃ heterostructures. 2021 , 269, 118693	14
190	BiPO ₄ /Fe-metal organic framework composite: A promising photocatalyst toward the abatement of tetracycline hydrochloride, Indigo Carmine and reduction of 4-nitrophenol. 2021 , 100, 220-232	3
189	A critical innovation of photocatalytic degradation for toxic chemicals and pathogens in air. 2021 , 100, 19-39	5
188	Enhance the performance of dye-sensitized solar cells by constructing upconversion-core/semiconductor-shell structured NaYF ₄ :Yb,Er @BiOCl microprisms. 2021 , 224, 563-568	6
187	Dual control of surface oxygen vacancies and exposed facets onto BiOCl _{0.95} Br _{0.05} sheets for enhancing photocatalytic degradation of sodium pentachlorophenate. 2021 , 871, 159568	2
186	Room-Temperature Synthesis and Stable Na-ion Storage Performance of Two-Dimensional Mixed LeadBismuth Oxychloride. 2021 , 125, 17622-17628	0
185	Fast fabrication of bismuth oxyiodide/carbon-nanofibers composites for efficient anti-proliferation of liver and breast cancer cells. 2021 , 647, 1921	1
184	Recent advances and emerging trends in (BiO) ₂ CO ₃ based photocatalysts for environmental remediation: A review. 2021 , 25, 101273	3
183	Visible-light-driven photoelectrocatalytic degradation of p-chloronitrobenzene by BiOBr/TiO ₂ nanotube arrays photoelectrodes: Mechanisms, degradation pathway and DFT calculation. 2021 , 268, 118699	11
182	Fabrication of N-Doped Carbon Quantum Dots/BiOI Nanocomposite and Its Efficient Photocatalytic Activity Under Visible-Light Irradiation. 2021 , 11, 2150003	0
181	One-pot synthesis of Bi ₂ TiO ₄ F ₂ /BiOBr ferroelectric heterostructure for photocatalytic oxygen evolution. 2021 , 873, 159847	5
180	Hollow mesoporous g-C ₃ N ₄ /Ag ₂ CrO ₄ photocatalysis with direct Z-scheme: Excellent degradation performance for antibiotics and dyes. 2021 , 270, 118797	18
179	Construction of direct Z-scheme BPQDs-modified BiOBr thin film for enhanced photocatalytic performance under visible light irradiation. 2021 , 7, 1122-1130	6
178	Synergetic effects of Bi ⁵⁺ and oxygen vacancies in Bismuth(V)-rich Bi ₄ O ₇ nanosheets for enhanced near-infrared light driven photocatalysis. 2021 , 85, 1-10	18
177	Optimized strategies for (BiO)CO and its application in the environment. 2021 , 28, 56003-56031	1
176	Rare-earth functioned Bi ₂ WO ₆ nanofibers via electrospinning: Boosted catalytic performance and contact-free temperature monitoring on degradation process. 2021 , 44, 100494	2
175	Integration of BiOI nanosheets into bubble-propelled micromotors for efficient water purification. 2021 , 100294	1
174	Construction and application of BiOCl/Cu-doped BiS composites for highly efficient photocatalytic degradation of ciprofloxacin. 2022 , 287, 132391	6

173	Oxygen-vacancy-rich BiOCl with 3D network structure for enhanced photocatalytic CO ₂ reduction and antibiotic degradation. 2021 ,	2
172	Construction of magnetically separable hierarchical Z-scheme NiFe ₂ O ₄ @Bi ₂ Sn ₂ O ₇ heterojunction with enhanced visible-light photocatalytic activity. 2021 , 36, 3366	0
171	Inorganic Nanomaterials with Intrinsic Singlet Oxygen Generation for Photodynamic Therapy. 2021 , 8, e2102587	11
170	A Review: Photocatalysts Based on BiOCl and g-C ₃ N ₄ for Water Purification. 2021 , 11, 1084	2
169	First principles study of the electronic, elastic and vibrational properties of BiOI. 2021 , 336, 114419	0
168	0D/2D CQDs/Bi ₇ O ₉ I ₃ composite with high photocatalytic disinfection performance under visible light. 2021 , 302, 122426	1
167	Investigation of the efficiency of BiOI/BiOCl composite photocatalysts using UV, cool and warm white LED light sources - Photon efficiency, toxicity, reusability, matrix effect, and energy consumption. 2021 , 280, 130636	6
166	TiO ₂ /BiOBr 2D-2D heterostructure via in-situ approach for enhanced visible-light photocatalytic N ₂ fixation. 2021 , 567, 150623	8
165	Bismuth oxyhalide based photo-enhanced triboelectric nanogenerators. 2021 , 89, 106419	3
164	Effects of inter/intralayer adsorption and direct/indirect reaction on photo-removal of pollutants by layered g-C ₃ N ₄ and BiOBr. 2021 , 322, 129025	6
163	B doped Bi ₂ O ₂ CO ₃ hierarchical microspheres: Enhanced photocatalytic performance and reaction mechanism for NO removal. 2021 , 380, 230-236	3
162	Tuning product selectivity and visible-light-driven activity in oxidative coupling of amines to imines: A case study of BiO _{1-x} Cl _{1-x} photocatalyst. 2021 , 629, 127481	2
161	Fabrication of oxygen vacancy-rich 3D/2D BiO _{1-x} Br/BiOCl heterostructures towards efficient charge separation for enhanced photodegradation activity. 2021 , 143, 111448	6
160	DFT insights into the migration of effective electrons towards O ₂ for OH formation over electron-rich sites on BiOBr (0 0 1) surface. 2021 , 567, 150828	1
159	Recent developments on bismuth oxyhalides (BiOX; X = Cl, Br, I) based ternary nanocomposite photocatalysts for environmental applications. 2021 , 282, 131054	30
158	Controlled hydrothermal synthesis of BiOCl/BiOBr/g-CN composites exhibiting visible-light photocatalytic activity. 2021 , 297, 113256	9
157	Unveiling the activity origin of ultrathin BiOCl nanosheets for photocatalytic CO ₂ reduction. 2021 , 299, 120679	11
156	A label-free photoelectrochemical immunosensor for prostate specific antigen detection based on AgS sensitized Ag/AgBr/BiOBr heterojunction by in-situ growth method. 2021 , 142, 107928	3

155	Novel Ti ₃ C ₂ /Bi@BiOI nanosheets with gradient oxygen vacancies for the enhancement of spatial charge separation and photocatalytic performance: The roles of reactive oxygen and iodine species. 2021 , 426, 130764	9
154	CQDs/biochar from reed straw modified Z-scheme MgInS/BiOCl with enhanced visible-light photocatalytic performance for carbamazepine degradation in water. 2022 , 287, 132192	9
153	Vacancy-engineered bismuth-based semiconductor with enhanced photocatalytic activity: A review. 2022 , 137, 106230	5
152	Intrinsic direct bandgap semiconductor with high stability, strong anisotropy and controllable edge position in BrHfN monolayer. 2022 , 135, 114971	0
151	Strengthened photocatalytic removal of bisphenol a by robust 3D hierarchical n-p heterojunctions Bi ₄ O ₅ Br ₂ -MnO ₂ via boosting oxidative radicals generation. 2022 , 428, 131223	11
150	BiO(OH)I solid solution with rich oxygen vacancies: interlayer guest hydroxyl for improved photocatalytic properties. 2022 , 605, 1-12	2
149	An efficient electrostatic self-assembly of reduced graphene oxide-BiOI/Bi ₂ O ₂ CO ₃ p-n junction nanocomposites for enhanced visible-light photocatalytic activity. 2021 , 132, 581-597	3
148	A review on the preparation, microstructure, and photocatalytic performance of BiO in polymorphs. <i>Nanoscale</i> , 2021 , 13, 17687-17724	7-7 4
147	Conduction Band Control of Oxyhalides with a Triple-Fluorite Layer for Visible Light Photocatalysis. 2021 , 143, 2491-2499	20
146	A review on bismuth oxyhalide based materials for photocatalysis. 2021 , 3, 3353-3372	33
145	Chemical Surface Reactivity and Morphological Changes of Bismuth Triiodide (BiI ₃) under Different Environmental Conditions. 2020 , 36, 6458-6464	4
144	BiOCl Nanoplates Doped with Fe ³⁺ Ions for the Visible-Light Degradation of Aqueous Pollutants. 2021 , 4, 746-758	16
143	A novel self-assembled Na{CuZn} multifunctional material: first report of a discrete coordination compound for detection of Ca ions and selective adsorption of cationic dyes in water. 2020 , 49, 3423-3433	9
142	Plasma modified BiOCl/sulfonated graphene microspheres as efficient photo-compensated electrocatalysts for the oxygen evolution reaction. 2020 , 10, 4786-4793	4
141	Bi and oxygen defects improved visible light photocatalysis with BiOBr nanosheets. 2020 , 31, 495405	9
140	Supporting ultrathin fish scale-like BiOBr nanosheets on Bi ₆ Mo ₂ O ₁₅ sub-microwires for boosting photocatalytic performance.	
139	Two-dimensional layered type-II MS ₂ /BiOCl (M = Zr, Hf) van der Waals heterostructures: promising photocatalysts for hydrogen generation.	4
138	Controlled engineering of tunable 3D-BiOX (X = Cl, Br) hierarchical nanostructures via dopamine-mediated synergetic interactions for efficient visible-light absorption photocatalysis. 2022 , 574, 151683	2

137	Metal Halide Semiconductors beyond Lead-Based Perovskites for Promising Optoelectronic Applications. 2021 , 12, 10532-10550	9
136	A Novel and Effective Recyclable BiOCl/BiOBr Photocatalysis for Lignin Removal from Pre-Hydrolysis Liquor. 2021 , 11,	1
135	Recent advances in structural tailoring of BiOX-based 2D composites for solar energy harvesting. 2021 , 9, 106569	10
134	A highly efficient visible light driven Fenton catalyst FeOOH/BiOI to degrade RhB. 2021 , 9, 106627	2
133	Microstructure, Morphology, and Surface Structure of Bismuth Oxyhalides. 2017 , 7-27	
132	Progress in Preparation and Photoelectric Properties of Bismuth Halogen Oxide. 2019 , 09, 51-62	
131	The mechanisms of interfacial charge transfer and photocatalysis reaction over $\text{Cs}_3\text{Bi}_2\text{Cl}_9\text{QD}/(\text{BiO})_2\text{CO}_3$ heterojunction. 2022 , 430, 132974	2
130	Photocatalytic properties of flower-like BiOBr/BiOCl heterojunctions in-situ constructed by a reactable ionic liquid. 2021 , 134, 109063	1
129	Dielectric properties of crystalline BiOCl in the terahertz region. 2020 , 3, 2646	1
128	Preparation of magnetically retrievable flower-like AgBr/BiOBr/NiFe ₂ O ₄ direct Z-scheme heterojunction photocatalyst with enhanced visible-light photoactivity. 2022 , 633, 127880	10
127	BiOBr MicroNanosheets: Controllable Synthesis and Piezoelectric and Photoelectric Properties. 2021 , 21, 7179-7185	1
126	Highly enhanced dye adsorption of MoO nanoplates fabricated by hydrothermal-calcination approach in presence of chitosan and thiourea. 2021 , 132926	0
125	Boosting Photocatalytic Activity Using Carbon Nitride Based 2D/2D van der Waals Heterojunctions.	14
124	Ultrafast saturable absorption of BiOI nanosheets prepared by chemical vapor transport. 2021 , 46, 6006-6009	0
123	Cu ²⁺ -doped BiOBr phase heterojunctions in Bi ₂ O ₃ nanoparticles for enhanced photocatalytic degradation of organic dye rhodamine B. 1	1
122	Promotion mechanism of -OH group intercalation for NO _x purification on BiOI photocatalyst. <i>Nanoscale</i> , 2021 ,	7-7 1
121	Recent advances in performance improvement of Metal-organic Frameworks to remove antibiotics: Mechanism and evaluation.. 2021 , 811, 152351	3
120	Biohybrid magnetic microrobots for enhanced photocatalytic RhB degradation and E.coli inactivation under visible light irradiation. 2022 , 579, 152165	2

119	Completing the BiOCl nano-roundels based hollow microbasket induced by chitosan for dramatically enhancing photocatalytic activity. 2022 , 1254, 132339	0
118	Novel highly-active Ag/Bi dual nanoparticles-decorated BiOBr photocatalyst for efficient degradation of ibuprofen.. 2021 , 206, 112628	0
117	A novel BiOX photocatalyst for the "green" degradation of polymers used in oilfields.. 2022 , 428, 128207	1
116	An study of two-dimensional anisotropic monolayers ScXY (X = S and Se; Y = Cl and Br) for photocatalytic water splitting applications with high carrier mobilities.. 2022 ,	1
115	Flexible PAN-BiOI-AgI heterojunction nanofiber and the photocatalytic degradation property.	1
114	Photo-electrocatalytic methanol oxidation on Pd decorated BiOI nanoparticles in alkali. 2022 , 57, 2021-2038	0
113	Photoelectrochemical Nitrogen Reduction Reaction. 2022 , 339-387	1
112	One-pot hydrothermal synthesis of CuBi ₂ O ₄ /BiOCl pñ heterojunction with enhanced photocatalytic performance for the degradation of tetracycline hydrochloride under visible light irradiation. 2022 , 46, 2898-2907	1
111	Facile synthesis of flower-like CQDs/S-Bi ₄ O ₅ Br ₂ composites as a highly efficient visible-light response photocatalyst for ciprofloxacin degradation. 2022 , 57, 1977-1993	0
110	Photocatalytic degradation of tetracycline by using a regenerable (Bi)BiOBr/rGO composite. 2022 , 339, 130771	4
109	Bi-based photocatalysts for bacterial inactivation in water: Inactivation mechanisms, challenges, and strategies to improve the photocatalytic activity.. 2022 , 209, 112834	4
108	Pressure induced structural phase transition and piezochromism in photovoltaic sillen compounds PbBiO ₂ X (X = Cl, Br & I). 2022 , 26, 101372	
107	Nanoplate like heterostructured BiOBr/BiBr/FeBr ₂ nanocomposites with enhanced photocatalytic activity for wastewater treatment by removing organic dyes: Interfacial consecutive dual Z scheme electron transfer. 2022 , 10, 107240	1
106	Strongly enhanced Fenton-like oxidation (Fe/peroxydisulfate) by BiOI under visible light irradiation: A novel and green strategy for Fe(III) reduction.. 2022 , 428, 128202	3
105	FeOOH coupled BiOBr _{0.5} IO _{0.5} for efficient photocatalysis-Fenton synergistic degradation of organic pollutants. 2022 , 903, 163795	3
104	Chapter 1. Recent Developments and Perspectives on Solar-driven Fine Chemicals Synthesis: From the Reaction System to 2D Photocatalysts. 2022 , 1-64	
103	Step-Scheme Photocatalyst of CsPbBr Quantum Dots/BiOBr Nanosheets for Efficient CO Photoreduction.. 2022 ,	7
102	BiOCl-based photocatalysts: synthesis methods, structure, property, application, and perspective. 2022 , 109277	0

101	Lignin-Supported Heterogeneous Photocatalyst for the Direct Generation of HO from Seawater.. 2022,	8
100	Rgo-Modified Biox (X=Cl, I, Br) for Enhanced Photocatalytic Eradication of Gaseous Mercury.	
99	Stress Modulation on Photodegradation of Tetracycline by Sn-Doped Biobr.	
98	Bulk Superlattice Analogues for Energy Conversion.. 2022,	1
97	Dimensional heterojunction design: The rising star of 2D bismuth-based nanostructured photocatalysts for solar-to-chemical conversion. 1	3
96	Synthesis of BiOCl Microflowers with Different Chlorine Source for High-Efficient Photocatalytic Degradation of RhB. 2022, 96, 673-679	0
95	A Review of Bismuth(III)-Based Materials for Remediation of Contaminated Sites.	1
94	A Review on Bismuth Oxyhalide (BiOX, X=Cl, Br, I) Based Photocatalysts for Wastewater Remediation. 2022, 2,	5
93	Stress Modulation on Photodegradation of Tetracycline by Sn-doped BiOBr. 2022, 107675	0
92	Greatly enhanced tribocatalytic degradation of organic pollutants by TiO ₂ nanoparticles through efficiently harvesting mechanical energy. 2022, 289, 120814	4
91	Interfacial engineering in Pickering emulsion photocatalytic microreactors: From mechanisms to prospects. 2022, 438, 135655	1
90	Simultaneous photocatalytic oxidation and adsorption for efficient As(III) removal by magnetic BiOI/Fe ₂ O ₃ core-shell nanoparticles. 2022, 24, 100823	2
89	Layered bismuth-based photocatalysts. 2022, 463, 214515	4
88	Core-shell-like BiOBr@BiOBr homojunction for enhanced photocatalysis. 2022, 644, 128829	0
87	Recent advances and perspectives for solar-driven water splitting using particulate photocatalysts.. 2022,	22
86	Electron-Level Mechanistic Insights into Ce Doping for Enhanced Efficiency Degradation of Bisphenol A under Visible Light Irradiation.. 2022, 12,	1
85	Metal Oxide Based Photoelectrodes in Photoelectrocatalysis: Advances and Challenges.. 2022, 87, e2022000970	
84	Recent advances on visible light active non-typical stoichiometric oxygen-rich Bi ₁₂ O ₁₇ Cl ₂ photocatalyst for environment pollution remediation. 2022, 10, 107688	0

83	Defect engineering of BiOX (X = Cl, Br, I) based photocatalysts for energy and environmental applications: Current progress and future perspectives. 2022 , 464, 214541	3
82	Image1.TIF. 2018 ,	
81	Image2.TIF. 2018 ,	
80	Image_1.pdf. 2018 ,	
79	Unveiling the charge transfer dynamics steered by built-in electric fields in BiOBr photocatalysts.. 2022 , 13, 2230	8
78	Photoenhanced Oxidase/Peroxidase-like NiCo ₂ O ₄ @MnO ₂ Nanozymes for Colorimetric Detection of Hydroquinone. 2022 , 10, 5651-5658	6
77	Advances in BiOX-based ternary photocatalysts for water technology and energy storage applications: Research trends, challenges, solutions, and ways forward. 1	2
76	Dual-quantum dots-driven BPQDs/TCQDs/BiOBr composites for decomposing tetracycline hydrochloride. 2022 , 33, 12457	0
75	Construction of S-scheme BiOCl/CdS composite for enhanced photocatalytic degradation of antibiotic.	1
74	Fabrication of a Heterobinuclear Redox Cycle to Enhance the Photocatalytic Activity of BiOCl. 2022 , 12, 512	0
73	rGO-modified BiOX (X = Cl, I, Br) for enhanced photocatalytic eradication of gaseous mercury. 2022 , 594, 153502	1
72	NiCo ₂ O ₄ /BiOCl/Bi ₂ O ₃ Br ₁₀ ternary Z-scheme heterojunction enhance peroxymonosulfate activation under visible light: Catalyst synthesis and reaction mechanism. 2022 ,	0
71	Triton X-100 assisted synthesis of layered nanosheet-assembled flower-like BiOBr nanostructures with enhanced visible-light photocatalytic degradation of ciprofloxacin. 2022 , 24,	1
70	Facile fabrication of BiOBr _x Cl _{1-x} hierarchical microspheres photocatalysts for efficient degradation of diverse pollutants under visible light. 2022 , 133359	
69	Photocatalytic degradation of tetracycline using hybrid Ag/Ag ₂ S@BiOI nanowires: Degradation mechanism and toxicity evaluation. 2022 , 135091	0
68	Magnetically Separatable CoFe ₂ O ₄ /BiOCl: Controllable Synthesis, Superior Photocatalytic Performance and Mechanism Towards Decomposing RhB, NOR and Cr(VI) Under Visible Light. 2022 , 129299	0
67	Bi nanospheres-decorated oxygen-vacancy BiOBr hollow microspheres with exposed (110) facets to enhance photocatalytic performance for degradation of azo dyes.	0
66	Preparation and Application of BiOBr Based Photocatalyst. 2022 , 12, 71-87	

65	Controllable Synthesis of BiOCl with Z-Scheme (001)/(110) Facet Homojunction and their Photocatalytic Killing Effect on HePG2 Cells in vitro.	
64	Long-term solar water and CO ₂ splitting with photoelectrochemical BiOI/BiVO ₄ tandems.	4
63	Visible-Light-Driven Ag-Doped BiOBr Nanoplates with an Enhanced Photocatalytic Performance for the Degradation of Bisphenol A. 2022 , 12, 1909	0
62	CIS QDs nucleated on oxygen vacancy rich BOI microplates: a hybrid photocatalyst with enhanced green energy production via mediator free Z-scheme dynamics.	0
61	Double Z-scheme Co ₃ O ₄ /Bi ₄ O ₇ /Bi ₂ O ₃ composite activated peroxymonosulfate to efficiently degrade tetracycline under visible light.	0
60	One-pot hydrothermal fabrication of 2D/2D BiOI ₃ /BiOBr Z-scheme heterostructure with enhanced photocatalytic activity. 2022 ,	1
59	Photocatalysts of quaternary composite, bismuth oxyfluoride/bismuth oxyiodide/ graphitic carbon nitride: Synthesis, characterization, and photocatalytic activity. 2022 , 528, 112463	0
58	Enhanced visible-light-driven photocatalysis of in-situ reduced of bismuth on BiOCl nanosheets and montmorillonite loading: Synergistic effect and mechanism insight. 2022 , 304, 135354	1
57	Preparation and degradation properties of AgBiS ₂ /BiOI composite photocatalytic materials with high catalytic activity. 2022 , 17, 685-693	
56	Constructing 3D magnetic flower-like Fe ₃ O ₄ @SiO ₂ @Co ₃ O ₄ @BiOCl heterojunction photocatalyst for degrading rhodamine B.	
55	Sn ²⁺ reduction to synthesis of the Mo doped hollow hierarchical Bi/BiOBr microspheres for efficient ciprofloxacin degradation under visible light. 2022 , 131, 106960	
54	Constructing 2D/1D heterostructural BiOBr/CdS composites to promote CO ₂ photoreduction. 2022 , 298, 121603	3
53	H ₂ O ₂ assisted photocatalysis over Fe-MOF modified BiOBr for degradation of RhB.	2
52	A review on the progress of the photocatalytic removal of refractory pollutants from water by BiOBr-based nanocomposites. 2022 , 136107	2
51	Recent advances in engineering strategies of Bi-based photocatalysts for environmental remediation. 2022 , 33, e00478	3
50	Recent review of BixMOy (M=V, Mo, W) for photocatalytic CO ₂ reduction into solar fuels. 2022 , 307, 136026	1
49	Oxygen vacancies and interfacial iron sites in hierarchical BiOCl nanosheet microflowers cooperatively promoting photo-Fenton. 2022 , 307, 135967	1
48	Ultra-stable type-II heterojunctions Bi ₄ O ₅ I ₂ /FeVO ₄ of reinforced photocatalytic NO _x removal abilities in visible light. 2022 , 291, 126729	0

- 47 Enhanced upconversion luminescence in layered Bi₂GdO₄Cl:Yb³⁺/Er³⁺ by reducing OV_s and its application in photocatalysis. **2022**, 252, 119269 ○
- 46 Recent developments in bismuth oxyhalide-based functional nanomaterials for biomedical applications. 1
- 45 Simultaneous removal of Cr(vi) and TC over BiOBr/CeVO₄ S-scheme heterostructures: oxygen vacancy boosted charge separation and analysis of intermediates. **2022**, 9, 3613-3628 ○
- 44 Exploring the photocatalytic properties and carrier dynamics of 2D Janus XMMX₂ (X = S, Se; M = Ga, In; and X₂ = Te) materials. **2022**, 24, 23437-23446 ○
- 43 A hybrid fuel cell for water purification and simultaneously electricity generation. **2023**, 17, ○
- 42 Recent Advances of Bismuth Halide Based Nanomaterials for Photocatalytic Antibacterial and Photodynamic Therapy. **2022**, 9, 2200704 2
- 41 Manipulating the charge separation via piezoelectric field and heterojunction to enhance the photoelectrochemical water splitting ability of Bi₂WO₆/BiOBr photoanode. **2022**, ○
- 40 Immobilization of ZnO into polychlorotrifluoroethylene-co-acrylate matrix as hybrid film photocatalyst for effective degradation of methylene blue. **2021**, 34, 597-605 ○
- 39 Enhanced Visible-Light-Driven Photocatalytic Activity by Fe-Doped Graphitic C₃N₄. **2022**, 27, 6986 ○
- 38 A new photocatalyst: triple heterojunction Yb³⁺-Bi₂O₃/BiOIO₃ catalyst for mercury removal from flue gas. ○
- 37 Bi₃O₄Cl/Bi₄NbO₈Cl Z-scheme heterojunction catalysts for enhanced photocatalytic degradation of organic pollutants. **2022**, 24, ○
- 36 Nanoflower-like BiOBr/TiO₂ p-n Heterojunction Composites for Enhanced Photodegradation of Formaldehyde and Dyes. **2022**, 110167 ○
- 35 Ag₃PO₄ and Ag₃PO₄-based visible light active photocatalysts: Recent progress, synthesis, and photocatalytic applications. **2022**, 106556 2
- 34 Chlorine-deficient BiOCl_{1-x} with highly positive valence band maximum for enhanced photooxidation capacity. ○
- 33 Facile in situ construction of novel hybrid 3D-BiOCl@PDA heterostructures with vacancy induced charge transfer for efficient visible light driven photocatalysis and antibacterial activity. **2023**, 656, 130415 ○
- 32 Theoretical study on the ferroelectric and light absorption properties of Li₂SbBiO₆ for harvesting visible light. **2022**, 12, 32027-32034 ○
- 31 Sonochemical-assisted synthesis of Pt/Bi₂MoO₆ nanocomposites for efficient photodegradation of rhodamine B. **2023**, 135, 113265 ○
- 30 Synthesis and characterization of an ultra-thin BiOCl/MXene heterostructure for the detection of NO₂ at room temperature with enhanced moisture resistance. **2022**, 10, 25714-25724 ○

- 29 Modification of BiOX by Sulfur Doping and Bismuth Deposition and Its Treatment of Drilling Fluid Polymers and Heavy Metals. **2022**, ○
- 28 Ultrathin origami accordion-like structure of vacancy-rich graphitized carbon nitride for enhancing CO₂ photoreduction. ○
- 27 ZnO Nanoparticles for Photocatalytic Methyl Orange Degradation: Hydrothermal Synthesis, Characterization, and Optimization. **2022**, 1269, 012010 ○
- 26 Sustainable Production of Layered Bismuth Oxyhalides for Photocatalytic H₂ Production. **2022**, 10, 15622-15641 ○
- 25 Tuned Band Structure of I-BiOBr/g-C₃N₄ Heterostructure for Enhanced Photocatalytic Performance. 2201100 ○
- 24 The Strengthened Photocatalytic NO_x Removal of Composites Bi₄O₅Br₂/BiPO₄: The Efficient Regulation of Interface Carriers by Integrating a Wide-Bandgap Ornament. **2022**, 27, 8474 ○
- 23 A Review on Heteroanionic-Based Materials for Photocatalysis Applications. **2023**, 13, 173 ○
- 22 Recent Advances for the Synthesis and Applications of Two-dimensional Ternary Layered Materials. 1
- 21 A novel pathway toward efficient improvement of the photocatalytic activity and stability of CdS-based photocatalyst for light driven H₂ evolution: The synergistic effect between CdS and SrWO₄. **2023**, ○
- 20 Binder-integrated Bi/BiOI/TiO₂ as an anti-chloride corrosion coating for enhanced photocathodic protection of 304 stainless steel in simulated seawater. **2023**, 938, 168469 ○
- 19 Recent progress in research and design concepts for the characterization, testing, and photocatalysts for nitrogen reduction reaction. ○
- 18 Synthesis of Z-schemes ODBD heterojunction bi-functional photocatalyst with ZnInCuS alloyed QDs supported BiOI MF for H₂O₂ production and N₂ fixation. ○
- 17 Near-infrared-driven enhanced [NaYF₄:Yb³⁺, Tm³⁺@BiOCl heterostructured upconversion composites for efficient degradation of organic contaminants. **2023**, 618, 156524 ○
- 16 Constructing Bi₂O₃/BiOI/O₃ triple heterojunction doped with Yb³⁺ ions as accelerating charge carriers transfer channel to enhance photocatalytic activity. **2023**, 139, 107151 ○
- 15 Research Progress of Solar Hydrogen Production Technology under Double Carbon Target. **2022**, 80, 1629 ○
- 14 Performance study of g-C₃N₄/carbon black/BiOBr@Ti₃C₂/MoS₂ photocatalytic fuel cell for the synergistic degradation of different types of pollutants. ○
- 13 Highly Sensitive and Stable Visible-Light Self-Power Photodetectors Based on Solution-Processed Bi₄O₅I₂. **2023**, 23, 2852-2859 ○
- 12 Experimental studies of BiOCl nanostructures synthesized by sol-gel and solvothermal routes for photocatalytic application. **2023**, ○

- 11 A review of advanced oxidation process towards organic pollutants and its potential application in fracturing flowback fluid. **2023**, 30, 45643-45676 ○
- 10 BiOCl Nanoflowers with High Levels of Oxygen Vacancy for Photocatalytic CO₂ Reduction. **2023**, 6, 3608-3617 ○
- 9 Recent advancement in the sustainable synthesis of BiOX (X = O, Br, and Cl) nanomaterials and their applications in the photocatalysis. **2023**, ○
- 8 Application of BiOX Photocatalyst to Activate Peroxydisulfate Ion-Investigation of a Combined Process for the Removal of Organic Pollutants from Water. **2023**, 13, 513 1
- 7 Computational Approaches to Materials Design for Enhanced Photocatalytic Activity. **2023**, 308-330 ○
- 6 Two Birds with One Stone: Copper-Based Adsorbents Used for Photocatalytic Oxidation of Hg⁰ (Gas) after Removal of PH₃. **2023**, 57, 4632-4642 ○
- 5 Efficient removal of tetracycline hydrochloride through novel Fe/BiOBr/Bi₂WO₆ photocatalyst prepared by dual-strategy under visible-light irradiation. **2024**, 138, 46-61 ○
- 4 Fabrication of Exfoliated BiOCl-Based PMMA Nanocomposite with Enhanced Structural and Thermal Properties. **2023**, 53, ○
- 3 Enhanced photocatalytic activity of BiOBr/ZnWO₄ heterojunction: A combined experimental and DFT-based theoretical approach. **2023**, 138, 113701 ○
- 2 Bismuth-Based Photocatalytic Material for Clean Energy Production and CO₂ Reduction. **2023**, 363-394 ○
- 1 Synergy of S-vacancy and heterostructure in BiOCl/Bi₂S₃ boosting room-temperature NO₂ sensing. **2023**, 455, 131591 ○