

CITATION REPORT

List of articles citing

An ultra-sensitive resistive pressure sensor based on hollow-sphere microstructure induced elasticity in conducting polymer film

DOI: 10.1038/ncomms4002

Nature Communications, 2014, 5, 3002.

Source: <https://exaly.com/paper-pdf/59007379/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1113	Stretchable capacitive tactile skin on humanoid robot fingers [First experiments and results. 2014 ,		15
1112	Reverse-micelle-induced porous pressure-sensitive rubber for wearable human-machine interfaces. 2014 , 26, 4825-30		473
1111	Ultrasensitive Piezoresistive Pressure Sensors Based on Interlocked Micropillar Arrays. 2014 , 4, 349-355		21
1110	All-organic optoelectronic sensor for pulse oximetry. <i>Nature Communications</i> , 2014 , 5, 5745	17.4	429
1109	Nanostructured conductive polypyrrole hydrogels as high-performance, flexible supercapacitor electrodes. 2014 , 2, 6086-6091		516
1108	Molecularly Stretchable Electronics. 2014 , 26, 3028-3041		157
1107	High-pressure resistance reversibility of polymer composites based on multiwalled carbon nanotubes. 2014 , 105, 203103		7
1106	Stretchable energy-harvesting tactile electronic skin capable of differentiating multiple mechanical stimuli modes. 2014 , 26, 7324-32		392
1105	Microflotronics: A Flexible, Transparent, Pressure-Sensitive Microfluidic Film. 2014 , 24, 6195-6203		55
1104	Tactile imaging of an imbedded palpable structure for breast cancer screening. 2014 , 6, 16368-74		11
1103	Microflotronic arterial tonometry for continuous wearable non-invasive hemodynamic monitoring. 2014 , 42, 2278-88		20
1102	Design of conductive composite elastomers for stretchable electronics. 2014 , 9, 244-260		194
1101	A multilayered flexible piezoresistive sensor for wide-ranged pressure measurement based on CNTs/CB/SR composite. 2015 , 30, 1869-1875		21
1100	Fabrication of flexible pressure sensors with microstructured polydimethylsiloxane dielectrics using the breath figures method. 2015 , 30, 3584-3594		31
1099	Paper-Based Active Tactile Sensor Array. 2015 , 27, 7130-6		113
1098	Recent Progress in Electronic Skin. 2015 , 2, 1500169		586
1097	High resolution skin-like sensor capable of sensing and visualizing various sensations and three dimensional shape. 2015 , 5, 12997		19

1096	Graphene oxide/carbon nanoparticle thin film based IR detector: Surface properties and device characterization. 2015 , 5, 107228	22
1095	Revealing bending and force in a soft body through a plant root inspired approach. 2015 , 5, 8788	36
1094	Electrophysical properties of composite films based on multiwalled carbon nanotubes under hydrostatic pressure. 2015 , 79, 755-758	1
1093	Bubble-Decorated Honeycomb-Like Graphene Film as Ultrahigh Sensitivity Pressure Sensors. 2015 , 25, 6545-6551	163
1092	Highly Sensitive and Multimodal All-Carbon Skin Sensors Capable of Simultaneously Detecting Tactile and Biological Stimuli. 2015 , 27, 4178-85	293
1091	Flexible, Stretchable and Wearable Multifunctional Sensor Array as Artificial Electronic Skin for Static and Dynamic Strain Mapping. 2015 , 1, 1500142	177
1090	Integrating Ultra-Thermal-Sensitive Fluids into Elastomers for Multifunctional Flexible Sensors. 2015 , 1, 1500029	48
1089	Morphologically Controlled Bioinspired Dopamine-Polypyrrole Nanostructures with Tunable Electrical Properties. 2015 , 1, 1500205	40
1088	Piezoresistive Tactile Sensor Discriminating Multidirectional Forces. 2015 , 15, 25463-73	37
1087	Silver nanowire-embedded PDMS with a multiscale structure for a highly sensitive and robust flexible pressure sensor. 2015 , 7, 6208-15	254
1086	Flexible pressure sensing film based on ultra-sensitive SWCNT/PDMS spheres for monitoring human pulse signals. 2015 , 3, 5436-5441	38
1085	A highly sensitive pressure sensor using a double-layered graphene structure for tactile sensing. 2015 , 7, 11652-9	63
1084	Theoretical analysis of flexible strain-gauge sensor with nanofibrillar mechanical interlocking. 2015 , 15, 274-278	5
1083	Ultrasensitive self-powered pressure sensing system. 2015 , 2, 28-36	66
1082	Stretchable Self-Powered Fiber-Based Strain Sensor. 2015 , 25, 1798-1803	130
1081	Conductive Smart Hybrid Hydrogels with PNIPAM and Nanostructured Conductive Polymers. 2015 , 25, 1219-1225	288
1080	Eardrum-inspired active sensors for self-powered cardiovascular system characterization and throat-attached anti-interference voice recognition. 2015 , 27, 1316-26	366
1079	Rational design and applications of conducting polymer hydrogels as electrochemical biosensors. 2015 , 3, 2920-2930	126

1078	A graphene-based resistive pressure sensor with record-high sensitivity in a wide pressure range. 2015 , 5, 8603	329
1077	MOF-directed templating synthesis of a porous multicomponent dodecahedron with hollow interiors for enhanced lithium-ion battery anodes. 2015 , 3, 8483-8488	155
1076	A highly sensitive, low-cost, wearable pressure sensor based on conductive hydrogel spheres. 2015 , 7, 14766-73	105
1075	Nanostructured conducting polymer hydrogels for energy storage applications. 2015 , 7, 12796-806	133
1074	Tactile sensing in human-computer interfaces: The inclusion of pressure sensitivity as a third dimension of user input. 2015 , 232, 229-250	15
1073	Bio-inspired synthesis of carbon hollow microspheres from <i>Aspergillus flavus</i> conidia for lithium-ion batteries. 2015 , 5, 59655-59658	7
1072	Piezoresistive Sensor Based on Conductive Polymer Composite With Transverse Electrodes. 2015 , 62, 1299-1305	11
1071	A Method to Improve Sensitivity of Piezoresistive Sensor Based on Conductive Polymer Composite. 2015 , 20, 3242-3248	14
1070	Capacitive soft strain sensors via multicore-shell fiber printing. 2015 , 27, 2440-6	300
1069	Surface-modified piezoresistive nanocomposite flexible pressure sensors with high sensitivity and wide linearity. 2015 , 7, 8636-44	67
1068	A pressure sensing system for heart rate monitoring with polymer-based pressure sensors and an anti-interference post processing circuit. 2015 , 15, 3224-35	57
1067	Flexible suspended gate organic thin-film transistors for ultra-sensitive pressure detection. <i>Nature Communications</i> , 2015 , 6, 6269	17.4 400
1066	Polypyrrole/silver coaxial nanowire aero-sponges for temperature-independent stress sensing and stress-triggered Joule heating. 2015 , 9, 4244-51	127
1065	Elastomeric Electronic Skin for Prosthetic Tactile Sensation. 2015 , 25, 2287-2295	246
1064	Flexible and self-powered temperature-pressure dual-parameter sensors using microstructure-frame-supported organic thermoelectric materials. <i>Nature Communications</i> , 2015 , 6, 8356 ^{17.4}	330
1063	Sensors for Robotic Hands: A Survey of State of the Art. 2015 , 3, 1765-1782	62
1062	Fingertip skin-inspired microstructured ferroelectric skins discriminate static/dynamic pressure and temperature stimuli. 2015 , 1, e1500661	485
1061	Dopant-Enabled Supramolecular Approach for Controlled Synthesis of Nanostructured Conductive Polymer Hydrogels. 2015 , 15, 7736-41	178

1060	Tunable and Switchable Control of Luminescence through Multiple Physical Stimulations in Aggregation-Based Monocomponent Systems. 2015 , 7, 24312-21	39
1059	A Conductive Self-Healing Hybrid Gel Enabled by Metal-Ligand Supramolecule and Nanostructured Conductive Polymer. 2015 , 15, 6276-81	294
1058	Nanoparticle monolayer-based flexible strain gauge with ultrafast dynamic response for acoustic vibration detection. 2015 , 8, 2978-2987	58
1057	Synergistic effect of simultaneous dual doping in solvent-free mechanochemical synthesis of polyaniline supercapacitor comparable to the composites with multiwalled carbon nanotube. 2015 , 81, 62-69	12
1056	Internal Electron Tunneling Enabled Ultrasensitive Position/Force Peapod Sensors. 2015 , 15, 7281-7	6
1055	Preparation of Porous Hollow CoOx Nanocubes via Chemical Etching Prussian Blue Analogue for Glucose Sensing. 2015 , 182, 165-172	28
1054	Mimosa-inspired design of a flexible pressure sensor with touch sensitivity. 2015 , 11, 1886-91	240
1053	Advances of flexible pressure sensors toward artificial intelligence and health care applications. 2015 , 2, 140-156	765
1052	A Flexible and Highly Sensitive Piezoresistive Pressure Sensor Based on Micropatterned Films Coated with Carbon Nanotubes. 2016 , 2016, 1-5	6
1051	A Sensitivity Enhanced MWCNT/PDMS Tactile Sensor Using Micropillars and Low Energy Ar+ Ion Beam Treatment. 2016 , 16,	21
1050	A Novel Two-Wire Fast Readout Approach for Suppressing Cable Crosstalk in a Tactile Resistive Sensor Array. 2016 , 16,	12
1049	Design Methodology for Magnetic Field-Based Soft Tri-Axis Tactile Sensors. 2016 , 16,	63
1048	An Improved Zero Potential Circuit for Readout of a Two-Dimensional Resistive Sensor Array. 2016 , 16,	8
1047	The Design and Characterization of a Flexible Tactile Sensing Array for Robot Skin. 2016 , 16,	32
1046	High Sensitivity, Wearable, Piezoresistive Pressure Sensors Based on Irregular Microhump Structures and Its Applications in Body Motion Sensing. 2016 , 12, 3827-36	142
1045	Flexible Piezoresistive Sensor Patch Enabling Ultralow Power Cuffless Blood Pressure Measurement. 2016 , 26, 1178-1187	279
1044	Pursuing prosthetic electronic skin. 2016 , 15, 937-50	1324
1043	Extraordinarily Sensitive and Low-Voltage Operational Cloth-Based Electronic Skin for Wearable Sensing and Multifunctional Integration Uses: A Tactile-Induced Insulating-to-Conducting Transition. 2016 , 26, 1286-1295	109

1042	Recent Progress in Materials and Devices toward Printable and Flexible Sensors. 2016 , 28, 4415-40	487
1041	Flexible Capacitive Tactile Sensor Based on Micropatterned Dielectric Layer. 2016 , 12, 5042-5048	256
1040	Double-Twisted Conductive Smart Threads Comprising a Homogeneously and a Gradient-Coated Thread for Multidimensional Flexible Pressure-Sensing Devices. 2016 , 26, 4078-4084	57
1039	Detection of organic vapours employing droplets having nanoparticles. 2016 ,	0
1038	Modular design and development methodology for robotic multi-axis F/M sensors. 2016 , 6, 24689	5
1037	Ultra-thin and ultra-flexible temperature/strain sensor with CNT nanostrips. 2016 ,	
1036	A flexible, wave-shaped P(VDF-TrFE)/metglas piezoelectric composite for wearable applications. 2016 , 120, 234103	21
1035	A flexible touch-pressure sensor array with wireless transmission system for robotic skin. 2016 , 87, 065007	21
1034	Self-assembled and intercalated film of reduced graphene oxide for a novel vacuum pressure sensor. 2016 , 6, 38830	6
1033	Topography-specific isotropic tunneling in nanoparticle monolayer with sub-nm scale crevices. 2016 , 27, 405701	3
1032	Heteroatom enhanced sodium ion capacity and rate capability in a hydrogel derived carbon give record performance in a hybrid ion capacitor. 2016 , 23, 129-137	142
1031	A tactile sensor using a conductive graphene-sponge composite. 2016 , 8, 9185-92	76
1030	A wearable piezocapacitive pressure sensor with a single layer of silver nanowire-based elastomeric composite electrodes. 2016 , 4, 10435-10443	95
1029	A high sensitive pressure sensor with the novel bossed diaphragm combined with peninsula-island structure. 2016 , 244, 66-76	33
1028	A nanofiber based artificial electronic skin with high pressure sensitivity and 3D conformability. 2016 , 8, 12105-12	110
1027	Highly Sensitive and Patchable Pressure Sensors Mimicking Ion-Channel-Engaged Sensory Organs. 2016 , 10, 4550-8	38
1026	Nanostructured Polypyrrole as a flexible electrode material of supercapacitor. 2016 , 22, 422-438	447
1025	An analytical model for studying the structural effects and optimization of a capacitive tactile sensor array. 2016 , 26, 045007	17

1024	Optofluidic vortex arrays generated by graphene oxide for tweezers, motors and self-assembly. 2016 , 8, e257-e257	19
1023	Synthesis, Properties, and Applications of Hollow Micro-/Nanostructures. 2016 , 116, 10983-1060	996
1022	Low-Temperature Oxidation-Free Selective Laser Sintering of Cu Nanoparticle Paste on a Polymer Substrate for the Flexible Touch Panel Applications. 2016 , 8, 11575-82	122
1021	Electrical behaviour of native cellulose nanofibril/carbon nanotube hybrid aerogels under cyclic compression. 2016 , 6, 89051-89056	17
1020	Coiled Fiber-Shaped Stretchable Thermal Sensors for Wearable Electronics. 2016 , 1, 1600170	42
1019	Skin-mountable stretch sensor for wearable health monitoring. 2016 , 8, 17295-17303	73
1018	Large-Area Accurate Position Registry of Microparticles on Flexible, Stretchable Substrates Using Elastomer Templates. 2016 , 8, 28149-28158	20
1017	Flexible, Highly Sensitive, and Wearable Pressure and Strain Sensors with Graphene Porous Network Structure. 2016 , 8, 26458-26462	285
1016	Conducting polymers with defined micro- or nanostructures for drug delivery. 2016 , 111, 149-162	64
1015	. 2016 ,	
1014	Flexible and Stretchable Biointegrated Electronics Using Silicon Nanomembranes. 2016 , 143-168	
1013	Piezoresistive Sensor with High Elasticity Based on 3D Hybrid Network of Sponge@CNTs@Ag NPs. 2016 , 8, 22374-81	138
1012	Soft Thermal Sensor with Mechanical Adaptability. 2016 , 28, 9175-9181	155
1011	Highly Sensitive, Transparent, and Durable Pressure Sensors Based on Sea-Urchin Shaped Metal Nanoparticles. 2016 , 28, 9364-9369	126
1010	Contact resistance of multi-walled carbon nanotube/natural rubber nanocomposites with metallic ball. 2016 , 99, 82-85	4
1009	The role of intermolecular interactions in polyaniline/polyamide-6,6 pressure-sensitive blends studied by DFT and 1H NMR. 2016 , 85, 588-604	14
1008	Large Area One-Step Facile Processing of Microstructured Elastomeric Dielectric Film for High Sensitivity and Durable Sensing over Wide Pressure Range. 2016 , 8, 20364-70	126
1007	Ultra-Stretchable and Force-Sensitive Hydrogels Reinforced with Chitosan Microspheres Embedded in Polymer Networks. 2016 , 28, 8037-8044	220

1006	Hollow core-shell particles via NR latex seeded emulsion polymerization. 2016 , 99, 324-331	18
1005	Mechanisms of Local Stress Sensing in Multifunctional Polymer Films Using Fluorescent Tetrapod Nanocrystals. 2016 , 16, 5060-7	20
1004	Large-Area Compliant, Low-Cost, and Versatile Pressure-Sensing Platform Based on Microcrack-Designed Carbon Black@Polyurethane Sponge for Human-Machine Interfacing. 2016 , 26, 6246-6256	353
1003	Multifunctional, Highly Flexible, Free-Standing 3D Polypyrrole Foam. 2016 , 12, 4070-6	51
1002	Tribotronic Transistor Array as an Active Tactile Sensing System. 2016 , 10, 10912-10920	80
1001	Self-Supported Crack-Free Conducting Polymer Films with Stabilized Wrinkling Patterns and Their Applications. 2016 , 6, 36686	7
1000	Energy gels: A bio-inspired material platform for advanced energy applications. 2016 , 11, 738-762	112
999	Emerging flexible and wearable physical sensing platforms for healthcare and biomedical applications. 2016 , 2, 16043	280
998	Flexible Hybrid Electronics: Direct Interfacing of Soft and Hard Electronics for Wearable Health Monitoring. 2016 , 26, 8764-8775	178
997	Bifunctional hairy silica nanoparticles as high-performance additives for lubricant. 2016 , 6, 22696	29
996	Super-elastic and fatigue resistant carbon material with lamellar multi-arch microstructure. <i>Nature Communications</i> , 2016 , 7, 12920	17.4 245
995	A flexible capacitive tactile sensor for robot skin. 2016 ,	3
994	Bioinspired Electronic Whisker Arrays by Pencil-Drawn Paper for Adaptive Tactile Sensing. 2016 , 2, 1600093	46
993	Self-Powered High-Resolution and Pressure-Sensitive Triboelectric Sensor Matrix for Real-Time Tactile Mapping. 2016 , 28, 2896-903	268
992	A Stretchable Electronic Fabric Artificial Skin with Pressure-, Lateral Strain-, and Flexion-Sensitive Properties. 2016 , 28, 722-8	325
991	Stretchable Active Matrix Temperature Sensor Array of Polyaniline Nanofibers for Electronic Skin. 2016 , 28, 930-5	264
990	Development, fabrication, and modeling of highly sensitive conjugated polymer based piezoresistive sensors in electronic skin applications. 2016 ,	
989	Polymer Swelling Induced Conductive Wrinkles for an Ultrasensitive Pressure Sensor. 2016 , 5, 823-827	65

988	Highly Sensitive, Flexible, and Wearable Pressure Sensor Based on a Giant Piezocapacitive Effect of Three-Dimensional Microporous Elastomeric Dielectric Layer. 2016 , 8, 16922-31	287
987	Confined molecular motion across liquid/liquid interfaces in a triphasic reaction towards free-standing conductive polymer tube arrays. 2016 , 4, 6290-6294	7
986	Highly Flexible Graphene Oxide Nanosuspension Liquid-Based Microfluidic Tactile Sensor. 2016 , 12, 1593-604	67
985	Flexible and Stretchable Physical Sensor Integrated Platforms for Wearable Human-Activity Monitoring and Personal Healthcare. 2016 , 28, 4338-72	1219
984	Skin-Inspired Haptic Memory Arrays with an Electrically Reconfigurable Architecture. 2016 , 28, 1559-66	135
983	Linearly and Highly Pressure-Sensitive Electronic Skin Based on a Bioinspired Hierarchical Structural Array. 2016 , 28, 5300-6	371
982	A transparent bending-insensitive pressure sensor. 2016 , 11, 472-8	549
981	Volume-invariant ionic liquid microbands as highly durable wearable biomedical sensors. 2016 , 3, 208-213	96
980	A constriction resistance model of conjugated polymer based piezoresistive sensors for electronic skin applications. 2016 , 12, 4180-9	18
979	Biocompatible and Ultra-Flexible Inorganic Strain Sensors Attached to Skin for Long-Term Vital Signs Monitoring. 2016 , 37, 496-499	43
978	Ultrafast Dynamic Piezoresistive Response of Graphene-Based Cellular Elastomers. 2016 , 28, 194-200	142
977	Recent advances for cyclodextrin-based materials in electrochemical sensing. 2016 , 80, 232-241	71
976	Designing Hierarchically Nanostructured Conductive Polymer Gels for Electrochemical Energy Storage and Conversion. 2016 , 28, 2466-2477	185
975	Determination of Glucose in Food by the Ionic Liquid and Carbon Nanotubes Modified Dual-Enzymatic Sensors. 2016 , 9, 2491-2500	8
974	Highly sensitive, wearable and wireless pressure sensor using free-standing ZnO nanoneedle/PVDF hybrid thin film for heart rate monitoring. 2016 , 22, 95-104	131
973	Micro/nanostructured surfaces for self-powered and multifunctional electronic skins. 2016 , 4, 2999-3018	90
972	Flexible and Highly Sensitive Pressure Sensors Based on Bionic Hierarchical Structures. 2017 , 27, 1606066	372
971	Full Dynamic-Range Pressure Sensor Matrix Based on Optical and Electrical Dual-Mode Sensing. 2017 , 29, 1605817	129

970	Noncovalently functionalized multi-walled carbon nanotube with core-dualshell nanostructure for improved piezoresistive sensitivity of poly(dimethyl siloxane) nanocomposites. 2017 , 94, 124-132	17
969	Microfluidic capacitive sensors with ionic liquid electrodes and CNT/PDMS nanocomposites for simultaneous sensing of pressure and temperature. 2017 , 5, 1910-1919	47
968	Scanning Approaches of 2-D Resistive Sensor Arrays: A Review. 2017 , 17, 914-925	17
967	Controlled formation of large-area single-crystalline TIPS-pentacene arrays through superhydrophobic micropillar flow-coating. 2017 , 5, 2702-2707	20
966	Highly Reliable and Sensitive Tactile Transistor Memory. 2017 , 3, 1600548	15
965	Ferroelectric Zinc Oxide Nanowire Embedded Flexible Sensor for Motion and Temperature Sensing. 2017 , 9, 9233-9238	41
964	Enhanced Sensitivity of Patterned Graphene Strain Sensors Used for Monitoring Subtle Human Body Motions. 2017 , 9, 11176-11183	58
963	Epidermal Inorganic Optoelectronics for Blood Oxygen Measurement. 2017 , 6, 1601013	60
962	Flexible and stretchable sensors for fluidic elastomer actuated soft robots. 2017 , 42, 138-142	60
961	An Ultrasensitive, Visco-Poroelastic Artificial Mechanotransducer Skin Inspired by Piezo2 Protein in Mammalian Merkel Cells. 2017 , 29, 1605973	93
960	Recent advances in wearable tactile sensors: Materials, sensing mechanisms, and device performance. 2017 , 115, 1-37	405
959	Electronic Skin with Multifunction Sensors Based on Thermosensation. 2017 , 29, 1606151	137
958	Flexible, highly sensitive pressure sensor with a wide range based on graphene-silk network structure. 2017 , 110, 123508	93
957	High-Performance Piezoresistive Electronic Skin with Bionic Hierarchical Microstructure and Microcracks. 2017 , 9, 14911-14919	86
956	Viologen-Based Conjugated Covalent Organic Networks via Zincke Reaction. 2017 , 139, 9558-9565	140
955	Wearable Resistive Pressure Sensor Based on Highly Flexible Carbon Composite Conductors with Irregular Surface Morphology. 2017 , 9, 17499-17507	101
954	Flexible electronic eardrum. 2017 , 10, 2683-2691	27
953	A pressure sensitive ionic gel FET for tactile sensing. 2017 , 110, 253501	13

952	A tactile sensor using single layer graphene for surface texture recognition. 2017 , 9, 10248-10255	27
951	Ultrafast Dynamic Pressure Sensors Based on Graphene Hybrid Structure. 2017 , 9, 24148-24154	89
950	Deformable and conformal silk hydrogel inverse opal. 2017 , 114, 6185-6190	53
949	Leveraging a temperature-tunable, scale-like microstructure to produce multimodal, supersensitive sensors. 2017 , 9, 7888-7894	16
948	Ultrastretchable, transparent triboelectric nanogenerator as electronic skin for biomechanical energy harvesting and tactile sensing. 2017 , 3, e1700015	674
947	Fully additive manufacturing of a polymer cantilever with a conductive layer. 2017 ,	
946	Flexible Capacitive Hydrogel Tactile Sensor With Adjustable Measurement Range Using Liquid Crystal and Carbon Nanotubes Composites. 2017 , 64, 1968-1972	14
945	Advanced Materials for Health Monitoring with Skin-Based Wearable Devices. 2017 , 6, 1700024	165
944	Micropatterned Pyramidal Ionic Gels for Sensing Broad-Range Pressures with High Sensitivity. 2017 , 9, 10128-10135	191
943	Highly Sensitive and Bendable Capacitive Pressure Sensor and Its Application to 1 V Operation Pressure-Sensitive Transistor. 2017 , 3, 1600455	57
942	Flexible Sensing Electronics for Wearable/Attachable Health Monitoring. 2017 , 13, 1602790	491
941	Chlorine-trapped CVD bilayer graphene for resistive pressure sensor with high detection limit and high sensitivity. 2017 , 4, 025049	21
940	Additive Manufacturing Fused Filament Fabrication Three-Dimensional Printed Pressure Sensor for Prosthetics with Low Elastic Modulus and High Filler Ratio Filament Composites. 2017 , 4, 30-40	5
939	Porous Organic Field-Effect Transistors for Enhanced Chemical Sensing Performances. 2017 , 27, 1700018	88
938	Preparation, microstructure, and piezoresistive behavior of conductive nanocomposite foams based on poly(1-butene) and carbon black. 2017 , 123, 1	4
937	Wearable Force Touch Sensor Array Using a Flexible and Transparent Electrode. 2017 , 27, 1605286	121
936	One-Dimensional Nanomaterials for Soft Electronics. 2017 , 3, 1600314	218
935	Polyacrylamide-phytic acid-polydopamine conducting porous hydrogel for rapid detection and removal of copper (II) ions. 2017 , 91, 306-312	63

934	Graphene oxide as high-performance dielectric materials for capacitive pressure sensors. 2017 , 114, 209-216	142
933	Ultrasensitive cellular fluorocarbon piezoelectret pressure sensor for self-powered human physiological monitoring. 2017 , 32, 42-49	94
932	A highly sensitive and wide-range pressure sensor based on a carbon nanocoil network fabricated by an electrophoretic method. 2017 , 5, 11892-11900	16
931	Pyramid microstructure with single walled carbon nanotubes for flexible and transparent micro-pressure sensor with ultra-high sensitivity. 2017 , 266, 345-351	34
930	A new approach for ultrahigh-performance piezoresistive sensor based on wrinkled PPy film with electrospun PVA nanowires as spacer. 2017 , 41, 527-534	74
929	Material and Structural Design of Novel Binder Systems for High-Energy, High-Power Lithium-Ion Batteries. 2017 , 50, 2642-2652	186
928	Dual-Mode Electronic Skin with Integrated Tactile Sensing and Visualized Injury Warning. 2017 , 9, 37493-37500	78
927	Wearable and visual pressure sensors based on Zn ₂ GeO ₄ @polypyrrole nanowire aerogels. 2017 , 5, 11018-11024	45
926	Highly Sensitive Piezocapacitive Sensor for Detecting Static and Dynamic Pressure Using Ion-Gel Thin Films and Conductive Elastomeric Composites. 2017 , 9, 36206-36219	58
925	Nature-Inspired Structural Materials for Flexible Electronic Devices. 2017 , 117, 12893-12941	401
924	Ultra-sensitive graphene sensor for measuring high vacuum pressure. 2017 , 7, 12604	5
923	Facile Supramolecular Processing of Carbon Nanotubes and Polymers for Electromechanical Sensors. 2017 , 56, 16180-16185	20
922	Facile Supramolecular Processing of Carbon Nanotubes and Polymers for Electromechanical Sensors. 2017 , 129, 16398-16403	7
921	Large-Area All-Textile Pressure Sensors for Monitoring Human Motion and Physiological Signals. 2017 , 29, 1703700	412
920	Swelling process of thin polymer film studied via in situ spectroscopic ellipsometry. 2017 , 33, 833-838	3
919	Flexible and Highly Sensitive Pressure Sensor Based on Microdome-Patterned PDMS Forming with Assistance of Colloid Self-Assembly and Replica Technique for Wearable Electronics. 2017 , 9, 35968-35976	129
918	Highly Sensitive, Flexible MEMS Based Pressure Sensor with Photoresist Insulation Layer. 2017 , 13, 1702422	38
917	Recent Advances in Sensing Applications of Graphene Assemblies and Their Composites. 2017 , 27, 1702891	161

916	Transparent and Flexible Triboelectric Sensing Array for Touch Security Applications. 2017 , 11, 8364-8369	69
915	Ag/alginate nanofiber membrane for flexible electronic skin. 2017 , 28, 445502	19
914	Design and Fabrication of Nanomaterial-Based Device for Pressure Sensorial Applications. 2017 , 1-14	
913	Improved triboelectrification effect by bendable and slidable fish-scale-like microstructures. 2017 , 40, 646-654	23
912	A Highly Stretchable Nanofiber-Based Electronic Skin with Pressure-, Strain-, and Flexion-Sensitive Properties for Health and Motion Monitoring. 2017 , 9, 42951-42960	104
911	Conductive Polymer Waving in Liquid Nitrogen. 2017 , 11, 10409-10416	16
910	Hollow-Structured Graphene-Silicone-Composite-Based Piezoresistive Sensors: Decoupled Property Tuning and Bending Reliability. 2017 , 29, 1702675	143
909	Advanced carbon materials for flexible and wearable sensors. 2017 , 60, 1026-1062	108
908	Three-Dimensional Electroconductive Hyaluronic Acid Hydrogels Incorporated with Carbon Nanotubes and Polypyrrole by Catechol-Mediated Dispersion Enhance Neurogenesis of Human Neural Stem Cells. 2017 , 18, 3060-3072	96
907	New insights and perspectives into biological materials for flexible electronics. 2017 , 46, 6764-6815	245
906	Self-Powered Real-Time Arterial Pulse Monitoring Using Ultrathin Epidermal Piezoelectric Sensors. 2017 , 29, 1702308	308
905	Recent progresses on flexible tactile sensors. 2017 , 1, 61-73	137
904	Electrical, Elastic, and Piezoresistive Properties of Nanocomposites of Poly(dimethylsiloxane) and Poly(phenylmethylsiloxane)-Functionalized Graphene Nanoplatelets. 2017 , 46, 5737-5745	4
903	Toward Flexible Wireless Pressure-Sensing Device via Ionic Hydrogel Microsphere for Continuously Mapping Human-Skin Signals. 2017 , 4, 1700496	27
902	Bio-inspired interlocking random 3-D structures for tactile and thermal sensing. 2017 , 7, 5834	11
901	Self-powered, highly sensitive pressure sensor based on thin-film solar cell and pressure-responsive porous elastomer film. 2017 ,	
900	Triboelectric and microfluidic integrated self-generated tactile sensor. 2017 ,	1
899	High-Performance and Breathable Polypyrrole Coated Air-Laid Paper for Flexible All-Solid-State Supercapacitors. 2017 , 7, 1701247	129

898	Fabrication of highly sensitive capacitive pressure sensors with electrospun polymer nanofibers. 2017 , 111, 073502	23
897	Flexible piezocapacitive sensors based on wrinkled microstructures: toward low-cost fabrication of pressure sensors over large areas. 2017 , 7, 39420-39426	57
896	Wearable Microfluidic Diaphragm Pressure Sensor for Health and Tactile Touch Monitoring. 2017 , 29, 1701985	254
895	Graphene-Paper Pressure Sensor for Detecting Human Motions. 2017 , 11, 8790-8795	381
894	All-Graphene-Based Highly Flexible Noncontact Electronic Skin. 2017 , 9, 44593-44601	63
893	Unprecedented sensitivity towards pressure enabled by graphene foam. 2017 , 9, 19346-19352	30
892	Development of a flexible and stretchable tactile sensor array with two different structures for robotic hand application. 2017 , 7, 48461-48465	7
891	Flexible and Lightweight Pressure Sensor Based on Carbon Nanotube/Thermoplastic Polyurethane-Aligned Conductive Foam with Superior Compressibility and Stability. 2017 , 9, 42266-42277	159
890	Using water as a self-generated triboelectric sensor for pressure and flow rate measurement. 2017 ,	0
889	The effect of varying the introduction mode of reactants on electrical, physical and thermal stability properties of polypyrrole synthesized with CTAB. 2017 , 7, 105222	3
888	Multifunctional Nanostructured Conductive Polymer Gels: Synthesis, Properties, and Applications. 2017 , 50, 1734-1743	257
887	Structural Engineering for High Sensitivity, Ultrathin Pressure Sensors Based on Wrinkled Graphene and Anodic Aluminum Oxide Membrane. 2017 , 9, 24111-24117	70
886	Single-Thread-Based Wearable and Highly Stretchable Triboelectric Nanogenerators and Their Applications in Cloth-Based Self-Powered Human-Interactive and Biomedical Sensing. 2017 , 27, 1604462	242
885	Highly Fluorescent Non-Conventional Boron-Difluoride-Based Organogel with Gelation-Assisted Piezochromism. 2017 , 12, 198-202	22
884	Decal Electronics: Printable Packaged with 3D Printing High-Performance Flexible CMOS Electronic Systems. 2017 , 2, 1600175	7
883	A pressure-induced bending sensitive capacitor based on an elastomer-free, extremely thin transparent conductor. 2017 , 5, 3221-3229	24
882	Sensitive and fast response graphite pressure sensor fabricated by a solvent-free approach. 2017 ,	0
881	Soft Prosthetic Forefinger Tactile Sensing via a String of Intact Single Mode Optical Fiber. 2017 , 17, 7455-7459	13

880	Development of a conformable electronic skin based on silver nanowires and PDMS. 2017 , 207, 012040	8
879	Pressure sensitive ionic gel-fets of extremely high sensitivity over 2,200 kPa $\bar{\bar{}}$ operated under 2 V. 2017 ,	1
878	Fully printed and flexible carbon nanotube transistors designed for environmental pressure sensing and aimed at smart tire applications. 2017 ,	4
877	Fabrication of a sensitive pressure sensor using carbon nanotube micro-yarns. 2017 ,	1
876	Transparent Electronic Skin Device Based on Microstructured Silver Nanowire Electrode. 2017 , 30, 603-608	2
875	Arrayed Force Sensors Made of Paper, Elastomer, and Hydrogel Particles. 2017 , 8,	4
874	pH Sensitive Hydrogels in Drug Delivery: Brief History, Properties, Swelling, and Release Mechanism, Material Selection and Applications. 2017 , 9,	246
873	Large-Scale and Flexible Self-Powered Triboelectric Tactile Sensing Array for Sensitive Robot Skin. 2017 , 9,	16
872	Tactile Perception of Roughness and Hardness to Discriminate Materials by Friction-Induced Vibration. 2017 , 17,	16
871	Theoretical study and structural optimization of a flexible piezoelectret-based pressure sensor. 2018 , 6, 5065-5070	25
870	Prediction of the Effective Thermal Conductivity of Hollow Sphere Foams. 2018 , 1, 1146-1157	31
869	Hollow spheres: crucial building blocks for novel nanostructures and nanophotonics. 2018 , 7, 693-713	12
868	Co ₃ O ₄ nanosheet-built hollow spheres containing ultrafine neck-connected grains templated by PS@Co-LDH and their ppb-level gas-sensing performance. 2018 , 261, 553-565	30
867	Paintable and Rapidly Bondable Conductive Hydrogels as Therapeutic Cardiac Patches. 2018 , 30, e1704235	198
866	Block copolymer structural color strain sensor. 2018 , 10, 328-339	60
865	A flexible pressure sensor based on rGO/polyaniline wrapped sponge with tunable sensitivity for human motion detection. 2018 , 10, 10033-10040	170
864	Tunable-Sensitivity flexible pressure sensor based on graphene transparent electrode. 2018 , 145, 29-33	33
863	Battery-free, wireless sensors for full-body pressure and temperature mapping. 2018 , 10,	176

862	A Supercompressible, Elastic, and Bendable Carbon Aerogel with Ultrasensitive Detection Limits for Compression Strain, Pressure, and Bending Angle. 2018 , 30, e1706705	174
861	Hollow polymer nanocapsules: synthesis, properties, and applications. 2018 , 9, 2059-2081	45
860	Characterization of a compliant multi-layer system for tactile sensing with enhanced sensitivity and range. 2018 , 27, 065005	4
859	Flexible Ferroelectric Sensors with Ultrahigh Pressure Sensitivity and Linear Response over Exceptionally Broad Pressure Range. 2018 , 12, 4045-4054	212
858	Modulation of Response Patterns by Loading-Rate-Dependent Interface Polarization and Doping. 2018 , 122, 981-988	1
857	Test of a Tube-Shaped Artificial Skin Sensor Array for Colonoscopies. 2018 , 18, 2291-2298	
856	Flexible Pressure Sensor With High Sensitivity and Low Hysteresis Based on a Hierarchically Microstructured Electrode. 2018 , 39, 288-291	53
855	A Highly Stretchable Transparent Self-Powered Triboelectric Tactile Sensor with Metallized Nanofibers for Wearable Electronics. 2018 , 30, e1706738	230
854	Influence of Permittivity on the Sensitivity of Porous Elastomer-Based Capacitive Pressure Sensors. 2018 , 18, 1870-1876	27
853	A semi-permanent and durable nanoscale-crack-based sensor by on-demand healing. 2018 , 10, 4354-4360	38
852	A well-organized graphene nanostructure for versatile strain-sensing application constructed by a covalently bonded graphene/rubber interface. 2018 , 6, 2139-2147	34
851	Customizable, Flexible Pressure, and Temperature Step Sensors with Human Skinlike Color. 2018 , 3, 1110-1116	12
850	Epidermis Microstructure Inspired Graphene Pressure Sensor with Random Distributed Spinosum for High Sensitivity and Large Linearity. 2018 , 12, 2346-2354	361
849	The Development of a New Piezoresistive Pressure Sensor for Low Pressures. 2018 , 65, 6487-6496	48
848	Bio-inspired highly flexible dual-mode electronic cilia. 2018 , 6, 896-902	18
847	Recent progress of flexible and wearable strain sensors for human-motion monitoring. 2018 , 39, 011012	66
846	Highly compressible ultra-light anisotropic cellulose/graphene aerogel fabricated by bidirectional freeze drying for selective oil absorption. 2018 , 132, 199-209	202
845	Molecular Dual-Rotators with Large Consecutive Emission Chromism for Visualized and High-Pressure Sensing. 2018 , 3, 717-723	1

844	A wearable pressure sensor based on ultra-violet/ozone microstructured carbon nanotube/polydimethylsiloxane arrays for electronic skins. 2018 , 29, 115502	67
843	Recent Developments in Graphene-Based Tactile Sensors and E-Skins. 2018 , 3, 1700248	100
842	Robust and high-performance soft inductive tactile sensors based on the Eddy-current effect. 2018 , 271, 44-52	23
841	Three-dimensional ultraflexible triboelectric nanogenerator made by 3D printing. 2018 , 45, 380-389	135
840	Transparent and Self-Powered Multistage Sensation Matrix for Mechanosensation Application. 2018 , 12, 254-262	63
839	Transparent and Waterproof Ionic Liquid-Based Fibers for Highly Durable Multifunctional Sensors and Strain-Insensitive Stretchable Conductors. 2018 , 10, 4305-4314	60
838	Conducting Fe ₂ O ₃ nanorod/polyaniline/CNT gel framework for high performance anodes towards supercapacitors. 2018 , 156, 231-237	35
837	Flexible and transparent capacitive pressure sensor with patterned microstructured composite rubber dielectric for wearable touch keyboard application. 2018 , 61, 1587-1595	74
836	Microbubble-Triggered Spontaneous Separation of Transparent Thin Films from Substrates Using Evaporable Core-Shell Nanocapsules. 2018 , 10, 17375-17382	5
835	Solvent Additive-Assisted Anisotropic Assembly and Enhanced Charge Transport of EConjugated Polymer Thin Films. 2018 , 10, 18131-18140	17
834	Three-layer-stacked pressure sensor with a liquid metal-embedded elastomer. 2018 , 28, 085020	4
833	Recognition, classification, and prediction of the tactile sense. 2018 , 10, 10545-10553	14
832	MOF-directed templating synthesis of hollow nickel-cobalt sulfide with enhanced electrocatalytic activity for oxygen evolution. 2018 , 43, 8815-8823	32
831	An ultrasensitive flexible pressure sensor for multimodal wearable electronic skins based on large-scale polystyrene ball@reduced graphene-oxide core-shell nanoparticles. 2018 , 6, 5514-5520	63
830	Low-Cost, Rapidly Responsive, Controllable, and Reversible Photochromic Hydrogel for Display and Storage. 2018 , 10, 13975-13984	49
829	Tough and Conductive Hybrid Hydrogels Enabling Facile Patterning. 2018 , 10, 13685-13692	63
828	Effect of environmental and material factors on the response of nanocomposite foam impact sensors. 2018 , 27, 055015	4
827	Capacitive Pressure Sensor with High Sensitivity and Fast Response to Dynamic Interaction Based on Graphene and Porous Nylon Networks. 2018 , 10, 12816-12823	142

826	MOF-74 derived porous hybrid metal oxide hollow nanowires for high-performance electrochemical energy storage. 2018 , 6, 8396-8404	72
825	A polypyrrole hollow nanosphere with ultra-thin wrinkled shell: Synergistic trapping of sulfur in Lithium-Sulfur batteries with excellent elasticity and buffer capability. 2018 , 271, 67-76	30
824	Piezoresistive Pressure Sensor Based on Synergistical Innerconnect Polyvinyl Alcohol Nanowires/Wrinkled Graphene Film. 2018 , 14, e1704149	137
823	Stretchable 3D polymer for simultaneously mechanical energy harvesting and biomimetic force sensing. 2018 , 47, 442-450	29
822	Flexible Highly Sensitive Pressure Sensor Based on Ionic Liquid Gel Film. 2018 , 3, 3014-3021	46
821	Textile-Enabled Highly Reproducible Flexible Pressure Sensors for Cardiovascular Monitoring. 2018 , 3, 1700222	56
820	Highly sensitive and skin-like pressure sensor based on asymmetric double-layered structures of reduced graphite oxide. 2018 , 255, 1262-1267	52
819	Wearable sensors: modalities, challenges, and prospects. 2018 , 18, 217-248	504
818	Ultrasensitive and Highly Stable Resistive Pressure Sensors with Biomaterial-Incorporated Interfacial Layers for Wearable Health-Monitoring and Human-Machine Interfaces. 2018 , 10, 1067-1076	58
817	Chemically Designed Metallic/Insulating Hybrid Nanostructures with Silver Nanocrystals for Highly Sensitive Wearable Pressure Sensors. 2018 , 10, 1389-1398	29
816	Solution Adsorption Formation of a EConjugated Polymer/Graphene Composite for High-Performance Field-Effect Transistors. 2018 , 30, 1705377	32
815	CVD growth of fingerprint-like patterned 3D graphene film for an ultrasensitive pressure sensor. 2018 , 11, 1124-1134	132
814	FDSense. 2018 ,	3
813	Stretchable, Transparent, and Self-Patterned Hydrogel-Based Pressure Sensor for Human Motions Detection. 2018 , 28, 1802576	282
812	A Flexible Pressure Sensor Based on Low-Cost Electroplated-Ni Film Induced Cracking for Wearable Devices Application. 2018 ,	1
811	Smart Materials for Wearable Healthcare Devices. 2018 ,	2
810	Innovative Strain Sensing for Detection of Exterior Wall Tile Lesion: Smart Skin Sensory System. 2018 , 11,	2
809	Crystal-controlled polymerization: recent advances in morphology design and control of organic polymer materials. 2018 , 6, 23197-23219	24

808	Ultra-stretchable, bio-inspired ionic skins that work stably in various harsh environments. 2018 , 6, 24114-24119	45
807	Flexible Plasmonic Pressure Sensor Based on Layered Two-Dimensional Heterostructures. 2018 , 36, 5678-5684	5
806	Hybrid Architectures of Heterogeneous Carbon Nanotube Composite Microstructures Enable Multi-axial Strain Perception with High Sensitivity and Ultrabroad Sensing Range. 2018 , 14, e1803411	34
805	Recent Developments for Flexible Pressure Sensors: A Review. 2018 , 9,	104
804	Wearable sensors developed using a novel plastic metal material. 2018 , 124, 1	4
803	Multifunctional Mechanical Sensors for Versatile Physiological Signal Detection. 2018 , 10, 44173-44182	22
802	Ultrasensitive Wearable Pressure Sensors Assembled by Surface-Patterned Polyolefin Elastomer Nanofiber Membrane Interpenetrated with Silver Nanowires. 2018 , 10, 42706-42714	33
801	An Elastic Interfacial Transistor Enabled by Superhydrophobicity. 2018 , 14, e1804006	5
800	Recent Advances in Smart Wearable Sensing Systems. 2018 , 3, 1800444	78
799	Thiolated Graphene@Polyester Fabric-Based Multilayer Piezoresistive Pressure Sensors for Detecting Human Motion. 2018 , 10, 41784-41792	62
798	Metal-Oxide-Hydrogel Field-Effect Sensor. 2018 ,	0
797	Self-Powered, High-Sensitive Human Cutaneous Activities Sensor. 2018 ,	
796	A High Compressibility Pressure-Sensitive Structure Based on CB@PU Yarn Network. 2018 , 18,	5
795	The Semiconductor/Conductor Interface Piezoresistive Effect in an Organic Transistor for Highly Sensitive Pressure Sensors. 2019 , 31, e1805630	63
794	Bioinspired and bristled microparticles for ultrasensitive pressure and strain sensors. <i>Nature Communications</i> , 2018 , 9, 5161	17.4 89
793	Self-Powered Wearable Pressure Sensors with Enhanced Piezoelectric Properties of Aligned P(VDF-TrFE)/MWCNT Composites for Monitoring Human Physiological and Muscle Motion Signs. 2018 , 8,	40
792	Recent Advances in Large-Scale Tactile Sensor Arrays Based on a Transistor Matrix. 2018 , 5, 1801061	31
791	Highly stretchable and fatigue resistant hydrogels with low Young's modulus as transparent and flexible strain sensors. 2018 , 6, 11193-11201	35

790	Plant-Based Modular Building Blocks for Green Electronic Skins. 2018 , 28, 1804510	73
789	Supersensitive all-fabric pressure sensors using printed textile electrode arrays for human motion monitoring and human-machine interaction. 2018 , 6, 13120-13127	57
788	Effect of contact material and ambient humidity on the performance of MWCNT/PDMS multimodal deformation sensors. 2018 , 283, 1-8	7
787	Reducing Structural Defects and Oxygen-Containing Functional Groups in GO-Hybridized CNTs Aerogels: Simultaneously Improve the Electrical and Mechanical Properties To Enhance Pressure Sensitivity. 2018 , 10, 39009-39017	30
786	Compliant mechanosensory composite (CMC): a compliant mechanism with an embedded sensing ability based on electric contact resistance. 2018 , 27, 125003	5
785	Nanoscale Variable-Area Electronic Devices: Contact Mechanics and Hypersensitive Pressure Application. 2018 , 10, 39168-39176	11
784	Low-Cost Graphite on Paper Pressure Sensor for a Robot Gripper with a Trivial Fabrication Process. 2018 , 18,	9
783	A Flexible Wearable Pressure Sensor with Bioinspired Microcrack and Interlocking for Full-Range Human-Machine Interfacing. 2018 , 14, e1803018	81
782	Vertical Gold Nanowires Stretchable Electrochemical Electrodes. 2018 , 90, 13498-13505	43
781	Solution-Processed Resistive Pressure Sensors Based on Sandwich Structures Using Silver Nanowires and Conductive Polymer. 2018 , 18, 9919-9924	11
780	Ultrahigh Sensitivity Acetaminophen Sensor Based on Network-Structured Nanocarbons. 2018 , 165, H872-H880	9
779	Electrical Adaptiveness and Electromechanical Response in Gel Composites of Carbon Nanomaterials. 2018 , 5, 3589-3596	3
778	Polypyrrole as Electrically Conductive Biomaterials: Synthesis, Biofunctionalization, Potential Applications and Challenges. 2018 , 1078, 347-370	12
777	Compliant multi-layer tactile sensing for enhanced identification of human touch. 2018 , 27, 125009	5
776	High-Performance Resistive Pressure Sensor Based on Elastic Composite Hydrogel of Silver Nanowires and Poly(ethylene glycol). 2018 , 9,	5
775	Synergism of Self-Wrinkling and Ultrasonic Cleaning to Fabricate Hierarchically Patterned Conducting Films. 2018 , 5, 1800905	3
774	Ultrastretchable Multilayered Fiber with a Hollow-Monolith Structure for High-Performance Strain Sensor. 2018 , 10, 34592-34603	53
773	Alignment-Free Liquid-Capsule Pressure Sensor for Cardiovascular Monitoring. 2018 , 28, 1805045	35

772	Flexible and Highly Sensitive Resistive Pressure Sensor Based on Carbonized Crepe Paper with Corrugated Structure. 2018 , 10, 34646-34654	81
771	A Robust, Resilient, and Multi-Functional Soy Protein-Based Hydrogel. 2018 , 6, 13730-13738	13
770	A Stretchable Yarn Embedded Triboelectric Nanogenerator as Electronic Skin for Biomechanical Energy Harvesting and Multifunctional Pressure Sensing. 2018 , 30, e1804944	278
769	On the Evaluation of the Sensitivity Coefficient of Strain Sensors. 2018 , 4, 1800353	25
768	Resistive pressure sensor based on cylindrical micro structures in periodically ordered electrospun elastic fibers. 2018 , 27, 11LT01	10
767	Extremely Stretchable, Stable, and Durable Strain Sensors Based on Double-Network Organogels. 2018 , 10, 32640-32648	63
766	A Highly Sensitive Force Sensor with Fast Response Based on Interlocked Arrays of Indium Tin Oxide Nanosprings toward Human Tactile Perception. 2018 , 28, 1804132	26
765	Laser-microengineered flexible electrodes with enhanced sensitivity for wearable pressure sensors. 2018 , 281, 124-129	28
764	Ultrasensitive, Low-Power Oxide Transistor-Based Mechanotransducer with Microstructured, Deformable Ionic Dielectrics. 2018 , 10, 31472-31479	26
763	3D hybrid porous Mxene-sponge network and its application in piezoresistive sensor. 2018 , 50, 79-87	264
762	Controlled Growth of Patterned Conducting Polymer Microsuckers on Superhydrophobic Micropillar-Structured Templates. 2018 , 28, 1800240	19
761	Self-Assembled Nanorod Structures on Nanofibers for Textile Electrochemical Capacitor Electrodes with Intrinsic Tactile Sensing Capabilities. 2018 , 10, 19037-19046	17
760	Multiscale Hierarchical Design of a Flexible Piezoresistive Pressure Sensor with High Sensitivity and Wide Linearity Range. 2018 , 14, e1800819	190
759	Piezoresistive stretchable strain sensors with human machine interface demonstrations. 2018 , 279, 46-52	62
758	Ultrahigh-Sensitivity Piezoresistive Pressure Sensors for Detection of Tiny Pressure. 2018 , 10, 20826-20834	74
757	P-137: A Highly Sensitive Resistive Pressure Sensor with MWCNT Nanoparticles-Liquid Crystal-PDMS Composite. 2018 , 49, 1913-1916	
756	P-138: A High Sensitive Resistive Pressure Sensor with NH ₄ HCO ₃ -induced Porous Structure Active Layer. 2018 , 49, 1917-1920	1
755	Toward flexible and antibacterial piezoresistive porous devices for wound dressing and motion detectors. 2018 , 56, 1063-1072	17

754	. 2018 , 39, 1073-1076	34
753	Flexible optical pressure sensor and its application to wearable human motion detecting device. 2018 ,	1
752	Thin and Flexible Carbon Nanotube-Based Pressure Sensors with Ultrawide Sensing Range. 2018 , 3, 1276-1282	67
751	A highly-sensitive flexible tactile sensor array utilizing piezoresistive carbon nanotube/polydimethylsiloxane composite. 2018 , 28, 105011	18
750	Challenges and Issues of Using Polymers as Structural Materials in MEMS: A Review. 2018 , 27, 581-598	12
749	Conductive Polymers: Opportunities and Challenges in Biomedical Applications. 2018 , 118, 6766-6843	320
748	Wood Derived Composites for High Sensitivity and Wide Linear-Range Pressure Sensing. 2018 , 14, e1801520	56
747	A Composite Elastic Conductor with High Dynamic Stability Based on 3D-Calabash Bunch Conductive Network Structure for Wearable Devices. 2018 , 4, 1800137	42
746	A sandpaper-inspired flexible and stretchable resistive sensor for pressure and strain measurement. 2018 , 62, 581-590	16
745	Self-Powered Force Sensor Based on Thinned Bulk PZT for Real-Time Cutaneous Activities Monitoring. 2018 , 39, 1226-1229	13
744	Transparent and conductive nanomembranes with orthogonal silver nanowire arrays for skin-attachable loudspeakers and microphones. 2018 , 4, eaas8772	98
743	Highly sensitive switching of solid-state luminescence by controlling intersystem crossing. <i>Nature Communications</i> , 2018 , 9, 3044	17.4 146
742	Bioinspired Microstructured Pressure Sensor Based on a Janus Graphene Film for Monitoring Vital Signs and Cardiovascular Assessment. 2018 , 4, 1800252	44
741	Hierarchically distributed microstructure design of haptic sensors for personalized fingertip mechanosensational manipulation. 2018 , 5, 920-931	22
740	High performance strain sensor based on buckypaper for full-range detection of human motions. 2018 , 10, 14966-14975	25
739	Ultrastretchable Fiber Sensor with High Sensitivity in Whole Workable Range for Wearable Electronics and Implantable Medicine. 2018 , 5, 1800558	85
738	Self-recoverable and mechanical-reinforced hydrogel based on hydrophobic interaction with self-healable and conductive properties. 2018 , 353, 900-910	46
737	Piezoelectric graphene field effect transistor pressure sensors for tactile sensing. 2018 , 113, 014102	58

736	A Highly Sensitive Resistive Pressure Sensor Based on a Carbon Nanotube-Liquid Crystal-PDMS Composite. 2018 , 8,	39
735	3D Printing Technologies for Flexible Tactile Sensors toward Wearable Electronics and Electronic Skin. 2018 , 10,	100
734	Construction and Functionality of a Ceramic Resonant Pressure Sensor for Operation at Elevated Temperatures. 2018 , 18,	5
733	Highly sensitive pressure sensors based on conducting polymer-coated paper. 2018 , 273, 1195-1201	28
732	Highly Sensitive Wearable Pressure Sensors Based on Three-Scale Nested Wrinkling Microstructures of Polypyrrole Films. 2018 , 10, 25811-25818	76
731	A Highly Skin-Conformal and Biodegradable Graphene-Based Strain Sensor. 2018 , 2, 1700374	28
730	Fast-Response and Low-Hysteresis Flexible Pressure Sensor Based on Silicon Nanowires. 2018 , 39, 1069-1072	26
729	Recent progress in flexible pressure sensor arrays: from design to applications. 2018 , 6, 11878-11892	116
728	Cost-Efficient Formation of Flexible Pressure Sensor with Micropillar Arrays by Metal-Assisted Chemical Etching for Wearable Electronic Skin. 2018 ,	
727	Photosynthetic Bioelectronic Sensors for Touch Perception, UV-Detection, and Nanopower Generation: Toward Self-Powered E-Skins. 2018 , 30, e1802290	51
726	Room temperature processed high mobility W-doped InO electrodes coated via in-line arc plasma ion plating for flexible OLEDs and quantum dots LEDs. 2018 , 8, 12019	8
725	Nanostructured Functional Hydrogels as an Emerging Platform for Advanced Energy Technologies. 2018 , 30, e1801796	121
724	High-Performance and Multifunctional Skinlike Strain Sensors Based on Graphene/Springlike Mesh Network. 2018 , 10, 19906-19913	31
723	Fully Printed and Flexible Carbon Nanotube Transistors for Pressure Sensing in Automobile Tires. 2018 , 18, 7875-7880	44
722	A Conductive Nanowire-Mesh Biosensor for Ultrasensitive Detection of Serum C-Reactive Protein in Melanoma. 2018 , 28, 1802482	30
721	Enhanced electrochemical charge storage performance by doping of copper phthalocyanine-3,4,4',4'-tetrasulfonic acid tetrasodium salt into polypyrrole/multi-walled carbon nanotubes 3D-nanostructured electrodes. 2018 , 265, 594-600	11
720	Micropatterned Elastic Gold-Nanowire/Polyacrylamide Composite Hydrogels for Wearable Pressure Sensors. 2018 , 3, 1800051	37
719	Flexible and highly sensitive artificial electronic skin based on graphene/polyamide interlocking fabric. 2018 , 6, 6840-6846	54

718	Design and Characterization of Tri-Axis Soft Inductive Tactile Sensors. 2018 , 18, 7793-7801	39
717	Piezoresistive E-Skin Sensors Produced with Laser Engraved Molds. 2018 , 4, 1800182	33
716	Actively Perceiving and Responsive Soft Robots Enabled by Self-Powered, Highly Extensible, and Highly Sensitive Triboelectric Proximity- and Pressure-Sensing Skins. 2018 , 30, e1801114	180
715	A flexible sensing system capable of sensations imitation and motion monitoring with reliable encapsulation. 2018 , 279, 424-432	2
714	Wearable Piezoresistive Sensors with Ultrawide Pressure Range and Circuit Compatibility Based on Conductive-Island-Bridging Nanonetworks. 2019 , 11, 32291-32300	19
713	Ultraminiature and Flexible Sensor Based on Interior Corner Flow for Direct Pressure Sensing in Biofluids. 2019 , 15, e1900950	9
712	Electronic Skin to Feel "Pain": Detecting "Prick" and "Hot" Pain Sensations. 2019 , 6, 745-759	5
711	A Highly Sensitive and Cost-Effective Flexible Pressure Sensor with Micropillar Arrays Fabricated by Novel Metal-Assisted Chemical Etching for Wearable Electronics. 2019 , 4, 1900367	13
710	3D-Printed Coaxial Fibers for Integrated Wearable Sensor Skin. 2019 , 4, 1900504	38
709	Wearable sensors based on colloidal nanocrystals. 2019 , 6, 10	30
708	Facile Preparation of Hybrid Structure Based on Mesodome and Micropillar Arrays as Flexible Electronic Skin with Tunable Sensitivity and Detection Range. 2019 , 11, 28060-28071	35
707	Hierarchically Structured Vertical Gold Nanowire Array-Based Wearable Pressure Sensors for Wireless Health Monitoring. 2019 , 11, 29014-29021	86
706	Review on Synthesis of Colloidal Hollow Particles and Their Applications. 2019 , 58, 20880-20901	32
705	Highly Sensitive Flexible Piezoresistive Pressure Sensor Developed Using Biomimetically Textured Porous Materials. 2019 , 11, 29466-29473	83
704	Fabrication and Evaluation of a Stretchable Thermal Sensing Cushion With Multi-Arch Structure. 2019 , 19, 6421-6429	3
703	Polyaniline Nanofiber Wrapped Fabric for High Performance Flexible Pressure Sensors. 2019 , 11,	26
702	Porous CNT/rubber composite for resistive pressure sensor. 2019 , 102, 387-393	8
701	Controllable Configuration of Sensing Band in a Pressure Sensor by Lenticular Pattern Deformation on Designated Electrodes. 2019 , 31, e1902689	22

700	Saw-Toothed Microstructure-Based Flexible Pressure Sensor as the Signal Readout for Point-of-Care Immunoassay. 2019 , 4, 2272-2276	59
699	Bioinspired Interlocked Structure-Induced High Deformability for Two-Dimensional Titanium Carbide (MXene)/Natural Microcapsule-Based Flexible Pressure Sensors. 2019 , 13, 9139-9147	192
698	Flexible Tactile Electronic Skin Sensor with 3D Force Detection Based on Porous CNTs/PDMS Nanocomposites. 2019 , 11, 57	67
697	Toward Multifunctional and Wearable Smart Skins with Energy-Harvesting, Touch-Sensing, and Exteroception-Visualizing Capabilities by an All-Polymer Design. 2019 , 5, 1900553	24
696	Highly conductive PEDOT:PSS with enhanced chemical stability. 2019 , 74, 77-81	13
695	Architecting highly hydratable polymer networks to tune the water state for solar water purification. 2019 , 5, eaaw5484	303
694	Synergistic Energy Nanoconfinement and Water Activation in Hydrogels for Efficient Solar Water Desalination. 2019 , 13, 7913-7919	187
693	A Solid-State Aqueous Electrolyte-Gated Field-Effect Transistor as a Low-Voltage Operation Pressure-Sensitive Platform. 2019 , 6, 1900719	18
692	Oxide rupture-induced conductivity in liquid metal nanoparticles by laser and thermal sintering. 2019 , 11, 17615-17629	42
691	Identifying Adhesion Properties at Si/Polymer Interfaces with ReaxFF. 2019 , 123, 27036-27047	4
690	Electronic Skin: Recent Progress and Future Prospects for Skin-Attachable Devices for Health Monitoring, Robotics, and Prosthetics. 2019 , 31, e1904765	498
689	Hydrogels as an Emerging Material Platform for Solar Water Purification. 2019 , 52, 3244-3253	193
688	Flexible and wearable healthcare sensors for visual reality health-monitoring. 2019 , 1, 411-427	15
687	A wearable and sensitive graphene-cotton based pressure sensor for human physiological signals monitoring. 2019 , 9, 14457	16
686	Large-Area Soft e-Skin: The Challenges Beyond Sensor Designs. 2019 , 107, 2016-2033	117
685	Self-Powered Flexible Sensor Based on the Graphene Modified P(VDF-TrFE) Electrospun Fibers for Pressure Detection. 2019 , 304, 1900504	8
684	Cellular Graphene: Fabrication, Mechanical Properties, and Strain-Sensing Applications. 2019 , 1, 1148-1202	24
683	Properties of conductive polymer hydrogels and their application in sensors. 2019 , 57, 1606-1621	32

682	Mechanically transformative electronics, sensors, and implantable devices. 2019 , 5, eaay0418	70
681	Polycrystalline Sense Layer for Magnetic Tunnel Junction (MTJ) as Ultrasensitive Sensing Element for MEMS Pressure Sensors. 2019 ,	1
680	Multifunctional Wet-Spun Filaments through Robust Nanocellulose Networks Wrapping to Single-Walled Carbon Nanotubes. 2019 , 11, 42808-42817	23
679	Graphene Aerogel Broken to Fragments for a Piezoresistive Pressure Sensor with a Higher Sensitivity. 2019 , 11, 33165-33172	29
678	Miniaturized Flexible Piezoresistive Pressure Sensors: Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) Copolymers Blended with Graphene Oxide for Biomedical Applications. 2019 , 11, 34305-34315	16
677	Tactile Sensors for Advanced Intelligent Systems. 2019 , 1, 1900090	47
676	Smart Floor for a more comfortable and safer life. 2019 ,	0
675	A bioinspired hydrogen bond-triggered ultrasensitive ionic mechanoreceptor skin. <i>Nature Communications</i> , 2019 , 10, 4019	17.4 67
674	Carbon-Nanotube-Coated 3D Microspring Force Sensor for Medical Applications. 2019 , 11, 35577-35586	18
673	A Highly Sensitive Capacitive Pressure Sensor with Microdome Structure for Robot Tactile Detection. 2019 ,	7
672	Development of Poly (butylene adipate-co-terephthalate) Filled with Montmorillonite-Polypyrrole for Pressure Sensor Applications. 2019 , 22,	8
671	Ultra-robust wide-range pressure sensor with fast response based on polyurethane foam doubly coated with conformal silicone rubber and CNT/TPU nanocomposites islands. 2019 , 177, 107364	45
670	. 2019 ,	0
669	. 2019 , 107, 2065-2083	35
668	A UV-responsive pressure sensitive adhesive for damage-free fabrication of an ultrathin imperceptible mechanical sensor with ultrahigh optical transparency. 2019 , 7, 22588-22595	16
667	A bimodal soft electronic skin for tactile and touchless interaction in real time. <i>Nature Communications</i> , 2019 , 10, 4405	17.4 91
666	A tactile sensing array integrated with tension sensor for continuously monitoring blood pulse waves. 2019 , 218, 111132	2
665	Versatile Electronic Skins with Biomimetic Micronanostructures Fabricated Using Natural Reed Leaves as Templates. 2019 , 11, 38084-38091	22

664	Hysteresis Compensation in Force/Torque Sensors Using Time Series Information. 2019 , 19,	2
663	Skin-inspired flexible and high-sensitivity pressure sensors based on rGO films with continuous-gradient wrinkles. 2019 , 11, 4258-4266	89
662	Ultrasensitive, flexible, and low-cost nanoporous piezoresistive composites for tactile pressure sensing. 2019 , 11, 2779-2786	46
661	A Biodegradable and Stretchable Protein-Based Sensor as Artificial Electronic Skin for Human Motion Detection. 2019 , 15, e1805084	89
660	Using Artificial Skin Devices as Skin Replacements: Insights into Superficial Treatment. 2019 , 15, e1805453	34
659	Bio-Integrated Wearable Systems: A Comprehensive Review. 2019 , 119, 5461-5533	496
658	Emerging Technologies of Flexible Pressure Sensors: Materials, Modeling, Devices, and Manufacturing. 2019 , 29, 1808509	175
657	Highly sensitive, reliable and flexible piezoresistive pressure sensors featuring polyurethane sponge coated with MXene sheets. 2019 , 542, 54-62	134
656	A flexible piezoresistive sensor with highly elastic weave pattern for motion detection. 2019 , 28, 035020	15
655	Challenges in creating dissectible anatomical 3D prints for surgical teaching. 2019 , 234, 419-437	30
654	A Wearable Transient Pressure Sensor Made with MXene Nanosheets for Sensitive Broad-Range Human-Machine Interfacing. 2019 , 19, 1143-1150	325
653	Ultra-stretchable hydrogels with reactive liquid metals as asymmetric force-sensors. 2019 , 6, 618-625	107
652	Advanced electronic skin devices for healthcare applications. 2019 , 7, 173-197	120
651	A Sensitive Piezoresistive Tactile Sensor Combining Two Microstructures. 2019 , 9,	9
650	Stretchable, Injectable, and Self-Healing Conductive Hydrogel Enabled by Multiple Hydrogen Bonding toward Wearable Electronics. 2019 , 31, 4553-4563	194
649	3D-Printed Flexible Tactile Sensor Mimicking the Texture and Sensitivity of Human Skin. 2019 , 4, 1900147	13
648	Fabrication of highly sensitive capacitive pressure sensors with porous PDMS dielectric layer via microwave treatment. 2019 , 215, 111002	17
647	Low-hysteresis and low-interference soft tactile sensor using a conductive coated porous elastomer and a structure for interference reduction. 2019 , 295, 541-550	15

646	Anisotropic Thermal Conductive Composite by the Guided Assembly of Boron Nitride Nanosheets for Flexible and Stretchable Electronics. 2019 , 29, 1902575	83
645	Organic Optoelectronic Diodes as Tactile Sensors for Soft-Touch Applications. 2019 , 11, 21775-21783	11
644	Doping engineering of conductive polymer hydrogels and their application in advanced sensor technologies. 2019 , 10, 6232-6244	76
643	Highly Sensitive Solvent-free Silver Nanoparticle Strain Sensors with Tunable Sensitivity Created Using an Aerodynamically Focused Nanoparticle Printer. 2019 , 11, 26421-26432	15
642	Thermochromic and Piezocapacitive Flexible Sensor Array by Combining Composite Elastomer Dielectrics and Transparent Ionic Hydrogel Electrodes. 2019 , 4, 1900327	25
641	Multi-Layered, Hierarchical Fabric-Based Tactile Sensors with High Sensitivity and Linearity in Ultrawide Pressure Range. 2019 , 29, 1902484	73
640	A highly sensitive biodegradable pressure sensor based on nanofibrous dielectric. 2019 , 294, 140-147	31
639	Modulation of mechanical properties and stable light energy harvesting by poling in polymer integrated perovskite films: a wide range, linear and highly sensitive tactile sensor. 2019 , 7, 14192-14198	6
638	Clinical assessment of a non-invasive wearable MEMS pressure sensor array for monitoring of arterial pulse waveform, heart rate and detection of atrial fibrillation. 2019 , 2, 39	61
637	Towards ultra-wide operation range and high sensitivity: Graphene film based pressure sensors for fingertips. 2019 , 139, 111296	18
636	Tunable piezoelectric nanogenerators using flexoelectricity of well-ordered hollow 2D MoS ₂ shells arrays for energy harvesting. 2019 , 61, 471-477	22
635	Mechanically Flexible Conductors for Stretchable and Wearable E-Skin and E-Textile Devices. 2019 , 31, e1901408	193
634	Highly Aligned, Anisotropic Carbon Nanofiber Films for Multidirectional Strain Sensors with Exceptional Selectivity. 2019 , 29, 1901623	75
633	Flexible and lightweight microcellular RGO@Pebax composites with synergistic 3D conductive channels and microcracks for piezoresistive sensors. 2019 , 123, 222-231	34
632	Multi-walled Carbon Nanotube (MWCNT)/PDMS-based Flexible Sensor for Medical Applications. 2019 ,	4
631	Tunable, Ultrasensitive, and Flexible Pressure Sensors Based on Wrinkled Microstructures for Electronic Skins. 2019 , 11, 21218-21226	74
630	Printed High-k Dielectric for Flexible Low-Power Extended Gate Field-Effect Transistor in Sensing Pressure. 2019 , 1, 711-717	15
629	Amorphous FeZr metal for multi-functional sensor in electronic skin. 2019 , 3,	8

628	An Integrated Film Sensor for Measuring Force and Temperature for Artificial Skin Applications. 2019 , 1003-1007	
627	Nanostructured electrically conductive hydrogels obtained via ultrafast laser processing and self-assembly. 2019 , 11, 9176-9184	19
626	Laser micro-structured pressure sensor with modulated sensitivity for electronic skins. 2019 , 30, 325502	42
625	Ultraviolet- and Microwave-Protecting, Self-Cleaning e-Skin for Efficient Energy Harvesting and Tactile Mechanosensing. 2019 , 11, 17501-17512	25
624	Strategy of Constructing Light-Weight and Highly Compressible Graphene-Based Aerogels with an Ordered Unique Configuration for Wearable Piezoresistive Sensors. 2019 , 11, 19350-19362	24
623	Flexible Sensors—from Materials to Applications. 2019 , 7, 35	78
622	Polyphenylene sulfide (PPS) fibrous felt coated with conductive polyaniline via in situ polymerization for smart high temperature bag-filter. 2019 , 6, 075706	7
621	Development of Adhesive and Conductive Resilin-Based Hydrogels for Wearable Sensors. 2019 , 20, 3283-3293	38
620	Development of Compact Load Cell Using Multiwall Carbon Nanotube/Cotton Composites and Its Application to Human Health and Activity Monitoring. 2019 , 2019, 1-15	4
619	Humidity and Strain Rate Determine the Extent of Phase Shift in the Piezoresistive Response of PEDOT:PSS. 2019 , 11, 16888-16895	7
618	Hetero-contact microstructure to program discerning tactile interactions for virtual reality. 2019 , 60, 127-136	29
617	A carbon aerogel with super mechanical and sensing performances for wearable piezoresistive sensors. 2019 , 7, 8092-8100	90
616	Capacitive Pressure Sensor with Wide-Range, Bendable, and High Sensitivity Based on the Bionic Komochi Konbu Structure and Cu/Ni Nanofiber Network. 2019 , 11, 11928-11935	62
615	All-Carbon Pressure Sensors with High Performance and Excellent Chemical Resistance. 2019 , 15, e1804779	25
614	Graphene-coated microballs for a hyper-sensitive vacuum sensor. 2019 , 9, 4910	5
613	One-step chemical treatment to design an ideal nanospacer structure for a highly sensitive and transparent pressure sensor. 2019 , 7, 5059-5066	15
612	Graphene-Coated Spandex Sensors Embedded into Silicone Sheath for Composites Health Monitoring and Wearable Applications. 2019 , 15, e1804991	54
611	Wireless wide-range pressure sensor based on graphene/PDMS sponge for tactile monitoring. 2019 , 9, 3916	66

610	E-Skin Bimodal Sensors for Robotics and Prosthesis Using PDMS Molds Engraved by Laser. 2019 , 19,	16
609	Sensing up to 40 atm Using Pressure-Sensitive Aero-GaN. 2019 , 13, 1900012	11
608	Structure-Property Relationships in Graphene-Based Strain and Pressure Sensors for Potential Artificial Intelligence Applications. 2019 , 19,	36
607	Indene-Based Donor-Acceptor Type Small Molecular Semiconductors for High-Performance n-Channel Transistors. 2019 , 4, 4217-4221	2
606	Ion-conductive self-healing hydrogels based on an interpenetrating polymer network for a multimodal sensor. 2019 , 371, 452-460	81
605	Piezoresistive Graphene/P(VDF-TrFE) Heterostructure Based Highly Sensitive and Flexible Pressure Sensor. 2019 , 11, 16006-16017	37
604	Fabrication and Dynamic Modeling of Bidirectional Bending Soft Actuator Integrated with Optical Waveguide Curvature Sensor. 2019 , 6, 495-506	24
603	Biomass polymer-assisted fabrication of aerogels from MXenes with ultrahigh compression elasticity and pressure sensitivity. 2019 , 7, 10273-10281	58
602	Screen-Printed Soft Capacitive Sensors for Spatial Mapping of Both Positive and Negative Pressures. 2019 , 29, 1809116	43
601	Rational Design of a Flexible CNTs@PDMS Film Patterned by Bio-Inspired Templates as a Strain Sensor and Supercapacitor. 2019 , 15, e1805493	60
600	Recent Progress in Aromatic Polyimide Dielectrics for Organic Electronic Devices and Circuits. 2019 , 31, e1806070	85
599	A Path Beyond Metal and Silicon: Polymer/Nanomaterial Composites for Stretchable Strain Sensors. 2019 , 29, 1806306	88
598	Fabrication of Large-Area Bimodal Sensors by All-Inkjet-Printing. 2019 , 4, 1800703	26
597	Highly stretchable ionic conducting hydrogels for strain/tactile sensors. 2019 , 167, 154-158	21
596	Flexible resistive pressure sensor with silver nanowire networks embedded in polymer using natural formation of air gap. 2019 , 174, 50-57	35
595	High-Performance Pressure Sensors Based on 3D Microstructure Fabricated by a Facile Transfer Technology. 2019 , 4, 1800640	35
594	Emergent Soft Lithographic Tools for the Fabrication of Functional Polymeric Microstructures. 2019 , 20, 909-925	18
593	A multiscale flexible pressure sensor based on nanovesicle-like hollow microspheres for micro-vibration detection in non-contact mode. 2019 , 11, 5737-5745	9

592	Investigation of Lightweight and Flexible Carbon Nanofiber/Poly Dimethylsiloxane Nanocomposite Sponge for Piezoresistive Sensor Application. 2019 , 21, 1801068	31
591	Extremely strong and tough polythiophene composite for flexible electronics. 2019 , 368, 933-940	24
590	Enokitake Mushroom-like Standing Gold Nanowires toward Wearable Noninvasive Bimodal Glucose and Strain Sensing. 2019 , 11, 9724-9729	63
589	Polyimide/Graphene Nanocomposite Foam-Based Wind-Driven Triboelectric Nanogenerator for Self-Powered Pressure Sensor. 2019 , 4, 1800723	59
588	. 2019 ,	
587	3-D Printed Strain Sensor for Structural Health Monitoring. 2019 ,	7
586	. 2019 ,	4
585	Flexible and Highly Sensitive Strain Sensor Based on Laser-Induced Graphene Pattern Fabricated by 355 nm Pulsed Laser. 2019 , 19,	21
584	Highly flexible and sensitive temperature sensors based on Ti3C2Tx (MXene) for electronic skin. 2019 , 7, 25314-25323	42
583	Biomimetics for high-performance flexible tactile sensors and advanced artificial sensory systems. 2019 , 7, 14816-14844	33
582	Implantable Neural Interfaces and Wearable Tactile Systems for Bidirectional Neuroprosthetics Systems. 2019 , 8, e1801345	15
581	Flexible Pressure Sensors with a Wide Detection Range Based on Self-Assembled Polystyrene Microspheres. 2019 , 19,	8
580	Highly Ordered 3D Microstructure-Based Electronic Skin Capable of Differentiating Pressure, Temperature, and Proximity. 2019 , 11, 1503-1511	51
579	Bio-mimetic synthetic cell hydrogel magnetometer. 2019 , 14, 026003	1
578	A Self-Healing, All-Organic, Conducting, Composite Peptide Hydrogel as Pressure Sensor and Electrogenic Cell Soft Substrate. 2019 , 13, 163-175	94
577	Touch Position Detection in Electrical Tomography Tactile Sensors Through Quadratic Classifier. 2019 , 19, 474-483	22
576	Significance of Nanomaterials in Wearables: A Review on Wearable Actuators and Sensors. 2019 , 31, e1805921	293
575	A flexible pressure sensor by induced ordered nano cracks filled with multilayer graphene oxide composite film as a conductive fine-wire network for higher sensitivity. 2019 , 4, 015003	13

574	Non-Invasive Flexible and Stretchable Wearable Sensors With Nano-Based Enhancement for Chronic Disease Care. 2019 , 12, 34-71	30
573	A general and facile method for preparation of large-scale reduced graphene oxide films with controlled structures. 2019 , 143, 162-171	24
572	Ultrafast response of spray-on nanocomposite piezoresistive sensors to broadband ultrasound. 2019 , 143, 743-751	22
571	Learning from an Intelligent Mechanosensing System of Plants. 2019 , 4, 1800464	9
570	Mo-catalysis-assisted expeditious synthesis of N-doped erythrocyte-like hollow porous carbons for sodium storage. 2019 , 143, 240-246	6
569	A review on porous polymer composite materials for multifunctional electronic applications. 2019 , 58, 1253-1294	11
568	Flexible Multifunctional Sensors for Wearable and Robotic Applications. 2019 , 4, 1800626	122
567	Direct write of a flexible high-sensitivity pressure sensor with fast response for electronic skins. 2019 , 67, 10-18	25
566	Super Moisture-Absorbent Gels for All-Weather Atmospheric Water Harvesting. 2019 , 31, e1806446	144
565	Development of a Highly Sensitive, Broad-Range Hierarchically Structured Reduced Graphene Oxide/PolyHIPE Foam for Pressure Sensing. 2019 , 11, 4318-4327	48
564	Bioinspired Electronics for Artificial Sensory Systems. 2019 , 31, e1803637	104
563	Highly Conductive Polydimethylsiloxane/Carbon Nanofiber Composites for Flexible Sensor Applications. 2019 , 4, 1800398	50
562	Molecule-Graphene Hybrid Materials with Tunable Mechanoresponse: Highly Sensitive Pressure Sensors for Health Monitoring. 2019 , 31, e1804600	103
561	All VN-graphene architecture derived self-powered wearable sensors for ultrasensitive health monitoring. 2019 , 12, 331-338	48
560	Tactile Chemomechanical Transduction Based on an Elastic Microstructured Array to Enhance the Sensitivity of Portable Biosensors. 2019 , 31, e1803883	34
559	The enhanced capacitance performance of the modified polypyrrole with the mixture of carbon nanomaterials. 2019 , 832, 380-384	11
558	Advanced Carbon for Flexible and Wearable Electronics. 2019 , 31, e1801072	458
557	A Facile Realization Scheme for Tactile Sensing with a Structured Silver Nanowire-PDMS Composite. 2019 , 4, 1800504	22

556	Stretchable and multifunctional strain sensors based on 3D graphene foams for active and adaptive tactile imaging. 2019 , 62, 555-565	15
555	Template-free synthesis of tunable hollow microspheres of aniline and aminocarbazole copolymers emitting colorful fluorescence for ultrasensitive sensors. 2019 , 357, 776-786	13
554	Influence of sheet roughness on the sensitivity of piezoelectric force sensors. 2019 , 233, 243-250	3
553	Wearable and flexible electronics for continuous molecular monitoring. 2019 , 48, 1465-1491	551
552	Carbon nanotubes reinforced hydrogel as flexible strain sensor with high stretchability and mechanically toughness. 2020 , 382, 122832	159
551	A photoluminescent molecular host with aggregation-induced emission enhancement, multi-stimuli responsive properties and tunable photoluminescence host-guest interaction in the solid state. 2020 , 386, 112106	6
550	An ultra-sensitive and wide measuring range pressure sensor with paper-based CNT film/interdigitated structure. 2020 , 63, 403-412	23
549	Flexible Hybrid Sensors for Health Monitoring: Materials and Mechanisms to Render Wearability. 2020 , 32, e1902133	114
548	Artificial Sensory Memory. 2020 , 32, e1902434	98
547	Advanced materials of printed wearables for physiological parameter monitoring. 2020 , 32, 147-177	59
546	Plasma modification of PU foam for piezoresistive sensor with high sensitivity, mechanical properties and long-term stability. 2020 , 381, 122666	35
545	Disruptive, Soft, Wearable Sensors. 2020 , 32, e1904664	138
544	Polypyrrole-coated fiber-scaffolds: Concurrent linear actuation and sensing. 2020 , 137, 48533	9
543	Facile Fabrication of Ultraflexible Transparent Electrodes Using Embedded Copper Networks for Wearable Pressure Sensors. 2020 , 5, 1900823	11
542	Graphene-based wearable piezoresistive physical sensors. 2020 , 36, 158-179	109
541	A Survey of Tactile-Sensing Systems and Their Applications in Biomedical Engineering. 2020 , 2020, 1-17	24
540	Reviews of wearable healthcare systems: Materials, devices and system integration. 2020 , 140, 100523	107
539	State-of-the-art and recent developments in micro/nanoscale pressure sensors for smart wearable devices and health monitoring systems. 2020 , 3, 43-52	17

538	Hollow MXene Sphere/Reduced Graphene Aerogel Composites for Piezoresistive Sensor with Ultra-High Sensitivity. 2020 , 6, 1901064	77
537	Core-sheath nanofiber yarn for textile pressure sensor with high pressure sensitivity and spatial tactile acuity. 2020 , 561, 93-103	31
536	Highly Sensitive 1T-MoS ₂ Pressure Sensor with Wide Linearity Based on Hierarchical Microstructures of Leaf Vein as Spacer. 2020 , 6, 1900916	6
535	Recent innovations in artificial skin. 2020 , 8, 776-797	22
534	Wearable Sensors for Monitoring Human Motion: A Review on Mechanisms, Materials, and Challenges. 2020 , 25, 9-24	36
533	Physical sensors for skin-inspired electronics. 2020 , 2, 184-211	80
532	Hollow Polyaniline Microsphere Functionalized Paper with Multimodal Sensitivity to Strain, Humidity, and Pressure. 2020 , 2, 247-253	3
531	Self-Assembly and Cross-Linking of Conducting Polymers into 3D Hydrogel Electrodes for Supercapacitor Applications. 2020 , 3, 923-932	39
530	Soft eSkin: distributed touch sensing with harmonized energy and computing. 2020 , 378, 20190156	45
529	Highly stretchable, healable, sensitive double-network conductive hydrogel for wearable sensor. 2020 , 211, 123095	15
528	Stimuli-responsive luminescent bithiophene-dicarbaldehyde molecular rotors by hydrogen bonding. 2020 , 8, 16100-16106	7
527	Near-hysteresis-free soft tactile electronic skins for wearables and reliable machine learning. 2020 , 117, 25352-25359	38
526	Design and One-Pot Synthesis of Capsid-like Gold Colloids with Tunable Surface Roughness and Their Enhanced Sensing and Catalytic Performances. 2020 , 12, 50152-50160	3
525	Flexible GaN microwire-based piezotronic sensory memory device. 2020 , 78, 105312	5
524	Recent Progress in Pressure Sensors for Wearable Electronics: From Design to Applications. 2020 , 10, 6403	9
523	A robust stretchable pressure sensor for electronic skins. 2020 , 86, 105926	3
522	Untraditional Deformation-Driven Pressure Sensor with High Sensitivity and Ultra-Large Sensing Range up to MPa Enables Versatile Applications. 2020 , 5, 2000677	12
521	Alcohol-based highly conductive polymer for conformal nanocoatings on hydrophobic surfaces toward a highly sensitive and stable pressure sensor. 2020 , 12,	13

520	Integration of Electrospray and Digital Light Processing for Freeform Patterning of Porous Microstructures. 2020 , 5, 2000578		3
519	Environment-Resilient Graphene Vibrotactile Sensitive Sensors for Machine Intelligence. 2020 , 2, 986-992		12
518	Ultracomfortable Hierarchical Nanonetwork for Highly Sensitive Pressure Sensor. 2020 , 14, 9605-9612		66
517	High-sensitivity, fast-response flexible pressure sensor for electronic skin using direct writing printing.. 2020 , 10, 26188-26196		5
516	3D geometrically structured PANI/CNT-decorated polydimethylsiloxane active pressure and temperature dual-parameter sensors for man-machine interaction applications. 2020 , 8, 15167-15176		22
515	CNT-coated magnetic self-assembled elastomer micropillar arrays for sensing broad-range pressures. 2020 , 31, 435501		1
514	Quantum effect-based flexible and transparent pressure sensors with ultrahigh sensitivity and sensing density. <i>Nature Communications</i> , 2020 , 11, 3529	17.4	38
513	3D sprayed polyurethane functionalized graphene / carbon nanotubes hybrid architectures to enhance the piezo-resistive response of quantum resistive pressure sensors. 2020 , 168, 564-579		11
512	Stretchable respiration sensors: Advanced designs and multifunctional platforms for wearable physiological monitoring. 2020 , 166, 112460		59
511	Flexible Pressure Sensors for Biomedical Applications: From Ex Vivo to In Vivo. 2020 , 7, 2000743		23
510	Pollen-Shaped Hierarchical Structure for Pressure Sensors with High Sensitivity in an Ultrabroad Linear Response Range. 2020 , 12, 55362-55371		16
509	Highly Sensitive Interlocked Piezoresistive Sensors Based on Ultrathin Ordered Nanocone Array Films and Their Sensitivity Simulation. 2020 , 12, 55169-55180		11
508	Thin-Film Flexible Wireless Pressure Sensor for Continuous Pressure Monitoring in Medical Applications. 2020 , 20,		5
507	Artificially innervated self-healing foams as synthetic piezo-impedance sensor skins. <i>Nature Communications</i> , 2020 , 11, 5747	17.4	43
506	Wireless, skin-interfaced sensors for compression therapy. 2020 , 6,		26
505	Locally Controlled Sensing Properties of Stretchable Pressure Sensors Enabled by Micro-Patterned Piezoresistive Device Architecture. 2020 , 20,		1
504	Highly sensitive flexible pressure sensors based on graphene/graphene scrolls multilayer hybrid films. 2020 , 33, 365-370		1
503	General Strategy for Designing Highly Selective Gas-Sensing Nanoreactors: Morphological Control of SnO Hollow Spheres and Configurational Tuning of Au Catalysts. 2020 , 12, 51607-51615		14

502	Microengineering Pressure Sensor Active Layers for Improved Performance. 2020 , 30, 2003491	122
501	Transduction Mechanisms, Micro-Structuring Techniques, and Applications of Electronic Skin Pressure Sensors: A Review of Recent Advances. 2020 , 20,	12
500	A Carbon Flower Based Flexible Pressure Sensor Made from Large-Area Coating. 2020 , 7, 2000875	12
499	Highly sensitive flexible pressure sensor based on ionic dielectric layer with hierarchical ridge microstructure. 2020 , 313, 112218	7
498	Surface Engineering of a 3D Topological Network for Ultrasensitive Piezoresistive Pressure Sensors. 2020 , 12, 38805-38812	20
497	Self-Powered, Electrochemical Carbon Nanotube Pressure Sensors for Wave Monitoring. 2020 , 30, 2004564	9
496	A metal-electrode-free, fully integrated, soft triboelectric sensor array for self-powered tactile sensing. 2020 , 6, 59	22
495	Use of Multi-frequency Electrical Impedance Tomography as Tactile Sensor for Material Discrimination. 2020 ,	1
494	Bending Sensors Based on Thin Films of Semitransparent Bithiophene-Fulleropyrrolidine Bisadducts. 2020 , 85, 2455-2464	1
493	Device Based on Polymer Schottky Junctions and Their Applications: A Review. 2020 , 8, 189646-189660	3
492	Processing Natural Wood into a High-Performance Flexible Pressure Sensor. 2020 , 12, 46357-46365	23
491	Mathematical Model and Experimental Design of Nanocomposite Proximity Sensors. 2020 , 8, 153087-153097	7
490	Sensing-range-tunable pressure sensors realized by self-patterned-spacer design and vertical CNT arrays embedded in PDMS.. 2020 , 10, 33558-33565	3
489	MXene-Coated Air-Permeable Pressure-Sensing Fabric for Smart Wear. 2020 , 12, 46446-46454	42
488	Functional Conductive Hydrogels for Bioelectronics. 2020 , 2, 1287-1301	68
487	Robust Flexible Pressure Sensors Made from Conductive Micropyramids for Manipulation Tasks. 2020 , 14, 12866-12876	38
486	Gelatin methacryloyl-based tactile sensors for medical wearables. 2020 , 30, 2003601	41
485	High-Dynamic-Range Pressure Mapping Interactions by Dual Piezo-Phototronic Transistor with Piezo-Nanowire Channels and Piezo-OLED Gates. 2020 , 30, 2004724	5

484	Organic Thin Film Transistors in Mechanical Sensors. 2020 , 30, 2004700	5
483	CNT@leather-based electronic bidirectional pressure sensor. 2020 , 63, 2137-2146	1
482	Facile Preparation of Eco-Friendly, Flexible Starch-Based Materials with Ionic Conductivity and Strain-Responsiveness. 2020 , 8, 19117-19128	12
481	Performance Analysis of Embedded Mechanoluminescence-Perovskite Self-Powered Pressure Sensor for Structural Health Monitoring. 2020 , 4, 190	3
480	An Ultrahigh Sensitive Paper-Based Pressure Sensor with Intelligent Thermotherapy for Skin-Integrated Electronics. 2020 , 10,	5
479	Binary Spiky/Spherical Nanoparticle Films with Hierarchical Micro/Nanostructures for High-Performance Flexible Pressure Sensors. 2020 , 12, 58403-58411	8
478	Designing Tunable Capacitive Pressure Sensors Based on Material Properties and Microstructure Geometry. 2020 , 12, 58301-58316	20
477	Tunable Pressure Sensor of -Carbon Dot-Based Conductive Hydrogel with Electrical, Mechanical, and Shape Recovery for Monitoring Human Motion. 2020 , 12, 51766-51775	10
476	2D-SnSe ₂ Nanosheet Functionalized Piezo-resistive Flexible Sensor for Pressure and Human Breath Monitoring. 2020 , 8, 7741-7749	29
475	A Stretchable Pressure and Strain Sensor Using Conductive Silk Hydrogels. 2020 ,	
474	Body-Integrated, Enzyme-Triggered Degradable, Silk-Based Mechanical Sensors for Customized Health/Fitness Monitoring and In Situ Treatment. 2020 , 7, 1903802	32
473	Meso-Reconstruction of Wool Keratin 3D "Molecular Springs" for Tunable Ultra-Sensitive and Highly Recovery Strain Sensors. 2020 , 16, e2000128	20
472	Flexible and Highly Sensitive Pressure Sensors with Surface Discrete Microdomes Made from Self-Assembled Polymer Microspheres Array. 2020 , 221, 2000073	17
471	Recent Advances in Flexible and Stretchable Sensing Systems: From the Perspective of System Integration. 2020 , 14, 6449-6469	39
470	Highly Sensitive Strain Sensor Based on a Stretchable and Conductive Poly(vinyl alcohol)/Phytic Acid/NH-POSS Hydrogel with a 3D Microporous Structure. 2020 , 12, 26496-26508	46
469	Flexible Graphene-Assembled Film-Based Antenna for Wireless Wearable Sensor with Miniaturized Size and High Sensitivity. 2020 , 5, 12937-12943	17
468	Compression-induced electrical percolation and enhanced mechanical properties of polydimethylsiloxane-based nanocomposites. 2020 , 55, 10611-10625	2
467	Multifunctional and highly sensitive piezoresistive sensing textile based on a hierarchical architecture. 2020 , 197, 108255	35

466	Skin-inspired electronics: emerging semiconductor devices and systems. 2020 , 41, 041601	33
465	Thermally stable cobalt amide cyanide as high-activity and durable bifunctional electrocatalyst toward O ₂ and CO ₂ reduction. 2020 , 353, 136605	1
464	Flexible and high-sensitivity piezoresistive sensor based on MXene composite with wrinkle structure. 2020 , 46, 23592-23598	31
463	Biomimetic and porous nanofiber-based hybrid sensor for multifunctional pressure sensing and human gesture identification via deep learning method. 2020 , 76, 105029	26
462	Fully Integrated Mechanoluminescent Devices with Nanometer-Thick Perovskite Film as Self-Powered Flexible Sensor for Dynamic Pressure Sensing. 2020 , 3, 6749-6756	12
461	Sensitive piezoresistive sensors using ink-modified plant fiber sponges. 2020 , 401, 126029	10
460	A Highly Elastic and Fatigue-Resistant Natural Protein-Reinforced Hydrogel Electrolyte for Reversible-Compressible Quasi-Solid-State Supercapacitors. 2020 , 7, 2000587	20
459	Highly Stretchable and Sensitive Pressure Sensor Array Based on Icicle-Shaped Liquid Metal Film Electrodes. 2020 , 12, 27961-27970	30
458	Enhanced Energy Storage Performance of 3D Hybrid Metal Sulfides via Synergistic Engineering of Architecture and Composition. 2020 , 8, 11491-11500	4
457	Optoelectronic Enhancement for Piezoresistive Pressure Sensor. 2020 ,	2
456	A Hierarchical 3D Graphene Nanocomposite Foam for Extremely Tough, Non-Wettable, and Elastic Conductor. 2020 , 7, 2000354	2
455	Polymer nanocomposite meshes for flexible electronic devices. 2020 , 107, 101279	44
454	Low-cost foil/paper based touch mode pressure sensing element as artificial skin module for prosthetic hand. 2020 ,	3
453	Transparent Pressure Sensor with High Linearity over a Wide Pressure Range for 3D Touch Screen Applications. 2020 , 12, 16691-16699	23
452	Flexible Broad-Range Pressure Sensors Enabled by Deformation-Induced Conductive Channels in 3D Graphene Foam@Polydimethylsiloxane Composite for Precise Vibrational Signal Detection. 2020 , 38, 719-724	4
451	Highly Transparent, Self-Healable, and Adhesive Organogels for Bio-Inspired Intelligent Ionic Skins. 2020 , 12, 15657-15666	53
450	Covalent organic hollow nanospheres constructed by using AIE-active units for nitrophenol explosives detection. 2020 , 63, 497-503	9
449	Nanomaterial-based wearable pressure sensors: A minireview. 2020 , 48, 459-479	7

448	High-Sensitivity Flexible Pressure Sensor With Low Working Voltage Based on Sphenoid Microstructure. 2020 , 20, 7354-7361	8
447	A Flexible Piezoelectric Strain Sensor Array With Laser-Patterned Serpentine Interconnects. 2020 , 20, 8463-8468	7
446	Opto-electronic coupling in semiconductors: towards ultrasensitive pressure sensing. 2020 , 8, 4713-4721	12
445	Superelastic and large-range pressure sensor with hollow-sphere architectures for wearable electronic skin. 2020 , 29, 045014	8
444	Stretchable Sensors with Tunability and Single Stimuli-Responsiveness through Resistivity Switching Under Compressive Stress. 2020 , 12, 14433-14442	8
443	A Highly Sensitive and Flexible Capacitive Pressure Sensor Based on a Porous Three-Dimensional PDMS/Microsphere Composite. 2020 , 12,	25
442	Flexible Humidity and Pressure Sensors Realized by Molding and Inkjet Printing Processes with Sandwich Structure. 2020 , 305, 2000287	12
441	Hydrogels and Hydrogel-Derived Materials for Energy and Water Sustainability. 2020 , 120, 7642-7707	266
440	Durable, Sensitive, and Wide-Range Wearable Pressure Sensors Based on Wavy-Structured Flexible Conductive Composite Film. 2020 , 305, 2000206	14
439	Flexible triboelectric 3D touch pad with unit subdivision structure for effective XY positioning and pressure sensing. 2020 , 76, 105047	42
438	. 2020 , 20, 12146-12153	7
437	Flexible paper based piezo-resistive sensor functionalised by 2D-WSe nanosheets. 2020 , 31, 435503	22
436	Linearly Sensitive and Flexible Pressure Sensor Based on Porous Carbon Nanotube/Polydimethylsiloxane Composite Structure. 2020 , 12,	15
435	A Simple Direct Microcontroller Interface for Capacitively-Coupled Resistive Sensors. 2020 ,	1
434	One-Step and Spontaneous in Situ Growth of Popcorn-like Nanostructures on Stretchable Double-Twisted Fiber for Ultrasensitive Textile Pressure Sensor. 2020 , 12, 10689-10696	41
433	Bean Pod-Inspired Ultrasensitive and Self-Healing Pressure Sensor Based on Laser-Induced Graphene and Polystyrene Microsphere Sandwiched Structure. 2020 , 12, 9710-9717	31
432	Ultrathin, Biocompatible, and Flexible Pressure Sensor with a Wide Pressure Range and Its Biomedical Application. 2020 , 5, 481-489	34
431	A Highly Sensitive Piezoresistive Pressure Sensor Based on Graphene Oxide/Polypyrrole@Polyurethane Sponge. 2020 , 20,	19

430	Synergistic Resistance Modulation toward Ultrahighly Sensitive Piezoresistive Pressure Sensors. 2020 , 5, 1901084	13
429	Macroscopic two-dimensional monolayer films of gold nanoparticles: fabrication strategies, surface engineering and functional applications. 2020 , 12, 7433-7460	30
428	Linear piezoresistive strain sensor based on graphene/g-CN/PDMS heterostructure. 2020 , 31, 295501	17
427	Molybdenum Disulfide Nanosheets Aligned Vertically on Carbonized Silk Fabric as Smart Textile for Wearable Pressure-Sensing and Energy Devices. 2020 , 12, 11825-11832	37
426	Transparent Body-Attachable Multifunctional Pressure, Thermal, and Proximity Sensor and Heater. 2020 , 10, 2701	14
425	A highly sensitive, stable, scalable pressure sensor based on a facile baking-inspired foaming process for a human-computer interface. 2020 , 8, 4271-4278	11
424	Redox-Active Iron-Citrate Complex Regulated Robust Coating-Free Hydrogel Microfiber Net with High Environmental Tolerance and Sensitivity. 2020 , 30, 1910387	38
423	. 2020 , 20, 3280-3284	2
422	Stretchable, Transparent, and Thermally Stable Triboelectric Nanogenerators Based on Solvent-Free Ion-Conducting Elastomer Electrodes. 2020 , 30, 1909252	54
421	A Large-Area, Stretchable, Textile-Based Tactile Sensor. 2020 , 5, 1901060	11
420	Supertough and ultrasensitive flexible electronic skin based on nanocellulose/sulfonated carbon nanotube hydrogel films. 2020 , 8, 6311-6318	61
419	Conformable core-shell fiber tactile sensor by continuous tubular deposition modeling with water-based sacrificial coaxial writing. 2020 , 190, 108567	17
418	Bioinspired Microspines for a High-Performance Spray TiCT MXene-Based Piezoresistive Sensor. 2020 , 14, 2145-2155	162
417	Progress in achieving high-performance piezoresistive and capacitive flexible pressure sensors: A review. 2020 , 43, 175-188	89
416	Solution-Processed Transparent Electrodes for Emerging Thin-Film Solar Cells. 2020 , 120, 2049-2122	76
415	Materials, systems, and devices for wearable bioelectronics. 2020 , 1-48	
414	Microchannel-Confined MXene Based Flexible Piezoresistive Multifunctional Micro-Force Sensor. 2020 , 30, 1909603	133
413	Ultraflexible and transparent electroluminescent skin for real-time and super-resolution imaging of pressure distribution. <i>Nature Communications</i> , 2020 , 11, 663	17.4 58

412	Recent advances of wearable and flexible piezoresistivity pressure sensor devices and its future prospects. 2020 , 6, 86-101	40
411	Ultrasensitive, Low-Voltage Operational, and Asymmetric Ionic Sensing Hydrogel for Multipurpose Applications. 2020 , 30, 1909616	16
410	Microstructured hybrid nanocomposite flexible piezoresistive sensor and its sensitivity analysis by mechanical finite-element simulation. 2020 , 31, 185502	11
409	Smart Soft Actuators and Grippers Enabled by Self-Powered Tribo-Skins. 2020 , 5, 1901075	25
408	Large-Area Fabrication of High-Performance Flexible and Wearable Pressure Sensors. 2020 , 6, 1901310	27
407	ReviewRecent Progress in Flexible and Stretchable Piezoresistive Sensors and Their Applications. 2020 , 167, 037561	37
406	Flexible pressure sensors with a highly pressure- and strain-sensitive layer based on nitroxyl radical-grafted hollow carbon spheres. 2020 , 12, 9375-9384	10
405	A Soft Resistive Acoustic Sensor Based on Suspended Standing Nanowire Membranes with Point Crack Design. 2020 , 30, 1910717	30
404	Multifunctional polydimethylsiloxane foam with multi-walled carbon nanotube and thermo-expandable microsphere for temperature sensing, microwave shielding and piezoresistive sensor. 2020 , 393, 124805	82
403	Structuring the reduced graphene oxide/polyHIPE foam for piezoresistive sensing via emulsion-templated polymerization. 2020 , 134, 105898	11
402	An intrinsically stretchable and ultrasensitive nanofiber-based resistive pressure sensor for wearable electronics. 2020 , 8, 5361-5369	19
401	A multifunctional wearable E-textile via integrated nanowire-coated fabrics. 2020 , 8, 8399-8409	31
400	Flexible Liquid-Filled Fiber Adapter Enabled Wearable Optical Sensors. 2020 , 5, 2000079	8
399	A flexible capacitive pressure sensor based on an electrospun polyimide nanofiber membrane. 2020 , 84, 105759	18
398	Ultrasensitive Thin-Film Pressure Sensors with a Broad Dynamic Response Range and Excellent Versatility Toward Pressure, Vibration, Bending, and Temperature. 2020 , 12, 20998-21008	19
397	Laser-Assisted Fabrication of a Highly Sensitive and Flexible Micro Pyramid-Structured Pressure Sensor for E-Skin Applications. 2020 , 20, 7605-7613	29
396	Robust and sensitive pressure/strain sensors from solution processable composite hydrogels enhanced by hollow-structured conducting polymers. 2021 , 403, 126307	55
395	Flexible piezoresistive strain sensor based on optimized elastomer-electronic polymer blend. 2021 , 168, 108406	11

394	Flexible, Highly Sensitive, and Ultrafast Responsive Pressure Sensor with Stochastic Microstructures for Human Health Monitoring. 2021 , 23, 2000902	9
393	Highly sensitive and flexible pressure sensor based on two-dimensional MoSe nanosheets for online wrist pulse monitoring. 2021 , 584, 495-504	31
392	Flexible pressure sensor with high sensitivity and fast response for electronic skin using near-field electrohydrodynamic direct writing. 2021 , 89, 106044	6
391	Flexible pressure sensor with a tunable pressure-detecting range for various human motions. 2021 , 173, 736-743	15
390	Multifunctional interlocked e-skin based on elastic micropattern array facilely prepared by hot-air-gun. 2021 , 407, 127960	20
389	Research progress of flexible capacitive pressure sensor for sensitivity enhancement approaches. 2021 , 321, 112425	28
388	Highly sensitive pressure sensor with broad linearity via constructing a hollow structure in polyaniline/polydimethylsiloxane composite. 2021 , 201, 108546	8
387	Distribution of conformal contact pressure in spherical plain bearings considering friction and free-edge effects. 2021 , 235, 1851-1867	3
386	Interdigitated Sensor Based on a Silicone Foam for Subtle Robotic Manipulation. 2021 , 42, e2000560	3
385	First Decade of Interfacial Iontronic Sensing: From Droplet Sensors to Artificial Skins. 2021 , 33, e2003464	50
384	Analysis of a Direct Microcontroller Interface for Capacitively Coupled Resistive Sensors. 2021 , 70, 1-10	6
383	Design and fabrication of a graphene-based microcantilever flow sensor for liquid flow measurement. 2021 , 317, 112438	4
382	Patterning of polypyrrole using protein-based template and their potential application in resist. 2021 , 212, 123151	3
381	Recent progress in conductive polymers for advanced fiber-shaped electrochemical energy storage devices. 2021 , 5, 1140-1163	20
380	Design of a Polymer Based On-Skin Temperature Sensor. 2021 ,	
379	An ultrahigh sensitivity micro-cliff graphene wearable pressure sensor made by instant flash light exposure. 2021 , 13, 15380-15393	1
378	Flexible M-Tooth Hybrid Micro-Structure Based Capacitive Pressure Sensor with High Sensitivity and Wide Sensing Range. 2021 , 1-1	4
377	Interfacial growth of free-standing PANI films: toward high-performance all-polymer supercapacitors. 2020 , 12, 1783-1790	7

376	Optical Micro/Nanofiber-Enabled Compact Tactile Sensor for Hardness Discrimination. 2021 , 13, 4560-4566	7
375	Skin-Inspired Piezoelectric Tactile Sensor Array with Crosstalk-Free Row+Column Electrodes for Spatiotemporally Distinguishing Diverse Stimuli. 2021 , 8, 2002817	57
374	Thermoplastic polyurethane flexible capacitive proximity sensor reinforced by CNTs for applications in the creative industries. 2021 , 11, 1104	12
373	Tactile sensors based on buckle structure. 2021 , 197-218	
372	Intelligent Wearable Electronics: A New Paradigm in Smart Electronics. 2021 , 169-197	3
371	Controllable Fibrillization Reinforces Genetically Engineered Rubberlike Protein Hydrogels. 2021 , 22, 961-970	1
370	High-Mechanical-Resolution Pressure Sensor Based on Melt-Blown Fibers in Integrated Wearable Mask for Respiratory Monitoring. 2021 , 1-8	2
369	Highly Sensitive and Selective Two-Dimensional Resistance Strain Sensor Based on Carbonized Silk Fiber. 2021 , 11, 151-159	
368	Improved Corrosion Resistance of AZ91D Mg Alloy by Cerium-Based Films. Formation of a Duplex Coating with Polypyrrole. 2021 , 57, 62-73	1
367	PressION: An All-Fabric Piezoionic Pressure Sensor for Extracting Physiological Metrics in Both Static and Dynamic Contexts. 2021 , 168, 017515	7
366	Current Sensing Front-Ends: A Review and Design Guidance. 2021 , 1-1	4
365	Piezoresistive Electronic-Skin Sensors Produced With Self-Channeling Laser Microstructured Silicon Molds. 2021 , 68, 786-792	8
364	Gold nanostructure-programmed flexible electrochemical biosensor for detection of glucose and lactate in sweat. 2021 , 882, 115029	13
363	Recent Progress in Flexible Pressure Sensors Based Electronic Skin. 2021 , 23, 2001187	34
362	An integrated flexible multifunctional wearable electronic device for personal health monitoring and thermal management. 2021 , 318, 112514	3
361	Flexible Sensors Based on Organic-Inorganic Hybrid Materials. 2021 , 6, 2000889	10
360	Piezoresistive electronic skin based on diverse bionic microstructure. 2021 , 318, 112532	6
359	Flexible and Sensitivity-Adjustable Pressure Sensors Based on Carbonized Bacterial Nanocellulose/Wood-Derived Cellulose Nanofibril Composite Aerogels. 2021 , 13, 8754-8763	22

358	Fabrication of Conductive Polymer Composites and Their Applications in Sensors. 2021 , 21-52	0
357	Flexible pressure sensors with microstructures. 2021 , 2, 1874	1
356	Recent Advances and Opportunities of Active Materials for Haptic Technologies in Virtual and Augmented Reality. 2021 , 31, 2008831	19
355	Electrohydrodynamics-Printed Silver Nanoparticle Flexible Pressure Sensors With Improved Gauge Factor. 2021 , 21, 5836-5844	3
354	Polymer Nanocomposites for Pressure Sensors. 2021 , 131-156	
353	Textile-Based Flexible Pressure Sensors: A Review. 1-31	15
352	Sea urchin-like microstructure pressure sensors with an ultra-broad range and high sensitivity. <i>Nature Communications</i> , 2021 , 12, 1776	17.4 39
351	A Review on Materials and Technologies for Organic Large-Area Electronics. 2021 , 6, 2001016	7
350	Design and engineering of high-performance triboelectric nanogenerator for ubiquitous unattended devices. 2021 , 3, e12093	16
349	A flexible microfluidic sensor based on main-channel and branch-channels for aerodynamic pressure measurement. 2021 , 319, 112546	2
348	Flexible piezo-resistive pressure sensor based on conducting PANI on paper substrate. 2021 , 273, 116697	12
347	High Sensitivity Polyurethane-Based Fiber Strain Sensor with Porous Structure via Incorporation of Bacterial Cellulose Nanofibers. 2021 , 7, 2001235	7
346	Ultra-Wide Range Pressure Sensor Based on a Microstructured Conductive Nanocomposite for Wearable Workout Monitoring. 2021 , 10, e2001461	10
345	A High-Performance Pressure Sensor Based on Discrete Structure and Multiple-Contact Mechanism for Detecting Human Motions and Image Description. 2021 , 21, 5845-5852	4
344	Recent Advances in Natural Functional Biopolymers and Their Applications of Electronic Skins and Flexible Strain Sensors. 2021 , 13,	15
343	A flexible wearable device with decoupled hydrophobic properties and sensing functions. 2021 , 288, 129341	2
342	A High-Resolution Self-powered Flexible Pressure Sensor Matrix Based on ZnO Nanowires. 2021 ,	
341	Facile Approach to Conductive Polymer Microelectrodes for Flexible Electronics. 2021 , 13, 21661-21668	5

340	Synergy of Porous Structure and Microstructure in Piezoresistive Material for High-Performance and Flexible Pressure Sensors. 2021 , 13, 19211-19220	27
339	Seamless Monolithic Design for Foam Based, Flexible, Parallel Plate Capacitive Sensors. 2021 , 6, 2001168	10
338	Electret Nanogenerators for Self-Powered, Flexible Electronic Pianos. 2021 , 13, 4142	0
337	Conductive Hydrogel-Based Electrodes and Electrolytes for Stretchable and Self-Healable Supercapacitors. 2021 , 31, 2101303	52
336	Orthogonal photochemistry-assisted printing of 3D tough and stretchable conductive hydrogels. <i>Nature Communications</i> , 2021 , 12, 2082	17.4 32
335	Topological Study on the Design of Soft Strain Sensors for Simultaneous Multi-point Contact Localization. 2021 ,	1
334	One-Way Continuous Deposition of Monolayer MXene Nanosheets for the Formation of Two Confronting Transparent Electrodes in Flexible Capacitive Photodetector. 2021 , 13, 25400-25409	3
333	A review of geometric and structural design for reliable flexible electronics. 2021 , 31, 074001	5
332	Facilely constructed two-sided microstructure interfaces between electrodes and cellulose paper active layer: eco-friendly, low-cost and high-performance piezoresistive sensor. 2021 , 28, 6389	14
331	Wide linear range and highly sensitive flexible pressure sensor based on multistage sensing process for health monitoring and human-machine interfaces. 2021 , 412, 128649	37
330	Recent Applications of Different Microstructure Designs in High Performance Tactile Sensors: A Review. 2021 , 21, 10291-10303	10
329	Hydrogel-Based Optical Ion Sensors: Principles and Challenges for Point-of-Care Testing and Environmental Monitoring. 2021 , 6, 1990-2001	6
328	Soft Wearable Healthcare Materials and Devices. 2021 , 10, e2100577	16
327	Interfacial Liquid Film Transfer Printing of Versatile Flexible Electronic Devices with High Yield Ratio. 2021 , 8, 2100287	3
326	Nanoscale engineering of conducting polymers for emerging applications in soft electronics. 2021 , 14, 3112-3125	5
325	Recent Advancement for the Synthesis of MXene Derivatives and Their Sensing Protocol. 2021 , 6, 2001197	5
324	Highly Sensitive, Flexible, Stable, and Hydrophobic Biofoam Based on Wheat Flour for Multifunctional Sensor and Adjustable EMI Shielding Applications. 2021 , 13, 30020-30029	13
323	Linearly Sensitive Pressure Sensor Based on a Porous Multistacked Composite Structure with Controlled Mechanical and Electrical Properties. 2021 , 13, 28975-28984	5

322	Two-Dimensional MOF Modulated Fiber Nanogenerator for Effective Acoustoelectric Conversion and Human Motion Detection. 2021 , 37, 7107-7117	9
321	Highly Sensitive Flexible Tactile Sensor Mimicking the Microstructure Perception Behavior of Human Skin. 2021 , 13, 28538-28545	9
320	An artificial neural tactile sensing system. 2021 , 4, 429-438	34
319	Breathable TiCT MXene/Protein Nanocomposites for Ultrasensitive Medical Pressure Sensor with Degradability in Solvents. 2021 , 15, 9746-9758	58
318	High-Performance Flexible Pressure Sensor Based on Controllable Hierarchical Microstructures by Laser Scribing for Wearable Electronics. 2021 , 6, 2100122	13
317	Soft Tactile Sensing Skins for Robotics. 2021 , 2, 343-354	5
316	Flexible Pressure Sensors Based on the Controlled Buckling of Doped Semiconducting Polymer Nanopillars. 2021 , 13, 37445-37454	
315	Graphene and MXene-based Sponge Pressure Sensor Array for Rectal Model Pressure Detection. 2021 , 306, 2100251	4
314	Self-Powered Direct-current Type Pressure Sensor by Polypyrrole/Metal Schottky Junction.	1
313	Fabrication of a Conductive Poly(3,4-ethylenedioxythiophene)-Coated Polyester Nonwoven Fabric and Its Application in Flexible Piezoresistive Pressure Sensors. 2021 , 3, 3177-3184	4
312	Solvodynamically Printed Silver Nanowire/Ethylene-co-vinyl Acetate Composite Films as Sensitive Piezoresistive Pressure Sensors. 2021 , 4, 7905-7916	1
311	Highly sensitive electronic skin with a linear response based on the strategy of controlling the contact area. 2021 , 85, 106013	10
310	Flexible and sensitive piezoresistive electronic skin based on TOCN/PPy hydrogel films. 2021 , 138, 51367	6
309	Uniform pressure responses for nanomaterials-based biological on-skin flexible pressure sensor array. 2021 , 181, 169-176	8
308	A Soft Pressure Sensor Array Based on a Conducting Nanomembrane. 2021 , 12,	3
307	Cutaneous Ionogel Mechanoreceptors for Soft Machines, Physiological Sensing, and Amputee Prostheses. 2021 , 33, e2102069	39
306	Ultrasensitive Hierarchical Piezoresistive Pressure Sensor for Wide-Range Pressure Detection. 2100070	2
305	A Highly Compressible and Stretchable Carbon Spring for Smart Vibration and Magnetism Sensors. 2021 , 33, e2102724	12

304	Recent Advances in Flexible Tactile Sensors for Intelligent Systems. 2021 , 21,	6
303	Fully Soft Pressure Sensor Based on Bionic Spine-Pillar Structure for Robotics Motion Monitoring. 2021 ,	1
302	Strain Sensing by Electrical Capacitive Variation: From Stretchable Materials to Electronic Interfaces. 2021 , 7, 2100190	1
301	A Hybrid Microstructure Piezoresistive Sensor with Machine Learning Approach for Gesture Recognition. 2021 , 11, 7264	1
300	Deep Eutectic Solvent Induced Porous Conductive Composite for Fully Printed Piezoresistive Pressure Sensor. 2100731	3
299	Analytical Model of Micropyramidal Capacitive Pressure Sensors and Machine-Learning-Assisted Design. 2100634	1
298	Mapping the Progress in Flexible Electrodes for Wearable Electronic Textiles: Materials, Durability, and Applications. 2100578	8
297	Skin-like hydrogel devices for wearable sensing, soft robotics and beyond. 2021 , 24, 103174	13
296	Two-dimensional van der Waals thin film transistors as active matrix for spatially resolved pressure sensing. 2021 , 14, 3395-3401	1
295	Lightweight and elastic wood-derived composites for pressure sensing and electromagnetic interference shielding. 2021 , 213, 108931	13
294	Sensors for Sustainable Smart Cities: A Review. 2021 , 11, 8198	12
293	Recent Progress in Bionic Skin Based on Conductive Polymer Gels. 2021 , 42, e2100480	6
292	Spatio-temporal modulation of self-assembled central aggregates of buoyant colloids in sessile droplets using vapor mediated interactions. 2021 , 598, 136-146	2
291	E-Skin: The Dawn of a New Era of On-Body Monitoring Systems. 2021 , 12,	3
290	MXene/cellulose nanofiber-foam based high performance degradable piezoresistive sensor with greatly expanded interlayer distances. 2021 , 87, 106151	23
289	Highly conductive thermal interface materials with vertically aligned graphite-nanoplatelet filler towards: High power density electronic device cooling. 2021 , 182, 445-453	12
288	Advance on flexible pressure sensors based on metal and carbonaceous nanomaterial. 2021 , 87, 106181	25
287	Chinese ink coated melamine foam with Joule heating and photothermal effect for strain sensor and seawater desalination. 2021 , 149, 106535	3

286	Low Cost and Highly Sensitive Flexible Pressure Sensor Based on Branched Micro-structures. 2021 , 307, 130977	1
285	A biomimetic skin-like sensor with multiple sensory capabilities based on hybrid ionogel. 2021 , 330, 112855	3
284	Mould-Free Skin-Inspired Robust and Sensitive Flexible Pressure Sensors With Hierarchical Microstructures. 2021 , 42, 1536-1539	2
283	Photoelectric dual-mode strain sensing based on piezoelectric effect. 2021 , 238, 118237	0
282	Flexible pressure sensor based on cigarette filter and highly conductive MXene sheets. 2021 , 27, 100889	6
281	Radial alignment of carbon nanotubes for directional sensing application. 2021 , 222, 109038	3
280	Ultra-sensitive wide-range small capacitive pressure sensor based on porous CCTO-PDMS membrane. 2021 , 3, 100027	1
279	Ultralight, flexible and conductive silver nanowire/nanofibrillated cellulose aerogel for multifunctional strain sensor. 2021 , 424, 130565	6
278	Highly sensitive self-healable strain biosensors based on robust transparent conductive nanocellulose nanocomposites: Relationship between percolated network and sensing mechanism. 2021 , 191, 113467	9
277	A dual-mode electronic skin textile for pressure and temperature sensing. 2021 , 425, 130599	16
276	Research on Operation Intention Based on Flexible Tactile Sensing Handle. 2021 , 9, 12362-12373	1
275	Tactile sensor based on capacitive structure. 2021 , 31-52	1
274	Resistive tactile sensors. 2021 , 13-30	1
273	Conducting Polymer/Hydrogel Systems as Soft Actuators. 211-252	5
272	Light-Boosting Highly Sensitive Pressure Sensors Based on Bioinspired Multiscale Surface Structures. 2020 , 30, 1907091	53
271	Skin-Like Electronics for Perception and Interaction: Materials, Structural Designs, and Applications. 2021 , 3, 2000108	3
270	Highly Sensitive Flexible Pressure Sensor with Microstructural Dielectric Layer. 2017 , 1087-1094	1
269	Stretchable tactile sensor with high sensitivity and dynamic stability based on vertically aligned urchin-shaped nanoparticles. 2020 , 14, 100219	9

268	A triboelectric-piezoresistive hybrid sensor for precisely distinguishing transient processes in mechanical stimuli. 2020 , 78, 105216	6
267	An Atlas for Large-Area Electronic Skins: From Materials to Systems Design. 2020 ,	3
266	Rapid preparation of highly transparent piezoresistive balls for optoelectronic devices. 2020 , 56, 2771-2774	6
265	Highly sensitive, reliable and flexible piezoresistive pressure sensors based on graphene-PDMS @ sponge. 2020 , 30, 085012	14
264	Wearable pressure sensor for athletesFull-range motion signal monitoring. 2020 , 7, 105003	1
263	Silicone elastomer map: design the ideal elastomer. 2019 ,	2
262	A skin-inspired tactile sensor for smart prosthetics. 2018 , 3,	117
261	Ultrasensitive Wearable Pressure Sensors Based on Silver Nanowire-Coated Fabrics. 2020 , 15, 70	14
260	A Review of Printable Flexible and Stretchable Tactile Sensors. 2019 , 2019, 3018568	61
259	A 0.32 nW-1.07 W All-Dynamic Versatile Resistive Sensor Interface With System-Level Ratiometric Measurement. 2021 , 1-12	1
258	Towards conductive hydrogels in e-skins: a review on rational design and recent developments.. 2021 , 11, 33835-33848	2
257	Effect of sputtering power on piezoresistivity and interfacial strength of SiCN thin films prepared by magnetic sputtering. 2021 , 48, 2112-2112	0
256	Prospective on doping engineering of conductive polymers for enhanced interfacial properties. 2021 , 119, 150504	1
255	E-Skin Piezoresistive Pressure Sensor Combining Laser Engraving and Shrinking Polymeric Films for Health Monitoring Applications. 2021 , 8, 2100877	0
254	Fabrication and Performance of Graphene Flexible Pressure Sensor with Micro/Nano Structure. 2021 , 21,	1
253	Emerging Electronic Fibers and Textiles. 2021 , 273-311	
252	Development of Conductive Hydrogels for Fabricating Flexible Strain Sensors. 2021 , e2101518	25
251	A review on the features, performance and potential applications of hydrogel-based wearable strain/pressure sensors. 2021 , 298, 102553	15

250	Anisotropic Printed Resistor with Linear Sensitivity Based on NanoMicrofiller-Filled Polymer Composite. 2021 , 7, 2100581	1
249	Large-Area Piezoresistive Tactile Sensor Developed by Training a Super-Simple Single-Layer Carbon Nanotube-Dispersed Polydimethylsiloxane Pad. 2100123	2
248	Ultra-Stretchable and Self-Healing Anti-Freezing Strain Sensors Based on Hydrophobic Associated Polyacrylic Acid Hydrogels. 2021 , 14,	1
247	A flexible dual parameter sensor with hierarchical porous structure for fully decoupled pressureTemperature sensing. 2021 , 133158	5
246	Microstructured biphasic hydrogels for highly sensitive and asymmetric sensors with temperature-dependent sensitivity.	
245	Optimization of the Discrete Structure in a Pressure Sensor Based on a Multiple-Contact Mechanism to Improve Sensitivity and Nonlinearity. 2021 , 21, 21259-21267	1
244	Investigation of Pressure Sensor Based on Carbonized Leaf Vein Fibers. 2017 , 07, 615-620	
243	Safety culture. 2018 , 304-339	
242	Improved Transfer Process for the Fully Additive Manufacturing of a Conductive Layer-Stacked Polymeric Cantilever. 2019 , 10, 45-52	1
241	CHAPTER 9:Flexible Organic-based Thermoelectric Devices. 2019 , 274-308	
240	Seeing pressure in color based on integration of highly sensitive pressure sensor and emission tunable light emitting diode. 2019 , 27, 35448-35467	1
239	Self-supported Materials for Flexible/Stretchable Sensors. 2020 , 269-296	
238	Ultrahigh Skin-Conformal and Biodegradable Graphene-based Flexible Sensor for Measuring ECG Signal. 2020 , 10, 52-56	1
237	Highly Sensitive and Flexible M-Tooth Based Hybrid Micro-Structured Capacitive Pressure Sensor. 2020 ,	2
236	Electronic Skin Based on a Cellulose/Carbon Nanotube Fiber Network for Large-Area 3D Touch and Real-Time 3D Surface Scanning. 2021 ,	5
235	A theoretical model of flexible capacitive pressure sensor with microstructured electrode for highly sensitive electronic skin.	1
234	Sensing mechanisms and applications of flexible pressure sensors. 2020 , 69, 178102	3
233	Wearable Antenna Materials. 2020 , 139-162	

232	Photoproteins Tapping Solar Energy to Power Sensors. 2020 , 127-140	
231	Recent advances of flexible sensors for biomedical applications. 2021 ,	7
230	Signal conditioning circuit for gel strain sensors.	0
229	Scalably Nanomanufactured Atomically Thin Materials-Based Wearable Health Sensors. 2100120	3
228	Phosphorescence-based Temperature and Tactile Multi-functional Flexible Sensing Skin. 2021 , 332, 113205	
227	Tuning of the elastic modulus of a soft polythiophene through molecular doping. 2021 ,	1
226	A facile structural strategy for a wearable strain sensor based on carbon nanotube modified helical yarns.	0
225	Electrospun fiber-based high-performance flexible multi-level micro-structured pressure sensor: Design, development and modelling. 2021 , 431, 133700	2
224	Recent Advances in Multiresponsive Flexible Sensors towards E-skin: A Delicate Design for Versatile Sensing. 2021 , e2103734	10
223	Hygroscopic Hydrogels for Removal of Trace Water from Liquid Fuels. 2021 , 60, 17065-17071	1
222	3D network PPy nanofibers for highly sensitive flexible piezoresistive pressure sensors. 2021 ,	
221	Multidimensional Force Sensors Based on Triboelectric Nanogenerators for Electronic Skin. 2021 , 13, 56320-56328	5
220	Flexible Wearables for Plants. 2021 , 17, e2104482	7
219	Flexible smart sensing skin for Fly-by-Feel Morphing aircraft. 1	6
218	MWCNT-coated cotton yarn array for piezoresistive force and bending sensor applications in Internet of Things systems. 2021 , 332, 113209	0
217	Velostat Sensor Array for Object Recognition. 2021 , 1-1	2
216	A wirelessly multi stimuli-responsive ultra-sensitive and self-healable wearable strain sensor based on silver quantum dots of 3D organo-hydrogel nanocomposites. 2021 , 9, 17291-17306	1
215	A Flexible and Ultra-Highly Sensitive Tactile Sensor through a Parallel Circuit by a Magnetic Aligned Conductive Composite.. 2022 ,	2

214	Flexible Capacitive Pressure Sensors with Micro-Patterned Porous Dielectric Layer for Wearable Electronics.	1
213	A Flexible Pressure Sensor Based on Composite Piezoresistive Layer. 2022 , 22, 405-411	0
212	Curing quality monitoring and loading detection of composite structures with embedded capacitive sensor array. 2022 , 213, 110321	
211	Strong and crack-resistant hydrogel derived from pomelo peel for highly sensitive wearable sensors. 2022 , 431, 134094	4
210	A Flexible dual-structured MXene for ultra-sensitive and ultra-wide monitoring of anatomical and physiological movements. 2021 , 9, 26867-26874	4
209	A review on thin films, conducting polymers as sensor devices.	2
208	Triboelectric Nanogenerators as Active Tactile Stimulators for Multifunctional Sensing and Artificial Synapses.. 2022 , 22,	1
207	Contact resistance based tactile sensor using covalently cross-linked graphene aerogels.. 2022 ,	3
206	Construction of Ni-based alloys decorated sucrose-derived carbon hybrid towards: effective microwave absorption application. 1	0
205	Flexible Pressure Sensors Based on Bionic Microstructures: From Plants to Animals. 2101312	5
204	Highly sensitive flexible modulus sensor for softness perception and clinical application. 2022 , 32, 035004	0
203	Ionic Flexible Sensors: Mechanisms, Materials, Structures, and Applications. 2110417	9
202	Soft bioelectronics for cardiac interfaces. 2022 , 3, 011301	0
201	Recent progress in hydrogel-based sensors and energy harvesters. 2022 , 335, 113382	0
200	Flexible, conductive, and anisotropic thermoplastic polyurethane/polydopamine /MXene foam for piezoresistive sensors and motion monitoring. 2022 , 155, 106838	10
199	Polyaniline-nanospines engineered nanofibrous membrane based piezoresistive sensor for high-performance electronic skins. 2022 , 95, 106970	7
198	Polyaniline-Nanospikes Modified Hybrid Nanofibrous Membrane Based Flexible Piezoresistive Sensor For Physiological Signal Monitoring. 2022 ,	0
197	Flexible, wearable biosensors for digital health. 2022 , 100118	3

196	A gold nanowire-integrated soft wearable system for dynamic continuous non-invasive cardiac monitoring.. 2022 , 205, 114072	2
195	Sensitive Micro-Breathing Sensing and Highly-Effective Photothermal Antibacterial Bark Micro-Structural Cotton Fabric via Electrostatic Self-Assembly of MXene/HACC.. 2021 ,	3
194	Wearable physical sensors. 2022 , 183-218	
193	Stretchable, breathable, and highly sensitive capacitive and self-powered electronic skin based on core-shell nanofibers.. 2022 ,	1
192	Wearable power generation via thermoelectric textile. 2022 , 41-62	
191	Modelling of a novel AlN nanogenerator-based self-powered MEMS arterial-pulse sensor. 2022 , 1-1	
190	Flexible Electronics and Devices as Human-Machine Interfaces for Medical Robotics.. 2021 , e2107902	26
189	Near-Zero Hysteresis Ionic Conductive Elastomers with Long-Term Stability for Sensing Applications.. 2022 ,	0
188	Self-powered low-range pressure sensor using biopolymer composites. 2022 , 128, 1	1
187	Ti3C2Tx MXene/Bamboo Fiber/PDMS Pressure Sensor with Simultaneous Ultrawide Linear Sensing Range, Superb Environmental Stability, and Excellent Biocompatibility. 2022 , 10, 3546-3556	2
186	Flexible Sensors Based on Conductive Polymers. 2022 , 10, 97	3
185	Challenges in Materials and Devices of Electronic Skin. 2022 , 4, 577-599	6
184	Triboresistive Touch Sensing: grid-free Touch Point Recognition Based on Monolayered Ionic Power Generators.. 2022 , e2108586	4
183	An auxetic cellular structure as a universal design for enhanced piezoresistive sensitivity. 2022 ,	2
182	Pushing detectability and sensitivity for subtle force to new limits with shrinkable nanochannel structured aerogel.. <i>Nature Communications</i> , 2022 , 13, 1119	17.4 12
181	Force-Sensitive Interface Engineering in Flexible Pressure Sensors: A Review.. 2022 , 22,	0
180	Application of conductive polymer hydrogels in flexible electronics.	3
179	Soft Capacitive Pressure Sensors: Trends, Challenges, and Perspectives.. 2022 ,	6

178	Irregular Microdome Structure-Based Sensitive Pressure Sensor Using Internal Popping of Microspheres. 2201147	6
177	The status and perspectives of nanostructured materials and fabrication processes for wearable piezoresistive sensors.. 2022, 1-20	0
176	Two-stage amplification of an ultrasensitive MXene-based intelligent artificial eardrum.. 2022, 8, eabn2156	11
175	Smart Hydrogel Sensors with Antifreezing, Antifouling Properties for Wound Healing.. 2022,	1
174	Elastic anisotropy and wave propagation properties of multifunctional hollow sphere foams. 2022, 115540	1
173	Multilayer Microstructured High-Sensitive Ultrawide-Range Flexible Pressure Sensor With Modulus Gradient. 2022, 69, 2030-2037	3
172	Sensitivity enhancement of the tactile sensor based on hydrothermally grown ZnO nanorods modified by catalytic Au nanoparticles. 2022, 9, 045004	0
171	Design of a Barometer-Based Pulse-Taking Device With In Vivo Validation Against High-Frequency Ultrasound Pulse Wave Imaging. 2022, 22, 7219-7230	
170	Surface-microstructured cellulose films toward sensitive pressure sensors and efficient triboelectric nanogenerators.. 2022, 208, 324-332	1
169	Stretchable and ultrasensitive strain sensor based on a bilayer wrinkle-microcracking mechanism. 2022, 437, 135399	6
168	Oxidation stability enhanced MXene-based porous materials derived from water-in-ionic liquid Pickering emulsions for wearable piezoresistive sensor and oil/water separation applications.. 2022, 618, 311-321	3
167	Piezoresistive fibers with record high sensitivity via the synergic optimization of porous microstructure and elastic modulus. 2022, 441, 136046	1
166	Reliability Issues of Thin Film Transistors Subject to Electrostatic Discharge Stresses: An Overview. 2022, 8, 2100886	1
165	Fatigue Resistant Aerogel/Hydrogel Nanostructured Hybrid for Highly Sensitive and Ultrabroad Pressure Sensing. 2021, e2104706	1
164	Recent Progress in Conducting Polymer Composite/Nanofiber-Based Strain and Pressure Sensors.. 2021, 13,	6
163	Fabrication of a Flexible Electric Skin Using a Bionic Cell and Study of Its Sensing Ability. 2022, 19, 62-72	
162	Tunable Wide Range and High Sensitivity Flexible Pressure Sensors with Ordered Multilevel Microstructures. 2101031	2
161	Novel pressure sensors based on polymer film with surface microstructures. 2021,	

160	Flexible and electrically robust graphene-based nanocomposite paper with hierarchical microstructures for multifunctional wearable devices. 2021 ,	0
159	Stiffness Engineering of Ti ₃ C ₂ T _x MXene-Based Skin-Inspired Pressure Sensor with Broad-Range Ultrasensitivity, Low Detection Limit, and Gas Permeability. 2200261	2
158	Piezoresistive flexible pressure sensor using vuggy clays as templates. 2022 , 33, 11487	1
157	MXenes: An emergent materials for packaging platforms and looking beyond.	2
156	Flexible microstructured pressure sensors: design, fabrication and applications.. 2022 ,	2
155	Direct Ink Writing of Graphene/CNT/Silicone Composite Strain Sensor with Near-Zero Temperature Coefficient of Resistance.	2
154	Progress of flexible strain sensors for physiological signal monitoring. 2022 , 114298	8
153	PVA Tactile Sensors Based on Electrical Contact Resistance (ECR) Change Mechanism for Subtle Pressure Detection. 2022 , 113613	1
152	High-Performance Compressible Zinc Ion Battery Based on Melamine Foam-Derived Electrodes.	2
151	Recent Development of Conductive Hydrogels for Tissue Engineering: Review and Perspective.. 2022 , e2200051	1
150	External field alignment of nickel-coated carbon fiber/PDMS composite for biological monitoring with high sensitivity. 2022 ,	0
149	Sustainable-Macromolecule-Assisted Preparation of Cross-linked, Ultralight, Flexible Graphene Aerogel Sensors toward Low-Frequency Strain/Pressure to High-Frequency Vibration Sensing.. 2022 , e2202047	3
148	Stimulus responsive luminescence and application of rotor type 1,1'-([2,2'-bithiophene]-3,3'-diyl)bis(ethan-1-one) and 3'-acetyl-[2,2'-bithiophene]-3-carbaldehyde as molecular rotors. 2022 , 121395	
147	Advanced Biopolymer-Based Nanocomposites: Current Perspective and Future Outlook in Electrochemical and Biomedical Fields. 341-354	
146	Aqueous Condition-Tolerated High Internal Phase Oil-in-Water Pickering Emulsion As Building Block for Engineering 3D Functional Materials. 2022 , 137162	0
145	Optical Micro/Nano Fibers Enabled Smart Textiles for Human-Machine Interface.	3
144	Functional mimicry of Ruffini receptors with fibre Bragg gratings and deep neural networks enables a bio-inspired large-area tactile-sensitive skin. 2022 , 4, 425-435	4
143	Intelligent Nanomaterials for Wearable and Stretchable Strain Sensor Applications: The Science behind Diverse Mechanisms, Fabrication Methods, and Real-Time Healthcare. 2022 , 14, 2219	1

142	Design Rules for a Wearable Micro-Fabricated Piezo-Resistive Pressure Sensor. 2022 , 13, 838	0
141	Wearable Near-Field Communication Sensors for Healthcare: Materials, Fabrication and Application. 2022 , 13, 784	0
140	Transducer Technologies for Biosensors and Their Wearable Applications. 2022 , 12, 385	5
139	A data-driven model for pressure distribution measurements by a four-electrode polymer sensor. 2022 , 113663	
138	Biocompatible and breathable all-fiber-based piezoresistive sensor with high sensitivity for human physiological movements monitoring. 2022 , 446, 137268	3
137	Recent Advances in Resistive Sensor Technology for Tactile Perception: A Review. 2022 , 1-1	3
136	Nanomaterials for Antenna Applications. 2022 , 297-318	
135	Highly Sensitive, Stretchable Pressure Sensor Using Blue Laser Annealed CNTs. 2022 , 12, 2127	0
134	High-yield and scalable water harvesting of honeycomb hygroscopic polymer driven by natural sunlight. 2022 , 100954	5
133	Sponge-Hosting Polyaniline Array Microstructures for Piezoresistive Sensors with a Wide Detection Range and High Sensitivity.	3
132	Origin of Nonmonotonical Variation of Luminescence Efficiency under Pressure in Organic Molecule.	2
131	High-performance capacitive pressure sensors Fabricated by introducing dielectric filler and conductive filler into a porous dielectric layer through a Biomimic strategy. 2022 , 227, 109595	0
130	Bioinspired engineering of gradient and hierarchical architecture into pressure sensors toward high sensitivity within ultra-broad working range. 2022 , 100, 107513	5
129	Rational designed microstructure pressure sensors with highly sensitive and wide detection range performance. 2022 , 130, 184-192	2
128	Techniques for designing patterned conducting polymers. 2022 , 39-77	
127	Three-Dimensional Printed Bimodal Electronic Skin with High Resolution and Breathability for Hair Growth. 2022 , 14, 31493-31501	1
126	High-performance Multilayer Flexible Piezoresistive Pressure Sensor with Bionic Hierarchical and Anisotropic Structure.	
125	Interlinked Microcone Resistive Sensors Based on Self-Assembly Carbon Nanotubes Film for Monitoring of Signals. 2022 , 12, 2325	0

124	Morphological Engineering of Sensing Materials for Flexible Pressure Sensors and Artificial Intelligence Applications. 2022 , 14,	7
123	Recent progress in the fabrication and applications of flexible capacitive and resistive pressure sensors. 2022 , 113770	2
122	A Highly Sensitive, Breathable, and Biocompatible Wearable Sensor Based on Nanofiber Membrane for Pressure and Humidity Monitoring. 2200233	1
121	Highly flexible and sensitive Ti3C2 MXene@polyurethane composites for piezoresistive pressure sensor. 2022 , 57, 12894-12902	
120	Monitoring of hand function enabled by low complexity sensors printed on textile. 2022 , 7, 035003	1
119	Recent Progress in Flexible Pressure Sensor Arrays. 2022 , 12, 2495	1
118	Piezoresistive design for electronic skin: from fundamental to emerging applications. 2022 , 5, 210029-210029	2
117	Progress on nanostructured gel catalysts for oxygen electrocatalysis.	0
116	Large-Area 3D Printable Soft Electronic Skin for Biomedical Applications.	
115	Ultra-Sensitive and Quick-Responsive Hybrid-Supercapacitive Iontronic Pressure Sensor for Intuitive Electronics and Artificial Tactile Applications. 2101743	1
114	Bioinspired Freeze-Tolerant Soft Materials: Design, Properties, and Applications. 2201597	3
113	Recent Advances in Stretchable and Wearable Capacitive Electrophysiological Sensors for Long-Term Health Monitoring. 2022 , 12, 630	1
112	Inkjet Printing of Functional Inks for Smart Products.	0
111	Mechanically Active Materials and Devices for Bio-Interfaced Pressure Sensors [A Review]. 2205609	2
110	Emerging Strategies Based on Sensors for Chronic Wound Monitoring and Management. 2022 , 10, 311	
109	Flexible Pressure Sensors with Combined Spraying and Self-Diffusion of Carbon Nanotubes. 2022 , 14, 38409-38420	3
108	A skin-beyond tactile sensor as interfaces between the prosthetics and biological systems. 2022 , 102, 107665	3
107	Highly pixelated, untethered tactile interfaces for an ultra-flexible on-skin telehaptic system. 2022 , 6,	6

106	Finger-inspired rigid-soft hybrid tactile sensor with superior sensitivity at high frequency. 2022 , 13,	5
105	Polyaniline-Based Nanostructure Interface for Signal-to-Noise Ratio Enhancement in Potentiometric Enzyme-Free Biosensors. 2022 , 9, 2201029	0
104	Sensitivity Design and Reliability Analysis of Pressure-sensitive Layer for 5G Flexible Wearable Sensors. 2022 ,	0
103	Melamine sponge skeleton loaded organic conductors for mechanical sensors with high sensitivity and high resolution.	0
102	Wide range pressure sensing influenced by porous polymer using the sinking method.	0
101	Flexible Piezoelectric Sensors. 2022 , 199-215	0
100	A Review on Magnetorheological Jet Polishing Technique for Microstructured Functional Surfaces. 2022 , 10, 237	1
99	Surface Wrinkling for Flexible and Stretchable Sensors. 2203491	8
98	Melamine sponge skeleton loaded organic conductors for mechanical sensors with high sensitivity and high resolution.	1
97	Wide-Range Flexible Capacitive Pressure Sensors Based on Dielectrics with Various Porosity. 2022 , 13, 1588	0
96	From Triboelectric Nanogenerator to Multifunctional Triboelectric Sensors: A Chemical Perspective toward the Interface Optimization and Device Integration. 2107222	3
95	Large-Scale Integrated Flexible Tactile Sensor Array for Sensitive Smart Robotic Touch.	4
94	Wearable Pressure Sensors with Capacitive Response over a Wide Dynamic Range. 2022 , 14, 44642-44651	0
93	Mo ₂ C ₁ quasi-sphere architecture for the flexible sensor in the movement monitor. 2022 , 33, 22007-22016	0
92	Magneto-Tactile Sensor Based on a Commercial Polyurethane Sponge. 2022 , 12, 3231	1
91	Beyond Human Touch Perception: An Adaptive Robotic Skin Based on Gallium Microgranules for Pressure Sensory Augmentation. 2204805	2
90	Versatile self-assembled electrospun micropylramid arrays for high-performance on-skin devices with minimal sensory interference. 2022 , 13,	4
89	A high-performance textile pressure sensor based on carbon black/carbon nanotube-polyurethane coated fabrics with porous structure for monitoring human motion. 2022 , 33, 104541	0

88	Conductive Polymers-Based Sensors. 2022 , 275-347	0
87	Recent Progress in Advanced Units of Triboelectric Electronic Skin. 2200834	0
86	Advanced Functional Composite Materials toward E-Skin for Health Monitoring and Artificial Intelligence. 2201088	1
85	Maple Leaf Inspired Conductive Fiber with Hierarchical Wrinkles for Highly Stretchable and Integratable Electronics. 2022 , 14, 49059-49071	2
84	An Ex Vivo Study of Wireless Linkage Distance between Implantable LC Resonance Sensor and External Readout Coil. 2022 , 22, 8402	0
83	3D-printed solar evaporator with seashell ornamentation-inspired structure for zero liquid discharge desalination. 2022 , 226, 119279	1
82	Field effect transistor-based tactile sensors: From sensor configurations to advanced applications.	0
81	Self-powered sensor integration system based on thorn-like polyaniline composites for smart home applications. 2022 , 104, 107966	1
80	Graphene woven fabric-polydimethylsiloxane piezoresistive films for smart multi-stimuli responses. 2023 , 221, 112940	0
79	Capacitive-piezoresistive hybrid flexible pressure sensor based on conductive micropillar arrays with high sensitivity over a wide dynamic range.	1
78	Computing Resistance-style Image Sensors for Artificial Neural Networks. 2022 , 1-1	0
77	Superior performances via designed multiple embossments within interfaces for flexible pressure sensors. 2023 , 454, 139990	0
76	Improvement of piezoresistive pressure sensor using zig-zag shaped and PVDF material. 2022 ,	0
75	Electrically conductive and highly compressible anisotropic MXene-wood sponges for multifunctional and integrated wearable devices. 2022 ,	0
74	Multi-vital on-skin optoelectronic biosensor for assessing regional tissue hemodynamics.	0
73	The Soft-Strain Effect Enabled High-Performance Flexible Pressure Sensor and Its Application in Monitoring Pulse Waves. 2022 , 2022,	0
72	Recent advances in wearable electromechanical sensors Moving towards machine learning-assisted wearable sensing systems. 2023 , 105, 108041	0
71	Recent advances in conductive hydrogels: classifications, properties, and applications.	3

- 70 Biodegradable cotton fiber-based piezoresistive textiles for wearable biomonitoring. **2023**, 222, 114999 1
- 69 Tunable Morphosynthesis of Calcium Carbonate in Aqueous Solution Enabled by Janus Membrane. 2210074 0
- 68 Adaptive Pressure Sensor with High Sensitivity and Large Bandwidth Based on Gallium Microdroplet-elastomer Composite. **2022**, 31, 423-427 0
- 67 Flexible Pressure Sensor Inside Cardiovascular: A Pilot Study On the 3D Printed Artificial Heart System. **2022**, 0
- 66 Bio-Inspired Ion-Conducting Foam Elastomer for Human Motion Monitoring. 0
- 65 Polyurethane-polypyrrole hybrid structural color films for dual-signal mechanics sensing. 1
- 64 TeNWs/Ti3C2Tx Nanohybrid-Based Flexible Pressure Sensors for Personal Safety Applications Using Morse Code. **2022**, 5, 18209-18219 2
- 63 Nonpatterned Soft Piezoresistive Films with Filamentous Conduction Paths for Mimicking Multiple-Resolution Receptors of Human Skin. **2022**, 14, 55088-55097 0
- 62 Dual-Mode Flexible Sensor Based on PVDF/MXene Nanosheet/Reduced Graphene Oxide Composites for Electronic Skin. **2023**, 13, 102 0
- 61 A Flexible, Highly Accurate, and Stable Pressure Sensor with Anti-Interference from Temperature, Sweat, and Humidity. 2201528 0
- 60 Design, optimization, and analysis of a human-machine compatibility upper extremity exoskeleton rehabilitation robot. 095440622211399 1
- 59 Melamine sponge skeleton loaded organic conductors for mechanical sensors with high sensitivity and high resolution. **2023**, 6, 0
- 58 0D to 2D Carbon-based Materials in Flexible Strain Sensors: Recent Advances and Perspectives. 0
- 57 Crack-inducing Strain Sensor Array using Inkjet-Printed Silver Thin Film for Underplate and Off-centered Force Sensing Applications. 0
- 56 A Flexible Pressure Sensor Based on Silicon Nanomembrane. **2023**, 13, 131 0
- 55 Bilayer Actuator with Overload Protection on the Basis of Semicrystalline Polyurethane. 2200720 0
- 54 Ultrasensitive and Ultraprecise Pressure Sensors for Soft Systems. 2210091 0
- 53 Design and Development of a Highly Performant 3-D Flexible Microforce Sensor for Miniature Biomedical Applications. **2023**, 1-1 0

52	Carbon-Based Flexible Devices for Comprehensive Health Monitoring. 2201340	0
51	Emerging Bio-Interfacing Wearable Devices for Signal Monitoring: Overview of the Mechanisms and Diverse Sensor Designs to Target Distinct Physiological Bio-Parameters. 2200049	0
50	Flexible pressure visualization equipment for human-computer interaction. 2023 , 100318	1
49	Circuit Techniques to Suppress Crosstalk due to Circuit Non-idealities in Zero-Potential-Biasing Method for Resistive Sensor Matrix. 2023 , 1-1	0
48	Carbon nanotubes field-effect transistor pressure sensor based on three-dimensional conformal force-sensitive gate modulation. 2023 , 204, 456-464	0
47	Piezoresistive pressure sensor based on conjugated polymer framework for pedometer and smart tactile glove applications. 2023 , 350, 114139	2
46	Magnetic and electrically conductive polyurethane composites with high content of two functional fillers base on Root-Inspired microstructure. 2023 , 252, 110512	0
45	Recent Advances and Progress of Conducting Polymer-Based Hydrogels in Strain Sensor Applications. 2023 , 9, 12	0
44	Supramolecular Host-Guest Hydrogel Based on Cyclodextrin and Carboxybenzyl Viologen Showing Reversible Photochromism and Photomodulable Fluorescence. 2023 , 15, 2479-2485	0
43	Polymer composites as pressure sensors. 2023 , 141-171	0
42	Synergistic control of engineered nanostructures toward sensitivity and reliability of a flexible piezoresistive pressure sensor.	0
41	Wearable Strain Sensors: State-of-art and Future Applications.	0
40	Humidity-Resistant, Broad-Range Pressure Sensors for Garment-Integrated Health, Motion, and Grip Strength Monitoring in Natural Environments. 2201313	0
39	Conductive polymers for drug and bioactives delivery. 2023 , 263-278	0
38	Machine Learning Enabled Hind Foot Deformity Detection Using Individually Addressable Hybrid Pressure Sensor Matrix. 2023 ,	0
37	A High-Temperature Accelerometer with Excellent Performance Based on the Improved Graphene Aerogel.	0
36	Air-Working Electrochemical Actuator and Ionic Sensor Based on Manganese Dioxide/Gelatin-Glycerol Composites.	0
35	A sea urchin-like microstructure flexible pressure sensors for human physiological signals monitoring. 2023 , 34,	0

- 34 Ionic Flexible Mechanical Sensors: Mechanisms, Structural Engineering, Applications, and Challenges. ○
- 33 Electrical response, elastic property, and pressure sensing under bending of hybrid graphene/CNT/elastomer nanocomposites. **2023**, 311, 116838 ○
- 32 Mechanical buckling assisted formation of 3D conductive composite meso-structure for highly sensitive piezoresistive pressure sensor. **2023**, 311, 116808 ○
- 31 Flexible strain sensors based on gold nanowire dominoes for human motion detection. **2023**, 35, 105703 ○
- 30 The dual-mode sensing of pressure and temperature based on multilayer structured flexible sensors for intelligent monitoring of human physiological information. **2023**, 238, 110012 ○
- 29 Compact Waist Rehabilitation Robot Inspired by McKenzie Therapy: Design, Analysis and Validation. **2023**, 8, 3198-3205 ○
- 28 A Flexible Thin-Film Pressure Sensor Based on Thermal Conduction Mechanism for Pressure, Orientation, and Mapping Signal Acquisition. **2023**, 23, 1990-1998 ○
- 27 Resonant printing flexible piezoresistive pressure sensor with spherical microstructures. **2023**, 32, 035020 ○
- 26 Flexible Plasmonic Optical Tactile Sensor for Health Monitoring and Artificial Haptic Perception. **2023**, 8, ○
- 25 Progress in Microtopography Optimization of Polymers-Based Pressure/Strain Sensors. **2023**, 15, 764 ○
- 24 Conjugated Polymer-Based Nanocomposites for Pressure Sensors. **2023**, 28, 1627 ○
- 23 Multi-modal piezoresistive sensor based on cotton fiber aerogel/PPy for sound detection and respiratory monitoring. **2023**, 235, 109953 1
- 22 Elastomeric polymers for conductive layers of flexible sensors: Materials, fabrication, performance, and applications. ○
- 21 Machine Learning-Enhanced Flexible Mechanical Sensing. **2023**, 15, ○
- 20 Cellulose Gel Mechanoreceptors [Principles, Applications and Prospects. 2214317 ○
- 19 Directions of Development of Diagnostic Methods of Vacuum Medium-Voltage Switchgear. **2023**, 16, 2087 1
- 18 Additively Manufactured Mechanical Metamaterial-Based Pressure Sensor with Tunable Sensing Properties for Stance and Motion Analysis. 2201499 ○
- 17 Advanced Bioinspired Organic Sensors for Future-Oriented Intelligent Applications. 2200066 ○

- 16 A Pathway into Metaverse: Gesture Recognition Enabled by Wearable Resistive Sensors. 2200054 ○
- 15 Flexible Tactile Sensing Array with High Spatial Density Based on Parylene Mems Technique. **2023**, ○
- 14 Pressure Sensor Based on a Lumpily Pyramidal Vertical Graphene Film with a Broad Sensing Range and High Sensitivity. **2023**, 15, 13813-13821 ○
- 13 Microstructured Droplet Based Porous Capacitive Pressure Sensor. **2022**, ○
- 12 Perylene Diimide (PDI) based Flexible Multifunctional Sensor Design for Personal Healthcare Monitoring- A Complementary Approach Involving Experimental and Theoretical Investigations. 2201633 ○
- 11 Flexible and Wearable Strain/Pressure Sensors. **2023**, 180-198 ○
- 10 Spider-inspired tunable mechanosensor for biomedical applications. **2023**, 7, ○
- 9 Ionogel Fiber-Based Flexible Sensor for Friction Sensing. 2201617 ○
- 8 Flexible Wearable Capacitive Sensors Based on Ionic Gel with Full-Pressure Ranges. **2023**, 15, 15884-15892 ○
- 7 MXene Functionalized, Highly Breathable and Sensitive Pressure Sensors with Multi-Layered Porous Structure. 2214880 ○
- 6 Robust hydrogel sensors for unsupervised learning enabled sign-to-verbal translation. ○
- 5 Wide Range Strain Distributions on the Electrode for Highly Sensitive Flexible Tactile Sensor with Low Hysteresis. **2023**, 15, 15096-15107 ○
- 4 Synergy of porous and air-gap structures for pressure sensing arrays with high sensitivity and wide detection range towards machine learning-assisted gait analysis. **2023**, 98, 055925 ○
- 3 Polymer nanocomposite thin films prepared using single- and multi-walled carbon nanotubes for flexible electronics. **2023**, 34, ○
- 2 Liquid dielectric layer-based microfluidic capacitive sensor for wireless pressure monitoring. **2023**, 357, 114393 ○
- 1 Optimal design and fabrication of stable ordered porous conductive structure for flexible strain sensors with high sensitivity and linearity. **2023**, 136, 109990 ○