

Low-Temperature Solution-Processed Perovskite Solar Flexibility

ACS Nano

8, 1674-1680

DOI: 10.1021/nn406020d

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 3 | band gap of the hybrid organic-inorganic perovskite Effect of spin-orbit interaction, semicore electrons, an. Physical Review B, 2014, 90, . | 1.1 | 126 |
| 5 | Hole-transport material variation in fully vacuum deposited perovskite solar cells. APL Materials, 2014, 2, . | 2.2 | 163 |
| 6 | Perovskite-based low-cost and high-efficiency hybrid halide solar cells. Photonics Research, 2014, 2, 111. | 3.4 | 89 |
| 7 | Chloride in Lead Chloride-Derived Organo-Metal Halides for Perovskite-Absorber Solar Cells. Chemistry of Materials, 2014, 26, 7158-7165. | 3.2 | 256 |
| 8 | An easy-to-fabricate low-temperature TiO ₂ electron collection layer for high efficiency planar heterojunction perovskite solar cells. APL Materials, 2014, 2, . | 2.2 | 99 |
| 9 | CH ₃ NH ₃ PbI ₃ -Based Planar Solar Cells with Magnetron-Sputtered Nickel Oxide. ACS Applied Materials & Interfaces, 2014, 6, 22862-22870. | 4.0 | 214 |
| 10 | Moisture assisted perovskite film growth for high performance solar cells. Applied Physics Letters, 2014, 105, . | 1.5 | 667 |
| 11 | Magnetron Sputtered Zinc Oxide Nanorods as Thickness-Insensitive Cathode Interlayer for Perovskite Planar-Heterojunction Solar Cells. ACS Applied Materials & Interfaces, 2014, 6, 20585-20589. | 4.0 | 63 |
| 12 | Impact of the organic halide salt on final perovskite composition for photovoltaic applications. APL Materials, 2014, 2, . | 2.2 | 50 |
| 13 | Rubidium carbonate modified gold electrodes for efficient electron injection in n-type organic field-effect transistors. Journal Physics D: Applied Physics, 2014, 47, 355101. | 1.3 | 1 |
| 14 | Nickel Oxide Electrode Interlayer in CH ₃ NH ₃ PbI ₃ Perovskite/PCBM Planar-Heterojunction Hybrid Solar Cells. Advanced Materials, 2014, 26, 4107-4113. | 11.1 | 646 |
| 15 | A dual functional additive for the HTM layer in perovskite solar cells. Chemical Communications, 2014, 50, 5020. | 2.2 | 110 |
| 16 | Excitons versus free charges in organo-lead tri-halide perovskites. Nature Communications, 2014, 5, 3586. | 5.8 | 1,443 |
| 17 | Solid-State Perovskite-Sensitized p-Type Mesoporous Nickel Oxide Solar Cells. ChemSusChem, 2014, 7, 2150-2153. | 3.6 | 69 |
| 18 | The Role of Intrinsic Defects in Methylammonium Lead Iodide Perovskite. Journal of Physical Chemistry Letters, 2014, 5, 1312-1317. | 2.1 | 744 |
| 19 | Organohalide lead perovskites for photovoltaic applications. Energy and Environmental Science, 2014, 7, 2448-2463. | 15.6 | 1,220 |
| 20 | Mesoscopic TiO ₂ /CH ₃ NH ₃ PbI ₃ perovskite solar cells with new hole-transporting materials containing butadiene derivatives. Chemical Communications, 2014, 50, 6931. | 2.2 | 163 |
| 21 | Advancements in perovskite solar cells: photophysics behind the photovoltaics. Energy and Environmental Science, 2014, 7, 2518-2534. | 15.6 | 694 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 22 | Unique Properties of Halide Perovskites as Possible Origins of the Superior Solar Cell Performance. <i>Advanced Materials</i> , 2014, 26, 4653-4658. | 11.1 | 1,735 |
| 23 | Influence of the orientation of methylammonium lead iodide perovskite crystals on solar cell performance. <i>APL Materials</i> , 2014, 2, . | 2.2 | 95 |
| 24 | Research Update: Physical and electrical characteristics of lead halide perovskites for solar cell applications. <i>APL Materials</i> , 2014, 2, . | 2.2 | 136 |
| 25 | Solution-processed hybrid perovskite photodetectors with high detectivity. <i>Nature Communications</i> , 2014, 5, 5404. | 5.8 | 2,214 |
| 26 | Defect density and dielectric constant in perovskite solar cells. <i>Applied Physics Letters</i> , 2014, 105, . | 1.5 | 221 |
| 27 | Perovskite-kesterite monolithic tandem solar cells with high open-circuit voltage. <i>Applied Physics Letters</i> , 2014, 105, . | 1.5 | 175 |
| 28 | Semiconducting ferroelectric photovoltaics through $Zn_{2-x}Mn_xO_3$ into $KNbO_3$ and polarization rotation. <i>Physical Review B</i> , 2014, 89, . | 1.1 | 45 |
| 29 | Vapor deposition of organic-inorganic hybrid perovskite thin-films for photovoltaic applications. , 2014, . , . | | 5 |
| 30 | Improved charge transport of Nb-doped TiO_2 nanorods in methylammonium lead iodide bromide perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19616-19622. | 5.2 | 127 |
| 31 | Third-generation solar cells: a review and comparison of polymer:fullerene, hybrid polymer and perovskite solar cells. <i>RSC Advances</i> , 2014, 4, 43286-43314. | 1.7 | 238 |
| 32 | Surface Photovoltage Spectroscopy Study of Organo-Lead Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 2408-2413. | 2.1 | 90 |
| 33 | Enhancing the efficiency of TiO_2 -perovskite heterojunction solar cell via evaporating Cs_2CO_3 on TiO_2 . <i>Physica Status Solidi - Rapid Research Letters</i> , 2014, 8, 912-916. | 1.2 | 12 |
| 34 | Device modeling of perovskite solar cells based on structural similarity with thin film inorganic semiconductor solar cells. <i>Journal of Applied Physics</i> , 2014, 116, . | 1.1 | 252 |
| 35 | Cost-efficient clamping solar cells using candle soot for hole extraction from ambipolar perovskites. <i>Energy and Environmental Science</i> , 2014, 7, 3326-3333. | 15.6 | 272 |
| 36 | Progress in flexible dye solar cell materials, processes and devices. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10788-10817. | 5.2 | 135 |
| 37 | Low-temperature processed high-performance flexible perovskite solar cells via rationally optimized solvent washing treatments. <i>RSC Advances</i> , 2014, 4, 62971-62977. | 1.7 | 182 |
| 38 | On the Uniqueness of Ideality Factor and Voltage Exponent of Perovskite-Based Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 4115-4121. | 2.1 | 73 |
| 39 | Organic photovoltaics: key photophysical, device and design aspects. <i>Journal of Modern Optics</i> , 2014, 61, 1703-1713. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 40 | Graphene oxide as dual functional interface modifier for improving wettability and retarding recombination in hybrid perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20105-20111. | 5.2 | 194 |
| 41 | Investigation Regarding the Role of Chloride in Organic-Inorganic Halide Perovskites Obtained from Chloride Containing Precursors. <i>Nano Letters</i> , 2014, 14, 6991-6996. | 4.5 | 185 |
| 42 | Optimized Organometal Halide Perovskite Planar Hybrid Solar Cells via Control of Solvent Evaporation Rate. <i>Journal of Physical Chemistry C</i> , 2014, 118, 26513-26520. | 1.5 | 58 |
| 43 | Energy level tuning of TPB-based hole-transporting materials for highly efficient perovskite solar cells. <i>Chemical Communications</i> , 2014, 50, 15239-15242. | 2.2 | 134 |
| 44 | Low temperature solution processed planar heterojunction perovskite solar cells with a CdSe nanocrystal as an electron transport/extraction layer. <i>Journal of Materials Chemistry C</i> , 2014, 2, 9087-9090. | 2.7 | 85 |
| 45 | Plasmonic nanostructures for light trapping in organic photovoltaic devices. <i>Nanoscale</i> , 2014, 6, 8444. | 2.8 | 150 |
| 46 | Perovskite photovoltaics featuring solution-processable TiO ₂ as an interfacial electron-transporting layer display to improve performance and stability. <i>Nanoscale</i> , 2014, 6, 11403-11410. | 2.8 | 24 |
| 47 | Charge Transport and Recombination in Dye-Sensitized Solar Cells on Plastic Substrates. <i>Journal of Physical Chemistry C</i> , 2014, 118, 15154-15161. | 1.5 | 7 |
| 48 | Substrate-controlled band positions in CH ₃ NH ₃ PbI ₃ perovskite films. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 22122-22130. | 1.3 | 177 |
| 49 | Role of Chloride in the Morphological Evolution of Organo-Lead Halide Perovskite Thin Films. <i>ACS Nano</i> , 2014, 8, 10640-10654. | 7.3 | 353 |
| 51 | A Transparent Conductive Adhesive Laminate Electrode for High-Efficiency Organic-Inorganic Lead Halide Perovskite Solar Cells. <i>Advanced Materials</i> , 2014, 26, 7499-7504. | 11.1 | 169 |
| 52 | Understanding the formation and evolution of interdiffusion grown organolead halide perovskite thin films by thermal annealing. <i>Journal of Materials Chemistry A</i> , 2014, 2, 18508-18514. | 5.2 | 276 |
| 53 | Highly active copper-ceria and copper-ceria-titania catalysts for methanol synthesis from CO ₂ . <i>Science</i> , 2014, 345, 546-550. | 6.0 | 1,114 |
| 54 | Interface engineering of highly efficient perovskite solar cells. <i>Science</i> , 2014, 345, 542-546. | 6.0 | 5,936 |
| 55 | High-performance planar heterojunction perovskite solar cells: Preserving long charge carrier diffusion lengths and interfacial engineering. <i>Nano Research</i> , 2014, 7, 1749-1758. | 5.8 | 205 |
| 56 | Low-Temperature Sputtered Nickel Oxide Compact Thin Film as Effective Electron Blocking Layer for Mesoscopic NiO/CH ₃ NH ₃ PbI ₃ Perovskite Heterojunction Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 11851-11858. | 4.0 | 319 |
| 58 | Planar heterojunction perovskite/PC ₇₁ BM solar cells with enhanced open-circuit voltage via a (2/1)-step spin-coating process. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15897-15903. | 5.2 | 317 |
| 59 | High efficiency single-junction semitransparent perovskite solar cells. <i>Energy and Environmental Science</i> , 2014, 7, 2968-2973. | 15.6 | 266 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 60 | A strategy to stabilise the local structure of Ti ⁴⁺ and Zn ²⁺ species against aging in TiO ₂ /aluminium-doped ZnO bi-layers for applications in hybrid solar cells. <i>Journal of Applied Physics</i> , 2014, 116, . | 1.1 | 5 |
| 61 | Integrating Perovskite Solar Cells into a Flexible Fiber. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 10425-10428. | 7.2 | 268 |
| 62 | Boosting the Power Conversion Efficiency of Perovskite Solar Cells Using Self-Organized Polymeric Hole Extraction Layers with High Work Function. <i>Advanced Materials</i> , 2014, 26, 6461-6466. | 11.1 | 321 |
| 63 | Efficient planar-heterojunction perovskite solar cells achieved via interfacial modification of a sol-gel ZnO electron collection layer. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17291-17296. | 5.2 | 274 |
| 64 | Materials Processing Routes to Trap-Free Halide Perovskites. <i>Nano Letters</i> , 2014, 14, 6281-6286. | 4.5 | 671 |
| 65 | Hysteresis and transient behavior in current-voltage measurements of hybrid-perovskite absorber solar cells. <i>Energy and Environmental Science</i> , 2014, 7, 3690-3698. | 15.6 | 1,117 |
| 66 | Organic-Inorganic Halide Perovskites: Perspectives for Silicon-Based Tandem Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2014, 4, 1545-1551. | 1.5 | 123 |
| 67 | A perspective on the production of dye-sensitized solar modules. <i>Energy and Environmental Science</i> , 2014, 7, 3952-3981. | 15.6 | 381 |
| 68 | Enhanced Photoluminescence and Solar Cell Performance via Lewis Base Passivation of Organic-Inorganic Lead Halide Perovskites. <i>ACS Nano</i> , 2014, 8, 9815-9821. | 7.3 | 1,439 |
| 69 | Inkjet Printing and Instant Chemical Transformation of a CH ₃ NH ₃ PbI ₃ /Nanocarbon Electrode and Interface for Planar Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13239-13243. | 7.2 | 370 |
| 70 | The Role of Chlorine in the Formation Process of CH ₃ NH ₃ PbI ₃ •xCl _x Perovskite. <i>Advanced Functional Materials</i> , 2014, 24, 7102-7108. | 7.8 | 294 |
| 71 | High-Performance Hole-Extraction Layer of Sol-Gel-Processed NiO Nanocrystals for Inverted Planar Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 12571-12575. | 7.2 | 355 |
| 72 | Performance enhancement of solution processed perovskite solar cells incorporating functionalized silica nanoparticles. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17077-17084. | 5.2 | 32 |
| 73 | Highly efficient fullerene/perovskite planar heterojunction solar cells via cathode modification with an amino-functionalized polymer interlayer. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19598-19603. | 5.2 | 186 |
| 74 | Efficient planar heterojunction perovskite solar cells employing graphene oxide as hole conductor. <i>Nanoscale</i> , 2014, 6, 10505-10510. | 2.8 | 352 |
| 75 | Efficient planar heterojunction mixed-halide perovskite solar cells deposited via spray-deposition. <i>Energy and Environmental Science</i> , 2014, 7, 2944-2950. | 15.6 | 657 |
| 76 | Retarding the crystallization of PbI ₂ for highly reproducible planar-structured perovskite solar cells via sequential deposition. <i>Energy and Environmental Science</i> , 2014, 7, 2934-2938. | 15.6 | 807 |
| 77 | Solvent engineering for high-performance inorganic-organic hybrid perovskite solar cells. <i>Nature Materials</i> , 2014, 13, 897-903. | 13.3 | 5,796 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 78 | One-step, solution-processed formamidinium lead trihalide (FAPbI ₃ Cl _x) for mesoscopic perovskite-polymer solar cells. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 19206-19211. | 1.3 | 130 |
| 79 | Controllable Self-Induced Passivation of Hybrid Lead Iodide Perovskites toward High Performance Solar Cells. <i>Nano Letters</i> , 2014, 14, 4158-4163. | 4.5 | 1,343 |
| 80 | Mesoporous perovskite solar cells: material composition, charge-carrier dynamics, and device characteristics. <i>Faraday Discussions</i> , 2014, 176, 301-312. | 1.6 | 115 |
| 81 | Improved High-Efficiency Perovskite Planar Heterojunction Solar Cells via Incorporation of a Polyelectrolyte Interlayer. <i>Chemistry of Materials</i> , 2014, 26, 5190-5193. | 3.2 | 178 |
| 82 | Two-step thermal annealing improves the morphology of spin-coated films for highly efficient perovskite hybrid photovoltaics. <i>Nanoscale</i> , 2014, 6, 10281-10288. | 2.8 | 105 |
| 83 | Impact of work function of back contact of perovskite solar cells without hole transport material analyzed by device simulation. <i>Current Applied Physics</i> , 2014, 14, 1428-1433. | 1.1 | 123 |
| 84 | Photo-induced charge recombination kinetics in MAPbI ₃ Cl _x perovskite-like solar cells using low band-gap polymers as hole conductors. <i>Chemical Communications</i> , 2014, 50, 14566-14569. | 2.2 | 33 |
| 85 | Enhanced Crystallinity in Organic-Inorganic Lead Halide Perovskites on Mesoporous TiO ₂ via Disorder-Order Phase Transition. <i>Chemistry of Materials</i> , 2014, 26, 4466-4471. | 3.2 | 118 |
| 86 | Role of the crystallization substrate on the photoluminescence properties of organo-lead mixed halides perovskites. <i>APL Materials</i> , 2014, 2, . | 2.2 | 89 |
| 87 | Influence of Thermal Processing Protocol upon the Crystallization and Photovoltaic Performance of Organic-Inorganic Lead Trihalide Perovskites. <i>Journal of Physical Chemistry C</i> , 2014, 118, 17171-17177. | 1.5 | 225 |
| 88 | Metal-Oxide-Free Methylammonium Lead Iodide Perovskite-Based Solar Cells: the Influence of Organic Charge Transport Layers. <i>Advanced Energy Materials</i> , 2014, 4, 1400345. | 10.2 | 164 |
| 89 | Thermally Induced Structural Evolution and Performance of Mesoporous Block Copolymer-Directed Alumina Perovskite Solar Cells. <i>ACS Nano</i> , 2014, 8, 4730-4739. | 7.3 | 269 |
| 90 | Benefits of very thin PCBM and LiF layers for solution-processed perovskite solar cells. <i>Energy and Environmental Science</i> , 2014, 7, 2642-2646. | 15.6 | 622 |
| 91 | Enhancement in the efficiency of an organic-inorganic hybrid solar cell with a doped P3HT hole-transporting layer on a void-free perovskite active layer. <i>Journal of Materials Chemistry A</i> , 2014, 2, 13827-13830. | 5.2 | 163 |
| 92 | Surface Engineering of ZnO Thin Film for High Efficiency Planar Perovskite Solar Cells. <i>Scientific Reports</i> , 2015, 5, 13211. | 1.6 | 155 |
| 93 | Insight into Evolution, Processing and Performance of Multi-length-scale Structures in Planar Heterojunction Perovskite Solar Cells. <i>Scientific Reports</i> , 2015, 5, 13657. | 1.6 | 37 |
| 94 | Enhanced Photovoltaic Performance of Perovskite Solar Cells via Modification of Surface Characteristics Using a Fullerene Interlayer. <i>Chemistry Letters</i> , 2015, 44, 1735-1737. | 0.7 | 28 |
| 95 | Perovskite Photovoltaics: Rare Functions of Organo Lead Halide in Solar Cells and Optoelectronic Devices. <i>Chemistry Letters</i> , 2015, 44, 720-729. | 0.7 | 216 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 96 | Conversion efficiency improvement of inverted CH ₃ NH ₃ PbI ₃ perovskite solar cells with room temperature sputtered ZnO by adding the C60 interlayer. Applied Physics Letters, 2015, 107, . | 1.5 | 40 |
| 97 | Microstructures and properties of CH ₃ NH ₃ PbI ₃ xClx hybrid solar cells. , 2015, , . | | 8 |
| 98 | Bandgap tuning of MAPbI ₃ xBrx thin film perovskites for photovoltaic applications. , 2015, , . | | 3 |
| 99 | Efficient Perovskite Hybrid Solar Cells via Ionomer Interfacial Engineering. Advanced Functional Materials, 2015, 25, 6875-6884. | 7.8 | 57 |
| 100 | Efficient CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells Employing Nanostructured p-type NiO Electrode Formed by a Pulsed Laser Deposition. Advanced Materials, 2015, 27, 4013-4019. | 11.1 | 485 |
| 101 | High-Quality Mixed-Organic-Cation Perovskites from a Phase-Pure Non-stoichiometric Intermediate (FAI) _{1-x} xPbI ₂ for Solar Cells. Advanced Materials, 2015, 27, 4918-4923. | 11.1 | 140 |
| 102 | Copper(I) Iodide as Hole-Conductor in Planar Perovskite Solar Cells: Probing the Origin of J-V Hysteresis. Advanced Functional Materials, 2015, 25, 5650-5661. | 7.8 | 260 |
| 103 | Revealing Underlying Processes Involved in Light Soaking Effects and Hysteresis Phenomena in Perovskite Solar Cells. Advanced Energy Materials, 2015, 5, 1500279. | 10.2 | 271 |
| 104 | Capillarity-Assisted Electrostatic Assembly of Hierarchically Functional 3D Graphene: TiO ₂ Hybrid Photoanodes. Advanced Materials Interfaces, 2015, 2, 1500292. | 1.9 | 4 |
| 105 | Upscaling of Perovskite Solar Cells: Fully Ambient Roll Processing of Flexible Perovskite Solar Cells with Printed Back Electrodes. Advanced Energy Materials, 2015, 5, 1500569. | 10.2 | 285 |
| 106 | Tin- and Lead-Based Perovskite Solar Cells under Scrutiny: An Environmental Perspective. Advanced Energy Materials, 2015, 5, 1501119. | 10.2 | 197 |
| 107 | Organic-Inorganic Perovskite Light-Emitting Electrochemical Cells with a Large Capacitance. Advanced Functional Materials, 2015, 25, 7226-7232. | 7.8 | 87 |
| 108 | Monolithic Perovskite-CIGS Tandem Solar Cells via In Situ Band Gap Engineering. Advanced Energy Materials, 2015, 5, 1500799. | 10.2 | 219 |
| 109 | High-Performance Planar Solar Cells Based On CH ₃ NH ₃ PbI ₃ xClx Perovskites with Determined Chlorine Mole Fraction. Advanced Functional Materials, 2015, 25, 4867-4873. | 7.8 | 95 |
| 110 | Self-Assembly of Perovskite for Fabrication of Semitransparent Perovskite Solar Cells. Advanced Materials Interfaces, 2015, 2, 1500118. | 1.9 | 61 |
| 111 | Mechanically Recoverable and Highly Efficient Perovskite Solar Cells: Investigation of Intrinsic Flexibility of Organic-Inorganic Perovskite. Advanced Energy Materials, 2015, 5, 1501406. | 10.2 | 131 |
| 112 | Future Scope of Silicone Polymer based Functionalized Nanocomposites for Device Packaging: A Mini Review. Journal of Chemical Engineering & Process Technology, 2015, 06, . | 0.1 | 3 |
| 113 | Hybrid Organic-Inorganic Perovskites Open a New Era for Low-Cost, High Efficiency Solar Cells. Journal of Nanomaterials, 2015, 2015, 1-10. | 1.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 115 | Solvent engineering of the electron transport layer using 1,8-diiodooctane for improving the performance of perovskite solar cells. <i>Organic Electronics</i> , 2015, 24, 101-105. | 1.4 | 45 |
| 116 | Efficiency Enhancement of Inverted Structure Perovskite Solar Cells via Oleamide Doping of PCBM Electron Transport Layer. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 13659-13665. | 4.0 | 132 |
| 117 | Effects of incorporating PbS quantum dots in perovskite solar cells based on CH ₃ NH ₃ PbI ₃ . <i>Journal of Power Sources</i> , 2015, 293, 577-584. | 4.0 | 56 |
| 118 | Work function and interface control of amorphous IZO electrodes by MoO ₃ layer grading for organic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015, 141, 194-202. | 3.0 | 36 |
| 119 | Lead acetate precursor based p-i-n perovskite solar cells with enhanced reproducibility and low hysteresis. <i>Journal of Materials Chemistry A</i> , 2015, 3, 14121-14125. | 5.2 | 76 |
| 120 | Thermo photo-electrochemical effect in n-InP/aqueous solution of orange dye/C cell. <i>Electronic Materials Letters</i> , 2015, 11, 259-265. | 1.0 | 4 |
| 121 | Improving efficiency of planar hybrid CH ₃ NH ₃ PbI ₃ x Cl x perovskite solar cells by isopropanol solvent treatment. <i>Organic Electronics</i> , 2015, 24, 205-211. | 1.4 | 41 |
| 122 | Efficient and non-hysteresis CH ₃ NH ₃ PbI ₃ /PCBM planar heterojunction solar cells. <i>Organic Electronics</i> , 2015, 24, 106-112. | 1.4 | 94 |
| 123 | Wearable Double-€Twisted Fibrous Perovskite Solar Cell. <i>Advanced Materials</i> , 2015, 27, 3831-3835. | 11.1 | 184 |
| 124 | Can graphene outperform indium tin oxide as transparent electrode in organic solar cells?. <i>2D Materials</i> , 2015, 2, 045006. | 2.0 | 10 |
| 125 | DMSO-based PbI ₂ precursor with PbCl ₂ additive for highly efficient perovskite solar cells fabricated at low temperature. <i>RSC Advances</i> , 2015, 5, 104606-104611. | 1.7 | 26 |
| 126 | Annealing effects on high-performance CH ₃ NH ₃ PbI ₃ perovskite solar cells prepared by solution-process. <i>Solar Energy</i> , 2015, 122, 1047-1051. | 2.9 | 70 |
| 127 | Beyond silicon: Alternative photovoltaic technologies. , 2015, , . | | 1 |
| 128 | Perovskite-polymer hybrid solar cells with near-infrared external quantum efficiency over 40%. <i>Science China Materials</i> , 2015, 58, 953-960. | 3.5 | 41 |
| 129 | Two-step sequential substrate vibration-assisted spray coating (SVASC) as a path to high performance perovskite solar cells. , 2015, , . | | 0 |
| 130 | Flexible Perovskite Photovoltaic Modules and Solar Cells Based on Atomic Layer Deposited Compact Layers and UV-€rradiated TiO ₂ Scaffolds on Plastic Substrates. <i>Advanced Energy Materials</i> , 2015, 5, 1401808. | 10.2 | 241 |
| 131 | Using an Airbrush Pen for Layer-by-Layer Growth of Continuous Perovskite Thin Films for Hybrid Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 2359-2366. | 4.0 | 82 |
| 132 | Addressing dynamic photovoltaic processes at electrode:active layer and donor:acceptor interfaces in organic solar cells under device-operating conditions. <i>Science China Chemistry</i> , 2015, 58, 239-247. | 4.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 133 | Advancements in all-solid-state hybrid solar cells based on organometal halide perovskites. <i>Materials Horizons</i> , 2015, 2, 378-405. | 6.4 | 110 |
| 134 | Plasmonic-enhanced perovskite solar cells using alloy popcorn nanoparticles. <i>RSC Advances</i> , 2015, 5, 11175-11179. | 1.7 | 111 |
| 135 | Vacuum-Assisted Thermal Annealing of CH ₃ NH ₃ PbI ₃ for Highly Stable and Efficient Perovskite Solar Cells. <i>ACS Nano</i> , 2015, 9, 639-646. | 7.3 | 318 |
| 136 | Electronic Structures and Photoconversion Mechanism in Perovskite/Fullerene Heterojunctions. <i>Advanced Functional Materials</i> , 2015, 25, 1213-1218. | 7.8 | 86 |
| 137 | Lead-Halide Perovskite Solar Cells by CH ₃ NH ₃ I Dripping on PbI ₂ •CH ₃ NH ₃ I•DMSO Precursor Layer for Planar and Porous Structures Using CuSCN Hole-Transporting Material. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 881-886. | 2.1 | 78 |
| 138 | Phosphonium Halides as Both Processing Additives and Interfacial Modifiers for High Performance Planar Heterojunction Perovskite Solar Cells. <i>Small</i> , 2015, 11, 3344-3350. | 5.2 | 91 |
| 139 | Recent progress and perspective in solution-processed Interfacial materials for efficient and stable polymer and organometal perovskite solar cells. <i>Energy and Environmental Science</i> , 2015, 8, 1160-1189. | 15.6 | 725 |
| 140 | Chemical and Electronic Structure Characterization of Lead Halide Perovskites and Stability Behavior under Different Exposures: A Photoelectron Spectroscopy Investigation. <i>Chemistry of Materials</i> , 2015, 27, 1720-1731. | 3.2 | 388 |
| 141 | Anomalously large interface charge in polarity-switchable photovoltaic devices: an indication of mobile ions in organic-inorganic halide perovskites. <i>Energy and Environmental Science</i> , 2015, 8, 1256-1260. | 15.6 | 202 |
| 142 | Importance of Orbital Interactions in Determining Electronic Band Structures of Organo-Lead Iodide. <i>Journal of Physical Chemistry C</i> , 2015, 119, 4627-4634. | 1.5 | 66 |
| 143 | Tuning Perovskite Morphology by Polymer Additive for High Efficiency Solar Cell. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 4955-4961. | 4.0 | 295 |
| 144 | A facile, solvent vapor fumigation-induced, self-repair recrystallization of CH ₃ NH ₃ PbI ₃ films for high-performance perovskite solar cells. <i>Nanoscale</i> , 2015, 7, 5427-5434. | 2.8 | 61 |
| 145 | High efficiency sequentially vapor grown n-i-p CH ₃ NH ₃ PbI ₃ perovskite solar cells with undoped P3HT as p-type heterojunction layer. <i>APL Materials</i> , 2015, 3, 016105. | 2.2 | 87 |
| 146 | Unravelling the Effects of Cl Addition in Single Step CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells. <i>Chemistry of Materials</i> , 2015, 27, 2309-2314. | 3.2 | 96 |
| 147 | Pathways for solar photovoltaics. <i>Energy and Environmental Science</i> , 2015, 8, 1200-1219. | 15.6 | 385 |
| 148 | Low-Temperature Processed and Carbon-Based ZnO/CH ₃ NH ₃ PbI ₃ /C Planar Heterojunction Perovskite Solar Cells. <i>Journal of Physical Chemistry C</i> , 2015, 119, 4600-4605. | 1.5 | 153 |
| 149 | Crystallization Kinetics of Organic-Inorganic Trihalide Perovskites and the Role of the Lead Anion in Crystal Growth. <i>Journal of the American Chemical Society</i> , 2015, 137, 2350-2358. | 6.6 | 326 |
| 150 | Zr Incorporation into TiO ₂ Electrodes Reduces Hysteresis and Improves Performance in Hybrid Perovskite Solar Cells while Increasing Carrier Lifetimes. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 669-675. | 2.1 | 106 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 151 | Elimination of Burn-in Open-Circuit Voltage Degradation by ZnO Surface Modification in Organic Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 1608-1615. | 4.0 | 45 |
| 152 | The effect of external electric field on the performance of perovskite solar cells. Organic Electronics, 2015, 18, 107-112. | 1.4 | 32 |
| 153 | High-efficiency solution-processed perovskite solar cells with millimeter-scale grains. Science, 2015, 347, 522-525. | 6.0 | 2,978 |
| 154 | Ultrasoft organic-inorganic perovskite thin-film formation and crystallization for efficient planar heterojunction solar cells. Nature Communications, 2015, 6, 6142. | 5.8 | 784 |
| 155 | Perovskite/polymer monolithic hybrid tandem solar cells utilizing a low-temperature, full solution process. Materials Horizons, 2015, 2, 203-211. | 6.4 | 148 |
| 156 | Efficient CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells Based on Graphdiyne (GD)-Modified P3HT Hole-Transporting Material. Advanced Energy Materials, 2015, 5, 1401943. | 10.2 | 282 |
| 158 | Fabrication of metal-oxide-free CH ₃ NH ₃ PbI ₃ perovskite solar cells processed at low temperature. Journal of Materials Chemistry A, 2015, 3, 3271-3275. | 5.2 | 162 |
| 159 | Perovskite thin-film solar cell: excitation in photovoltaic science. Science China Chemistry, 2015, 58, 221-238. | 4.2 | 63 |
| 160 | Additive to regulate the perovskite crystal film growth in planar heterojunction solar cells. Applied Physics Letters, 2015, 106, . | 1.5 | 123 |
| 161 | Flexible organo-metal halide perovskite solar cells on a Ti metal substrate. Journal of Materials Chemistry A, 2015, 3, 4129-4133. | 5.2 | 89 |
| 162 | Fabrication of Planar Heterojunction Perovskite Solar Cells by Controlled Low-Pressure Vapor Annealing. Journal of Physical Chemistry Letters, 2015, 6, 493-499. | 2.1 | 112 |
| 163 | Efficient Hybrid Mesoscopic Solar Cells with Morphology-Controlled CH ₃ NH ₃ PbI _{3-x} Cl _x Derived from Two-Step Spin Coating Method. ACS Applied Materials & Interfaces, 2015, 7, 2242-2248. | 4.0 | 92 |
| 164 | Unraveling film transformations and device performance of planar perovskite solar cells. Nano Energy, 2015, 12, 494-500. | 8.2 | 65 |
| 165 | Spatially separated charge densities of electrons and holes in organic-inorganic halide perovskites. Journal of Applied Physics, 2015, 117, 074901. | 1.1 | 12 |
| 166 | Polymer electrolytes and perovskites: lights and shadows in photovoltaic devices. Electrochimica Acta, 2015, 175, 151-161. | 2.6 | 89 |
| 167 | Improving the TiO ₂ electron transport layer in perovskite solar cells using acetylacetonate-based additives. Journal of Materials Chemistry A, 2015, 3, 9108-9115. | 5.2 | 104 |
| 168 | Efficiencies of perovskite hybrid solar cells influenced by film thickness and morphology of CH ₃ NH ₃ PbI ₃ -xCl _x layer. Organic Electronics, 2015, 21, 19-26. | 1.4 | 56 |
| 169 | Roles of Fullerene-Based Interlayers in Enhancing the Performance of Organometal Perovskite Thin-Film Solar Cells. Advanced Energy Materials, 2015, 5, 1402321. | 10.2 | 289 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 170 | Perovskite solar cells: film formation and properties. Journal of Materials Chemistry A, 2015, 3, 9032-9050. | 5.2 | 392 |
| 171 | Room temperature optical properties of organic-inorganic lead halide perovskites. Solar Energy Materials and Solar Cells, 2015, 137, 253-257. | 3.0 | 96 |
| 172 | Mesoporous SnO ₂ nanoparticle films as electron-transporting material in perovskite solar cells. RSC Advances, 2015, 5, 28424-28429. | 1.7 | 154 |
| 173 | Hot Electron Injection in a Sandwiched TiO _x /Au/TiO _x Structure for High-Performance Planar Perovskite Solar Cells. Advanced Energy Materials, 2015, 5, 1500038. | 10.2 | 119 |
| 174 | Solution and vapour deposited lead perovskite solar cells: Ecotoxicity from a life cycle assessment perspective. Solar Energy Materials and Solar Cells, 2015, 137, 303-310. | 3.0 | 195 |
| 175 | Magnetic field effects in hybrid perovskite devices. Nature Physics, 2015, 11, 427-434. | 6.5 | 227 |
| 176 | Once again, organometallic tri-halide perovskites. Materials Today, 2015, 18, 172-173. | 8.3 | 13 |
| 177 | Identifying the optimum thickness of electron transport layers for highly efficient perovskite planar solar cells. Journal of Materials Chemistry A, 2015, 3, 16445-16452. | 5.2 | 91 |
| 178 | Bulk intermixing-type perovskite CH ₃ NH ₃ Pb ₃ /TiO ₂ nanorod hybrid solar cells. Nanoscale, 2015, 7, 14532-14537. | 2.8 | 15 |
| 179 | Efficient and low-temperature processed perovskite solar cells based on a cross-linkable hybrid interlayer. Journal of Materials Chemistry A, 2015, 3, 18483-18491. | 5.2 | 55 |
| 180 | Controllable Grain Morphology of Perovskite Absorber Film by Molecular Self-Assembly toward Efficient Solar Cell Exceeding 17%. Journal of the American Chemical Society, 2015, 137, 10399-10405. | 6.6 | 347 |
| 181 | Efficient planar perovskite solar cells with large fill factor and excellent stability. Journal of Power Sources, 2015, 297, 53-58. | 4.0 | 59 |
| 182 | High efficiency stable inverted perovskite solar cells without current hysteresis. Energy and Environmental Science, 2015, 8, 2725-2733. | 15.6 | 533 |
| 183 | Efficient electron-blocking layer-free planar heterojunction perovskite solar cells with a high open-circuit voltage. Organic Electronics, 2015, 26, 265-272. | 1.4 | 83 |
| 184 | Interface engineering for high-performance perovskite hybrid solar cells. Journal of Materials Chemistry A, 2015, 3, 19205-19217. | 5.2 | 145 |
| 185 | Polyelectrolyte based hole-transporting materials for high performance solution processed planar perovskite solar cells. Journal of Materials Chemistry A, 2015, 3, 15024-15029. | 5.2 | 107 |
| 186 | First-principles calculation of the bulk photovoltaic effect in KNbO_3 and $(\text{K,Ba})(\text{Ni,Nb})\text{O}_3$ | 1.1 | 53 |
| 187 | Recent advances in flexible perovskite solar cells. Chemical Communications, 2015, 51, 14696-14707. | 2.2 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 188 | Effects of organic inorganic hybrid perovskite materials on the electronic properties and morphology of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) and the photovoltaic performance of planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 15897-15904. | 5.2 | 85 |
| 189 | Bifacial Si heterojunction-perovskite organic-inorganic tandem to produce highly efficient (1.7% \times 33%) solar cell. <i>Applied Physics Letters</i> , 2015, 106, . | 1.5 | 82 |
| 190 | High efficiency perovskite solar cells using a PCBM/ZnO double electron transport layer and a short air-aging step. <i>Organic Electronics</i> , 2015, 26, 30-35. | 1.4 | 92 |
| 191 | Controlling CH ₃ NH ₃ PbI ₃ Cl Film Morphology with Two-Step Annealing Method for Efficient Hybrid Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 16330-16337. | 4.0 | 86 |
| 192 | Semitransparent Fully Air Processed Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 17776-17781. | 4.0 | 75 |
| 193 | Morphological control of organic-inorganic perovskite layers by hot isostatic pressing for efficient planar solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17780-17787. | 5.2 | 29 |
| 194 | Study of planar heterojunction perovskite photovoltaic cells using compact titanium oxide by chemical bath deposition. <i>Japanese Journal of Applied Physics</i> , 2015, 54, 08KF02. | 0.8 | 9 |
| 195 | Towards design of metal oxide free perovskite solar cell paradigm: Materials processing and enhanced device performance. <i>Chemical Engineering Journal</i> , 2015, 281, 599-605. | 6.6 | 6 |
| 196 | Under the spotlight: The organic-inorganic hybrid halide perovskite for optoelectronic applications. <i>Nano Today</i> , 2015, 10, 355-396. | 6.2 | 891 |
| 197 | Multilayer Transparent Top Electrode for Solution Processed Perovskite/Cu(In,Ga)(Se,S) ₂ Four Terminal Tandem Solar Cells. <i>ACS Nano</i> , 2015, 9, 7714-7721. | 7.3 | 157 |
| 198 | Conjugated polyelectrolyte hole transport layer for inverted-type perovskite solar cells. <i>Nature Communications</i> , 2015, 6, 7348. | 5.8 | 281 |
| 199 | Recent progress in efficient hybrid lead halide perovskite solar cells. <i>Science and Technology of Advanced Materials</i> , 2015, 16, 036004. | 2.8 | 87 |
| 200 | High-Performance, Air-Stable, Low-Temperature Processed Semitransparent Perovskite Solar Cells Enabled by Atomic Layer Deposition. <i>Chemistry of Materials</i> , 2015, 27, 5122-5130. | 3.2 | 203 |
| 201 | Transparent Conductive Oxide-Free Perovskite Solar Cells with PEDOT:PSS as Transparent Electrode. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 15314-15320. | 4.0 | 201 |
| 202 | Low-temperature, solution processed metal sulfide as an electron transport layer for efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11750-11755. | 5.2 | 122 |
| 203 | Improved Hole Interfacial Layer for Planar Perovskite Solar Cells with Efficiency Exceeding 15%. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 9645-9651. | 4.0 | 114 |
| 204 | Hybrid Perovskite Films by a New Variant of Pulsed Excimer Laser Deposition: A Room-Temperature Dry Process. <i>Journal of Physical Chemistry C</i> , 2015, 119, 9177-9185. | 1.5 | 68 |
| 205 | A dopant-free organic hole transport material for efficient planar heterojunction perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11940-11947. | 5.2 | 213 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 206 | Efficient perovskite/fullerene planar heterojunction solar cells with enhanced charge extraction and suppressed charge recombination. <i>Nanoscale</i> , 2015, 7, 9771-9778. | 2.8 | 102 |
| 207 | Layered ultrathin PbI_2 single crystals for high sensitivity flexible photodetectors. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4402-4406. | 2.7 | 119 |
| 208 | TCO-free flexible organo metal trihalide perovskite planar-heterojunction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015, 140, 150-157. | 3.0 | 72 |
| 209 | Impact of microstructure on local carrier lifetime in perovskite solar cells. <i>Science</i> , 2015, 348, 683-686. | 6.0 | 1,833 |
| 210 | Perovskite photovoltachromic cells for building integration. <i>Energy and Environmental Science</i> , 2015, 8, 1578-1584. | 15.6 | 125 |
| 211 | Direct observation of an inhomogeneous chlorine distribution in $\text{CH}_3\text{NH}_3\text{PbI}_3$ layers: surface depletion and interface enrichment. <i>Energy and Environmental Science</i> , 2015, 8, 1609-1615. | 15.6 | 97 |
| 212 | Origin of High Electronic Quality in Structurally Disordered $\text{CH}_3\text{NH}_3\text{PbI}_3$ and the Passivation Effect of Cl and O at Grain Boundaries. <i>Advanced Electronic Materials</i> , 2015, 1, 1500044. | 2.6 | 175 |
| 213 | Planar perovskite solar cells with 15.75% power conversion efficiency by cathode and anode interfacial modification. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13533-13539. | 5.2 | 116 |
| 214 | Multifaceted Excited State of $\text{CH}_3\text{NH}_3\text{PbI}_3$. Charge Separation, Recombination, and Trapping. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 2086-2095. | 2.1 | 107 |
| 215 | Enhanced efficiency of organic and perovskite photovoltaics from shape-dependent broadband plasmonic effects of silver nanoplates. <i>Solar Energy Materials and Solar Cells</i> , 2015, 140, 224-231. | 3.0 | 77 |
| 216 | Perovskites: transforming photovoltaics, a mini-review. <i>Journal of Photonics for Energy</i> , 2015, 5, 057402. | 0.8 | 47 |
| 217 | Controlled thickness and morphology for highly efficient inverted planar heterojunction perovskite solar cells. <i>Nanoscale</i> , 2015, 7, 10699-10707. | 2.8 | 21 |
| 218 | Self-Powered Electronics by Integration of Flexible Solid-State Graphene-Based Supercapacitors with High Performance Perovskite Hybrid Solar Cells. <i>Advanced Functional Materials</i> , 2015, 25, 2420-2427. | 7.8 | 142 |
| 219 | Stabilization of the Trigonal High-Temperature Phase of Formamidinium Lead Iodide. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 1249-1253. | 2.1 | 477 |
| 220 | Inverted perovskite solar cells with inserted cross-linked electron-blocking interlayers for performance enhancement. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9291-9297. | 5.2 | 45 |
| 221 | High-performance hole-transporting layer-free conventional perovskite/fullerene heterojunction thin-film solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9128-9132. | 5.2 | 52 |
| 222 | Highly Efficient Electron Transport Obtained by Doping PCBM with Graphdiyne in Planar-Heterojunction Perovskite Solar Cells. <i>Nano Letters</i> , 2015, 15, 2756-2762. | 4.5 | 338 |
| 223 | Highly efficient, flexible, indium-free perovskite solar cells employing metallic substrates. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9141-9145. | 5.2 | 133 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 224 | Charge selective contacts, mobile ions and anomalous hysteresis in organic-inorganic perovskite solar cells. <i>Materials Horizons</i> , 2015, 2, 315-322. | 6.4 | 366 |
| 225 | CH ₃ NH ₃ PbI ₃ from non-iodide lead salts for perovskite solar cells via the formation of PbI ₂ . <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 10369-10372. | 1.3 | 27 |
| 226 | Fundamental physics behind high-efficiency organo-metal halide perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 15372-15385. | 5.2 | 120 |
| 227 | Highly efficient and stable planar heterojunction perovskite solar cells via a low temperature solution process. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12133-12138. | 5.2 | 86 |
| 228 | Hysteresis-free and highly stable perovskite solar cells produced via a chlorine-mediated interdiffusion method. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12081-12088. | 5.2 | 123 |
| 229 | Thermally-activated recombination in one component of (CH ₃ NH ₃)PbI ₃ /TiO ₂ observed by photocurrent spectroscopy. <i>Chemical Communications</i> , 2015, 51, 7309-7312. | 2.2 | 5 |
| 230 | Alternating precursor layer deposition for highly stable perovskite films towards efficient solar cells using vacuum deposition. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9401-9405. | 5.2 | 146 |
| 231 | Hysteresis-less inverted CH ₃ NH ₃ PbI ₃ planar perovskite hybrid solar cells with 18.1% power conversion efficiency. <i>Energy and Environmental Science</i> , 2015, 8, 1602-1608. | 15.6 | 1,079 |
| 232 | Radically grown obelisk-like ZnO arrays for perovskite solar cell fibers and fabrics through a mild solution process. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9406-9410. | 5.2 | 77 |
| 233 | The expanding world of hybrid perovskites: materials properties and emerging applications. <i>MRS Communications</i> , 2015, 5, 7-26. | 0.8 | 132 |
| 234 | Understanding the low-loss mechanism of general organic-inorganic perovskites from first-principles calculation. <i>Chemical Physics Letters</i> , 2015, 627, 13-19. | 1.2 | 13 |
| 235 | Modified deposition process of electron transport layer for efficient inverted planar perovskite solar cells. <i>Chemical Communications</i> , 2015, 51, 8986-8989. | 2.2 | 28 |
| 236 | A two-step route to planar perovskite cells exhibiting reduced hysteresis. <i>Applied Physics Letters</i> , 2015, 106, . | 1.5 | 80 |
| 237 | Multifunctional MgO Layer in Perovskite Solar Cells. <i>ChemPhysChem</i> , 2015, 16, 1727-1732. | 1.0 | 70 |
| 238 | Hierarchical p and n porous heterojunction in planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10526-10535. | 5.2 | 14 |
| 239 | Cosolvent Approach for Solution-Processable Electronic Thin Films. <i>ACS Nano</i> , 2015, 9, 4398-4405. | 7.3 | 63 |
| 240 | Kinetics of Ion Transport in Perovskite Active Layers and Its Implications for Active Layer Stability. <i>Journal of the American Chemical Society</i> , 2015, 137, 13130-13137. | 6.6 | 394 |
| 241 | New Physical Deposition Approach for Low Cost Inorganic Hole Transport Layer in Normal Architecture of Durable Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 21807-21818. | 4.0 | 80 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 242 | Metal electrode-free perovskite solar cells with transfer-laminated conducting polymer electrode. <i>Optics Express</i> , 2015, 23, A83. | 1.7 | 53 |
| 243 | Enhanced Performance and Stability of Semitransparent Perovskite Solar Cells Using Solution-Processed Thiol-Functionalized Cationic Surfactant as Cathode Buffer Layer. <i>Chemistry of Materials</i> , 2015, 27, 7119-7127. | 3.2 | 78 |
| 244 | An electron beam evaporated TiO ₂ layer for high efficiency planar perovskite solar cells on flexible polyethylene terephthalate substrates. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22824-22829. | 5.2 | 116 |
| 245 | Performance enhancement of planar heterojunction perovskite solar cells by n-doping of the electron transporting layer. <i>Chemical Communications</i> , 2015, 51, 17413-17416. | 2.2 | 76 |
| 246 | High efficiency flexible perovskite solar cells using superior low temperature TiO ₂ . <i>Energy and Environmental Science</i> , 2015, 8, 3208-3214. | 15.6 | 519 |
| 247 | Working Mechanism for Flexible Perovskite Solar Cells with Simplified Architecture. <i>Nano Letters</i> , 2015, 15, 6514-6520. | 4.5 | 91 |
| 248 | Room-temperature, solution-processable organic electron extraction layer for high-performance planar heterojunction perovskite solar cells. <i>Nanoscale</i> , 2015, 7, 17343-17349. | 2.8 | 64 |
| 249 | TiO ₂ nanoparticle-based electron transport layer with improved wettability for efficient planar-heterojunction perovskite solar cell. <i>Journal of Energy Chemistry</i> , 2015, 24, 717-721. | 7.1 | 16 |
| 250 | A repeated interdiffusion method for efficient planar formamidinium perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2015, 24, 707-711. | 7.1 | 17 |
| 251 | Vibrational Properties of the Organic-Inorganic Halide Perovskite CH ₃ NH ₃ Pb ₃ from Theory and Experiment: Factor Group Analysis, First-Principles Calculations, and Low-Temperature Infrared Spectra. <i>Journal of Physical Chemistry C</i> , 2015, 119, 25703-25718. | 1.5 | 276 |
| 252 | Interfacial engineering by using self-assembled monolayer in mesoporous perovskite solar cell. <i>RSC Advances</i> , 2015, 5, 94290-94295. | 1.7 | 76 |
| 253 | Efficient fully-vacuum-processed perovskite solar cells using copper phthalocyanine as hole selective layers. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23888-23894. | 5.2 | 161 |
| 254 | Materials Design of Visible-Light Ferroelectric Photovoltaics from First Principles. <i>Ferroelectrics</i> , 2015, 483, 1-12. | 0.3 | 27 |
| 255 | Functional p-Type, Polymerized Organic Electrode Interlayer in CH ₃ NH ₃ Pb ₃ Perovskite/Fullerene Planar Heterojunction Hybrid Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 24973-24981. | 4.0 | 36 |
| 256 | Encapsulation for improving the lifetime of flexible perovskite solar cells. <i>Nano Energy</i> , 2015, 18, 118-125. | 8.2 | 232 |
| 257 | Improved Crystallization of Perovskite Films by Optimized Solvent Annealing for High Efficiency Solar Cell. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 24008-24015. | 4.0 | 257 |
| 258 | Texture of MAPb ₃ Layers Assisted by Chloride on Flat TiO ₂ Substrates. <i>Journal of Physical Chemistry C</i> , 2015, 119, 19808-19816. | 1.5 | 36 |
| 259 | Layered V ₂ O ₅ /PEDOT Nanowires and Ultrathin Nanobelts Fabricated with a Silk Reelinglike Process. <i>Chemistry of Materials</i> , 2015, 27, 5813-5819. | 3.2 | 74 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 260 | Reliable solution processed planar perovskite hybrid solar cells with large-area uniformity by chloroform soaking and spin rinsing induced surface precipitation. <i>AIP Advances</i> , 2015, 5, 087125. | 0.6 | 14 |
| 261 | Organic Solar Cells. , 2015, , 75-100. | | 0 |
| 262 | Effect of temperature on the efficiency of organometallic perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2015, 24, 729-735. | 7.1 | 54 |
| 263 | High efficiency methylammonium lead triiodide perovskite solar cells: the relevance of non-stoichiometric precursors. <i>Energy and Environmental Science</i> , 2015, 8, 3550-3556. | 15.6 | 384 |
| 264 | Intrinsic Thermal Instability of Methylammonium Lead Trihalide Perovskite. <i>Advanced Energy Materials</i> , 2015, 5, 1500477. | 10.2 | 1,788 |
| 265 | Chlorine Incorporation for Enhanced Performance of Planar Perovskite Solar Cell Based on Lead Acetate Precursor. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 23110-23116. | 4.0 | 118 |
| 266 | Dopants Control Electron-Hole Recombination at Perovskite-TiO ₂ Interfaces: An Ab Initio Time-Domain Study. <i>ACS Nano</i> , 2015, 9, 11143-11155. | 7.3 | 108 |
| 267 | Highly Efficient Flexible Perovskite Solar Cells with Antireflection and Self-Cleaning Nanostructures. <i>ACS Nano</i> , 2015, 9, 10287-10295. | 7.3 | 335 |
| 268 | Low-cost solution-processed copper iodide as an alternative to PEDOT:PSS hole transport layer for efficient and stable inverted planar heterojunction perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19353-19359. | 5.2 | 239 |
| 269 | Temperature-Dependent Polarization in Field-Effect Transport and Photovoltaic Measurements of Methylammonium Lead Iodide. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 3565-3571. | 2.1 | 105 |
| 270 | Single-Walled Carbon Nanotube Film as Electrode in Indium-Free Planar Heterojunction Perovskite Solar Cells: Investigation of Electron-Blocking Layers and Dopants. <i>Nano Letters</i> , 2015, 15, 6665-6671. | 4.5 | 179 |
| 271 | Consecutive Morphology Controlling Operations for Highly Reproducible Mesostructured Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 20707-20713. | 4.0 | 43 |
| 272 | Highly stable and efficient solid-state solar cells based on methylammonium lead bromide (CH ₃ NH ₃ PbBr ₃) perovskite quantum dots. <i>NPG Asia Materials</i> , 2015, 7, e208-e208. | 3.8 | 117 |
| 273 | Efficient Perovskite Hybrid Solar Cells via Controllable Crystallization Film Morphology. <i>IEEE Journal of Photovoltaics</i> , 2015, 5, 1402-1407. | 1.5 | 4 |
| 274 | Ionic Charge Transfer Complex Induced Visible Light Harvesting and Photocharge Generation in Perovskite. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 20280-20284. | 4.0 | 19 |
| 275 | Influence of halide precursor type and its composition on the electronic properties of vacuum deposited perovskite films. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 24342-24348. | 1.3 | 41 |
| 276 | High-performance inverted planar perovskite solar cells without a hole transport layer via a solution process under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19294-19298. | 5.2 | 35 |
| 277 | Effects of Porosity and Amount of Surface Hydroxyl Groups of a Porous TiO ₂ Layer on the Performance of a CH ₃ NH ₃ PbI ₃ Perovskite Photovoltaic Cell. <i>Journal of Physical Chemistry C</i> , 2015, 119, 22304-22309. | 1.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 278 | Investigation on thermal evaporated CH ₃ NH ₃ PbI ₃ thin films. AIP Advances, 2015, 5, . | 0.6 | 42 |
| 279 | CH ₃ NH ₃ PbCl ₃ Single Crystals: Inverse Temperature Crystallization and Visible-Blind UV-Photodetector. Journal of Physical Chemistry Letters, 2015, 6, 3781-3786. | 2.1 | 636 |
| 280 | Controlling the conduction band offset for highly efficient ZnO nanorods based perovskite solar cell. Applied Physics Letters, 2015, 107, . | 1.5 | 67 |
| 281 | Simple fabrication of perovskite solar cells using lead acetate as lead source at low temperature. Organic Electronics, 2015, 27, 12-17. | 1.4 | 37 |
| 282 | Chemical engineering of methylammonium lead iodide/bromide perovskites: tuning of opto-electronic properties and photovoltaic performance. Journal of Materials Chemistry A, 2015, 3, 21760-21771. | 5.2 | 96 |
| 283 | Improving the efficiency of CH ₃ NH ₃ PbI ₃ based photovoltaics by tuning the work function of the PEDOT:PSS hole transport layer. Solar Energy, 2015, 122, 892-899. | 2.9 | 43 |
| 284 | High performance inverted structure perovskite solar cells based on a PCBM:polystyrene blend electron transport layer. Journal of Materials Chemistry A, 2015, 3, 9098-9102. | 5.2 | 192 |
| 285 | Highly efficient and stable planar perovskite solar cells with reduced graphene oxide nanosheets as electrode interlayer. Nano Energy, 2015, 12, 96-104. | 8.2 | 328 |
| 286 | Low temperature processing of flexible planar perovskite solar cells with efficiency over 10%. Journal of Power Sources, 2015, 278, 325-331. | 4.0 | 89 |
| 287 | Interface Engineering of Perovskite Hybrid Solar Cells with Solution-Processed Perylene Diimide Heterojunctions toward High Performance. Chemistry of Materials, 2015, 27, 227-234. | 3.2 | 233 |
| 288 | TiO ₂ nanotube arrays based flexible perovskite solar cells with transparent carbon nanotube electrode. Nano Energy, 2015, 11, 728-735. | 8.2 | 293 |
| 289 | Nanoscale Charge Localization Induced by Random Orientations of Organic Molecules in Hybrid Perovskite CH ₃ NH ₃ PbI ₃ . Nano Letters, 2015, 15, 248-253. | 4.5 | 243 |
| 290 | Perovskite-based solar cells: impact of morphology and device architecture on device performance. Journal of Materials Chemistry A, 2015, 3, 8943-8969. | 5.2 | 522 |
| 291 | Efficient, Semitransparent Neutral-Colored Solar Cells Based on Microstructured Formamidinium Lead Trihalide Perovskite. Journal of Physical Chemistry Letters, 2015, 6, 129-138. | 2.1 | 173 |
| 292 | Layer-by-Layer Growth of CH ₃ NH ₃ PbI ₃ for Highly Efficient Planar Heterojunction Perovskite Solar Cells. Advanced Materials, 2015, 27, 1053-1059. | 11.1 | 211 |
| 293 | High-Efficiency Solution-Processed Planar Perovskite Solar Cells with a Polymer Hole Transport Layer. Advanced Energy Materials, 2015, 5, 1401855. | 10.2 | 337 |
| 294 | Perovskite Solar Cells: From Materials to Devices. Small, 2015, 11, 10-25. | 5.2 | 1,210 |
| 295 | High-Performance and Environmentally Stable Planar Heterojunction Perovskite Solar Cells Based on a Solution-Processed Copper-Doped Nickel Oxide Hole-Transporting Layer. Advanced Materials, 2015, 27, 695-701. | 11.1 | 751 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 296 | Multicolored Organic/Inorganic Hybrid Perovskite Light-Emitting Diodes. <i>Advanced Materials</i> , 2015, 27, 1248-1254. | 11.1 | 1,077 |
| 297 | Metallohalide perovskite-polymer composite film for hybrid planar heterojunction solar cells. <i>RSC Advances</i> , 2015, 5, 775-783. | 1.7 | 76 |
| 298 | p-type Mesoscopic Nickel Oxide/Organometallic Perovskite Heterojunction Solar Cells. <i>Scientific Reports</i> , 2014, 4, 4756. | 1.6 | 371 |
| 299 | Enhanced Environmental Stability of Planar Heterojunction Perovskite Solar Cells Based on Blade-Coating. <i>Advanced Energy Materials</i> , 2015, 5, 1401229. | 10.2 | 303 |
| 300 | Efficient CH ₃ NH ₃ PbI ₃ perovskite solar cells with 2TPA-n-DP hole-transporting layers. <i>Nano Research</i> , 2015, 8, 1116-1127. | 5.8 | 65 |
| 301 | Efficiency enhancement of planar perovskite solar cells by adding zwitterion/LiF double interlayers for electron collection. <i>Nanoscale</i> , 2015, 7, 896-900. | 2.8 | 127 |
| 302 | Recent progress in organic-inorganic halide perovskite solar cells: mechanisms and material design. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8992-9010. | 5.2 | 164 |
| 303 | Theoretical analysis on effect of band offsets in perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015, 133, 8-14. | 3.0 | 410 |
| 304 | Planar heterojunction perovskite solar cells with superior reproducibility. <i>Scientific Reports</i> , 2014, 4, 6953. | 1.6 | 208 |
| 305 | Organic-inorganic halide perovskite/crystalline silicon four-terminal tandem solar cells. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 1619-1629. | 1.3 | 308 |
| 306 | Optical properties of organometal halide perovskite thin films and general device structure design rules for perovskite single and tandem solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9152-9159. | 5.2 | 240 |
| 307 | Halide perovskite materials for solar cells: a theoretical review. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8926-8942. | 5.2 | 1,114 |
| 308 | High-Performance Planar Heterojunction Solar Cells Based on Ternary Halide Large-Band-Gap Perovskites. <i>Advanced Energy Materials</i> , 2015, 5, 1400960. | 10.2 | 117 |
| 309 | Predicting the Open-Circuit Voltage of CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells Using Electroluminescence and Photovoltaic Quantum Efficiency Spectra: the Role of Radiative and Non-Radiative Recombination. <i>Advanced Energy Materials</i> , 2015, 5, 1400812. | 10.2 | 425 |
| 310 | Highly efficient and bending durable perovskite solar cells: toward a wearable power source. <i>Energy and Environmental Science</i> , 2015, 8, 916-921. | 15.6 | 602 |
| 311 | High efficiency photovoltaic module based on mesoscopic organometal halide perovskite. <i>Progress in Photovoltaics: Research and Applications</i> , 2016, 24, 436-445. | 4.4 | 112 |
| 312 | Recent Advances in Fabrication Techniques of Perovskite Solar Cells: A Review. <i>American Journal of Applied Sciences</i> , 2016, 13, 1290-1314. | 0.1 | 3 |
| 313 | Efficient and stable of perovskite solar cells. , 2016, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 314 | Planar Perovskite Solar Cells using CH ₃ NH ₃ PbI ₃ Films: A Simple Process Suitable for Large-Scale Production. Energy Technology, 2016, 4, 473-478. | 1.8 | 32 |
| 315 | Controllable ZnMgO Electron-Transporting Layers for Long-Term Stable Organic Solar Cells with 8.06% Efficiency after One-Year Storage. Advanced Energy Materials, 2016, 6, 1501493. | 10.2 | 72 |
| 316 | Inverted Perovskite Solar Cells: Progresses and Perspectives. Advanced Energy Materials, 2016, 6, 1600457. | 10.2 | 387 |
| 317 | Stability issues of the next generation solar cells. Physica Status Solidi - Rapid Research Letters, 2016, 10, 281-299. | 1.2 | 69 |
| 318 | Physical mechanisms responsible for the water-induced degradation of PC ₆₁ BM P3HT photovoltaic thin films. Journal of Polymer Science, Part B: Polymer Physics, 2016, 54, 141-146. | 2.4 | 22 |
| 319 | Accelerated Thermal-Aging-Induced Degradation of Organometal Triiodide Perovskite on ZnO Nanostructures and Its Effect on Hybrid Photovoltaic Devices. ACS Applied Materials & Interfaces, 2016, 8, 18309-18320. | 4.0 | 24 |
| 320 | Cable-Type Water-Survivable Flexible Li ₂ O Battery. Small, 2016, 12, 3101-3105. | 5.2 | 102 |
| 321 | New Horizons for Perovskite Solar Cells Employing DNA-TMA as the Hole-Transporting Material. ChemSusChem, 2016, 9, 1736-1742. | 3.6 | 32 |
| 322 | Improving Performance and Stability of Flexible Planar-Heterojunction Perovskite Solar Cells Using Polymeric Hole-Transport Material. Advanced Functional Materials, 2016, 26, 4464-4471. | 7.8 | 136 |
| 323 | Remarkably High Conversion Efficiency of Inverted Bulk Heterojunction Solar Cells: From Ultrafast Laser Spectroscopy and Electron Microscopy to Device Fabrication and Optimization. Advanced Energy Materials, 2016, 6, 1502356. | 10.2 | 14 |
| 324 | An easy method to modify PEDOT:PSS/perovskite interfaces for solar cells with efficiency exceeding 15%. RSC Advances, 2016, 6, 65594-65599. | 1.7 | 31 |
| 325 | Improved Performance and Reliability of p-i-n Perovskite Solar Cells via Doped Metal Oxides. Advanced Energy Materials, 2016, 6, 1600285. | 10.2 | 67 |
| 326 | Enhanced performance of perovskite solar cells with solution-processed n-doping of the PCBM interlayer. RSC Advances, 2016, 6, 64962-64966. | 1.7 | 6 |
| 327 | Mixed-Halide CH ₃ NH ₃ PbI ₃ X ₃ (X=Cl, Br). Tj ETQq1 1 0.784314 ChemPhysChem, 2016, 17, 2382-2388. | 1.0 | 40 |
| 328 | Efficiency and Stability Enhancement in Perovskite Solar Cells by Inserting Lithium-Neutralized Graphene Oxide as Electron Transporting Layer. Advanced Functional Materials, 2016, 26, 2686-2694. | 7.8 | 180 |
| 329 | Perovskite Solar Cells Employing Dopant-Free Organic Hole Transport Materials with Tunable Energy Levels. Advanced Materials, 2016, 28, 440-446. | 11.1 | 249 |
| 330 | Transparent Conductive Oxide-Free Graphene-Based Perovskite Solar Cells with over 17% Efficiency. Advanced Energy Materials, 2016, 6, 1501873. | 10.2 | 206 |
| 331 | Improving Film Formation and Photovoltage of Highly Efficient Inverted-Type Perovskite Solar Cells through the Incorporation of New Polymeric Hole Selective Layers. Advanced Energy Materials, 2016, 6, 1502021. | 10.2 | 152 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 332 | Semitransparent Solar Cells with Ultrasmooth and Low-Scattering Perovskite Thin Films. Journal of Physical Chemistry C, 2016, 120, 28933-28938. | 1.5 | 32 |
| 333 | Synergistic Effects of Water and Oxygen Molecule Co-adsorption on (001) Surfaces of Tetragonal CH ₃ NH ₃ PbI ₃ : A First-Principles Study. Journal of Physical Chemistry C, 2016, 120, 28448-28455. | 1.5 | 47 |
| 334 | Fulleropyrrolidinium Iodide As an Efficient Electron Transport Layer for Air-Stable Planar Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2016, 8, 34612-34619. | 4.0 | 24 |
| 335 | Effects of chlorine addition to perovskite-type CH ₃ NH ₃ PbI ₃ photovoltaic devices. Journal of the Ceramic Society of Japan, 2016, 124, 234-238. | 0.5 | 33 |
| 336 | Seed-mediated superior organometal halide films by GeO ₂ nano-particles for high performance perovskite solar cells. Applied Physics Letters, 2016, 108, 053301. | 1.5 | 58 |
| 337 | Effect of PCBM film thickness on the performance of inverted perovskite solar cells. , 2016, , . | | 2 |
| 338 | Degradation mechanism for planar heterojunction perovskite solar cells. Japanese Journal of Applied Physics, 2016, 55, 04ES07. | 0.8 | 10 |
| 339 | Fabrication and characteristics of CH ₃ NH ₃ PbI ₃ perovskite solar cells with molybdenum-selenide hole-transport layer. Applied Physics Express, 2016, 9, 122301. | 1.1 | 13 |
| 340 | Planar mixed halide perovskite-PCBM solar cells on flexible glass substrates processed at low temperature without ITO. , 2016, , . | | 4 |
| 341 | Thermodynamic origin of instability in hybrid halide perovskites. Scientific Reports, 2016, 6, 37654. | 1.6 | 76 |
| 342 | Iodine and Chlorine Element Evolution in CH ₃ NH ₃ PbI ₃ Cl Thin Films for Highly Efficient Planar Heterojunction Perovskite Solar Cells. Chemistry of Materials, 2016, 28, 2742-2749. | 3.2 | 48 |
| 343 | Laser Processing in the Manufacture of Dye-Sensitized and Perovskite Solar Cell Technologies. ChemElectroChem, 2016, 3, 9-30. | 1.7 | 67 |
| 344 | Silver Nanowire Top Electrodes in Flexible Perovskite Solar Cells using Titanium Metal as Substrate. ChemSusChem, 2016, 9, 31-35. | 3.6 | 90 |
| 345 | The Effect of Humidity upon the Crystallization Process of Two-Step Spin-Coated Organic-Inorganic Perovskites. ChemPhysChem, 2016, 17, 112-118. | 1.0 | 35 |
| 346 | Toward Revealing the Critical Role of Perovskite Coverage in Highly Efficient Electron-Transport Layer-Free Perovskite Solar Cells: An Energy Band and Equivalent Circuit Model Perspective. ACS Applied Materials & Interfaces, 2016, 8, 9811-9820. | 4.0 | 54 |
| 347 | Low-temperature solution-processed Li-doped SnO ₂ as an effective electron transporting layer for high-performance flexible and wearable perovskite solar cells. Nano Energy, 2016, 26, 208-215. | 8.2 | 419 |
| 348 | Low-temperature solution-processed p-type vanadium oxide for perovskite solar cells. Chemical Communications, 2016, 52, 8099-8102. | 2.2 | 71 |
| 349 | High-Performance Perovskite Solar Cells Engineered by an Ammonia Modified Graphene Oxide Interfacial Layer. ACS Applied Materials & Interfaces, 2016, 8, 14503-14512. | 4.0 | 120 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 350 | Hysteresis-free low-temperature-processed planar perovskite solar cells with 19.1% efficiency. <i>Energy and Environmental Science</i> , 2016, 9, 2262-2266. | 15.6 | 265 |
| 352 | Transfer-Printed PEDOT:PSS Electrodes Using Mild Acids for High Conductivity and Improved Stability with Application to Flexible Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 14029-14036. | 4.0 | 145 |
| 353 | Progress in emerging solution-processed thin film solar cells – Part II: Perovskite solar cells. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 62, 1012-1031. | 8.2 | 111 |
| 354 | Crystalline Mixed Halide Halobismuthates and Their Induced Second Harmonic Generation. <i>Chemistry of Materials</i> , 2016, 28, 4421-4431. | 3.2 | 43 |
| 355 | Structural, mechanical, electronic and thermal properties of KZnF3 and AgZnF3 Perovskites: FP-(L)APW+lo calculations. <i>Solid State Sciences</i> , 2016, 58, 1-13. | 1.5 | 23 |
| 356 | Highly reproducible perovskite solar cells with excellent $\text{CH}_3\text{NH}_3\text{PbI}_3$ film morphology fabricated via high precursor concentration. <i>RSC Advances</i> , 2016, 6, 51279-51285. | 1.7 | 9 |
| 357 | Improved performance of perovskite solar cells with a TiO ₂ /MoO ₃ core/shell nanoparticles doped PEDOT:PSS hole-transporter. <i>Organic Electronics</i> , 2016, 33, 221-226. | 1.4 | 26 |
| 358 | High performance perovskite solar cell via multi-cycle low temperature processing of lead acetate precursor solutions. <i>Chemical Communications</i> , 2016, 52, 4784-4787. | 2.2 | 39 |
| 359 | Low-Temperature TiO ₂ Compact Layer for Planar Heterojunction Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 11076-11083. | 4.0 | 100 |
| 360 | Sulfamic Acid-Catalyzed Lead Perovskite Formation for Solar Cell Fabrication on Glass or Plastic Substrates. <i>Journal of the American Chemical Society</i> , 2016, 138, 5410-5416. | 6.6 | 86 |
| 361 | Advancements in the stability of perovskite solar cells: degradation mechanisms and improvement approaches. <i>RSC Advances</i> , 2016, 6, 38079-38091. | 1.7 | 154 |
| 362 | Wire-shaped perovskite solar cell based on TiO ₂ nanotubes. <i>Nanotechnology</i> , 2016, 27, 20LT01. | 1.3 | 21 |
| 363 | Thin films for photovoltaic application. <i>Ferroelectrics</i> , 2016, 496, 187-195. | 0.3 | 0 |
| 364 | Pathways toward high-performance perovskite solar cells: review of recent advances in organo-metal halide perovskites for photovoltaic applications. <i>Journal of Photonics for Energy</i> , 2016, 6, 022001. | 0.8 | 218 |
| 365 | Promising photovoltaic application of multi-walled carbon nanotubes in perovskites solar cells for retarding recombination. <i>RSC Advances</i> , 2016, 6, 42413-42420. | 1.7 | 27 |
| 366 | p-i-n/i-p type planar hybrid structure of highly efficient perovskite solar cells towards improved air stability: synthetic strategies and the role of p-type hole transport layer (HTL) and n-type electron transport layer (ETL) metal oxides. <i>Nanoscale</i> , 2016, 8, 10528-10540. | 2.8 | 125 |
| 367 | Graphene and transition metal dichalcogenide nanosheets as charge transport layers for solution processed solar cells. <i>Materials Today</i> , 2016, 19, 580-594. | 8.3 | 79 |
| 368 | ZnO nanowalls grown at low-temperature for electron collection in high-efficiency perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 154, 18-22. | 3.0 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 369 | Tailoring of Electron-Collecting Oxide Nanoparticulate Layer for Flexible Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 1845-1851. | 2.1 | 93 |
| 370 | Induced Crystallization of Perovskites by a Perylene Underlayer for High-Performance Solar Cells. <i>ACS Nano</i> , 2016, 10, 5479-5489. | 7.3 | 125 |
| 371 | Coordination engineering toward high performance organic-inorganic hybrid perovskites. <i>Coordination Chemistry Reviews</i> , 2016, 320-321, 53-65. | 9.5 | 34 |
| 372 | Achieving high efficiency and improved stability in large-area ITO-free perovskite solar cells with thiol-functionalized self-assembled monolayers. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7903-7913. | 5.2 | 64 |
| 373 | High-performance inverted planar heterojunction perovskite solar cells based on a solution-processed CuO hole transport layer. <i>Nanoscale</i> , 2016, 8, 10806-10813. | 2.8 | 206 |
| 374 | Efficient perovskite solar cell fabricated in ambient air using one-step spin-coating. <i>RSC Advances</i> , 2016, 6, 43299-43303. | 1.7 | 52 |
| 375 | Blending of n-type Semiconducting Polymer and PCBM for an Efficient Electron-Selective Material to Boost the Performance of the Planar Perovskite Solar Cell. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12822-12829. | 4.0 | 30 |
| 376 | Efficient, high yield perovskite/fullerene planar-heterojunction solar cells via one-step spin-coating processing. <i>RSC Advances</i> , 2016, 6, 48449-48454. | 1.7 | 10 |
| 377 | Efficient planar heterojunction perovskite solar cells fabricated via roller-coating. <i>Solar Energy Materials and Solar Cells</i> , 2016, 155, 14-19. | 3.0 | 15 |
| 378 | Progress, challenges and perspectives in flexible perovskite solar cells. <i>Energy and Environmental Science</i> , 2016, 9, 3007-3035. | 15.6 | 345 |
| 379 | Efficient perovskite solar cells using trichlorosilanes as perovskite/PCBM interface modifiers. <i>Organic Electronics</i> , 2016, 39, 1-9. | 1.4 | 24 |
| 380 | Ultra-high aspect ratio copper nanowires as transparent conductive electrodes for dye sensitized solar cells. , 2016, , . | | 1 |
| 381 | High-coverage organic-inorganic perovskite film fabricated by double spin coating for improved solar power conversion and amplified spontaneous emission. <i>Chemical Physics Letters</i> , 2016, 661, 131-135. | 1.2 | 11 |
| 382 | Large Planar π -Conjugated Porphyrin for Interfacial Engineering in p-i-n Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 27438-27443. | 4.0 | 70 |
| 383 | A solution processed nanostructured p-type NiO electrode for efficient inverted perovskite solar cells. <i>Nanoscale</i> , 2016, 8, 19189-19194. | 2.8 | 45 |
| 384 | Coexistence of Two Electronic Nano-Phases on a $\text{CH}_3\text{NH}_3\text{PbCl}_2$ Surface Observed in STM Measurements. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 29110-29116. | 4.0 | 21 |
| 385 | Effects of Process Parameters on the Characteristics of Mixed-Halide Perovskite Solar Cells Fabricated by One-Step and Two-Step Sequential Coating. <i>Nanoscale Research Letters</i> , 2016, 11, 408. | 3.1 | 57 |
| 386 | Room-temperature and solution-processed copper iodide as the hole transport layer for inverted planar perovskite solar cells. <i>Nanoscale</i> , 2016, 8, 15954-15960. | 2.8 | 170 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 387 | Preparation of ZnO electron transport layers by spray technology for perovskite solar cells. Journal of Alloys and Compounds, 2016, 689, 192-198. | 2.8 | 13 |
| 388 | Ultrafast Spectroscopy of Photoexcitations in Organometal Trihalide Perovskites. Advanced Functional Materials, 2016, 26, 1617-1627. | 7.8 | 35 |
| 389 | Novel insight into the function of PC61BM in efficient planar perovskite solar cells. Nano Energy, 2016, 27, 561-568. | 8.2 | 14 |
| 390 | Flexible and efficient ITO-free semitransparent perovskite solar cells. Solar Energy Materials and Solar Cells, 2016, 157, 660-665. | 3.0 | 57 |
| 391 | A novel asymmetric phthalocyanine-based hole transporting material for perovskite solar cells with an open-circuit voltage above 1.0 V. Synthetic Metals, 2016, 220, 462-468. | 2.1 | 38 |
| 392 | Quantum Confinement Effects in Organic Lead Tribromide Perovskite Nanoparticles. Journal of Physical Chemistry C, 2016, 120, 18333-18339. | 1.5 | 30 |
| 393 | High Performance Perovskite Solar Cells. Advanced Science, 2016, 3, 1500201. | 5.6 | 105 |
| 394 | A PCBM Electron Transport Layer Containing Small Amounts of Dual Polymer Additives that Enables Enhanced Perovskite Solar Cell Performance. Advanced Science, 2016, 3, 1500353. | 5.6 | 67 |
| 395 | Inverted Planar Structure of Perovskite Solar Cells. , 2016, , 307-324. | | 2 |
| 396 | Flexible Perovskite Solar Cell. , 2016, , 325-341. | | 2 |
| 397 | One-step fabrication of a mixed-halide perovskite film for a high-efficiency inverted solar cell and module. Journal of Materials Chemistry A, 2016, 4, 13525-13533. | 5.2 | 90 |
| 398 | Low temperature fabrication of formamidinium based perovskite solar cells with enhanced performance by chlorine incorporation. Organic Electronics, 2016, 38, 144-149. | 1.4 | 8 |
| 399 | Block Copolymer-Tuned Fullerene Electron Transport Layer Enhances the Efficiency of Perovskite Photovoltaics. ACS Applied Materials & Interfaces, 2016, 8, 24603-24611. | 4.0 | 37 |
| 400 | Effects of Organic Cation Additives on the Fast Growth of Perovskite Thin Films for Efficient Planar Heterojunction Solar Cells. ACS Applied Materials & Interfaces, 2016, 8, 24703-24711. | 4.0 | 38 |
| 401 | Enhanced crystallization and stability of perovskites by a cross-linkable fullerene for high-performance solar cells. Journal of Materials Chemistry A, 2016, 4, 15088-15094. | 5.2 | 70 |
| 402 | Cooperative Effect of GO and Glucose on PEDOT:PSS for High V_{OC} and Hysteresis-Free Solution-Processed Perovskite Solar Cells. Advanced Functional Materials, 2016, 26, 6985-6994. | 7.8 | 61 |
| 403 | Ultrathin and flexible perovskite solar cells with graphene transparent electrodes. Nano Energy, 2016, 28, 151-157. | 8.2 | 200 |
| 404 | Surface coverage enhancement of a mixed halide perovskite film by using an UV-ozone treatment. Journal of the Korean Physical Society, 2016, 69, 406-411. | 0.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 405 | Surface engineering of ZnO electron transporting layer via Al doping for high efficiency planar perovskite solar cells. <i>Nano Energy</i> , 2016, 28, 311-318. | 8.2 | 147 |
| 406 | Dopant-free Donor (D)-free D Conjugated Hole-Transport Materials for Efficient and Stable Perovskite Solar Cells. <i>ChemSusChem</i> , 2016, 9, 2578-2585. | 3.6 | 83 |
| 407 | Efficient, monolithic large area organohalide perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 13830-13836. | 5.2 | 47 |
| 408 | Improved Ambient-stable Perovskite Solar Cells Enabled by a Hybrid Polymeric Electron-Transporting Layer. <i>ChemSusChem</i> , 2016, 9, 2586-2591. | 3.6 | 26 |
| 409 | Highly-Efficient and Long-Term Stable Perovskite Solar Cells Enabled by a Cross-Linkable <i>n</i> -Doped Hybrid Cathode Interfacial Layer. <i>Chemistry of Materials</i> , 2016, 28, 6305-6312. | 3.2 | 38 |
| 410 | Revealing the unfavorable role of superfluous CH ₃ NH ₃ PbI ₃ grain boundary traps in perovskite solar cells on carrier collection. <i>RSC Advances</i> , 2016, 6, 83264-83272. | 1.7 | 13 |
| 411 | Efficient promotion of charge separation and suppression of charge recombination by blending PCBM and its dimer as electron transport layer in inverted perovskite solar cells. <i>RSC Advances</i> , 2016, 6, 112512-112519. | 1.7 | 15 |
| 412 | Approximately 800-nm-Thick Pinhole-Free Perovskite Films via Facile Solvent Retarding Process for Efficient Planar Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 34446-34454. | 4.0 | 36 |
| 413 | Graphene-free Perovskite Solar Cells Exceed 18% Efficiency: A Stability Study. <i>ChemSusChem</i> , 2016, 9, 2609-2619. | 3.6 | 163 |
| 414 | Grain structure control and greatly enhanced carrier transport by CH ₃ NH ₃ PbCl ₃ interlayer in two-step solution processed planar perovskite solar cells. <i>Organic Electronics</i> , 2016, 38, 362-369. | 1.4 | 11 |
| 415 | Effects of Gas Blowing Condition on Formation of Perovskite Layer on Organic Scaffolds. <i>Chemistry Letters</i> , 2016, 45, 822-824. | 0.7 | 10 |
| 416 | Highly stabilized perovskite solar cell prepared using vacuum deposition. <i>RSC Advances</i> , 2016, 6, 93525-93531. | 1.7 | 10 |
| 417 | MAPbI _{2.9-x} Br _x Cl _{0.1} hybrid halide perovskites: Shedding light on the effect of chloride and bromide ions on structural and photoluminescence properties. <i>Applied Surface Science</i> , 2016, 390, 744-750. | 3.1 | 16 |
| 418 | Evidence for reduced charge recombination in carbon nanotube/perovskite-based active layers. <i>Chemical Physics Letters</i> , 2016, 662, 35-41. | 1.2 | 43 |
| 419 | Advances in Perovskite Solar Cells. <i>Advanced Science</i> , 2016, 3, 1500324. | 5.6 | 482 |
| 420 | Optimizing semiconductor thin films with smooth surfaces and well-interconnected networks for high-performance perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12463-12470. | 5.2 | 28 |
| 421 | Polarization-selective three-photon absorption and subsequent photoluminescence in CsPbBr_3 crystal at room temperature. <i>Physical Review B</i> , 2016, 93, . | 1.1 | 12 |
| 422 | Flexible organic-inorganic hybrid perovskite solar cells. <i>Science China Materials</i> , 2016, 59, 495-506. | 3.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 423 | Effects of alloying on the optical properties of organic–inorganic lead halide perovskite thin films. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7775-7782. | 2.7 | 100 |
| 424 | A Polymer Hole Extraction Layer for Inverted Perovskite Solar Cells from Aqueous Solutions. <i>Advanced Energy Materials</i> , 2016, 6, 1600664. | 10.2 | 56 |
| 425 | Organic-Inorganic Halide Perovskite Photovoltaics. , 2016, , . | | 115 |
| 426 | An amorphous precursor route to the conformable oriented crystallization of CH ₃ NH ₃ PbBr ₃ in mesoporous scaffolds: toward efficient and thermally stable carbon-based perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12897-12912. | 5.2 | 77 |
| 427 | Simultaneous band-gap narrowing and carrier-lifetime prolongation of organic–inorganic trihalide perovskites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 8910-8915. | 3.3 | 269 |
| 428 | Highly reproducible and photocurrent hysteresis-less planar perovskite solar cells with a modified solvent annealing method. <i>Solar Energy</i> , 2016, 136, 210-216. | 2.9 | 16 |
| 429 | Two-Step Physical Deposition of a Compact CuI Hole-Transport Layer and the Formation of an Interfacial Species in Perovskite Solar Cells. <i>ChemSusChem</i> , 2016, 9, 1929-1937. | 3.6 | 64 |
| 430 | Designing new fullerene derivatives as electron transporting materials for efficient perovskite solar cells with improved moisture resistance. <i>Nano Energy</i> , 2016, 30, 341-346. | 8.2 | 72 |
| 431 | Optoelectronic modelling of perovskite solar cells under humid conditions and their correlation with power losses to quantify material degradation. <i>Organic Electronics</i> , 2016, 39, 258-266. | 1.4 | 11 |
| 432 | Nonreduction-Active Hole-Transporting Layers Enhancing Open-Circuit Voltage and Efficiency of Planar Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 33899-33906. | 4.0 | 40 |
| 433 | Solar photovoltaics: current state and trends. <i>Physics-Uspekhi</i> , 2016, 59, 727-772. | 0.8 | 79 |
| 434 | Wearable energy-smart ribbons for synchronous energy harvest and storage. <i>Nature Communications</i> , 2016, 7, 13319. | 5.8 | 147 |
| 435 | Radio Frequency Magnetron Sputtering Deposition of TiO ₂ Thin Films and Their Perovskite Solar Cell Applications. <i>Scientific Reports</i> , 2016, 5, 17684. | 1.6 | 81 |
| 436 | Preparation and evaluation of perovskite solar cells in the absolute atmospheric environment. , 2016, , . | | 1 |
| 437 | Highly efficient light management for perovskite solar cells. <i>Scientific Reports</i> , 2016, 6, 18922. | 1.6 | 105 |
| 438 | Undesirable role of remnant PbI ₂ layer on low temperature processed planar perovskite solar cells. <i>RSC Advances</i> , 2016, 6, 101250-101258. | 1.7 | 18 |
| 439 | Reduced graphene oxide-assisted crystallization of perovskite via solution-process for efficient and stable planar solar cells with module-scales. <i>Nano Energy</i> , 2016, 30, 667-676. | 8.2 | 56 |
| 440 | Polymer Stabilization of Lead(II) Perovskite Cubic Nanocrystals for Semitransparent Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, 1502317. | 10.2 | 168 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 441 | Numerical simulation and light trapping in perovskite solar cell. <i>Journal of Photonics for Energy</i> , 2016, 6, 025507. | 0.8 | 18 |
| 442 | n and p-type properties in organo-metal halide perovskites studied by Seebeck effects. <i>Organic Electronics</i> , 2016, 35, 216-220. | 1.4 | 15 |
| 443 | Polyethylenimine as a dual functional additive for electron transporting layer in efficient solution processed planar heterojunction perovskite solar cells. <i>RSC Advances</i> , 2016, 6, 57793-57798. | 1.7 | 24 |
| 444 | An all-solid-state fiber-type solar cell achieving 9.49% efficiency. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10105-10109. | 5.2 | 77 |
| 445 | Formation and evolution of the unexpected PbI_2 phase at the interface during the growth of evaporated perovskite films. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 18607-18613. | 1.3 | 58 |
| 446 | Pure- or mixed-solvent assisted treatment for crystallization dynamics of planar lead halide perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 155, 166-175. | 3.0 | 19 |
| 447 | Intriguing Optoelectronic Properties of Metal Halide Perovskites. <i>Chemical Reviews</i> , 2016, 116, 12956-13008. | 23.0 | 1,343 |
| 448 | Band Gaps of the Lead-Free Halide Double Perovskites $\text{Cs}_2\text{BiAgCl}_6$ and $\text{Cs}_2\text{BiAgBr}_6$ from Theory and Experiment. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 2579-2585. | 2.1 | 529 |
| 449 | Dissociation of Methylammonium Cations in Hybrid Organic-Inorganic Perovskite Solar Cells. <i>Nano Letters</i> , 2016, 16, 4720-4725. | 4.5 | 49 |
| 450 | Systematic study on the impact of water on the performance and stability of perovskite solar cells. <i>RSC Advances</i> , 2016, 6, 52448-52458. | 1.7 | 29 |
| 451 | Investigation of chlorine-mediated microstructural evolution of $\text{CH}_3\text{NH}_3\text{PbI}_3(\text{Cl})$ grains for high optoelectronic responses. <i>Nano Energy</i> , 2016, 25, 91-99. | 8.2 | 41 |
| 452 | Solution processed perovskite solar cells using highly conductive PEDOT:PSS interfacial layer. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 318-325. | 3.0 | 69 |
| 453 | High performance planar-heterojunction perovskite solar cells using amino-based fulleropyrrolidine as the electron transporting material. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10130-10134. | 5.2 | 44 |
| 454 | Spatial confinement growth of perovskite nanocrystals for ultra-flexible solar cells. <i>RSC Advances</i> , 2016, 6, 59429-59437. | 1.7 | 3 |
| 455 | TiO_2 passivation for improved efficiency and stability of ZnO nanorods based perovskite solar cells. <i>RSC Advances</i> , 2016, 6, 57996-58002. | 1.7 | 41 |
| 456 | Isindigo-based polymer photovoltaics: modifying polymer molecular structures to control the nanostructural packing motif. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 17957-17964. | 1.3 | 3 |
| 457 | Initiating crystal growth kinetics of $\text{CH}_3\text{NH}_3\text{PbI}_3$ for flexible solar cells with long-term stability. <i>Nano Energy</i> , 2016, 26, 438-445. | 8.2 | 35 |
| 458 | Cuprous Oxide as a Potential Low-Cost Hole-Transport Material for Stable Perovskite Solar Cells. <i>ChemSusChem</i> , 2016, 9, 302-313. | 3.6 | 122 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 459 | Power Conversion Efficiency and Device Stability Improvement of Inverted Perovskite Solar Cells by Using a ZnO:PFN Composite Cathode Buffer Layer. ACS Applied Materials & Interfaces, 2016, 8, 18410-18417. | 4.0 | 50 |
| 460 | Oxidized Ni/Au Transparent Electrode in Efficient CH ₃ NH ₃ PbI ₃ Perovskite/Fullerene Planar Heterojunction Hybrid Solar Cells. Advanced Materials, 2016, 28, 3290-3297. | 11.1 | 57 |
| 461 | A Novel Dopant-Free Triphenylamine Based Molecular "Butterfly" Hole Transport Material for Highly Efficient and Stable Perovskite Solar Cells. Advanced Energy Materials, 2016, 6, 1600401. | 10.2 | 161 |
| 462 | Advances in the structure and materials of perovskite solar cells. Research on Chemical Intermediates, 2016, 42, 625-639. | 1.3 | 11 |
| 463 | High-performance perovskite solar cells by incorporating a ZnGa ₂ O ₄ :Eu ³⁺ nanophosphor in the mesoporous TiO ₂ layer. Solar Energy Materials and Solar Cells, 2016, 149, 121-127. | 3.0 | 69 |
| 464 | Recent progress in electron transport layers for efficient perovskite solar cells. Journal of Materials Chemistry A, 2016, 4, 3970-3990. | 5.2 | 472 |
| 465 | Impacts of Ion Segregation on Local Optical Properties in Mixed Halide Perovskite Films. Nano Letters, 2016, 16, 1485-1490. | 4.5 | 79 |
| 466 | Shape-controlled CH ₃ NH ₃ PbI ₃ nanoparticles for planar heterojunction perovskite solar cells. Japanese Journal of Applied Physics, 2016, 55, 02BF05. | 0.8 | 11 |
| 467 | Novel Surface Passivation Technique for Low-Temperature Solution-Processed Perovskite PV Cells. ACS Applied Materials & Interfaces, 2016, 8, 4644-4650. | 4.0 | 83 |
| 468 | Recent progress and challenges of organometal halide perovskite solar cells. Reports on Progress in Physics, 2016, 79, 026501. | 8.1 | 107 |
| 469 | Perovskite sensitized solar cell using solid polymer electrolyte. International Journal of Hydrogen Energy, 2016, 41, 2847-2852. | 3.8 | 32 |
| 470 | Carrier-Activated Polarization in Organometal Halide Perovskites. Journal of Physical Chemistry C, 2016, 120, 2536-2541. | 1.5 | 27 |
| 471 | A perovskite cell with a record-high-V _{oc} of 1.61 V based on solvent annealed CH ₃ NH ₃ PbBr ₃ /ICBA active layer. Nanoscale, 2016, 8, 4077-4085. | 2.8 | 122 |
| 472 | Fiber-shaped perovskite solar cells with 5.3% efficiency. Journal of Materials Chemistry A, 2016, 4, 3901-3906. | 5.2 | 65 |
| 473 | Flexible, hole transporting layer-free and stable CH ₃ NH ₃ PbI ₃ /PC61BM planar heterojunction perovskite solar cells. Organic Electronics, 2016, 30, 281-288. | 1.4 | 69 |
| 474 | Lead-Free MA ₂ CuCl ₄ Br Hybrid Perovskites. Inorganic Chemistry, 2016, 55, 1044-1052. | 1.9 | 457 |
| 475 | Defect trapping states and charge carrier recombination in organic-inorganic halide perovskites. Journal of Materials Chemistry C, 2016, 4, 793-800. | 2.7 | 171 |
| 476 | A room-temperature CuAlO ₂ hole interfacial layer for efficient and stable planar perovskite solar cells. Journal of Materials Chemistry A, 2016, 4, 1326-1335. | 5.2 | 122 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 477 | Room-Temperature Solution-Processed n-Doped Zirconium Oxide Cathode Buffer Layer for Efficient and Stable Organic and Hybrid Perovskite Solar Cells. <i>Chemistry of Materials</i> , 2016, 28, 242-251. | 3.2 | 53 |
| 478 | Planar heterojunction type perovskite solar cells based on TiO _x compact layer fabricated by chemical bath deposition. , 2016, , . | | 4 |
| 479 | Preheating-assisted deposition of solution-processed perovskite layer for an efficiency-improved inverted planar composite heterojunction solar cell. <i>RSC Advances</i> , 2016, 6, 30978-30985. | 1.7 | 28 |
| 480 | Time-resolved fluorescence anisotropy study of organic lead halide perovskite. <i>Solar Energy Materials and Solar Cells</i> , 2016, 151, 102-112. | 3.0 | 14 |
| 481 | Fundamental Study on the Fabrication of Inverted Planar Perovskite Solar Cells Using Two-Step Sequential Substrate Vibration-Assisted Spray Coating (2S-SVASC). <i>Nanoscale Research Letters</i> , 2016, 11, 71. | 3.1 | 58 |
| 482 | Origin of <i>J</i> - <i>V</i> Hysteresis in Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 905-917. | 2.1 | 631 |
| 483 | Thin-film semiconductor perspective of organometal trihalide perovskite materials for high-efficiency solar cells. <i>Materials Science and Engineering Reports</i> , 2016, 101, 1-38. | 14.8 | 117 |
| 484 | A perylene diimide-based non-fullerene acceptor as an electron transporting material for inverted perovskite solar cells. <i>RSC Advances</i> , 2016, 6, 19923-19927. | 1.7 | 50 |
| 485 | Bulk heterojunction perovskite-PCBM solar cells with high fill factor. <i>Nature Photonics</i> , 2016, 10, 196-200. | 15.6 | 559 |
| 486 | Perovskite solar cells fabricated using dicarboxylic fullerene derivatives. <i>New Journal of Chemistry</i> , 2016, 40, 2829-2834. | 1.4 | 23 |
| 487 | Working from Both Sides: Composite Metallic Semitransparent Top Electrode for High Performance Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 4523-4531. | 4.0 | 56 |
| 488 | Critical kinetic control of non-stoichiometric intermediate phase transformation for efficient perovskite solar cells. <i>Nanoscale</i> , 2016, 8, 12892-12899. | 2.8 | 98 |
| 489 | An efficient electron transport material of tin oxide for planar structure perovskite solar cells. <i>Journal of Power Sources</i> , 2016, 307, 891-897. | 4.0 | 76 |
| 490 | sec-Butyl alcohol assisted pinhole-free perovskite film growth for high-performance solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3438-3445. | 5.2 | 46 |
| 491 | Wavelength-dependent differences in photocatalytic performance between BiOBr nanosheets with dominant exposed (0 0 1) and (0 1 0) facets. <i>Applied Catalysis B: Environmental</i> , 2016, 187, 342-349. | 10.8 | 129 |
| 492 | High-Performance, Semitransparent, Easily Tunable Vivid Colorful Perovskite Photovoltaics Featuring Ag/ITO/Ag Microcavity Structures. <i>Journal of Physical Chemistry C</i> , 2016, 120, 4233-4239. | 1.5 | 67 |
| 493 | A composite nanostructured electron-transport layer for stable hole-conductor free perovskite solar cells: design and characterization. <i>Nanoscale</i> , 2016, 8, 5847-5851. | 2.8 | 25 |
| 494 | Room-temperature solution-processed and metal oxide-free nano-composite for the flexible transparent bottom electrode of perovskite solar cells. <i>Nanoscale</i> , 2016, 8, 5946-5953. | 2.8 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 495 | Reduction and oxidation of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) induced by methylamine (CH ₃ NH ₂)-containing atmosphere for perovskite solar cells. Journal of Materials Chemistry A, 2016, 4, 4305-4311. | 5.2 | 44 |
| 496 | Phase transition kinetics and surface binding states of methylammonium lead iodide perovskite. Physical Chemistry Chemical Physics, 2016, 18, 7284-7292. | 1.3 | 94 |
| 497 | The solvent treatment effect of the PEDOT:PSS anode interlayer in inverted planar perovskite solar cells. RSC Advances, 2016, 6, 24501-24507. | 1.7 | 38 |
| 498 | Enhancing the grain size of organic halide perovskites by sulfonate-carbon nanotube incorporation in high performance perovskite solar cells. Chemical Communications, 2016, 52, 5674-5677. | 2.2 | 77 |
| 499 | Graphene in perovskite solar cells: device design, characterization and implementation. Journal of Materials Chemistry A, 2016, 4, 6185-6235. | 5.2 | 185 |
| 500 | Highly Efficient Flexible Perovskite Solar Cells Using Solution-Derived NiO Hole Contacts. ACS Nano, 2016, 10, 3630-3636. | 7.3 | 426 |
| 501 | Interface degradation of perovskite solar cells and its modification using an annealing-free TiO ₂ NPs layer. Organic Electronics, 2016, 30, 30-35. | 1.4 | 100 |
| 502 | High-efficiency robust perovskite solar cells on ultrathin flexible substrates. Nature Communications, 2016, 7, 10214. | 5.8 | 534 |
| 503 | Enhanced UV-light stability of planar heterojunction perovskite solar cells with caesium bromide interface modification. Energy and Environmental Science, 2016, 9, 490-498. | 15.6 | 535 |
| 504 | Highly efficient low temperature solution processable planar type CH ₃ NH ₃ PbI ₃ perovskite flexible solar cells. Journal of Materials Chemistry A, 2016, 4, 1572-1578. | 5.2 | 223 |
| 505 | Recent advancements in perovskite solar cells: flexibility, stability and large scale. Journal of Materials Chemistry A, 2016, 4, 6755-6771. | 5.2 | 137 |
| 506 | Recent Advances in the Inverted Planar Structure of Perovskite Solar Cells. Accounts of Chemical Research, 2016, 49, 155-165. | 7.6 | 559 |
| 507 | An efficient titanium foil based perovskite solar cell: using a titanium dioxide nanowire array anode and transparent poly(3,4-ethylenedioxythiophene) electrode. RSC Advances, 2016, 6, 2778-2784. | 1.7 | 51 |
| 508 | Pinhole-Free and Surface-Nanostructured NiO Film by Room-Temperature Solution Process for High-Performance Flexible Perovskite Solar Cells with Good Stability and Reproducibility. ACS Nano, 2016, 10, 1503-1511. | 7.3 | 477 |
| 509 | Synergistic improvements in stability and performance of lead iodide perovskite solar cells incorporating salt additives. Journal of Materials Chemistry A, 2016, 4, 1591-1597. | 5.2 | 183 |
| 510 | Rapid combinatorial screening of inkjet-printed alkyl-ammonium cations in perovskite solar cells. Materials Letters, 2016, 164, 472-475. | 1.3 | 71 |
| 511 | Amazing stable open-circuit voltage in perovskite solar cells using AgAl alloy electrode. Solar Energy Materials and Solar Cells, 2016, 146, 35-43. | 3.0 | 76 |
| 512 | Graphene oxide/PEDOT:PSS composite hole transport layer for efficient and stable planar heterojunction perovskite solar cells. Nanoscale, 2016, 8, 1513-1522. | 2.8 | 156 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 513 | A halide exchange engineering for CH ₃ NH ₃ PbI _{3-x} Br perovskite solar cells with high performance and stability. <i>Nano Energy</i> , 2016, 19, 17-26. | 8.2 | 123 |
| 514 | A solution-processed n-doped fullerene cathode interfacial layer for efficient and stable large-area perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 640-648. | 5.2 | 119 |
| 515 | The influence of the I/Cl ratio on the performance of CH ₃ NH ₃ PbI _{3-x} Cl _x -based solar cells: why is CH ₃ NH ₃ I _{1-x} PbCl _{2-x} = 3 \pm 1 the "magic" ratio?. <i>Nanoscale</i> , 2016, 8, 6361-6368. | 2.8 | 41 |
| 516 | Growth and evolution of solution-processed CH ₃ NH ₃ PbI _{3-x} Cl _x layer for highly efficient planar-heterojunction perovskite solar cells. <i>Journal of Power Sources</i> , 2016, 301, 242-250. | 4.0 | 39 |
| 517 | Mesoscopic perovskite solar cells with an admixture of nanocrystalline TiO ₂ and Al ₂ O ₃ : role of interconnectivity of TiO ₂ in charge collection. <i>Nanoscale</i> , 2016, 8, 6341-6351. | 2.8 | 26 |
| 518 | Improved air stability of perovskite solar cells via solution-processed metal oxide transport layers. <i>Nature Nanotechnology</i> , 2016, 11, 75-81. | 15.6 | 1,890 |
| 519 | Planar heterojunction organometal halide perovskite solar cells: roles of interfacial layers. <i>Energy and Environmental Science</i> , 2016, 9, 12-30. | 15.6 | 449 |
| 520 | Organometal halide perovskite solar cells: degradation and stability. <i>Energy and Environmental Science</i> , 2016, 9, 323-356. | 15.6 | 1,457 |
| 521 | Interfacial modification of hole transport layers for efficient large-area perovskite solar cells achieved via blade-coating. <i>Solar Energy Materials and Solar Cells</i> , 2016, 144, 309-315. | 3.0 | 81 |
| 522 | Stable Perovskite Solar Cells based on Hydrophobic Triphenylamine Hole-Transport Materials. <i>Energy Technology</i> , 2017, 5, 312-320. | 1.8 | 31 |
| 523 | Enhancement of the efficiency and stability of planar p-i-n perovskite solar cells via incorporation of an amine-modified fullerene derivative as a cathode buffer layer. <i>Science China Chemistry</i> , 2017, 60, 136-143. | 4.2 | 25 |
| 524 | Optical and electronic properties of mixed halide (X = I, Cl, Br) methylammonium lead perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2017, 5, 1714-1723. | 2.7 | 120 |
| 525 | Formation, location and beneficial role of PbI ₂ in lead halide perovskite solar cells. <i>Sustainable Energy and Fuels</i> , 2017, 1, 119-126. | 2.5 | 99 |
| 526 | Photoluminescence in Organometal Halide Perovskites: Free Carrier Versus Exciton. <i>IEEE Journal of Photovoltaics</i> , 2017, 7, 513-517. | 1.5 | 2 |
| 527 | Flexible photovoltaic power systems: integration opportunities, challenges and advances. <i>Flexible and Printed Electronics</i> , 2017, 2, 013001. | 1.5 | 41 |
| 528 | Ag Doping of Organometal Lead Halide Perovskites: Morphology Modification and p-Type Character. <i>Journal of Physical Chemistry C</i> , 2017, 121, 3673-3679. | 1.5 | 48 |
| 529 | Moving into the domain of perovskite sensitized solar cell. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 72, 907-915. | 8.2 | 20 |
| 530 | Fast and Controllable Electric-Field-Assisted Reactive Deposited Stable and Annealing-Free Perovskite toward Applicable High-Performance Solar Cells. <i>Advanced Functional Materials</i> , 2017, 27, 1606156. | 7.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 531 | Recent Advances in Energetics of Metal Halide Perovskite Interfaces. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600694. | 1.9 | 51 |
| 532 | Inverted CH ₃ NH ₃ PbI ₃ perovskite hybrid solar cells with improved flexibility by introducing a polymeric electron conductor. <i>Journal of Materials Chemistry C</i> , 2017, 5, 2883-2891. | 2.7 | 20 |
| 533 | Multifunctional Optoelectronic Spintronic Device Based on Hybrid Organometal Trihalide Perovskites. <i>Advanced Electronic Materials</i> , 2017, 3, 1600426. | 2.6 | 13 |
| 534 | Impact of Excess CH ₃ NH ₃ I on Free Carrier Dynamics in High-Performance Nonstoichiometric Perovskites. <i>Journal of Physical Chemistry C</i> , 2017, 121, 3143-3148. | 1.5 | 49 |
| 535 | Strain Mediated Bandgap Reduction, Light Spectrum Broadening, and Carrier Mobility Enhancement of Methylammonium Lead/Tin Iodide Perovskites. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1600288. | 1.2 | 13 |
| 536 | High efficiency planar Sn-Pb binary perovskite solar cells: controlled growth of large grains via a one-step solution fabrication process. <i>Journal of Materials Chemistry C</i> , 2017, 5, 2360-2367. | 2.7 | 60 |
| 537 | Interface Engineering of a Compatible PEDOT Derivative Bilayer for High-Performance Inverted Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600948. | 1.9 | 40 |
| 538 | Efficient planar n-i-p type heterojunction flexible perovskite solar cells with sputtered TiO ₂ electron transporting layers. <i>Nanoscale</i> , 2017, 9, 3095-3104. | 2.8 | 92 |
| 539 | Solution-processed chalcopyrite perovskite tandem solar cells in bandgap-matched two- and four-terminal architectures. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3214-3220. | 5.2 | 23 |
| 540 | Thermal Precursor Approach to Pristine Fullerene Film as Electron Selective Layer in Perovskite Solar Cells. <i>ECS Journal of Solid State Science and Technology</i> , 2017, 6, M3078-M3083. | 0.9 | 12 |
| 541 | Improving Perovskite Solar Cells: Insights From a Validated Device Model. <i>Advanced Energy Materials</i> , 2017, 7, 1602432. | 10.2 | 132 |
| 542 | Advances in hole transport materials engineering for stable and efficient perovskite solar cells. <i>Nano Energy</i> , 2017, 34, 271-305. | 8.2 | 362 |
| 543 | Decorating Waste Cloth via Industrial Wastewater for Tube-Type Flexible and Wearable Sodium-Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1603719. | 11.1 | 131 |
| 544 | Crack-free perovskite layers for high performance and reproducible devices via improved control of ambient conditions during fabrication. <i>Applied Surface Science</i> , 2017, 407, 427-433. | 3.1 | 18 |
| 545 | A dimeric fullerene derivative for efficient inverted planar perovskite solar cells with improved stability. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7326-7332. | 5.2 | 50 |
| 546 | Deep level trapped defect analysis in CH ₃ NH ₃ PbI ₃ perovskite solar cells by deep level transient spectroscopy. <i>Energy and Environmental Science</i> , 2017, 10, 1128-1133. | 15.6 | 206 |
| 547 | Simulation design of I ⁻ -N-type all-perovskite solar cells with high efficiency. <i>Chinese Physics B</i> , 2017, 26, 028803. | 0.7 | 38 |
| 548 | The synergistic effect of H ₂ O and DMF towards stable and 20% efficiency inverted perovskite solar cells. <i>Energy and Environmental Science</i> , 2017, 10, 808-817. | 15.6 | 383 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 549 | Atomistic modelling of impact and opportunities in thin-film photovoltaic solar cell technologies. <i>Molecular Simulation</i> , 2017, 43, 774-796. | 0.9 | 4 |
| 550 | GO/PEDOT:PSS nanocomposites: effect of different dispersing agents on rheological, thermal, wettability and electrochemical properties. <i>Nanotechnology</i> , 2017, 28, 174001. | 1.3 | 14 |
| 551 | A life cycle assessment of perovskite/silicon tandem solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2017, 25, 679-695. | 4.4 | 74 |
| 552 | Enhanced performance of inverted perovskite solar cells using solution-processed carboxylic potassium salt as cathode buffer layer. <i>Organic Electronics</i> , 2017, 45, 97-103. | 1.4 | 20 |
| 553 | Recent progress in stability of perovskite solar cells. <i>Journal of Semiconductors</i> , 2017, 38, 011002. | 2.0 | 89 |
| 554 | The Functions of Fullerenes in Hybrid Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2017, 2, 782-794. | 8.8 | 217 |
| 555 | Nickel oxide nanoparticles for efficient hole transport in p-i-n and n-i-p perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6597-6605. | 5.2 | 188 |
| 556 | A Triarylamine-Based Anode Modifier for Efficient Organohalide Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 9096-9101. | 4.0 | 10 |
| 557 | CH ₃ NH ₃ PbI ₃ grain growth and interfacial properties in meso-structured perovskite solar cells fabricated by two-step deposition. <i>Science and Technology of Advanced Materials</i> , 2017, 18, 253-262. | 2.8 | 42 |
| 558 | Low-cost transparent graphene electrodes made by ultrasonic substrate vibration-assisted spray coating (SVASC) for thin film devices. <i>Graphene Technology</i> , 2017, 2, 1-11. | 1.9 | 16 |
| 559 | Simulation of perovskite solar cell with P ₃ HT hole-transporting materials. <i>Journal of Nanophotonics</i> , 2017, 11, 032510. | 0.4 | 34 |
| 560 | Tuning the work function of indium-tin-oxide electrodes for low-temperature-processed, titanium-oxide-free perovskite solar cells. <i>Organic Electronics</i> , 2017, 44, 120-125. | 1.4 | 25 |
| 561 | Effect of Selective Contacts on the Thermal Stability of Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7148-7153. | 4.0 | 203 |
| 562 | Simplification of device structures for low-cost, high-efficiency perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4756-4773. | 5.2 | 57 |
| 563 | CH ₃ NH ₃ PbI ₃ under Different Fabrication Strategies: Electronic Structures and Energy-Level Alignment with an Organic Hole Transport Material. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7859-7865. | 4.0 | 23 |
| 564 | Low-toxic metal halide perovskites: opportunities and future challenges. <i>Journal of Materials Chemistry A</i> , 2017, 5, 11436-11449. | 5.2 | 123 |
| 565 | Multichannel Interdiffusion Driven FASnI ₃ Film Formation Using Aqueous Hybrid Salt/Polymer Solutions toward Flexible Lead-Free Perovskite Solar Cells. <i>Advanced Materials</i> , 2017, 29, 1606964. | 11.1 | 137 |
| 566 | Highly efficient CH ₃ NH ₃ PbI ₃ perovskite solar cells prepared by AuCl ₃ -doped graphene transparent conducting electrodes. <i>Chemical Engineering Journal</i> , 2017, 323, 153-159. | 6.6 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 567 | High-Performance Integrated Self-Package Flexible Li-O ₂ Battery Based on Stable Composite Anode and Flexible Gas Diffusion Layer. <i>Advanced Materials</i> , 2017, 29, 1700378. | 11.1 | 72 |
| 568 | Numerical simulation and analysis of hybrid physical-chemical vapor deposition to grow uniform perovskite MAPbI ₃ . <i>Journal of Applied Physics</i> , 2017, 121, . | 1.1 | 7 |
| 569 | Low-temperature processed In ₂ S ₃ electron transport layer for efficient hybrid perovskite solar cells. <i>Nano Energy</i> , 2017, 36, 102-109. | 8.2 | 87 |
| 570 | Synergetic Effect of Chloride Doping and CH ₃ NH ₃ PbCl ₃ on CH ₃ NH ₃ PbI ₃ Perovskite-Based Solar Cells. <i>ChemSusChem</i> , 2017, 10, 2365-2369. | 3.6 | 53 |
| 571 | Solution-processable electron transport layer for efficient hybrid perovskite solar cells beyond fullerenes. <i>Solar Energy Materials and Solar Cells</i> , 2017, 169, 78-85. | 3.0 | 38 |
| 572 | Improving Interfacial Charge Recombination in Planar Heterojunction Perovskite Photovoltaics with Small Molecule as Electron Transport Layer. <i>Advanced Energy Materials</i> , 2017, 7, 1700522. | 10.2 | 173 |
| 573 | Influence of the surface treatment of PEDOT:PSS layer with high boiling point solvent on the performance of inverted planar perovskite solar cells. <i>Organic Electronics</i> , 2017, 47, 220-227. | 1.4 | 26 |
| 574 | Additive engineering for highly efficient organic-inorganic halide perovskite solar cells: recent advances and perspectives. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12602-12652. | 5.2 | 303 |
| 575 | Fully Printable Organic and Perovskite Solar Cells with Transfer-Printed Flexible Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 18730-18738. | 4.0 | 19 |
| 576 | Recent progress in hybrid perovskite solar cells based on n-type materials. <i>Journal of Materials Chemistry A</i> , 2017, 5, 10092-10109. | 5.2 | 136 |
| 577 | Synthesis of a nanostructured rutile TiO ₂ electron transporting layer via an etching process for efficient perovskite solar cells: impact of the structural and crystalline properties of TiO ₂ . <i>Journal of Materials Chemistry A</i> , 2017, 5, 12340-12353. | 5.2 | 25 |
| 578 | Multistep Photoluminescence Decay Reveals Dissociation of Geminate Charge Pairs in Organolead Trihalide Perovskites. <i>Advanced Energy Materials</i> , 2017, 7, 1700405. | 10.2 | 8 |
| 579 | Recombination in Perovskite Solar Cells: Significance of Grain Boundaries, Interface Traps, and Defect Ions. <i>ACS Energy Letters</i> , 2017, 2, 1214-1222. | 8.8 | 826 |
| 580 | Functionalization of transparent conductive oxide electrode for TiO ₂ -free perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 11882-11893. | 5.2 | 56 |
| 581 | Large area, waterproof, air stable and cost effective efficient perovskite solar cells through modified carbon hole extraction layer. <i>Materials Today Chemistry</i> , 2017, 4, 53-63. | 1.7 | 20 |
| 582 | Spray deposited lanthanum doped TiO ₂ compact layers as electron selective contact for perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2017, 168, 85-90. | 3.0 | 35 |
| 583 | Increased Efficiency for Perovskite Photovoltaics Based on Aluminum-Doped Zinc Oxide Transparent Electrodes via Surface Modification. <i>Journal of Physical Chemistry C</i> , 2017, 121, 10282-10288. | 1.5 | 14 |
| 585 | Configuration-centered photovoltaic applications of metal halide perovskites. <i>Journal of Materials Chemistry A</i> , 2017, 5, 902-909. | 5.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 586 | Perovskite solar cells: An integrated hybrid lifecycle assessment and review in comparison with other photovoltaic technologies. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 80, 1321-1344. | 8.2 | 240 |
| 587 | Inverted planar solar cells based on perovskite/graphene oxide hybrid composites. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13957-13965. | 5.2 | 80 |
| 588 | Room-Temperature Processed Nb ₂ O ₅ as the Electron-Transporting Layer for Efficient Planar Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 23181-23188. | 4.0 | 120 |
| 589 | Secondary Hydrothermally Processed Engineered Titanium Dioxide Nanostructures for Efficient Perovskite Solar Cells. <i>Energy Technology</i> , 2017, 5, 1775-1787. | 1.8 | 6 |
| 590 | NiOx mesoporous films derived from Ni(OH) ₂ nanosheets for perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2017, 722, 839-845. | 2.8 | 19 |
| 591 | Citric Acid Modulated Growth of Oriented Lead Perovskite Crystals for Efficient Solar Cells. <i>Journal of the American Chemical Society</i> , 2017, 139, 9598-9604. | 6.6 | 77 |
| 592 | Efficient Flexible Solar Cell based on Composition-tailored Hybrid Perovskite. <i>Advanced Materials</i> , 2017, 29, 1605900. | 11.1 | 184 |
| 593 | PbCl ₂ -tuned inorganic cubic CsPbBr ₃ (Cl) perovskite solar cells with enhanced electron lifetime, diffusion length and photovoltaic performance. <i>Journal of Power Sources</i> , 2017, 360, 11-20. | 4.0 | 84 |
| 594 | The Emergence of the Mixed Perovskites and Their Applications as Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1700491. | 10.2 | 120 |
| 595 | The photocurrent response in the perovskite device based on coordination polymers: structure, topology, band gap and matched energy levels. <i>Dalton Transactions</i> , 2017, 46, 7866-7877. | 1.6 | 9 |
| 596 | On the Structural and Optoelectronic Properties of Chemically Modified Oligothiophenes with Electron-Withdrawing Substituents for Organic Solar Cell Applications: A DFT/TDDFT Study. <i>Journal of the Physical Society of Japan</i> , 2017, 86, 064802. | 0.7 | 8 |
| 597 | Hybrid Perovskites: Effective Crystal Growth for Optoelectronic Applications. <i>Advanced Energy Materials</i> , 2017, 7, 1602596. | 10.2 | 62 |
| 598 | Improving the efficiency and stability of inverted perovskite solar cells with dopamine-copolymerized PEDOT:PSS as a hole extraction layer. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13817-13822. | 5.2 | 86 |
| 599 | Nanostructured Materials for Next-Generation Energy Storage and Conversion. , 2017, , . | | 7 |
| 600 | Perovskite solar cells - An overview of critical issues. <i>Progress in Quantum Electronics</i> , 2017, 53, 1-37. | 3.5 | 132 |
| 601 | Enhanced Efficiency and Stability of an Aqueous Lead-Nitrate-Based Organometallic Perovskite Solar Cell. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 14023-14030. | 4.0 | 30 |
| 602 | Low-temperature processed compact layer for perovskite solar cells with negligible hysteresis. <i>Electrochimica Acta</i> , 2017, 235, 640-645. | 2.6 | 14 |
| 603 | Effective hot-air annealing for improving the performance of perovskite solar cells. <i>Solar Energy</i> , 2017, 146, 359-367. | 2.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 604 | Improved carriers injection capacity in perovskite solar cells by introducing A-site interstitial defects. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7905-7911. | 5.2 | 99 |
| 605 | Single-Crystal-like Perovskite for High-Performance Solar Cells Using the Effective Merged Annealing Method. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 12382-12390. | 4.0 | 41 |
| 606 | Improving the stability of the perovskite solar cells by V ₂ O ₅ modified transport layer film. <i>RSC Advances</i> , 2017, 7, 18456-18465. | 1.7 | 30 |
| 607 | Dry-Stamping-Transferred PC71BM Charge Transport Layer via an Interface-Controlled Polyurethane Acrylate Mold Film for Efficient Planar-Type Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 15623-15630. | 4.0 | 15 |
| 608 | Highly efficient inverted solar cells based on perovskite grown nanostructures mediated by CuSCN. <i>Nanoscale</i> , 2017, 9, 6136-6144. | 2.8 | 42 |
| 609 | Insights into the Influence of Work Functions of Cathodes on Efficiencies of Perovskite Solar Cells. <i>Small</i> , 2017, 13, 1700007. | 5.2 | 36 |
| 610 | Improved interface of ZnO/CH ₃ NH ₃ PbI ₃ by a dynamic spin-coating process for efficient perovskite solar cells. <i>RSC Advances</i> , 2017, 7, 19030-19038. | 1.7 | 62 |
| 611 | Effect of Blend Composition on Bulk Heterojunction Organic Solar Cells: A Review. <i>Solar Rrl</i> , 2017, 1, 1700035. | 3.1 | 29 |
| 612 | Study on the role of additional ions in CH ₃ NH ₃ PbI _{3-x} Cl _x planar solar cells. <i>Solar Energy</i> , 2017, 148, 70-77. | 2.9 | 5 |
| 613 | A transparent poly(3,4-ethylenedioxyethiophene):poly(styrene sulfonate) cathode for low temperature processed, metal-oxide free perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6974-6980. | 5.2 | 60 |
| 614 | Elucidating the role of chlorine in perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7423-7432. | 5.2 | 95 |
| 615 | Current status of electron transport layers in perovskite solar cells: materials and properties. <i>RSC Advances</i> , 2017, 7, 17044-17062. | 1.7 | 317 |
| 616 | Enhancement in efficiency and optoelectronic quality of perovskite thin films annealed in MAcl vapor. <i>Sustainable Energy and Fuels</i> , 2017, 1, 755-766. | 2.5 | 77 |
| 617 | Gold and iodine diffusion in large area perovskite solar cells under illumination. <i>Nanoscale</i> , 2017, 9, 4700-4706. | 2.8 | 133 |
| 618 | Efficient and Air-Stable Planar Perovskite Solar Cells Formed on Graphene-Oxide-Modified PEDOT:PSS Hole Transport Layer. <i>Nano-Micro Letters</i> , 2017, 9, 39. | 14.4 | 122 |
| 619 | Correlation of annealing time with crystal structure, composition, and electronic properties of CH ₃ NH ₃ PbI _{3-x} Cl _x mixed-halide perovskite films. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 828-836. | 1.3 | 40 |
| 620 | Dual Interfacial Modifications Enable High Performance Semitransparent Perovskite Solar Cells with Large Open Circuit Voltage and Fill Factor. <i>Advanced Energy Materials</i> , 2017, 7, 1602333. | 10.2 | 209 |
| 621 | Incorporation of quaternary ammonium salts containing different counterions to improve the performance of inverted perovskite solar cells. <i>Chemical Physics Letters</i> , 2017, 669, 143-149. | 1.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 622 | Global Analysis of Perovskite Photophysics Reveals Importance of Geminate Pathways. <i>Journal of Physical Chemistry C</i> , 2017, 121, 1062-1071. | 1.5 | 22 |
| 623 | Lead-Free Perovskite Nanowire Array Photodetectors with Drastically Improved Stability in Nanoengineering Templates. <i>Nano Letters</i> , 2017, 17, 523-530. | 4.5 | 232 |
| 624 | ZrO ₂ /TiO ₂ Electron Collection Layer for Efficient Meso-Superstructured Hybrid Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 2342-2349. | 4.0 | 41 |
| 625 | Graphene Interface Engineering for Perovskite Solar Modules: 12.6% Power Conversion Efficiency over 50 cm ² Active Area. <i>ACS Energy Letters</i> , 2017, 2, 279-287. | 8.8 | 196 |
| 626 | An overview of the Challenges in the commercialization of dye sensitized solar cells. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 71, 675-686. | 8.2 | 153 |
| 627 | Highly flexible organometal halide perovskite quantum dot based light-emitting diodes on a silver nanowire-polymer composite electrode. <i>Journal of Materials Chemistry C</i> , 2017, 5, 531-538. | 2.7 | 80 |
| 628 | Kinetic Control of Perovskite Thin-Film Morphology and Application in Printable Light-Emitting Diodes. <i>ACS Energy Letters</i> , 2017, 2, 81-87. | 8.8 | 16 |
| 629 | Hybrid Perovskite Photovoltaic Devices: Properties, Architecture, and Fabrication Methods. <i>Energy Technology</i> , 2017, 5, 373-401. | 1.8 | 26 |
| 630 | A highly efficient self-power pack system integrating supercapacitors and photovoltaics with an area-saving monolithic architecture. <i>Journal of Materials Chemistry A</i> , 2017, 5, 1906-1912. | 5.2 | 43 |
| 631 | 2-Methoxyethanol as a new solvent for processing methylammonium lead halide perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2346-2354. | 5.2 | 92 |
| 632 | Understanding the Role of the Electron Transport Layer in Highly Efficient Planar Perovskite Solar Cells. <i>ChemPhysChem</i> , 2017, 18, 617-625. | 1.0 | 44 |
| 633 | High-efficiency perovskite solar cells prepared by using a sandwich structure MAI-PbI ₂ -MAI precursor film. <i>Nanoscale</i> , 2017, 9, 4691-4699. | 2.8 | 27 |
| 634 | Rapid crystallization in ambient air for planar heterojunction perovskite solar cells. <i>Electronic Materials Letters</i> , 2017, 13, 72-76. | 1.0 | 19 |
| 635 | Highly enhanced long time stability of perovskite solar cells by involving a hydrophobic hole modification layer. <i>Nano Energy</i> , 2017, 32, 165-173. | 8.2 | 63 |
| 636 | Device architecture for efficient, low-hysteresis flexible perovskite solar cells: Replacing TiO ₂ with C60 assisted by polyethylenimine ethoxylated interfacial layers. <i>Solar Energy Materials and Solar Cells</i> , 2017, 161, 338-346. | 3.0 | 49 |
| 637 | Whispering Gallery Mode Lasing from Self-Assembled Hexagonal Perovskite Single Crystals and Porous Thin Films Decorated by Dielectric Spherical Resonators. <i>ACS Photonics</i> , 2017, 4, 146-155. | 3.2 | 19 |
| 638 | Perovskite Solar Cells Using Carbon Nanotubes Both as Cathode and as Anode. <i>Journal of Physical Chemistry C</i> , 2017, 121, 25743-25749. | 1.5 | 89 |
| 639 | A chemical approach to perovskite solar cells: control of electron-transporting mesoporous TiO ₂ and utilization of nanocarbon materials. <i>Dalton Transactions</i> , 2017, 46, 15615-15627. | 1.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 640 | The influence of hybrid alumina/titania materials as electron transmission layer in planar high-performance perovskite solar cells. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1. | 1.1 | 2 |
| 641 | Efficiency enhancement in inverted planar perovskite solar cells by synergetic effect of sulfated graphene oxide (sGO) and PEDOT:PSS as hole transporting layer. <i>RSC Advances</i> , 2017, 7, 50410-50419. | 1.7 | 21 |
| 642 | Evolution characteristics of perovskite solar cells in air and vacuum environments. <i>Optik</i> , 2017, 150, 111-116. | 1.4 | 4 |
| 643 | High-Performance and Hysteresis-Free Planar Solar Cells with PC ₇₁ BM and C ₆₀ Composed Structure Prepared Irrespective of Humidity. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 9718-9724. | 3.2 | 11 |
| 644 | High-Performance Field-Effect Transistor Based on Novel Conjugated P- <i>o</i> -Fluoro- <i>p</i> -alkoxyphenyl-Substituted Polymers by Graphdiyne Doping. <i>Journal of Physical Chemistry C</i> , 2017, 121, 23300-23306. | 1.5 | 25 |
| 645 | Covey Edge Nanoribbon Materials for Efficient Inverted Halide Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2017, 129, 14840-14844. | 1.6 | 16 |
| 646 | Covey Edge Nanoribbon Materials for Efficient Inverted Halide Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 14648-14652. | 7.2 | 51 |
| 647 | Physicochemical Interface Engineering of CuI/Cu as Advanced Potential Hole-Transporting Materials/Metal Contact Couples in Hysteresis-Free Ultralow-Cost and Large-Area Perovskite Solar Cells. <i>Journal of Physical Chemistry C</i> , 2017, 121, 21935-21944. | 1.5 | 65 |
| 648 | Highly flexible, high-performance perovskite solar cells with adhesion promoted AuCl ₃ -doped graphene electrodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21146-21152. | 5.2 | 92 |
| 649 | Thermal nanoimprint to improve the morphology of MAPbX ₃ (MA = methylammonium, X = I or Br). <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2017, 35, . | 0.6 | 20 |
| 650 | Outstanding Performance of Hole-Blocking Layer-Free Perovskite Solar Cell Using Hierarchically Porous Fluorine-Doped Tin Oxide Substrate. <i>Advanced Energy Materials</i> , 2017, 7, 1700749. | 10.2 | 50 |
| 651 | Improving energy and visual performance in offices using building integrated perovskite-based solar cells: A case study in Southern Italy. <i>Applied Energy</i> , 2017, 205, 834-846. | 5.1 | 51 |
| 652 | Impact of fullerene derivative isomeric purity on the performance of inverted planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 19485-19490. | 5.2 | 33 |
| 653 | Peculiarities of photoconversion efficiency modeling in perovskite solar cells. <i>Technical Physics Letters</i> , 2017, 43, 678-680. | 0.2 | 3 |
| 654 | Graphene-Based Electron Transport Layers in Perovskite Solar Cells: A Step Up for an Efficient Carrier Collection. <i>Advanced Energy Materials</i> , 2017, 7, 1701349. | 10.2 | 85 |
| 655 | Recent advances in plasmonic metal and rare-earth-element upconversion nanoparticle doped perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21604-21624. | 5.2 | 86 |
| 656 | Surface treatment via Li-bis-(trifluoromethanesulfonyl) imide to eliminate the hysteresis and enhance the efficiency of inverted perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10280-10287. | 2.7 | 15 |
| 657 | Improvement of the Dynamic Spin-Washing Effect with an Optimized Process of a Perovskite Solar Cell in Ambient Air by the Kriging Method. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 11142-11150. | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 658 | Identification of the physical origin behind disorder, heterogeneity, and reconstruction and their correlation with the photoluminescence lifetime in hybrid perovskite thin films. <i>Journal of Materials Chemistry A</i> , 2017, 5, 21002-21015. | 5.2 | 10 |
| 659 | Reversible air-induced optical and electrical modulation of methylammonium lead bromide (MAPbBr ₃) single crystals. <i>Applied Physics Letters</i> , 2017, 111, . | 1.5 | 19 |
| 660 | Efficient and thermally stable inverted perovskite solar cells by introduction of non-fullerene electron transporting materials. <i>Journal of Materials Chemistry A</i> , 2017, 5, 20615-20622. | 5.2 | 74 |
| 661 | Perovskites beyond photovoltaics: field emission from morphology-tailored nanostructured methylammonium lead triiodide. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 26708-26717. | 1.3 | 10 |
| 662 | Perovskite solar cells: In pursuit of efficiency and stability. <i>Materials and Design</i> , 2017, 136, 54-80. | 3.3 | 83 |
| 663 | A benzobis(thiadiazole)-based small molecule as a solution-processing electron extraction material in planar perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10777-10784. | 2.7 | 25 |
| 664 | Effect of calcination environments and plasma treatment on structural, optical and electrical properties of FTO transparent thin films. <i>AIP Advances</i> , 2017, 7, 075101. | 0.6 | 4 |
| 665 | The interface degradation of planar organic-inorganic perovskite solar cell traced by light beam induced current (LBIC). <i>RSC Advances</i> , 2017, 7, 42973-42978. | 1.7 | 12 |
| 666 | Effects of SbBr ₃ addition to CH ₃ NH ₃ PbI ₃ solar cells. <i>AIP Conference Proceedings</i> , 2017, , . | 0.3 | 11 |
| 667 | Perovskite solar cells from small scale spin coating process towards roll-to-roll printing: Optical and Morphological studies. <i>Materials Today: Proceedings</i> , 2017, 4, 5082-5089. | 0.9 | 31 |
| 668 | Metal Oxides as Efficient Charge Transporters in Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1602803. | 10.2 | 147 |
| 669 | Thermodynamically self-organized hole transport layers for high-efficiency inverted-planar perovskite solar cells. <i>Nanoscale</i> , 2017, 9, 12677-12683. | 2.8 | 18 |
| 670 | One-Step Printable Perovskite Films Fabricated under Ambient Conditions for Efficient and Reproducible Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 27832-27838. | 4.0 | 51 |
| 671 | Superior stability for perovskite solar cells with 20% efficiency using vacuum co-evaporation. <i>Nanoscale</i> , 2017, 9, 12316-12323. | 2.8 | 169 |
| 672 | Highly efficient interfacial layer using SILAR-derived Ag ₂ S quantum dots for solid-state bifacial dye-sensitized solar cells. <i>Materials Today Energy</i> , 2017, 5, 320-330. | 2.5 | 18 |
| 673 | Potassium doped methylammonium lead iodide (MAPbI ₃) thin films as a potential absorber for perovskite solar cells; structural, morphological, electronic and optoelectric properties. <i>Physica B: Condensed Matter</i> , 2017, 522, 57-65. | 1.3 | 30 |
| 674 | Peroptronic devices: perovskite-based light-emitting solar cells. <i>Energy and Environmental Science</i> , 2017, 10, 1950-1957. | 15.6 | 41 |
| 675 | Interfaces in Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1700623. | 10.2 | 276 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 676 | Tetrathiafulvalene derivative as a new hole-transporting material for highly efficient perovskite solar cell. <i>Dyes and Pigments</i> , 2017, 147, 113-119. | 2.0 | 35 |
| 677 | High-performance planar perovskite solar cells: Influence of solvent upon performance. <i>Applied Materials Today</i> , 2017, 9, 598-604. | 2.3 | 66 |
| 678 | Transfer Matrix Formalism-Based Analytical Modeling and Performance Evaluation of Perovskite Solar Cells. <i>IEEE Transactions on Electron Devices</i> , 2017, 64, 5034-5041. | 1.6 | 16 |
| 679 | Electrochemical and atomic force microscopy investigations of the effect of CdS on the local electrical properties of CH ₃ NH ₃ PbI ₃ :CdS perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2017, 5, 12112-12120. | 2.7 | 16 |
| 680 | Predictive Modeling of Ion Migration Induced Degradation in Perovskite Solar Cells. <i>ACS Nano</i> , 2017, 11, 11505-11512. | 7.3 | 63 |
| 681 | Use of gas cluster ion source depth profiling to study the oxidation of fullerene thin films by XPS. <i>Organic Electronics</i> , 2017, 49, 85-93. | 1.4 | 5 |
| 682 | Carbon Nano-Onions as a Functional Dopant to Modify Hole Transporting Layers for Improving Stability and Performance of Planar Perovskite Solar Cells. <i>Electrochimica Acta</i> , 2017, 247, 548-557. | 2.6 | 53 |
| 683 | Understanding the physical properties of hybrid perovskites for photovoltaic applications. <i>Nature Reviews Materials</i> , 2017, 2, . | 23.3 | 927 |
| 684 | Progress on Perovskite Materials and Solar Cells with Mixed Cations and Halide Anions. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 30197-30246. | 4.0 | 453 |
| 685 | Microscopic Analysis of Inherent Void Passivation in Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2017, 2, 1705-1710. | 8.8 | 14 |
| 686 | Realization of efficient perovskite solar cells with MEH:PPV hole transport layer. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 3451-3457. | 1.1 | 12 |
| 687 | Superflexible, high-efficiency perovskite solar cells utilizing graphene electrodes: towards future foldable power sources. <i>Energy and Environmental Science</i> , 2017, 10, 337-345. | 15.6 | 391 |
| 688 | Effect of temperature annealing treatments and acceptors in CH ₃ NH ₃ PbI ₃ perovskite solar cell fabrication. <i>Journal of Alloys and Compounds</i> , 2017, 695, 2453-2457. | 2.8 | 9 |
| 689 | Enhanced electron extraction using SnO ₂ for high-efficiency planar-structure HC(NH ₂) ₂ PbI ₃ -based perovskite solar cells. <i>Nature Energy</i> , 2017, 2, . | 19.8 | 1,633 |
| 690 | Solution-processed black phosphorus/PCBM hybrid heterojunctions for solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 8280-8286. | 5.2 | 60 |
| 691 | Solution processed deposition of electron transport layers on perovskite crystal surface—A modeling based study. <i>Applied Surface Science</i> , 2017, 394, 488-497. | 3.1 | 6 |
| 692 | Efficient spin-coating-free planar heterojunction perovskite solar cells fabricated with successive brush-painting. <i>Journal of Power Sources</i> , 2017, 339, 33-40. | 4.0 | 52 |
| 693 | Structurally tuned lead magnesium titanate perovskite as a photoelectrode material for enhanced photoelectrochemical water splitting. <i>Chemical Engineering Journal</i> , 2017, 309, 682-690. | 6.6 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 694 | CH ₃ NH ₃ PbI ₃ crystal orientation and photovoltaic performance of planar heterojunction perovskite solar cells. Solar Energy Materials and Solar Cells, 2017, 160, 77-84. | 3.0 | 39 |
| 695 | Investigation of the influence of different hole-transporting materials on the performance of perovskite solar cells. Optik, 2017, 130, 650-658. | 1.4 | 114 |
| 696 | Mesoscopic CH ₃ NH ₃ PbI ₃ perovskite solar cells using TiO ₂ inverse opal electron-conducting scaffolds. Journal of Materials Chemistry A, 2017, 5, 1972-1977. | 5.2 | 39 |
| 697 | Reflective perovskite solar cells for efficient tandem applications. Journal of Materials Chemistry C, 2017, 5, 134-139. | 2.7 | 27 |
| 698 | A comparative study on different HTMs in perovskite solar cell with ZnOS electron transport layer. , 2017, , . | | 14 |
| 699 | Exciton-phonon scattering effects on photoluminescence of hybrid lead halide perovskite. , 2017, , . | | 1 |
| 700 | Recent advances of flexible hybrid perovskite solar cells. Journal of the Korean Physical Society, 2017, 71, 593-607. | 0.3 | 16 |
| 701 | Improved perovskite morphology and crystallinity using porous PbI ₂ layers for efficient planar heterojunction solar cells. Applied Physics Letters, 2017, 111, . | 1.5 | 13 |
| 702 | Switchable photovoltaic windows enabled by reversible photothermal complex dissociation from methylammonium lead iodide. Nature Communications, 2017, 8, 1722. | 5.8 | 107 |
| 703 | High Efficiency Perovskite Solar Cells by a Modified Low-Temperature Solution Process Inter-Diffusion Method. , 2017, , . | | 0 |
| 704 | One-Dimensional Electron Transport Layers for Perovskite Solar Cells. Nanomaterials, 2017, 7, 95. | 1.9 | 41 |
| 705 | Electroluminescence Analysis For Separation of Series Resistance From Recombination Effects in Silicon Solar Cells with Interdigitated Back Contact Design. , 2017, , . | | 1 |
| 706 | The Effect of Solvents on the Performance of CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells. Energies, 2017, 10, 599. | 1.6 | 40 |
| 707 | Semitransparent and flexible perovskite solar cell with high visible transmittance based on ultrathin metallic electrodes. Optics Letters, 2017, 42, 1958. | 1.7 | 32 |
| 708 | A Short Review of Synthesis of Graphdiyne and Its Potential Applications. International Journal of Electrochemical Science, 2017, 12, 10348-10358. | 0.5 | 19 |
| 709 | Recent Research Progress on Lead-free or Less-lead Perovskite Solar Cells. International Journal of Electrochemical Science, 2017, , 4915-4927. | 0.5 | 2 |
| 711 | Strategic Synthesis of Ultrasmall NiCo ₂ O ₄ NPs as Hole Transport Layer for Highly Efficient Perovskite Solar Cells. Advanced Energy Materials, 2018, 8, 1702722. | 10.2 | 112 |
| 712 | Effects of organic solvents for the phenyl-C61-butyric acid methyl ester layer on the performance of inverted perovskite solar cells. Organic Electronics, 2018, 56, 247-253. | 1.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 713 | MoS ₂ : a two-dimensional hole-transporting material for high-efficiency, low-cost perovskite solar cells. <i>Nanotechnology</i> , 2018, 29, 205201. | 1.3 | 73 |
| 714 | Evaporation-Induced Self-Assembly of Semi-Crystalline PbI ₂ (DMSO) Complex Films as a Facile Route to Reproducible and Efficient Planar p-i-n Perovskite Solar Cells. <i>MRS Advances</i> , 2018, 3, 1807-1817. | 0.5 | 2 |
| 715 | Mixed halide hybrid perovskites: a paradigm shift in photovoltaics. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5507-5537. | 5.2 | 104 |
| 716 | Improving performance of organic solar cells by supplying additional acceptors to surface of bulk-heterojunction layers. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2793-2800. | 2.7 | 16 |
| 717 | High-detectivity perovskite-based photodetector using a Zr-doped TiO _x cathode interlayer. <i>RSC Advances</i> , 2018, 8, 8302-8309. | 1.7 | 48 |
| 718 | TiO ₂ composite electron transport layers for planar perovskite solar cells by mixed spray pyrolysis with precursor solution incorporating TiO ₂ nanoparticles. <i>Chinese Physics B</i> , 2018, 27, 018810. | 0.7 | 6 |
| 719 | Inorganic Hole Transporting Materials for Stable and High Efficiency Perovskite Solar Cells. <i>Journal of Physical Chemistry C</i> , 2018, 122, 14039-14063. | 1.5 | 171 |
| 720 | Low-temperature Combustion Synthesis of a Spinel NiCo ₂ O ₄ Hole Transport Layer for Perovskite Photovoltaics. <i>Advanced Science</i> , 2018, 5, 1701029. | 5.6 | 78 |
| 721 | Evolution of organometal halide solar cells. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2018, 35, 74-107. | 5.6 | 32 |
| 722 | Ultrafast zero-bias photocurrent and terahertz emission in hybrid perovskites. <i>Communications Physics</i> , 2018, 1, . | 2.0 | 32 |
| 723 | A Simple Perylene Derivative as a Solution-Processable Cathode Interlayer for Perovskite Solar Cells with Enhanced Efficiency and Stability. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 15933-15942. | 4.0 | 22 |
| 724 | Black phosphorus quantum dots as dual-functional electron-selective materials for efficient plastic perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8886-8894. | 5.2 | 80 |
| 725 | Slot-Die Coated Perovskite Films Using Mixed Lead Precursors for Highly Reproducible and Large-Area Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 16133-16139. | 4.0 | 92 |
| 726 | Synthesis of SnO ₂ nanofibers and nanobelts electron transporting layer for efficient perovskite solar cells. <i>Nanoscale</i> , 2018, 10, 8275-8284. | 2.8 | 51 |
| 727 | WO _x @PEDOT Core-Shell Nanorods: Hybrid Hole-Transporting Materials for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2018, 1, 1742-1752. | 2.5 | 15 |
| 728 | Enhancing Photovoltaic Performance of Inverted Planar Perovskite Solar Cells by Cobalt-Doped Nickel Oxide Hole Transport Layer. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14153-14159. | 4.0 | 71 |
| 729 | Efficient and Stable Inverted Planar Perovskite Solar Cells Using a Triphenylamine Hole-Transporting Material. <i>ChemSusChem</i> , 2018, 11, 1467-1473. | 3.6 | 45 |
| 730 | The Deposition Environment Controlling Method: A Vapor-Phase Solvent-Assisted Approach to Fabricate High-Quality Crystalline Perovskite. <i>IEEE Journal of Photovoltaics</i> , 2018, , 1-6. | 1.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 731 | Nanostructured NiOx as hole transport material for low temperature processed stable perovskite solar cells. <i>Materials Letters</i> , 2018, 223, 109-111. | 1.3 | 20 |
| 732 | Tunable Crystallization and Nucleation of Planar CH ₃ NH ₃ PbI ₃ through Solvent-Modified Interdiffusion. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14673-14683. | 4.0 | 14 |
| 733 | Cost effective perovskite solar cells with a high efficiency and open-circuit voltage based on a perovskite-friendly carbon electrode. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8271-8279. | 5.2 | 57 |
| 734 | Sol-gel-processed yttrium-doped NiO as hole transport layer in inverted perovskite solar cells for enhanced performance. <i>Applied Surface Science</i> , 2018, 441, 258-264. | 3.1 | 106 |
| 735 | Oxygen doping in nickel oxide for highly efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4721-4728. | 5.2 | 57 |
| 736 | Efficient CH ₃ NH ₃ PbI ₃ perovskite/fullerene planar heterojunction hybrid solar cells with oxidized Ni/Au/Cu transparent electrode. <i>Applied Physics Letters</i> , 2018, 112, . | 1.5 | 16 |
| 737 | Covalent organic nanosheets for effective charge transport layers in planar-type perovskite solar cells. <i>Nanoscale</i> , 2018, 10, 4708-4717. | 2.8 | 31 |
| 738 | Influence of coating steps of perovskite on low-temperature amorphous compact TiO _x upon the morphology, crystallinity, and photovoltaic property correlation in planar perovskite solar cells. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 03EJ06. | 0.8 | 8 |
| 739 | Manipulation of the crystallization of perovskite films induced by a rotating magnetic field during blade coating in air. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3986-3995. | 5.2 | 13 |
| 740 | Fabrication and characterization of rubidium/formamidinium-incorporated methylammonium-lead-halide perovskite solar cells. <i>AIP Conference Proceedings</i> , 2018, , . | 0.3 | 5 |
| 741 | Low-temperature processed non-TiO ₂ electron selective layers for perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4572-4589. | 5.2 | 65 |
| 742 | Electrodeposition of organic-inorganic tri-halide perovskites solar cell. <i>Journal of Power Sources</i> , 2018, 378, 717-731. | 4.0 | 36 |
| 743 | All-Carbon Electrode-Based Endurable Flexible Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1706777. | 7.8 | 242 |
| 744 | Highly Efficient and Stable Flexible Perovskite Solar Cells with Metal Oxides Nanoparticle Charge Extraction Layers. <i>Small</i> , 2018, 14, e1702775. | 5.2 | 111 |
| 745 | Efficient green light-emitting diodes based on quasi-two-dimensional composition and phase engineered perovskite with surface passivation. <i>Nature Communications</i> , 2018, 9, 570. | 5.8 | 763 |
| 746 | Design Principles for the Atomic and Electronic Structure of Halide Perovskite Photovoltaic Materials: Insights from Computation. <i>Chemistry - A European Journal</i> , 2018, 24, 8708-8716. | 1.7 | 26 |
| 747 | In situ growth of all-inorganic perovskite nanocrystals on black phosphorus nanosheets. <i>Chemical Communications</i> , 2018, 54, 2365-2368. | 2.2 | 36 |
| 748 | Nanoporous p-type NiOx electrode for p-i-n inverted perovskite solar cell toward air stability. <i>Materials Today</i> , 2018, 21, 483-500. | 8.3 | 99 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 749 | Metal Oxides in Photovoltaics: All-Oxide, Ferroic, and Perovskite Solar Cells. , 2018, , 267-356. | | 34 |
| 750 | Fullerene derivative with a branched alkyl chain exhibits enhanced charge extraction and stability in inverted planar perovskite solar cells. <i>New Journal of Chemistry</i> , 2018, 42, 2896-2902. | 1.4 | 43 |
| 751 | Highly efficient and stable inverted perovskite solar cell employing PEDOT:GO composite layer as a hole transport layer. <i>Scientific Reports</i> , 2018, 8, 1070. | 1.6 | 144 |
| 752 | Preferential Orientation of Crystals Induced by Incorporation of Organic Ligands in Mixed-Dimensional Hybrid Perovskite Films. <i>Advanced Optical Materials</i> , 2018, 6, 1701311. | 3.6 | 28 |
| 753 | Phase Engineering of Perovskite Materials for High-Efficiency Solar Cells: Rapid Conversion of $\text{CH}_3\text{NH}_3\text{PbI}_3$ to Phase-Pure $\text{CH}_3\text{NH}_3\text{PbCl}_3$ via Hydrochloric Acid Vapor Annealing Post-Treatment. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 1897-1908. | 4.0 | 62 |
| 754 | Effective approach for reducing the migration of ions and improving the stability of organic-inorganic perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2018, 741, 489-494. | 2.8 | 20 |
| 755 | Controllable Crystal Film Growth via Appropriate Substrate-Preheating Treatment for Perovskite Solar Cells Using Mixed Lead Sources. <i>IEEE Journal of Photovoltaics</i> , 2018, 8, 162-170. | 1.5 | 6 |
| 756 | Thermal engineering of lead-free nanostructured $\text{CH}_3\text{NH}_3\text{SnCl}_3$ perovskite material for thin-film solar cell. <i>Journal of Nanoparticle Research</i> , 2018, 20, 1. | 0.8 | 44 |
| 757 | Graphene-Based Inverted Planar Perovskite Solar Cells: Advancements, Fundamental Challenges, and Prospects. <i>Chemistry - an Asian Journal</i> , 2018, 13, 240-249. | 1.7 | 16 |
| 758 | Recent advances of flexible perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2018, 27, 673-689. | 7.1 | 75 |
| 760 | Interface engineering of compact-TiO _x in planar perovskite solar cells using low-temperature processable high-mobility fullerene derivative. <i>Solar Energy Materials and Solar Cells</i> , 2018, 178, 1-7. | 3.0 | 29 |
| 761 | Diaryluorene-based nano-molecules as dopant-free hole-transporting materials without post-treatment process for flexible p-i-n type perovskite solar cells. <i>Nano Energy</i> , 2018, 46, 241-248. | 8.2 | 54 |
| 762 | New-generation integrated devices based on dye-sensitized and perovskite solar cells. <i>Energy and Environmental Science</i> , 2018, 11, 476-526. | 15.6 | 364 |
| 763 | Theoretical insight into the carrier mobility anisotropy of organic-inorganic perovskite $\text{CH}_3\text{NH}_3\text{PbI}_3$. <i>Journal of Electroanalytical Chemistry</i> , 2018, 810, 11-17. | 1.9 | 16 |
| 764 | Improving electron transport in the hybrid perovskite solar cells using CaMnO_3 -based buffer layer. <i>Nano Energy</i> , 2018, 45, 287-297. | 8.2 | 19 |
| 765 | Effect of Interfacial Energetics on Charge Transfer from Lead Halide Perovskite to Organic Hole Conductors. <i>Journal of Physical Chemistry C</i> , 2018, 122, 1326-1332. | 1.5 | 32 |
| 766 | Alignment of Cascaded Band-Gap via PCBM/ZnO Hybrid Interlayers for Efficient Perovskite Photovoltaic Cells. <i>Macromolecular Research</i> , 2018, 26, 472-476. | 1.0 | 16 |
| 767 | Stable mixed group II (Ca, Sr) and XIV (Ge, Sn) lead-free perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9220-9227. | 5.2 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 768 | Enhanced piezoelectric output performance via control of dielectrics in Fe ²⁺ -incorporated MAPbI ₃ perovskite thin films: Flexible piezoelectric generators. <i>Nano Energy</i> , 2018, 49, 247-256. | 8.2 | 68 |
| 769 | Improved Stability in Perovskite Solar Cells by Solution-Processed Fluorocarbon Passivation. <i>IEEE Electron Device Letters</i> , 2018, 39, 843-846. | 2.2 | 5 |
| 770 | Aging effects in interface-engineered perovskite solar cells with 2D nanomaterials: A depth profile analysis. <i>Materials Today Energy</i> , 2018, 9, 1-10. | 2.5 | 48 |
| 771 | Metal Oxide CrO _x as a Promising Bilayer Electron Transport Material for Enhancing the Performance Stability of Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1700245. | 3.1 | 16 |
| 772 | Importance of ligands on TiO ₂ nanocrystals for perovskite solar cells. <i>Chinese Physics B</i> , 2018, 27, 018401. | 0.7 | 1 |
| 773 | Fabrication and characterization of a solution-processed electron transport layer for organic-inorganic hybrid halide perovskite photovoltaics. <i>Thin Solid Films</i> , 2018, 660, 789-796. | 0.8 | 2 |
| 774 | Inorganic based hole transport materials for perovskite solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 8847-8853. | 1.1 | 17 |
| 775 | Boosting efficiency and stability of perovskite solar cells with nickel phthalocyanine as a low-cost hole transporting layer material. <i>Journal of Materials Science and Technology</i> , 2018, 34, 1474-1480. | 5.6 | 45 |
| 776 | Employing surfactant-assisted hydrothermal synthesis to control CuGaO ₂ nanoparticle formation and improved carrier selectivity of perovskite solar cells. <i>Materials Today Energy</i> , 2018, 8, 57-64. | 2.5 | 35 |
| 777 | Large-area perovskite solar cells – a review of recent progress and issues. <i>RSC Advances</i> , 2018, 8, 10489-10508. | 1.7 | 171 |
| 778 | Recent progress in organometal halide perovskite photodetectors. <i>Organic Electronics</i> , 2018, 52, 172-183. | 1.4 | 83 |
| 779 | Effect of excessive Pb content in the precursor solutions on the properties of the lead acetate derived CH ₃ NH ₃ PbI ₃ perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2018, 174, 478-484. | 3.0 | 31 |
| 780 | Transparent and flexible photodetectors based on CH ₃ NH ₃ PbI ₃ perovskite nanoparticles. <i>Applied Surface Science</i> , 2018, 434, 375-381. | 3.1 | 27 |
| 781 | Using photoluminescence to monitor the optoelectronic properties of methylammonium lead halide perovskites in light and dark over periods of days. <i>Journal of Luminescence</i> , 2018, 194, 353-358. | 1.5 | 14 |
| 782 | Recent advancement in metal cathode and hole-conductor-free perovskite solar cells for low-cost and high stability: A route towards commercialization. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 82, 845-857. | 8.2 | 83 |
| 783 | Fully Solution-Processed TCO-Free Semitransparent Perovskite Solar Cells for Tandem and Flexible Applications. <i>Advanced Energy Materials</i> , 2018, 8, 1701569. | 10.2 | 77 |
| 784 | Fabrication and characterization of next generation nano-structured organo-lead halide-based perovskite solar cell. <i>Ionics</i> , 2018, 24, 1227-1233. | 1.2 | 12 |
| 785 | Stability of Molecular Devices: Halide Perovskite Solar Cells. <i>Green Chemistry and Sustainable Technology</i> , 2018, , 477-531. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 786 | V2O5 -PEDOT: PSS bilayer as hole transport layer for highly efficient and stable perovskite solar cells. Organic Electronics, 2018, 53, 66-73. | 1.4 | 63 |
| 787 | Relative impacts of methylammonium lead triiodide perovskite solar cells based on life cycle assessment. Solar Energy Materials and Solar Cells, 2018, 179, 169-177. | 3.0 | 34 |
| 788 | Toward Wearable Self-Charging Power Systems: The Integration of Energy Harvesting and Storage Devices. Small, 2018, 14, 1702817. | 5.2 | 274 |
| 789 | Influence of Solvent Coordination on Hybrid Organic-Inorganic Perovskite Formation. ACS Energy Letters, 2018, 3, 92-97. | 8.8 | 273 |
| 790 | Deep insights into the advancements and applications of perovskite based photovoltaic cells. Journal of Energy Chemistry, 2018, 27, 753-763. | 7.1 | 1 |
| 791 | Work function optimization of vacuum free top-electrode by PEDOT:PSS/PEI interaction for efficient semi-transparent perovskite solar cells. Solar Energy Materials and Solar Cells, 2018, 176, 435-440. | 3.0 | 36 |
| 792 | A Design Based on a Charge-Transfer Bilayer as an Electron Transport Layer for Improving the Performance and Stability in Planar Perovskite Solar Cells. Journal of Physical Chemistry C, 2018, 122, 236-244. | 1.5 | 50 |
| 793 | Enhancing Ferroelectric Dipole Ordering in Organic-Inorganic Hybrid Perovskite $\text{CH}_3\text{NH}_3\text{PbI}_3$: Strain and Doping Engineering. Journal of Physical Chemistry C, 2018, 122, 177-184. | 1.5 | 35 |
| 794 | Room-Temperature-Operated Ultrasensitive Broadband Photodetectors by Perovskite Incorporated with Conjugated Polymer and Single-Wall Carbon Nanotubes. Advanced Functional Materials, 2018, 28, 1705541. | 7.8 | 69 |
| 795 | Enhanced electrical properties of Li-doped NiO x hole extraction layer in n type perovskite solar cells. Current Applied Physics, 2018, 18, S55-S59. | 1.1 | 27 |
| 796 | Warm white light-emitting diodes using organic-inorganic halide perovskite materials coated YAG:Ce ³⁺ phosphors. Ceramics International, 2018, 44, 3868-3872. | 2.3 | 22 |
| 797 | Flexible Perovskite Solar Cells onto Plastic Substrate Exceeding 13% Efficiency Owing to the Optimization of $\text{CH}_3\text{NH}_3\text{PbI}_3$ Cl_x Film via H_2O Additive. ACS Sustainable Chemistry and Engineering, 2018, 6, 1083-1090. | 3.2 | 21 |
| 798 | Pinhole-free mixed perovskite film for bending durable mixed perovskite solar cells. Solar Energy Materials and Solar Cells, 2018, 175, 111-117. | 3.0 | 26 |
| 799 | Flexible and Semitransparent Organic Solar Cells. Advanced Energy Materials, 2018, 8, 1701791. | 10.2 | 556 |
| 800 | Effect of Halide Compositions on the Performance of Perovskite Solar Cells. , 2018, , . | | 0 |
| 801 | Flexible ZnO Nanowires-Graphene Stack by Hot Lamination Method. , 2018, , . | | 0 |
| 802 | Inkjet-Printing of Methylammonium Lead Trihalide Perovskite-Based Flexible Optoelectronic Devices. , 2018, , . | | 2 |
| 803 | Promising photovoltaic and solid-state-lighting materials: two-dimensional Ruddlesden-Popper type lead-free halide double perovskites $\text{Cs}_{n+1}\text{In}_{n/2}\text{Sb}_{n/2}\text{I}_{3n+1}$ ($n = 3$) and $\text{Cs}_{n+1}\text{In}_{n/2}\text{Sb}_{n/2}\text{Cl}_{3n+1}/\text{Cs}_{m+1}\text{Cu}_{m/2}\text{Bi}_{m/2}$ | 2.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 805 | Excellent Light Confinement of Hemiellipsoid- and Inverted Hemiellipsoid-Modified Semiconductor Nanowire Arrays. <i>Nanoscale Research Letters</i> , 2018, 13, 236. | 3.1 | 6 |
| 806 | Levitation Force Computation of HTS/PM system by H-formulation.. , 2018, , . | | 0 |
| 808 | TiO ₂ /SnO ₂ Nanocomposites as Electron Transporting Layer for Efficiency Enhancement in Planar CH ₃ NH ₃ PbI ₃ -Based Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2018, 1, 6936-6944. | 2.5 | 18 |
| 809 | In Situ Atmospheric Deposition of Ultrasmooth Nickel Oxide for Efficient Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 41849-41854. | 4.0 | 47 |
| 810 | First-Principle Insights of Electronic and Optical Properties of Cubic Organic-Inorganic MAPbI ₃ Perovskites for Photovoltaic Applications. <i>Journal of Physical Chemistry C</i> , 2018, 122, 28245-28255. | 1.5 | 34 |
| 811 | Anomalous Scaling Exponents in the Capacitance-Voltage Characteristics of Perovskite Thin Film Devices. <i>Journal of Physical Chemistry C</i> , 2018, 122, 27935-27940. | 1.5 | 10 |
| 812 | A Novel Nitrogen-Assisted Method for the Perovskite Active Layer Optimization in the Inverted Planar Heterojunction Perovskite Solar Cells. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 446, 012004. | 0.3 | 3 |
| 814 | Boosting the Stability of Perovskite Solar Cells through a Dopant-Free Tetraphenylbenzidine-Based Hole Transporting Material. <i>ChemistrySelect</i> , 2018, 3, 13032-13037. | 0.7 | 6 |
| 815 | Materials toward the Upscaling of Perovskite Solar Cells: Progress, Challenges, and Strategies. <i>Advanced Functional Materials</i> , 2018, 28, 1803753. | 7.8 | 145 |
| 816 | MoS ₂ Quantum Dot/Graphene Hybrids for Advanced Interface Engineering of a CH ₃ NH ₃ PbI ₃ Perovskite Solar Cell with an Efficiency of over 20%. <i>ACS Nano</i> , 2018, 12, 10736-10754. | 7.3 | 201 |
| 817 | A Method for the Preparation of Highly Oriented MAPbI ₃ Crystallites for High-Efficiency Perovskite Solar Cells to Achieve an 86% Fill Factor. <i>ACS Nano</i> , 2018, 12, 10355-10364. | 7.3 | 113 |
| 818 | Perovskite solar cells with versatile electropolymerized fullerene as electron extraction layer. <i>Electrochimica Acta</i> , 2018, 292, 697-706. | 2.6 | 9 |
| 819 | Perovskite photovoltaic cells with ultra-thin buffer layers for tandem applications. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 102303. | 0.8 | 3 |
| 820 | C60-assisted crystal engineering for perovskite solar cells with enhanced efficiency and stability. <i>Organic Electronics</i> , 2018, 63, 276-282. | 1.4 | 15 |
| 821 | Solvent engineering approach via introducing poly (3, 4-ethylene dioxy-thiophene)-poly (styrene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 efficient inverted planar perovskite solar cells. <i>Solar Energy</i> , 2018, 176, 1-9. | 2.9 | 12 |
| 822 | Suppressed Decomposition of Perovskite Film on ZnO Via a Self-Assembly Monolayer of Methoxysilane. <i>Solar Rrl</i> , 2018, 2, 1800240. | 3.1 | 18 |
| 823 | Direct Observation of the Tunneling Phenomenon in Organometal Halide Perovskite Solar Cells and Its Influence on Hysteresis. <i>ACS Energy Letters</i> , 2018, 3, 2743-2749. | 8.8 | 17 |
| 824 | Inverted structure perovskite solar cells: A theoretical study. <i>Current Applied Physics</i> , 2018, 18, 1583-1591. | 1.1 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 825 | Computational Analysis of the Interplay between Deep Level Traps and Perovskite Solar Cell Efficiency. <i>Journal of the American Chemical Society</i> , 2018, 140, 15655-15660. | 6.6 | 20 |
| 826 | In Situ Measurement of Electric-Field Screening in Hysteresis-Free PTAA/FA _{0.83} Cs _{0.17} Pb(I _{0.83} Br _{0.17}) ₃ /C60 Perovskite Solar Cells Gives an Ion Mobility of $\sim 10^{-7}$ cm ² /V s, 2 Orders of Magnitude Faster than Reported for Metal-Oxide-Contacted Perovskite Cells with Hysteresis. <i>Journal of the American Chemical Society</i> , 2018, 140, 12775-12784. | 6.6 | 47 |
| 827 | Novel efficient C60-based inverted perovskite solar cells with negligible hysteresis. <i>Electrochimica Acta</i> , 2018, 288, 115-125. | 2.6 | 40 |
| 828 | Stretchable IR metamaterial with ultra-narrowband perfect absorption. <i>Applied Physics Letters</i> , 2018, 113, . | 1.5 | 50 |
| 829 | Influence of solvent additive on the chemical and electronic environment of wide bandgap perovskite thin films. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12052-12061. | 2.7 | 31 |
| 830 | Two Anthracene-Based Copolymers as the Hole-Transporting Materials for High-Performance Inverted (p-i-n) Perovskite Solar Cells. <i>Macromolecules</i> , 2018, 51, 7407-7416. | 2.2 | 10 |
| 831 | Improving photovoltaic performance of inverted planar structure perovskite solar cells via introducing photogenerated dipoles in the electron transport layer. <i>Organic Electronics</i> , 2018, 63, 137-142. | 1.4 | 15 |
| 832 | Investigation of Inverted Perovskite Solar Cells for Viscosity of PEDOT:PSS Solution. <i>Crystals</i> , 2018, 8, 358. | 1.0 | 7 |
| 833 | Application of copper phthalocyanin for surface modification of perovskite solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 18187-18192. | 1.1 | 3 |
| 834 | Study of transport and recombination mechanism in hole transporter free perovskite solar cell. <i>Materials Research Express</i> , 2018, 5, 105508. | 0.8 | 2 |
| 835 | Performance Enhancement of Inverted Perovskite Solar Cells Based on Smooth and Compact PC ₆₁ BM:SnO ₂ Electron Transport Layers. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 20128-20135. | 4.0 | 43 |
| 836 | Non-fullerene-based small molecules as efficient n-type electron transporting layers in inverted organic-inorganic halide perovskite solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 65, 406-410. | 2.9 | 14 |
| 837 | Dimethyl-sulfoxide-assisted improvement in the crystallization of lead-acetate-based perovskites for high-performance solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6705-6713. | 2.7 | 35 |
| 838 | Highly efficient perovskite solar cells fabricated by simplified one-step deposition method with non-halogenated anti-solvents. <i>Organic Electronics</i> , 2018, 59, 330-336. | 1.4 | 13 |
| 839 | Investigation of wireless power transfer applications with a focus on renewable energy. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 91, 888-902. | 8.2 | 38 |
| 840 | Organic-Inorganic Hybrid Halide Perovskites for Memories, Transistors, and Artificial Synapses. <i>Advanced Materials</i> , 2018, 30, e1704002. | 11.1 | 205 |
| 841 | Improved Stability of Interfacial Energy-Level Alignment in Inverted Planar Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 18964-18973. | 4.0 | 22 |
| 842 | Alcohol based vapor annealing of a poly(3,4-ethylenedioxythiophene);poly(styrenesulfonate) layer for performance improvement of inverted perovskite solar cells. <i>Nanoscale</i> , 2018, 10, 11043-11051. | 2.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 843 | An Overview of Hybrid Organic-Inorganic Metal Halide Perovskite Solar Cells. , 2018, , 233-254. | | 19 |
| 844 | High performance organo-lead halide perovskite light-emitting diodes via surface passivation of phenethylamine. Organic Electronics, 2018, 60, 57-63. | 1.4 | 20 |
| 845 | Semiconducting Metal Oxides for High Performance Perovskite Solar Cells. , 2018, , 241-265. | | 4 |
| 846 | Low-Temperature Atomic Layer Deposition of Metal Oxide Layers for Perovskite Solar Cells with High Efficiency and Stability under Harsh Environmental Conditions. ACS Applied Materials & Interfaces, 2018, 10, 23928-23937. | 4.0 | 84 |
| 847 | Exposed the mechanism of lead chloride dopant for high efficiency planar-structure perovskite solar cells. Organic Electronics, 2018, 62, 499-504. | 1.4 | 6 |
| 848 | Perovskite-Based Solar Cells: Materials, Methods, and Future Perspectives. Journal of Nanomaterials, 2018, 2018, 1-15. | 1.5 | 224 |
| 849 | Evolution of Perovskite Solar Cells. , 2018, , 43-88. | | 18 |
| 850 | Fabrication and Life Time of Perovskite Solar Cells. , 2018, , 231-287. | | 7 |
| 851 | Perovskite Photovoltaics. , 2018, , 447-480. | | 7 |
| 852 | Fullerenes: the stars of photovoltaics. Sustainable Energy and Fuels, 2018, 2, 2480-2493. | 2.5 | 99 |
| 853 | High-performance planar perovskite solar cells based on low-temperature solution-processed well-crystalline SnO ₂ nanorods electron-transporting layers. Chemical Engineering Journal, 2018, 351, 391-398. | 6.6 | 35 |
| 854 | Charge-Transporting Materials for Perovskite Solar Cells. Advances in Inorganic Chemistry, 2018, , 185-246. | 0.4 | 8 |
| 855 | Graphene Oxide-Like Materials in Organic and Perovskite Solar Cells. , 2018, , 357-394. | | 5 |
| 856 | A step towards environmental benign Mg/Pb based binary metal mixed halide perovskite material. Solar Energy, 2018, 170, 769-779. | 2.9 | 20 |
| 857 | Inverted CH ₃ NH ₃ PbI ₃ perovskite solar cells based on solution-processed V ₂ O ₅ film combined with P3CT salt as hole transport layer. Materials Today Energy, 2018, 9, 487-495. | 2.5 | 27 |
| 858 | Energy Level Alignment at Interfaces in Metal Halide Perovskite Solar Cells. Advanced Materials Interfaces, 2018, 5, 1800260. | 1.9 | 215 |
| 859 | Bifunctional Molecular Modification Improving Efficiency and Stability of Inverted Perovskite Solar Cells. Advanced Materials Interfaces, 2018, 5, 1800645. | 1.9 | 43 |
| 860 | All that glitters is not gold: Recent progress of alternative counter electrodes for perovskite solar cells. Nano Energy, 2018, 52, 211-238. | 8.2 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 861 | Progress in tailoring perovskite based solar cells through compositional engineering: Materials properties, photovoltaic performance and critical issues. <i>Materials Today Energy</i> , 2018, 9, 440-486. | 2.5 | 58 |
| 862 | Two-dimensional organic-inorganic hybrid perovskite: from material properties to device applications. <i>Science China Materials</i> , 2018, 61, 1257-1277. | 3.5 | 84 |
| 863 | Preparation and Characteristics of MAPbBr ₃ Perovskite Quantum Dots on NiOx Film and Application for High Transparent Solar Cells. <i>Micromachines</i> , 2018, 9, 205. | 1.4 | 16 |
| 864 | Improved Performance of Perovskite Light-Emitting Diodes by Quantum Confinement Effect in Perovskite Nanocrystals. <i>Nanomaterials</i> , 2018, 8, 459. | 1.9 | 9 |
| 865 | A dopant-free polymer as hole-transporting material for highly efficient and stable perovskite solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2018, 26, 994-1002. | 4.4 | 7 |
| 866 | Recent Advance in Solution-Processed Organic Interlayers for High-Performance Planar Perovskite Solar Cells. <i>Advanced Science</i> , 2018, 5, 1800159. | 5.6 | 84 |
| 867 | Mechanism suppressing charge recombination at iodine defects in CH ₃ NH ₃ PbI ₃ by polaron formation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 16863-16867. | 5.2 | 26 |
| 868 | Conversion of metal-organic halide perovskite from PbI ₂ precursor films grown by hot-wall method. <i>MATEC Web of Conferences</i> , 2018, 192, 01031. | 0.1 | 0 |
| 869 | Flexible solar cells based on carbon nanomaterials. <i>Carbon</i> , 2018, 139, 1063-1073. | 5.4 | 102 |
| 870 | All-Solution-Processed Pure Formamidinium-Based Perovskite Light-Emitting Diodes. <i>Advanced Materials</i> , 2018, 30, e1804137. | 11.1 | 77 |
| 871 | State-of-the-Art Electron-Selective Contacts in Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800408. | 1.9 | 38 |
| 872 | Flexible and Biocompatibility Power Source for Electronics: A Cellulose Paper Based Hole-Transport Materials-Free Perovskite Solar Cell. <i>Solar Rrl</i> , 2018, 2, 1800175. | 3.1 | 37 |
| 873 | Enhanced output performance of a flexible piezoelectric energy harvester based on stable MAPbI ₃ -PVDF composite films. <i>Nano Energy</i> , 2018, 53, 46-56. | 8.2 | 111 |
| 874 | Towards high performance perovskite solar cells: A review of morphological control and HTM development. <i>Applied Materials Today</i> , 2018, 13, 69-82. | 2.3 | 43 |
| 875 | Bio-inspired Carbon Hole Transporting Layer Derived from Aloe Vera Plant for Cost-Effective Fully Printable Mesoscopic Carbon Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31280-31290. | 4.0 | 51 |
| 876 | Fast two-step deposition of perovskite <i>via</i> mediator extraction treatment for large-area, high-performance perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12447-12454. | 5.2 | 83 |
| 877 | Perovskites photovoltaic solar cells: An overview of current status. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 91, 1025-1044. | 8.2 | 153 |
| 878 | High-performance metal oxide-free inverted perovskite solar cells using poly(bis(4-phenyl)(2,4,6-trimethylphenyl)amine) as the hole transport layer. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6975-6981. | 2.7 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 879 | Studies on the fabrication and characteristics of photoelectrochemical cells using IrO ₂ -coated TiO ₂ photoanode for Z-scheme water splitting and perovskite solar cell bias. <i>Molecular Crystals and Liquid Crystals</i> , 2018, 662, 75-81. | 0.4 | 2 |
| 880 | Beyond Fullerenes: Indacenodithiophene-Based Organic Charge-Transport Layer toward Upscaling of Low-Cost Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 22143-22155. | 4.0 | 27 |
| 881 | Annealing atmosphere effect on Ni states in the thermal-decomposed NiOx films for perovskite solar cell application. <i>Electrochimica Acta</i> , 2018, 282, 81-88. | 2.6 | 31 |
| 882 | Organic Flexible Electronics. <i>Small Methods</i> , 2018, 2, 1800070. | 4.6 | 177 |
| 883 | Carboxylic ester-terminated fulleropyrrolidine as an efficient electron transport material for inverted perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6982-6987. | 2.7 | 19 |
| 884 | Improving the performance of low-temperature planar perovskite solar cells by adding functional fullerene end-capped polyethylene glycol derivatives. <i>Journal of Power Sources</i> , 2018, 396, 49-56. | 4.0 | 23 |
| 885 | Flexible and Stretchable Perovskite Solar Cells: Device Design and Development Methods. <i>Small Methods</i> , 2018, 2, 1800031. | 4.6 | 71 |
| 886 | Formation of Large Grain and Compact CH ₃ NH ₃ Pb(I \langle inline-formula \rangle \langle tex-math \rangle Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 472 Td) Journal of Photovoltaics, 2018, 8, 1017-1022. | 1.5 | 8 |
| 887 | Low-Temperature Processable Charge Transporting Materials for the Flexible Perovskite Solar Cells. <i>Electronic Materials Letters</i> , 2018, 14, 657-668. | 1.0 | 17 |
| 888 | Electrochemical Corrosion of Ag Electrode in the Silver Grid Electrode-Based Flexible Perovskite Solar Cells and the Suppression Method. <i>Solar Rrl</i> , 2018, 2, 1800118. | 3.1 | 37 |
| 889 | Thermo-evaporated pentacene and perylene as hole transport materials for perovskite solar cells. <i>Dyes and Pigments</i> , 2019, 160, 285-291. | 2.0 | 13 |
| 890 | A Transparent Photonic Artificial Visual Cortex. <i>Advanced Materials</i> , 2019, 31, e1903095. | 11.1 | 53 |
| 891 | Metal Cations in Efficient Perovskite Solar Cells: Progress and Perspective. <i>Advanced Materials</i> , 2019, 31, e1902037. | 11.1 | 71 |
| 892 | Influence of Thiazole-Modified Carbon Nitride Nanosheets with Feasible Electronic Properties on Inverted Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2019, 141, 12322-12328. | 6.6 | 61 |
| 893 | High-Efficiency Perovskite Solar Cell Based on Sequential Doping of PTAA. <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 1025-1030. | 1.5 | 13 |
| 894 | Recent progress in fundamental understanding of halide perovskite semiconductors. <i>Progress in Materials Science</i> , 2019, 106, 100580. | 16.0 | 95 |
| 895 | Enhanced Electrons Extraction of Lithium-Doped SnO ₂ Nanoparticles for Efficient Planar Perovskite Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 1273-1279. | 1.5 | 10 |
| 896 | Exploring a hybrid ferroelectric with a 1-D perovskite-like structure: bis(pyrrolidinium) pentachloroantimonate(\langle scp>iii \langle scp>). <i>Journal of Materials Chemistry C</i> , 2019, 7, 10360-10370. | 2.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 897 | Thermal Control of PbI_2 Film Growth for Two-Step Planar Perovskite Solar Cells. <i>Crystal Growth and Design</i> , 2019, 19, 5320-5325. | 1.4 | 18 |
| 898 | Recent Progress in High-efficiency Planar-structure Perovskite Solar Cells. <i>Energy and Environmental Materials</i> , 2019, 2, 93-106. | 7.3 | 45 |
| 899 | Electronic structure of MAPbI_3 and MAPbCl_3 : importance of band alignment. <i>Scientific Reports</i> , 2019, 9, 15159. | 1.6 | 52 |
| 900 | Hot-substrate deposition of all-inorganic perovskite films for low-temperature processed high-efficiency solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2773-2779. | 5.2 | 65 |
| 901 | Toward Phase Stability: Dion-Jacobson Layered Perovskite for Solar Cells. <i>ACS Energy Letters</i> , 2019, 4, 2960-2974. | 8.8 | 124 |
| 903 | Enhanced Efficiencies of Perovskite Solar Cells by Incorporating Silver Nanowires into the Hole Transport Layer. <i>Micromachines</i> , 2019, 10, 682. | 1.4 | 13 |
| 904 | Guideline for Optical Optimization of Planar Perovskite Solar Cells. <i>Advanced Optical Materials</i> , 2019, 7, 1900944. | 3.6 | 24 |
| 905 | Anti-Oxidizing Radical Polymer-Incorporated Perovskite Layers and their Photovoltaic Characteristics in Solar Cells. <i>ChemSusChem</i> , 2019, 12, 5207-5212. | 3.6 | 20 |
| 906 | A facile way to improve the efficiency of perovskite/silicon four-terminal tandem solar cell based on the optimization of long-wavelength spectral response. <i>AIP Conference Proceedings</i> , 2019, , . | 0.3 | 1 |
| 907 | Design of a Tunable Absorber Based on Graphene in the THz Range. , 2019, , . | | 2 |
| 908 | Morphological and opto-electrical studies of newly decorated nano organo-lead halide-based perovskite photovoltaics. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 92, 548-553. | 1.1 | 1 |
| 909 | Facile Interfacial Engineering of Mesoporous TiO_2 for Low-Temperature Processed Perovskite Solar Cells. <i>Nanomaterials</i> , 2019, 9, 1220. | 1.9 | 7 |
| 910 | Electronic Structure and Optical Properties of Gallium-Doped Hybrid Organic-Inorganic Lead Perovskites from First-Principles Calculations and Spectroscopic Limited Maximum Efficiencies. <i>Journal of Physical Chemistry C</i> , 2019, 123, 23323-23333. | 1.5 | 15 |
| 911 | Well-grown low-defect $\text{MAPbI}_3-x\text{Cl}_x$ films for perovskite solar cells with over 20% efficiency fabricated under controlled ambient humidity conditions. <i>Electrochimica Acta</i> , 2019, 326, 134950. | 2.6 | 10 |
| 912 | NaCl doped electrochemical PEDOT:PSS layers for inverted perovskite solar cells with enhanced stability. <i>Synthetic Metals</i> , 2019, 257, 116178. | 2.1 | 10 |
| 913 | Ultrasonically sprayed-on perovskite solar cells-effects of organic cation on defect formation of $\text{CH}_3\text{NH}_3\text{PbI}_3$ films. <i>Current Applied Physics</i> , 2019, 19, 1427-1435. | 1.1 | 3 |
| 914 | Alkali metal ions passivation to decrease interface defects of perovskite solar cells. <i>Solar Energy</i> , 2019, 193, 220-226. | 2.9 | 8 |
| 915 | Green low-temperature-solution-processed in situ HI modified $\text{TiO}_2/\text{SnO}_2$ bilayer for efficient and stable planar perovskite solar cells build at ambient air conditions. <i>Electrochimica Acta</i> , 2019, 326, 134924. | 2.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 916 | Energy level-modulated non-fullerene small molecule acceptors for improved V_{OC} and efficiency of inverted perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 3336-3343. | 5.2 | 29 |
| 917 | Room temperature growth of $CH_3NH_3PbCl_3$ single crystals by solvent evaporation method. <i>CrystEngComm</i> , 2019, 21, 656-661. | 1.3 | 45 |
| 918 | Facile organic surfactant removal of various dimensionality nanomaterials using low-temperature photochemical treatment. <i>RSC Advances</i> , 2019, 9, 730-737. | 1.7 | 4 |
| 919 | Recent Progress of Flexible Perovskite Solar Cells. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019, 13, 1800566. | 1.2 | 36 |
| 920 | Crosslinked and dopant free hole transport materials for efficient and stable planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 5522-5529. | 5.2 | 41 |
| 921 | Bright perovskite light-emitting diodes with improved film morphology and reduced trap density via surface passivation using quaternary ammonium salts. <i>Organic Electronics</i> , 2019, 67, 187-193. | 1.4 | 28 |
| 922 | Intergrain Connection of Organometal Halide Perovskites: Formation Mechanism and Its Effects on Optoelectrical Properties. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 7037-7045. | 4.0 | 5 |
| 923 | Pressure-induced effects in the inorganic halide perovskite $CsGeI_3$. <i>RSC Advances</i> , 2019, 9, 3279-3284. | 1.7 | 73 |
| 924 | Lentian modulates intestinal microbiota and enhances barrier integrity in a piglet model challenged with lipopolysaccharide. <i>Food and Function</i> , 2019, 10, 479-489. | 2.1 | 64 |
| 925 | Structural design considerations of solution-processable graphenes as interfacial materials via a controllable synthesis method for the achievement of highly efficient, stable, and printable planar perovskite solar cells. <i>Nanoscale</i> , 2019, 11, 890-900. | 2.8 | 10 |
| 926 | A polyaspartic acid sodium interfacial layer enhances surface trap passivation in perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 23895-23903. | 5.2 | 37 |
| 928 | Graphene and carbon nanotube-based solar cells. , 2019, , 603-660. | | 2 |
| 929 | Carbon nanotubes embedded poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) hybrid hole collector for inverted planar perovskite solar cells. <i>Journal of Power Sources</i> , 2019, 435, 226765. | 4.0 | 22 |
| 930 | Simulation studies of Sn-based perovskites with Cu back-contact for non-toxic and non-corrosive devices. <i>Journal of Materials Research</i> , 2019, 34, 2789-2795. | 1.2 | 10 |
| 931 | Nanoscience and Nanotechnology at UCLA. <i>ACS Nano</i> , 2019, 13, 6127-6129. | 7.3 | 1 |
| 932 | Engineering of the Back Contact between PCBM and Metal Electrode for Planar Perovskite Solar Cells with Enhanced Efficiency and Stability. <i>Advanced Optical Materials</i> , 2019, 7, 1900542. | 3.6 | 24 |
| 933 | Improving the Performance of Planar Perovskite Solar Cells through a Preheated, Delayed Annealing Process To Control Nucleation and Phase Transition of Perovskite Films. <i>Crystal Growth and Design</i> , 2019, 19, 4314-4323. | 1.4 | 7 |
| 934 | Memristors with organic-inorganic halide perovskites. <i>Informa-Materially</i> , 2019, 1, 183-210. | 8.5 | 111 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 935 | A comparative study of structural, electronic and optical properties based on metal-doped methylammonium lead halides via first-principles calculations. <i>New Journal of Chemistry</i> , 2019, 43, 9453-9457. | 1.4 | 6 |
| 936 | Metal halide perovskites for resistive switching memory devices and artificial synapses. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7476-7493. | 2.7 | 72 |
| 937 | Facile and Controllable Fabrication of High-Performance Methylammonium Lead Triiodide Films Using Lead Acetate Precursor for Low-Threshold Amplified Spontaneous Emission and Distributed-Feedback Lasers. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019, 13, 1900176. | 1.2 | 3 |
| 938 | Impact of 9-(4-methoxyphenyl) Carbazole and Benzodithiophene Cores on Performance and Stability for Perovskite Solar Cells Based on Dopant-Free Hole-Transporting Materials. <i>Solar Rrl</i> , 2019, 3, 1900202. | 3.1 | 28 |
| 939 | Solution-Processed Bismuth Halide Perovskite Thin Films: Influence of Deposition Conditions and A-Site Alloying on Morphology and Optical Properties. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 3134-3139. | 2.1 | 23 |
| 940 | Nanomechanical Approach for Flexibility of Organic-Inorganic Hybrid Perovskite Solar Cells. <i>Nano Letters</i> , 2019, 19, 3707-3715. | 4.5 | 42 |
| 941 | Ion induced passivation of grain boundaries in perovskite solar cells. <i>Journal of Applied Physics</i> , 2019, 125, . | 1.1 | 13 |
| 942 | Investigation of sol-gel and nanoparticle-based NiOx hole transporting layer for high-performance planar perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2019, 797, 1018-1024. | 2.8 | 23 |
| 943 | Efficiency of all-perovskite two-terminal tandem solar cells: A drift-diffusion study. <i>Solar Energy</i> , 2019, 187, 39-46. | 2.9 | 27 |
| 944 | Ruthenium doped mesoporous titanium dioxide for highly efficient, hysteresis-free and stable perovskite solar cells. <i>Solar Energy</i> , 2019, 186, 156-165. | 2.9 | 30 |
| 945 | Star-shaped molecule with planar triazine core and perylene diimide branches as an n-type additive for bulk-heterojunction perovskite solar cells. <i>Dyes and Pigments</i> , 2019, 170, 107562. | 2.0 | 18 |
| 946 | Designing a Perylene Diimide/Fullerene Hybrid as Effective Electron Transporting Material in Inverted Perovskite Solar Cells with Enhanced Efficiency and Stability. <i>Angewandte Chemie</i> , 2019, 131, 8608. | 1.6 | 14 |
| 947 | Designing a Perylene Diimide/Fullerene Hybrid as Effective Electron Transporting Material in Inverted Perovskite Solar Cells with Enhanced Efficiency and Stability. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 8520-8525. | 7.2 | 73 |
| 948 | Improving the phase stability of inorganic lead halide perovskites through K/Rb doping. <i>Applied Physics Express</i> , 2019, 12, 051017. | 1.1 | 3 |
| 949 | High-performance inverted planar perovskite solar cells using a pristine fullerene mixture as an electron-transport layer. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6956-6963. | 2.7 | 29 |
| 950 | Perovskite Solar Cells Processed by Solution Nanotechnology. , 2019, , 119-174. | | 0 |
| 951 | High Efficiency (18.53%) of Flexible Perovskite Solar Cells via the Insertion of Potassium Chloride between SnO ₂ and CH ₃ NH ₃ PbI ₃ Layers. <i>ACS Applied Energy Materials</i> , 2019, 2, 3676-3682. | 2.5 | 60 |
| 952 | ACS Journals Celebrate 10 Years of Perovskite Photovoltaics. <i>ACS Energy Letters</i> , 2019, 4, 1055-1056. | 8.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 953 | Highly flexible, robust, stable and high efficiency perovskite solar cells enabled by van der Waals epitaxy on mica substrate. <i>Nano Energy</i> , 2019, 60, 476-484. | 8.2 | 66 |
| 954 | Point defect-reduced colloidal SnO ₂ electron transport layers for stable and almost hysteresis-free perovskite solar cells. <i>RSC Advances</i> , 2019, 9, 7334-7337. | 1.7 | 10 |
| 955 | Highly efficient flexible MAPbI ₃ solar cells with a fullerene derivative-modified SnO ₂ layer as the electron transport layer. <i>Journal of Materials Chemistry A</i> , 2019, 7, 6659-6664. | 5.2 | 77 |
| 956 | Hybrid carbon dots platform enabling opportunities for desired optical properties and redox characteristics by-design. <i>Chemical Physics Letters</i> , 2019, 724, 8-12. | 1.2 | 12 |
| 957 | Aging of low-temperature derived highly flexible nanostructured TiO ₂ /P3HT hybrid films during bending. <i>Journal of Materials Chemistry A</i> , 2019, 7, 10805-10814. | 5.2 | 7 |
| 958 | Two-dimensional additive diethylammonium iodide promoting crystal growth for efficient and stable perovskite solar cells. <i>RSC Advances</i> , 2019, 9, 7984-7991. | 1.7 | 25 |
| 959 | Performance enhancement of AgBi ₂ I ₇ solar cells by modulating a solvent-mediated adduct and tuning remnant BiI ₃ in one-step crystallization. <i>Chemical Communications</i> , 2019, 55, 4031-4034. | 2.2 | 54 |
| 960 | Planar Perovskite Solar Cells with High Efficiency and Fill Factor Obtained Using Two-Step Growth Process. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 15680-15687. | 4.0 | 18 |
| 961 | Simulation studies of non-toxic tin-based perovskites: Critical insights into solar performance kinetics through comparison with standard lead-based devices. <i>Superlattices and Microstructures</i> , 2019, 130, 20-27. | 1.4 | 20 |
| 962 | Efficient and stable planar perovskite solar cells with carbon quantum dots-doped PCBM electron transport layer. <i>New Journal of Chemistry</i> , 2019, 43, 7130-7135. | 1.4 | 31 |
| 963 | Water in hybrid perovskites: Bulk MAPbI ₃ degradation via super-hydrous state. <i>APL Materials</i> , 2019, 7, . | 2.2 | 42 |
| 964 | Ammonia-treated graphene oxide and PEDOT:PSS as hole transport layer for high-performance perovskite solar cells with enhanced stability. <i>Organic Electronics</i> , 2019, 70, 63-70. | 1.4 | 40 |
| 966 | Bismuth perovskite as a viable alternative to Pb perovskite solar cells: device simulations to delineate critical efficiency dynamics. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 9438-9443. | 1.1 | 10 |
| 967 | One-step-spin-coating route for homogeneous perovskite/pyrrole-C60 fullerene bulk heterojunction for high performance solar cells. <i>Journal of Power Sources</i> , 2019, 419, 27-34. | 4.0 | 16 |
| 968 | Causes and Solutions of Recombination in Perovskite Solar Cells. <i>Advanced Materials</i> , 2019, 31, e1803019. | 11.1 | 422 |
| 969 | Halide Perovskites: Is It All about the Interfaces?. <i>Chemical Reviews</i> , 2019, 119, 3349-3417. | 23.0 | 404 |
| 970 | Enhanced optical absorption and efficient cascade electron extraction based on energy band alignment double absorbers perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2019, 194, 168-176. | 3.0 | 20 |
| 971 | A Review of Perovskites Solar Cell Stability. <i>Advanced Functional Materials</i> , 2019, 29, 1808843. | 7.8 | 835 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 972 | Highly efficient walking perovskite solar cells based on thermomechanical polymer films. Journal of Materials Chemistry A, 2019, 7, 26154-26161. | 5.2 | 12 |
| 973 | Study on the Movements of Organometallic Halide Perovskite Crystals on their Films. ChemistrySelect, 2019, 4, 13904-13907. | 0.7 | 0 |
| 974 | Pulsed laser deposition of amorphous InGaZnO_4 as an electron transport layer for perovskite solar cells. Journal of Advanced Dielectrics, 2019, 09, 1950042. | 1.5 | 4 |
| 975 | A Novel Perovskite Solar Cell with $\text{ZnO-Cu}_2\text{O}$ as Electron Transport Material-Hole Transport Material. , 2019, , . | | 3 |
| 976 | Advanced materials for flexible solar cell applications. Nanotechnology Reviews, 2019, 8, 452-458. | 2.6 | 19 |
| 977 | Microplasma-synthesized ultra-small NiO nanocrystals, a ubiquitous hole transport material. Nanoscale Advances, 2019, 1, 4915-4925. | 2.2 | 15 |
| 978 | Polystyrene enhanced crystallization of perovskites towards high performance solar cells. Nanoscale Advances, 2019, 1, 76-85. | 2.2 | 15 |
| 979 | Low temperature solution-derived $\text{TiO}_2\text{-SnO}_2$ bilayered electron transport layer for high performance perovskite solar cells. Applied Surface Science, 2019, 464, 700-707. | 3.1 | 48 |
| 980 | $\text{CH}_3\text{NH}_3\text{PbI}_x\text{Cl}_{(3-x)}$ thin film prepared by vapor transfer method for perovskite solar cells. Materials Letters, 2019, 239, 163-166. | 1.3 | 9 |
| 981 | Recent advancements in and perspectives on flexible hybrid perovskite solar cells. Journal of Materials Chemistry A, 2019, 7, 888-900. | 5.2 | 60 |
| 982 | Understanding macroscale functionality of metal halide perovskites in terms of nanoscale heterogeneities. JPhys Energy, 2019, 1, 011002. | 2.3 | 3 |
| 983 | Maze-Like Halide Perovskite Films for Efficient Electron Transport Layer-Free Perovskite Solar Cells. Solar Rrl, 2019, 3, 1800268. | 3.1 | 49 |
| 984 | Dimethyl Sulfoxide Solvent Engineering for High Quality Cation-Anion Mixed Hybrid and High Efficiency Perovskite Solar Cells. Energy Technology, 2019, 7, 346-351. | 1.8 | 3 |
| 985 | Rapid and sheet-to-sheet slot-die coating manufacture of highly efficient perovskite solar cells processed under ambient air. Solar Energy, 2019, 177, 255-261. | 2.9 | 32 |
| 986 | CdSe tetrapod interfacial layer for improving electron extraction in planar heterojunction perovskite solar cells. Nanotechnology, 2019, 30, 065401. | 1.3 | 6 |
| 987 | SnO_2 -based electron transporting layer materials for perovskite solar cells: A review of recent progress. Journal of Energy Chemistry, 2019, 35, 144-167. | 7.1 | 129 |
| 988 | High-efficiency perovskite solar cells based on self-assembly n-doped fullerene derivative with excellent thermal stability. Journal of Power Sources, 2019, 413, 459-466. | 4.0 | 24 |
| 989 | SnO_2 -Based Perovskite Solar Cells: Configuration Design and Performance Improvement. Solar Rrl, 2019, 3, 1800292. | 3.1 | 80 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 990 | Highly Efficient Flexible Perovskite Solar Cells with Low Temperature TiO ₂ Layer via UV/Ozone Photoannealing Treatment. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800669. | 0.8 | 14 |
| 991 | Progress and challenges in perovskite photovoltaics from single- to multi-junction cells. <i>Materials Today Energy</i> , 2019, 12, 70-94. | 2.5 | 67 |
| 992 | High-performance metal-oxide-free perovskite solar cells based on organic electron transport layer and cathode. <i>Organic Electronics</i> , 2019, 64, 195-201. | 1.4 | 12 |
| 993 | Enhanced efficiency and ambient stability of planar heterojunction perovskite solar cells by using organic-inorganic double layer electron transporting material. <i>Electrochimica Acta</i> , 2019, 294, 337-344. | 2.6 | 23 |
| 994 | High performance of low-temperature processed perovskite solar cells based on a polyelectrolyte interfacial layer of PEI. <i>Organic Electronics</i> , 2019, 65, 19-25. | 1.4 | 13 |
| 995 | The dependence of chain length of phenylalkylamine on the performance of perovskite light emitting diode. <i>Organic Electronics</i> , 2019, 65, 56-62. | 1.4 | 8 |
| 996 | Flexible Perovskite Solarzellen: Herstellung und Anwendungen. <i>Angewandte Chemie</i> , 2019, 131, 4512-4530. | 1.6 | 27 |
| 997 | Recent Advances in Flexible Perovskite Solar Cells: Fabrication and Applications. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 4466-4483. | 7.2 | 290 |
| 998 | Novel Insight into the Role of Chlorobenzene Antisolvent Engineering for Highly Efficient Perovskite Solar Cells: Gradient Diluted Chlorine Doping. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 792-801. | 4.0 | 40 |
| 999 | Improved performance of inverted planar MAPbI ₃ based perovskite solar cells using bromide post-synthesis treatment. <i>Solar Energy</i> , 2019, 177, 538-544. | 2.9 | 10 |
| 1000 | Enhanced interface of polyurethane acrylate via perfluoropolyether for efficient transfer printing and stable operation of PEDOT:PSS in perovskite photovoltaic cells. <i>Applied Surface Science</i> , 2019, 467-468, 168-177. | 3.1 | 9 |
| 1001 | Employing tetraethyl orthosilicate additive to enhance trap passivation of planar perovskite solar cells. <i>Electrochimica Acta</i> , 2019, 293, 174-183. | 2.6 | 18 |
| 1002 | Simulation of optimum band structure of HTM-free perovskite solar cells based on ZnO electron transporting layer. <i>Materials Science in Semiconductor Processing</i> , 2019, 90, 1-6. | 1.9 | 45 |
| 1003 | Alternate Photovoltaic Material: Its Environmental Consequences. , 2020, , 250-264. | | 1 |
| 1004 | A review on the classification of organic/inorganic/carbonaceous hole transporting materials for perovskite solar cell application. <i>Arabian Journal of Chemistry</i> , 2020, 13, 2526-2557. | 2.3 | 150 |
| 1005 | Recent progress on cesium lead/tin halide-based inorganic perovskites for stable and efficient solar cells: A review. <i>Solar Energy Materials and Solar Cells</i> , 2020, 204, 110212. | 3.0 | 56 |
| 1006 | Polymer Amplification to Improve Performance and Stability toward Semitransparent Perovskite Solar Cells Fabrication. <i>Energy Technology</i> , 2020, 8, 1900728. | 1.8 | 14 |
| 1007 | Lead-free, stable mixed halide double perovskites Cs ₂ AgBiBr ₆ and Cs ₂ AgBiBr _{6-x} Cl _x – A detailed theoretical and experimental study. <i>Chemical Physics</i> , 2020, 529, 110547. | 0.9 | 38 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1008 | A series of porphyrins as interfacial materials for inverted perovskite solar cells. <i>Organic Electronics</i> , 2020, 77, 105522. | 1.4 | 18 |
| 1009 | Solution-processed and evaporated C60 interlayers for improved charge transport in perovskite photovoltaics. <i>Organic Electronics</i> , 2020, 77, 105526. | 1.4 | 7 |
| 1010 | Efficient and stable planar perovskite solar cells with a PEDOT:PSS/SrGO hole interfacial layer. <i>Journal of Alloys and Compounds</i> , 2020, 812, 152091. | 2.8 | 49 |
| 1011 | The Effect of SnO ₂ and ZnO on the Performance of Perovskite Solar Cells. <i>Journal of Electronic Materials</i> , 2020, 49, 364-376. | 1.0 | 26 |
| 1012 | Conformal perovskite films on 100Åcm ² textured silicon surface using two-step vacuum process. <i>Thin Solid Films</i> , 2020, 693, 137694. | 0.8 | 17 |
| 1013 | Flexible perovskite solar cells: device design and perspective. <i>Flexible and Printed Electronics</i> , 2020, 5, 013002. | 1.5 | 17 |
| 1014 | Effect of Plasmonic Ag Nanoparticles on the Performance of Inverted Perovskite Solar Cells. <i>Advanced Engineering Materials</i> , 2020, 22, 1900976. | 1.6 | 14 |
| 1015 | The physics of ion migration in perovskite solar cells: Insights into hysteresis, device performance, and characterization. <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 533-537. | 4.4 | 36 |
| 1016 | Mechanically tuning spin-orbit coupling effects in organic-inorganic hybrid perovskites. <i>Nano Energy</i> , 2020, 67, 104285. | 8.2 | 6 |
| 1017 | Tumor-Derived Peptidoglycan Recognition Protein 2 Predicts Survival and Antitumor Immune Responses in Hepatocellular Carcinoma. <i>Hepatology</i> , 2020, 71, 1626-1642. | 3.6 | 20 |
| 1018 | It's a trap! On the nature of localised states and charge trapping in lead halide perovskites. <i>Materials Horizons</i> , 2020, 7, 397-410. | 6.4 | 345 |
| 1019 | Highly Transparent, Thermally Stable, and Mechanically Robust Hybrid Cellulose-Nanofiber/Polymer Substrates for the Electrodes of Flexible Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 785-793. | 2.5 | 23 |
| 1020 | Recent Advances of Device Components toward Efficient Flexible Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900485. | 3.1 | 29 |
| 1021 | Rapid Layer-Specific Annealing Enabled by Ultraviolet LED with Estimation of Crystallization Energy for High-Performance Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1902898. | 10.2 | 8 |
| 1022 | Characterization of Perovskite Solar Cell with Fe ³⁺ Doped TiO ₂ Layer. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 552-556. | 0.9 | 3 |
| 1023 | Gradient Energy Alignment Engineering for Planar Perovskite Solar Cells with Efficiency Over 23%. <i>Advanced Materials</i> , 2020, 32, e1905766. | 11.1 | 172 |
| 1024 | Enhanced performance of planar perovskite solar cells using dip-coated TiO ₂ as electron transporting layer. <i>Solar Energy</i> , 2020, 195, 475-482. | 2.9 | 22 |
| 1025 | Lead Oxalate-Induced Nucleation Retardation for High-Performance Indoor and Outdoor Perovskite Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 836-843. | 4.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1026 | Improvement of photovoltaic performance of perovskite solar cells by interface modification with CaTiO ₃ . Journal of Power Sources, 2020, 449, 227504. | 4.0 | 16 |
| 1027 | Tuning the optoelectronic properties of oligothiophenes for solar cell applications by varying the number of cyano and fluoro substituents for solar cell applications: A theoretical study. Journal of Chemical Research, 2020, 44, 235-242. | 0.6 | 3 |
| 1028 | The balance between efficiency, stability and environmental impacts in perovskite solar cells: a review. JPhys Energy, 2020, 2, 022001. | 2.3 | 76 |
| 1029 | Creation and Annihilation of Nonradiative Recombination Centers in Polycrystalline Metal Halide Perovskites by Alternating Electric Field and Light. Advanced Optical Materials, 2020, 8, 1901642. | 3.6 | 7 |
| 1030 | Defects at the interface electron transport layer and alternative counter electrode, their impact on perovskite solar cells performance. Solar Energy, 2020, 195, 610-617. | 2.9 | 8 |
| 1031 | Interface engineering with a novel n-type small organic molecule for efficient inverted perovskite solar cells. Chemical Engineering Journal, 2020, 392, 123677. | 6.6 | 31 |
| 1032 | Enhanced charge-transportation properties of low-temperature processed Al-doped ZnO and its impact on PV cell parameters of organic-inorganic perovskite solar cells. Solid-State Electronics, 2020, 164, 107714. | 0.8 | 21 |
| 1033 | Improving the performance of lead-acetate-based perovskite solar cells using solvent controlled crystallization process. Organic Electronics, 2020, 78, 105552. | 1.4 | 12 |
| 1034 | Ion Migration: A "Double-Edged Sword" for Halide-Based Electronic Devices. Small Methods, 2020, 4, 1900552. | 4.6 | 127 |
| 1035 | Interlayer Engineering for Flexible Large-Area Planar Perovskite Solar Cells. ACS Applied Energy Materials, 2020, 3, 777-784. | 2.5 | 13 |
| 1036 | Growth process control produces high-crystallinity and complete-reaction perovskite solar cells. RSC Advances, 2020, 10, 35898-35905. | 1.7 | 4 |
| 1037 | Light-induced improvement of dopant-free PTAA on performance of inverted perovskite solar cells. Solar Energy Materials and Solar Cells, 2020, 215, 110606. | 3.0 | 36 |
| 1038 | Long-term stable and highly efficient perovskite solar cells with a formamidinium chloride (FACl) additive. Journal of Materials Chemistry A, 2020, 8, 17756-17764. | 5.2 | 38 |
| 1039 | Morphology and Defect Control of Metal Halide Perovskite Films for High-Performance Optoelectronics. Chemistry of Materials, 2020, 32, 5958-5972. | 3.2 | 8 |
| 1040 | A critical review on bismuth and antimony halide based perovskites and their derivatives for photovoltaic applications: recent advances and challenges. Journal of Materials Chemistry A, 2020, 8, 16166-16188. | 5.2 | 130 |
| 1041 | ZnO Nanorods: An Advanced Cathode Buffer Layer for Inverted Perovskite Solar Cells. ACS Applied Energy Materials, 2020, 3, 11781-11791. | 2.5 | 18 |
| 1042 | UV ³ treated annealing-free cerium oxide as electron transport layers in flexible planar perovskite solar cells. Nanoscale Advances, 2020, 2, 4062-4069. | 2.2 | 15 |
| 1043 | In situ TEM observation of the heat-induced degradation of single- and triple-cation planar perovskite solar cells. Nano Energy, 2020, 77, 105164. | 8.2 | 25 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1044 | Graded heterojunction of perovskite/dopant-free polymeric hole-transport layer for efficient and stable metal halide perovskite devices. <i>Nano Energy</i> , 2020, 78, 105159. | 8.2 | 36 |
| 1045 | Durable strategies for perovskite photovoltaics. <i>APL Materials</i> , 2020, 8, . | 2.2 | 7 |
| 1046 | A study on optoelectronic performance of perovskite solar cell under different stress testing conditions. <i>Optical Materials</i> , 2020, 109, 110377. | 1.7 | 8 |
| 1047 | Solution-Phase Halide Exchange and Targeted Annealing Kinetics in Lead Chloride Derived Hybrid Perovskites. <i>Inorganic Chemistry</i> , 2020, 59, 13364-13370. | 1.9 | 5 |
| 1048 | Effect of halide-mixing on tolerance factor and charge-carrier dynamics in (CH ₃ NH ₃ PbBr ₃) _{1-x} Cl _x perovskites powders. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 19415-19428. | 1.1 | 4 |
| 1049 | Improvement of Characteristics of Metal Doped TiO ₂ Thin Film and Application to Perovskite Solar Cell. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 7130-7134. | 0.9 | 2 |
| 1050 | An Emerging Lead-Free Double Perovskite Cs ₂ AgFeCl ₆ :In Single Crystal. <i>Advanced Functional Materials</i> , 2020, 30, 2002225. | 7.8 | 48 |
| 1051 | Insights into the hole transport properties of LiTFSI-doped spiro-OMeTAD films through impedance spectroscopy. <i>Journal of Applied Physics</i> , 2020, 128, 085501. | 1.1 | 5 |
| 1052 | Constructing Graded Perovskite Homojunctions by Adding Large Radius Phenylmethylamine Ions for Sequential Spin-Coating Deposition Method To Improve the Efficiency of Perovskite Solar Cells. <i>Journal of Physical Chemistry C</i> , 2020, 124, 20765-20772. | 1.5 | 15 |
| 1053 | Facile Physical Modifications of Polymer Hole Transporting Layers for Efficient and Reproducible Perovskite Solar Cells with Fill Factor Exceeding 80%. <i>Solar Rrl</i> , 2020, 4, 2000365. | 3.1 | 13 |
| 1054 | Efficient Naphthalene Imide-Based Interface Engineering Materials for Enhancing Perovskite Photovoltaic Performance and Stability. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 42348-42356. | 4.0 | 16 |
| 1055 | Mechanochemical Synthesis of Nitrogen-Deficient Mesopore-Rich Polymeric Carbon Nitride with Highly Enhanced Photocatalytic Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 18606-18615. | 3.2 | 33 |
| 1056 | Perovskite solar cells based on CH ₃ NH ₃ SnI ₃ Structure. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 928, 072148. | 0.3 | 3 |
| 1057 | Titanium Dioxide in Chromogenic Devices: Synthesis, Toxicological Issues, and Fabrication Methods. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8896. | 1.3 | 1 |
| 1058 | Elucidating the Roles of Hole Transport Layers in p-i-n Perovskite Solar Cells. <i>Advanced Electronic Materials</i> , 2020, 6, 2000149. | 2.6 | 11 |
| 1059 | Photoemission Spectroscopy Characterization of Halide Perovskites. <i>Advanced Energy Materials</i> , 2020, 10, 1904007. | 10.2 | 66 |
| 1060 | Stretchable Hole Extraction Layer for Improved Stability in Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8004-8010. | 3.2 | 13 |
| 1061 | Efficient Flexible Perovskite Solar Cells Using Low-Cost Cu Top and Bottom Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 26050-26059. | 4.0 | 26 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1062 | Improved Interface Contact for Highly Stable All-Inorganic CsPbI ₂ Br Planar Perovskite Solar Cells. ACS Applied Energy Materials, 2020, 3, 5173-5181. | 2.5 | 16 |
| 1063 | A linear conjugated tetramer as a surface-modification layer to increase perovskite solar cell performance and stability. Journal of Materials Chemistry A, 2020, 8, 11728-11733. | 5.2 | 21 |
| 1064 | Solution-processed perovskite solar cells. Journal of Central South University, 2020, 27, 1104-1133. | 1.2 | 34 |
| 1065 | Structural, electronic, optical and mechanical properties of Zn-doped MAPbI ₃ perovskites and absorber layer efficiencies: An ab-initio investigation. Materials Today Communications, 2020, 24, 101216. | 0.9 | 20 |
| 1066 | Flexible optoelectronic devices based on metal halide perovskites. Nano Research, 2020, 13, 1997-2018. | 5.8 | 52 |
| 1067 | Layered perovskite materials: key solutions for highly efficient and stable perovskite solar cells. Reports on Progress in Physics, 2020, 83, 086502. | 8.1 | 48 |
| 1068 | Passivation by pyridine-induced PbI ₂ in methylammonium lead iodide perovskites. RSC Advances, 2020, 10, 23829-23833. | 1.7 | 8 |
| 1069 | Growth of metal halide perovskite materials. Science China Materials, 2020, 63, 1438-1463. | 3.5 | 31 |
| 1070 | Active Perovskite Hyperbolic Metasurface. ACS Photonics, 2020, 7, 1754-1761. | 3.2 | 27 |
| 1071 | Significantly Enhanced <i>V_{oc}</i> and Efficiency in Perovskite Solar Cells through Composition Adjustment of SnS ₂ Electron Transport Layers. ACS Sustainable Chemistry and Engineering, 2020, 8, 9250-9256. | 3.2 | 18 |
| 1072 | Charge localization and trapping at surfaces in lead-iodide perovskites: the role of polarons and defects. Journal of Materials Chemistry A, 2020, 8, 6882-6892. | 5.2 | 49 |
| 1073 | Flexible perovskite solar cells based on AgNW/ATO composite transparent electrodes. Synthetic Metals, 2020, 262, 116286. | 2.1 | 23 |
| 1074 | Advances in stable and flexible perovskite solar cells. Current Applied Physics, 2020, 20, 720-737. | 1.1 | 20 |
| 1075 | Room-Temperature-Processed ZrO ₂ Interlayer toward Efficient Planar Perovskite Solar Cells. ACS Applied Energy Materials, 2020, 3, 3328-3336. | 2.5 | 7 |
| 1076 | Effect of Sr substitution on the property and stability of CH ₃ NH ₃ SnI ₃ perovskite: A first-principles investigation. International Journal of Energy Research, 2020, 44, 5765-5778. | 2.2 | 19 |
| 1077 | Low-Temperature ($\leq 40\text{ }^\circ\text{C}$) Atmospheric-Pressure Dielectric-Barrier-Discharge-Jet Treatment on Nickel Oxide for <i>p</i> - <i>i</i> - <i>n</i> Structure Perovskite Solar Cells. ACS Omega, 2020, 5, 6082-6089. | 1.6 | 17 |
| 1078 | A study of perovskite solar cell with a Fe ³⁺ /Ga ³⁺ doped TiO ₂ layer. Japanese Journal of Applied Physics, 2020, 59, SGGF05. | 0.8 | 2 |
| 1079 | Emerging opportunities for 2D-black phosphorus as a carrier transporting material in perovskite solar cells. Materials Letters, 2020, 276, 128234. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1080 | The Characteristics of Perovskite Solar Cells Fabricated Using DMF and DMSO/GBL Solvents. <i>Journal of Electronic Materials</i> , 2020, 49, 6823-6828. | 1.0 | 13 |
| 1081 | The role of hafnium acetylacetonate buffer layer on the performance of lead halide perovskite solar cells derived from dehydrated lead acetate as Pb source. <i>AIP Advances</i> , 2020, 10, . | 0.6 | 1 |
| 1082 | Cationic polyelectrolytes as convenient electron extraction layers in perovskite solar cells. <i>Dyes and Pigments</i> , 2020, 182, 108634. | 2.0 | 9 |
| 1083 | Exploring Electron Transporting Layer in Combination with a Polyelectrolyte for n^+p Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000412. | 1.9 | 13 |
| 1084 | Flexible Solar Yarns with 15.7% Power Conversion Efficiency, Based on Electrospun Perovskite Composite Nanofibers. <i>Solar Rrl</i> , 2020, 4, 2000269. | 3.1 | 41 |
| 1085 | Theoretical Progress on the Relationship between the Structures and Properties of Perovskite Solar Cells. <i>Advanced Theory and Simulations</i> , 2020, 3, 2000022. | 1.3 | 10 |
| 1086 | Enhanced stability and efficiency in inverted perovskite solar cells through graphene doping of PEDOT:PSS hole transport layer. <i>Materials and Design</i> , 2020, 191, 108587. | 3.3 | 43 |
| 1087 | Radiation effects on the performance of flexible perovskite solar cells for space applications. <i>Emergent Materials</i> , 2020, 3, 9-14. | 3.2 | 32 |
| 1088 | Solution-Processed Flexible Broadband Photodetectors with Solution-Processed Transparent Polymeric Electrode. <i>Advanced Functional Materials</i> , 2020, 30, 1909487. | 7.8 | 61 |
| 1089 | Self-powered and flexible perovskite photodiode/solar cell bifunctional devices with MoS ₂ hole transport layer. <i>Applied Surface Science</i> , 2020, 514, 145880. | 3.1 | 29 |
| 1090 | Study on the effect of chlorine on the growth of $\text{CH}_3\text{NH}_3\text{PbI}_3\text{Cl}_x$ crystals. <i>Materials Research Express</i> , 2020, 7, 015522. | 0.8 | 1 |
| 1092 | The engineering of stilbazolium/iodocuprate hybrids with optical/electrical performances by modulating inter-molecular charge transfer among H-aggregated chromophores. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 1451-1466. | 3.0 | 17 |
| 1093 | Solution-Processed Transparent Electrodes for Emerging Thin-Film Solar Cells. <i>Chemical Reviews</i> , 2020, 120, 2049-2122. | 23.0 | 152 |
| 1094 | Nanochemical Investigation of Degradation in Organic-Inorganic Hybrid Perovskite Films Using Infrared Nanoscopy. <i>Journal of Physical Chemistry C</i> , 2020, 124, 3915-3922. | 1.5 | 12 |
| 1095 | Highly (100)-oriented $\text{CH}_3\text{NH}_3\text{PbI}_3$ thin film fabricated by bar-coating method and its additive effect of ammonium chloride. <i>Solar Energy Materials and Solar Cells</i> , 2020, 208, 110409. | 3.0 | 12 |
| 1096 | Light-Induced Defect Healing and Strong Many-Body Interactions in Formamidinium Lead Bromide Perovskite Nanocrystals. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 1239-1246. | 2.1 | 18 |
| 1097 | Progress of High-Throughput and Low-Cost Flexible Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900556. | 3.1 | 43 |
| 1098 | Recent progress in flexible wearable solar cells for self-powered electronic devices. <i>Energy and Environmental Science</i> , 2020, 13, 685-743. | 15.6 | 340 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1099 | Bismuth chalcogenide iodides Bi ₁₃ S ₁₈ I ₂ and BiSI: solvothermal synthesis, photoelectric behavior, and photovoltaic performance. Journal of Materials Chemistry C, 2020, 8, 3821-3829. | 2.7 | 38 |
| 1100 | High Electron Affinity Enables Fast Hole Extraction for Efficient Flexible Inverted Perovskite Solar Cells. Advanced Energy Materials, 2020, 10, 1903487. | 10.2 | 210 |
| 1101 | Enhanced performance of perovskite photodetectors fabricated by two-step spin coating approach. Materials Science in Semiconductor Processing, 2020, 109, 104916. | 1.9 | 18 |
| 1102 | Grain Boundary and Interface Passivation with Core-Shell Au@CdS Nanospheres for High-Efficiency Perovskite Solar Cells. Advanced Functional Materials, 2020, 30, 1908408. | 7.8 | 78 |
| 1103 | Pressure-Assisted Fabrication of Perovskite Solar Cells. Scientific Reports, 2020, 10, 7183. | 1.6 | 34 |
| 1104 | Phenylhydrazinium Iodide for Surface Passivation and Defects Suppression in Perovskite Solar Cells. Advanced Functional Materials, 2020, 30, 2000778. | 7.8 | 103 |
| 1105 | The Investigation for Coating Method of Titanium Dioxide Layer in Perovskite Solar Cells. Crystals, 2020, 10, 236. | 1.0 | 6 |
| 1106 | Naphthalene imide dimer as interface engineering material: An efficient strategy for achieving high-performance perovskite solar cells. Chemical Engineering Journal, 2020, 395, 125062. | 6.6 | 27 |
| 1107 | The diverse passivation effects of fullerene derivative on hysteresis behavior for normal and inverted perovskite solar cells. Journal of Power Sources, 2020, 461, 228156. | 4.0 | 4 |
| 1108 | Improvement of the stability of perovskite solar cells in terms of humidity/heat via compositional engineering. Journal Physics D: Applied Physics, 2020, 53, 285501. | 1.3 | 12 |
| 1109 | Fabrication of perovskite solar cells in ambient conditions. Materials Today: Proceedings, 2021, 34, 654-657. | 0.9 | 3 |
| 1110 | Spray-coated SnO ₂ electron transport layer with high uniformity for planar perovskite solar cells. Frontiers of Chemical Science and Engineering, 2021, 15, 180-186. | 2.3 | 18 |
| 1111 | Current advancements on charge selective contact interfacial layers and electrodes in flexible hybrid perovskite photovoltaics. Journal of Energy Chemistry, 2021, 54, 151-173. | 7.1 | 51 |
| 1112 | Sequential Formation of Tunable-Bandgap Mixed-Halide Lead-Based Perovskites: In Situ Investigation and Photovoltaic Devices. Solar Rrl, 2021, 5, . | 3.1 | 15 |
| 1113 | Progress in Materials Development for Flexible Perovskite Solar Cells and Future Prospects. ChemSusChem, 2021, 14, 512-538. | 3.6 | 38 |
| 1114 | Novel thieno-imidazole salt-based hole transport material for dopant-free, efficient inverted perovskite solar cell applications. Journal of Power Sources, 2021, 483, 229177. | 4.0 | 9 |
| 1115 | Environmental risks and strategies for the long-term stability of carbon-based perovskite solar cells. Materials Today Energy, 2021, 19, 100590. | 2.5 | 14 |
| 1116 | Solution-processed two-dimensional materials for next-generation photovoltaics. Chemical Society Reviews, 2021, 50, 11870-11965. | 18.7 | 96 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1117 | Perovskite solar cells: A review of architecture, processing methods, and future prospects. , 2021, , 375-412. | | 6 |
| 1118 | All-round performance improvement of semitransparent perovskite solar cells by a pressure-assisted method. Journal of Materials Chemistry C, 2021, 9, 15056-15064. | 2.7 | 13 |
| 1120 | TiO ₂ oxides for chromogenic devices and dielectric mirrors. , 2021, , 483-505. | | 1 |
| 1121 | Dye-Sensitized and Perovskite Solar Cells: Theory and Applications. , 2021, , 558-594. | | 0 |
| 1122 | The dual effect of inorganic fullerene (Mo ₁₃₂) doped with SnO ₂ for efficient perovskite-based photodetectors. Materials Chemistry Frontiers, 2021, 5, 6931-6940. | 3.2 | 5 |
| 1123 | A Perspective on Perovskite Solar Cells. Energy, Environment, and Sustainability, 2021, , 55-151. | 0.6 | 1 |
| 1124 | A bromide-induced highly oriented low-dimensional Ruddlesden-Popper phase for efficient and stable perovskite solar cells. Journal of Materials Chemistry A, 2021, 9, 15068-15075. | 5.2 | 5 |
| 1125 | Ambient Prepared Mesoporous Perovskite Solar Cells with Longer Stability. Journal of Electronic Materials, 2021, 50, 1535-1543. | 1.0 | 2 |
| 1126 | Inorganic hole transport layers in inverted perovskite solar cells: A review. Nano Select, 2021, 2, 1081-1116. | 1.9 | 65 |
| 1127 | Strategies of perovskite mechanical stability for flexible photovoltaics. Materials Chemistry Frontiers, 2021, 5, 7467-7478. | 3.2 | 9 |
| 1128 | Optically tunable ultra-fast resistive switching in lead-free methyl-ammonium bismuth iodide perovskite films. Nanoscale, 2021, 13, 6184-6191. | 2.8 | 21 |
| 1129 | Correlations between Electrochemical Ion Migration and Anomalous Device Behaviors in Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 1003-1014. | 8.8 | 39 |
| 1130 | Inverted planer perovskite solar cells fabricated by all vapor phase process. Japanese Journal of Applied Physics, 2021, 60, SBBF10. | 0.8 | 6 |
| 1131 | Device simulation of highly efficient eco-friendly CH ₃ NH ₃ SnI ₃ perovskite solar cell. Scientific Reports, 2021, 11, 3082. | 1.6 | 121 |
| 1132 | ZnO for stable and efficient perovskite bulk heterojunction solar cell fabricated under ambient atmosphere. Solar Energy, 2021, 216, 164-170. | 2.9 | 20 |
| 1133 | A non-wetting and conductive polyethylene dioxothiophene hole transport layer for scalable and flexible perovskite solar cells. Science China Chemistry, 2021, 64, 834-843. | 4.2 | 21 |
| 1134 | Polymeric Hole Transport Materials for Red CsPbI ₃ Perovskite Quantum-Dot Light-Emitting Diodes. Polymers, 2021, 13, 896. | 2.0 | 7 |
| 1135 | Air-Stable Self-Powered Photodetectors Based on Lead-Free CsBi ₃ I ₁₀ /SnO ₂ Heterojunction for Weak Light Detection. Advanced Functional Materials, 2021, 31, 2100773. | 7.8 | 60 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1136 | Bi ₁₃ S ₁₈ X ₂ -Based Solar Cells (X = Cl, Br, I): Photoelectric Behavior and Photovoltaic Performance. <i>Physical Review Applied</i> , 2021, 15, . | 1.5 | 11 |
| 1137 | 2D ⁺ MA ₃ Sb ₂ I ₉ Back Surface Field for Efficient and Stable Perovskite Solar Cells. <i>Small Methods</i> , 2021, 5, e2001090. | 4.6 | 8 |
| 1138 | Flexible Piezoelectric Nanogenerators Based on P(VDF-TrFE)/CsPbBr ₃ Quantum Dot Composite Films. <i>ACS Applied Electronic Materials</i> , 2021, 3, 2136-2144. | 2.0 | 33 |
| 1139 | Hybrid organic-inorganic perovskite ferroelectrics bring light to semiconducting applications: Bandgap engineering as a starting point. <i>APL Materials</i> , 2021, 9, . | 2.2 | 29 |
| 1140 | Exotic optoelectronic behaviors in CH ₃ NH ₃ PbCl ₃ perovskite single crystals: Co-existence of free and bound excitons with structural phase transitions. <i>Applied Physics Letters</i> , 2021, 118, 143301. | 1.5 | 5 |
| 1141 | Fabrication and Characterization of an Efficient Inverted Perovskite Solar Cells with POSS Passivating Hole Transport Layer. <i>Nanomaterials</i> , 2021, 11, 974. | 1.9 | 10 |
| 1142 | Impact of precursor concentration on the properties of perovskite solar cells obtained from the dehydrated lead acetate precursors. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2021, 39, . | 0.9 | 5 |
| 1143 | Halide Perovskites: A New Era of Solution-Processed Electronics. <i>Advanced Materials</i> , 2021, 33, e2005000. | 11.1 | 138 |
| 1144 | Solvent Engineering as a Vehicle for High Quality Thin Films of Perovskites and Their Device Fabrication. <i>Small</i> , 2021, 17, e2008145. | 5.2 | 53 |
| 1145 | Charge transporting materials for perovskite solar cells. <i>Rare Metals</i> , 2021, 40, 2690-2711. | 3.6 | 23 |
| 1146 | N-doped anatase TiO ₂ as an efficient electron-transporting layer for mesoporous perovskite solar cells. <i>Applied Physics Express</i> , 0, , . | 1.1 | 3 |
| 1147 | Review-Emerging Applications of g-C ₃ N ₄ Films in Perovskite-Based Solar Cells. <i>ECS Journal of Solid State Science and Technology</i> , 0, , . | 0.9 | 10 |
| 1148 | Spectral Red Shift of Cs ₄ Mn(Bi _{1-x} In _x) ₂ Cl ₁₂ Layered Double Perovskite by Adjusting the Microstructure of the [MnCl ₆] ⁴⁻ Octahedron. <i>Journal of Physical Chemistry C</i> , 2021, 125, 16938-16945. | 1.5 | 13 |
| 1149 | Inorganic top electron transport layer for high performance inverted perovskite solar cells. <i>EcoMat</i> , 2021, 3, e12127. | 6.8 | 26 |
| 1150 | 8-Hydroxyquinoline Metal Complexes as Cathode Interfacial Materials in Inverted Planar Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100506. | 1.9 | 2 |
| 1151 | Mesoporous Au@Cu ₂ S Core-Shell Nanoparticles with Double Localized Surface Plasmon Resonance and Ligand Modulation for Hole-Selective Passivation in Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100358. | 3.1 | 13 |
| 1152 | Effect of Growth Temperature on the Characteristics of CsPbI ₃ -Quantum Dots Doped Perovskite Film. <i>Molecules</i> , 2021, 26, 4439. | 1.7 | 8 |
| 1153 | Enhanced Photovoltaic Performance of BiSCl Solar Cells Through Nanorod Array. <i>ChemSusChem</i> , 2021, 14, 3351-3358. | 3.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1154 | A mini review: Constructing perovskite p-n homojunction solar cells. Chinese Chemical Letters, 2022, 33, 1772-1778. | 4.8 | 13 |
| 1155 | Quasi-2D Halide Perovskite Memory Device Formed by Acid-Base Binary Ligand Solution Composed of Oleylamine and Oleic Acid. ACS Applied Materials & Interfaces, 2021, 13, 40891-40900. | 4.0 | 10 |
| 1156 | Optical Properties of Ion Accumulation Areas in MAPbX ₃ Single Crystals. Advanced Optical Materials, 0, , 2100850. | 3.6 | 8 |
| 1157 | Direct Deposition of Nonaqueous SnO ₂ Dispersion by Blade Coating on Perovskites for the Scalable Fabrication of p-n Perovskite Solar Cells. ACS Applied Energy Materials, 0, , . | 2.5 | 12 |
| 1158 | Low-Temperature-Processed Transparent Electrodes Based on Compact and Mesoporous Titanium Oxide Layers for Flexible Perovskite Solar Cells. ACS Applied Energy Materials, 2022, 5, 5318-5330. | 2.5 | 5 |
| 1159 | Investigation of CH ₃ NH ₃ PbI ₃ and CH ₃ NH ₃ SnI ₃ based perovskite solar cells with CuInSe ₂ nanocrystals. Optik, 2021, 246, 167839. | 1.4 | 7 |
| 1160 | A design strategy of additive molecule for PSCs: Anchoring intrinsic properties of functional groups by suppressing long-range conjugation effect. Chemical Engineering Journal, 2022, 427, 131676. | 6.6 | 8 |
| 1161 | Nanocarbons for emerging photovoltaic applications. , 2021, , 49-80. | | 0 |
| 1162 | Perovskite CH ₃ NH ₃ PbI ₃ XCl _x Solar Cells and their Degradation (Part 1: A Short Review). Latvian Journal of Physics and Technical Sciences, 2021, 58, 44-52. | 0.4 | 1 |
| 1163 | CsPbBr ₃ Nanocrystal Light-Emitting Diodes with Efficiency up to 13.4% Achieved by Careful Surface Engineering and Device Engineering. Journal of Physical Chemistry C, 2021, 125, 3110-3118. | 1.5 | 29 |
| 1164 | Porous Gold Nanolayer Coated Halide Metal Perovskite-Based Broadband Metamaterial Absorber in the Visible and Near-IR Regime. IEEE Access, 2021, 9, 8912-8919. | 2.6 | 12 |
| 1165 | Hybrid Perovskite Terahertz Photoconductive Antenna. Nanomaterials, 2021, 11, 313. | 1.9 | 11 |
| 1166 | Rationally Induced Interfacial Dipole in Planar Heterojunction Perovskite Solar Cells for Reduced Hysteresis. Advanced Energy Materials, 2018, 8, 1800568. | 10.2 | 32 |
| 1167 | Composite Encapsulation Enabled Superior Comprehensive Stability of Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2020, 12, 27277-27285. | 4.0 | 54 |
| 1168 | A stable, efficient textile-based flexible perovskite solar cell with improved washable and deployable capabilities for wearable device applications. RSC Advances, 2017, 7, 54361-54368. | 1.7 | 51 |
| 1169 | Numerical analysis of inverted-structure perovskite solar cell based on all-inorganic charge transport layers. Journal of Photonics for Energy, 2019, 9, 1. | 0.8 | 6 |
| 1170 | Numerical modeling of inverted perovskite solar cell based on CZTSSe hole transport layer for efficiency improvement. Journal of Photonics for Energy, 2019, 9, 1. | 0.8 | 3 |
| 1171 | Enhanced light absorption of textured perovskite solar cells employing two-dimensional nanoarrays. Journal of Photonics for Energy, 2019, 9, 1. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1172 | Review on methods for improving the thermal and ambient stability of perovskite solar cells. Journal of Photonics for Energy, 2019, 9, 1. | 0.8 | 32 |
| 1173 | On-chip colloidal quantum dot devices with a CMOS compatible architecture for near-infrared light sensing. Optics Letters, 2019, 44, 463. | 1.7 | 14 |
| 1174 | Infrared metamaterial absorber by using chalcogenide glass material with a cyclic ring-disk structure. OSA Continuum, 2018, 1, 573. | 1.8 | 19 |
| 1175 | Two-step solvent post-treatment on PTAA for highly efficient and stable inverted perovskite solar cells. Photonics Research, 2020, 8, A39. | 3.4 | 34 |
| 1177 | Optical Analysis of Ag-NPs Containing Methyl Ammonium Lead Tri-Iodide Thin Films. TraektoriĀ Nauki, 2017, 3, 2007-2015. | 0.1 | 1 |
| 1179 | Recent Progress in Flexible Perovskite Solar Cell Development. Journal of the Korean Ceramic Society, 2018, 55, 325-336. | 1.1 | 15 |
| 1180 | A Review of Inductively Coupled Plasma-Assisted Magnetron Sputter System. Applied Science and Convergence Technology, 2019, 28, 131-138. | 0.3 | 8 |
| 1181 | Progress of research on new hole transporting materials used in perovskite solar cells. Wuli Xuebao/Acta Physica Sinica, 2015, 64, 033301. | 0.2 | 5 |
| 1182 | Recent advances in planar heterojunction organic-inorganic hybrid perovskite solar cells. Wuli Xuebao/Acta Physica Sinica, 2015, 64, 038401. | 0.2 | 16 |
| 1183 | A review of the perovskite solar cells. Wuli Xuebao/Acta Physica Sinica, 2015, 64, 038805. | 0.2 | 26 |
| 1184 | Influence of phenyl-C61-butyric acid methyl ester (PCBM) electron transport layer treated by two additives on perovskite solar cell performance. Wuli Xuebao/Acta Physica Sinica, 2017, 66, 118801. | 0.2 | 3 |
| 1185 | Bio-inspired strategies for next-generation perovskite solar mobile power sources. Chemical Society Reviews, 2021, 50, 12915-12984. | 18.7 | 15 |
| 1186 | Achieving Efficient and Stable Perovskite Solar Cells in Ambient Air Through Non-Halide Engineering. Advanced Energy Materials, 2021, 11, 2102169. | 10.2 | 35 |
| 1187 | Chemical and Electronic Investigation of Buried NiO ₁ , PCBM, and PTAA/MAPbI ₃ Cl Interfaces Using Hard X-ray Photoelectron Spectroscopy and Transmission Electron Microscopy. ACS Applied Materials & Interfaces, 2021, 13, 50481-50490. | 4.0 | 5 |
| 1188 | Emerging Perovskite Solar Cell Technology: Remedial Actions for the Foremost Challenges. Advanced Energy Materials, 2021, 11, . | 10.2 | 40 |
| 1189 | Room-Temperature-Grown amorphous Indium-Tin-Silicon-Oxide thin film as a new electron transporting layer for perovskite solar cells. Applied Surface Science, 2022, 581, 151570. | 3.1 | 2 |
| 1190 | Super Flexible Transparent Conducting Oxide-Free Organic-Inorganic Hybrid Perovskite Solar Cells with 19.01% Efficiency (Active Area = 1 cm ²). Solar Rrl, 2021, 5, 2100733. | 3.1 | 10 |
| 1191 | Correlation between Structural Evolution and Device Performance of CH ₃ NH ₃ PbI ₃ Solar Cells under Proton Irradiation. ACS Applied Energy Materials, 0, , . | 2.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1192 | Review of solar photovoltaic cooling systems technologies with environmental and economical assessment. <i>Journal of Cleaner Production</i> , 2021, 326, 129421. | 4.6 | 46 |
| 1193 | S-shaped current-voltage characteristics in perovskite solar cell. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2015, 64, 038402. | 0.2 | 8 |
| 1194 | Effects of CH ₃ NH ₃ I on fabricating CH ₃ NH ₃ PbI(3-x)Cl _x perovskite solar cells. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2015, 64, 038104. | 0.2 | 0 |
| 1195 | Computational prediction of lattice defects in multinary compound semiconductors as photovoltaic materials. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2015, 64, 186102. | 0.2 | 3 |
| 1196 | Fabrication and Properties of Titanium Based Flexible Organic Perovskite Solar Cells. <i>Material Sciences</i> , 2016, 06, 378-385. | 0.0 | 0 |
| 1197 | 2i74Žæœ%œ©ÿé†â±žâfâf©â,âf%âfšâfâf-â,1â,«â,âf^ââé™1/2é»æ±ââââ@ÿç™âCE-â«ââââ†. <i>Electrochemistry</i> , 2016, 84, 445-448. | | |
| 1198 | Chapter 6. Structural, Electronic, and Optical Properties of Lead Halide Perovskites. <i>RSC Energy and Environment Series</i> , 2016, , 177-201. | 0.2 | 0 |
| 1199 | Photocatalytic Hydrogen Evolution. , 2017, , 1-41. | | 0 |
| 1200 | Stability of perovskite solar cells on flexible substrates. , 2018, , . | | 0 |
| 1201 | Semiconductor photovoltaics: Ćurrent state and actual directions of research. <i>OptoĀlektronika I PoluprovodnikovaĀ Tehnika</i> , 2018, 53, 13-37. | 0.3 | 1 |
| 1202 | Impact of Electron Transport Layers (ETLs) and Hole Transport Layer (HTLs) on Perovskite Solar Cells Performance. , 2019, , 227-246. | | 1 |
| 1203 | Solar elements based on organic and organo-inorganic materials. <i>Surface</i> , 2019, 11(26), 270-343. | 0.4 | 0 |
| 1204 | Suppressing the defects in cesium-based perovskites <i>via</i> polymeric interlayer assisted crystallization control. <i>Journal of Materials Chemistry A</i> , 2021, 9, 26149-26158. | 5.2 | 6 |
| 1205 | Advanced self-charging power packs: The assimilation of energy harvesting and storage systems. , 2022, , 441-477. | | 1 |
| 1206 | Study on Preparation and Stability of Perovskite Solar Cells with Supramolecular Interaction. <i>E3S Web of Conferences</i> , 2020, 185, 01065. | 0.2 | 1 |
| 1207 | Fiber Perovskite Solar Cells. , 2020, , 137-159. | | 0 |
| 1208 | A COMPREHENSIVE REVIEW OF PHOTOVOLTAIC DEVICES BASED ON PEROVSKITES. <i>Open Journal of Engineering Science</i> , 2020, 1, 26-52. | 0.0 | 0 |
| 1209 | Device simulation of all-perovskite four-terminal tandem solar cells: towards 33% efficiency. <i>EPJ Photovoltaics</i> , 2021, 12, 4. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1210 | Improved Efficiency of Perovskite Solar Cells with Low-Temperature-Processed Carbon by Introduction of a Doping-Free Polymeric Hole Conductor. <i>Solar Rrl</i> , 2022, 6, 2100773. | 3.1 | 6 |
| 1211 | All-Slot-Die-Coated Inverted Perovskite Solar Cells in Ambient Conditions with Chlorine Additives. <i>Solar Rrl</i> , 2022, 6, 2100807. | 3.1 | 19 |
| 1212 | Tuning the Band Gaps of Oxide and Halide Perovskite Compounds via Biaxial Strain in All Directions. <i>Journal of Physical Chemistry C</i> , 2021, 125, 25951-25958. | 1.5 | 6 |
| 1213 | Review on Tailoring PEDOT:PSS Layer for Improved Device Stability of Perovskite Solar Cells. <i>Nanomaterials</i> , 2021, 11, 3119. | 1.9 | 35 |
| 1214 | Field-Effect Control in Hole Transport Layer Composed of Li:NiO/NiO for Highly Efficient Inverted Planar Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2022, 9, 2101562. | 1.9 | 12 |
| 1215 | Studying the influence of heat treatment on structural and morphological properties of thin CH ₃ NH ₃ PbI ₃ -xCl _x films prepared by spin coating method. <i>AIP Conference Proceedings</i> , 2021, , . | 0.3 | 1 |
| 1216 | A tale of two organic small molecular hole transporting materials: Showing same extended shelf-life but very different efficiency of inverted MAPbI ₃ perovskite solar cells. <i>Organic Electronics</i> , 2022, 102, 106428. | 1.4 | 3 |
| 1217 | Recent progress in perovskite solar cells: challenges from efficiency to stability. <i>Materials Today Chemistry</i> , 2022, 23, 100686. | 1.7 | 26 |
| 1218 | A short review on progress in perovskite solar cells. <i>Materials Research Bulletin</i> , 2022, 149, 111700. | 2.7 | 48 |
| 1219 | Defects and doping engineering towards high performance lead-free or lead-less perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2022, 68, 420-438. | 7.1 | 27 |
| 1220 | Surface Passivation Toward Efficient and Stable Perovskite Solar Cells. <i>Energy and Environmental Materials</i> , 2023, 6, . | 7.3 | 46 |
| 1221 | Effect of Iodine Octahedral Rotations on Dipole Ordering in Organic-Inorganic Hybrid Perovskite CH ₃ NH ₃ PbI ₃ . <i>Journal of Physical Chemistry C</i> , 2022, 126, 779-785. | 1.5 | 2 |
| 1222 | Oxide free materials for perovskite solar cells. , 2022, , 287-306. | | 2 |
| 1223 | Tunable engineering of photo- and electro-induced carrier dynamics in perovskite photoelectronic devices. <i>Science China Materials</i> , 2022, 65, 855-875. | 3.5 | 9 |
| 1224 | Framework structure materials in photovoltaics based on perovskites 3D. , 2022, 5, . | | 0 |
| 1226 | Inverted Perovskite Solar Cells: The Emergence of a Highly Stable and Efficient Architecture. <i>Energy Technology</i> , 2022, 10, . | 1.8 | 11 |
| 1227 | Interfacial Molecular Engineering for Enhanced Polarization of Negative Tribo-Materials. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 1228 | Lead-free layered Aurivillius-type Sn-based halide perovskite Ba ₂ X ₂ [Cs _n Sn _n X _{3n+1}] (X = I/Br/Cl) with an optimal band gap of ≈ 1.26 eV and theoretical efficiency beyond 27% for photovoltaics. <i>Journal of Materials Chemistry A</i> , 2022, 10, 10682-10691. | 5.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1229 | Investigation of AZO as an Alternative to ITO for Cathode Material in Organic Solar Cells. Springer Proceedings in Physics, 2022, , 609-615. | 0.1 | 0 |
| 1230 | In Situ Ethanolamine ZnO Nanoparticle Passivation for Perovskite Interface Stability and Highly Efficient Solar Cells. Nanomaterials, 2022, 12, 823. | 1.9 | 3 |
| 1231 | Wide-Bandgap Organic-Inorganic Lead Halide Perovskite Solar Cells. Advanced Science, 2022, 9, e2105085. | 5.6 | 60 |
| 1232 | Interfacial molecular engineering for enhanced polarization of negative tribo-materials. Nano Energy, 2022, 96, 107110. | 8.2 | 12 |
| 1233 | Highly soluble dendritic fullerene derivatives as electron transport material for perovskite solar cells. Journal of Central South University, 2021, 28, 3714-3727. | 1.2 | 3 |
| 1234 | Perovskite fiber-shaped optoelectronic devices for wearable applications. Journal of Materials Chemistry C, 2022, 10, 6957-6991. | 2.7 | 18 |
| 1235 | Rear Electrode Materials for Perovskite Solar Cells. Advanced Functional Materials, 2022, 32, . | 7.8 | 49 |
| 1236 | Recent Progress of Electrode Materials for Flexible Perovskite Solar Cells. Nano-Micro Letters, 2022, 14, 117. | 14.4 | 68 |
| 1237 | Basic understanding of perovskite solar cells and passivation mechanism. AIP Advances, 2022, 12, . | 0.6 | 13 |
| 1238 | A dual plasmonic core-shell Pt/[TiN@TiO ₂] catalyst for enhanced photothermal synergistic catalytic activity of VOCs abatement. Nano Research, 2022, 15, 7071-7080. | 5.8 | 17 |
| 1239 | Flexible perovskite solar cells: Material selection and structure design. Applied Physics Reviews, 2022, 9, . | 5.5 | 19 |
| 1240 | Terahertz Detection with Optically Gated Halide Perovskites. ACS Photonics, 2022, 9, 1663-1670. | 3.2 | 2 |
| 1241 | Performance improvement of organic solar cells using a hybrid hole transport layer of poly(triarylamine) and molybdenum trioxide. Organic Electronics, 2022, 107, 106565. | 1.4 | 6 |
| 1242 | Solar Perovskite Technologies. , 2022, , . | | 1 |
| 1243 | Electronic structure of oxide and halide perovskites. , 2022, , . | | 0 |
| 1244 | Intrinsic and extrinsic stability of triple-cation perovskite solar cells through synergistic influence of organic additive. Cell Reports Physical Science, 2022, 3, 100906. | 2.8 | 7 |
| 1245 | Functionalized-MXene-nanosheet-doped tin oxide enhances the electrical properties in perovskite solar cells. Cell Reports Physical Science, 2022, 3, 100905. | 2.8 | 17 |
| 1246 | Counter electrodes for perovskite solar cells: materials, interfaces and device stability. Journal of Materials Chemistry C, 2022, 10, 10775-10798. | 2.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1247 | Controlling the device functionality by solvent engineering, solar cell <i>versus</i> light emitting diode. Journal of Materials Chemistry C, 2022, 10, 10037-10046. | 2.7 | 2 |
| 1248 | Impact of HTM on lead-free perovskite solar cell with high efficiency. Optical and Quantum Electronics, 2022, 54, . | 1.5 | 4 |
| 1249 | Enhanced Thermal Stability of Low-Temperature Processed Carbon-Based Perovskite Solar Cells by a Combined Antisolvent/Polymer Deposition Method. Energy Technology, 2022, 10, . | 1.8 | 3 |
| 1250 | Bulk Restructure of Perovskite Films via Surface Passivation for High-Performance Solar Cells. Advanced Energy Materials, 2022, 12, . | 10.2 | 32 |
| 1251 | Synthesis and Characterization of Methylammonium Lead Bromide Perovskite Based Photovoltaic Device. East European Journal of Physics, 2021, , 70-73. | 0.1 | 0 |
| 1252 | Study of lead-free vacancy ordered double perovskites Cs ₂ TeX ₆ (X=Cl, Br, I) for solar cells, and renewable energy. Physica Scripta, 2022, 97, 095801. | 1.2 | 16 |
| 1253 | Thermally induced failure mechanisms in double and triple cations perovskite solar cells. AIP Advances, 2022, 12, . | 0.6 | 2 |
| 1254 | Selection of a Suitable Solvent Additive for 2-Methoxyethanol-Based Antisolvent-Free Perovskite Film Fabrication. ACS Applied Materials & Interfaces, 2022, 14, 39132-39140. | 4.0 | 8 |
| 1255 | Surface passivation of perovskite with organic hole transport materials for highly efficient and stable perovskite solar cells. Materials Today Advances, 2022, 16, 100300. | 2.5 | 8 |
| 1256 | Photoelectron spectroscopic studies on metal halide perovskite materials. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2022, 40, . | 0.9 | 1 |
| 1257 | Activate whole-body passivation ability of small isomeric D-A molecules via amino position effect to improve the photovoltaic performance of perovskite solar cells. Chemical Engineering Journal, 2023, 452, 139321. | 6.6 | 13 |
| 1258 | Recent advances in the interfacial engineering of organic-inorganic hybrid perovskite solar cells: a materials perspective. Journal of Materials Chemistry C, 2022, 10, 13611-13645. | 2.7 | 12 |
| 1259 | Chiral 2D organic-inorganic hybrid perovskites based on <sc>l</sc>-histidine. Dalton Transactions, 2022, 51, 16536-16544. | 1.6 | 2 |
| 1260 | Early Crystal Growth Suppression by Washing Solvent for Efficient Self-Powered Perovskite Photodetector. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 1261 | Strategy of Enhancing Built-in Field to Promote the Application of TiO ₂ /SnO ₂ Bilayer Electron Transport Layer in High-Efficiency Perovskite Solar Cells (24.3%). Small, 2022, 18, . | 5.2 | 16 |
| 1262 | Modulating preferred crystal orientation for efficient and stable perovskite solar cells—From progress to perspectives. Informa Mater, 2022, 4, . | 8.5 | 18 |
| 1263 | Structural, optical and dielectric properties of low temperature assisted grown crystals of CH ₃ NH ₃ Pb _{1-x} CdxBr ₃ . Materials Chemistry and Physics, 2022, 292, 126852. | 2.0 | 2 |
| 1264 | Multifunctional Ionic Fullerene Additive for Synergistic Boundary and Defect Healing of Tin Perovskite to Achieve High-Efficiency Solar Cells. ACS Applied Materials & Interfaces, 2022, 14, 46603-46614. | 4.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1265 | Recent Advances in Inverted Perovskite Solar Cells: Designing and Fabrication. International Journal of Molecular Sciences, 2022, 23, 11792. | 1.8 | 12 |
| 1266 | Photo-dynamics in 2D materials: Processes, tunability and device applications. Physics Reports, 2022, 993, 1-70. | 10.3 | 4 |
| 1267 | Interfacial engineering of halide perovskites and two-dimensional materials. Chemical Society Reviews, 2023, 52, 212-247. | 18.7 | 13 |
| 1268 | Review on the promising roles of alkali metals toward highly efficient perovskite light-emitting diodes. Journal of Materials Chemistry C, 2023, 11, 2011-2025. | 2.7 | 3 |
| 1269 | Spirobifluorene-based hole-blocking material with enhanced efficiency through hole and exciton confinement in blue fluorescent OLEDs. Dyes and Pigments, 2023, 210, 110961. | 2.0 | 4 |
| 1270 | Photo-synaptic properties of CH ₃ NH ₃ Pb _{1-x} Mn _x Br _{2x+1} hybrid perovskite thin film-based artificial synapse. Ceramics International, 2023, 49, 11140-11148. | 2.3 | 3 |
| 1271 | Recent Strategies for High-Performing Indoor Perovskite Photovoltaics. Nanomaterials, 2023, 13, 259. | 1.9 | 2 |
| 1272 | Amorphous F ⁻ doped TiO _x /Caulked SnO ₂ Electron Transport Layer for Flexible Perovskite Solar Cells with Efficiency Exceeding 22.5%. Advanced Functional Materials, 2023, 33, . | 7.8 | 17 |
| 1273 | Enhancement of Perovskite Solar Cells by TiO ₂ -Carbon Dot Electron Transport Film Layers. Nanomaterials, 2023, 13, 186. | 1.9 | 3 |
| 1274 | Fabrication and characterization of TiO ₂ : ZnO thin films as electron transport material in perovskite solar cell (PSC). Physica B: Condensed Matter, 2023, 654, 414690. | 1.3 | 5 |
| 1275 | Functional Layers of Inverted Flexible Perovskite Solar Cells and Effective Technologies for Device Commercialization. Small Structures, 2023, 4, . | 6.9 | 32 |
| 1276 | Review on Enhancement of Stability and Efficiency of Perovskite Solar Cell. Journal of Physics: Conference Series, 2023, 2426, 012015. | 0.3 | 0 |
| 1277 | 2D-3D perovskite memristor with low energy consumption and high stability for neural morphology calculation. Science China Materials, 2023, 66, 2013-2022. | 3.5 | 4 |
| 1278 | Relevance of Long Diffusion Lengths for Efficient Halide Perovskite Solar Cells. , 2023, 2, . | | 8 |
| 1279 | Time-Resolved Spectroscopy for the Study of Perovskite. Chinese Journal of Electronics, 2022, 31, 1053-1071. | 0.7 | 3 |
| 1280 | Pathway to the Polyvinyl Acetate-Assisted PEDOT:PSS as a Dopant-Free Hole Transporting Material in Planar Heterojunction Perovskite Solar Cells. Solar Rrl, 2023, 7, . | 3.1 | 3 |
| 1281 | Toward a Diagnostic Method for Efficient Perovskite Solar Cells Based on Equivalent Circuit Parameters. Journal of Physical Chemistry C, 2023, 127, 5663-5675. | 1.5 | 2 |
| 1282 | The Latest Progress in Effect Factors and Related Applications of Perovskite Solar Cells. , 0, 37, 363-369. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1283 | Phase Control of Organometal Halide Perovskites for Development of Highly Efficient Solar Cells. ACS Applied Materials & Interfaces, 2023, 15, 21974-21981. | 4.0 | 1 |
| 1284 | Advances in the large-scale production, fabrication, stability, and lifetime considerations of electronic materials for clean energy applications. , 2023, , 27-60. | | 0 |
| 1285 | Investigating the Molecular Orientation and Thermal Stability of Spiro-OMeTAD and its Dopants by Near Edge X-Ray Absorption Fine Structure. , 2023, 2, . | | 1 |
| 1286 | High Performing Inverted Flexible Perovskite Solar Cells via Solution Phase Deposition of Yttrium-Doped SnO ₂ Directly on Perovskite. ACS Applied Energy Materials, 2023, 6, 4496-4502. | 2.5 | 3 |
| 1287 | Review of recent trends and architecture developments of perovskite solar cells. AIP Conference Proceedings, 2023, , . | 0.3 | 0 |
| 1296 | Recent progress and developments of ionic liquids assimilated materials for solar cell. , 2023, , 79-95. | | 0 |
| 1306 | 1D Versus 2D Carbon Nanostructures for Flexible and Ultrathin Solar Cells. , 2023, , 1-39. | | 0 |
| 1314 | Solvent Vapor Annealing of CH ₃ NH ₃ Pb ₃ Films for Improved Photovoltaic Performance of Perovskite Solar Cells. , 2023, , . | | 0 |