## The Effects of Peroneal Nerve Functional Electrical Stin Orthosis in Patients With Chronic Stroke

Neurorehabilitation and Neural Repair 28, 688-697 DOI: 10.1177/1545968314521007

**Citation Report** 

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Clinical Practice Guideline for Stroke Rehabilitation in Korea. Brain & Neurorehabilitation, 2009, 2, 1.   | 0.4 | 27        |
| 2  | Stroke Rehabilitation in China Today. International Journal of Physical Medicine & Rehabilitation, 2014, s3, .   | 0.5 | 1         |
| 3  | Effects of implantable peroneal nerve stimulation on gait quality, energy expenditure, participation<br>and user satisfaction in patients with post-stroke drop foot using an ankle-foot orthosis. Restorative<br>Neurology and Neuroscience, 2015, 33, 795-807. | 0.4 | 29        |
| 4  | Peroneal Stimulation for Foot Drop After Stroke. American Journal of Physical Medicine and Rehabilitation, 2015, 94, 649-664.  | 0.7 | 53        |
| 5  | Effectiveness of Single Functional Electrical Stimulation in Neurological Patients with Ankle-Foot<br>Orthoses. Journal of Novel Physiotherapies, 2015, 06, .  | 0.1 | 0         |
| 6  | Changes in center of pressure displacement with the use of a foot drop stimulator in individuals with stroke. Clinical Biomechanics, 2015, 30, 755-761.  | 0.5 | 26        |
| 7  | Functional electrical stimulation through direct 4-channel nerve stimulation to improve gait in multiple sclerosis: a feasibility study. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 100.  | 2.4 | 25        |
| 8  | Long-Term Follow-up to a Randomized Controlled Trial Comparing Peroneal Nerve Functional<br>Electrical Stimulation to an Ankle Foot Orthosis for Patients With Chronic Stroke.<br>Neurorehabilitation and Neural Repair, 2015, 29, 911-922.                      | 1.4 | 62        |
| 10 | Neuromuscular Electrical Stimulation for Motor Restoration in Hemiplegia. Physical Medicine and Rehabilitation Clinics of North America, 2015, 26, 729-745.  | 0.7 | 96        |
| 11 | Diagnosis, investigation and management of hereditary spastic paraplegias in the era of next-generation sequencing. Journal of Neurology, 2015, 262, 1601-1612.  | 1.8 | 46        |
| 12 | Restoring mobility after stroke: first kinematic results from a pilot study with a hybrid drop foot stimulator. Musculoskeletal Surgery, 2016, 100, 223-229.   | 0.7 | 6         |
| 13 | Influence of skill and exercise training parameters on locomotor recovery during stroke rehabilitation. Current Opinion in Neurology, 2016, 29, 677-683.   | 1.8 | 35        |
| 14 | Bioelectric Medicine and Devices for the Treatment of Spinal Cord Injury. Cells Tissues Organs, 2016, 202, 6-22.   | 1.3 | 5         |
| 15 | Control of Stroke-Related Genu Recurvatum With Prolonged Timing of Dorsiflexor Functional<br>Electrical Stimulation: A Case Study. Journal of Neurologic Physical Therapy, 2016, 40, 209-215.  | 0.7 | 7         |
| 16 | Reducing The Cost of Transport and Increasing Walking Distance After Stroke. Neurorehabilitation and Neural Repair, 2016, 30, 661-670.   | 1.4 | 54        |
| 17 | Neuromuscular structure of the tibialis anterior muscle for functional electrical stimulation.<br>Surgical and Radiologic Anatomy, 2017, 39, 77-83.  | 0.6 | 26        |
| 19 | Effects of mirror therapy combined with neuromuscular electrical stimulation on motor recovery of<br>lower limbs and walking ability of patients with stroke: a randomized controlled study. Clinical<br>Rehabilitation, 2017, 31, 1583-1591.                    | 1.0 | 26        |
| 20 | Neurophysiology and neural engineering: a review. Journal of Neurophysiology, 2017, 118, 1292-1309.  | 0.9 | 30        |

ATION RED

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 21 | Can kinesio tape be used as an ankle training method in the rehabilitation of the stroke patients?.<br>Complementary Therapies in Clinical Practice, 2017, 27, 46-51.  | 0.7 | 28        |
| 23 | Neuromodulation in multiple sclerosis. Multiple Sclerosis Journal, 2017, 23, 1663-1676.  | 1.4 | 45        |
| 24 | Effects of Functional Electrical Stimulation on Reducing Falls and Improving Gait Parameters in Multiple Sclerosis and Stroke. PM and R, 2017, 9, 339.   | 0.9 | 18        |
| 25 | Wireless, accelerometry-triggered functional electrical stimulation of the peroneal nerve in spastic paresis: A randomized, controlled pilot study. Assistive Technology, 2017, 29, 99-105.  | 1.2 | 3         |
| 26 | An exploratory study of gait and functional outcomes after neuroprosthesis use in children with hemiplegic cerebral palsy. Disability and Rehabilitation, 2017, 39, 2277-2285.   | 0.9 | 12        |
| 27 | A decision support system for electrode shaping in multi-pad FES foot drop correction. Journal of<br>NeuroEngineering and Rehabilitation, 2017, 14, 66.  | 2.4 | 22        |
| 28 | Gait Rehabilitation Using Functional Electrical Stimulation. The Japanese Journal of Rehabilitation<br>Medicine, 2017, 54, 19-22.  | 0.0 | 0         |
| 29 | Management of Gait Impairments in Chronic Unilateral Upper Motor Neuron Lesions. JAMA Neurology, 2018, 75, 751.  | 4.5 | 17        |
| 30 | Effectiveness of Neuromuscular Electrical Stimulation on Lower Limbs of Patients With Hemiplegia<br>After Chronic Stroke: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2018, 99,<br>1011-1022.e1.          | 0.5 | 63        |
| 31 | Introducing a Surgical Procedure for an Implantable FES Device and Its Outcome. Biosystems and Biorobotics, 2018, , 399-414.   | 0.2 | 0         |
| 32 | Examination of Factors Related to the Effect of Improving Gait Speed With Functional Electrical Stimulation Intervention for Stroke Patients. PM and R, 2018, 10, 798-805.   | 0.9 | 12        |
| 33 | A Backward Walking Training Program to Improve Balance and Mobility in Acute Stroke: A Pilot<br>Randomized Controlled Trial. Journal of Neurologic Physical Therapy, 2018, 42, 12-21.  | 0.7 | 53        |
| 34 | Motor Neuroprostheses. , 2018, 9, 127-148.   |     | 6         |
| 35 | The influence of early or delayed provision of ankle-foot orthoses on pelvis, hip and knee kinematics<br>in patients with sub-acute stroke: A randomized controlled trial. Gait and Posture, 2018, 63, 260-267.                      | 0.6 | 18        |
| 36 | Ankle-foot orthoses for rehabilitation and reducing metabolic cost of walking: Possibilities and challenges. Mechatronics, 2018, 53, 241-250.  | 2.0 | 34        |
| 37 | Functional electrical stimulation and ankle foot orthoses provide equivalent therapeutic effects on<br>foot drop: A meta-analysis providing direction for future research. Journal of Rehabilitation<br>Medicine, 2018, 50, 129-139. | 0.8 | 32        |
| 38 | Functional Electrical Stimulation for Return of Function After Stroke. , 2018, , 1137-1145.  |     | 2         |
| 39 | Neuromuscular Electrical Stimulation Applications. , 2019, , 432-439.e3.   |     | 2         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 40 | Neuroprosthetics. , 2019, , 241-253.   |     | 3         |
| 41 | The impact of varying interphase interval on neuromuscular electrical stimulation-induced quadriceps femoris muscle performance and perceived discomfort. Physiotherapy Theory and Practice, 2021, 37, 1117-1125.                            | 0.6 | 1         |
| 42 | A foot drop compensation device based on surface multi-field functional electrical<br>stimulation—Usability study in a clinical environment. Journal of Rehabilitation and Assistive<br>Technologies Engineering, 2019, 6, 205566831986214.  | 0.6 | 4         |
| 43 | Orthotists' and physical therapists' perspectives on quality of care indicators for persons with custom ankle-foot orthoses. Assistive Technology, 2019, 33, 1-11.   | 1.2 | 5         |
| 44 | Neuromodulation for Functional Electrical Stimulation. Physical Medicine and Rehabilitation Clinics of North America, 2019, 30, 301-318.   | 0.7 | 15        |
| 45 | Interfacing with the nervous system: a review of current bioelectric technologies. Neurosurgical Review, 2019, 42, 227-241.  | 1.2 | 19        |
| 46 | Inertial measurement unit compared to an optical motion capturing system in post-stroke individuals with foot-drop syndrome. Annals of Physical and Rehabilitation Medicine, 2020, 63, 195-201.  | 1.1 | 17        |
| 47 | Clinical Practice Guideline to Improve Locomotor Function Following Chronic Stroke, Incomplete<br>Spinal Cord Injury, and Brain Injury. Journal of Neurologic Physical Therapy, 2020, 44, 49-100.  | 0.7 | 176       |
| 48 | The effects of ankle-foot orthoses on walking speed in patients with stroke: a systematic review and meta-analysis of randomized controlled trials. Clinical Rehabilitation, 2020, 34, 145-159.  | 1.0 | 22        |
| 49 | Architectural Changes in Superficial and Deep Compartments of the Tibialis Anterior During<br>Electrical Stimulation Over Different Sites. IEEE Transactions on Neural Systems and Rehabilitation<br>Engineering, 2020, 28, 2557-2565.       | 2.7 | 4         |
| 50 | Ankle-foot orthoses and continuous functional electrical stimulation improve walking speed after<br>stroke: a systematic review and meta-analyses of randomized controlled trials. Physiotherapy, 2020,<br>109, 43-53.                       | 0.2 | 8         |
| 51 | These legs were made for propulsion: advancing the diagnosis and treatment of post-stroke propulsion deficits. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 139.  | 2.4 | 43        |
| 52 | Motor Neuroprosthesis for Promoting Recovery of Function After Stroke. Stroke, 2020, 51, e119-e120.  | 1.0 | 5         |
| 53 | Pragmatic Solutions for Stroke Recovery and Improved Quality of Life in Low- and Middle-Income<br>Countries—A Systematic Review. Frontiers in Neurology, 2020, 11, 337.  | 1.1 | 15        |
| 54 | Motor neuroprosthesis for promoting recovery of function after stroke. The Cochrane Library, 2020, 1, CD012991.  | 1.5 | 5         |
| 55 | Walking Faster and Farther With a Soft Robotic Exosuit: Implications for Post-Stroke Gait Assistance and Rehabilitation. IEEE Open Journal of Engineering in Medicine and Biology, 2020, 1, 108-115.   | 1.7 | 64        |
| 56 | Identifying Instruments to Assess Care Quality for Individuals With Custom Ankle Foot Orthoses: A Scoping Review. Archives of Physical Medicine and Rehabilitation, 2021, 102, 709-734.  | 0.5 | 2         |
| 57 | Clinical effectiveness of peroneal nerve functional electrical stimulation in chronic stroke patients<br>with hemiplegia (PLEASURE): A multicentre, prospective, randomised controlled trial. Clinical<br>Rehabilitation, 2021, 35, 367-377. | 1.0 | 4         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 58 | Functional electrical stimulation of the peroneal nerve improves post-stroke gait speed when combined with physiotherapy. A systematic review and meta-analysis. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101388.   | 1.1 | 34        |
| 59 | Device customization with novel adhesive electrode. IOP Conference Series: Materials Science and Engineering, 2021, 1091, 012012.  | 0.3 | 0         |
| 60 | A Clinical Practice Guideline for the Use of Ankle-Foot Orthoses and Functional Electrical Stimulation Post-Stroke. Journal of Neurologic Physical Therapy, 2021, 45, 112-196.   | 0.7 | 19        |
| 62 | Personalized 3D exergames for in-home rehabilitation after stroke: a pilot study. Disability and<br>Rehabilitation: Assistive Technology, 2023, 18, 704-713.   | 1.3 | 4         |
| 63 | Low Cost, User-Controlled Peroneal Stimulator for Foot Drop in Patients With Stroke. Advances in<br>Medical Technologies and Clinical Practice Book Series, 2022, , 279-303.   | 0.3 | 0         |
| 64 | Clinical outcome measures to evaluate the effects of orthotic management post-stroke: a systematic review. Disability and Rehabilitation, 2022, 44, 3019-3038.   | 0.9 | 2         |
| 65 | Neural Prostheses for Neurotrauma. , 2016, , 457-478.  |     | 1         |
| 66 | Analysis of strategies used by hemiplegic stroke patients to achieve toe clearance. , 2016, 7, 111-118.  |     | 27        |
| 67 | Rationale and design of the theRapeutic effects of peroneal nerve functionAl electrical stimuLation<br>for Lower extremitY in patients with convalescent poststroke hemiplegia (RALLY) study: study<br>protocol for a randomised controlled study. BMJ Open, 2019, 9, e026214. | 0.8 | 5         |
| 68 | Clinical Practice Guideline for Stroke Rehabilitation in Korea 2016. Brain & Neurorehabilitation, 2017, 10, .  | 0.4 | 25        |
| 69 | A systematic review of randomised controlled trials assessing effectiveness of prosthetic and orthotic interventions. PLoS ONE, 2018, 13, e0192094.  | 1.1 | 52        |
| 70 | Clinical Efficacy of Functional Electrical Stimulation-assisted Rehabilitation Cycling on the Function of Lower Limbs in Patients with Stroke. Current Neurovascular Research, 2021, 18, 318-323.  | 0.4 | 3         |
| 71 | Clinical Trial Protocol for Analyzing the Effect of the Intensity of FES-Based Therapy on Post-stroke<br>Foot Drop. Biosystems and Biorobotics, 2017, , 655-659.   | 0.2 | 0         |
| 72 | Functional Electrical Stimulation to Treat Foot Drop as a Result of an Upper Motor Neuron Lesion. , 2017, , 257-282.   |     | 1         |
| 73 | Effects of Functional Electrical Stimulation for the Lower Extremity in Chronic Stroke Hemiplegic<br>Patients. The Japanese Journal of Rehabilitation Medicine, 2017, 54, 570-573.   | 0.0 | 0         |
| 74 | Functional Electrical Stimulation with Augmented Feedback Training Improves Gait and Functional<br>Performance in Individuals with Chronic Stroke: A Randomized Controlled Trial. The Journal of<br>Korean Physical Therapy, 2017, 29, 74-79.                                  | 0.1 | 5         |
| 75 | Postoperative foot drop in patients receiving lung transplantation: increasing awareness and preventing risks. International Journal of Therapy and Rehabilitation, 2021, 28, 1-4.   | 0.1 | 1         |
| 76 | Medical management and rehabilitation in posttraumatic common peroneal nerve palsy. Balneo and<br>PRM Research Journal, 2022, , 496.   | 0.1 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 77 | The effects of virtual reality training on gait, balance, and upper extremity function in patients with stroke: A meta-analysis. Journal of Korean Physical Therapy Science, 2021, 28, 11-29.   | 0.3 | 0         |
| 79 | Experiences of individuals with multiple sclerosis and stroke using transcutaneous foot drop<br>electrical stimulators: a systematic review and meta-synthesis of qualitative studies. Disability and<br>Rehabilitation, 2023, 45, 1923-1932.           | 0.9 | 1         |
| 80 | Spatiotemporal, kinematic and kinetic assessment of the effects of a foot drop stimulator for<br>home-based rehabilitation of patients with chronic stroke: a randomized clinical trial. Journal of<br>NeuroEngineering and Rehabilitation, 2022, 19, . | 2.4 | 5         |
| 81 | Gait Characteristics Following Stroke: A Prospective Crossover Study to Compare Ankle-Foot<br>Orthosis with Functional Electrical Stimulation. Neurology India, 2022, 70, 1830.   | 0.2 | 2         |
| 82 | Ankle dorsiflexion assist using a single sensor-based FES: Results from clinical study on patients with stroke. Journal of Neurosciences in Rural Practice, 0, 14, 48-54.   | 0.3 | 1         |
| 83 | Conservative versus surgical treatment of foot drop in peroneal nerve entrapment: rationale and design of a prospective, multi-centre, randomized parallel-group controlled trial. Trials, 2022, 23, .  | 0.7 | 1         |
| 84 | Effect of Functional Electrical Stimulation in Convalescent Stroke Patients: A Multicenter,<br>Randomized Controlled Trial. Journal of Clinical Medicine, 2023, 12, 2638.   | 1.0 | 1         |
| 91 | FES-Assisted Standing-up Motion Control Incorporating Center of Mass Motion. , 2023, , .  |     | Ο         |