

CITATION REPORT

List of articles citing

Ultrasensitive terahertz sensing with high-Q Fano resonances in metasurfaces

DOI: 10.1063/1.4895595

Applied Physics Letters, 2014, 105, 171101.

Source: <https://exaly.com/paper-pdf/59202583/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
484	Optically and thermally controlled terahertz metamaterial via transition between direct and indirect electromagnetically induced transparency. 2014 , 4, 127122		1
483	Broadband, wide-angle, low-scattering terahertz wave by a flexible 2-bit coding metasurface. <i>Optics Express</i> , 2015 , 23, 29128-37	3.3	68
482	Collective coherence in nearest neighbor coupled metamaterials: A metasurface ruler equation. 2015 , 118, 163102		13
481	Fano Resonances in Terahertz Metasurfaces: A Figure of Merit Optimization. 2015 , 3, 1537-1543		125
480	Terahertz Magnetic Mirror Realized with Dielectric Resonator Antennas. 2015 , 27, 7137-44		48
479	Toward high throughput optical metamaterial assemblies. 2015 , 54, F61-9		8
478	Realizing Fano-like resonance in a one terminal closed T-shaped waveguide. 2015 , 88, 1		12
477	Analysis of the multi-spectral inhomogeneous metasurfaces consisting of different arrays of components. 2015 , 40, 5666-9		7
476	Terahertz transmission and sensing properties of microstructured PMMA tube waveguide. <i>Optics Express</i> , 2015 , 23, 27204-12	3.3	19
475	Experimental demonstration of ultrasensitive sensing with terahertz metamaterial absorbers: A comparison with the metasurfaces. <i>Applied Physics Letters</i> , 2015 , 106, 031107	3.4	324
474	Tunable plasmon-induced transparency effect based on self-asymmetric H-shaped resonators meta-atoms. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 035103	1.7	5
473	Inducing multiple Fano resonant modes in split concentric nanoring resonator dimers for ultraprecise sensing. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 085104	1.7	12
472	A graphene based tunable terahertz sensor with double Fano resonances. 2015 , 7, 12682-8		154
471	An Analog of electrically induced transparency via surface delocalized modes. 2015 , 5, 12251		3
470	Sensing based on Fano-type resonance response of all-dielectric metamaterials. 2015 , 15, 9344-59		33
469	Polarization Control in Terahertz Metasurfaces with the Lowest Order Rotational Symmetry. 2015 , 3, 1176-1183		72
468	Study on split-ring-resonator based terahertz sensor and its application to the identification of product oil. 2015 , 47, 2867-2879		14

467	Ultra-broadband terahertz absorption by exciting the orthogonal diffraction in dumbbell-shaped gratings. 2015 , 5, 8901		67
466	Dual-band ultrasensitive THz sensing utilizing high quality Fano and quadrupole resonances in metamaterials. <i>Optics Communications</i> , 2015 , 350, 103-107	2	29
465	Multispectral terahertz sensing with highly flexible ultrathin metamaterial absorber. 2015 , 118, 083103		142
464	Effective Medium-Based Plasmonic Waveguides for Tailoring Dispersion. 2015 , 27, 1965-1968		3
463	Three-dimensional THz lumped-circuit resonators. <i>Optics Express</i> , 2015 , 23, 16838-45	3-3	11
462	Tailoring the slow light behavior in terahertz metasurfaces. <i>Applied Physics Letters</i> , 2015 , 106, 181101	3-4	100
461	Alternative design of left-handed metamaterial based on circular resonator and wire strip for waveguide configurations with sensing and absorber applications. 2015 , 54, 087101		5
460	High-performance terahertz wave absorbers made of silicon-based metamaterials. <i>Applied Physics Letters</i> , 2015 , 107, 073903	3-4	85
459	Enhanced Figure of Merit in Fano Resonance-Based Plasmonic Refractive Index Sensor. 2015 , 15, 6313-6317		82
458	Refraction index sensor based on phase resonances in a subwavelength structure with double period. 2016 , 55, 8131-8137		2
457	Optical Analog to Electromagnetically Induced Transparency in Cascaded Ring-Resonator Systems. 2016 , 16,		4
456	Electrically active manipulation of electromagnetic induced transparency in hybrid terahertz metamaterial. 2016 , 6, 3075		25
455	Origin of strain-induced resonances in flexible terahertz metamaterials. 2016 , 25, 057802		4
454	Nonradiative and Radiative Resonances in Coupled Metamolecules. 2016 , 4, 252-258		11
453	Full vectorial mapping of the complex electric near-fields of THz resonators. 2016 , 1, 086103		19
452	Quantum Mechanical Identification of Quadrupolar Plasmonic Excited States in Silver Nanorods. 2016 , 120, 9324-9329		16
451	Label-free measurements on cell apoptosis using a terahertz metamaterial-based biosensor. <i>Applied Physics Letters</i> , 2016 , 108, 241105	3-4	62
450	A class of invisible inhomogeneous media and the control of electromagnetic waves. 2016 , 94,		13

449	Fano response induced by the interference between localized plasmons and interface reflections in metal-insulator-metal waveguide structure. 2016 , 119, 243101		14
448	A high-performance broadband terahertz absorber based on sawtooth-shape doped-silicon. 2016 , 6, 055112		16
447	Trimeric metasurfaces for independent control of bright and dark modes of Fano resonances. <i>Applied Physics Letters</i> , 2016 , 108, 081109	3-4	18
446	High-Q lattice mode matched structural resonances in terahertz metasurfaces. <i>Applied Physics Letters</i> , 2016 , 109, 021108	3-4	30
445	Gold Nanoparticle-Based Terahertz Metamaterial Sensors: Mechanisms and Applications. 2016 , 3, 2308-2314		70
444	Wide angle terahertz sensing with a cross-dipole frequency selective surface. <i>Applied Physics Letters</i> , 2016 , 108, 111104	3-4	19
443	Resonant Terahertz InSb Waveguide Device for Sensing Polymers. 2016 , 37, 795-804		10
442	Position-dependent sensing performance of coupled resonators with symmetry breaking. 2016 , 49, 135101		4
441	Fano resonance engineering in mirror-symmetry-broken THz metamaterials. 2016 , 122, 1		6
440	Waveguide-coupled surface phonon resonance sensors with super-resolution in the mid-infrared region. 2016 , 41, 1582-5		34
439	Optical FANO resonance with polarization independence with novel nano-antenna. 2016 , 48, 1		10
438	Monolayer graphene sensing enabled by the strong Fano-resonant metasurface. 2016 , 8, 17278-17284		82
437	Toroidal versus Fano Resonances in High Q planar THz Metamaterials. 2016 , 4, 2119-2125		79
436	Metamaterial absorber integrated microfluidic terahertz sensors. 2016 , 10, 962-969		137
435	Extended Malus law with terahertz metallic metamaterials for sensitive detection with giant tunable quality factor. 2016 , 94,		7
434	Accessing the High-Q Dark Plasmonic Fano Resonances in Superconductor Metasurfaces. 2016 , 4, 1875-1881		44
433	Magneto-induced Fano-like cavity interference in three-dimensional metamaterials. <i>Physica Scripta</i> , 2016 , 91, 085501	2.6	1
432	Full controlling of Fano resonances in metal-slit superlattice. 2015 , 5, 18461		22

431	Spoof surface plasmon based planar antennas for the realization of Terahertz hotspots. 2015 , 5, 18606	14
430	Fano resonances from gradient-index metamaterials. 2016 , 6, 19927	7
429	High-Q Whispering-Gallery-Mode-Based Plasmonic Fano Resonances in Coupled Metallic Metasurfaces at Near Infrared Frequencies. 2016 , 4, 1295-1301	27
428	Enhanced Phase Sensitivity in Plasmonic Refractive Index Sensor Based on Slow Light. 2016 , 28, 2187-2190	12
427	Excitation of ultrasharp trapped-mode resonances in mirror-symmetric metamaterials. 2016 , 93,	30
426	Metamaterial-enhanced vibrational absorption spectroscopy for the detection of protein molecules. 2016 , 6, 32123	48
425	Broken Symmetry Dielectric Resonators for High Quality Factor Fano Metasurfaces. 2016 , 3, 2362-2367	154
424	Tailoring the Fano resonances in terahertz metamaterials. 2016 ,	
423	Silicon terahertz resonators. 2016 ,	
422	Human cell sensing based on symmetric terahertz metamaterials. 2016 ,	
421	Mapping the sensitivity of split ring resonators using a localized analyte. <i>Applied Physics Letters</i> , 2016 , 108, 251105	3-4 3
420	A coupling model for quasi-normal modes of photonic resonators. <i>Journal of Optics (United Kingdom)</i> , 2016 , 18, 115004	1-7 14
419	Ultrahigh-Q Fano Resonances in Terahertz Metasurfaces: Strong Influence of Metallic Conductivity at Extremely Low Asymmetry. 2016 , 4, 457-463	75
418	Displacement Current Mediated Resonances in Terahertz Metamaterials. 2016 , 4, 1302-1309	9
417	Tunable ultrasensitive terahertz sensor based on complementary graphene metamaterials. 2016 , 6, 52212-52218	18
416	Dynamic metamaterial based on the graphene split ring high-Q Fano-resonator for sensing applications. 2016 , 8, 15196-204	85
415	The respective effects of direct and indirect couplings on the plasmon-induced transparency in waveguide systems. <i>Optics Communications</i> , 2016 , 364, 83-87	2 5
414	Infrared non-planar plasmonic perfect absorber for enhanced sensitive refractive index sensing. <i>Optical Materials</i> , 2016 , 53, 195-200	3-3 103

413	Study of asymmetric U-shaped resonator at terahertz frequencies. <i>Optics Communications</i> , 2016 , 368, 119-122	2	7
412	Ultrasensitive THz Plasmonics gaseous sensor using doped graphene. 2016 , 227, 291-295		44
411	Broadband terahertz anti-reflective structure fabricated by femtosecond laser drilling technique. <i>Optics Communications</i> , 2016 , 361, 148-152	2	11
410	High-sensitive dual-band sensor based on microsize circular ring complementary terahertz metamaterial. 2017 , 31, 91-100		13
409	Microfluidic metamaterial sensor: Selective trapping and remote sensing of microparticles. 2017 , 121, 023102		55
408	Magnetic Fano resonances by design in symmetry broken THz meta-foils. 2017 , 7, 41869		2
407	Active Phase Transition via Loss Engineering in a Terahertz MEMS Metamaterial. 2017 , 29, 1700733		87
406	Tunable electromagnetically induced transparency from a superconducting terahertz metamaterial. <i>Applied Physics Letters</i> , 2017 , 110, 241105	3-4	22
405	Ultrasensitive terahertz metamaterial sensor based on spoof surface plasmon. 2017 , 7, 2092		63
404	PT-symmetric metasurfaces: wave manipulation and sensing using singular points. 2017 , 19, 065002		36
403	Fabry-Pérot interferometer for sensing polar liquids at terahertz frequencies. 2017 , 121, 204502		8
402	Experimental demonstration of an ultra-flexible metamaterial absorber and its application in sensing. 2017 , 50, 135108		17
401	Sensing with toroidal metamaterial. <i>Applied Physics Letters</i> , 2017 , 110, 121108	3-4	131
400	Solid analyte and aqueous solutions sensing based on a flexible terahertz dual-band metamaterial absorber. 2017 , 56, 027104		14
399	Defect-Induced Fano Resonances in Corrugated Plasmonic Metamaterials. 2017 , 5, 1600960		84
398	Tunable THz wave absorption by graphene-assisted plasmonic metasurfaces based on metallic split ring resonators. 2017 , 19, 1		16
397	Biomedical Sensing With Conductively Coupled Terahertz Metamaterial Resonators. 2017 , 23, 1-5		54
396	Probing the Near-Field Inductive Coupling in Broadside Coupled Terahertz Metamaterials. 2017 , 23, 1-7		11

395	Strong Photoluminescence Enhancement in All-Dielectric Fano Metasurface with High Quality Factor. 2017 , 11, 10704-10711		62
394	Simultaneous measurement of refractive index and conductivity based on metamaterial absorber. <i>Journal of Optics (United Kingdom)</i> , 2017 , 19, 115105	1.7	2
393	Multiple-band light absorber via combining the fundamental mode and multiple splitting modes of the 3-order response of metamaterial resonator. 2017 , 50, 485108		7
392	A trapped mode by higher-order Fano-like interference in a symmetric plasmonic structure. <i>Applied Physics A: Materials Science and Processing</i> , 2017 , 123, 1	2.6	3
391	Mechanisms and applications of terahertz metamaterial sensing: a review. 2017 , 9, 13864-13878		157
390	Low-loss planar metamaterials electromagnetically induced transparency for sensitive refractive index sensing. 2017 , 50, 405105		12
389	Tunable Fano resonance in mutually coupled micro-ring resonators. <i>Applied Physics Letters</i> , 2017 , 111, 091901	3.4	10
388	Broad-Range Electrically Tunable Plasmonic Resonances of a Multilayer Coaxial Nanohole Array with an Electroactive Polymer Wrapper. 2017 , 9, 35244-35252		17
387	Toroidal and magnetic Fano resonances in planar THz metamaterials. 2017 , 122, 113105		21
386	Broadband polarization conversion with anisotropic plasmonic metasurfaces. 2017 , 7, 8841		29
385	Three-Dimensional Anisotropic Metamaterials as Triaxial Optical Inclinoimeters. 2017 , 7, 2680		10
384	Role of Resonance Modes on Terahertz Metamaterials based Thin Film Sensors. 2017 , 7, 7355		57
383	Periodic Green functions for 2D magneto-electric quadrupolar arrays: explicitly satisfying the optical theorem. <i>Journal of Optics (United Kingdom)</i> , 2017 , 19, 095006	1.7	12
382	Implementation of selective controlling electromagnetically induced transparency in terahertz graphene metamaterial. 2017 , 123, 668-675		66
381	Dual-surface flexible THz Fano metasensor. <i>Applied Physics Letters</i> , 2017 , 111, 201101	3.4	78
380	Terahertz Sensor Using Photonic Crystal Cavity and Resonant Tunneling Diodes. 2017 , 38, 1085-1097		53
379	Self-reference plasmonic sensors based on double Fano resonances. 2017 , 9, 11085-11092		40
378	Sensitive detection of chlorpheniramine maleate using THz combined with metamaterials. 2017 , 49, 1		8

377	Fano resonances in nanorod dimers antenna. 2017 , 31, 1750202		7
376	Sensing at Terahertz Frequencies. 2017 , 301-327		4
375	Active Photoswitching of Sharp Fano Resonances in THz Metadevices. 2017 , 29, 1603355		144
374	High-Q Plasmonic Fano Resonance for Multiband Surface-Enhanced Infrared Absorption of Molecular Vibrational Sensing. 2017 , 5, 1600559		50
373	Monochromatic Tuning of Absorption Strength Based on Angle-Dependent Closed-Ring Resonator-Type Metamaterial Absorber. 2017 , 16, 1060-1063		19
372	High-Q Fano Resonances in Asymmetric and Symmetric All-Dielectric Metasurfaces. 2017 , 12, 1431-1438		9
371	Modulating the Near Field Coupling through Resonator Displacement in Planar Terahertz Metamaterials. 2017 , 38, 124-134		19
370	Spoof Localized Surface Plasmons Excited by Plasmonic Waveguide Chip with Corrugated Disk Resonator. 2017 , 12, 947-952		14
369	Detection of African Trypanosomes Using Asymmetric Double-Split Ring Based THz Sensors. 2017 , 1, 66-73		1
368	Study of the interaction between graphene and planar terahertz metamaterial with toroidal dipolar resonance. 2017 , 42, 2034-2037		42
367	Terahertz near-field imaging of dielectric resonators. <i>Optics Express</i> , 2017 , 25, 3756-3764	3-3	13
366	3D printed hollow core terahertz Bragg waveguides with defect layers for surface sensing applications. <i>Optics Express</i> , 2017 , 25, 4126-4144	3-3	72
365	Constructive-interference-enhanced Fano resonance of silver plasmonic heptamers with a substrate mirror: a numerical study. <i>Optics Express</i> , 2017 , 25, 9938-9946	3-3	11
364	Terahertz transmission control using polarization-independent metamaterials. <i>Optics Express</i> , 2017 , 25, 11436-11443	3-3	5
363	Terahertz sensing of highly absorptive water-methanol mixtures with multiple resonances in metamaterials. <i>Optics Express</i> , 2017 , 25, 14089-14097	3-3	43
362	Simultaneous excitation of extremely high-Q-factor trapped and octupolar modes in terahertz metamaterials. <i>Optics Express</i> , 2017 , 25, 15938-15946	3-3	25
361	Low-cost metamaterial-on-paper chemical sensor. <i>Optics Express</i> , 2017 , 25, 16092-16100	3-3	35
360	High-Q Fano-like resonance based on a symmetric dimer structure and its terahertz sensing application. 2017 , 7, 1335		19

359	Localized slow light phenomenon in symmetry broken terahertz metamolecule made of conductively coupled dark resonators. 2017 , 7, 1950		17
358	Ultrasensitive terahertz metamaterial sensor based on vertical split ring resonators. 2017 , 5, 571		87
357	Nanoscale electromagnetic confinement in THz circuit resonators. <i>Optics Express</i> , 2017 , 25, 28718	3-3	5
356	Plasmonic Spectral Splitting in Ring/Rod Metasurface. 2017 , 7,		19
355	Metamaterials and Metasurfaces for Sensor Applications. 2017 , 17,		111
354	Ultrasensitive Terahertz Biosensors Based on Fano Resonance of a Graphene/Waveguide Hybrid Structure. 2017 , 17,		41
353	Polarization-dependent electromagnetic responses of ultrathin and highly flexible asymmetric terahertz metasurfaces. <i>Optics Express</i> , 2017 , 25, 32540	3-3	25
352	Photonic bandgap structure with plasmonic inclusions for refractive index sensing in optofluidics at terahertz frequencies. 2017 , 42, 470-473		6
351	Studying the Near Field Capacitive Coupling in Planar Terahertz Metamaterial. 2017 ,		
350	Ultrasensitive displacement sensor based on tunable horn-shaped resonators. 2018 , 27, 045013		3
349	Plasmonic Sensing and Modulation Based on Fano Resonances. 2018 , 6, 1701152		52
348	Characterizations of an infrared polarization-insensitive metamaterial perfect absorber and its potential in sensing applications. 2018 , 28, 100-105		18
347	Invited Article: Terahertz microfluidic chips sensitivity-enhanced with a few arrays of meta-atoms. 2018 , 3, 051603		32
346	Biosensing with the singular phase of an ultrathin metal-dielectric nanophotonic cavity. 2018 , 9, 369		65
345	Dynamically tunable implementation of electromagnetically induced transparency based on bright and dark modes coupling graphene-nanostrips. <i>Optics Communications</i> , 2018 , 420, 65-71	2	11
344	Towards the Development of THz-Sensors for the Detection of African Trypanosomes. 2018 , 72, 101-111		0
343	Ultrasensitive sensing with three-dimensional terahertz metamaterial absorber. <i>Journal of Optics (United Kingdom)</i> , 2018 , 20, 055101	1.7	21
342	Design of a metasurface-based dual-band Terahertz perfect absorber with very high Q-factors for sensing applications. <i>Optics Communications</i> , 2018 , 416, 152-159	2	47

341	Quad-Band Terahertz Absorber Based on Dipolar Resonances of Metamaterial Resonator. 2018 , 13, 1097-1103		1
340	High-efficiency terahertz polarization devices based on the dielectric metasurface. 2018 , 114, 75-81		14
339	Dynamically tunable implementation of electromagnetically induced transparency with two coupling graphene-nanostrips in terahertz region. <i>Optics Communications</i> , 2018 , 411, 48-52	2	18
338	Dynamically controlled electromagnetically induced transparency in terahertz graphene metamaterial for modulation and slow light applications. <i>Optics Communications</i> , 2018 , 410, 206-210	2	32
337	Tunable bandwidth of double electromagnetic induced transparency windows in terahertz graphene metamaterial.. 2018 , 8, 37057-37063		8
336	Novel Design of SSPP based Metamaterial Inspired THz Biosensor. 2018 ,		1
335	Tunable Fano Resonance Using Graphene Integrated Metasurface. 2018 ,		
334	THz Sensing With Anomalous Extraordinary Optical Transmission Hole Arrays. 2018 , 18,		17
333	Modulating Fundamental Resonance in Capacitive Coupled Asymmetric Terahertz Metamaterials. 2018 , 8, 16773		9
332	Avoided crossings and bound states in the continuum in low-contrast dielectric gratings. 2018 , 98,		32
331	Quality factor assessment of finite-size all-dielectric metasurfaces at the magnetic dipole resonance. 2018 , 8, 184798041882016		1
330	Highly Sensitive Detection of 4-Methylimidazole Using a Terahertz Metamaterial. 2018 , 18,		6
329	Unity Integration of Grating Slot Waveguide and Microfluid for Terahertz Sensing. 2018 , 12, 1800078		23
328	High-Q Fano Resonance in Terahertz Frequency Based on an Asymmetric Metamaterial Resonator. 2018 , 13, 294		34
327	The Fano Resonance on Substrate Integrated Waveguides. 2018 ,		
326	Optically controlled redshift switching effects in hybrid fishscale metamaterials. 2018 , 8, 055319		1
325	A Metamaterial Analog of the Ising Model. 2018 , 30, e1804210		20
324	Experimental Demonstration of Thermally Tunable Fano and EIT Resonances in Coupled Resonant System on SOI Platform. 2018 , 10, 1-8		4

323	Refractive index sensing with fano resonant L-shaped metasurface. <i>Optical Materials</i> , 2018 , 82, 168-174	3.3	10
322	A metasurface with bidirectional hyperbolic surface modes and position-sensing applications. 2018 , 10, 417-428		8
321	Enhancement and Switching of Fano Resonance in Metamaterial. 2018 , 6, 1800545		33
320	Dielectric-resonator metasurfaces for broadband terahertz quarter- and half-wave mirrors. <i>Optics Express</i> , 2018 , 26, 14392-14406	3.3	23
319	Electrically controllable THz asymmetric split-loop resonator with an outer square loop based on VO. <i>Optics Express</i> , 2018 , 26, 17397-17406	3.3	25
318	Metamaterial-enhanced terahertz vibrational spectroscopy for thin film detection. 2018 , 8, 128		7
317	Metal-substrate-enhanced magnetic dipole resonance in metamaterials for high-performance refractive index sensing. 2018 , 8, 2008		8
316	High-Q Fano resonances via direct excitation of an antisymmetric dark mode. 2018 , 43, 3818-3821		9
315	Ultra-broadband absorber from visible to near-infrared using plasmonic metamaterial. <i>Optics Express</i> , 2018 , 26, 5686-5693	3.3	168
314	Design of transmissive huygens metasurface using modified cross and patch structure. 2018 ,		
313	Shaping High-Q Planar Fano Resonant Metamaterials toward Futuristic Technologies. 2018 , 6, 1800502		34
312	High Q-Factor Resonance in a Symmetric Array of All-Dielectric Bars. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 161	2.6	4
311	High-Performance Terahertz Sensing at Exceptional Points in a Bilayer Structure. 2018 , 1, 1800070		14
310	All-Optical and Ultrafast Tuning of Terahertz Plasmonic Metasurfaces. 2018 , 6, 1800143		28
309	Plasmonics-Based Refractive Index Sensor for Detection of Hemoglobin Concentration. 2018 , 18, 4372-4377		45
308	Multi-band terahertz metamaterial absorber for sensing application. 2018 , 190, 149-155		6
307	Active control of broadband plasmon-induced transparency in a terahertz hybrid metal-graphene metamaterial.. 2018 , 8, 27746-27753		17
306	MEMS terahertz-to-infrared band converter using frequency selective planar metamaterial. 2018 , 8, 12466		10

305	Modulating acoustic Fano resonance of self-collimated sound beams in two dimensional sonic crystals. 2019 , 91, 129-133		2
304	Nonlinear Modulation of Plasmonic Resonances in Graphene-Integrated Triangular Dimers at Terahertz Frequencies. 2019 , 12,		2
303	Dual-Band Fano Resonance of Low-Frequency Sound Based on Artificial Mie Resonances. 2019 , 6, 1901307		7
302	Ultra-broadband metamaterial absorber based on all-metal nanostructures. 2019 , 52, 425304		16
301	Ultrasensitive THz Refractive Index Sensor Based on a Controllable Perfect MTM Absorber. 2019 , 19, 10490-10497		40
300	Active Control and Large Group Delay in Graphene-Based Terahertz Metamaterials. 2019 , 123, 18560-18564		19
299	Flexible patches for mm-wave holography. <i>Applied Physics Letters</i> , 2019 , 115, 021104	3-4	14
298	Global Optimization of Dielectric Metasurfaces Using a Physics-Driven Neural Network. 2019 , 19, 5366-5372		128
297	Encoded-Enhancement of THz Metasurface Figure of Merit for Label-Free Sensing. 2019 , 19,		6
296	Terahertz sensing of 7 nm dielectric film with bound states in the continuum metasurfaces. <i>Applied Physics Letters</i> , 2019 , 115, 151105	3-4	93
295	Ultra-broadband metamaterial absorber for infrared transparency window of the atmosphere. 2019 , 383, 126025		13
294	Toroidal metasurfaces integrated with microfluidic for terahertz refractive index sensing. 2019 , 52, 485104		20
293	Dual toroidal dipole resonances in a planar terahertz flexible metasurfaces. 2019 , 6, 115803		2
292	All-Dielectric Terahertz Plasmonic Metamaterial Absorbers and High-Sensitivity Sensing. 2019 , 4, 18645-18652		15
291	Terahertz Metamaterials based on Free-standing Complementary Asymmetric Split Ring Resonators for Sensing Applications. 2019 ,		
290	Ultra-thin subwavelength film sensing through the excitation of dark modes in THz metasurfaces. <i>Optics Communications</i> , 2019 , 453, 124366	2	9
289	Hybrid magnetic plasmon resonance induced tunable half-wave plate based on graphene-dielectric-metal structure. <i>Journal of Optics (United Kingdom)</i> , 2019 , 21, 105003	1.7	3
288	Terahertz biosensing based on bi-layer metamaterial absorbers toward ultra-high sensitivity and simple fabrication. <i>Applied Physics Letters</i> , 2019 , 115, 143507	3-4	32

287	Graphene based polarization independent Fano resonance at terahertz for tunable sensing at nanoscale. <i>Optics Communications</i> , 2019 , 439, 61-65	2	9
286	Analogue of tunable electromagnetically induced transparency based on graphene-nano-strip in two perpendicular polarization directions. <i>Optics Communications</i> , 2019 , 439, 16-20	2	10
285	Liquid crystal enabled dynamic cloaking of terahertz Fano resonators. <i>Applied Physics Letters</i> , 2019 , 114, 041106	3-4	26
284	Tunable Plasmon-Induced Transparency with Ultra-Broadband in Dirac Semimetal Metamaterials. 2019 , 14, 1717-1723		11
283	Evaluation of amplitude difference referencing technique with terahertz metasurfaces for sub-micron analytes sensing. 2019 , 31, 1384-1387		9
282	High-performance metamaterial sensors based on strong coupling between surface plasmon polaritons and magnetic plasmon resonances. 2019 , 14, 102397		22
281	On the performance of an ENZ-based sensor using transmission line theory and effective medium approach. 2019 , 21, 043056		22
280	Tunable electromagnetically induced transparency in graphene metamaterial in two perpendicular polarization directions. 2019 , 125, 1		10
279	Surface Lattice Resonances in THz Metamaterials. 2019 , 6, 75		16
278	Enhanced Ultra-Sensitive Metamaterial Resonance Sensor based on Double Corrugated Metal stripe for Terahertz Sensing. 2019 , 9, 7516		20
277	Label-free measurements on the solution of monomeric and dimeric insulin using a periodical terahertz split ring resonator. 2019 , 525, 110390		1
276	Narrow Fano resonances in Si nanocylinder metasurfaces: Refractive index sensing. 2019 , 125, 183103		10
275	Interferometric Refractive Index Sensing with Terahertz Spoof Surface Plasmons. 2019 , 40, 516-523		
274	Ultrahigh-quality factor resonant dielectric metasurfaces based on hollow nanocuboids. <i>Optics Express</i> , 2019 , 27, 6320-6330	3-3	35
273	Fano-resonance collapse induced terahertz magnetic dipole oscillation in complementary meta-atoms via local symmetry breaking. 2019 , 125, 143102		4
272	Enhanced on-chip terahertz sensing with hybrid metasurface/lithium niobate structures. <i>Applied Physics Letters</i> , 2019 , 114, 121102	3-4	13
271	Terahertz Field Confinement in Nonlinear Metamaterials and Near-Field Imaging. 2019 , 6, 22		8
270	Theoretical Investigation of a Simple Design of Triple-Band Terahertz Metamaterial Absorber for High-Q Sensing. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 1410	2.6	5

269	Active control of terahertz plasmon-induced transparency in the hybrid metamaterial/monolayer MoS/Si structure. 2019 , 11, 9429-9435		20
268	Double Fano resonances and electromagnetically induced transparency-like optical response achieved by breaking the symmetry of two double-split rings. <i>Physica Scripta</i> , 2019 , 94, 085504	2.6	2
267	Analogue of tunable electromagnetically induced transparency in terahertz metal-graphene metamaterial. 2019 , 6, 055808		9
266	Highly sensitive refractive-index sensor based on strong magnetic resonance in metamaterials. 2019 , 12, 052015		44
265	. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2019 , 9, 209-214	3-4	25
264	Fano resonances and bound states in the continuum in a simple phononic system. 2019 , 12, 035504		6
263	A Terahertz-Microfluidic Chip with a Few Arrays of Asymmetric Meta-Atoms for the Ultra-Trace Sensing of Solutions. 2019 , 6, 12		18
262	High-Q EIT in dielectric metasurface with electric-magnetic coupling. 2019 ,		
261	A terahertz microfluidic sensor based on metasurface. 2019 ,		0
260	Enhanced FANO Structure Based on Tip-Field-Enhancement Theory. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 5009	2.6	
259	Tunable high-quality Fano resonance in coupled terahertz whispering-gallery-mode resonators. <i>Applied Physics Letters</i> , 2019 , 115, 201102	3-4	6
258	Whispering-Gallery Resonators for Highly Integrated Plasmonic THz Circuits. 2019 ,		0
257	Labyrinth Metasurface for Biosensing Applications: Numerical Study on the New Paradigm of Metageometries. 2019 , 19,		9
256	Entanglement of bright and dark modes in parity-time-symmetric plasmonic nanoantennas. 2019 , 100,		4
255	Sensing biological fluids using Resonating Surface Plasmon Polaritons in the THz range. 2019 ,		1
254	Terahertz biosensing with a graphene-metamaterial heterostructure platform. 2019 , 141, 247-252		82
253	A sensitive and selective terahertz sensor for the fingerprint detection of lactose. 2019 , 192, 1-5		20
252	Ultrasensitive Tunable Terahertz Sensor With Graphene Plasmonic Grating. 2019 , 37, 1103-1112		31

251	Water-Based Terahertz Metamaterial for Skin Cancer Detection Application. 2019 , 19, 1519-1524		48
250	Microfluidics Integrated Lithography-Free Nanophotonic Biosensor for the Detection of Small Molecules. 2019 , 7, 1801313		13
249	Ruler equation for precisely tailoring the resonance frequency of terahertz U-shaped metamaterials. <i>Journal of Optics (United Kingdom)</i> , 2019 , 21, 025101	1.7	5
248	Terahertz refractive index sensor based on the guided resonance in a photonic crystal slab. <i>Optics Communications</i> , 2019 , 434, 163-166	2	10
247	Photonic Microcavity-Enhanced Magnetic Plasmon Resonance of Metamaterials for Sensing Applications. 2019 , 31, 113-116		26
246	Dielectrics for Terahertz Metasurfaces: Material Selection and Fabrication Techniques. 2020 , 8, 1900750		40
245	2D Materials for Terahertz Modulation. 2020 , 8, 1900550		32
244	Terahertz Sensing Based on Metasurfaces. 2020 , 8, 1900721		68
243	Active Control of Asymmetric Fano Resonances with GrapheneSilicon-Integrated Terahertz Metamaterials. 2020 , 5, 1900840		19
242	A multiple mode integrated biosensor based on higher order Fano metamaterials. 2020 , 12, 1719-1727		14
241	Simulation of dynamically tunable and switchable electromagnetically induced transparency analogue based on metal-graphene hybrid metamaterial. 2020 , 159, 273-282		42
240	Novel terahertz metasurfaces based on complementary coupled split ring resonators. <i>Optical Materials</i> , 2020 , 99, 109596	3.3	2
239	Terahertz on-chip sensing by exciting higher radial order spoof localized surface plasmons. 2020 , 13, 012014		10
238	Tunable manipulation of electromagnetically induced transparency in resonance amplitude based on metal-graphene complementary metamaterial. <i>Optics Communications</i> , 2020 , 459, 124966	2	
237	Frequency-Controllable Polarization Rotation of THz Waves With an SCMS. 2020 , 68, 1491-1502		7
236	Wide-Angle Polarization-Independent Ultra-Broadband Absorber from Visible to Infrared. 2019 , 10,		15
235	Multiple Fano resonances in all-dielectric elliptical disk-ring metasurface for high-quality refractive index sensing. 2020 , 18, 103340		5
234	Tripod-Loop Metasurfaces for Terahertz-Sensing Applications: A Comparison. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6504	2.6	2

233	The terahertz metamaterials for sensitive biosensors in the detection of ethanol solutions. <i>Optics Communications</i> , 2020 , 475, 126287	2	15
232	High-Q metamaterials based on cavity mode resonance for THz sensing applications. 2020 , 10, 075014		6
231	Two-Way Fano Resonance Switch in Plasmonic Metamaterials. 2020 , 8,		1
230	Determination of Permittivity of Dielectric Analytes in the Terahertz Frequency Range Using Split Ring Resonator Elements Integrated with On-Chip Waveguide. 2020 , 20,		4
229	High-Throughput Nanofabrication of Metasurfaces with Polarization-Dependent Response. 2020 , 8, 2000786		8
228	Asymmetric graphene metamaterial for narrowband terahertz modulation. <i>Optics Communications</i> , 2020 , 476, 126299	2	7
227	Efficient Broadband Truncated-Pyramid-Based Metamaterial Absorber in the Visible and Near-Infrared Regions. <i>Crystals</i> , 2020 , 10, 784	2.3	8
226	Design of an ultra-thin, multiband, micro-slot based terahertz metamaterial absorber. 2020 , 34, 2181-2193		3
225	Metamaterial-Free Flexible Graphene-Enabled Terahertz Sensors for Pesticide Detection at Bio-Interface. 2020 , 12, 44281-44287		12
224	Molecular methylation detection based on terahertz metamaterial technology. 2020 , 145, 6705-6712		6
223	Reconfigurable metamaterials for optoelectronic applications. 2020 , 14, 78-93		35
222	Excitation of Surface Plasmon Resonance on Multiwalled Carbon Nanotube Metasurfaces for Pesticide Sensors. 2020 , 12, 52082-52088		26
221	Narrowband Light Reflection Resonances from Waveguide Modes for High-Quality Sensors. 2020 , 10,		3
220	Dual-Fano resonances and sensing properties in the crossed ring-shaped metasurface. 2020 , 16, 103140		12
219	Optically tunable single narrow band all-dielectric terahertz metamaterials absorber. 2020 , 10, 045039		2
218	Controllable terahertz cross-shaped three-dimensional graphene intrinsically chiral metastructure and its biosensing application. <i>Optics Communications</i> , 2020 , 474, 126080	2	32
217	Strong terahertz matter interaction induced ultrasensitive sensing in Fano cavity based stacked metamaterials. 2020 , 53, 415101		33
216	An Ultra-Wideband Terahertz Metamaterial Absorber Utilizing Sinusoidal-Patterned Dielectric Loaded Graphene. 2020 , 15, 1835-1843		5

215	Biomedical Sensing with Free-Standing Complementary Supercell Terahertz Metasurfaces. <i>Crystals</i> , 2020 , 10, 372	2.3	3
214	High Sensitivity Terahertz Biosensor Based on Goos-Hñchen Effect in Graphene. 2020 , 12, 1-6		4
213	An ultrahigh Q-factor dual-band terahertz perfect absorber with a dielectric grating slit waveguide for sensing. 2020 , 53, 235103		10
212	Ultrahigh-Q and Polarization-Independent Terahertz Metamaterial Perfect Absorber. 2020 , 15, 1943-1947		5
211	Active EIT-like Dependent on Polarization Angle with Graphene Metamaterial. 2020 , 209, 135-143		
210	Near-field Terahertz Sensing of HeLa Cells and Based on Monolithic Integrated Metamaterials with a Spintronic Terahertz Emitter. 2020 , 12, 35895-35902		17
209	Silicon-Based Terahertz Meta-Devices for Electrical Modulation of Fano Resonance and Transmission Amplitude. 2020 , 8, 2000449		25
208	Surface waves at metal-dielectric interfaces: Material science perspective. 2020 , 5, 100041		12
207	Wide-range line shape control of Fano-like resonances in all-dielectric multilayer structures based on enhanced light absorption in photochromic waveguide layers. 2020 , 127, 073103		1
206	Dynamically tunable Fano resonance with high Q factor based on asymmetric Dirac semimetal split-ring structure. 2020 , 7, 025041		7
205	Extremely high figure of merit in all-dielectric split asymmetric arc metasurface for refractive index sensing. <i>Optics Communications</i> , 2020 , 462, 125327	2	12
204	Polarization and angle insensitive ultra-broadband mid-infrared perfect absorber. 2020 , 384, 126288		13
203	Active Switching of Extremely High-Q Fano Resonances Using Vanadium Oxide-Implanted Terahertz Metamaterials. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 330	2.6	1
202	Lattice-Enhanced Fano Resonances from Bound States in the Continuum Metasurfaces. 2020 , 8, 1901572		30
201	Engineering of high quality factor THz metasurfaces by femtosecond laser ablation. 2020 , 128, 106159		3
200	Numerical Performance Analysis of Terahertz Spectroscopy Using an Ultra-Sensitive Resonance-Based Sensor. 2020 , 8,		1
199	Free-Standing Complementary Asymmetric Metasurface for Terahertz Sensing Applications. 2020 , 20,		10
198	Separately tuning of double Fano resonances in facile asymmetric slit metasurface. 2020 , 13, 052009		4

197	Tunable Fano Resonance and Enhanced Sensing in a Simple Au/TiO Hybrid Metasurface. 2020 , 10,		53
196	All dielectric metasurface based tunable optical modulator: Design and analysis. 2021 , 43, 100881		2
195	Symmetry-Assisted Spectral Line Shapes Manipulation in Dielectric Double-Fano Metasurfaces. 2021 , 9, 2001874		4
194	Tunable Fano Resonance and Enhanced Sensing in Terahertz Metamaterial. 2021 , 8,		1
193	Coupled plasmonic systems: controlling the plasmon dynamics and spectral modulations for molecular detection. 2021 , 13, 5187-5201		3
192	Monolithically Integrated Dual-Wavelength Distributed Bragg Reflector Laser Photonic Integrated Circuit Chip for Continuous-Wave Terahertz Generation. 2021 , 1-1		1
191	Highly efficient transmissive metasurface for polarization control. 2021 , 53, 1		0
190	Electromagnetic-Induced Transparency Resonance with Ultrahigh Figure of Merit Using Terahertz Metasurfaces. 2021 , 42, 371-379		4
189	Hybrid metasurface comprising epsilon-near-zero material for double transparent windows in optical communication band. <i>Optical Materials</i> , 2021 , 112, 110802	3-3	3
188	Ultra-high-Q resonances in plasmonic metasurfaces. 2021 , 12, 974		63
187	Dual-Sensitivity Terahertz Metasensor Based on Lattice-Toroidal-Coupled Resonance. 2021 , 2, 2000175		6
186	High Efficient Metadevices for Terahertz Beam Shaping. 9,		3
185	Analogue of Electromagnetically Induced Transparency Based on Bright-Bright Mode Coupling Between Spoof Electric Localized Surface Plasmon and Electric Dipole. 2021 , 69, 1538-1546		4
184	A Terahertz Electromagnetically Induced Transparency-Like Metamaterial for Biosensing. 2021 ,		3
183	Switchable Fano Resonance Based on Cut-Induced Asymmetric Split-Ring Resonators with Dirac Semimetal Film. 2021 , 16, 1405		2
182	Active control of terahertz waves based on p-Si hybrid PIT metasurface device under avalanche breakdown. <i>Optics Express</i> , 2021 , 29, 12712-12722	3-3	1
181	Advanced Electromagnetic Metamaterials for Temperature Sensing Applications. 2021 , 9,		2
180	Sensing Enhancement of Electromagnetically Induced Transparency Effect in Terahertz Metamaterial by Substrate Etching. 2021 , 9,		0

179	Simultaneous Measurements of Refractive Index and Methane Concentration through Electromagnetic Fano Resonance Coupling in All-Dielectric Metasurface. 2021 , 21,		1
178	Active Control of Nanodielectric-Induced THz Quasi-BIC in Flexible Metasurfaces: A Platform for Modulation and Sensing. 2021 , 33, e2100836		40
177	Optoelectronic Gas Sensing Platforms: From Metal Oxide Lambda Sensors to Nanophotonic Metamaterials. 2021 , 2, 2000141		4
176	All-Metal Terahertz Metamaterial Absorber and Refractive Index Sensing Performance. 2021 , 8, 164		8
175	Terahertz Microfluidic Sensing with Dual-Torus Toroidal Metasurfaces. 2021 , 9, 2100024		14
174	Controlling Tamm phonons using hBN and a distributed Bragg reflector for narrowband refractive index sensing. <i>Applied Optics</i> , 2021 , 60, 4986-4992	1.7	0
173	Refractive index sensing with hollow metal-insulator-metal metasurfaces. 2021 , 54, 285106		2
172	Plasmonic Grating-Based Refractive Index Sensor with High Sensitivity. 1-7		0
171	Active manipulation of dual transparency windows in dark-Bright-dark mode coupling graphene metamaterial. <i>Optics Communications</i> , 2021 , 488, 126851	2	2
170	Tunable polarization-induced Fano resonances in stacked wire-grid metasurfaces. 2021 , 4,		1
169	Highly sensitive terahertz metamaterial biosensor for bovine serum albumin (BSA) detection. 2021 , 11, 2268		10
168	Independently tunable double Fano-like resonances arising from the interference coupling of localized surface plasmons with waveguide modes. 2021 , 25, 104218		2
167	Dual-band ultrasensitive terahertz sensor based on tunable graphene metamaterial absorber. 2021 , 154, 106898		6
166	Tunable Van der Waal's optical metasurfaces (VOMs) for biosensing of multiple analytes. <i>Optics Express</i> , 2021 , 29, 25800-25811	3.3	3
165	Controllable finite ultra-narrow quality-factor peak in a perturbed Dirac-cone band structure of a photonic-crystal slab. <i>Applied Physics Letters</i> , 2021 , 119, 031105	3.4	4
164	Terahertz high-Q quasi-bound states in the continuum in laser-fabricated metallic double-slit arrays. <i>Optics Express</i> , 2021 , 29, 24779-24791	3.3	9
163	Research Advance on the Sensing Characteristics of Refractive Index Sensors Based on Electromagnetic Metamaterials. 2021 , 2021, 1-27		2
162	Quasi-bound states in the continuum in metal complementary periodic cross-shaped resonators at terahertz frequencies. 2021 , 46, 4370-4373		6

161	Highly efficient ultrathin broadband quarter-waveplate based on plasmonic metasurface. <i>Optik</i> , 2021 , 239, 166770	2.5	1
160	Reverse Design of On-Chip Terahertz Demultiplexers. 2021 , 12,		2
159	Coordination multi-band absorbers with patterned irrelevant graphene patches based on multi-layer film structures. 2021 , 54, 505306		5
158	Ultrahigh-Q terahertz sensor based on simple all-dielectric metasurface with toroidal dipole resonance. 2021 , 14, 102008		0
157	Altering the Multimodal Resonance in Ultrathin Silicon Ring for Tunable THz Biosensing. 2021 , 20, 488-496		9
156	Fano resonance in terahertz parallel plate waveguide. 2021 , 118, 103875		0
155	High-Q Fano Resonance in Subwavelength Stub-Wall-Coupled MDM Waveguide Structure and Its Terahertz Sensing Application. 2021 , 9, 123939-123949		1
154	Bipolar charge trapping for absorption enhancement in a graphene-based ultrathin dual-band terahertz biosensor.		8
153	Terahertz Sensing with Optimized Q/Veff Metasurface Cavities. 2020 , 8, 1902025		31
152	Dual-band terahertz switch with stretchable Bloch-mode metasurface. 2020 , 22, 113008		2
151	High-sensitivity detection of chlorothalonil via terahertz metasensor. 2020 , 7, 095801		4
150	Single split gap resonator based terahertz metamaterials for refractive index sensing. 2018 ,		3
149	Terahertz refractive index sensor based on Tamm plasmon-polaritons with graphene. <i>Applied Optics</i> , 2019 , 58, 3604-3612	1.7	23
148	Sensitive detection of the concentrations for normal epithelial cells based on Fano resonance metamaterial biosensors in terahertz range. <i>Applied Optics</i> , 2019 , 58, 6268-6273	1.7	8
147	Notched terahertz Bowtie metamaterials with strongly enhanced near-field and narrowed resonance linewidth. <i>Applied Optics</i> , 2019 , 58, 6295-6299	1.7	1
146	Dual-band refractometric terahertz biosensing with intense wave-matter-overlap microfluidic channel. 2019 , 10, 3789-3799		19
145	Tunable Fano resonance with ultrahigh peak by bright-dark mode coupling in Dirac semimetal. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, 2461	1.7	3
144	Metallic mesh devices-based terahertz parallel-plate resonators: characteristics and applications. <i>Optics Express</i> , 2018 , 26, 24992-25002	3.3	8

143	On-chip plasmon-induced transparency in THz metamaterial on a LiNbO subwavelength planar waveguide. <i>Optics Express</i> , 2019 , 27, 7373-7383	3-3	8
142	Ultrasensitive tunable terahertz sensor based on five-band perfect absorber with Dirac semimetal. <i>Optics Express</i> , 2019 , 27, 20165-20176	3-3	27
141	Increasing the sensitivity of terahertz split ring resonator metamaterials for dielectric sensing by localized substrate etching. <i>Optics Express</i> , 2019 , 27, 23164-23172	3-3	24
140	Trapping waves with tunable prism-coupling terahertz metasurfaces absorber. <i>Optics Express</i> , 2019 , 27, 25647-25655	3-3	6
139	Ultra-wideband terahertz metamaterial absorber based on Snowflake Koch Fractal dielectric loaded graphene. <i>Optics Express</i> , 2019 , 27, 32958-32969	3-3	21
138	HR-Si prism coupled tightly confined spoof surface plasmon polaritons mode for terahertz sensing. <i>Optics Express</i> , 2019 , 27, 34067-34078	3-3	10
137	MetaNet: a new paradigm for data sharing in photonics research. <i>Optics Express</i> , 2020 , 28, 13670-13681	3-3	15
136	Coherently controllable terahertz plasmon-induced transparency using a coupled Fano-Lorentzian metasurface. <i>Optics Express</i> , 2020 , 28, 15573-15586	3-3	13
135	Toroidal dipole bound states in the continuum metasurfaces for terahertz nanofilm sensing. <i>Optics Express</i> , 2020 , 28, 17102-17112	3-3	25
134	Ultrawideband terahertz absorber with a graphene-loaded dielectric hemi-ellipsoid. <i>Optics Express</i> , 2020 , 28, 28773-28781	3-3	7
133	Sharp resonances in terahertz free-standing three-dimensional metallic woven meshes. <i>Optics Express</i> , 2020 , 28, 30174-30186	3-3	3
132	Fano resonance arising due to direct interaction of plasmonic and lattice modes in a mirrored array of split ring resonators. 2019 , 44, 759-762		4
131	Superlattice bilayer metasurfaces simultaneously supporting electric and magnetic Fano resonances. 2019 , 9, 944		8
130	Tunable polarization-nonsensitive electromagnetically induced transparency in Dirac semimetal metamaterial at terahertz frequencies. 2019 , 9, 1562		23
129	Spectral and temporal evidence of robust photonic bound states in the continuum on terahertz metasurfaces. 2019 , 6, 996		68
128	Theoretical investigation of active modulation and enhancement of Fano resonance in THz metamaterials. 2019 , 2, 531		15
127	Enhancing sensitivity to ambient refractive index with tunable few-layer graphene/hBN nanoribbons. 2019 , 7, 815		14
126	Terahertz quantum plasmonics at nanoscales and angstrom scales. <i>Nanophotonics</i> , 2020 , 9, 435-451	6-3	5

125	Terahertz plasmonic phase-jump manipulator for liquid sensing. <i>Nanophotonics</i> , 2020 , 9, 3011-3021	6.3	8
124	Metasurfaces for biomedical applications: imaging and sensing from a nanophotonics perspective. <i>Nanophotonics</i> , 2020 , 10, 259-293	6.3	38
123	High-Q Fano resonance induced by Rayleigh anomaly in terahertz metamaterials. 2021 ,		
122	Highly sensitive terahertz sensors based on polarization independent and multiple resonance. <i>Optics Communications</i> , 2021 , 507, 127519	2	0
121	Electromagnetically induced transparency-based metal dielectric metamaterial and its terahertz sensing application.. <i>Applied Optics</i> , 2021 , 60, 10610-10616	1.7	0
120	Recent Advances in the Development of Materials for Terahertz Metamaterial Sensing. 2101008		12
119	Angle-based wavefront sensing enabled by the near fields of flat optics. 2021 , 12, 6002		2
118	Study on sensing characteristics of I-shaped terahertz metamaterial absorber. 2015 , 64, 117801		2
117	Influence of asymmetric structures on electromagnetic response characteristics of terahertz metamaterials. 2017 ,		
116	An ultra-high sensitive THz microfluidic chip with asymmetric meta-atoms for measurements of trace amount of liquid solutions. 2019 ,		
115	Highly efficient ultra-broadband perfect absorber based on a simple four-layer structure AlSiO ₂ Si ₃ N ₄ in visible to near-infrared region. 2019 , 13, 1		2
114	Highly sensitive detection of glycerol proportion using asymmetric terahertz metamaterial. 2019 ,		
113	The biosensing of liver cancer cells based on the terahertz plasmonic metamaterials. 2019 ,		2
112	Metallic metamaterial terahertz sensors for simultaneous measurement of temperature and refractive index. <i>Applied Optics</i> , 2020 , 59, 5385	1.7	
111	Geometry-Independent Excitation of Dark Modes Using Dipole Moment Transitions. 2020 , 68, 6172-6182		2
110	SRRs and Cross Combine Asymmetric Metamaterials Promising for THz Sensor. 2020 ,		
109	High-Q Fano Terahertz Resonance Based on Bound States in the Continuum in All-dielectric Metasurface. 2021 , 575, 151723		3
108	Dielectric stereostructure on graphene for ultrawideband terahertz absorber. 2020 ,		

107	Plasmonic evolution maps for planar metamaterials. 2021 , 9, 73		1
106	. 2022 , 28, 1-8		0
105	Progress of advanced Terahertz biochemical detection techniques enabling by metamaterials. 2021 , 0-0		
104	Analytical method for designing tunable terahertz absorbers with the desired frequency and bandwidth. <i>Optics Express</i> , 2021 , 29, 39777-39787	3.3	3
103	Dual-band passband terahertz filter based on multilayer metamaterial. <i>Applied Optics</i> , 2020 , 59, 6119-6123		1
102	Optically transparent metasurfaces based on ITO: Numerical design and measurements in THz domain. 2020 , 13, 102002		1
101	Graphene-based electrically controlled terahertz polarization switching between a quarter-wave plate and half-wave plate. <i>Optics Express</i> , 2020 , 28, 39430-39442	3.3	2
100	Fano Resonance in Metasurfaces and Its Application. 2020 ,		0
99	Theoretical and Experimental Research on Terahertz Metamaterial Sensor With Flexible Substrate. 2022 , 14, 1-9		1
98	Active and selective manipulation of dual transparency windows in hybrid graphene-vanadium dioxide metamaterial. <i>Optik</i> , 2022 , 252, 168519	2.5	0
97	A high-performance terahertz back-reflections blocker based on wire grid and metasurface quarter-wave plate. 2022 , 33, 105183		1
96	Electronically switchable Fano resonances based on spoof localized surface plasmons. 2020 ,		1
95	Highly Sensitive detection of Optical tunable terahertz multi-band absorber based on all-dielectric grating.		0
94	Ultrathin Polarization Insensitive Terahertz Metamaterial Absorber. 2021 ,		
93	Terahertz Bound States in the Continuum with Incident Angle Robustness Induced by a Dual-period Meta-grating.		4
92	Metasurface-empowered spectral and spatial light modulation for disruptive holographic displays.. 2022 ,		1
91	Highly sensitive biosensor based on an all-dielectric asymmetric ring metasurface.. <i>Applied Optics</i> , 2022 , 61, 1349-1356	1.7	1
90	Substrate-integrated microfluidics for sensitive biosensing with complementary THz metamaterials in water. <i>Applied Physics Letters</i> , 2022 , 120, 053702	3.4	2

89	Dual-band polarization-insensitive toroidal dipole quasi-bound states in the continuum in a permittivity-asymmetric all-dielectric meta-surface.. <i>Optics Express</i> , 2022 , 30, 4084-4095	3.3	5
88	Electromagnetically Induced Transparency-Like Approach Based on Terahertz Metamaterials for Ultrasensitive Refractive Index Sensors. 2022 , 22, 2110-2118		1
87	SnSe ₂ -functionalized ultrafast terahertz switch with ultralow pump threshold.		1
86	Encoding and Tuning of THz Metasurface-Based Refractive Index Sensor With Behavior Prediction Using XGBoost Regressor. 2022 , 10, 24797-24814		9
85	Influence of Random Plasmonic Metasurfaces on Fluorescence Enhancement.. 2022 , 15,		0
84	Terahertz 3D bulk metamaterials with randomly dispersed split-ring resonators. <i>Nanophotonics</i> , 2022 ,	6.3	2
83	Tailoring bound states in the continuum in symmetric photonic crystal slabs by coupling strengths.. <i>Optics Express</i> , 2022 , 30, 8049-8062	3.3	1
82	Terahertz (THz) biophotonics technology: Instrumentation, techniques, and biomedical applications. <i>Chemical Physics Reviews</i> , 2022 , 3, 011311	4.4	6
81	Ultra-high sensitivity terahertz sensor based on a five-band absorber. <i>Journal of Optics (United Kingdom)</i> , 2022 , 24, 055102	1.7	3
80	Analytical expressions for real and complex Fano parameters in a simple classical harmonic oscillator system. <i>Japanese Journal of Applied Physics</i> , 2022 , 61, SG1010	1.4	1
79	Design of ultra-broadband infraredmetamaterial absorber in the atmospherictransparent window. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> ,	1.8	0
78	Enhanced Magneto-Optical Effect in Heterostructures Composed of Epsilon-Near-Zero Materials and Truncated Photonic Crystals. <i>Frontiers in Materials</i> , 2022 , 9,	4	0
77	Can a terahertz metamaterial sensor be improved by ultra-strong coupling with a high-Q photonic resonator?. <i>Optics Express</i> , 2022 , 30, 13659-13672	3.3	0
76	Terahertz Metastructures for Noninvasive Biomedical Sensing and Characterization in Future Health Care [Bioelectromagnetics]. <i>IEEE Antennas and Propagation Magazine</i> , 2022 , 64, 60-70	1.7	2
75	Modified fishnet structure with a wide negative refractive index band and a high figure of merit at microwave frequencies. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2022 , 39, 1282	1.7	0
74	All-silicon periodic and non-periodic THz metasurface for sensing applications. <i>Optical Materials</i> , 2022 , 126, 112206	3.3	0
73	Multifunctional terahertz metasurface utilizing Dirac semi-metal and vanadium dioxide hybrid metamaterials. <i>Materials Science in Semiconductor Processing</i> , 2022 , 146, 106682	4.3	0
72	Sensing Glucose Concentration Using Symmetric Metasurfaces under Oblique Incident Terahertz Waves. <i>Crystals</i> , 2021 , 11, 1578	2.3	0

71	Multipoles THz Metamaterial Biosensor for Low-Density Biomarker Detection. 2021 ,		
70	Ultra-efficient terahertz metamaterial sensor. <i>Results in Optics</i> , 2022 , 8, 100236	1	1
69	Sensing enhancement of a Fabry-Perot THz cavity using switchable VO ₂ mirrors. <i>Optics Express</i> ,	3.3	0
68	Terahertz Metamaterials Biosensor for Diagnosis of Hepatocellular Carcinoma at Early Stage. <i>Applied Optics</i> ,	1.7	0
67	Terahertz metasurfaces based on bound states in the continuum (BIC) for high-sensitivity refractive index sensing. <i>Optik</i> , 2022 , 261, 169248	2.5	2
66	Ultra-high Q resonances governed by quasi-bound states in the continuum in all-dielectric THz metamaterials. <i>Optics Communications</i> , 2022 , 128555	2	1
65	Experimental Demonstration of Concentration Detection of Liquid Sensor Based on Terahertz Metamaterials. 2021 ,		
64	Guided Lattice Modes in Terahertz Metasurface Deposited on Ultrathin Dielectric Substrate. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2022 , 1-8	3.4	0
63	Ultrasensitive dual-band terahertz metasurface sensor based on all InSb resonator. <i>Optics Communications</i> , 2022 , 128667	2	0
62	Polarization-sensitive tunable extraordinary terahertz transmission based on a hybrid metal-vanadium dioxide metasurface. <i>Applied Optics</i> ,	1.7	0
61	Terahertz Metamaterial Sensor for Sensitive Detection of Citrate Salt Solutions. <i>Biosensors</i> , 2022 , 12, 408	5.9	5
60	Field manipulation of electromagnetically induced transparency analogue in terahertz metamaterials for enhancing liquid sensing. <i>Optics and Lasers in Engineering</i> , 2022 , 157, 107127	4.6	0
59	Ultra-High Sensitive Temperature Sensor Based on the Perfect Metamaterial Absorber in the Terahertz Band. <i>SSRN Electronic Journal</i> ,	1	
58	Highly Sensitive Terahertz Sensor Based on Graphene Metamaterial Absorber. <i>SSRN Electronic Journal</i> ,	1	
57	Terahertz membrane sensing based on terahertz composite slabs with enhanced fields. <i>Applied Physics A: Materials Science and Processing</i> , 2022 , 128,	2.6	
56	Topology-empowered membrane devices for terahertz photonics. <i>Advanced Photonics</i> , 2022 , 4,	8.1	2
55	Tunable Electromagnetically Induced Transparent Window of Terahertz Metamaterials and Its Sensing Performance. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 7057	2.6	
54	Generating multiple resonances in an ultrathin silicon for highly selective THz biosensing. <i>Physica Scripta</i> ,	2.6	1

53	Topological sensor on a silicon chip. <i>Applied Physics Letters</i> , 2022 , 121, 011101	3.4	9
52	Terahertz polarization sensing for protein concentration and a crystallization process on a reflective metasurface. <i>Applied Optics</i> , 2022 , 61, 6391	1.7	
51	Graphite based metal-free and polarization-insensitive multiband THz absorber with wide incident angle. <i>Optik</i> , 2022 , 266, 169601	2.5	
50	Quasi-BIC-Based High-Q Perfect Absorber with Decoupled Resonant Wavelength and Q Factor. <i>Electronics (Switzerland)</i> , 2022 , 11, 2313	2.6	
49	Terahertz metasurface with multiple BICs/QBICs based on a split ring resonator. <i>Optics Express</i> , 2022 , 30, 29088	3.3	
48	Three-dimensional split ring resonators affect reflection and absorption characteristics of terahertz wave. 2022 , 594, 98-108		
47	Fano-resonant graphene metamaterials. 2022 , 132, 060901		1
46	Experimental demonstration of multiple Fano resonances appearing due to the interaction of plasmonic mode with waveguide modes in a mirrored array of split-ring resonators.		
45	Terahertz Asymmetric S-Shaped Complementary Metasurface Biosensor for Glucose Concentration. 2022 , 12, 609		1
44	Polarization-Independent Multi-Resonance With High Q-Factor for Highly Sensitive Terahertz Sensors Based on All-Dielectric Metasurface. 2022 , 14, 1-8		1
43	Quasi-BICs Enabled Proximity Sensing Based on Metal Complementary H-Shaped Arrays at Terahertz Frequencies. 2022 , 14, 1-8		0
42	A Terahertz-Based Graphene Metasurface Sensor for Hemoglobin Detection with High Q Factor and Low Figure of Merit. 2022 , 41-51		0
41	Sensitive and Robust Millimeter-Wave/Terahertz Photonic Crystal Chip for Biosensing Applications. 2022 , 10, 92237-92248		0
40	High-sensitivity refractive index sensing with the singular phase in normal incidence of an asymmetric FabryPerot cavity modulated by grating. 2023 , 157, 108697		0
39	3D flexible displacement sensor for highly sensitive movement measurement assisted by the terahertz imaging system. 9,		0
38	Spoof surface plasmon-based terahertz metasensor for glucose and ethanol. 2022 , 128,		0
37	Terahertz Metamaterial Sensor in a High-Q Photonic Crystal Cavity. 2022 ,		0
36	Excitation of Asymmetric Resonance with Symmetric Split-Ring Resonator. 2022 , 15, 5921		0

35	Experimental demonstration of multiple Fano resonances in a mirrored array of split-ring resonators on a thick substrate. 2022 , 12,	2
34	Plasmonic Nanosensors and Metasensors Based on New Physical Mechanisms. 2022 , 10, 397	0
33	Highly sensitive terahertz sensor based on graphene metamaterial absorber. 2022 , 129021	1
32	Defect-rich graphene-coated metamaterial device for pesticide sensing in rice. 2022 , 12, 28678-28684	1
31	Ultra-wideband transmission filter based on guided-mode resonance in two terahertz metasurfaces.	0
30	A Novel Terahertz Integrated Sensor for Liquid Samples Detections Based on Metamaterial and Embedded Microfluidic Channels.	0
29	Design of Cost-Efficient Graphene Metasurface based Pregnancy Test with NOR Gate Realization and Parametric Optimization. 2022 , 1-1	0
28	Graphene-based metamaterial absorber for refractive index sensing applications in terahertz band. 2022 , 109539	0
27	A Simple Metamaterial for High-Performance Spectrum-Selective Absorption in the Visible Region. 2022 , 14, 2402	1
26	Recent progress in terahertz biosensors based on artificial electromagnetic subwavelength structure. 2023 , 158, 116888	0
25	Optimization of metasurface design in terahertz microfluidic chips. 2021 ,	0
24	Tunable Slow Light Effect Induced by Quasi-dark and Dark Mode Coupling in Microwave Metamaterials. 2022 ,	0
23	Optically tunable and broadband terahertz coherent perfect absorption based on coupled toroidal dipole excitation. 1-16	0
22	SARS-CoV-2 detecting rapid metasurface-based sensor. 2022 , 109644	2
21	Ultra-sensitive terahertz sensing based on Rayleigh anomaly in hyperbolic metamaterial gratings.	0
20	Subwavelength Terahertz Resonance Imaging (STRING) for Molecular Fingerprinting.	0
19	High-Q multiple Fano resonances with near-unity modulation depth governed by nonradiative modes in all-dielectric terahertz metasurfaces.	0
18	A Graphene-Metasurface-Inspired Optical Sensor for the Heavy Metals Detection for Efficient and Rapid Water Treatment. 2023 , 10, 56	0

- 17 Tunable dual quasi-bound states in continuum and electromagnetically induced transparency enabled by the broken material symmetry in all-dielectric compound gratings. ○
- 16 Multi-narrowband polarization independent terahertz absorber based on graphene-silica raised ring. **2023**, 55, ○
- 15 High-Sensitivity Temperature Sensor Based on the Perfect Metamaterial Absorber in the Terahertz Band. **2023**, 10, 92 ○
- 14 Loss-Induced Performance Limits of All-Dielectric Metasurfaces for Terahertz Sensing. **2023**, 19, ○
- 13 The covert transmittance enhancement effect of terahertz metamaterials coupling with vapor. **2023**, 351, 114147 ○
- 12 Resonance Effects in the Bent Waveguide-Based FabryPerot Resonator with Mirrors of Spatially Varying Reflectivity. **2022**, 86, S50-S59 ○
- 11 Lumped-Element models of THz Metasurfaces Based on Split-ring Resonators and Their Complementary Form. ○
- 10 Low-Concentration Biological Sample Detection Using an Asymmetric Split Resonator Terahertz Metamaterial. **2023**, 10, 111 ○
- 9 Tailoring Electromagnetic Responses in Terahertz Metasurface by Breaking the Structural Symmetry in T-Shaped Resonators. ○
- 8 Flexible terahertz Metamaterial sensor for sensitive detection of imidacloprid. **2023**, 537, 129430 ○
- 7 Polarization-insensitive refractive index sensor based on high-Q resonance in all-dielectric metasurface. **2022**, ○
- 6 Polarization multiplexing multichannel high-Q terahertz sensing system. 5, ○
- 5 Biomarker detection using GST-based permittivity-asymmetric metasurface. **2023**, 227, 111747 ○
- 4 High-sensitivity polarization-independent terahertz Taichi-like micro-ring sensors based on toroidal dipole resonance for concentration detection of A β protein. **2023**, 12, 1177-1187 ○
- 3 Surface Lattice Resonance with an Ultra-High Unloaded Q-Factor in Capacitive Metal Meshes at Terahertz Frequencies. ○
- 2 Weak-localization effect in Fano asymmetry of C implanted rutile TiO₂ nanostructure. **2023**, 133, 144301 ○
- 1 Dual resonance based on quasi-bound states in continuum in the all-dielectric terahertz metasurface and its application in sensing. **2023**, 49, 106518 ○