

On the Nanoengineering of Superhydrophobic and Imp below the Freezing Temperature

Nano Letters

14, 172-182

DOI: 10.1021/nl4037092

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 4 | Slippery lubricant-infused textured aluminum surfaces. <i>Journal of Adhesion Science and Technology</i> , 2014, 28, 1949-1957. | 1.4 | 25 |
| 5 | Surface engineering for phase change heat transfer: A review. <i>MRS Energy & Sustainability</i> , 2014, 1, 1. | 1.3 | 288 |
| 6 | Fabrication of Superhydrophobic Copper Surface on Various Substrates for Roll-off, Self-Cleaning, and Water/Oil Separation. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 22034-22043. | 4.0 | 119 |
| 7 | Superhydrophobic surfaces by laser ablation of rare-earth oxide ceramics. <i>MRS Communications</i> , 2014, 4, 95-99. | 0.8 | 32 |
| 8 | Mechanism of Delayed Frost Growth on Superhydrophobic Surfaces with Jumping Condensates: More Than Interdrop Freezing. <i>Langmuir</i> , 2014, 30, 15416-15422. | 1.6 | 132 |
| 9 | Oblique impacts of water drops onto hydrophobic and superhydrophobic surfaces: outcomes, timing, and rebound maps. <i>Experiments in Fluids</i> , 2014, 55, 1. | 1.1 | 94 |
| 10 | Multifunctional Superhydrophobic Polymer/Carbon Nanocomposites: Graphene, Carbon Nanotubes, or Carbon Black?. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8859-8867. | 4.0 | 116 |
| 11 | Bio-Inspired Strategies for Anti-Icing. <i>ACS Nano</i> , 2014, 8, 3152-3169. | 7.3 | 760 |
| 12 | Development of Sol-gel Icephobic Coatings: Effect of Surface Roughness and Surface Energy. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 20685-20692. | 4.0 | 146 |
| 13 | Rational nanostructuring of surfaces for extraordinary icephobicity. <i>Nanoscale</i> , 2014, 6, 4874-4881. | 2.8 | 203 |
| 14 | Hierarchically nanotextured surfaces maintaining superhydrophobicity under severely adverse conditions. <i>Nanoscale</i> , 2014, 6, 8710-8719. | 2.8 | 72 |
| 15 | Active surfaces: Ferrofluid-impregnated surfaces for active manipulation of droplets. <i>Applied Physics Letters</i> , 2014, 105, . | 1.5 | 103 |
| 16 | VOF simulations of the contact angle dynamics during the drop spreading: Standard models and a new wetting force model. <i>Advances in Colloid and Interface Science</i> , 2014, 212, 1-20. | 7.0 | 158 |
| 17 | Supercooled Water Drops Impacting Superhydrophobic Textures. <i>Langmuir</i> , 2014, 30, 10855-10861. | 1.6 | 157 |
| 18 | Flexible Teflon Nanocone Array Surfaces with Tunable Superhydrophobicity for Self-Cleaning and Aqueous Droplet Patterning. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 11110-11117. | 4.0 | 94 |
| 19 | Regulating Water Adhesion on Superhydrophobic TiO ₂ Nanotube Arrays. <i>Advanced Functional Materials</i> , 2014, 24, 6381-6388. | 7.8 | 70 |
| 20 | Droplet coalescence and freezing on hydrophilic, hydrophobic, and biphilic surfaces. <i>Applied Physics Letters</i> , 2015, 107, . | 1.5 | 39 |
| 21 | Superhydrophobicity vs. Ice Adhesion: The Quandary of Robust Icephobic Surface Design. <i>Advanced Materials Interfaces</i> , 2015, 2, 1500330. | 1.9 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 22 | Two types of Cassie-to-Wenzel wetting transitions on superhydrophobic surfaces during drop impact. <i>Soft Matter</i> , 2015, 11, 4592-4599. | 1.2 | 88 |
| 23 | Thermally Triggered Transition of Superhydrophobic Characteristics of Micro- and Nanotextured Multiscale Rough Surfaces. <i>Journal of Physical Chemistry C</i> , 2015, 119, 14201-14213. | 1.5 | 27 |
| 24 | Symmetry breaking in drop bouncing on curved surfaces. <i>Nature Communications</i> , 2015, 6, 10034. | 5.8 | 340 |
| 25 | Dynamics of Droplet Impact on Hydrophobic/Icephobic Concrete with the Potential for Superhydrophobicity. <i>Langmuir</i> , 2015, 31, 1437-1444. | 1.6 | 88 |
| 26 | High-Performance, Room-Temperature, and No-Humidity-Impact Ammonia Sensor Based on Heterogeneous Nickel Oxide and Zinc Oxide Nanocrystals. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 3816-3824. | 4.0 | 139 |
| 27 | Ice nucleation behaviour on sol-gel coatings with different surface energy and roughness. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 21492-21500. | 1.3 | 55 |
| 28 | Three-tier rough superhydrophobic surfaces. <i>Nanotechnology</i> , 2015, 26, 315705. | 1.3 | 3 |
| 29 | Role of surface oxygen-to-metal ratio on the wettability of rare-earth oxides. <i>Applied Physics Letters</i> , 2015, 106, . | 1.5 | 109 |
| 30 | Bioinspired Stimuli-Responsive and Antifreeze-Resisting Anti-Icing Coatings. <i>Advanced Materials Interfaces</i> , 2015, 2, 1400479. | 1.9 | 119 |
| 31 | Simple Approach to Superhydrophobic Nanostructured Al for Practical Antifrosting Application Based on Enhanced Self-propelled Jumping Droplets. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 7206-7213. | 4.0 | 104 |
| 32 | Influence of different chemical modifications on the icephobic properties of superhydrophobic surfaces in a condensate environment. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4967-4975. | 5.2 | 46 |
| 33 | Controlling drop bouncing using surfaces with gradient features. <i>Applied Physics Letters</i> , 2015, 107, . | 1.5 | 93 |
| 34 | Spontaneous droplet trampolining on rigid superhydrophobic surfaces. <i>Nature</i> , 2015, 527, 82-85. | 13.7 | 349 |
| 35 | Enhancement of icephobic properties based on UV-curable fluorosilicone copolymer films. <i>RSC Advances</i> , 2015, 5, 90578-90587. | 1.7 | 20 |
| 36 | Superhydrophobic-like tunable droplet bouncing on slippery liquid interfaces. <i>Nature Communications</i> , 2015, 6, 7986. | 5.8 | 229 |
| 37 | Magnetic particle-based super-hydrophobic coatings with excellent anti-icing and thermoresponsive deicing performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 21637-21646. | 5.2 | 150 |
| 38 | Splashing Threshold of Oblique Droplet Impacts on Surfaces of Various Wettability. <i>Langmuir</i> , 2015, 31, 10100-10111. | 1.6 | 82 |
| 39 | Anti-icing Potential of Superhydrophobic Ti6Al4V Surfaces: Ice Nucleation and Growth. <i>Langmuir</i> , 2015, 31, 10799-10806. | 1.6 | 113 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 40 | Recurrent Filmwise and Dropwise Condensation on a Beetle Mimetic Surface. <i>ACS Nano</i> , 2015, 9, 71-81. | 7.3 | 436 |
| 41 | Physics of Icing and Rational Design of Surfaces with Extraordinary Icephobicity. <i>Langmuir</i> , 2015, 31, 4807-4821. | 1.6 | 292 |
| 42 | Unraveling wetting transition through surface textures with X-rays: Liquid meniscus penetration phenomena. <i>Scientific Reports</i> , 2014, 4, 4055. | 1.6 | 56 |
| 43 | Long-living, stress- and pH-tolerant superhydrophobic silica particles via fast and efficient urethane chemistry; facile preparation of self-recoverable SH coatings. <i>Journal of Materials Chemistry A</i> , 2015, 3, 1465-1475. | 5.2 | 31 |
| 44 | Morphing and vectoring impacting droplets by means of wettability-engineered surfaces. <i>Scientific Reports</i> , 2014, 4, 7029. | 1.6 | 67 |
| 45 | On Modulating Interfacial Structure towards Improved Anti-Icing Performance. <i>Coatings</i> , 2016, 6, 3. | 1.2 | 22 |
| 46 | Bioinspired Interfacial Materials with Enhanced Drop Mobility: From Fundamentals to Multifunctional Applications. <i>Small</i> , 2016, 12, 1825-1839. | 5.2 | 193 |
| 47 | Retarded condensate freezing propagation on superhydrophobic surfaces patterned with micropillars. <i>Applied Physics Letters</i> , 2016, 108, . | 1.5 | 59 |
| 48 | On the shedding of impaled droplets: The role of transient intervening layers. <i>Scientific Reports</i> , 2016, 6, 18875. | 1.6 | 14 |
| 49 | Tailoring the optical and hydrophobic property of zinc oxide nanorod by coating with amorphous graphene. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2016, 83, 47-55. | 1.3 | 9 |
| 50 | Stretchable Superhydrophobicity from Monolithic, Three-Dimensional Hierarchical Wrinkles. <i>Nano Letters</i> , 2016, 16, 3774-3779. | 4.5 | 127 |
| 51 | Low Ice Adhesion on Nano-Textured Superhydrophobic Surfaces under Supersaturated Conditions. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12583-12587. | 4.0 | 179 |
| 52 | Droplet bouncing on hierarchical branched nanotube arrays above and below the freezing temperature. <i>Applied Surface Science</i> , 2016, 375, 127-135. | 3.1 | 9 |
| 53 | A superrepellent coating with dynamic fluorine chains for frosting suppression: effects of polarity, coalescence and ice nucleation free energy barrier. <i>RSC Advances</i> , 2016, 6, 92197-92205. | 1.7 | 16 |
| 54 | Droplet impact on superhydrophobic surfaces: A review of recent developments. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 42, 1-14. | 2.9 | 265 |
| 55 | Roles of silanes and silicones in forming superhydrophobic and superoleophobic materials. <i>Journal of Materials Chemistry A</i> , 2016, 4, 13677-13725. | 5.2 | 215 |
| 56 | Integrated Anti-Icing Property of Super-Repellency and Electrothermogenesis Exhibited by PEDOT:PSS/Cyanoacrylate Composite Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 24212-24220. | 4.0 | 42 |
| 57 | Single etch fabrication and characterization of robust nanoparticle tipped bi-level superhydrophobic surfaces. <i>RSC Advances</i> , 2016, 6, 81852-81861. | 1.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 58 | Tensiometric Characterization of Superhydrophobic Surfaces As Compared to the Sessile and Bouncing Drop Methods. <i>Langmuir</i> , 2016, 32, 7765-7773. | 1.6 | 6 |
| 59 | Magnetic slippery extreme icephobic surfaces. <i>Nature Communications</i> , 2016, 7, 13395. | 5.8 | 223 |
| 60 | Superhydrophobicity enhancement through substrate flexibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13307-13312. | 3.3 | 85 |
| 61 | Superhydrophobic porous networks for enhanced droplet shedding. <i>Scientific Reports</i> , 2016, 6, 33817. | 1.6 | 27 |
| 62 | Controlling condensation and frost growth with chemical micropatterns. <i>Scientific Reports</i> , 2016, 6, 19131. | 1.6 | 111 |
| 63 | Dynamics of high Weber number drops impacting on hydrophobic surfaces with closed micro-cells. <i>Soft Matter</i> , 2016, 12, 5808-5817. | 1.2 | 23 |
| 64 | An Experimental Investigation on the Effects of Surface Wettability on Water Runback and Ice Accretion over an Airfoil Surface. , 2016, , . | | 21 |
| 65 | Is a Knowledge of Surface Topology and Contact Angles Enough to Define the Drop Impact Outcome?. <i>Langmuir</i> , 2016, 32, 6255-6262. | 1.6 | 15 |
| 66 | Maximum Spreading of Liquid Drops Impacting on Groove-Textured Surfaces: Effect of Surface Texture. <i>Langmuir</i> , 2016, 32, 2399-2409. | 1.6 | 67 |
| 67 | Wetting hysteresis induced by temperature changes: Supercooled water on hydrophobic surfaces. <i>Journal of Colloid and Interface Science</i> , 2016, 468, 21-33. | 5.0 | 40 |
| 68 | Droplet impact dynamics on micropillared hydrophobic surfaces. <i>Experimental Thermal and Fluid Science</i> , 2016, 74, 195-206. | 1.5 | 107 |
| 69 | An Experimental Investigation on Unsteady Heat Transfer and Transient Icing Process upon Impingement of Water Droplets. , 2016, , . | | 7 |
| 70 | Durable and scalable icephobic surfaces: similarities and distinctions from superhydrophobic surfaces. <i>Soft Matter</i> , 2016, 12, 1938-1963. | 1.2 | 272 |
| 71 | Drop Impact on a Solid Surface. <i>Annual Review of Fluid Mechanics</i> , 2016, 48, 365-391. | 10.8 | 1,021 |
| 72 | Texture and wettability of metallic lotus leaves. <i>Nanoscale</i> , 2016, 8, 3982-3990. | 2.8 | 66 |
| 73 | Gas-cushioned droplet impacts with a thin layer of porous media. <i>Journal of Engineering Mathematics</i> , 2017, 102, 65-87. | 0.6 | 11 |
| 74 | Predictive Model of Supercooled Water Droplet Pinning/Repulsion Impacting a Superhydrophobic Surface: The Role of the Gas-Liquid Interface Temperature. <i>Langmuir</i> , 2017, 33, 1816-1825. | 1.6 | 20 |
| 75 | Control of Ice Formation. <i>ACS Nano</i> , 2017, 11, 2665-2674. | 7.3 | 49 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 76 | Petal shaped nanostructures planted on array micro-patterns for superhydrophobicity and anti-icing applications. <i>Surface and Coatings Technology</i> , 2017, 319, 286-293. | 2.2 | 24 |
| 77 | Ice Layer Spreading along a Solid Substrate during Solidification of Supercooled Water: Experiments and Modeling. <i>Langmuir</i> , 2017, 33, 4870-4877. | 1.6 | 34 |
| 78 | Imparting Icephobicity with Substrate Flexibility. <i>Langmuir</i> , 2017, 33, 6708-6718. | 1.6 | 62 |
| 79 | Measurements of Ice Adhesion over Ice Mitigation Coatings Pertinent to Aircraft Icing and Anti-/De-Icing. , 2017, , . | | 11 |
| 80 | Suppression of Frost Nucleation Achieved Using the Nanoengineered Integral Humidity Sink Effect. <i>ACS Nano</i> , 2017, 11, 906-917. | 7.3 | 47 |
| 81 | Stability Analysis of Printed Liquid Elbows. <i>Langmuir</i> , 2017, 33, 645-651. | 1.6 | 1 |
| 82 | Impact of Viscous Droplets on Superamphiphobic Surfaces. <i>Langmuir</i> , 2017, 33, 144-151. | 1.6 | 67 |
| 83 | Spontaneous self-dislodging of freezing water droplets and the role of wettability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11040-11045. | 3.3 | 73 |
| 84 | Bioinspired Surfaces with Superwettability for Anti-icing and Ice-Phobic Application: Concept, Mechanism, and Design. <i>Small</i> , 2017, 13, 1701867. | 5.2 | 223 |
| 85 | Frosting Behavior of Superhydrophobic Nanoarrays under Ultralow Temperature. <i>Langmuir</i> , 2017, 33, 8891-8898. | 1.6 | 34 |
| 86 | An outlook on tunable superhydrophobic nanostructural surfaces and their possible impact on ice mitigation. <i>Progress in Organic Coatings</i> , 2017, 112, 304-318. | 1.9 | 34 |
| 87 | Tuning Superhydrophobic Nanostructures To Enhance Jumping-Droplet Condensation. <i>ACS Nano</i> , 2017, 11, 8499-8510. | 7.3 | 185 |
| 88 | Atomic-scale computational design of hydrophobic RE surface-doped Al ₂ O ₃ and TiO ₂ . <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 21119-21126. | 1.3 | 7 |
| 89 | Superhydrophobic, highly adhesive arrays of copper hollow spheres produced by electro-colloidal lithography. <i>Soft Matter</i> , 2017, 13, 5500-5505. | 1.2 | 11 |
| 90 | Role of Water Solidification Concepts in Designing Nano-Textured Anti-Icing Surfaces. <i>Journal of Physical Chemistry B</i> , 2017, 121, 7527-7535. | 1.2 | 17 |
| 91 | Dynamic Defrosting on Scalable Superhydrophobic Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 24308-24317. | 4.0 | 42 |
| 92 | Internal rupture and rapid bouncing of impacting drops induced by submillimeter-scale textures. <i>Physical Review E</i> , 2017, 95, 063104. | 0.8 | 14 |
| 93 | A Review of Condensation Frosting. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2017, 21, 81-101. | 1.4 | 137 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 95 | Supercooled Water Droplet Impacting Superhydrophobic Surfaces in the Presence of Cold Air Flow. Applied Sciences (Switzerland), 2017, 7, 130. | 1.3 | 22 |
| 96 | An experimental study on soft PDMS materials for aircraft icing mitigation. Applied Surface Science, 2018, 447, 599-609. | 3.1 | 69 |
| 97 | Droplet impact onto an elastic plate: a new mechanism for splashing. Journal of Fluid Mechanics, 2018, 839, 561-593. | 1.4 | 33 |
| 98 | Supercooled water droplet impact on superhydrophobic surfaces with various roughness and temperature. International Journal of Heat and Mass Transfer, 2018, 122, 395-402. | 2.5 | 92 |
| 99 | Fabrication of robust superhydrophobic coatings using <sc>PTFE&MWCNT</sc> nanocomposite: Supercritical fluid processing. Surface and Interface Analysis, 2018, 50, 464-470. | 0.8 | 13 |
| 100 | Dielectric fluid directional spreading under the action of corona discharge. Applied Physics Letters, 2018, 112, . | 1.5 | 7 |
| 101 | An experimental study of surface wettability effects on dynamic ice accretion process over an UAS propeller model. Aerospace Science and Technology, 2018, 73, 164-172. | 2.5 | 79 |
| 103 | All-organic superhydrophobic coatings with mechanochemical robustness and liquid impalement resistance. Nature Materials, 2018, 17, 355-360. | 13.3 | 563 |
| 104 | Scalable and durable polymeric icephobic and hydrate-phobic coatings. Soft Matter, 2018, 14, 3443-3454. | 1.2 | 47 |
| 105 | Enhancing the Mechanical Durability of Icephobic Surfaces by Introducing Autonomous Self-Healing Function. ACS Applied Materials & Interfaces, 2018, 10, 11972-11978. | 4.0 | 99 |
| 106 | Molding processed multi-layered and multi-functional nanocomposites with high structural ability, electrical conductivity and durable superhydrophobicity. Nanoscale, 2018, 10, 19916-19926. | 2.8 | 18 |
| 107 | 3D-Printed Surface Architecture Enhancing Superhydrophobicity and Viscous Droplet Repellency. ACS Applied Materials & Interfaces, 2018, 10, 43275-43281. | 4.0 | 38 |
| 108 | Mobility of A Water Droplet on Liquid Phase of N-Octadecane Coated Hydrophobic Surface. Scientific Reports, 2018, 8, 15060. | 1.6 | 3 |
| 109 | Bounce Behavior and Regulation of Pesticide Solution Droplets on Rice Leaf Surfaces. Journal of Agricultural and Food Chemistry, 2018, 66, 11560-11568. | 2.4 | 60 |
| 110 | Effect of superamphiphobic macrottextures on dynamics of viscous liquid droplets. Scientific Reports, 2018, 8, 15344. | 1.6 | 36 |
| 111 | Passive Antifrosting Surfaces Using Microscopic Ice Patterns. ACS Applied Materials & Interfaces, 2018, 10, 32874-32884. | 4.0 | 61 |
| 112 | One-Step Fabrication of Bioinspired Lubricant-Regenerable Icephobic Slippery Liquid-Infused Porous Surfaces. ACS Omega, 2018, 3, 10139-10144. | 1.6 | 68 |
| 113 | Photothermal trap utilizing solar illumination for ice mitigation. Science Advances, 2018, 4, eaat0127. | 4.7 | 107 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 114 | Effect of curved surfaces on the impacting nano-droplets and their shape control: A molecular dynamics simulation study. <i>Applied Surface Science</i> , 2018, 454, 192-200. | 3.1 | 33 |
| 115 | Bouncing dynamics of liquid drops impact on ridge structure: an effective approach to reduce the contact time. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 16493-16500. | 1.3 | 19 |
| 116 | Doping Cu Atoms Excel as the Functional Material to Tune the Wettability for TMeNs Hard Coating. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800391. | 1.9 | 4 |
| 117 | How to Engineer Surfaces to Control and Optimize Boiling, Condensation and Frost Formation?. , 2018, , 63-158. | | 1 |
| 118 | On the Oblique Impact Dynamics of Drops on Superhydrophobic Surfaces. Part II: Restitution Coefficient and Contact Time. <i>Langmuir</i> , 2018, 34, 9889-9896. | 1.6 | 43 |
| 119 | On the Oblique Impact Dynamics of Drops on Superhydrophobic Surfaces. Part I: Sliding Length and Maximum Spreading Diameter. <i>Langmuir</i> , 2018, 34, 9879-9888. | 1.6 | 22 |
| 120 | Splashing Criterion and Topological Features of a Single Droplet Impinging on the Flat Plate. , 0, , . | | 11 |
| 121 | Impact of Surface Electrostatic Potential on Icephobic Properties of Nanoimprinted Flexible Polymer Foils. <i>Macromolecular Chemistry and Physics</i> , 2018, 219, 1800070. | 1.1 | 1 |
| 122 | Robust Hydrophobic Surfaces from Suspension HVOF Thermal Sprayed Rare-Earth Oxide Ceramics Coatings. <i>Scientific Reports</i> , 2018, 8, 6973. | 1.6 | 37 |
| 123 | Multi-functional application of oil-infused slippery Al surface: from anti-icing to corrosion resistance. <i>Journal of Materials Science</i> , 2018, 53, 16099-16109. | 1.7 | 42 |
| 124 | Fundamentals of icing and common strategies for designing biomimetic anti-icing surfaces. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13549-13581. | 5.2 | 194 |
| 125 | A robust quasi-superhydrophobic ceria coating prepared using air-plasma spraying. <i>Journal of the American Ceramic Society</i> , 2019, 102, 1386-1393. | 1.9 | 19 |
| 126 | Self-Sustained Cascading Coalescence in Surface Condensation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27435-27442. | 4.0 | 18 |
| 127 | Drop Impact on Two-Tier Monostable Superrepellent Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 43698-43707. | 4.0 | 22 |
| 128 | Bioinspired functions. , 2019, , 147-246. | | 1 |
| 129 | Experimental investigation on water repellency and anisotropic wettability of microgrooved polymer surfaces. <i>Experiments in Fluids</i> , 2019, 60, 1. | 1.1 | 5 |
| 130 | Vitamin D Deficiency Attenuates Acute Alcohol-Induced Hepatic Lipid Accumulation in Mice. <i>Lipids</i> , 2019, 54, 651-663. | 0.7 | 6 |
| 131 | Wetting transitions in droplet drying on soft materials. <i>Nature Communications</i> , 2019, 10, 4776. | 5.8 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 132 | Visible Light-Activated Self-Recovery Hydrophobic CeO ₂ /Black TiO ₂ Coating Prepared Using Air Plasma Spraying. ACS Applied Materials & Interfaces, 2019, 11, 37209-37215. | 4.0 | 13 |
| 133 | Central-pointy to central-concave icing transition of an impact droplet by increasing surface subcooling. International Communications in Heat and Mass Transfer, 2019, 108, 104326. | 2.9 | 26 |
| 134 | Stress-localized durable icephobic surfaces. Materials Horizons, 2019, 6, 758-766. | 6.4 | 128 |
| 135 | Superamphiphobic Cu/CuO Micropillar Arrays with High Repellency Towards Liquids of Extremely High Viscosity and Low Surface Tension. Scientific Reports, 2019, 9, 702. | 1.6 | 10 |
| 136 | Impact dynamics of supercooled microdroplets on water-repellent coatings. Thin Solid Films, 2019, 688, 137309. | 0.8 | 8 |
| 137 | Atomic layer deposition of vanadium oxides: process and application review. Materials Today Chemistry, 2019, 12, 396-423. | 1.7 | 46 |
| 138 | Stability and water wetting behavior of superhydrophobic polyurethane films created by hot embossing and plasma etching and coating. Plasma Processes and Polymers, 2019, 16, 1800214. | 1.6 | 19 |
| 139 | Icephobic surfaces: Definition and figures of merit. Advances in Colloid and Interface Science, 2019, 269, 203-218. | 7.0 | 115 |
| 140 | Icephobic materials: Fundamentals, performance evaluation, and applications. Progress in Materials Science, 2019, 103, 509-557. | 16.0 | 258 |
| 141 | Scraping force characteristics of frost formed on vertical cooling surfaces having different structures and wettability. International Journal of Refrigeration, 2019, 101, 148-154. | 1.8 | 6 |
| 142 | Lateral motion of a droplet after impacting on groove-patterned superhydrophobic surfaces. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 570, 48-54. | 2.3 | 21 |
| 143 | Experimental investigation on ice accretion on a rotating aero-engine spinner with hydrophobic coating. International Journal of Heat and Mass Transfer, 2019, 136, 404-414. | 2.5 | 17 |
| 144 | Microstructure, morphology, wettability and mechanical properties of Ho ₂ O ₃ films prepared by glancing angle deposition. Vacuum, 2019, 164, 405-410. | 1.6 | 4 |
| 145 | Fabrication of Ni Co coating by electrochemical deposition with high super-hydrophobic properties for corrosion protection. Surface and Coatings Technology, 2019, 363, 352-361. | 2.2 | 40 |
| 146 | Ice adhesion mechanism on lubricant-impregnated surfaces using molecular dynamics simulations. Molecular Simulation, 2019, 45, 394-402. | 0.9 | 14 |
| 147 | Control of wettability transition and coalescence dynamics of droplets on the surface via mechanical vibration: A molecular simulation exploration. Applied Surface Science, 2019, 473, 393-400. | 3.1 | 32 |
| 148 | High-performance icephobic droplet rebound surface with nanoscale doubly reentrant structure. International Journal of Heat and Mass Transfer, 2019, 133, 341-351. | 2.5 | 26 |
| 149 | Durable, optically transparent, superhydrophobic polymer films. Applied Surface Science, 2019, 470, 187-195. | 3.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 150 | Nanomaterials for the water-energy nexus. <i>MRS Bulletin</i> , 2019, 44, 59-66. | 1.7 | 39 |
| 151 | Clay-based superamphiphobic coatings with low sliding angles for viscous liquids. <i>Journal of Colloid and Interface Science</i> , 2019, 540, 228-236. | 5.0 | 30 |
| 152 | Droplet Impingement and Evaporation on a Solid Surface. <i>Energy, Environment, and Sustainability</i> , 2019, , 145-183. | 0.6 | 2 |
| 153 | Nanotextured Aluminum-Based Surfaces with Icephobic Properties. <i>Heat Transfer Engineering</i> , 2020, 41, 1663-1672. | 1.2 | 10 |
| 154 | Advanced functional surfaces through controlled damage and instabilities. <i>Materials Horizons</i> , 2020, 7, 366-396. | 6.4 | 20 |
| 155 | Role of Trapped Air in the Attachment of <i>Staphylococcus aureus</i> on Superhydrophobic Silicone Elastomer Surfaces Textured by a Femtosecond Laser. <i>Langmuir</i> , 2020, 36, 1103-1112. | 1.6 | 12 |
| 156 | Passive anti-frosting cables. <i>International Journal of Heat and Mass Transfer</i> , 2020, 146, 118808. | 2.5 | 23 |
| 157 | Leidenfrost suppression and contact time reduction of a drop impacting on silicon nanowire array-coated surfaces. <i>International Journal of Heat and Mass Transfer</i> , 2020, 148, 118980. | 2.5 | 18 |
| 158 | Avoiding snow and ice accretion on building integrated photovoltaics – challenges, strategies, and opportunities. <i>Solar Energy Materials and Solar Cells</i> , 2020, 206, 110306. | 3.0 | 45 |
| 159 | Superhydrophobic surfaces for extreme environmental conditions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 27188-27194. | 3.3 | 58 |
| 161 | Impact-Induced Removal of a Deposited Droplet: Implications for Self-Cleaning Properties. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 6396-6403. | 2.1 | 21 |
| 162 | Transparent Photothermal Metasurfaces Amplifying Superhydrophobicity by Absorbing Sunlight. <i>ACS Nano</i> , 2020, 14, 11712-11721. | 7.3 | 31 |
| 163 | Dynamics of splashed droplets impacting wheat leaves treated with a fungicide. <i>Journal of the Royal Society Interface</i> , 2020, 17, 20200337. | 1.5 | 16 |
| 167 | Contact time on inclined superhydrophobic surfaces decorated with parallel macro-ridges. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 599, 124924. | 2.3 | 28 |
| 168 | Temperature-regulated adhesion of impacting drops on nano/microtextured monostable superrepellent surfaces. <i>Soft Matter</i> , 2020, 16, 5388-5397. | 1.2 | 11 |
| 169 | Highly efficient solar anti-icing/deicing a hierarchical structured surface. <i>Materials Horizons</i> , 2020, 7, 2097-2104. | 6.4 | 108 |
| 170 | Droplet impact on groove-patterned surfaces: The role of the groove patterns and impact velocities. <i>Colloids and Interface Science Communications</i> , 2020, 37, 100287. | 2.0 | 10 |
| 171 | Droplet impact on cylindrical surfaces: Effects of surface wettability, initial impact velocity, and cylinder size. <i>Journal of Colloid and Interface Science</i> , 2020, 578, 207-217. | 5.0 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 172 | Facile approach to design a stable, damage resistant, slippery, and omniphobic surface. RSC Advances, 2020, 10, 19157-19168. | 1.7 | 33 |
| 173 | Impacting-freezing dynamics of a supercooled water droplet on a cold surface: Rebound and adhesion. International Journal of Heat and Mass Transfer, 2020, 158, 119997. | 2.5 | 100 |
| 174 | De-Icing Device With Self-Adjusting Power Consumption and Ice Sensing Capabilities. Journal of Microelectromechanical Systems, 2020, 29, 562-570. | 1.7 | 13 |
| 175 | A sunlight-responsive and robust anti-icing/deicing coating based on the amphiphilic materials. Chemical Engineering Journal, 2020, 402, 126161. | 6.6 | 78 |
| 176 | Compression molding processed superhydrophobic CB/CeO ₂ /PVDF/CF nanocomposites with highly robustness, reusability and multifunction. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 590, 124533. | 2.3 | 13 |
| 177 | Multiscale Modeling to Predict the Hydrophobicity of an Experimentally Designed Coating. Journal of Physical Chemistry C, 2020, 124, 9866-9875. | 1.5 | 2 |
| 178 | How different freezing morphologies of impacting droplets form. Journal of Colloid and Interface Science, 2021, 584, 403-410. | 5.0 | 36 |
| 179 | Green preparation of transparent superhydrophobic coatings with persistent dynamic impact resistance for outdoor applications. Chemical Engineering Journal, 2021, 404, 126456. | 6.6 | 57 |
| 180 | Droplet Retention on Superhydrophobic Surfaces: A Critical Review. Advanced Materials Interfaces, 2021, 8, 2001205. | 1.9 | 56 |
| 181 | Mechanically robust, self-healing superhydrophobic anti-icing coatings based on a novel fluorinated polyurethane synthesized by a two-step thiol click reaction. Chemical Engineering Journal, 2021, 404, 127110. | 6.6 | 92 |
| 182 | Amphiphilically modified self-stratified siloxane-glycidyl carbamate coatings for anti-icing applications. Journal of Coatings Technology Research, 2021, 18, 83-97. | 1.2 | 10 |
| 183 | Role of anisotropic pinning and liquid properties during partial rebound of droplets on unidirectionally structured hydrophobic surfaces. Chemical Engineering Science, 2021, 230, 116197. | 1.9 | 8 |
| 184 | An experimental study of rain erosion effects on a hydro-/ice-phobic coating pertinent to Unmanned-Aerial-System (UAS) inflight icing mitigation. Cold Regions Science and Technology, 2021, 181, 103196. | 1.6 | 15 |
| 185 | The effects of bio-inspired micro/nano scale structures on anti-icing properties. Soft Matter, 2021, 17, 447-466. | 1.2 | 24 |
| 186 | How to Achieve a Monostable Cassie State on a Micropillar-Arrayed Superhydrophobic Surface. Journal of Physical Chemistry B, 2021, 125, 883-894. | 1.2 | 14 |
| 187 | Droplet Dynamics on a Wettability Patterned Surface during Spray Impact. Processes, 2021, 9, 555. | 1.3 | 7 |
| 188 | Influence of Microstructure Topography on the Oblique Impact Dynamics of Drops on Superhydrophobic Surfaces. Langmuir, 2021, 37, 4678-4689. | 1.6 | 22 |
| 189 | A robust, hydrophobic CeO ₂ /NiCoCrAlY composite coating with excellent thermal stability and corrosion resistance prepared by air plasma spray. Journal of Alloys and Compounds, 2021, 861, 158623. | 2.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 190 | Transparent and Robust Amphiphobic Surfaces Exploiting Nanohierarchical Surface-grown Metal-Organic Frameworks. <i>Nano Letters</i> , 2021, 21, 3480-3486. | 4.5 | 20 |
| 191 | Slippery Photothermal Trap for Outstanding Deicing Surfaces. <i>Journal of Bionic Engineering</i> , 2021, 18, 548-558. | 2.7 | 31 |
| 192 | Droplet impact dynamics and heat transfer on nanostructured doubly reentrant cavity under freezing temperature. <i>Physics of Fluids</i> , 2021, 33, . | 1.6 | 7 |
| 193 | Superhydrophobic surface with excellent mechanical robustness, water impact resistance and hydrostatic pressure resistance by two-step spray-coating technique. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 146, 106405. | 3.8 | 37 |
| 194 | Dynamic characteristics of droplet impingement on carbon nanotube array surfaces with varying wettabilities. <i>Applied Surface Science</i> , 2021, 554, 149359. | 3.1 | 7 |
| 195 | Wide-temperature antifouling characteristic of a double re-entrant pillar array surface. <i>International Journal of Heat and Mass Transfer</i> , 2021, 175, 121178. | 2.5 | 2 |
| 196 | Bouncing behavior of a water droplet on a super-hydrophobic surface near freezing temperatures. <i>International Journal of Heat and Mass Transfer</i> , 2021, 174, 121304. | 2.5 | 22 |
| 198 | Impact Dynamics and Freezing Behavior of Surfactant-Laden Droplets on Non-Wettable Coatings at Subzero Temperatures. <i>Langmuir</i> , 2021, 37, 11049-11060. | 1.6 | 10 |
| 199 | Pre-impact dynamics of a droplet impinging on a deformable surface. <i>Physics of Fluids</i> , 2021, 33, . | 1.6 | 8 |
| 200 | Bioinspired Multifunctional Glass Surfaces through Regenerative Secondary Mask Lithography. <i>Advanced Materials</i> , 2021, 33, e2102175. | 11.1 | 13 |
| 201 | Freezing morphologies of impact water droplets on an inclined subcooled surface. <i>International Journal of Heat and Mass Transfer</i> , 2021, 181, 121843. | 2.5 | 24 |
| 202 | Superhydrophobic versus SLIPS: Temperature dependence and the stability of ice adhesion strength. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 556-566. | 5.0 | 57 |
| 203 | Understanding the friction and deformation behavior of micro/nano-hierarchical textures through in-situ SEM observation and mechanics modeling. <i>Tribology International</i> , 2022, 165, 107271. | 3.0 | 3 |
| 204 | Gels as emerging anti-icing materials: a mini review. <i>Materials Horizons</i> , 2021, 8, 3266-3280. | 6.4 | 49 |
| 205 | Mechanism analysis and durability evaluation of anti-icing property of superhydrophobic surface. <i>International Journal of Heat and Mass Transfer</i> , 2020, 156, 119768. | 2.5 | 22 |
| 206 | Suppressing Condensation Frosting Using an Out-of-Plane Dry Zone. <i>Langmuir</i> , 2020, 36, 15603-15609. | 1.6 | 7 |
| 207 | Promoting rebound of impinging viscoelastic droplets on heated superhydrophobic surfaces. <i>New Journal of Physics</i> , 2020, 22, 123001. | 1.2 | 14 |
| 208 | Expansion and retraction dynamics in drop-on-drop impacts on nonwetting surfaces. <i>Physical Review Fluids</i> , 2018, 3, . | 1.0 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 209 | Bio-Inspired Icephobic Coatings for Aircraft Icing Mitigation: A Critical Review. <i>Reviews of Adhesion and Adhesives</i> , 2020, 8, 168-199. | 3.3 | 14 |
| 210 | Impact Dynamics of Nanodroplets on V-Shaped Substrates: Asymmetrical Behavior and Fast-Rebound Dynamics. <i>Langmuir</i> , 2021, 37, 13170-13178. | 1.6 | 6 |
| 211 | Coral-like silicone nanofilament coatings with extremely low ice adhesion. <i>Scientific Reports</i> , 2021, 11, 20427. | 1.6 | 4 |
| 212 | Physical De-Icing Techniques for Wind Turbine Blades. <i>Energies</i> , 2021, 14, 6750. | 1.6 | 12 |
| 213 | NANOTEXTURED SURFACES FOR ANTI-ICING. , 2018, , . | | 0 |
| 214 | Effect of Morphology of Nano-Structured Surfaces on Anti-Icing Performance. <i>Journal of Thermal Science and Engineering Applications</i> , 2020, 12, . | 0.8 | 1 |
| 215 | Manufacturing of stable hydrophobic surface on rare-earth oxides aluminium hybrid composite. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 2021, 235, 899-912. | 1.4 | 3 |
| 216 | Icephobic Performance of Combined Fluorine-Containing Composite Layers on Al-Mg-Mn-Si Alloy Surface. <i>Polymers</i> , 2021, 13, 3827. | 2.0 | 19 |
| 217 | Designing Lubricant-Impregnated Surfaces for Corrosion Protection. <i>Corrosion</i> , 2020, 76, . | 0.5 | 0 |
| 218 | Effect of copper surface modification applied by combined modification of metal vapor vacuum arc ion implantation and laser texturing on anti-frosting property. <i>Energy and Buildings</i> , 2020, 223, 110132. | 3.1 | 6 |
| 219 | Interfacial dynamics of viscous droplets impacting a superhydrophobic candle soot surface: Overview and comparison. <i>Physics of Fluids</i> , 2022, 34, . | 1.6 | 12 |
| 220 | Electric Field Mediated Contact Time Reduction of Impacting Drops on Cu(OH) ₂ Nanoneedle Clusters: Limitations and Implications for Anti-Icing and Pathogen-Containment Applications. <i>ACS Applied Nano Materials</i> , 2022, 5, 3303-3311. | 2.4 | 1 |
| 221 | Oblique pancake bouncing. <i>Cell Reports Physical Science</i> , 2022, 3, 100721. | 2.8 | 12 |
| 222 | A route to engineered high aspect-ratio silicon nanostructures through regenerative secondary mask lithography. <i>Nanoscale</i> , 2022, 14, 1847-1854. | 2.8 | 7 |
| 223 | Reducing Contact Time of Droplets Impacting Superheated Hydrophobic Surfaces. <i>Small</i> , 2022, 18, e2106704. | 5.2 | 5 |
| 224 | Water droplet bouncing on pre-frosted superhydrophobic carbon soot – A step forward in designing passive icephobic surfaces. <i>Diamond and Related Materials</i> , 2022, 123, 108850. | 1.8 | 8 |
| 225 | Influence of Early Drop Bouncing on Heat Transfer During Drop Impact. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 226 | Violent droplet impacts with non-flat surfaces. <i>Journal of Fluid Mechanics</i> , 2022, 939, . | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 227 | An Experimental and Computational Study of a Single Diesel Droplet Impinging on an Inclined Dry Surface. , 0, , . | | 0 |
| 228 | Enhanced Surface Icephobicity on an Elastic Substrate. Langmuir, 2022, 38, 18-35. | 1.6 | 25 |
| 229 | Lotus-Like Water Repellency of Gas-Phase-Synthesized Graphene. , 2022, 4, 995-1002. | | 3 |
| 230 | Ultra-low ice-substrate adhesion and self-deicing during droplet impact freezing. Cell Reports Physical Science, 2022, 3, 100894. | 2.8 | 7 |
| 231 | Recent advances in chemical durability and mechanical stability of superhydrophobic materials: Multi-strategy design and strengthening. Journal of Materials Science and Technology, 2022, 129, 40-69. | 5.6 | 55 |
| 232 | Experimental and numerical investigations on the spreading dynamics of impinging liquid droplets on diverse wettable surfaces. International Journal of Multiphase Flow, 2022, 153, 104135. | 1.6 | 18 |
| 233 | Reducing the contact time of impacting water drops on superhydrophobic surfaces by liquid-like coatings. Chemical Engineering Journal, 2022, 448, 137638. | 6.6 | 11 |
| 234 | Recent Advances in Multifunctional Mechanicalâ€“Chemical Superhydrophobic Materials. Frontiers in Bioengineering and Biotechnology, 0, 10, . | 2.0 | 8 |
| 235 | Split of droplets at the nanoscale using mixed-wettability surfaces: A molecular dynamics simulation. Applied Surface Science, 2022, 600, 154025. | 3.1 | 8 |
| 236 | Influence of early drop bouncing on heat transfer during drop impact. International Communications in Heat and Mass Transfer, 2022, 137, 106235. | 2.9 | 3 |
| 237 | Bio-inspired manufacturing of superwetting surfaces for fog collection and anti-icing applications. Science China Technological Sciences, 2022, 65, 1975-1994. | 2.0 | 3 |
| 238 | Oblique impacts of water nanodroplets on superhydrophobic surfaces: A molecular dynamics study. Journal of Molecular Liquids, 2022, 365, 120074. | 2.3 | 6 |
| 239 | Fracture-controlled surfaces as extremely durable ice-shedding materials. Materials Horizons, 2022, 9, 2524-2532. | 6.4 | 11 |
| 240 | Hydro-/ice-phobic coatings and materials for wind turbine icing mitigation. , 2022, , 135-168. | | 0 |
| 241 | Robust and durable liquid-repellent surfaces. Chemical Society Reviews, 2022, 51, 8476-8583. | 18.7 | 105 |
| 242 | Oblique Impacts of Nanodroplets upon Surfaces. Langmuir, 2022, 38, 13093-13102. | 1.6 | 2 |
| 243 | Freezing behaviors of impacting water droplets on cold inclined surfaces. Applied Thermal Engineering, 2023, 219, 119562. | 3.0 | 4 |
| 244 | Recent progress in optimal design of superhydrophobic surfaces. APL Materials, 2022, 10, . | 2.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 245 | Hairy superhydrophobic surfaces with excellent mechanical robustness, underwater stability and drag-reduction property. <i>Progress in Organic Coatings</i> , 2023, 174, 107323. | 1.9 | 3 |
| 246 | Effects of the electric field on the overall drop impact on a solid surface. <i>Physical Review Fluids</i> , 2022, 7, . | 1.0 | 5 |
| 247 | Computational study of early-time droplet impact dynamics on textured and lubricant-infused surfaces. <i>International Journal of Multiphase Flow</i> , 2023, 161, 104398. | 1.6 | 1 |
| 248 | Rotating Surfaces Promote the Shedding of Droplets. <i>Research</i> , 2023, 6, . | 2.8 | 6 |
| 249 | Numerical investigation of air cushioning in the impact of micro-droplet under electrostatic fields. <i>Physics of Fluids</i> , 2023, 35, . | 1.6 | 5 |
| 250 | Regulation of droplet impacting on superhydrophobic surfaces: Coupled effects of macrostructures, wettability patterns, and surface motion. <i>Applied Physics Letters</i> , 2023, 122, . | 1.5 | 19 |
| 251 | Bounce behaviors of double droplets simultaneously impact cold superhydrophobic surface. <i>International Journal of Heat and Mass Transfer</i> , 2023, 208, 124075. | 2.5 | 3 |
| 252 | The Perspectives of Hydrophobic Coatings for Mitigating Icing on Atmospheric Structures. <i>Coatings</i> , 2023, 13, 326. | 1.2 | 0 |
| 253 | Self-Healing, Robust, Liquid-Repellent Coatings Exploiting the Donor-acceptor Self-Assembly. <i>ACS Applied Materials & Interfaces</i> , 2023, 15, 8699-8708. | 4.0 | 4 |
| 254 | Freezing-induced wetting transitions on superhydrophobic surfaces. <i>Nature Physics</i> , 2023, 19, 649-655. | 6.5 | 23 |
| 255 | Porous bulk superhydrophobic nanocomposites for extreme environments. <i>Matter</i> , 2023, 6, 1992-2004. | 5.0 | 8 |
| 256 | Understanding hydrodynamic wear in self-similar superhydrophobic coatings subjected to rapid droplet impacts. <i>RSC Advances</i> , 2023, 13, 11356-11367. | 1.7 | 0 |
| 270 | NANOHERARCHICAL METAL-ORGANIC FRAMEWORKS FOR ENHANCED DEW HARVESTING EFFICIENCY. , 2023, , . | | 0 |