

CITATION REPORT

List of articles citing

High-mobility transport anisotropy and linear dichroism in few-layer black phosphorus

DOI: 10.1038/ncomms5475

Nature Communications, 2014, 5, 4475.

Source: <https://exaly.com/paper-pdf/59255344/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2250	Chemical scissors cut phosphorene nanostructures. 2014 , 1, 045041		17
2249	Electron-doped phosphorene: A potential monolayer superconductor. 2014 , 108, 67004		74
2248	Dirac fermions in blue-phosphorus. 2014 , 1, 031002		29
2247	A theoretical study of blue phosphorene nanoribbons based on first-principles calculations. 2014 , 116, 073704		67
2246	Edge effects on the electronic properties of phosphorene nanoribbons. 2014 , 116, 144301		133
2245	Two-dimensional material nanophotonics. 2014 , 8, 899-907		1805
2244	Coexistence of size-dependent and size-independent thermal conductivities in phosphorene. 2014 , 90,		159
2243	First principles study of metal contacts to monolayer black phosphorous. 2014 , 116, 204302		27
2242	Performance evaluation and design considerations of 2D semiconductor based FETs for sub-10 nm VLSI. 2014 ,		16
2241	Theoretical prediction of hydrogen storage on Li-decorated monolayer black phosphorus. 2014 , 47, 465302		35
2240	Few-layer black phosphorus field-effect transistors with reduced current fluctuation. 2014 , 8, 11753-62		245
2239	Hinge-like structure induced unusual properties of black phosphorus and new strategies to improve the thermoelectric performance. 2014 , 4, 6946		181
2238	Magnetism of zigzag edge phosphorene nanoribbons. 2014 , 105, 113105		85
2237	Theoretical Prediction of Carrier Mobility in Few-Layer BC2N. 2014 , 5, 4073-7		68
2236	Performance Limits Projection of Black Phosphorous Field-Effect Transistors. 2014 , 35, 963-965		79
2235	Electronic bandgap and edge reconstruction in phosphorene materials. 2014 , 14, 6400-6		365
2234	Electronic structure of black phosphorus studied by angle-resolved photoemission spectroscopy. 2014 , 90,		73

2233	Tuning of the electronic and optical properties of single-layer black phosphorus by strain. 2014 , 90,	235
2232	Mechanical and electronic properties of monolayer and bilayer phosphorene under uniaxial and isotropic strains. 2014 , 25, 455703	56
2231	Strain Engineering for Phosphorene: The Potential Application as a Photocatalyst. 2014 , 118, 26560-26568	314
2230	Simulation of phosphorene Schottky-barrier transistors. 2014 , 105, 163511	25
2229	Enhanced thermoelectric efficiency via orthogonal electrical and thermal conductances in phosphorene. 2014 , 14, 6393-9	571
2228	Excitons in anisotropic two-dimensional semiconducting crystals. 2014 , 90,	108
2227	Electronic Properties of Edge-Hydrogenated Phosphorene Nanoribbons: A First-Principles Study. 2014 , 118, 22368-22372	108
2226	Strain-engineered direct-indirect band gap transition and its mechanism in two-dimensional phosphorene. 2014 , 90,	675
2225	Electrons and holes in phosphorene. 2014 , 90,	126
2224	Enhanced thermoelectric performance of phosphorene by strain-induced band convergence. 2014 , 90,	213
2223	Ab initio studies of thermodynamic and electronic properties of phosphorene nanoribbons. 2014 , 90,	112
2222	Phosphorene nanoribbon as a promising candidate for thermoelectric applications. 2014 , 4, 6452	244
2221	Ballistic Transport in Monolayer Black Phosphorus Transistors. 2014 , 61, 3871-3876	64
2220	Modulation of the Electronic Properties of Ultrathin Black Phosphorus by Strain and Electrical Field. 2014 , 118, 23970-23976	218
2219	Anisotropic elastic behaviour and one-dimensional metal in phosphorene. 2014 , 8, 939-942	24
2218	Electrical contacts to monolayer black phosphorus: A first-principles investigation. 2014 , 90,	107
2217	Extraordinary photoluminescence and strong temperature/angle-dependent Raman responses in few-layer phosphorene. 2014 , 8, 9590-6	529
2216	Structure and stability of two dimensional phosphorene with O or NH functionalization. 2014 , 4, 48017-48021	63

2215	Measuring the Atomic and Electronic Structure of Black Phosphorus with STEM. 2015 , 21, 109-110	2
2214	Phonon-limited performance of single-layer, single-gate black phosphorus n- and p-type field-effect transistors. 2015 ,	13
2213	Layered Black Phosphorus as a Selective Vapor Sensor. 2015 , 54, 14317-20	162
2212	Electric field induced gap modification in ultrathin blue phosphorus. 2015 , 91,	111
2211	Electronic structure and anisotropic Rashba spin-orbit coupling in monolayer black phosphorus. 2015 , 92,	56
2210	Magneto-optical transport properties of monolayer phosphorene. 2015 , 92,	49
2209	Structural phase transitions of phosphorene induced by applied strains. 2015 , 92,	26
2208	Thermal properties of black and blue phosphorenes from a first-principles quasiharmonic approach. 2015 , 92,	111
2207	Toward a realistic description of multilayer black phosphorus: From GW approximation to large-scale tight-binding simulations. 2015 , 92,	146
2206	Significant effect of stacking on the electronic and optical properties of few-layer black phosphorus. 2015 , 92,	135
2205	Pressure-Induced Electronic Transition in Black Phosphorus. 2015 , 115, 186403	118
2204	Anisotropic exciton Stark shift in black phosphorus. 2015 , 91,	85
2203	Ab initio study of electron-phonon interaction in phosphorene. 2015 , 91,	137
2202	Magnetoelectronic properties of multilayer black phosphorus. 2015 , 92,	34
2201	Stacked bilayer phosphorene: strain-induced quantum spin Hall state and optical measurement. 2015 , 5, 13927	55
2200	A New Silicon Phase with Direct Band Gap and Novel Optoelectronic Properties. 2015 , 5, 14342	62
2199	Polarization and Thickness Dependent Absorption Properties of Black Phosphorus: New Saturable Absorber for Ultrafast Pulse Generation. 2015 , 5, 15899	225
2198	Anomalous Quantum Transport Properties in Semimetallic Black Phosphorus. 2015 , 84, 073708	16

2197	Device performance simulations of multilayer black phosphorus tunneling transistors. 2015 , 107, 203501	25
2196	DGDFPT: A massively parallel method for large scale density functional theory calculations. 2015 , 143, 124110	42
2195	Ultrafast recovery time and broadband saturable absorption properties of black phosphorus suspension. 2015 , 107, 091905	138
2194	Mechanical properties of phosphorene nanoribbons and oxides. 2015 , 118, 234304	26
2193	Effects of strain on electronic and optic properties of holey two-dimensional C2N crystals. 2015 , 107, 231904	109
2192	Comparison on thermal transport properties of graphene and phosphorene nanoribbons. 2015 , 5, 16215	12
2191	A computational study of the electronic properties of one-dimensional armchair phosphorene nanotubes. 2015 , 118, 164306	39
2190	GeSe monolayer semiconductor with tunable direct band gap and small carrier effective mass. 2015 , 107, 122107	116
2189	Field-effect transistors based on amorphous black phosphorus ultrathin films by pulsed laser deposition. 2015 , 27, 3748-54	222
2188	Ultrasmall Black Phosphorus Quantum Dots: Synthesis and Use as Photothermal Agents. 2015 , 54, 11526-30	745
2187	The Cytotoxicity of Layered Black Phosphorus. 2015 , 21, 13991-5	143
2186	Ultrasmall Black Phosphorus Quantum Dots: Synthesis and Use as Photothermal Agents. 2015 , 127, 11688-11692	201
2185	From Black Phosphorus to Phosphorene: Basic Solvent Exfoliation, Evolution of Raman Scattering, and Applications to Ultrafast Photonics. 2015 , 25, 6996-7002	725
2184	Broadband Black Phosphorus Optical Modulator in the Spectral Range from Visible to Mid-Infrared. 2015 , 3, 1787-1792	91
2183	Black Phosphorus Polymer Composites for Pulsed Lasers. 2015 , 3, 1447-1453	192
2182	Titanium Trisulfide Monolayer: Theoretical Prediction of a New Direct-Gap Semiconductor with High and Anisotropic Carrier Mobility. 2015 , 127, 7682-7686	58
2181	Degenerate Effect on the Mobility of Holes in Graphane: A Study Based on Density Functional Theory Coupled with Deformation Potential Theory. 2015 , 16, 3015-20	5
2180	Titanium trisulfide monolayer: theoretical prediction of a new direct-gap semiconductor with high and anisotropic carrier mobility. 2015 , 54, 7572-6	189

2179	First-Principles Study on Electronic and Optical Properties of Graphene-Like Boron Phosphide Sheets. 2015 , 28, 588-594	36
2178	Modulation of electronic and mechanical properties of phosphorene through strain. 2015 , 91,	155
2177	Black Phosphorus p-MOSFETs With 7-nm HfO ₂ Gate Dielectric and Low Contact Resistance. 2015 , 36, 411-413	68
2176	Electronic Properties of Phosphorene/Graphene and Phosphorene/Hexagonal Boron Nitride Heterostructures. 2015 , 119, 13929-13936	244
2175	Exceptional and Anisotropic Transport Properties of Photocarriers in Black Phosphorus. 2015 , 9, 6436-42	139
2174	The structure and elastic properties of phosphorene edges. 2015 , 26, 235707	55
2173	Unexpected buckled structures and tunable electronic properties in arsenic nanosheets: insights from first-principles calculations. 2015 , 27, 225304	32
2172	High carrier mobility of few-layer PbX (X = S, Se, Te). 2015 , 3, 6284-6290	29
2171	Chemical modifications and stability of phosphorene with impurities: a first principles study. 2015 , 17, 15209-17	66
2170	Dynamical Evolution of Anisotropic Response in Black Phosphorus under Ultrafast Photoexcitation. 2015 , 15, 4650-6	113
2169	A first-principles study of sodium adsorption and diffusion on phosphorene. 2015 , 17, 16398-404	65
2168	Group theory for structural analysis and lattice vibrations in phosphorene systems. 2015 , 91,	71
2167	Polarization-sensitive broadband photodetector using a black phosphorus vertical p-n junction. 2015 , 10, 707-13	785
2166	The electronic transport properties of graphene-like beryllium sulfide nanoribbons. 2015 , 379, 1837-1841	6
2165	A first-principles study on the magnetic properties of nonmetal atom doped phosphorene monolayers. 2015 , 17, 16341-50	75
2164	Two-dimensional Kagome phosphorus and its edge magnetism: a density functional theory study. 2015 , 27, 255006	12
2163	Theoretical predictions on the electronic structure and charge carrier mobility in 2D phosphorus sheets. 2015 , 5, 9961	153
2162	Structures, stabilities, and electronic properties of defects in monolayer black phosphorus. 2015 , 5, 10848	72

2161	Layered Black Phosphorus as a Selective Vapor Sensor. 2015 , 127, 14525-14528	32
2160	Probing 2D black phosphorus by quantum capacitance measurements. 2015 , 26, 485704	11
2159	Remarkable anisotropic phonon response in uniaxially strained few-layer black phosphorus. 2015 , 8, 3944-3953	58
2158	Analysing black phosphorus transistors using an analytic Schottky barrier MOSFET model. <i>Nature Communications</i> , 2015 , 6, 8948	17.4 114
2157	Screening and plasmons in pure and disordered single- and bilayer black phosphorus. 2015 , 92,	31
2156	Elastic bending modulus for single-layer black phosphorus. 2015 , 48, 455305	21
2155	Mechanical properties and fracture behavior of single-layer phosphorene at finite temperatures. 2015 , 48, 395303	86
2154	The mechanical exfoliation mechanism of black phosphorus to phosphorene: A first-principles study. 2015 , 112, 37003	24
2153	Quasiparticle energies, excitons, and optical spectra of few-layer black phosphorus. 2015 , 2, 044014	55
2152	Magnetic response at visible and near-infrared frequencies from black phosphorus sheet arrays. 2015 , 23, 30667-80	4
2151	Bandgap engineering in van der Waals heterostructures of blue phosphorene and MoS ₂ : A first principles calculation. 2015 , 231, 64-69	48
2150	2D materials for nanophotonic devices. 2015 ,	
2149	Photogalvanic effect in monolayer black phosphorus. 2015 , 26, 455202	71
2148	Gate tunable quantum oscillations in air-stable and high mobility few-layer phosphorene heterostructures. 2015 , 2, 011001	172
2147	Anisotropic intrinsic lattice thermal conductivity of phosphorene from first principles. 2015 , 17, 4854-8	296
2146	Scaling laws of band gaps of phosphorene nanoribbons: A tight-binding calculation. 2015 , 91,	93
2145	Small molecules make big differences: molecular doping effects on electronic and optical properties of phosphorene. 2015 , 26, 095201	136
2144	Van der Waals heterostructure of phosphorene and graphene: tuning the Schottky barrier and doping by electrostatic gating. 2015 , 114, 066803	372

2143	Edge State and Intrinsic Hole Doping in Bilayer Phosphorene. 2015 , 84, 013703	8
2142	Giant Phononic Anisotropy and Unusual Anharmonicity of Phosphorene: Interlayer Coupling and Strain Engineering. 2015 , 25, 2230-2236	169
2141	In Situ Thermal Decomposition of Exfoliated Two-Dimensional Black Phosphorus. 2015 , 6, 773-8	172
2140	Environmental instability of few-layer black phosphorus. 2015 , 2, 011002	683
2139	Strain-induced semiconductor to metal transition in few-layer black phosphorus from first principles. 2015 , 622, 109-114	32
2138	Energetics, Charge Transfer, and Magnetism of Small Molecules Physisorbed on Phosphorene. 2015 , 119, 3102-3110	283
2137	Low Schottky barrier black phosphorus field-effect devices with ferromagnetic tunnel contacts. 2015 , 11, 2209-16	102
2136	Identifying the Crystalline Orientation of Black Phosphorus Using Angle-Resolved Polarized Raman Spectroscopy. 2015 , 127, 2396-2399	91
2135	Oxygen defects in phosphorene. 2015 , 114, 046801	432
2134	Native point defects in few-layer phosphorene. 2015 , 91,	96
2133	Identifying the crystalline orientation of black phosphorus using angle-resolved polarized Raman spectroscopy. 2015 , 54, 2366-9	242
2132	Semiconductor to metal transition in bilayer phosphorene under normal compressive strain. 2015 , 26, 075701	75
2131	High-quality black phosphorus atomic layers by liquid-phase exfoliation. 2015 , 27, 1887-92	603
2130	Switching a normal insulator into a topological insulator via electric field with application to phosphorene. 2015 , 15, 1222-8	343
2129	Geometric and electronic structures of mono- and di-vacancies in phosphorene. 2015 , 26, 065705	48
2128	Atomically thin arsenene and antimonene: semimetal-semiconductor and indirect-direct band-gap transitions. 2015 , 54, 3112-5	994
2127	Atomically Thin Arsenene and Antimonene: Semimetal-Semiconductor and Indirect-Direct Band-Gap Transitions. 2015 , 127, 3155-3158	323
2126	A First-Principles Study on Electron Donor and Acceptor Molecules Adsorbed on Phosphorene. 2015 , 119, 2871-2878	137

2125	A Stillinger-Weber potential for single-layered black phosphorus, and the importance of cross-pucker interactions for a negative Poisson's ratio and edge stress-induced bending. 2015 , 7, 6059-68	69
2124	Thermal conduction in single-layer black phosphorus: highly anisotropic?. 2015 , 26, 055701	50
2123	Exploring atomic defects in molybdenum disulphide monolayers. <i>Nature Communications</i> , 2015 , 6, 6293 17.4	851
2122	Arsenene: Two-dimensional buckled and puckered honeycomb arsenic systems. 2015 , 91,	590
2121	Flexible black phosphorus ambipolar transistors, circuits and AM demodulator. 2015 , 15, 1883-90	341
2120	Temperature dependent phonon shifts in few-layer black phosphorus. 2015 , 7, 5857-62	139
2119	Manipulation of magnetic state in phosphorene layer by non-magnetic impurity doping. 2015 , 17, 023056	70
2118	Interface Coupling in Twisted Multilayer Graphene by Resonant Raman Spectroscopy of Layer Breathing Modes. 2015 , 9, 7440-9	105
2117	Electric-Field Tunable Band Offsets in Black Phosphorus and MoS ₂ van der Waals p-n Heterostructure. 2015 , 6, 2483-8	153
2116	Electronic transport properties of transition metal dichalcogenide field-effect devices: surface and interface effects. 2015 , 44, 7715-36	282
2115	Manipulation of Magnetic State in Armchair Black Phosphorene Nanoribbon by Charge Doping. 2015 , 7, 14423-30	31
2114	Synthesis of thin-film black phosphorus on a flexible substrate. 2015 , 2, 031002	96
2113	Effects of stacking order, layer number and external electric field on electronic structures of few-layer C ₂ N-h ₂ D. 2015 , 7, 14062-70	147
2112	Quasi-Two-Dimensional SiC and SiC ₂ : Interaction of Silicon and Carbon at Atomic Thin Lattice Plane. 2015 , 119, 19772-19779	74
2111	Edge reconstruction in armchair phosphorene nanoribbons revealed by discontinuous Galerkin density functional theory. 2015 , 17, 31397-404	34
2110	High-performance n-type black phosphorus transistors with type control via thickness and contact-metal engineering. <i>Nature Communications</i> , 2015 , 6, 7809	17.4 192
2109	Recent developments in black phosphorus transistors. 2015 , 3, 8760-8775	128
2108	Electronic Structure and Carrier Mobility of Two-Dimensional Arsenic Phosphide. 2015 , 119, 20210-20216	55

2107	Transport and optical properties of single- and bilayer black phosphorus with defects. 2015 , 91,	90
2106	Quality Heterostructures from Two-Dimensional Crystals Unstable in Air by Their Assembly in Inert Atmosphere. 2015 , 15, 4914-21	289
2105	Magnetic evolution and anomalous Wilson transition in diagonal phosphorene nanoribbons driven by strain. 2015 , 26, 295402	4
2104	The deformation and failure behaviour of phosphorene nanoribbons under uniaxial tensile strain. 2015 , 2, 035007	35
2103	Optical tuning of exciton and trion emissions in monolayer phosphorene. 2015 , 4, e312-e312	226
2102	Hybrid functional studies on the electronic properties of ultrathin black phosphorus under normal strain. 2015 , 109, 20-24	21
2101	Anisotropic Particle-Hole Excitations in Black Phosphorus. 2015 , 115, 026404	59
2100	Parametrization of Stillinger-Weber potential based on valence force field model: application to single-layer MoS2 and black phosphorus. 2015 , 26, 315706	154
2099	Theoretical study of phosphorene tunneling field effect transistors. 2015 , 106, 083509	37
2098	Creating a Stable Oxide at the Surface of Black Phosphorus. 2015 , 7, 14557-62	258
2097	Electronic Structure and Carrier Mobilities of Arsenene and Antimonene Nanoribbons: A First-Principle Study. 2015 , 10, 955	117
2096	Electro-mechanical anisotropy of phosphorene. 2015 , 7, 9746-51	157
2095	Manifestation of unexpected semiconducting properties in few-layer orthorhombic arsenene. 2015 , 8, 055201	106
2094	Structural, Electronic, and Magnetic Properties of Adatom Adsorptions on Black and Blue Phosphorene: A First-Principles Study. 2015 , 119, 10610-10622	167
2093	Photocurrent generation with two-dimensional van der Waals semiconductors. 2015 , 44, 3691-718	608
2092	Highly anisotropic and robust excitons in monolayer black phosphorus. 2015 , 10, 517-21	999
2091	Transition Metal Doped Phosphorene: First-Principles Study. 2015 , 119, 9198-9204	199
2090	First-principle study on the optical response of phosphorene. 2015 , 10, 1-9	22

2089	Tunable Magnetism in Transition-Metal-Decorated Phosphorene. 2015 , 119, 10059-10063	96
2088	Two-dimensional materials and their prospects in transistor electronics. 2015 , 7, 8261-83	415
2087	Grain boundary in phosphorene and its unique roles on C and O doping. 2015 , 109, 47003	10
2086	Design of black phosphorus 2D nanomechanical resonators by exploiting the intrinsic mechanical anisotropy. 2015 , 2, 021001	34
2085	Determination of formation and ionization energies of charged defects in two-dimensional materials. 2015 , 114, 196801	63
2084	Electron-Transport Properties of Few-Layer Black Phosphorus. 2015 , 6, 1996-2002	61
2083	Strain-induced gap transition and anisotropic Dirac-like cones in monolayer and bilayer phosphorene. 2015 , 117, 124302	61
2082	Continuously tunable electronic structure of transition metal dichalcogenides superlattices. 2015 , 5, 8356	13
2081	Stable semiconductor black phosphorus (BP)@titanium dioxide (TiO ₂) hybrid photocatalysts. 2015 , 5, 8691	196
2080	Unusual angular dependence of the Raman response in black phosphorus. 2015 , 9, 4270-6	255
2079	Unexpected magnetic semiconductor behavior in zigzag phosphorene nanoribbons driven by half-filled one dimensional band. 2015 , 5, 8921	80
2078	Air-stable transport in graphene-contacted, fully encapsulated ultrathin black phosphorus-based field-effect transistors. 2015 , 9, 4138-45	393
2077	The renaissance of black phosphorus. 2015 , 112, 4523-30	900
2076	Theoretical Prediction of Phosphorene and Nanoribbons As Fast-Charging Li Ion Battery Anode Materials. 2015 , 119, 6923-6928	83
2075	Spin caloritronics of blue phosphorene nanoribbons. 2015 , 17, 10462-7	23
2074	The electronic origin of shear-induced direct to indirect gap transition and anisotropy diminution in phosphorene. 2015 , 26, 215205	21
2073	Low-Frequency Interlayer Breathing Modes in Few-Layer Black Phosphorus. 2015 , 15, 4080-8	154
2072	Homostructured negative differential resistance device based on zigzag phosphorene nanoribbons. 2015 , 5, 40358-40362	26

2071	Phosphorene as an anode material for Na-ion batteries: a first-principles study. 2015 , 17, 13921-8	267
2070	Tunable Schottky contacts in hybrid graphene-phosphorene nanocomposites. 2015 , 3, 4756-4761	104
2069	Ambipolar insulator-to-metal transition in black phosphorus by ionic-liquid gating. 2015 , 9, 3192-8	155
2068	Effects of extrinsic point defects in phosphorene: B, C, N, O, and F adatoms. 2015 , 106, 173104	57
2067	Band-gap tunability and dynamical instability in strained monolayer and bilayer phosphorenes. 2015 , 27, 175006	7
2066	Nine new phosphorene polymorphs with non-honeycomb structures: a much extended family. 2015 , 15, 3557-62	247
2065	Transport properties of pristine few-layer black phosphorus by van der Waals passivation in an inert atmosphere. <i>Nature Communications</i> , 2015 , 6, 6647	17.4 394
2064	Band-gap modulation of two-dimensional saturable absorbers for solid-state lasers. 2015 , 3, A10	21
2063	Theoretical Prediction of Anode Materials in Li-Ion Batteries on Layered Black and Blue Phosphorus. 2015 , 119, 8662-8670	147
2062	Anisotropic Ripple Deformation in Phosphorene. 2015 , 6, 1509-13	88
2061	Stable and Selective Humidity Sensing Using Stacked Black Phosphorus Flakes. 2015 , 9, 9898-905	176
2060	Aluminene as highly hole-doped graphene. 2015 , 17, 083014	62
2059	First-Principles Prediction of the Charge Mobility in Black Phosphorus Semiconductor Nanoribbons. 2015 , 6, 4141-7	46
2058	Nonlocal Response and Anamorphosis: The Case of Few-Layer Black Phosphorus. 2015 , 15, 6991-5	36
2057	Electronic properties of monolayer and bilayer arsenene under in-plane biaxial strains. 2015 , 86, 501-507	47
2056	Environmental, thermal, and electrical susceptibility of black phosphorus field effect transistors. 2015 , 33, 052202	18
2055	Black phosphorus as saturable absorber for the Q-switched Er:ZBLAN fiber laser at 2.8 μm . 2015 , 23, 24713-8	222
2054	Mechanical and Electrical Anisotropy of Few-Layer Black Phosphorus. 2015 , 9, 11362-70	199

2053	Modulation of the electronic property of phosphorene by wrinkle and vertical electric field. 2015 , 107, 112103	12
2052	Stability of two-dimensional PN monolayer sheets and their electronic properties. 2015 , 17, 32009-15	37
2051	Electronic Structure and the Properties of Phosphorene and Few-Layer Black Phosphorus. 2015 , 84, 121004	49
2050	Some Interesting Properties and Promising Applications of Nanostructured Materials. 2015 , 6, 4429-30	2
2049	Recent Advances in Two-Dimensional Materials beyond Graphene. 2015 , 9, 11509-39	1581
2048	Anomalous polarization dependence of Raman scattering and crystallographic orientation of black phosphorus. 2015 , 7, 18708-15	139
2047	Remarkably low-energy one-dimensional fault line defects in single-layered phosphorene. 2015 , 7, 19073-9	14
2046	2D MATERIALS. Observation of tunable band gap and anisotropic Dirac semimetal state in black phosphorus. 2015 , 349, 723-6	597
2045	Modeling of anisotropic two-dimensional materials monolayer HfS ₂ and phosphorene metal-oxide semiconductor field effect transistors. 2015 , 117, 214502	14
2044	Exciton binding energies and luminescence of phosphorene under pressure. 2015 , 91,	41
2043	Phosphorene: Synthesis, Scale-Up, and Quantitative Optical Spectroscopy. 2015 , 9, 8869-84	365
2042	Atomic and electronic structure of exfoliated black phosphorus. 2015 , 33, 060604	60
2041	Intrinsic Defects, Fluctuations of the Local Shape, and the Photo-Oxidation of Black Phosphorus. 2015 , 1, 320-7	61
2040	Black phosphorus saturable absorber for ultrashort pulse generation. 2015 , 107, 051108	236
2039	Electronic structure and magnetic properties of zigzag blue phosphorene nanoribbons. 2015 , 118, 054301	18
2038	High Carrier Mobility and Pronounced Light Absorption in Methyl-Terminated Germanene: Insights from First-Principles Computations. 2015 , 6, 4252-8	41
2037	Anisotropic in-plane thermal conductivity observed in few-layer black phosphorus. <i>Nature Communications</i> , 2015 , 6, 8572	17.4 426
2036	Scaling Limit of Bilayer Phosphorene FETs. 2015 , 36, 978-980	16

2035	Anisotropic Effective Mass, Optical Property, and Enhanced Band Gap in BN/Phosphorene/BN Heterostructures. 2015 , 7, 23489-95		50
2034	New Phosphorene Allotropes Containing Ridges with 2- and 4-Coordination. 2015 , 119, 24674-24680		32
2033	Liquid exfoliation of solvent-stabilized few-layer black phosphorus for applications beyond electronics. <i>Nature Communications</i> , 2015 , 6, 8563	17.4	764
2032	Noncovalent Molecular Doping of Two-Dimensional Materials. 2015 , 1, 542-557		35
2031	Anisotropic in-plane thermal conductivity of black phosphorus nanoribbons at temperatures higher than 100 K. <i>Nature Communications</i> , 2015 , 6, 8573	17.4	249
2030	Black Phosphorus: Narrow Gap, Wide Applications. 2015 , 6, 4280-91		515
2029	Anisotropic photocurrent response at black phosphorus-MoS ₂ p-n heterojunctions. 2015 , 7, 18537-41		92
2028	Plasma-Treated Thickness-Controlled Two-Dimensional Black Phosphorus and Its Electronic Transport Properties. 2015 , 9, 8729-36		135
2027	Hydrogenated arsenenes as planar magnet and Dirac material. 2015 , 107, 022102		122
2026	Ultrashort Channel Length Black Phosphorus Field-Effect Transistors. 2015 , 9, 9236-43		122
2025	High-quality sandwiched black phosphorus heterostructure and its quantum oscillations. <i>Nature Communications</i> , 2015 , 6, 7315	17.4	369
2024	Carrier dynamics and transient photobleaching in thin layers of black phosphorus. 2015 , 107, 081103		60
2023	Defects in Phosphorene. 2015 , 119, 20474-20480		183
2022	Not your familiar two dimensional transition metal disulfide: structural and electronic properties of the PdS ₂ monolayer. 2015 , 3, 9603-9608		93
2021	Temperature-dependent mechanical properties of monolayer black phosphorus by molecular dynamics simulations. 2015 , 107, 023107		64
2020	Probing the anisotropic behaviors of black phosphorus by transmission electron microscopy, angular-dependent Raman spectra, and electronic transport measurements. 2015 , 107, 021906		39
2019	The third principal direction besides armchair and zigzag in single-layer black phosphorus. 2015 , 26, 365702		11
2018	Few-layer black phosphorus based saturable absorber mirror for pulsed solid-state lasers. 2015 , 23, 22643-8		203

2017	Bandgap Engineering of Phosphorene by Laser Oxidation toward Functional 2D Materials. 2015 , 9, 10411-21	102
2016	High and anisotropic carrier mobility in experimentally possible Ti ₂ CO ₂ (MXene) monolayers and nanoribbons. 2015 , 7, 16020-5	176
2015	Indirect-direct band gap transition of two-dimensional arsenic layered semiconductors cousins of black phosphorus. 2015 , 58, 1	21
2014	Red-to-Ultraviolet Emission Tuning of Two-Dimensional Gallium Sulfide/Selenide. 2015 , 9, 9585-93	121
2013	Thickness-dependent Raman spectra, transport properties and infrared photoresponse of few-layer black phosphorus. 2015 , 3, 10974-10980	85
2012	Geometry, electronic structures and optical properties of phosphorus nanotubes. 2015 , 26, 415702	33
2011	Electronic and transport properties of phosphorene nanoribbons. 2015 , 92,	105
2010	Strain-induced band structure and mobility modulation in graphitic blue phosphorus. 2015 , 356, 626-630	27
2009	Enhanced Raman Scattering on In-Plane Anisotropic Layered Materials. 2015 , 137, 15511-7	97
2008	Luminescent monolayer MoS ₂ quantum dots produced by multi-exfoliation based on lithium intercalation. 2015 , 359, 130-136	97
2007	Emergence of Two-Dimensional Massless Dirac Fermions, Chiral Pseudospins, and Berry's Phase in Potassium Doped Few-Layer Black Phosphorus. 2015 , 15, 7788-93	72
2006	Variable electronic properties of lateral phosphorene-graphene heterostructures. 2015 , 17, 31685-92	14
2005	Electronic and magneto-optical properties of monolayer phosphorene quantum dots. 2015 , 2, 045012	54
2004	Dielectric material for monolayer black phosphorus transistors: A first-principles investigation. 2015 ,	2
2003	The study of interaction and charge transfer at black phosphorus/metal interfaces. 2015 , 48, 445101	10
2002	Role of Interlayer Coupling on the Evolution of Band Edges in Few-Layer Phosphorene. 2015 , 6, 4876-83	34
2001	Spin filtering in a magnetized zigzag phosphorene nanoribbon. 2015 , 48, 485301	11
2000	Surface Charge Transfer Doping of Monolayer Phosphorene via Molecular Adsorption. 2015 , 6, 4701-10	61

1999	Black phosphorus nanoelectromechanical resonators vibrating at very high frequencies. 2015 , 7, 877-84	105
1998	Band engineering for novel two-dimensional atomic layers. 2015 , 11, 1868-84	79
1997	Simulation of Phosphorene Field-Effect Transistor at the Scaling Limit. 2015 , 62, 659-665	43
1996	Layer-dependent band alignment and work function of few-layer phosphorene. 2014 , 4, 6677	594
1995	Elemental analogues of graphene: silicene, germanene, stanene, and phosphorene. 2015 , 11, 640-52	597
1994	Phosphorene nanoribbons: Passivation effect on bandgap and effective mass. 2015 , 324, 640-644	25
1993	Adsorption of metal adatoms on single-layer phosphorene. 2015 , 17, 992-1000	246
1992	Photonic Structure-Integrated Two-Dimensional Material Optoelectronics. 2016 , 5, 93	12
1991	Black phosphorus-based one-dimensional photonic crystals and microcavities. 2016 , 55, 9288-9292	8
1990	Computational Search for Two-Dimensional MX ₂ Semiconductors with Possible High Electron Mobility at Room Temperature. 2016 , 9,	90
1989	Black Phosphorus: Critical Review and Potential for Water Splitting Photocatalyst. 2016 , 6,	60
1988	Optical properties of black phosphorus. 2016 , 8, 618	143
1987	Vector soliton fiber laser passively mode locked by few layer black phosphorus-based optical saturable absorber. 2016 , 24, 25933-25942	163
1986	Effect of SiBi Bonds in Silicon-Doped Phosphorene Bilayers: Two-Dimensional Layers and One-Dimensional Nanoribbons. 2016 , 120, 17106-17114	5
1985	Structural and Electrical Irregularities Caused by Selected Dopants in Black-Phosphorus. 2016 , 5, Q3026-Q3032	16
1984	Strain- and twist-engineered optical absorption of few-layer black phosphorus. 2016 , 59, 1	11
1983	Atomic vacancies significantly degrade the mechanical properties of phosphorene. 2016 , 27, 315704	44
1982	Visualizing Light Scattering in Silicon Waveguides with Black Phosphorus Photodetectors. 2016 , 28, 7162-6	26

1981	Birefringence-Directed Raman Selection Rules in 2D Black Phosphorus Crystals. 2016 , 12, 2627-33	53
1980	Doping behaviors of adatoms adsorbed on phosphorene. 2016 , 253, 1156-1166	16
1979	Comment on 'Parametrization of Stillinger-Weber potential based on a valence force field model: application to single-layer MoS2 and black phosphorus'. 2016 , 27, 238001	5
1978	Quantum capacitance measurement for a black phosphorus field-effect transistor. 2016 , 27, 042501	2
1977	Group IVB transition metal trichalcogenides: a new class of 2D layered materials beyond graphene. 2016 , 6, 211-222	73
1976	Tuning the Schottky contacts in the phosphorene and graphene heterostructure by applying strain. 2016 , 18, 19918-25	49
1975	The electronic and optical properties of silicene/g-ZnS heterobilayers: a theoretical study. 2016 , 4, 7004-7012	28
1974	Semiconducting Group 15 Monolayers: A Broad Range of Band Gaps and High Carrier Mobilities. 2016 , 128, 1698-1701	254
1973	Acute mechano-electronic responses in twisted phosphorene nanoribbons. 2016 , 8, 14778-84	6
1972	Enhanced Photoresponse from Phosphorene-Phosphorene-Suboxide Junction Fashioned by Focused Laser Micromachining. 2016 , 28, 4090-6	35
1971	Shape-dependent electronic properties of blue phosphorene nano-flakes. 2016 ,	1
1970	Dephasing in strongly anisotropic black phosphorus. 2016 , 94,	13
1969	Achieving Ultrahigh Carrier Mobility in Two-Dimensional Hole Gas of Black Phosphorus. 2016 , 16, 7768-7773	185
1968	Two-dimensional wide-band-gap II \bar{V} semiconductors with a dilated graphene-like structure. 2016 , 31, 125002	3
1967	The thermal and electrical properties of the promising semiconductor MXene Hf ₂ CO ₂ . 2016 , 6, 27971	115
1966	Theoretical impurity-limited carrier mobility of monolayer black phosphorus. 2016 , 108, 033508	12
1965	Theoretical Study of Carrier Mobility in Two-Dimensional Tetragonal Carbon Allotrope from Porous Graphene. 2016 , 33, 083101	5
1964	Highly anisotropic electronic transport properties of monolayer and bilayer phosphorene from first principles. 2016 , 109, 053108	24

1963	Spin-polarized quantum transport properties through flexible phosphorene. 2016 , 109, 142409	17
1962	Observation of polarization and thickness dependent third-harmonic generation in multilayer black phosphorus. 2016 , 109, 261902	18
1961	Scaling Effect of Phosphorene Nanoribbon - Uncovering the Origin of Asymmetric Current Transport. 2016 , 6, 38009	10
1960	Tinselenidene: a Two-dimensional Auxetic Material with Ultralow Lattice Thermal Conductivity and Ultrahigh Hole Mobility. 2016 , 6, 19830	119
1959	First-principles study of the defected phosphorene under tensile strain. 2016 , 120, 165104	16
1958	The study of ambipolar behavior in phosphorene field-effect transistors. 2016 , 120, 215701	5
1957	Mobility anisotropy of two-dimensional semiconductors. 2016 , 94,	110
1956	Monolayer borophene electrode for effective elimination of both the Schottky barrier and strong electric field effect. 2016 , 109, 061601	20
1955	Heterostructures of phosphorene and transition metal dichalcogenides for excitonic solar cells: A first-principles study. 2016 , 108, 122105	69
1954	A new structure of two-dimensional allotropes of group V elements. 2016 , 6, 25423	32
1953	Superhigh moduli and tension-induced phase transition of monolayer gamma-boron at finite temperatures. 2016 , 6, 23233	5
1952	Structural anisotropy results in strain-tunable electronic and optical properties in monolayer GeX and SnX (X = S, Se, Te). 2016 , 144, 114708	125
1951	Nanoelectromechanical systems based on low dimensional nanomaterials: Beyond carbon nanotube and graphene nanomechanical resonators—brief review. 2016 ,	0
1950	Tunable electronic structure of black phosphorus/blue phosphorus van der Waals p-n heterostructure. 2016 , 108, 083101	91
1949	Black Phosphorus Based Field Effect Transistors with Simultaneously Achieved Near Ideal Subthreshold Swing and High Hole Mobility at Room Temperature. 2016 , 6, 24920	31
1948	Current crowding in two-dimensional black-phosphorus field-effect transistors. 2016 , 108, 103109	10
1947	Strain engineering band gap, effective mass and anisotropic Dirac-like cone in monolayer arsenene. 2016 , 6, 035204	51
1946	Spin density waves predicted in zigzag puckered phosphorene, arsenene and antimonene nanoribbons. 2016 , 6, 045318	16

1945	Strain-Induced Energy Band Gap Opening in Two-Dimensional Bilayered Silicon Film. 2016 , 45, 5040-5047	3
1944	First principles prediction of the electronic structure and carrier mobilities of biaxially strained molybdenum trioxide (MoO ₃). 2016 , 120, 055105	12
1943	Multipurpose Black-Phosphorus/hBN Heterostructures. 2016 , 16, 2586-94	108
1942	The Critical Role of Substrate in Stabilizing Phosphorene Nanoflake: A Theoretical Exploration. 2016 , 138, 4763-71	59
1941	Why all the fuss about 2D semiconductors?. 2016 , 10, 202-204	205
1940	Two-dimensional B-C-O alloys: a promising class of 2D materials for electronic devices. 2016 , 8, 8910-8	17
1939	Chiral phosphorus nanotubes: structure, bonding, and electronic properties. 2016 , 18, 12414-8	15
1938	Probing the electronic states and impurity effects in black phosphorus vertical heterostructures. 2016 , 3, 015012	15
1937	Charge-transport anisotropy in black phosphorus: critical dependence on the number of layers. 2016 , 18, 16345-52	14
1936	Q-Switched Ytterbium-Doped Fiber Laser Using Black Phosphorus as Saturable Absorber. 2016 , 33, 054206	33
1935	Two-dimensional GeS with tunable electronic properties via external electric field and strain. 2016 , 27, 274001	68
1934	Lateral black phosphorene PN junctions formed via chemical doping for high performance near-infrared photodetector. 2016 , 25, 34-41	126
1933	Electric field modulation of the band gap, dielectric constant and polarizability in SnS atomically thin layers. 2016 , 380, 2227-2232	13
1932	Dopants induced structural and optical anomalies of anisotropic edges of black phosphorous thin films and crystals. 2016 , 42, 13113-13127	14
1931	Prediction of the electronic structure of single-walled black phosphorus nanotubes. 2016 , 18, 15177-81	8
1930	Thickness-induced structural phase transformation of layered gallium telluride. 2016 , 18, 18719-26	49
1929	Controlled Sculpture of Black Phosphorus Nanoribbons. 2016 , 10, 5687-95	84
1928	Strong Modulation of Optical Properties in Black Phosphorus through Strain-Engineered Rippling. 2016 , 16, 2931-7	159

1927	Electric Field Effects on Spin Splitting of Two-Dimensional van der Waals Arsenene/FeCl ₂ Heterostructures. 2016 , 120, 5613-5618	35
1926	Fundamental Limits on the Subthreshold Slope in Schottky Source/Drain Black Phosphorus Field-Effect Transistors. 2016 , 10, 3791-800	55
1925	Broadband spatial self-phase modulation of black phosphorous. 2016 , 41, 1704-7	87
1924	First-Principles Study of Sulfur Dioxide Sensor Based on Phosphorenes. 2016 , 37, 660-662	90
1923	Immunity of electronic and transport properties of phosphorene nanoribbons to edge defects. 2016 , 9, 1723-1734	24
1922	Intrinsic Ferroelasticity and/or Multiferroicity in Two-Dimensional Phosphorene and Phosphorene Analogues. 2016 , 16, 3236-41	350
1921	Stable aqueous dispersions of optically and electronically active phosphorene. 2016 , 113, 11688-11693	179
1920	Humidity Sensing and Photodetection Behavior of Electrochemically Exfoliated Atomically Thin-Layered Black Phosphorus Nanosheets. 2016 , 8, 11548-56	232
1919	Development of two-dimensional materials for electronic applications. 2016 , 59, 1	8
1918	Dynamics and Mechanisms of Exfoliated Black Phosphorus Sublimation. 2016 , 7, 1667-74	32
1917	Novel Excitonic Solar Cells in Phosphorene-TiO ₂ Heterostructures with Extraordinary Charge Separation Efficiency. 2016 , 7, 1880-7	41
1916	Two-dimensional stanane: strain-tunable electronic structure, high carrier mobility, and pronounced light absorption. 2016 , 18, 14638-43	26
1915	Analysis of tunneling currents in multilayer black phosphorous and (hbox {MoS}_{2}) non-volatile flash memory cells. 2016 , 15, 129-137	6
1914	Localized Surface Plasmons in Nanostructured Monolayer Black Phosphorus. 2016 , 16, 3457-62	199
1913	Stability, electronic structure and magnetic properties of vacancy and nonmetallic atom-doped buckled arsenene: first-principles study. 2016 , 6, 43794-43801	25
1912	Tuning electronic and magnetic properties of blue phosphorene by doping Al, Si, As and Sb atom: A DFT calculation. 2016 , 242, 36-40	60
1911	Nonradiative Relaxation of Photoexcited Black Phosphorus Is Reduced by Stacking with MoS ₂ : A Time Domain ab Initio Study. 2016 , 7, 1830-5	29
1910	Strain-induced enhancement in the thermoelectric performance of a ZrS ₂ monolayer. 2016 , 4, 4538-4545	130

1909	Electronic and Magnetic Properties of Transition-Metal-Doped Monolayer Black Phosphorus by Defect Engineering. 2016 , 120, 9773-9779	34
1908	Single-Layered Hittorf's Phosphorus: A Wide-Bandgap High Mobility 2D Material. 2016 , 16, 2975-80	153
1907	Black Phosphorus-Based Nanodevices. 2016 , 95, 279-303	1
1906	Spontaneous ripple formation in phosphorene: electronic properties and possible applications. 2016 , 8, 11827-33	9
1905	Nonorthogonal [Formula: see text] tight-binding parameterization of single-layer phosphorene under biaxial strain and application to FETs. 2016 , 27, 245202	2
1904	Highly efficient and ultrastable visible-light photocatalytic water splitting over ReS ₂ . 2016 , 18, 14222-7	58
1903	Few-Layer Tin Sulfide: A New Black-Phosphorus-Analogue 2D Material with a Sizeable Band Gap, OddEven Quantum Confinement Effect, and High Carrier Mobility. 2016 , 120, 22663-22669	94
1902	Light-Matter Interactions in Phosphorene. 2016 , 49, 1806-15	89
1901	Tuning the electronic and optical properties of graphane/silicane and fhBN/silicane nanosheets via interfacial dihydrogen bonding and electrical field control. 2016 , 4, 8962-8972	15
1900	Onset of exciton-exciton annihilation in single-layer black phosphorus. 2016 , 94,	32
1899	Crystallographic Investigations into Properties of Acentric Hybrid Perovskite Single Crystals NH(CH ₃) ₃ SnX ₃ (X = Cl, Br). 2016 , 28, 6968-6974	69
1898	Structure and properties of phosphorene-like IV-VI 2D materials. 2016 , 27, 415203	41
1897	Design of lateral heterostructure from arsenene and antimonene. 2016 , 3, 035017	57
1896	Weak localization and electron-electron interactions in few layer black phosphorus devices. 2016 , 3, 034003	13
1895	A graphene-like MgN monolayer: high stability, desirable direct band gap and promising carrier mobility. 2016 , 18, 30379-30384	24
1894	Slow and fast absorption saturation of black phosphorus: experiment and modelling. 2016 , 8, 17374-17382	33
1893	Theoretical insight into structure stability, elastic property and carrier mobility of monolayer arsenene under biaxial strains. 2016 , 100, 324-334	18
1892	Band-gap control in phosphorene/BN structures from first-principles calculations. 2016 , 94,	8

1891	Atomistic simulations of hetero-junction tunneling field-effect transistors with layered black phosphorus. 2016 ,	
1890	Environmental effects in mechanical properties of few-layer black phosphorus. 2016 , 3, 031007	34
1889	Black Phosphorus Nanoparticle Labels for Immunoassays via Hydrogen Evolution Reaction Mediation. 2016 , 88, 10074-10079	118
1888	Impact of edge states on device performance of phosphorene heterojunction tunneling field effect transistors. 2016 , 8, 18180-18186	18
1887	. 2016 ,	
1886	Point defects in lines in single crystalline phosphorene: directional migration and tunable band gaps. 2016 , 8, 17801-17808	24
1885	2D Black Phosphorus/SrTiO ₃ -Based Programmable Photoconductive Switch. 2016 , 28, 7768-73	44
1884	First-Principles Calculation on Geometric, Electronic and Optical Properties of Fully Fluorinated Stanene: a Large-Gap Quantum Spin Hall Insulator. 2016 , 33, 067101	5
1883	Electronic properties of red and black phosphorous and their potential application as photocatalysts. 2016 , 6, 80872-80884	27
1882	Triwavelength synchronously mode-locked fiber laser based on few-layered black phosphorus. 2016 , 9, 092701	19
1881	Anisotropic Thermoelectric Response in Two-Dimensional Puckered Structures. 2016 , 120, 18841-18849	71
1880	Valence-force model and nanomechanics of single-layer phosphorene. 2016 , 18, 23312-9	7
1879	Tunable electronic structures of germanium monochalcogenide nanosheets via light non-metallic atom functionalization: a first-principles study. 2016 , 18, 23080-8	16
1878	2D materials and van der Waals heterostructures. 2016 , 353, aac9439	3469
1877	Promising thermoelectric properties of phosphorenes. 2016 , 27, 355705	35
1876	Phosphorene: what can we know from computations?. 2016 , 6, 5-19	112
1875	Number-of-layer, pressure, and temperature resolved bond-phonon-photon cooperative relaxation of layered black phosphorus. 2016 , 47, 1304-1309	8
1874	Tunable Ambipolar Polarization-Sensitive Photodetectors Based on High-Anisotropy ReSe ₂ Nanosheets. 2016 , 10, 8067-77	200

1873	Charge carrier transport and lifetimes in n-type and p-type phosphorene as 2D device active materials: an ab initio study. 2016 , 18, 22706-11	11
1872	Nanotubes based on monolayer blue phosphorus. 2016 , 94,	20
1871	A promising two-dimensional channel material: monolayer antimonide phosphorus. 2016 , 59, 648-656	22
1870	Tuning anisotropic electronic transport properties of phosphorene via substitutional doping. 2016 , 18, 25869-78	33
1869	Understanding the growth of black phosphorus crystals. 2016 , 18, 7737-7744	45
1868	Mechanical properties of phosphorene nanotubes: a density functional tight-binding study. 2016 , 27, 395701	33
1867	Structural, electronic, mechanical, and transport properties of phosphorene nanoribbons: Negative differential resistance behavior. 2016 , 94,	51
1866	Room-temperature magnetism on the zigzag edges of phosphorene nanoribbons. 2016 , 94,	39
1865	Ab initio study of carrier mobility of few-layer InSe. 2016 , 9, 035203	60
1864	Gate Switchable Transport and Optical Anisotropy in 90° Twisted Bilayer Black Phosphorus. 2016 , 16, 5542-6	56
1863	The tunable electronic structure and optic absorption properties of phosphorene by a normally applied electric field. 2016 , 91, 105801	3
1862	Light-Induced Ambient Degradation of Few-Layer Black Phosphorus: Mechanism and Protection. 2016 , 55, 11437-41	387
1861	Magnetic properties of transition metal Mn, Fe and Co dimers on monolayer phosphorene. 2016 , 27, 385701	20
1860	Light-Induced Ambient Degradation of Few-Layer Black Phosphorus: Mechanism and Protection. 2016 , 128, 11609-11613	70
1859	Metal Nitrides Grown from Ca/Li Flux: Ca ₆ Te ₃ N ₂ and New Nitridoferrate(I) Ca ₆ (Li _x Fe _{1-x})Te ₂ N ₃ . 2016 , 138, 10636-44	9
1858	Strain-induced topological phase transition in phosphorene and in phosphorene nanoribbons. 2016 , 94,	66
1857	In-Plane Optical Anisotropy of Layered Gallium Telluride. 2016 , 10, 8964-72	140
1856	Strong dichroic emission in the pseudo one dimensional material ZrS. 2016 , 8, 16259-16265	48

1855	Multiple unpinned Dirac points in group-Va single-layers with phosphorene structure. 2016 , 2,	38
1854	Dirac fermions induced in strained zigzag phosphorus nanotubes and their applications in field effect transistors. 2016 , 18, 32521-32527	2
1853	Large and Anisotropic Linear Magnetoresistance in Single Crystals of Black Phosphorus Arising From Mobility Fluctuations. 2016 , 6, 23807	23
1852	Two-dimensional exciton properties in monolayer semiconducting phosphorus allotropes. 2016 , 18, 27829-27836	36
1851	Nanotube-terminated zigzag edges of phosphorene formed by self-rolling reconstruction. 2016 , 8, 17940-17948	48
1850	Electronic Structures and Li-Diffusion Properties of Group IV-V Layered Materials: Hexagonal Germanium Phosphide and Germanium Arsenide. 2016 , 120, 23842-23850	31
1849	Manipulating the magnetic moment in phosphorene by lanthanide atom doping: a first-principle study. 2016 , 6, 92048-92056	17
1848	Surface Charge Transfer Doping of Low-Dimensional Nanostructures toward High-Performance Nanodevices. 2016 , 28, 10409-10442	105
1847	Synthesis of hybrid nanocomposites of ZIF-8 with two-dimensional black phosphorus for photocatalysis. 2016 , 6, 69033-69039	55
1846	Phosphorene and Phosphorene-Based Materials - Prospects for Future Applications. 2016 , 28, 8586-8617	283
1845	Negative compressibility in graphene-terminated black phosphorus heterostructures. 2016 , 93,	7
1844	Theoretical investigation of electron-hole complexes in anisotropic two-dimensional materials. 2016 , 93,	31
1843	Excitons in atomically thin black phosphorus. 2016 , 93,	57
1842	Direct band gaps in group IV-VI monolayer materials: Binary counterparts of phosphorene. 2016 , 93,	111
1841	Mobility anisotropy in monolayer black phosphorus due to scattering by charged impurities. 2016 , 93,	62
1840	First-principles cluster expansion study of functionalization of black phosphorene via fluorination and oxidation. 2016 , 93,	38
1839	Thickness and electric-field-dependent polarizability and dielectric constant in phosphorene. 2016 , 93,	48
1838	Hydrostatic pressure induced three-dimensional Dirac semimetal in black phosphorus. 2016 , 93,	39

1837	Laser-induced topological transitions in phosphorene with inversion symmetry. 2016 , 93,	42
1836	Quantum Hall effect and semiconductor-to-semimetal transition in biased black phosphorus. 2016 , 93,	58
1835	Exciton Band Structure in Two-Dimensional Materials. 2016 , 116, 066803	80
1834	Anisotropic 2D Materials for Tunable Hyperbolic Plasmonics. 2016 , 116, 066804	137
1833	Intrinsic Charge Carrier Mobility in Single-Layer Black Phosphorus. 2016 , 116, 246401	95
1832	The fracture behaviors of monolayer phosphorene with grain boundaries under tension: a molecular dynamics study. 2016 , 18, 20562-70	10
1831	Four allotropes of semiconducting layered arsenic that switch into a topological insulator via an electric field: Computational study. 2016 , 94,	50
1830	Excitons and optical spectra of phosphorene nanoribbons. 2016 , 94,	30
1829	Advanced High Energy Density Secondary Batteries with Multi-Electron Reaction Materials. 2016 , 3, 1600051	141
1828	Computational studies on the structural, electronic and optical properties of graphene-like MXenes (M ₂ CT ₂ , M = Ti, Zr, Hf; T = O, F, OH) and their potential applications as visible-light driven photocatalysts. 2016 , 4, 12913-12920	137
1827	Two-Dimensional Phosphorus Oxides as Energy and Information Materials. 2016 , 55, 8575-80	24
1826	Disentangling bulk from surface contributions in the electronic structure of black phosphorus. 2016 , 93,	9
1825	Tunable skewed edges in puckered structures. 2016 , 93,	26
1824	Effect of the edge states on the conductance and thermopower in zigzag phosphorene nanoribbons. 2016 , 94,	25
1823	Optical Identification of Topological Defect Types in Monolayer Arsenene by First-Principles Calculation. 2016 , 120, 24917-24924	19
1822	Van der Waals heterostructures and devices. 2016 , 1,	1262
1821	Interfacial Properties of Monolayer and Bilayer MoS ₂ Contacts with Metals: Beyond the Energy Band Calculations. 2016 , 6, 21786	186
1820	An atomically thin layer of Ru/MoS heterostructure: structural, electronic, and magnetic properties. 2016 , 18, 32528-32533	6

1819	Polarization-Resolved Raman Study of Bulk-like and Davydov-Induced Vibrational Modes of Exfoliated Black Phosphorus. 2016 , 16, 7761-7767	48
1818	New Ferroelectric Phase in Atomic-Thick Phosphorene Nanoribbons: Existence of in-Plane Electric Polarization. 2016 , 16, 8015-8020	46
1817	Theoretical perspective of energy harvesting properties of atomically thin BiI ₃ . 2016 , 4, 19086-19094	41
1816	Low-symmetry two-dimensional materials for electronic and photonic applications. 2016 , 11, 763-777	85
1815	High-mobility anisotropic transport in few-layer BB films. 2016 , 8, 20111-20117	12
1814	Surface charge transfer doping of monolayer molybdenum disulfide by black phosphorus quantum dots. 2016 , 27, 505204	22
1813	Interaction of Black Phosphorus with Oxygen and Water. 2016 , 28, 8330-8339	345
1812	Disorder effect on the anisotropic resistivity of phosphorene determined by a tight-binding model. 2016 , 94,	12
1811	Biodegradable black phosphorus-based nanospheres for in vivo photothermal cancer therapy. <i>Nature Communications</i> , 2016 , 7, 12967	17.4 659
1810	The polarization-dependent anisotropic Raman response of few-layer and bulk WTe ₂ under different excitation wavelengths. 2016 , 6, 103830-103837	21
1809	Resonant bonding driven giant phonon anharmonicity and low thermal conductivity of phosphorene. 2016 , 94,	79
1808	Two new phases of monolayer group-IV monochalcogenides and their piezoelectric properties. 2016 , 18, 32514-32520	59
1807	Electronics and optoelectronics of lateral heterostructures within monolayer indium monochalcogenides. 2016 , 4, 11253-11260	36
1806	Two-Dimensional Phosphorus Oxides as Energy and Information Materials. 2016 , 128, 8717-8722	9
1805	Noncovalent Functionalization of Black Phosphorus. 2016 , 128, 14777-14782	59
1804	Few-Layer Fe ₃ (PO ₄) ₂ ·8H ₂ O: Novel H-Bonded 2D Material and Its Abnormal Electronic Properties. 2016 , 120, 26278-26283	2
1803	Phosphorene: from theory to applications. 2016 , 1,	571
1802	A theoretical review on electronic, magnetic and optical properties of silicene. 2016 , 79, 126501	106

1801	Spin-orbit coupling and spin relaxation in phosphorene: Intrinsic versus extrinsic effects. 2016 , 94,	33
1800	Performance of arsenene and antimonene double-gate MOSFETs from first principles. <i>Nature Communications</i> , 2016 , 7, 12585	17.4 224
1799	Large Area Fabrication of Semiconducting Phosphorene by Langmuir-Blodgett Assembly. 2016 , 6, 34095	58
1798	Noncovalent Functionalization of Black Phosphorus. 2016 , 55, 14557-14562	172
1797	Inconsistencies in the Electronic Properties of Phosphorene Nanotubes: New Insights from Large-Scale DFT Calculations. 2016 , 7, 4340-4345	42
1796	Mid-infrared time-resolved photoconduction in black phosphorus. 2016 , 3, 041006	42
1795	Uniform Benchmarking of Low-Voltage van der Waals FETs. 2016 , 2, 28-35	16
1794	Covalent Functionalization of Black Phosphorus from First-Principles. 2016 , 7, 4540-4546	63
1793	A Dynamically Reconfigurable Ambipolar Black Phosphorus Memory Device. 2016 , 10, 10428-10435	72
1792	Intense, stable and excitation wavelength-independent photoluminescence emission in the blue-violet region from phosphorene quantum dots. 2016 , 6, 27307	63
1791	Saving Moore's Law Down To 1 nm Channels With Anisotropic Effective Mass. 2016 , 6, 31501	54
1790	Interlayer thermal conductance within a phosphorene and graphene bilayer. 2016 , 8, 19211-19218	43
1789	Ferromagnetism controlled by electric field in tilted phosphorene nanoribbon. 2016 , 6, 26300	15
1788	Investigation and analysis of single layer phosphorene properties based on tight-binding and green's function formalism. 2016 ,	1
1787	Black Phosphorus Nanosheets: Synthesis, Characterization and Applications. 2016 , 12, 3480-502	267
1786	Extraordinarily Strong Interlayer Interaction in 2D Layered PtS ₂ . 2016 , 28, 2399-407	322
1785	Ultrafast Preparation of Black Phosphorus Quantum Dots for Efficient Humidity Sensing. 2016 , 22, 7357-62	98
1784	Effect of multilayer structure, stacking order and external electric field on the electrical properties of few-layer boron-phosphide. 2016 , 18, 16229-36	53

1783	Investigation of black phosphorus field-effect transistors and its stability. 2016 , 48, 1	7
1782	Tuning the electronic properties and work functions of graphane/fully hydrogenated h-BN heterobilayers via heteronuclear dihydrogen bonding and electric field control. 2016 , 18, 16386-95	36
1781	LaPtSb: a half-Heusler compound with high thermoelectric performance. 2016 , 18, 17912-6	51
1780	First principles calculations of solid-state thermionic transport in layered van der Waals heterostructures. 2016 , 8, 14695-704	24
1779	Polarized Raman spectra of phosphorene in edge and top view measuring configurations. 2016 , 6, 58003-58009	
1778	Radiatively Dominated Charge Carrier Recombination in Black Phosphorus. 2016 , 120, 13836-13842	9
1777	Ultrafast Nonlinear Excitation Dynamics of Black Phosphorus Nanosheets from Visible to Mid-Infrared. 2016 , 10, 6923-32	178
1776	Integration of Upconversion Nanoparticles and Ultrathin Black Phosphorus for Efficient Photodynamic Theranostics under 808 nm Near-Infrared Light Irradiation. 2016 , 28, 4724-4734	174
1775	In situ TEM visualization of superior nanomechanical flexibility of shear-exfoliated phosphorene. 2016 , 8, 13603-10	20
1774	Wedge energy bands of monolayer black phosphorus: a first-principles study. 2016 , 28, 305301	
1773	A Honeycomb BeN ₂ Sheet with a Desirable Direct Band Gap and High Carrier Mobility. 2016 , 7, 2664-70	72
1772	Transition Metal and Vacancy Defect Complexes in Phosphorene: A Spintronic Perspective. 2016 , 120, 14991-15000	49
1771	MXene: a promising photocatalyst for water splitting. 2016 , 4, 11446-11452	404
1770	Indirect-direct band gap transition in puckered arsenene through chemical doping of P, Sb and Bi: a computational study. 2016 , 31, 4-6	4
1769	Ab Initio Study of the Adsorption of Small Molecules on Stanene. 2016 , 120, 13987-13994	113
1768	Dual-wavelength, passively Q-switched Tm:YAP laser with black phosphorus saturable absorber. 2016 , 6, 2328	60
1767	Black Phosphorus Mid-Infrared Photodetectors with High Gain. 2016 , 16, 4648-55	476
1766	2D-HfS ₂ as an efficient photocatalyst for water splitting. 2016 , 6, 6605-6614	52

1765	Strain enhancement of acoustic phonon limited mobility in monolayer TiS ₃ . 2016 , 18, 14434-41	24
1764	Electronic structure and optic absorption of phosphorene under strain. 2016 , 81, 177-181	35
1763	First-principles study of thermal expansion and thermomechanics of single-layer black and blue phosphorus. 2016 , 380, 2098-2104	47
1762	Dilute Magnetic Semiconductor and Half-Metal Behaviors in 3d Transition-Metal Doped Black and Blue Phosphorenes: A First-Principles Study. 2016 , 11, 77	78
1761	Multi-layered black phosphorus as saturable absorber for pulsed Cr:ZnSe laser at 2.4 μm . 2016 , 24, 1598-603	37
1760	Two-dimensional BX (X = P, As, Sb) semiconductors with mobilities approaching graphene. 2016 , 8, 13407-13	84
1759	Black Phosphorus (BP) Nanodots for Potential Biomedical Applications. 2016 , 12, 214-9	205
1758	Type-controlled nanodevices based on encapsulated few-layer black phosphorus for quantum transport. 2016 , 3, 031001	17
1757	Exciton Brightening in Monolayer Phosphorene via Dimensionality Modification. 2016 , 28, 3493-8	41
1756	Broadband Black-Phosphorus Photodetectors with High Responsivity. 2016 , 28, 3481-5	293
1755	Anisotropic Black Phosphorus Synaptic Device for Neuromorphic Applications. 2016 , 28, 4991-7	217
1754	Surface Coordination of Black Phosphorus for Robust Air and Water Stability. 2016 , 128, 5087-5091	92
1753	Semiconducting Group 15 Monolayers: A Broad Range of Band Gaps and High Carrier Mobilities. 2016 , 55, 1666-9	535
1752	Surface Coordination of Black Phosphorus for Robust Air and Water Stability. 2016 , 55, 5003-7	406
1751	Stacking Fault Enriching the Electronic and Transport Properties of Few-Layer Phosphorenes and Black Phosphorus. 2016 , 16, 1317-22	35
1750	Producing air-stable monolayers of phosphorene and their defect engineering. <i>Nature Communications</i> , 2016 , 7, 10450	17.4 358
1749	N- and p-type doping of antimonene. 2016 , 6, 14620-14625	48
1748	Liquid exfoliation of black phosphorus nanosheets and its application as humidity sensor. 2016 , 225, 494-503	150

1747	Tuning carrier mobility of phosphorene nanoribbons by edge passivation and strain. 2016 , 380, 614-620	20
1746	Blockage of ultrafast and directional diffusion of Li atoms on phosphorene with intrinsic defects. 2016 , 8, 4001-6	65
1745	Charge trap memory based on few-layer black phosphorus. 2016 , 8, 2686-92	72
1744	Can Homojunction Tunnel FETs Scale Below 10 nm?. 2016 , 37, 115-118	29
1743	Tuning the electronic and optical properties of phosphorene by transition-metal and nonmetallic atom co-doping. 2016 , 6, 10919-10929	38
1742	Substitutionally doped phosphorene: electronic properties and gas sensing. 2016 , 27, 065708	111
1741	Optical Anisotropy of Black Phosphorus in the Visible Regime. 2016 , 138, 300-5	217
1740	2D phosphorene as a water splitting photocatalyst: fundamentals to applications. 2016 , 9, 709-728	420
1739	Toward an Accurate Estimate of the Exfoliation Energy of Black Phosphorus: A Periodic Quantum Chemical Approach. 2016 , 7, 131-6	46
1738	Linearly Polarized Excitons in Single- and Few-Layer ReS ₂ Crystals. 2016 , 3, 96-101	169
1737	Van der Waals heterostructure of phosphorene and hexagonal boron nitride: First-principles modeling. 2016 , 25, 037302	6
1736	Calcium decorated and doped phosphorene for gas adsorption. 2016 , 377, 311-323	69
1735	Polytypism and unexpected strong interlayer coupling in two-dimensional layered ReS ₂ . 2016 , 8, 8324-32	99
1734	Selective Ionic Transport Pathways in Phosphorene. 2016 , 16, 2240-7	68
1733	First-principles studies on substitutional doping by group IV and VI atoms in the two-dimensional arsenene. 2016 , 378, 350-356	31
1732	Optical reflection, transmission and absorption properties of single-layer black phosphorus from a model calculation. 2016 , 18, 055102	7
1731	Carbon phosphide monolayers with superior carrier mobility. 2016 , 8, 8819-25	97
1730	Scalable shear-exfoliation of high-quality phosphorene nanoflakes with reliable electrochemical cycleability in nano batteries. 2016 , 3, 025005	57

1729	Optical-Phonon-Limited High-Field Transport in Layered Materials. 2016 , 63, 767-772	4
1728	Chemically Tailoring Semiconducting Two-Dimensional Transition Metal Dichalcogenides and Black Phosphorus. 2016 , 10, 3900-17	192
1727	Quantum Hall effect in black phosphorus two-dimensional electron system. 2016 , 11, 593-7	289
1726	Review on the Raman spectroscopy of different types of layered materials. 2016 , 8, 6435-50	235
1725	Temperature Evolution of Phonon Properties in Few-Layer Black Phosphorus. 2016 , 120, 5265-5270	49
1724	Optoelectronic properties of atomically thin ReSSe with weak interlayer coupling. 2016 , 8, 5826-34	27
1723	Black phosphorene/monolayer transition-metal dichalcogenides as two dimensional van der Waals heterostructures: a first-principles study. 2016 , 18, 7381-8	82
1722	Passively Q-switched ytterbium-doped ScBO ₃ laser with black phosphorus saturable absorber. 2016 , 55, 081312	15
1721	Two-dimensional tricycle arsenene with a direct band gap. 2016 , 18, 8723-9	27
1720	Edge-Modified Phosphorene Nanoflake Heterojunctions as Highly Efficient Solar Cells. 2016 , 16, 1675-82	142
1719	Electronic and magnetic properties of nonmetal atoms doped blue phosphorene: First-principles study. 2016 , 408, 121-126	38
1718	Low-frequency interlayer vibration modes in two-dimensional layered materials. 2016 , 80, 130-141	15
1717	Nonradiative Electron--Hole Recombination Rate Is Greatly Reduced by Defects in Monolayer Black Phosphorus: Ab Initio Time Domain Study. 2016 , 7, 653-9	78
1716	Nonequilibrium spin injection in monolayer black phosphorus. 2016 , 18, 1601-6	37
1715	Effects of interlayer coupling and electric fields on the electronic structures of graphene and MoS ₂ heterobilayers. 2016 , 4, 1776-1781	89
1714	The stacking dependent electronic structure and optical properties of bilayer black phosphorus. 2016 , 18, 6085-91	36
1713	Strain-displacement relations for strain engineering in single-layer 2d materials. 2016 , 3, 011005	30
1712	Long-Range Magnetic Ordering and Switching of Magnetic State by Electric Field in Porous Phosphorene. 2016 , 7, 647-52	16

1711	Monolayer PhosphoreneMetal Contacts. 2016 , 28, 2100-2109	166
1710	The electronic structure, mechanical flexibility and carrier mobility of black arsenic-phosphorus monolayers: a first principles study. 2016 , 18, 9779-87	33
1709	Multilayer Black Phosphorus as a Versatile Mid-Infrared Electro-optic Material. 2016 , 16, 1683-9	117
1708	Interaction between phosphorene and the surface of a substrate. 2016 , 3, 025013	7
1707	Promising electron mobility and high thermal conductivity in Sc ₂ CT ₂ (T = F, OH) MXenes. 2016 , 8, 6110-7	141
1706	Black phosphorus as broadband saturable absorber for pulsed lasers from 1 μ m to 2.7 μ m wavelength. 2016 , 13, 045801	134
1705	Two-step heating synthesis of sub-3 millimeter-sized orthorhombic black phosphorus single crystal by chemical vapor transport reaction method. 2016 , 59, 122-134	48
1704	Thermal conductivity of armchair black phosphorus nanotubes: a molecular dynamics study. 2016 , 27, 155703	22
1703	Anisotropic Electron-Photon and Electron-Phonon Interactions in Black Phosphorus. 2016 , 16, 2260-7	266
1702	Half-oxidized phosphorene: band gap and elastic properties modulation. 2016 , 28, 145501	8
1701	Extraordinarily Bound Quasi-One-Dimensional Trions in Two-Dimensional Phosphorene Atomic Semiconductors. 2016 , 10, 2046-53	75
1700	Growth Mechanism and Enhanced Yield of Black Phosphorus Microribbons. 2016 , 16, 1096-1103	63
1699	Interlayer electronic hybridization leads to exceptional thickness-dependent vibrational properties in few-layer black phosphorus. 2016 , 8, 2740-50	111
1698	Anomalous Size Dependence of Optical Properties in Black Phosphorus Quantum Dots. 2016 , 7, 370-5	78
1697	Tuning Phosphorene Nanoribbon Electronic Structure through Edge Oxidization. 2016 , 120, 2149-2158	25
1696	High thermoelectric performance can be achieved in black phosphorus. 2016 , 4, 991-998	45
1695	Atom-Thin SnS ₂ -xSex with Adjustable Compositions by Direct Liquid Exfoliation from Single Crystals. 2016 , 10, 755-62	33
1694	Indiene 2D monolayer: a new nanoelectronic material. 2016 , 6, 8006-8014	30

1693	Electric field and strain tunable electronic structures in monolayer Black Phosphorus. 2016 , 112, 297-303	10
1692	Al2C Monolayer Sheet and Nanoribbons with Unique Direction-Dependent Acoustic-Phonon-Limited Carrier Mobility and Carrier Polarity. 2016 , 7, 302-7	21
1691	Two-Dimensional SiS Layers with Promising Electronic and Optoelectronic Properties: Theoretical Prediction. 2016 , 16, 1110-7	110
1690	Ambipolar Black Phosphorus MOSFETs With Record n-Channel Transconductance. 2016 , 37, 103-106	28
1689	Structure and magnetism of Mn, Fe, or Co adatoms on monolayer and bilayer black phosphorus. 2016 , 401, 706-710	14
1688	Long-term stability study of graphene-passivated black phosphorus under air exposure. 2016 , 16, 165-169	66
1687	Thermal conductivities of single- and multi-layer phosphorene: a molecular dynamics study. 2016 , 8, 483-91	129
1686	Does p-type ohmic contact exist in WSe2-metal interfaces?. 2016 , 8, 1179-91	133
1685	First-principles study of two-dimensional van der Waals heterojunctions. 2016 , 112, 518-526	72
1684	Elastic and Inelastic Light-Matter Interactions in 2D Materials. 2017 , 23, 206-213	6
1683	Giant Anisotropic Raman Response of Encapsulated Ultrathin Black Phosphorus by Uniaxial Strain. 2017 , 27, 1600986	81
1682	Effective Doping of Monolayer Phosphorene by Surface Adsorption of Atoms for Electronic and Spintronic Applications. 2017 , 63, 205-215	39
1681	Can a Black Phosphorus Schottky Barrier Transistor Be Good Enough?. 2017 , 9, 3959-3966	55
1680	Imperfect two-dimensional topological insulator field-effect transistors. <i>Nature Communications</i> , 2017 , 8, 14184	17.4 49
1679	Schwarzer Phosphor neu entdeckt: vom Volumenmaterial zu Monoschichten. 2017 , 129, 8164-8185	56
1678	Black Phosphorus Rediscovered: From Bulk Material to Monolayers. 2017 , 56, 8052-8072	315
1677	Sensitive Detection of Carcinoembryonic Antigen Using Stability-Limited Few-Layer Black Phosphorus as an Electron Donor and a Reservoir. 2017 , 13, 1603589	102
1676	A CO monolayer: first-principles design of a new direct band-gap semiconductor with excellent mechanical properties. 2017 , 9, 5445-5450	27

1675	Thermal Properties of Two Dimensional Layered Materials. 2017 , 27, 1604134	96
1674	TiL -Coordinated Black Phosphorus Quantum Dots as an Efficient Contrast Agent for In Vivo Photoacoustic Imaging of Cancer. 2017 , 13, 1602896	198
1673	Infrared fingerprints of few-layer black phosphorus. <i>Nature Communications</i> , 2017 , 8, 14071	17.4 179
1672	Interlayer couplings, Moiré patterns, and 2D electronic superlattices in MoS/WSe hetero-bilayers. 2017 , 3, e1601459	277
1671	Electronic band structure of surface-doped black phosphorus. 2017 , 219, 86-91	9
1670	Edge-functionalization of blue phosphorene nanoribbons: Studied from first-principle methods. 2017 , 88, 174-181	5
1669	Engineering the electronic and optoelectronic properties of InX (X = S, Se, Te) monolayers via strain. 2017 , 19, 4855-4860	58
1668	Emergent elemental two-dimensional materials beyond graphene. 2017 , 50, 053004	56
1667	Effective g factor in black phosphorus thin films. 2017 , 95,	19
1666	Tetragonal-structured anisotropic 2D metal nitride monolayers and their halides with versatile promises in energy storage and conversion. 2017 , 5, 2870-2875	32
1665	Three-Dimensional Integration of Black Phosphorus Photodetector with Silicon Photonics and Nanoplasmonics. 2017 , 17, 985-991	81
1664	Linear and nonlinear magneto-optical properties of monolayer phosphorene. 2017 , 121, 045107	33
1663	Atomic-scale imaging of few-layer black phosphorus and its reconstructed edge. 2017 , 50, 084003	27
1662	Size modulation electronic and optical properties of phosphorene nanoribbons: DFT-BOLS approximation. 2017 , 19, 5304-5309	42
1661	Density functional study of metal-phosphorene interfaces. 2017 , 31, 1750077	4
1660	Piezoelectric scattering limited mobility of hybrid organic-inorganic perovskites CH ₃ NH ₃ PbI ₃ . 2017 , 7, 41860	25
1659	Widely tunable and anisotropic charge carrier mobility in monolayer tin(II) selenide using biaxial strain: a first-principles study. 2017 , 5, 1247-1254	78
1658	Novel Two-Dimensional Silicon Dioxide with in-Plane Negative Poisson's Ratio. 2017 , 17, 772-777	131

1657	First-principles prediction of a low energy edge-reconstruction for zigzag phosphorene nanoribbons. 2017 , 50, 065304	4
1656	Phosphorus quantum dots as visible-light photocatalyst for water splitting. 2017 , 130, 56-63	47
1655	Tuning Electronic Properties and Band Alignments of Phosphorene Combined With MoSe ₂ and WSe ₂ . 2017 , 121, 3862-3869	42
1654	Is the Metallic Phosphorus Carbide (PC) Monolayer Stable? An Answer from a Theoretical Perspective. 2017 , 8, 747-754	35
1653	GeP: A Small Indirect Band Gap 2D Crystal with High Carrier Mobility and Strong Interlayer Quantum Confinement. 2017 , 17, 1833-1838	228
1652	High-Pressure Synthesis and Characterization of β -GeSe-A Six-Membered-Ring Semiconductor in an Uncommon Boat Conformation. 2017 , 139, 2771-2777	71
1651	2D Materials for Optical Modulation: Challenges and Opportunities. 2017 , 29, 1606128	256
1650	Black Phosphorus Revisited: A Missing Metal-Free Elemental Photocatalyst for Visible Light Hydrogen Evolution. 2017 , 29, 1605776	309
1649	Suppressed superconductivity in substrate-supported $\sqrt{3} \times \sqrt{3}$ borophene by tensile strain and electron doping. 2017 , 4, 025032	63
1648	Magnetic engineering in 3d transition metals on phosphorene by strain. 2017 , 381, 1236-1240	15
1647	Ab initio study of tunable band gap of monolayer and bilayer phosphorene by the vertical electronic field. 2017 , 32, 213-216	5
1646	Anisotropic Raman scattering and mobility in monolayer 1T d -ReS ₂ controlled by strain engineering. 2017 , 404, 276-281	16
1645	Failure Mechanism of Phosphorene by Nanoindentation. 2017 , 121, 4708-4713	5
1644	Strain-Modulated Electronic Structure and Infrared Light Adsorption in Palladium Diselenide Monolayer. 2017 , 7, 39995	31
1643	Adaptively Compressed Exchange Operator for Large-Scale Hybrid Density Functional Calculations with Applications to the Adsorption of Water on Silicene. 2017 , 13, 1188-1198	21
1642	Rapid and Large-Area Characterization of Exfoliated Black Phosphorus Using Third-Harmonic Generation Microscopy. 2017 , 8, 1343-1350	50
1641	Different-sized black phosphorus nanosheets with good cytocompatibility and high photothermal performance. 2017 , 7, 14618-14624	47
1640	Atomic Defects in Two-Dimensional Materials: From Single-Atom Spectroscopy to Functionalities in Opto-/Electronics, Nanomagnetism, and Catalysis. 2017 , 29, 1606434	146

1639	Gas adsorption on monolayer blue phosphorus: implications for environmental stability and gas sensors. 2017 , 28, 175708	67
1638	Toward high-performance two-dimensional black phosphorus electronic and optoelectronic devices. 2017 , 26, 037307	8
1637	Vastly enhancing the chemical stability of phosphorene by employing an electric field. 2017 , 9, 4219-4226	19
1636	Optical properties of phosphorene. 2017 , 26, 034201	9
1635	Phonon-limited carrier mobility in monolayer black phosphorus. 2017 , 95,	23
1634	Half Layer By Half Layer Growth of a Blue Phosphorene Monolayer on a GaN(001) Substrate. 2017 , 118, 046101	118
1633	Nonlinear Black Phosphorus for Ultrafast Optical Switching. 2017 , 7, 43371	37
1632	Recent progress in van der Waals heterojunctions. 2017 , 9, 4324-4365	114
1631	Prediction of phonon-mediated superconductivity in borophene. 2017 , 95,	138
1630	Emerging Trends in Phosphorene Fabrication towards Next Generation Devices. 2017 , 4, 1600305	224
1629	Ultrafast photocurrent measurements of a black phosphorus photodetector. 2017 , 110, 051102	30
1628	Reactivity of phosphorene with a 3d element trioxide (CrO) considering van der Waals molecular interactions: a DFT-D2 study. 2017 , 23, 49	4
1627	2D lateral heterostructures of monolayer and bilayer phosphorene. 2017 , 5, 2291-2300	21
1626	Winding a nanotube from black phosphorus nanoribbon onto a CNT at low temperature: A molecular dynamics study. 2017 , 121, 406-413	25
1625	Exfoliation Energy of Black Phosphorus Revisited: A Coupled Cluster Benchmark. 2017 , 8, 1290-1294	26
1624	Generation of Anisotropic Massless Dirac Fermions and Asymmetric Klein Tunneling in Few-Layer Black Phosphorus Superlattices. 2017 , 17, 2280-2286	33
1623	Enhanced hydrophilic and conductive properties of blue phosphorene doped with Si atom. 2017 , 675, 20-26	11
1622	Effect of flexural phonons on the hole states in single-layer black phosphorus. 2017 , 95,	4

1621	Layer-stacking effect on electronic structures of bilayer arsenene. 2017 , 117, 27002	15
1620	New Method to Determine the Schottky Barrier in Few-Layer Black Phosphorus Metal Contacts. 2017 , 9, 7873-7877	11
1619	Bandgap Extraction and Device Analysis of Ionic Liquid Gated WSe Schottky Barrier Transistors. 2017 , 11, 1626-1632	37
1618	Tensile and compressive behaviors of prestrained single-layer black phosphorus: a molecular dynamics study. 2017 , 9, 3609-3619	15
1617	Interfacial Engineering of Van der Waals Coupled 2D Layered Materials. 2017 , 4, 1601054	18
1616	Gate-Tunable Giant Stark Effect in Few-Layer Black Phosphorus. 2017 , 17, 1970-1977	106
1615	Carbon-doping-induced negative differential resistance in armchair phosphorene nanoribbons. 2017 , 38, 033005	6
1614	Two-dimensional semiconductors XY_2 ($X' = \text{Ge, Sn}; Y' = \text{S, Se}$) with promising piezoelectric properties. 2017 , 11, 33-39	9
1613	Efficient electrical control of thin-film black phosphorus bandgap. <i>Nature Communications</i> , 2017 , 8, 14474-14474	183
1612	Identification of strained black phosphorus by Raman spectroscopy. 2017 , 38, 042003	0
1611	Prospects of spintronics based on 2D materials. 2017 , 7, e1313	105
1610	Self-Assembly of a Jammed Black Phosphorus Nanoribbon on a Fixed Carbon Nanotube. 2017 , 121, 10174-10181	16
1609	Black phosphorus nanostructures: recent advances in hybridization, doping and functionalization. 2017 , 46, 3492-3509	239
1608	Ballistic Transport through a Strained Region on Monolayer Phosphorene. 2017 , 34, 027302	5
1607	Size and strain tunable band alignment of black-blue phosphorene lateral heterostructures. 2017 , 19, 12466-12472	16
1606	Magnetism in the p-type Monolayer II-VI semiconductors SrS and SrSe. 2017 , 7, 45869	12
1605	Nanoionics-Enabled Memristive Devices: Strategies and Materials for Neuromorphic Applications. 2017 , 3, 1600510	123
1604	Chemical Exfoliation of Black Phosphorus for Nanoelectronics Applications. 2017 , 2, 3697-3702	

1603	An empirical description for the hinge-like mechanism in single-layer black phosphorus: The angle-angle cross interaction. 2017 , 30, 227-233	
1602	Strong anisotropic perfect absorption in monolayer black phosphorous and its application as tunable polarizer. 2017 , 19, 075002	44
1601	Resolving the In-Plane Anisotropic Properties of Black Phosphorus. 2017 , 1, 1700143	56
1600	Band offsets and metal contacts in monolayer black phosphorus. 2017 , 178, 108-111	4
1599	Computational mining of photocatalysts for water splitting hydrogen production: two-dimensional InSe-family monolayers. 2017 , 7, 2744-2752	94
1598	Quantifying Angular Correlations between the Atomic Lattice and the Superlattice of Nanocrystals Assembled with Directional Linking. 2017 , 17, 3511-3517	36
1597	Probing Single Vacancies in Black Phosphorus at the Atomic Level. 2017 , 17, 3607-3612	84
1596	Two-band k.p Hamiltonian of phosphorene based on the infinitesimal basis transformations approach. 2017 , 109, 330-336	5
1595	Antimonene Oxides: Emerging Tunable Direct Bandgap Semiconductor and Novel Topological Insulator. 2017 , 17, 3434-3440	217
1594	Energy spectrums of bilayer triangular phosphorene quantum dots and antidots. 2017 , 7, 045122	12
1593	Layer-dependent electronic properties of phosphorene-like materials and phosphorene-based van der Waals heterostructures. 2017 , 9, 8616-8622	36
1592	High field transport of high performance black phosphorus transistors. 2017 , 110, 163507	18
1591	Analysis of multilayer black phosphorus for photodetector applications. 2017 ,	
1590	Single- and few-layer BiOI as promising photocatalysts for solar water splitting. 2017 , 7, 24446-24452	40
1589	Effect of metal adatoms on hydrogen adsorption properties of phosphorene. 2017 , 4, 045503	5
1588	A type-II GeSe/SnS heterobilayer with a suitable direct gap, superior optical absorption and broad spectrum for photovoltaic applications. 2017 , 5, 13400-13410	108
1587	Low-Voltage 2D Material Field-Effect Transistors Enabled by Ion Gel Capacitive Coupling. 2017 , 29, 4008-4013	12
1586	Five low energy phosphorene allotropes constructed through gene segments recombination. 2017 , 7, 46431	25

1585	Optical properties calculations of the phosphorene-CrO ₃ system within the G ₀ W ₀ and BSE approximations. 2017 , 416, 266-272	3
1584	Sensitivity enhancement by using few-layer black phosphorus-graphene/TMDCs heterostructure in surface plasmon resonance biochemical sensor. 2017 , 249, 542-548	223
1583	Defining the role of humidity in the ambient degradation of few-layer black phosphorus. 2017 , 4, 015025	91
1582	Thermal Conductivity and Tensile Response of Phosphorene Nanosheets with Vacancy Defects. 2017 , 121, 13876-13887	39
1581	Recent progress in two-dimensional COFs for energy-related applications. 2017 , 5, 14463-14479	185
1580	Water-Catalyzed Oxidation of Few-Layer Black Phosphorous in a Dark Environment. 2017 , 56, 9131-9135	115
1579	The Covalent Functionalization of Layered Black Phosphorus by Nucleophilic Reagents. 2017 , 56, 9891-9896	124
1578	Structural stability and the electronic properties of a (SiH) ₂ O-formed siloxene sheet: a computational study. 2017 , 19, 18030-18035	5
1577	Properties, preparation and application of black phosphorus/phosphorene for energy storage: a review. 2017 , 52, 10364-10386	83
1576	Two-dimensional tetragonal ALP monolayer: strain-tunable direct/indirect band-gap and semiconductor/metal transitions. 2017 , 5, 5999-6004	25
1575	Electrical and optical properties of NO and H ₂ S adsorption on Arsenic Phosphorus. 2017 ,	
1574	Self-Assembled Layer (SAL)-Based Doping on Black Phosphorus (BP) Transistor and Photodetector. 2017 , 4, 1822-1830	31
1573	Surface transport and quantum Hall effect in ambipolar black phosphorus double quantum wells. 2017 , 3, e1603179	19
1572	Ultrafast nonlinear optical response in solution dispersions of black phosphorus. 2017 , 7, 3352	19
1571	Compressed few-layer black phosphorus nanosheets from semiconducting to metallic transition with the highest symmetry. 2017 , 9, 10741-10749	13
1570	Highly Anisotropic Sb Se Nanosheets: Gentle Exfoliation from the Bulk Precursors Possessing 1D Crystal Structure. 2017 , 29, 1700441	98
1569	Progress on Electronic and Optoelectronic Devices of 2D Layered Semiconducting Materials. 2017 , 13, 1604298	55
1568	2D Black Phosphorus for Energy Storage and Thermoelectric Applications. 2017 , 13, 1700661	113

1567	Effect of external strain on the charge transfer: Adsorption of gas molecules on monolayer GaSe. 2017 , 198, 49-56	9
1566	In-Plane Uniaxial Strain in Black Phosphorus Enables the Identification of Crystalline Orientation. 2017 , 13, 1700466	22
1565	Anisotropic transport of normal metal-barrier-normal metal junctions in monolayer phosphorene. 2017 , 29, 285601	11
1564	Thermal stability and thermal conductivity of phosphorene in phosphorene/graphene van der Waals heterostructures. 2017 , 19, 17180-17186	26
1563	Black phosphorous optoelectronic devices. 2017 ,	1
1562	Exotic thermoelectric behavior in nitrogenated holey graphene. 2017 , 7, 25803-25810	19
1561	Spatial-Temporal Imaging of Anisotropic Photocarrier Dynamics in Black Phosphorus. 2017 , 17, 3675-3680	40
1560	Ultrafast Carrier Dynamics and Efficient Triplet Generation in Black Phosphorus Quantum Dots. 2017 , 121, 12972-12978	21
1559	Quantum confinement in black phosphorus-based nanostructures. 2017 , 29, 283001	15
1558	Mid-infrared ultrafast carrier dynamics in thin film black phosphorus. 2017 , 4, 021032	25
1557	First-principles study of the structures and fundamental electronic properties of two-dimensional P _{0.5} As _{0.5} alloy. 2017 , 254, 1700157	5
1556	Piezoelectricity in two-dimensional covalent organic frameworks. 2017 , 121, 225112	
1555	Phosphorene □The two-dimensional black phosphorous: Properties, synthesis and applications. 2017 , 221, 17-34	133
1554	Deriving phosphorus atomic chains from few-layer black phosphorus. 2017 , 10, 2519-2526	19
1553	Buckling behaviour of composites with double walled nanotubes from carbon and phosphorus. 2017 , 19, 10922-10930	13
1552	High electron mobility and quantum oscillations in non-encapsulated ultrathin semiconducting BiOSe. 2017 , 12, 530-534	332
1551	Polymorphs of two dimensional phosphorus and arsenic: insight from an evolutionary search. 2017 , 19, 11282-11288	15
1550	Recent progress in high-mobility thin-film transistors based on multilayer 2D materials. 2017 , 50, 164001	16

1549	Coulomb interactions and screening effects in few-layer black phosphorus: a tight-binding consideration beyond the long-wavelength limit. 2017 , 4, 025064	21
1548	Schottky Barriers in Bilayer Phosphorene Transistors. 2017 , 9, 12694-12705	81
1547	Hybrid phosphorene/graphene nanocomposite as an anode material for Na-ion batteries: a first-principles study. 2017 , 50, 165501	25
1546	Amorphous two-dimensional black phosphorus with exceptional photocarrier transport properties. 2017 , 4, 025063	16
1545	High-Performance Black Phosphorus MOSFETs Using Crystal Orientation Control and Contact Engineering. 2017 , 38, 685-688	17
1544	A first principles study of the interaction between two-dimensional black phosphorus and Al ₂ O ₃ dielectric. 2017 , 7, 13777-13783	5
1543	Electrically Tunable Energy Bandgap in Dual-Gated Ultra-Thin Black Phosphorus Field Effect Transistors. 2017 , 34, 047304	8
1542	Electronic and transport properties of n-type monolayer black phosphorus at low temperatures. 2017 , 95,	10
1541	Continuum thin-shell model of the anisotropic two-dimensional materials: Single-layer black phosphorus. 2017 , 15, 1-9	9
1540	Multi-scale approach for strain-engineering of phosphorene. 2017 , 29, 185702	9
1539	Water on silicene: A hydrogen bond-autocatalyzed physisorption↔hemisorption↔dissociation transition. 2017 , 10, 2223-2233	14
1538	First-Principles-Based Quantum Transport Simulations of Monolayer Indium Selenide FETs in the Ballistic Limit. 2017 , 64, 2129-2134	9
1537	Assembly of Au Plasmonic Photothermal Agent and Iron Oxide Nanoparticles on Ultrathin Black Phosphorus for Targeted Photothermal and Photodynamic Cancer Therapy. 2017 , 27, 1700371	211
1536	Graphitic carbon nitride/phosphorus-rich aluminum phosphinates hybrids as smoke suppressants and flame retardants for polystyrene. 2017 , 332, 87-96	150
1535	Oxidation Resistance of Monolayer Group-IV Monochalcogenides. 2017 , 9, 12013-12020	88
1534	Aharonov-Bohm effect in monolayer phosphorene nanorings. 2017 , 95,	18
1533	Geometric stability and electronic structure of infinite and finite phosphorus atomic chains. 2017 , 26, 036803	7
1532	Phosphorene: An emerging 2D material. 2017 , 32, 2839-2847	26

1531	Raman Sensitive Degradation and Etching Dynamics of Exfoliated Black Phosphorus. 2017 , 7, 44540	35
1530	Intrinsic point defects in buckled and puckered arsenene: a first-principles study. 2017 , 19, 9862-9871	36
1529	Twin graphene: A novel two-dimensional semiconducting carbon allotrope. 2017 , 118, 370-375	97
1528	Cyclical Thinning of Black Phosphorus with High Spatial Resolution for Heterostructure Devices. 2017 , 9, 12654-12662	10
1527	A comparative study on the edge states in phosphorene quantum dots and rings. 2017 , 381, 373-378	19
1526	Directive Surface Plasmons on Tunable Two-Dimensional Hyperbolic Metasurfaces and Black Phosphorus: Green's Function and Complex Plane Analysis. 2017 , 65, 1174-1186	25
1525	Doping, Contact and Interface Engineering of Two-Dimensional Layered Transition Metal Dichalcogenides Transistors. 2017 , 27, 1603484	134
1524	Two-dimensional SiP: an unexplored direct band-gap semiconductor. 2017 , 4, 015030	59
1523	A Novel Mild Phase-Transition to Prepare Black Phosphorus Nanosheets with Excellent Energy Applications. 2017 , 13, 1602243	75
1522	High-Mobility Transport Anisotropy in Few-Layer MoO and Its Origin. 2017 , 9, 1702-1709	36
1521	Phosphorene: a new allotrope of phosphorene. 2017 , 19, 2402-2408	53
1520	Black phosphorus based saturable absorber for Nd-ion doped pulsed solid state laser operation. 2017 , 91, 439-443	9
1519	HO incorporation in the phosphorene/a-SiO interface: a first-principles study. 2017 , 29, 075002	1
1518	Even-odd effect on the edge states for zigzag phosphorene nanoribbons under a perpendicular electric field. 2017 , 50, 045106	10
1517	Recent advance in black phosphorus: Properties and applications. 2017 , 189, 215-229	52
1516	Monolayer group IVA monochalcogenides as potential and efficient catalysts for the oxygen reduction reaction from first-principles calculations. 2017 , 5, 1734-1741	37
1515	Femtosecond photo-switching of interface polaritons in black phosphorus heterostructures. 2017 , 12, 207-211	125
1514	Al-Doped Black Phosphorus p-n Homojunction Diode for High Performance Photovoltaic. 2017 , 27, 1604638	120

1513	Few-layer arsenic trichalcogenides: Emerging two-dimensional semiconductors with tunable indirect-direct band-gaps. 2017 , 699, 554-560	23
1512	Layer-Tunable Third-Harmonic Generation in Multilayer Black Phosphorus. 2017 , 4, 8-14	87
1511	Electric- and magnetic-field dependence of the electronic and optical properties of phosphorene quantum dots. 2017 , 28, 085702	22
1510	Prediction of two-dimensional materials by the global optimization approach. 2017 , 7, e1295	18
1509	Mechanical properties of monocrystalline and polycrystalline monolayer black phosphorus. 2017 , 28, 045702	16
1508	Synthesis of Highly Anisotropic Semiconducting GaTe Nanomaterials and Emerging Properties Enabled by Epitaxy. 2017 , 29, 1605551	45
1507	Electric Field Effect in Two-Dimensional Transition Metal Dichalcogenides. 2017 , 27, 1602404	36
1506	Passivation of Black Phosphorus via Self-Assembled Organic Monolayers by van der Waals Epitaxy. 2017 , 29, 1603990	101
1505	Ballistic electronic and thermal conductance of monolayer and bilayer black phosphorus. 2017 , 17, 214-221	4
1504	Photoabsorption Tolerance of Intrinsic Point Defects and Oxidation in Black Phosphorus Quantum Dots. 2017 , 8, 161-166	20
1503	Structural, elastic, electronic, and optical properties of the tricycle-like phosphorene. 2017 , 19, 2245-2251	30
1502	Structural and Optical Properties of Single- and Few-Layer Magnetic Semiconductor CrPS. 2017 , 11, 10935-10944	37
1501	Stability and carrier mobility of organic-inorganic hybrid perovskite CH ₃ NH ₃ PbI ₃ in two-dimensional limit. 2017 , 147, 164703	11
1500	Quantum Hall effect in monolayer and bilayer black phosphorus. 2017 , 119, 37005	1
1499	New Strategy for Black Phosphorus Crystal Growth through Ternary Clathrate. 2017 , 17, 6579-6585	24
1498	Identification of Lattice Oxygen in Few-Layer Black Phosphorous Exfoliated in Ultrahigh Vacuum and Largely Improved Ambipolar Field-Effect Mobilities by Hydrogenation and Phosphorization. 2017 , 9, 39804-39811	9
1497	Mid-Wave Infrared Photoconductors Based on Black Phosphorus-Arsenic Alloys. 2017 , 11, 11724-11731	116
1496	Controllable seeded flux growth and optoelectronic properties of bulk o-SiP crystals. 2017 , 19, 6986-6991	27

1495	DFT coupled with NEGF study of ultra-sensitive HCN and HNC gases detection and distinct I-V response based on phosphorene. 2017 , 19, 30852-30860	19
1494	Engineering two-dimensional electronics by semiconductor defects. 2017 , 16, 30-45	48
1493	Midinfrared Electro-optic Modulation in Few-Layer Black Phosphorus. 2017 , 17, 6315-6320	76
1492	Charge carrier transfer in tungsten disulfide-black phosphorus heterostructures. 2017 , 28, 475705	1
1491	Benzene-like N6 rings in a Be2N6 monolayer: a stable 2D semiconductor with high carrier mobility. 2017 , 5, 11515-11521	10
1490	Exploring the Formation of Black Phosphorus Intercalation Compounds with Alkali Metals. 2017 , 129, 15469-15475	12
1489	Exploring the Formation of Black Phosphorus Intercalation Compounds with Alkali Metals. 2017 , 56, 15267-15273	53
1488	Complete Separation of Carriers in the GeS/SnS Lateral Heterostructure by Uniaxial Tensile Strain. 2017 , 9, 40969-40977	25
1487	Preferential S/Se occupation in an anisotropic ReSse monolayer alloy. 2017 , 9, 18275-18280	6
1486	Anisotropic RKKY interaction and modulation with mechanical strain in phosphorene. 2017 , 19, 103010	14
1485	Exceptional Thermoelectric Properties of Layered GeAs2. 2017 , 29, 9300-9307	47
1484	Charged defects in two-dimensional semiconductors of arbitrary thickness and geometry: Formulation and application to few-layer black phosphorus. 2017 , 96,	20
1483	N-Functionalized MXenes: ultrahigh carrier mobility and multifunctional properties. 2017 , 19, 28710-28717	34
1482	Electronic properties of bilayer phosphorene quantum dots in the presence of perpendicular electric and magnetic fields. 2017 , 96,	21
1481	Anisotropic tunneling resistance in a phosphorene-based magnetic barrier. 2017 , 96,	5
1480	Quantum effect enhanced magnetism of C-doped phosphorene nanoribbons: first-principles calculations. 2017 , 19, 28354-28359	13
1479	Electronic structure and photocatalytic band offset of few-layer GeP2. 2017 , 5, 22146-22155	48
1478	Exploring interacting Floquet states in black phosphorus: Anisotropy and bandgap laser tuning. 2017 , 122, 124301	14

1477	Normal and skewed phosphorene nanoribbons in combined magnetic and electric fields. 2017 , 96,	7
1476	Strain-induced Weyl and Dirac states and direct-indirect gap transitions in group-V materials. 2017 , 4, 045018	16
1475	Inversion Domain Boundary Induced Stacking and Bandstructure Diversity in Bilayer MoSe. 2017 , 17, 6653-6660	34
1474	Modulation of electronic transport properties in armchair phosphorene nanoribbons by doping and edge passivation. 2017 , 7, 12799	28
1473	Highly Efficient Photocatalytic Water Splitting over Edge-Modified Phosphorene Nanoribbons. 2017 , 139, 15429-15436	176
1472	Band-edge engineering via molecule intercalation: a new strategy to improve stability of few-layer black phosphorus. 2017 , 19, 29232-29236	8
1471	Hydrogenation Induced Carrier Mobility Polarity Reversal in Monolayer AlN. 2017 , 11, 1700260	4
1470	Resolving the Spatial Structures of Bound Hole States in Black Phosphorus. 2017 , 17, 6935-6940	27
1469	Promising ferroelectricity in 2D group IV tellurides: a first-principles study. 2017 , 111, 132904	72
1468	Intrinsic Charge Transport in Stanene: Roles of Bucklings and Electron-Phonon Couplings. 2017 , 3, 1700143	38
1467	Proximity Effect Induced Spin Injection in Phosphorene on Magnetic Insulator. 2017 , 9, 38999-39010	13
1466	Self-assembly of a parallelogram black phosphorus ribbon into a nanotube. 2017 , 7, 12951	7
1465	In Situ Carbon Homogeneous Doping on Ultrathin Bismuth Molybdate: A Dual-Purpose Strategy for Efficient Molecular Oxygen Activation. 2017 , 27, 1703923	101
1464	Au ₆ S ₂ monolayer sheets: metallic and semiconducting polymorphs. 2017 , 4, 1085-1091	21
1463	Electro-optical properties of phosphorene quantum dots. 2017 , 96,	27
1462	Calculated carrier mobility of h-BN/InSe/h-BN van der Waals heterostructures. 2017 , 4, 045014	16
1461	Few-layer antimonene decorated microfiber: ultra-short pulse generation and all-optical thresholding with enhanced long term stability. 2017 , 4, 045010	222
1460	Effect of long-range structural corrugations on magnetotransport properties of phosphorene in tilted magnetic field. 2017 , 96,	9

1459	Polarization-Independent Black-Phosphorus Polarizer in Visible Regime. 2017 , 29, 1923-1926	10
1458	Black phosphorus transistors with van der Waals-type electrical contacts. 2017 , 9, 14047-14057	54
1457	Germanene and stanene on two-dimensional substrates: Dirac cone and Z2 invariant. 2017 , 96,	33
1456	A new two-dimensional TeSe ₂ semiconductor: indirect to direct band-gap transitions. 2017 , 60, 747-754	17
1455	Strain controlled switching effects in phosphorene and GeS. 2017 , 28, 435202	6
1454	A first-principles study on zigzag phosphorene nanoribbons passivated by iron-group atoms. 2017 , 19, 25441-25445	8
1453	Spin-dependent transport properties of zigzag phosphorene nanoribbons with oxygen-saturated edges. 2017 , 19, 25319-25323	16
1452	Effects of various defects on the mechanical properties of black phosphorene. 2017 , 112, 186-199	17
1451	Improvements in the GW and Bethe-Salpeter-equation calculations on phosphorene. 2017 , 96,	23
1450	Short-Wave Near-Infrared Linear Dichroism of Two-Dimensional Germanium Selenide. 2017 , 139, 14976-14982	191
1449	Enhancement of hole mobility in InSe monolayer via an InSe and black phosphorus heterostructure. 2017 , 9, 14682-14689	63
1448	Recent advances in black phosphorus-based photonics, electronics, sensors and energy devices. 2017 , 4, 997-1019	250
1447	Regulate the polarity of phosphorene's mechanical properties by oxidation. 2017 , 139, 341-346	5
1446	High quality atomically thin PtSe ₂ films grown by molecular beam epitaxy. 2017 , 4, 045015	113
1445	BP 5 monolayer with multiferroicity and negative Poisson's ratio: a prediction by global optimization method. 2017 , 4, 045020	52
1444	Two-dimensional materials for improved resolution in total internal reflection fluorescence microscopy. 2017 , 4, 096203	2
1443	Magnetic polaritons enhanced absorption of phosphorene in the near-infrared and visible region. 2017 , 226, 24-28	4
1442	Prediction of Green Phosphorus with Tunable Direct Band Gap and High Mobility. 2017 , 8, 4627-4632	79

1441	Strong In-Plane Anisotropies of Optical and Electrical Response in Layered Dimetal Chalcogenide. 2017 , 11, 10264-10272	81
1440	A study on the electronic and interfacial structures of monolayer ReS-metal contacts. 2017 , 19, 27052-27058	10
1439	Phosphorene for energy and catalytic application filling the gap between graphene and 2D metal chalcogenides. 2017 , 4, 042006	38
1438	Two-dimensional black phosphorus: Synthesis, modification, properties, and applications. 2017 , 120, 1-33	102
1437	Multivalency-Driven Formation of Te-Based Monolayer Materials: A Combined First-Principles and Experimental study. 2017 , 119, 106101	285
1436	Raman anomalies as signatures of pressure induced electronic topological and structural transitions in black phosphorus: Experiments and theory. 2017 , 96,	22
1435	Ultrahigh mobility and efficient charge injection in monolayer organic thin-film transistors on boron nitride. 2017 , 3, e1701186	115
1434	Black Phosphorus Nanoflakes/Polyaniline Hybrid Material for High-Performance Pseudocapacitors. 2017 , 121, 20532-20538	66
1433	Variable range hopping electric and thermoelectric transport in anisotropic black phosphorus. 2017 , 111, 102101	28
1432	Vertical versus Lateral Two-Dimensional Heterostructures: On the Topic of Atomically Abrupt p/n-Junctions. 2017 , 17, 4787-4792	59
1431	A Single-Longitudinal-Mode Passively Q-Switched Nd:YVO ₄ Laser Using Black Phosphorus Saturable Absorber. 2017 , 34, 014204	2
1430	Anisotropic plasmons, excitons, and electron energy loss spectroscopy of phosphorene. 2017 , 96,	33
1429	Water-Catalyzed Oxidation of Few-Layer Black Phosphorous in a Dark Environment. 2017 , 129, 9259-9263	13
1428	Phosphorene quantum dot-fullerene nanocomposites for solar energy conversion: An unexplored inorganic-organic nanohybrid with novel photovoltaic properties. 2017 , 685, 16-22	19
1427	Tunable Magnetism and Extraordinary Sunlight Absorbance in Indium Triphosphide Monolayer. 2017 , 139, 11125-11131	187
1426	Interfacial Thermal Conductance between Mechanically Exfoliated Black Phosphorus and SiO ₂ : Effect of Thickness and Temperature. 2017 , 4, 1700233	13
1425	Fabrication of an ideal nanoring from a black phosphorus nanoribbon upon movable bundling carbon nanotubes. 2017 , 28, 385603	7
1424	Tunable bandgap in few-layer black phosphorus by electrical field. 2017 , 4, 031009	21

1423	First-principles study on electronic structures and magnetic properties of Eu-doped phosphorene. 2017 , 111, 816-823	8
1422	Thickness dependent semiconductor-to-metal transition of two-dimensional polyaniline with unique work functions. 2017 , 9, 12025-12031	22
1421	Structure and elastic properties of black phosphorus nanotubes: A first-principles study. 2017 , 254, 1700276	5
1420	Size Effect on the Cytotoxicity of Layered Black Phosphorus and Underlying Mechanisms. 2017 , 13, 1701210	83
1419	Simulations of twisted bilayer orthorhombic black phosphorus. 2017 , 96,	16
1418	Black Phosphorus: Optical Characterization, Properties and Applications. 2017 , 13, 1700823	46
1417	A CNH monolayer: a direct gap 2D semiconductor with anisotropic electronic and optical properties. 2017 , 5, 8498-8503	9
1416	Gate induced monolayer behavior in twisted bilayer black phosphorus. 2017 , 4, 035025	12
1415	Oxygen impact on the electronic and vibrational properties of black phosphorus probed by synchrotron infrared nanospectroscopy. 2017 , 4, 035028	13
1414	Polarization-sensitive and broadband germanium sulfide photodetectors with excellent high-temperature performance. 2017 , 9, 12425-12431	38
1413	Strain modification on electronic transport of the phosphorene nanoribbon. 2017 , 7, 075310	7
1412	Single-layer group IV-V and group V-IV-III-VI semiconductors: Structural stability, electronic structures, optical properties, and photocatalysis. 2017 , 96,	34
1411	Liquid Exfoliation Few-Layer SnSe Nanosheets with Tunable Band Gap. 2017 , 121, 17530-17537	60
1410	Theoretical Overview of Black Phosphorus. 381-412	5
1409	Strain Modulation of Electronic Properties of Monolayer Black Phosphorus. 2017 , 121, 19296-19304	29
1408	Regulation of transport properties by polytypism: a computational study on bilayer MoS. 2017 , 19, 21282-21285	5
1407	Anomalous vibrational modes in few layer WTe 2 revealed by polarized Raman scattering and first-principles calculations. 2017 , 4, 035024	21
1406	2D Materials-Based Quantum Dots: Gateway Towards Next-Generation Optical Devices. 2017 , 5, 1700257	51

1405	Electrical Contacts in Monolayer Arsenene Devices. 2017 , 9, 29273-29284	66
1404	Commensurability oscillations in a periodically modulated phosphorene. 2017 , 29, 425302	4
1403	Anisotropic carrier mobility in buckled two-dimensional GaN. 2017 , 19, 23492-23496	14
1402	Electric field modulations of band alignments in arsenene/Ca(OH) ₂ heterobilayers for multi-functional device applications. 2017 , 50, 415304	10
1401	Microscopic mechanism of the tunable band gap in potassium-doped few-layer black phosphorus. 2017 , 96,	13
1400	Mechanical properties of prestrained single-layer black phosphorus: effect of thermal environment. 2017 , 28, 475701	8
1399	Two-Dimensional Transition Metal Dichalcogenides and Their Charge Carrier Mobilities in Field-Effect Transistors. 2017 , 9, 50	82
1398	Single-Layer TlO: A Metal-Shrouded 2D Semiconductor with High Electronic Mobility. 2017 , 139, 11694-11697	60
1397	Self-assembly of a nanotube from a black phosphorus nanoribbon on a string of fullerenes at low temperature. 2017 , 19, 24009-24017	10
1396	Strain and electric field tunable electronic structure of buckled bismuthene. 2017 , 7, 39546-39555	41
1395	Graphene-like quaternary compound SiBCN: A new wide direct band gap semiconductor predicted by a first-principles study. 2017 , 118, 17002	5
1394	Identifying the Crystalline Orientation of Black Phosphorus by Using Optothermal Raman Spectroscopy. 2017 , 18, 2828-2834	10
1393	Puckered Arsenene: A Promising Room-Temperature Thermoelectric Material from First-Principles Prediction. 2017 , 121, 19080-19086	42
1392	Advancements in 2D flexible nanoelectronics: from material perspectives to RF applications. 2017 , 2, 043001	26
1391	Optical Properties and Optoelectronic Applications of Black Phosphorus. 435-457	
1390	Tuning the Electronic and Optical Properties of Monolayers As, Sb, and Bi via Surface Charge Transfer Doping. 2017 , 121, 19530-19537	30
1389	Germanium-doped Metallic Ohmic Contacts in Black Phosphorus Field-Effect Transistors with Ultra-low Contact Resistance. 2017 , 7, 16857	12
1388	Highly Tunable Electronic Structures of Phosphorene/Carbon Nanotube Heterostructures through External Electric Field and Atomic Intercalation. 2017 , 17, 7995-8004	12

1387	Strain effect on electronic structure of two-dimensional InSe nanosheets. 2017 , 10, 125202		4
1386	Probing optical anisotropy of nanometer-thin van der Waals microcrystals by near-field imaging. <i>Nature Communications</i> , 2017 , 8, 1471	17.4	50
1385	Widely tunable black phosphorus mid-infrared photodetector. <i>Nature Communications</i> , 2017 , 8, 1672	17.4	191
1384	Functional Group Effects on the Photoelectronic Properties of MXene (ScCT, T = O, F, OH) and Their Possible Photocatalytic Activities. 2017 , 7, 15095		43
1383	Origin of polymorphism of the two-dimensional group-IV monochalcogenides. 2017 , 96,		16
1382	A stage-by-stage phase-induction and nucleation of black phosphorus from red phosphorus under low-pressure mineralization. 2017 , 19, 7207-7212		20
1381	Observation of A Raman mode splitting in few layer black phosphorus encapsulated with hexagonal boron nitride. 2017 , 9, 19298-19303		8
1380	Negative In-Plane Poisson's Ratio for Single Layer Black Phosphorus: An Atomistic Simulation Study. 2017 , 254, 1700285		11
1379	Moiré impurities in twisted bilayer black phosphorus: Effects on the carrier mobility. 2017 , 96,		36
1378	Unusual Twisting Phonons and Breathing Modes in Tube-Terminated Phosphorene Nanoribbons and Their Effects on Thermal Conductivity. 2017 , 27, 1702776		17
1377	Two-dimensional van der Waals heterojunctions for functional materials and devices. 2017 , 5, 12289-12297		97
1376	Ambipolar quantum transport in few-layer black phosphorus. 2017 , 96,		17
1375	Tunable Electronic Structures of GeSe Nanosheets and Nanoribbons. 2017 , 121, 14373-14379		44
1374	VO: A 2D van der Waals Oxide with Strong In-Plane Electrical and Optical Anisotropy. 2017 , 9, 23949-23956		23
1373	Anomalous in-plane anisotropic Raman response of monoclinic semimetal $1T'-\text{MoTe}_2$. 2017 , 7, 1758		32
1372	The Covalent Functionalization of Layered Black Phosphorus by Nucleophilic Reagents. 2017 , 129, 10023-10028		5
1371	Lifting the mist of flatland: The recent progress in the characterizations of two-dimensional materials. 2017 , 63, 72-93		6
1370	Tunable plasmon-enhanced birefringence in ribbon array of anisotropic two-dimensional materials. 2017 , 95,		25

1369	The effects of stacking patterns and interlayer coupling on electronic and optical properties of bilayer BiI ₃ . 2017 , 52, 11513-11523	2
1368	Ultra low lattice thermal conductivity and high carrier mobility of monolayer SnS and SnSe: a first principles study. 2017 , 19, 20677-20683	110
1367	Partially planar BP3 with high electron mobility as a phosphorene analog. 2017 , 5, 11267-11274	28
1366	Fundamental Insights into the Degradation and Stabilization of Thin Layer Black Phosphorus. 2017 , 139, 10432-10440	181
1365	Improved photoresponse and stable photoswitching of tungsten disulfide single-layer phototransistor decorated with black phosphorus nanosheets. 2017 , 52, 11506-11512	12
1364	Environmental Screening Effects in 2D Materials: Renormalization of the Bandgap, Electronic Structure, and Optical Spectra of Few-Layer Black Phosphorus. 2017 , 17, 4706-4712	105
1363	Aharonov-Bohm oscillations in phosphorene quantum rings. 2017 , 95,	12
1362	GeAs ₂ : A IV \bar{V} Group Two-Dimensional Semiconductor with Ultralow Thermal Conductivity and High Thermoelectric Efficiency. 2017 , 29, 6261-6268	57
1361	Exfoliation of Stable 2D Black Phosphorus for Device Fabrication. 2017 , 29, 6445-6456	54
1360	Optical Waveplates Based on Birefringence of Anisotropic Two-Dimensional Layered Materials. 2017 , 4, 3023-3030	110
1359	Bose-Einstein condensation and superfluidity of dipolar excitons in a phosphorene double layer. 2017 , 96,	24
1358	Characterization of Thin Film Materials using SCAN meta-GGA, an Accurate Nonempirical Density Functional. 2017 , 7, 44766	41
1357	. 2017 , 64, 2984-2991	11
1356	Room temperature high-detectivity mid-infrared photodetectors based on black arsenic phosphorus. 2017 , 3, e1700589	269
1355	Periodic Arrays of Phosphorene Nanopores as Antidot Lattices with Tunable Properties. 2017 , 11, 7494-7507	29
1354	Unusual quantum confined Stark effect and Aharonov-Bohm oscillations in semiconductor quantum rings with anisotropic effective masses. 2017 , 95,	23
1353	Electronic and optical properties of the monolayer group-IV monochalcogenides MX (M=Ge,Sn; X=S,Se,Te). 2017 , 95,	129
1352	Effect of edge passivation on the mechanical properties of phosphorene nanoribbons. 2017 , 14, 2-9	10

1351	Electron Spin Dynamics of Two-Dimensional Layered Materials. 2017 , 27, 1604040	12
1350	Solution-processed black phosphorus/PCBM hybrid heterojunctions for solar cells. 2017 , 5, 8280-8286	46
1349	Layer Identification of Colorful Black Phosphorus. 2017 , 13, 1602336	20
1348	Theoretical study of two-dimensional boron silicide from first-principles. 2017 , 128, 22-28	3
1347	The role of H ₂ O and O ₂ molecules and phosphorus vacancies in the structure instability of phosphorene. 2017 , 4, 015010	78
1346	Photodetectors Based on Two-Dimensional Layered Materials Beyond Graphene. 2017 , 27, 1603886	406
1345	Recent Advances in the Study of Phosphorene and its Nanostructures. 2017 , 42, 1-82	113
1344	Lithium ion adsorption and diffusion on black phosphorene nanotube: A first-principles study. 2017 , 392, 88-94	23
1343	Unusually high electron density in an intermolecular non-bonding region: Role of metal substrate. 2017 , 28, 759-764	11
1342	Electronic structures, mechanical properties and carrier mobilities of π -conjugated X(X = Ni, Pd, Pt) bis(dithiolene) nanosheets: Theoretical predictions. 2017 , 126, 170-175	8
1341	Retraction of Few-Layer Antimonene: Large Yield Synthesis, Exact Atomical Structure, and Outstanding Optical Limiting \square 2017 , 139, 3568-3568	20
1340	Polaritons in layered two-dimensional materials. 2017 , 16, 182-194	665
1339	Tuning the Schottky barrier in the arsenene/graphene van der Waals heterostructures by electric field. 2017 , 88, 6-10	29
1338	High-Electron-Mobility and Air-Stable 2D Layered PtSe FETs. 2017 , 29, 1604230	368
1337	Two-dimensional As _{1-x} P _x binary compounds: Highly tunable electronic structure and optical properties. 2017 , 17, 186-191	6
1336	Direct observation of the layer-dependent electronic structure in phosphorene. 2017 , 12, 21-25	473
1335	Theoretical study in carrier mobility of two-dimensional materials. 2017 , 231, 012116	
1334	Anisotropy-driven quantum capacitance in multi-layered black phosphorus. 2017 , 111, 161902	3

1333	First-principles study on the electronic, optical, and transport properties of monolayer HfGeSe . 2017 , 96,	61
1332	Two-dimensional semiconductors ZrNCl and HfNCl : Stability, electric transport, and thermoelectric properties. 2017 , 7, 17330	15
1331	Modulation of the electric properties of SnSe bi/mono-layer by strain and electrical field. 2017 ,	
1330	Self-assembly 2D zinc-phthalocyanine heterojunction: An ideal platform for high efficiency solar cell. 2017 , 111, 253904	3
1329	Transport Properties and Device Prospects of Ultrathin Black Phosphorus on Hexagonal Boron Nitride. 2017 , 64, 5163-5171	12
1328	Temperature-dependent anisotropic charge-carrier mobility limited by ionized impurity scattering in thin-layer black phosphorus. 2017 , 95,	25
1327	Complementary black phosphorous FETs by workfunction engineering of pre-patterned Au and Ag embedded electrodes. 2017 ,	3
1326	Calculation of electronic and transport properties of phosphorene nanoribbons using DFT and semi empirical models. 2017 ,	1
1325	First demonstration of band-to-band tunneling in black phosphorus. 2017 ,	3
1324	Crystal-oriented black phosphorus TFETs with strong band-to-band-tunneling anisotropy and subthreshold slope nearing the thermionic limit. 2017 ,	6
1323	Enhanced electrical characteristics of black phosphorus by polyaniline and protonic acid surface doping. 2017 ,	0
1322	. 2017 ,	
1321	. 2017 ,	
1320	Electron Transport Properties of Two-Dimensional Si_1P_1 Molecular Junctions. 2017 , 34, 027201	1
1319	Surface plasmons in a nanostructured black phosphorus flake. 2017 , 42, 2659-2662	42
1318	Edge-Corrected Mean-Field Hubbard Model: Principle and Applications in 2D Materials. 2017 , 5,	5
1317	Material and Device Architecture Engineering Toward High Performance Two-Dimensional (2D) Photodetectors. 2017 , 7, 149	14
1316	Infrared absorber based on sandwiched two-dimensional black phosphorus metamaterials. 2017 , 25, 5206-5216	79

1315	Several nanosecond Nd:YVO4 lasers Q-switched by two dimensional materials: tungsten disulfide, molybdenum disulfide, and black phosphorous. 2017 , 25, 6244-6252	26
1314	Two-dimensional silicon and carbon monochalcogenides with the structure of phosphorene. 2017 , 8, 1338-1344	6
1313	Unraveling the Peculiarities in the Temperature-Dependent Structural Evolution of Black Phosphorus. 2017 , 2, 11	5
1312	Manipulating polarized light with a planar slab of black phosphorus. 2017 , 1, 045003	17
1311	Parameterization of Stillinger-Weber Potential for Two- Dimensional Atomic Crystals. 2017 ,	22
1310	Contribution of many-body effects into thermoelectricity and heat transport in graphene. 2018 , 341-418	
1309	Biodegradable near-infrared-photoresponsive shape memory implants based on black phosphorus nanofillers. 2018 , 164, 11-21	73
1308	Anisotropic carrier mobility in single- and bi-layer C 3 N sheets. 2018 , 537, 314-319	26
1307	The Potential of Phosphorene Nanoribbons as Channel Material for Ultrascaled Transistors. 2018 , 65, 290-294	7
1306	All-Electrical Determination of Crystal Orientation in Anisotropic Two-Dimensional Materials. 2018 , 120, 086801	12
1305	Covalent functionalization of black phosphorus nanoflakes by carbon free radicals for durable air and water stability. 2018 , 10, 5834-5839	68
1304	Controlled p-doping of black phosphorus by integration of MoS2 nanoparticles. 2018 , 440, 282-287	14
1303	InSe: a two-dimensional material with strong interlayer coupling. 2018 , 10, 7991-7998	76
1302	Nano-black phosphorus for combined cancer phototherapy: recent advances and prospects. 2018 , 29, 222001	46
1301	Strength and buckling behavior of defective phosphorene nanotubes under axial compression. 2018 , 53, 8355-8363	6
1300	Elemental Ferroelectricity and Antiferroelectricity in Group-V Monolayer. 2018 , 28, 1707383	86
1299	2D Black Phosphorus: from Preparation to Applications for Electrochemical Energy Storage. 2018 , 5, 1700491	109
1298	A Delamination Strategy for Thinly Layered Defect-Free High-Mobility Black Phosphorus Flakes. 2018 , 57, 4677-4681	68

1297	Tuning Infrared Plasmon Resonance of Black Phosphorene Nanoribbon with a Dielectric Interface. 2018 , 8, 3224	22
1296	Exploring single-layered SnSe honeycomb polymorphs for optoelectronic and photovoltaic applications. 2018 , 97,	33
1295	A New Effective Approach to Prevent the Degradation of Black Phosphorus: The Scandium Transition Metal Doping. 2018 , 122, 9654-9662	16
1294	A Delamination Strategy for Thinly Layered Defect-Free High-Mobility Black Phosphorus Flakes. 2018 , 130, 4767-4771	36
1293	Theoretical prediction of high carrier mobility in single-walled black phosphorus nanotubes. 2018 , 441, 1079-1085	19
1292	Antimonene nanoribbon band-gap expansion: Bond contraction and edge quantum entrapment. 2018 , 211, 414-419	6
1291	Passively Q-Switched Nd:GdVO ₄ 1.3 μ m Laser with Few-Layered Black Phosphorus Saturable Absorber. 2018 , 24, 1-5	20
1290	2D GeP: An Unexploited Low-Symmetry Semiconductor with Strong In-Plane Anisotropy. 2018 , 30, e1706771	156
1289	Two-Dimensionally Layered p-Black Phosphorus/n-MoS/p-Black Phosphorus Heterojunctions. 2018 , 10, 10347-10352	32
1288	Tuning the electrical and optical anisotropy of a monolayer black phosphorus magnetic superlattice. 2018 , 29, 174001	15
1287	The Electronic and Optical Properties of Au Doped Single-Layer Phosphorene. 2018 , 92, 132-139	4
1286	Symmorphic Intersecting Nodal Rings in Semiconducting Layers. 2018 , 120, 106403	31
1285	Recent Advances in Black-Phosphorus-Based Photonics and Optoelectronics Devices. 2018 , 2, 1700315	22
1284	Rational Surface Modification of Two-Dimensional Layered Black Phosphorus: Insights from First-Principles Calculations. 2018 , 3, 2445-2451	6
1283	On mechanical behaviors of few-layer black phosphorus. 2018 , 8, 3227	12
1282	Electrostatic Functionalization and Passivation of Water-Exfoliated Few-Layer Black Phosphorus by Poly Dimethylallyl Ammonium Chloride and Its Ultrafast Laser Application. 2018 , 10, 9679-9687	41
1281	A black phosphorus nanosheet-based siRNA delivery system for synergistic photothermal and gene therapy. 2018 , 54, 3142-3145	74
1280	Engineering the Electronic Structure of Tin Sulfide Nanoribbons: A Computational Study. 2018 , 122, 5731-5741	15

1279	Effects of Temperature and Strain Rate on Mechanical Behaviors of StoneWales Defective Monolayer Black Phosphorene. 2018 , 122, 6368-6378	12
1278	Contact engineering for 2D materials and devices. 2018 , 47, 3037-3058	337
1277	Black-Phosphorus-Incorporated Hydrogel as a Sprayable and Biodegradable Photothermal Platform for Postsurgical Treatment of Cancer. 2018 , 5, 1700848	199
1276	Chalcogenide glass waveguide-integrated black phosphorus mid-infrared photodetectors. 2018 , 20, 044004	30
1275	Highly Enhanced Many-Body Interactions in Anisotropic 2D Semiconductors. 2018 , 51, 1164-1173	25
1274	Electronic and optical responses of quasi-one-dimensional phosphorene nanoribbons to strain and electric field. 2018 , 8, 6089	9
1273	Two-dimensional GeAs with a visible range band gap. 2018 , 6, 9089-9098	33
1272	Unconventional strain-dependent conductance oscillations in pristine phosphorene. 2018 , 20, 13508-13516	16
1271	Tuning the electronic properties of gated multilayer phosphorene: A self-consistent tight-binding study. 2018 , 97,	24
1270	Black phosphorus quantum dot-based field-effect transistors with ambipolar characteristics. 2018 , 448, 576-582	13
1269	Layer-Dependent Ultrafast Carrier and Coherent Phonon Dynamics in Black Phosphorus. 2018 , 18, 3053-3059	53
1268	Plasmonic Resonance Enhanced Polarization-Sensitive Photodetection by Black Phosphorus in Near Infrared. 2018 , 12, 4861-4867	104
1267	Allotropes of Phosphorus with Remarkable Stability and Intrinsic Piezoelectricity. 2018 , 9,	12
1266	Two-Dimensional AuMX (M = Al, Ga, In; X = S, Se) Monolayers Featuring Intracrystalline Auophilic Interactions with Novel Electronic and Optical Properties. 2018 , 10, 16739-16746	7
1265	Role of the puckered anisotropic surface in the surface and adsorption properties of black phosphorus. 2018 , 10, 8979-8988	23
1264	Ultrathin tellurium dioxide: emerging direct bandgap semiconductor with high-mobility transport anisotropy. 2018 , 10, 8397-8403	43
1263	Lattice Vibration and Raman Scattering in Anisotropic Black Phosphorus Crystals. 2018 , 2, 1700409	24
1262	Stable black phosphorus/BiO heterostructures for synergistic cancer radiotherapy. 2018 , 171, 12-22	70

1261	g-C3N4 Loading Black Phosphorus Quantum Dot for Efficient and Stable Photocatalytic H2 Generation under Visible Light. 2018 , 28, 1800668	192
1260	Nonlinear Few-Layer Antimonene-Based All-Optical Signal Processing: Ultrafast Optical Switching and High-Speed Wavelength Conversion. 2018 , 6, 1701287	79
1259	Single-Crystal Antimonene Films Prepared by Molecular Beam Epitaxy: Selective Growth and Contact Resistance Reduction of the 2D Material Heterostructure. 2018 , 10, 15058-15064	27
1258	Layer-dependent transport and optoelectronic property in two-dimensional perovskite: (PEA)PbI. 2018 , 10, 8677-8688	129
1257	All-Optical Phosphorene Phase Modulator with Enhanced Stability Under Ambient Conditions. 2018 , 12, 1800016	118
1256	Quantum oscillation in carrier transport in two-dimensional junctions. 2018 , 10, 7912-7917	5
1255	Ab initio effective deformation potentials of phosphorene and consistency checks. 2018 , 30, 225701	5
1254	Tuning electronic, magnetic, and transport properties of blue phosphorene by substitutional doping: a first-principles study. 2018 , 17, 499-513	26
1253	Effect of ferromagnetic exchange field on band gap and spin polarisation of graphene on a TMD substrate. 2018 , 90, 1	3
1252	Electronic and magnetic properties of transition metal decorated monolayer GaS. 2018 , 101, 131-138	2
1251	Electronic properties and optical absorption of a phosphorene quantum dot. 2018 , 123, 125109	4
1250	2D lateral heterostructures of group-III monochalcogenide: Potential photovoltaic applications. 2018 , 112, 143902	43
1249	CO Adsorption on Metal-Decorated Phosphorene. 2018 , 3, 3957-3965	25
1248	Band Structure of the IV-VI Black Phosphorus Analog and Thermoelectric SnSe. 2018 , 120, 156403	34
1247	First principles study of the electronic properties and band gap modulation of two-dimensional phosphorene monolayer: Effect of strain engineering. 2018 , 118, 289-297	15
1246	Supported black phosphorus nanosheets as hydrogen-evolving photocatalyst achieving 5.4% energy conversion efficiency at 353 K. <i>Nature Communications</i> , 2018 , 9, 1397	17.4 144
1245	Large-scale synthesis of 2D metal dichalcogenides. 2018 , 6, 4627-4640	23
1244	Modulation of electronic and magnetic properties of edge hydrogenated armchair phosphorene nanoribbons by transition metal adsorption. 2018 , 20, 12916-12922	9

1243	Self-powered photogalvanic phosphorene photodetectors with high polarization sensitivity and suppressed dark current. 2018 , 10, 7694-7701	32
1242	Characterization of anisotropic thermal conductivity of suspended nm-thick black phosphorus with frequency-resolved Raman spectroscopy. 2018 , 123, 145104	15
1241	Electronic properties of two-dimensional in-plane heterostructures of WS ₂ /WSe ₂ /MoS ₂ . 2018 , 5, 046307	12
1240	Magnetic engineering in InSe/black-phosphorus heterostructure by transition-metal-atom Sc-Zn doping in the van der Waals gap. 2018 , 101, 245-250	5
1239	Effect of stacking order and in-plane strain on the electronic properties of bilayer GeSe. 2018 , 20, 6929-6935	25
1238	Exploration of sensing of nitrogen dioxide and ozone molecules using novel TiO ₂ /Stanene heterostructures employing DFT calculations. 2018 , 442, 368-381	30
1237	Epitaxial Growth of Flat Antimonene Monolayer: A New Honeycomb Analogue of Graphene. 2018 , 18, 2133-2139	159
1236	Experimental analysis of the Schottky barrier height of metal contacts in black phosphorus field-effect transistors. 2018 , 51, 135306	9
1235	Electronic and optical properties of phosphorene-like arsenic phosphorus: a many-body study. 2018 , 5, 036302	9
1234	An ultrahigh pressure homogenization technique for easily exfoliating few-layer phosphorene from bulk black phosphorus. 2018 , 537, 18-22	2
1233	Thermal transport properties of monolayer phosphorene: a mini-review of theoretical studies. 2018 , 12, 87-96	2
1232	C ₂ N/WS ₂ van der Waals type-II heterostructure as a promising water splitting photocatalyst. 2018 , 359, 143-150	145
1231	First-Principles Study on Layered CN-Metal Interfaces. 2018 , 34, 2647-2653	10
1230	Strain Effects on Properties of Phosphorene and Phosphorene Nanoribbons: a DFT and Tight Binding Study. 2018 , 35, 017302	4
1229	Intrinsic and extrinsic electrical and thermal transport of bulk black phosphorus. 2018 , 97,	11
1228	Illuminating interlayer interactions. 2018 , 17, 211-213	12
1227	Dynamical anisotropic response of black phosphorus under magnetic field. 2018 , 5, 025010	7
1226	Quantum transport in defective phosphorene nanoribbons: Effects of atomic vacancies. 2018 , 97,	21

1225	Prediction of a BeP2 monolayer with a compression-induced Dirac semimetal state. 2018 , 97,	8
1224	Monolayer PdSe: A promising two-dimensional thermoelectric material. 2018 , 8, 2764	94
1223	Advanced Phosphorus-Based Materials for Lithium/Sodium-Ion Batteries: Recent Developments and Future Perspectives. 2018 , 8, 1703058	119
1222	Monolayered Silicon and Germanium Monopnictide Semiconductors: Excellent Stability, High Absorbance, and Strain Engineering of Electronic Properties. 2018 , 10, 5133-5139	62
1221	Efficient selection methods for black phosphorene nanoribbons. 2018 , 10, 4385-4390	3
1220	Self-Aligned van der Waals Heterojunction Diodes and Transistors. 2018 , 18, 1421-1427	36
1219	Carrier Transport Dynamics in High Speed Black Phosphorus Photodetectors. 2018 , 5, 1412-1417	10
1218	Enhancement of tunneling current in phosphorene tunnel field effect transistors by surface defects. 2018 , 20, 5699-5707	8
1217	Conduction-band valley spin splitting in single-layer H-Tl2O. 2018 , 97,	26
1216	The germanium telluride monolayer: a two dimensional semiconductor with high carrier mobility for photocatalytic water splitting. 2018 , 6, 4119-4125	61
1215	Thermal Transport in Phosphorene. 2018 , 14, e1702465	24
1214	Porous silaphosphorene, silaarsenene and silaantimonene: a sweet marriage of Si and P/As/Sb. 2018 , 6, 3738-3746	9
1213	Realization of a half-metallic state on bilayer WSe using doping transition metals (Cr, Mn, Fe, Co, Ni) in its interlayer. 2018 , 29, 115201	13
1212	Engineering the Kondo state in two-dimensional semiconducting phosphorene. 2018 , 97,	3
1211	Periodic and fragment models based on the local correlation approach. 2018 , 8, e1357	24
1210	Wearable energy sources based on 2D materials. 2018 , 47, 3152-3188	158
1209	Magnetothermoelectric transport properties in phosphorene. 2018 , 97,	4
1208	All-phosphorus flexible devices with non-collinear electrodes: a first principles study. 2018 , 20, 7167-7172	7

1207	Significant Enhancement of the Stark Effect in Rippled Monolayer Blue Phosphorus. 2018 , 122, 5171-5177	6
1206	DFT coupled with NEGF study of a promising two-dimensional channel material: black phosphorene-type GaTeCl. 2018 , 10, 3350-3355	25
1205	Optical third harmonic generation in black phosphorus. 2018 , 97,	12
1204	Weak antilocalization effect in exfoliated black phosphorus revealed by temperature- and angle-dependent magnetoconductivity. 2018 , 30, 085703	3
1203	Rediscovering the MP Family (M = Li, Na, and K) as an Anisotropic Layered Semiconducting Material. 2018 , 9, 732-738	14
1202	Electronic and optical properties of monolayer black phosphorus induced by bi-axial strain. 2018 , 144, 304-314	33
1201	Density functional theory investigation of the interactions between the buckled stanene nanosheet and XO ₂ gases (X = N, S, C). 2018 , 1125, 15-28	16
1200	Recent progress in 2D group-VA semiconductors: from theory to experiment. 2018 , 47, 982-1021	549
1199	Optimal water adsorption on phosphorene. 2018 , 737, 365-371	13
1198	Anisotropic optical absorption induced by Rashba spin-orbit coupling in monolayer phosphorene. 2018 , 98, 33-38	5
1197	Few-Layer Tin Sulfide: A Promising Black-Phosphorus-Analogue 2D Material with Exceptionally Large Nonlinear Optical Response, High Stability, and Applications in All-Optical Switching and Wavelength Conversion. 2018 , 6, 1700985	162
1196	Integer and Fractional Quantum Hall effect in Ultrahigh Quality Few-layer Black Phosphorus Transistors. 2018 , 18, 229-234	26
1195	Negative Poisson's ratio and high-mobility transport anisotropy in SiC siligraphene. 2018 , 10, 2108-2114	41
1194	Large diffusion anisotropy and orientation sorting of phosphorene nanoflakes under a temperature gradient. 2018 , 10, 1660-1666	12
1193	Generalized Scheme for High Performing Photodetectors with a p-Type 2D Channel Layer and n-Type Nanoparticles. 2018 , 14, 1703065	14
1192	Tellurium: Fast Electrical and Atomic Transport along the Weak Interaction Direction. 2018 , 140, 550-553	81
1191	Ultrathin Semiconducting BiTeS and BiTeSe with High Electron Mobilities. 2018 , 9, 487-490	41
1190	Second-Order Raman Scattering in Exfoliated Black Phosphorus. 2018 , 18, 1018-1027	22

1189	Tuning the Carrier Confinement in GeS/Phosphorene van der Waals Heterostructures. 2018 , 14, 1703536	37
1188	Theoretical prediction of high electron mobility in multilayer MoS heterostructured with MoSe. 2018 , 148, 014704	14
1187	Black Phosphorus and Polymeric Carbon Nitride Heterostructure for Photoinduced Molecular Oxygen Activation. 2018 , 28, 1705407	277
1186	Strain-tunable electronic and optical properties of BC monolayer.. 2018 , 8, 1686-1692	18
1185	A novel electrically controllable volatile memory device based on few-layer black phosphorus. 2018 , 6, 2460-2466	13
1184	Negative differential resistance and rectification effects in zigzag graphene nanoribbon heterojunctions: Induced by edge oxidation and symmetry concept. 2018 , 382, 704-709	10
1183	Few-layer Tellurium: one-dimensional-like layered elementary semiconductor with striking physical properties. 2018 , 63, 159-168	138
1182	Bandgap-tunable black phosphorus quantum dots: visible-light-active photocatalysts. 2018 , 54, 960-963	53
1181	Novel concept of the smart NIR-light-controlled drug release of black phosphorus nanostructure for cancer therapy. 2018 , 115, 501-506	518
1180	Synthesis of Crystalline Black Phosphorus Thin Film on Sapphire. 2018 , 30, 1703748	67
1179	Quasi-Monolayer Black Phosphorus with High Mobility and Air Stability. 2018 , 30, 1704619	62
1178	Novel titanium nitride halide TiNX (X = F, Cl, Br) monolayers: potential materials for highly efficient excitonic solar cells. 2018 , 6, 2073-2080	51
1177	Exotic ferromagnetism in the two-dimensional quantum material C3N. 2018 , 13, 1	7
1176	Tunable Anisotropic Thermal Conductivity and Elastic Properties in Intercalated Graphite via Lithium Ions. 2018 , 122, 1447-1455	15
1175	Few-layer p-type phosphorene sheet: An efficient transparent conducting electrode in silicon heterojunction solar cell. 2018 , 151, 65-72	11
1174	Optical Anisotropy of Few-Layer Black Phosphorus Visualized by Scanning Polarization Modulation Microscopy. 2018 , 5, 2509-2515	29
1173	High-temperature electron-hole superfluidity with strong anisotropic gaps in double phosphorene monolayers. 2018 , 97,	11
1172	Detection of DNA hybridization using graphene-coated black phosphorus surface plasmon resonance sensor. 2018 , 124, 1	50

1171	Graphyne analogues based on As and Sb elements. 2018 , 150, 325-328	
1170	Lattice thermal conductivity of monolayer AsP from first-principles molecular dynamics. 2018 , 20, 14024-14030	10
1169	M-shape nanoscale friction anisotropy of phosphorene. 2018 , 150, 364-368	10
1168	High-performance SnSe thermoelectric materials: Progress and future challenge. 2018 , 97, 283-346	273
1167	Large-Velocity Saturation in Thin-Film Black Phosphorus Transistors. 2018 , 12, 5003-5010	32
1166	Microporosity as a new property control factor in graphene-like 2D allotropes. 2018 , 6, 10348-10353	12
1165	Anisotropic Negative Differential Resistance in Monolayer Black Phosphorus. 2018 , 108, 022046	
1164	Anisotropic visible photoluminescence from thermally annealed few-layer black phosphorus. 2018 , 29, 245202	10
1163	Defect Engineering in Few-Layer Phosphorene. 2018 , 14, e1704556	23
1162	Recovering the Semiconductor Properties of the Epitaxial Group V 2D Materials Antimonene and Arsenene. 2018 , 122, 9162-9168	18
1161	Doping-stabilized two-dimensional black phosphorus. 2018 , 10, 7898-7904	18
1160	Electronic Properties of van der Waals Heterostructure of Black Phosphorus and MoS ₂ . 2018 , 122, 7027-7032	57
1159	Temperature-Dependent and Gate-Tunable Rectification in a Black Phosphorus/WS van der Waals Heterojunction Diode. 2018 , 10, 13150-13157	34
1158	Computational design and property predictions for two-dimensional nanostructures. 2018 , 21, 391-418	55
1157	Resolving the optical anisotropy of low-symmetry 2D materials. 2018 , 10, 8329-8337	43
1156	Bias-dependent transport properties of passivated tilted black phosphorene nanoribbons. 2018 , 20, 11021-11027	4
1155	Pd ₂ Se ₃ monolayer: a novel two-dimensional material with excellent electronic, transport, and optical properties. 2018 , 6, 4494-4500	26
1154	Nonlinear Optics with 2D Layered Materials. 2018 , 30, e1705963	309

1153	Hittorf's violet phosphorene as a promising candidate for optoelectronic and photocatalytic applications: first-principles characterization. 2018 , 20, 11967-11975	32
1152	First-Principles Investigation of Black Phosphorus Synthesis. 2018 , 9, 1759-1764	13
1151	High-Performance Lossy-Mode Resonance Sensor Based on Few-Layer Black Phosphorus. 2018 , 122, 7368-7373	39
1150	CaP: A New Two-Dimensional Functional Material with Desirable Band Gap and Ultrahigh Carrier Mobility. 2018 , 9, 1728-1733	71
1149	Spotting the differences in two-dimensional materials - the Raman scattering perspective. 2018 , 47, 3217-3240	51
1148	Facile bottom-up synthesis of partially oxidized black phosphorus nanosheets as metal-free photocatalyst for hydrogen evolution. 2018 , 115, 4345-4350	142
1147	Large magnetoresistance and Hall effect in paramagnetic black phosphorus synthesized from red phosphorus. 2018 , 51, 195101	5
1146	Tunable electronic properties of silicene/GaP heterobilayer: Effects of electric field or biaxial tensile strain. 2018 , 700, 114-121	6
1145	Polarity Control of Top Gated Black Phosphorous FETs by Workfunction Engineering of Pre-Patterned Au and Ag Embedded Electrodes. 2018 , 6, 1041-1047	5
1144	A revival of 2D materials, phosphorene: Its application as sensors. 2018 , 64, 60-69	42
1143	Black phosphorus: ambient degradation and strategies for protection. 2018 , 5, 032001	92
1142	Strain mapping in single-layer two-dimensional crystals via Raman activity. 2018 , 97,	32
1141	Lanthanide atom substitutionally doped blue phosphorene: electronic and magnetic behaviors. 2018 , 20, 11003-11012	16
1140	Two-dimensional n-InSe/p-GeSe(SnS) van der Waals heterojunctions: High carrier mobility and broadband performance. 2018 , 97,	79
1139	Determination of layer-dependent exciton binding energies in few-layer black phosphorus. 2018 , 4, eaap9977	80
1138	SiP monolayers: New 2D structures of group IV \bar{V} compounds for visible-light photohydrolytic catalysts. 2018 , 13, 1	24
1137	Graphene/black phosphorus heterostructured photodetector. 2018 , 144, 86-89	34
1136	Two-Dimensional Borane with Banana Bonds and Dirac-Like Ring. 2018 , 35, 037101	1

1135	Strain-induced recovery of electronic anisotropy in 90°-twisted bilayer phosphorene. 2018 , 121, 27002	5
1134	A new strategy for air-stable black phosphorus reinforced PVA nanocomposites. 2018 , 6, 7142-7147	28
1133	Stacking sequences of black phosphorous allotropes and the corresponding few-layer phosphorenes. 2018 , 20, 10185-10192	4
1132	Spin properties of black phosphorus and phosphorene, and their prospects for spincalorics. 2018 , 51, 174001	6
1131	Photocatalytic Activity of Phosphorene Derivatives: Coverage, Electronic, Optical, and Excitonic Properties. 2018 , 122, 7194-7202	7
1130	Chemical synthesis of two-dimensional atomic crystals, heterostructures and superlattices. 2018 , 47, 3129-3151	99
1129	Pulse duration dependent nonlinear optical response in black phosphorus dispersions. 2018 , 406, 244-248	20
1128	Ultrashort pulse generation in mode-locked erbium-doped fiber lasers with tungsten disulfide saturable absorber. 2018 , 406, 72-75	33
1127	Optical contrast for identifying the thickness of two-dimensional materials. 2018 , 406, 128-138	27
1126	Three-layer phosphorene-metal interfaces. 2018 , 11, 707-721	59
1125	Role of oxygen vacancies in photocatalytic water oxidation on ceria oxide: Experiment and DFT studies. 2018 , 224, 101-108	124
1124	Raman spectroscopy in black phosphorus. 2018 , 49, 76-90	83
1123	Palladium Nanoparticles Anchored on Anatase Titanium Dioxide-Black Phosphorus Hybrids with Heterointerfaces: Highly Electroactive and Durable Catalysts for Ethanol Electrooxidation. 2018 , 8, 1701799	133
1122	High Selective Gas Detection for small molecules based on Germanium selenide monolayer. 2018 , 433, 575-581	37
1121	Zweidimensionale Chemie jenseits von Graphen: das aufstrebende Gebiet der Funktionalisierung von Molybd�disulfid und schwarzem Phosphor. 2018 , 130, 4421-4437	20
1120	Post-Graphene 2D Chemistry: The Emerging Field of Molybdenum Disulfide and Black Phosphorus Functionalization. 2018 , 57, 4338-4354	156
1119	Effect of thickness on the photophysics and charge carrier kinetics of graphitic carbon nitride nanoflakes. 2018 , 29, 543-546	4
1118	Combustion of aluminum nanoparticles and exfoliated 2D molybdenum trioxide composites. 2018 , 187, 1-10	19

1117	Density functional theory calculations of biomolecules adsorption on phosphorene for biomedical applications. 2018 , 427, 1227-1234	25
1116	GeAs and SiAs monolayers: Novel 2D semiconductors with suitable band structures. 2018 , 95, 149-153	43
1115	Electrical contacts in monolayer blue phosphorene devices. 2018 , 11, 1834-1849	42
1114	The rising star of 2D black phosphorus beyond graphene: synthesis, properties and electronic applications. 2018 , 5, 014002	152
1113	Selective gas adsorption and I/V response of monolayer boron phosphide introduced by dopants: A first-principle study. 2018 , 427, 176-188	29
1112	Two-dimensional polymer-based nanosheets for electrochemical energy storage and conversion. 2018 , 27, 99-116	23
1111	Electric field modulation of electronic structures in InSe and black phosphorus heterostructure. 2018 , 269, 112-117	15
1110	Black-Phosphorus-Based Orientation-Induced Diodes. 2018 , 30, 1704653	38
1109	A two-dimensional tetragonal yttrium nitride monolayer: a ferroelastic semiconductor with switchable anisotropic properties. 2017 , 10, 215-221	37
1108	Direct Investigation of the Birefringent Optical Properties of Black Phosphorus with Picosecond Interferometry. 2018 , 6, 1700831	7
1107	Role of surface adsorption in tuning the properties of black phosphorus. 2017 , 20, 112-117	14
1106	Two-dimensional stoichiometric boron carbides with unexpected chemical bonding and promising electronic properties. 2018 , 6, 1651-1658	23
1105	Applications of Phosphorene and Black Phosphorus in Energy Conversion and Storage Devices. 2018 , 8, 1702093	272
1104	Two-dimensional silicon crystals with sizable band gaps and ultrahigh carrier mobility. 2018 , 10, 1265-1271	18
1103	A ferroelectric relaxor polymer-enhanced p-type WSe transistor. 2018 , 10, 1727-1734	24
1102	Exfoliation of Few-Layer Black Phosphorus in Low-Boiling-Point Solvents and Its Application in Li-Ion Batteries. 2018 , 30, 506-516	74
1101	Covalent functionalized black phosphorus quantum dots. 2018 , 75, 521-524	7
1100	Tight binding parametrization of few-layer black phosphorus from first-principles calculations. 2018 , 143, 411-417	6

1099	Contacts to solution-synthesized SnS nanoribbons: dependence of barrier height on metal work function. 2017 , 10, 319-327	18
1098	Few-Layered Black Phosphorus: From Fabrication and Customization to Biomedical Applications. 2018 , 14, 1702830	56
1097	Recovery Mechanism of Degraded Black Phosphorus Field-Effect Transistors by 1,2-Ethanedithiol Chemistry and Extended Device Stability. 2018 , 14, 1703194	21
1096	Effects of strain on Goos-Hänchen shifts of monolayer phosphorene. 2018 , 97, 335-339	6
1095	Stabilizing benzene-like planar N rings to form a single atomic honeycomb BeN sheet with high carrier mobility. 2018 , 10, 949-957	13
1094	Black phosphorus saturable absorber for Q-switched Er:YAG laser at 1645 nm. 2018 , 100, 225-229	12
1093	Metal adsorption on monolayer blue phosphorene: A first principles study. 2018 , 382, 205-209	15
1092	Nonlinear modeling of crystal system transition of black phosphorus using continuum-DFT model. 2018 , 30, 035901	5
1091	Prediction of phonon-mediated superconductivity in hole-doped black phosphorus. 2018 , 30, 015601	5
1090	The giant Stark effect in armchair-edge phosphorene nanoribbons under a transverse electric field. 2018 , 382, 193-198	17
1089	Ultrasmall Bismuth Quantum Dots: Facile Liquid-Phase Exfoliation, Characterization, and Application in High-Performance UV-Vis Photodetector. 2018 , 5, 621-629	175
1088	Gate-tunable strong-weak localization transition in few-layer black phosphorus. 2018 , 29, 035204	8
1087	Chemical intuition for high thermoelectric performance in monolayer black phosphorus, Arsenene and aW-antimonene. 2018 , 6, 2018-2033	56
1086	Two dimensional materials based photodetectors. 2018 , 88, 149-173	50
1085	Robust electronic and mechanical properties to layer number in 2D wide-gap X(OH) ₂ (X = Mg, Ca). 2018 , 51, 015107	5
1084	Investigation of black phosphorus as a nano-optical polarization element by polarized Raman spectroscopy. 2018 , 11, 3154-3163	12
1083	Photovoltaic effects in reconfigurable heterostructured black phosphorus transistors. 2018 , 27, 128502	6
1082	Strain Tunable Bandgap and High Carrier Mobility in SiAs and SiAs Monolayers from First-Principles Studies. 2018 , 13, 404	11

1081	Two dimensional allotropes of arsenene with a wide range of high and anisotropic carrier mobility. 2018 , 20, 29939-29950	63
1080	Tuning the electronic properties of van der Waals heterostructures composed of black phosphorus and graphitic SiC. 2018 , 20, 29333-29340	11
1079	Tunable band offsets in the BP/PO van der Waals heterostructure: first-principles calculations. 2018 , 20, 29931-29938	5
1078	Atomistic Study of Acoustic Phonon Limited Mobility in Extremely Scaled Si and Ge Films. 2018 ,	0
1077	Anisotropic ultraviolet-plasmon dispersion in black phosphorus. 2018 , 10, 21918-21927	13
1076	Synthesis of a one-dimensional atomic crystal of vanadium selenide (VSe).. 2018 , 8, 33980-33984	19
1075	Tunable transport and optoelectronic properties of monolayer black phosphorus by grafting PdCl quantum dots.. 2018 , 8, 35226-35236	4
1074	Promising photovoltaic and solid-state-lighting materials: two-dimensional Ruddlesden-Popper type lead-free halide double perovskites $Cs_{n+1}In_n/2Sb_n/2I3_{n+1}$ ($n = 3$) and $Cs_{n+1}In_n/2Sb_n/2Cl3_{n+1}/Csm+1Cum/2Bim/2Cl3_{m+1}$ ($n = 3, m = 1$). 2018 , 6, 11575-11586	11
1073	Hexagonal $M2C3$ ($M = As, Sb, \text{ and } Bi$) monolayers: new functional materials with desirable band gaps and ultrahigh carrier mobility. 2018 , 6, 12689-12697	30
1072	First-principle study of seven allotropes of arsenene and antimonene: thermodynamic, electronic and optical properties. 2018 , 20, 30257-30266	33
1071	2D bismuthene fabricated via acid-intercalated exfoliation showing strong nonlinear near-infrared responses for mode-locking lasers. 2018 , 10, 21106-21115	79
1070	Two-dimensional black phosphorus: its fabrication, functionalization and applications. 2018 , 10, 21575-21603	54
1069	Two-dimensional δ phase group-VA binary compounds for versatile electronic and optical properties. 2018 , 6, 11694-11700	18
1068	Charge-governed phase manipulation of few-layer tellurium. 2018 , 10, 22263-22269	20
1067	Theoretical Study on Carrier Mobility of Hydrogenated Graphene/Hexagonal Boron-Nitride Heterobilayer. 2018 , 13, 376	3
1066	Extremely High Mobilities in Two-Dimensional Group-VA Binary Compounds with Large Conversion Efficiency for Solar Cells. 2018 , 122, 27590-27596	10
1065	Optical absorption properties of few-layer phosphorene. 2018 , 98,	11
1064	Strain-engineering the electronic properties and anisotropy of GeSe monolayers.. 2018 , 8, 33445-33450	6

1063	Dialkali-Metal Monochalcogenide Semiconductors with High Mobility and Tunable Magnetism. 2018 , 9, 6695-6701	12
1062	Perpendicular Optical Reversal of the Linear Dichroism and Polarized Photodetection in 2D GeAs. 2018 , 12, 12416-12423	100
1061	Highly Promoted Carrier Mobility and Intrinsic Stability by Rolling Up Monolayer Black Phosphorus into Nanoscrolls. 2018 , 9, 6847-6852	15
1060	Effects of Electric Field on the Electronic Structures of Broken-gap Phosphorene/SnX ₂ (X = S, Se) van der Waals Heterojunctions. 2018 , 10,	35
1059	Insights into High Conductivity of the Two-Dimensional Iodine-Oxidized sp-c-COF. 2018 , 10, 43595-43602	17
1058	Photonic spin Hall effect of monolayer black phosphorus in the Terahertz region. 2018 , 7, 1929-1937	38
1057	Exploring a Novel Atomic Layer with Extremely Low Lattice Thermal Conductivity: ZnPSe ₃ and Its Thermoelectrics. 2018 , 122, 27917-27924	8
1056	Interlayer-Decoupled Sc-Based Mxene with High Carrier Mobility and Strong Light-Harvesting Ability. 2018 , 9, 6915-6920	23
1055	Theoretical Design of an InSe/GaTe vdW Heterobilayer: A Potential Visible-Light Photocatalyst for Water Splitting. 2018 , 122, 27803-27810	32
1054	High Thermoelectric Performance in Two-Dimensional Tellurium: An Ab Initio Study. 2018 , 10, 40702-40709	63
1053	Recent advances in emerging 2D nanomaterials for biosensing and bioimaging applications. 2018 , 21, 164-177	104
1052	Ambient Degradation-Induced Spin Paramagnetism in Phosphorene. 2019 , 15, e1804386	4
1051	Size and strain effects on mechanical and electronic properties of green phosphorene nanoribbons. 2018 , 8, 115124	3
1050	Multifunctional two-dimensional semiconductors SnP: universal mechanism of layer-dependent electronic phase transition. 2018 , 30, 475702	9
1049	Stone-Wales like defects formation, stability and reactivity in black phosphorene. 2018 , 236-237, 208-216	8
1048	Anisotropic Electron-Phonon Interactions in Angle-Resolved Raman Study of Strained Black Phosphorus. 2018 , 12, 12512-12522	25
1047	Excitonic complexes in anisotropic atomically thin two-dimensional materials: Black phosphorus and TiS ₃ . 2018 , 98,	9
1046	Charge and spin transport anisotropy in nanopatterned graphene. 2018 , 1, 015005	5

1045	A quantum kinetic approach for calculating low-field mobility in black phosphorus crystals and multilayer phosphorene. 2018 , 17, 1549-1556	1
1044	The diverse magneto-optical selection rules in bilayer black phosphorus. 2018 , 8, 13303	5
1043	Thermally stimulated nonlinear vibration of rectangular single-layered black phosphorus. 2018 , 124, 135101	4
1042	Graphdiyne: Recent Achievements in Photo- and Electrochemical Conversion. 2018 , 5, 1800959	61
1041	First-principles Investigations of Magnetic Semiconductors: An example of Transition Metal Decorated Two-dimensional SnS Monolayer. 2018 , 8,	9
1040	Toward Air Stability of Thin GaSe Devices: Avoiding Environmental and Laser-Induced Degradation by Encapsulation. 2018 , 28, 1805304	31
1039	Cluster-Assembled Semiconductor CdO Polymorph with Good Ductility, High Carrier Mobility, and Promising Optical Properties. 2018 , 122, 24287-24294	4
1038	Silicon-Phosphorene Nanocavity-Enhanced Optical Emission at Telecommunications Wavelengths. 2018 , 18, 6515-6520	11
1037	Carrier Engineering in Polarization-Sensitive Black Phosphorus van der Waals Junctions. 2018 , 10, 35615-35622	15
1036	Temperature dependence of Raman responses of few-layer PtS. 2018 , 29, 505709	15
1035	Exfoliation and Characterization of $\sqrt{3}\times\sqrt{3}$ Atomic Crystals. 2018 , 8,	17
1034	What Limits the Intrinsic Mobility of Electrons and Holes in Two Dimensional Metal Dichalcogenides?. 2018 , 140, 17895-17900	69
1033	Plasmonic Physics of 2D Crystalline Materials. 2018 , 8, 238	18
1032	Saddle-Point Excitons and Their Extraordinary Light Absorption in 2D $\sqrt{3}\times\sqrt{3}$ Phase Group-IV Monochalcogenides. 2018 , 28, 1804581	18
1031	Novel Two-Dimensional Semiconductor SnP ₃ with High Carrier Mobility, Good Light Absorption, and Strong Interlayer Quantum Confinement. 2018 , 122, 24359-24367	30
1030	Tunable Electronic Structures of Hydrogenated Zigzag and Armchair Dumbbell Silicene Nanosheets: A Computational Study. 2018 , 122, 23208-23216	8
1029	Two dimensional XAs (X = Si, Ge, Sn) monolayers as promising photocatalysts for water splitting hydrogen production with high carrier mobility. 2018 , 13, 276-284	32
1028	The tunable bandgap effect of SnS films. 2018 , 30, 465302	5

1027	Multilayer phosphorene quantum dots in an electric field: Energy levels and optical absorption. 2018 , 124, 124303	10
1026	Emergent Dirac carriers across a pressure-induced Lifshitz transition in black phosphorus. 2018 , 98,	8
1025	Probing the Physical Origin of Anisotropic Thermal Transport in Black Phosphorus Nanoribbons. 2018 , 30, e1804928	31
1024	Inorganic Molecular Chain Nb ₂ Se ₉ : Synthesis of Bulk Crystal and One-Atom-Thick Level Exfoliation. 2018 , 12, 1800451	20
1023	Promise and Challenge of Phosphorus in Science, Technology, and Application. 2018 , 28, 1803471	49
1022	KAgSe: A New Two-Dimensional Efficient Photovoltaic Material with Layer-Independent Behaviors. 2018 , 10, 41670-41677	25
1021	Mechanical Behaviors of Angle-Ply Black Phosphorus by Molecular Dynamics Simulations. 2018 , 8,	2
1020	First-Principles Study on the Stabilities, Electronic and Optical Properties of GeSnSe Alloys. 2018 , 8,	1
1019	Monolayer, Bilayer, and Heterostructures of Green Phosphorene for Water Splitting and Photovoltaics. 2018 , 122, 26032-26038	45
1018	Wafer-Scale Fabrication of Two-Dimensional PtS/PtSe Heterojunctions for Efficient and Broad band Photodetection. 2018 , 10, 40614-40622	70
1017	Anomalous Temperature-Dependent Raman Scattering of Vapor-Deposited Two-Dimensional Bi Thin Films. 2018 , 122, 24459-24466	13
1016	Highly In-Plane Anisotropic 2D GeAs for Polarization-Sensitive Photodetection. 2018 , 30, e1804541	94
1015	Unusual Electronic and Optical Properties of Two-Dimensional Ga ₂ O ₃ Predicted by Density Functional Theory. 2018 , 122, 24592-24599	34
1014	Physical Properties and Photovoltaic Application of Semiconducting PdBe Monolayer. 2018 , 8,	10
1013	Strain-Induced Band Structure Modulation in Hexagonal Boron Phosphide/Blue Phosphorene vdW Heterostructure. 2018 , 122, 26120-26129	16
1012	PCl: A Unique Post-Phosphorene 2D Material with Superior Properties against Oxidation. 2018 , 9, 6568-6575	12
1011	Strain-Modulated Band Engineering in Two-Dimensional Black Phosphorus/MoS van der Waals Heterojunction. 2018 , 3, 14641-14649	16
1010	Microfluidic-spinning construction of black-phosphorus-hybrid microfibres for non-woven fabrics toward a high energy density flexible supercapacitor. <i>Nature Communications</i> , 2018 , 9, 4573	17.4 117

1009	Black phosphorus with a unique rectangular shape and its anisotropic properties. 2018 , 8, 105216	3
1008	Adsorption of Transition Metals on Black Phosphorene: a First-Principles Study. 2018 , 13, 282	56
1007	Black phosphorus-based field effect transistor devices for Ag ions detection. 2018 , 27, 087308	36
1006	Strong Topological States and High Charge Carrier Mobility in Tetraoxa[8]circulene Nanosheets. 2018 , 122, 22216-22222	17
1005	Theoretical Studies on the Electronic and Optical Properties of Honeycomb BC monolayer: A Promising Candidate for Metal-free Photocatalysts. 2018 , 3, 10517-10525	35
1004	Two-Dimensional Photogalvanic Spin-Battery. 2018 , 10,	39
1003	Mechanical and Chemical Stability of Monolayer Black Phosphorous Studied by Density Functional Theory Simulations. 2018 , 122, 22366-22373	11
1002	Theoretical studies of electronic transport in monolayer and bilayer phosphorene: A critical overview. 2018 , 98,	43
1001	Recent Progress on Black Phosphorus-Based Materials for Photocatalytic Water Splitting. 2018 , 2, 1800212	37
1000	Photoluminescence Lifetime of Black Phosphorus Nanoparticles and Their Applications in Live Cell Imaging. 2018 , 10, 31136-31145	19
999	Control of near-field radiative heat transfer based on anisotropic 2D materials. 2018 , 8, 085321	29
998	Tunable bright interlayer excitons in few-layer black phosphorus based van der Waals heterostructures. 2018 , 5, 045031	17
997	Mobility Anisotropy in Black Phosphorus MOSFETs With HfO ₂ Gate Dielectrics. 2018 , 65, 4093-4101	11
996	Perspectives on Thermoelectricity in Layered and 2D Materials. 2018 , 4, 1800248	47
995	Phosphorene as cathode for metal-ion batteries: Importance of F decoration. 2018 , 10, 141-145	5
994	Bi ₂ OS ₂ : a direct-gap two-dimensional semiconductor with high carrier mobility and surface electron states. 2018 , 5, 1058-1064	28
993	Quantum Hall Effect in Electron-Doped Black Phosphorus Field-Effect Transistors. 2018 , 18, 6611-6616	31
992	Pressure-induced phase transitions and superconductivity in a black phosphorus single crystal. 2018 , 115, 9935-9940	23

991	Electronic structures and unusually robust bandgap in an ultrahigh-mobility layered oxide semiconductor, BiOSe. 2018 , 4, eaat8355	103
990	Black Phosphorus Infrared Photodetectors with Fast Response and High Photoresponsivity. 2018 , 12, 1800310	15
989	2D-Pnictogens: alloy-based anode battery materials with ultrahigh cycling stability. 2018 , 47, 6964-6989	84
988	Thickness-Dependent Carrier Transport Characteristics of a New 2D Elemental Semiconductor: Black Arsenic. 2018 , 28, 1802581	80
987	n- and p-type ohmic contacts at monolayer gallium nitride-metal interfaces. 2018 , 20, 24239-24249	10
986	Rapid fabrication of SnO ₂ nanoparticle photocatalyst: computational understanding and photocatalytic degradation of organic dye. 2018 , 5, 3005-3014	54
985	Electronic properties of a \mathbb{Z} onjugated Cairo pentagonal lattice: Direct band gap, ultrahigh carrier mobility, and slanted Dirac cones. 2018 , 98,	13
984	Photocarrier dynamics in monolayer phosphorene and bulk black phosphorus. 2018 , 10, 11307-11313	21
983	Monolayer Rhenium disulphide contacts with Au, Ag, and Pt. 2018 , 50, 1	
982	Enhancement of photoluminescence and hole mobility in 1- to 5-layer InSe due to the top valence-band inversion: strain effect. 2018 , 10, 11441-11451	41
981	Synthesis of Black Phosphorus Quantum Dots with High Quantum Yield by Pulsed Laser Ablation for Cell Bioimaging. 2018 , 13, 1842	23
980	Computational screening of high-performance optoelectronic materials using OptB88vdW and TB-mBJ formalisms. 2018 , 5, 180082	50
979	Novel two-dimensional semiconductor SnP ₃ : high stability, tunable bandgaps and high carrier mobility explored using first-principles calculations. 2018 , 6, 11890-11897	99
978	Low-bias negative differential resistance in junction of a benzene between zigzag-edged phosphorene nanoribbons. 2018 , 30, 265301	8
977	Theoretical design of blue phosphorene/arsenene lateral heterostructures with superior electronic properties. 2018 , 51, 255304	23
976	Two dimensional self-assembly zinc porphyrin and zinc phthalocyanine heterojunctions with record high power conversion efficiencies. 2018 , 30, 25LT02	2
975	Bandgap-Tunable Preparation of Smooth and Large Two-Dimensional Antimonene. 2018 , 57, 8668-8673	71
974	Bandgap-Tunable Preparation of Smooth and Large Two-Dimensional Antimonene. 2018 , 130, 8804-8809	38

973	Biaxial tensile strain tuned up-and-down behavior on lattice thermal conductivity in EAsP monolayer. 2018 , 51, 265307	10
972	Tetrahexcarbon: A two-dimensional allotrope of carbon. 2018 , 137, 266-273	55
971	Synthesis and Characterization of Phosphorene: A Novel 2D Material. 2018 , 61-92	0
970	Effect of TCNQ Layer Cover on Oxidation Dynamics of Black Phosphorus. 2018 , 12, 1800179	2
969	Organosilicon modification to enhance the stability of black phosphorus nanosheets under ambient conditions. 2018 , 6, 4065-4070	27
968	Anomalous Phonon Modes in Black Phosphorus Revealed by Resonant Raman Scattering. 2018 , 9, 2830-2837	12
967	Enhanced Performance of Field-Effect Transistors Based on Black Phosphorus Channels Reduced by Galvanic Corrosion of Al Overlayers. 2018 , 10, 18895-18901	6
966	Thermal annealing of black phosphorus for etching and protection. 2018 , 457, 773-779	13
965	Encapsulation-Free Stabilization of Few-Layer Black Phosphorus. 2018 , 10, 24327-24331	13
964	Highly Polarized and Fast Photoresponse of Black Phosphorus-InSe Vertical p-n Heterojunctions. 2018 , 28, 1802011	93
963	Tuning the optical properties of phosphorene by adsorption of alkali metals and halogens. 2018 , 50, 1	7
962	Semiconductor Nanomembrane Materials for High-Performance Soft Electronic Devices. 2018 , 140, 9001-9019	22
961	Red phosphorus in its two-dimensional limit: novel clathrates with varying band gaps and superior chemical stabilities. 2018 , 10, 13969-13975	4
960	Enhanced nonlinear optical susceptibilities in phosphorene nanoribbons: Ab initio study. 2018 , 123, 245113	5
959	Ultrahigh Conductivity in Two-Dimensional InSe via Remote Doping at Room Temperature. 2018 , 9, 3897-3903	16
958	Self-modulation doping effect in the high-mobility layered semiconductor Bi ₂ O ₂ Se. 2018 , 97,	45
957	Chemical sensing with 2D materials. 2018 , 47, 4860-4908	317
956	Black Phosphorus Q-Switched Large-Mode-Area Tm-Doped Fiber Laser. 2018 , 2018, 1-6	5

955	Tunable spin states in the two-dimensional magnet CrI. 2018 , 10, 14298-14303	90
954	MoS ₂ /Phosphorene Heterostructure for Optical Absorption in Visible Region. 2018 , 54, 1-6	14
953	First-principles study of adsorption of 3d and 4d transition metal atoms on aluminene. 2018 , 16, e00319	4
952	Atomically thin mononitrides SiN and GeN: New two-dimensional wide band gap semiconductors. 2018 , 122, 47002	3
951	Perovskite CsPbX ₃ : A Promising Nonlinear Optical Material and Its Applications for Ambient All-Optical Switching with Enhanced Stability. 2018 , 6, 1800400	67
950	Observation of ferromagnetism in black phosphorus nanosheets with high magnetization by liquid exfoliation. 2018 , 281, 1-5	12
949	High-Field Transport and Velocity Saturation in Synthetic Monolayer MoS. 2018 , 18, 4516-4522	71
948	Electro/mechanical mutable properties of black phosphorene by electric field and strain engineering. 2018 , 5, 066307	2
947	Realization of N-Type Semiconducting of Phosphorene through Surface Metal Doping and Work Function Study. 2018 , 2018, 1-9	8
946	SnP ₃ : A Previously Unexplored Two-Dimensional Material. 2018 , 122, 18185-18191	56
945	Passively Q-switched Nd solid-state lasers with antimonene as saturable absorber. 2018 , 26, 4085-4095	28
944	Tunable optical forces exerted on a black phosphorus coated dielectric particle by a Gaussian beam. 2018 , 8, 211	5
943	Mid-wave and Long-Wave Infrared Linear Dichroism in a Hexagonal Perovskite Chalcogenide. 2018 , 30, 4897-4901	12
942	Scalable Patterning of Encapsulated Black Phosphorus. 2018 , 18, 5373-5381	30
941	Two-dimensional transistors beyond graphene and TMDCs. 2018 , 47, 6388-6409	193
940	Band gap reduction in van der Waals layered 2D materials via a de-charge transfer mechanism. 2018 , 10, 16759-16764	15
939	Penta-PtN: an ideal two-dimensional material for nanoelectronics. 2018 , 10, 16169-16177	30
938	Interlayer coupling in two-dimensional semiconductor materials. 2018 , 33, 093001	23

937	Density functional theory based prediction of a new two-dimensional TeSe ₂ semiconductor: A case study on the electronic properties. 2018 , 707, 160-164	9
936	Room-temperature pyro-catalytic hydrogen generation of 2D few-layer black phosphorene under cold-hot alternation. <i>Nature Communications</i> , 2018 , 9, 2889	17.4 85
935	Structural, vibrational, and electronic properties of single-layer hexagonal crystals of group IV and V elements. 2018 , 98,	53
934	Energy-loss function for monolayer phosphorene. 2018 , 53, 15541-15548	3
933	Linear scanning tunneling spectroscopy over a large energy range in black phosphorus. 2018 , 124, 045301	2
932	Progress on Black Phosphorus Photonics. 2018 , 6, 1800365	29
931	New gallium chalcogenides/arsenene van der Waals heterostructures promising for photocatalytic water splitting. 2018 , 43, 15995-16004	34
930	Active Tuning of Midinfrared Surface Plasmon Resonance and Its Hybridization in Black Phosphorus Sheet Array. 2018 , 5, 3828-3837	25
929	On the exfoliation and anisotropic thermal expansion of black phosphorus. 2018 , 54, 9793-9796	11
928	Achieving ultrahigh carrier mobilities and opening the band gap in two-dimensional SiBN. 2018 , 20, 21716-21723	23
927	Raman Spectra and Strain Effects in Bismuth Oxychalcogenides. 2018 , 122, 19970-19980	44
926	Negative differential resistance, perfect spin-filtering effect and tunnel magnetoresistance in vanadium-doped zigzag blue phosphorus nanoribbons. 2018 , 20, 21105-21112	5
925	Intrinsic charge transport behaviors in graphene-black phosphorus van der Waals heterojunction devices. 2018 , 27, 077303	3
924	Performance Enhancement of SPR Biosensor Based on Phosphorene and Transition Metal Dichalcogenides for Sensing DNA Hybridization. 2018 , 18, 7537-7543	61
923	Probing Spintronic Features in Conduction through Silicene and Graphene Barriers. 2018 , 47, 6396-6402	1
922	In-Plane Optical Anisotropy and Linear Dichroism in Low-Symmetry Layered TlSe. 2018 , 12, 8798-8807	43
921	Exceptional Optical Absorption of Buckled Arsenene Covering a Broad Spectral Range by Molecular Doping. 2018 , 3, 8514-8520	73
920	Van der Waals Heterostructure Based Field Effect Transistor Application. 2018 , 8, 8	17

919	Pauli magnetic susceptibility of doped and biased phosphorene in the presence of Zeeman magnetic field and dilute charged impurity. 2018 , 122, 453-460	16
918	Dielectric-induced interface states in black phosphorus and tungsten diselenide capacitors. 2018 , 113, 013103	7
917	Optoelectronic Properties of X-Doped (X = O, S, Te) Photovoltaic CSe with Puckered Structure. 2018 , 11,	9
916	Synthesis of Large-Scale Single-Crystalline Monolayer WS ₂ Using a Semi-Sealed Method. 2018 , 8,	21
915	Multilayer Black Phosphorus Near-Infrared Photodetectors. 2018 , 18,	16
914	Interface Electronic Structure between Au and Black Phosphorus. 2018 , 122, 18405-18411	5
913	2D library beyond graphene and transition metal dichalcogenides: a focus on photodetection. 2018 , 47, 6296-6341	145
912	Giant conductance anisotropy in black phosphorene tuned by external electric field. 2018 , 30, 33LT01	3
911	Monolayered semiconducting GeAsSe and SnSbTe with ultrahigh hole mobility. 2018 , 13, 1	9
910	Phase-Engineered Growth of Ultrathin InSe Flakes by Chemical Vapor Deposition for High-Efficiency Second Harmonic Generation. 2018 , 24, 15678-15684	24
909	Hydrogenated black phosphorus single layer. 2018 , 104, 333-339	3
908	Spin-dependent k.p Hamiltonian of black phosphorene based on Löwdin partitioning method. 2018 , 124, 035702	2
907	Room temperature ferromagnetism in transition metal-doped black phosphorous. 2018 , 112, 192105	9
906	Recent Progress on Stability and Passivation of Black Phosphorus. 2018 , 30, e1704749	160
905	Exploring Low Internal Reorganization Energies for Silicene Nanoclusters. 2018 , 9,	5
904	Stable holey two-dimensional C ₂ N structures with tunable electronic structure. 2018 , 97,	10
903	Band Gap Modulated by Electronic Superlattice in Blue Phosphorene. 2018 , 12, 5059-5065	61
902	Drastic Improvement in Gas-Sensing Characteristics of Phosphorene Nanosheets under Vacancy Defects and Elemental Functionalization. 2018 , 122, 20186-20193	41

901	Valley-Selective Linear Dichroism in Layered Tin Sulfide. 2018 , 5, 3814-3819	18
900	Photoinduced Orientation-Dependent Interlayer Carrier Transportation in Cross-Stacked Black Phosphorus van der Waals Junctions. 2018 , 5, 1800964	5
899	Atomically thin semiconducting penta-PdP2 and PdAs2 with ultrahigh carrier mobility. 2018 , 6, 9055-9059	25
898	The Theoretical Calculation of Carrier Mobility for Two-Dimensional Material. 2018 , 394, 032011	
897	Quantum Monte Carlo calculations of energy gaps from first principles. 2018 , 98,	25
896	Abnormal Near-Infrared Absorption in 2D Black Phosphorus Induced by Ag Nanoclusters Surface Functionalization. 2018 , 30, e1801931	35
895	A topologically substituted boron nitride hybrid aerogel for highly selective CO2 uptake. 2018 , 11, 6325-6335	12
894	Wafer-Scale Black Arsenic Phosphorus Thin-Film Synthesis Validated with Density Functional Perturbation Theory Predictions. 2018 , 1, 4737-4745	24
893	Spontaneous Direct Band Gap, High Hole Mobility, and Huge Exciton Energy in Atomic-Thin TiO2 Nanosheet. 2018 , 30, 6449-6457	31
892	Simulations of Quantum Transport in Sub-5-nm Monolayer Phosphorene Transistors. 2018 , 10,	90
891	Stimuli-Responsive 2D Materials Beyond Graphene. 2018 , 28, 1802500	39
890	Two-dimensional group-VA porous crystals: Diverse electronic structures and photocatalytic properties. 2018 , 154, 459-463	4
889	Photo-oxidative Degradation and Protection Mechanism of Black Phosphorus: Insights from Ultrafast Dynamics. 2018 , 9, 5034-5039	35
888	Semimetal-Semiconductor Transitions for Monolayer Antimonene Nanosheets and Their Application in Perovskite Solar Cells. 2018 , 30, e1803244	39
887	Strain-engineering tunable electron mobility of monolayer IV-V group compounds. 2018 , 10, 16750-16758	28
886	Atomistic Sodiation Mechanism of a Phosphorene/Graphene Heterostructure for Sodium-Ion Batteries Determined by First-Principles Calculations. 2018 , 122, 20653-20660	25
885	Computational Understanding of the Growth of 2D Materials. 2018 , 1, 1800085	22
884	Multilayer Black Phosphorus Exfoliated with the Aid of Sodium Hydroxide: An Improvement in Electrochemical Energy Storage. 2018 , 47, 4793-4798	8

883	Quantum Dots for Cancer Therapy and Bioimaging. 2018 , 89-135	4
882	Strain and defect engineering on phase transition of monolayer black phosphorene. 2018 , 20, 21832-21843	5
881	Strain Tuning of the Anisotropy in the Optoelectronic Properties of TiS ₃ . 2018 , 5, 3231-3237	11
880	Origin of metallicity in 2D multilayer nickel bis(dithiolene) sheets. 2018 , 5, 035027	5
879	. 2018 , 65, 4180-4187	15
878	Black Phosphorus-Based Compound with Few Layers for Photocatalytic Water Oxidation. 2018 , 10, 3424-3428	14
877	Layer and doping tunable ferromagnetic order in two-dimensional CrS ₂ layers. 2018 , 97,	53
876	Effects of plasma-treatment on the electrical and optoelectronic properties of layered black phosphorus. 2018 , 12, 244-249	30
875	Photoelectric Detectors Based on Inorganic p-Type Semiconductor Materials. 2018 , 30, e1706262	221
874	Photoinduced Nonequilibrium Topological States in Strained Black Phosphorus. 2018 , 120, 237403	45
873	Highly sensitive detection of polarized light using a new group IV \bar{V} 2D orthorhombic SiP. 2018 , 6, 7219-7225	36
872	Black Arsenic: A Layered Semiconductor with Extreme In-Plane Anisotropy. 2018 , 30, e1800754	109
871	Single-Shot Optical Anisotropy Imaging with Quantitative Polarization Interference Microscopy. 2018 , 12, 1800070	9
870	Adsorption Induced Indirect-to-Direct Band Gap Transition in Monolayer Blue Phosphorus. 2018 , 122, 15792-15798	9
869	Phosphorene/ZnO Nano-Heterojunctions for Broadband Photonic Nonvolatile Memory Applications. 2018 , 30, e1801232	68
868	Valley-selective circular dichroism and high carrier mobility of graphene-like BCN. 2018 , 10, 13179-13186	22
867	Single-atom vacancy in monolayer phosphorene: A comprehensive study of stability and magnetism under applied strain. 2018 , 465, 546-553	2
866	Theoretical understanding of SnS monolayer as Li ion battery anode material. 2018 , 121, 261-265	15

865	New solvent-stabilized few-layer black phosphorus for antibacterial applications. 2018 , 10, 12543-12553	56
864	Probing decoupled edge states in a zigzag phosphorene nanoribbon via RKKY exchange interaction. 2018 , 97,	15
863	Many-Body Effect and Device Performance Limit of Monolayer InSe. 2018 , 10, 23344-23352	58
862	Many-Body Complexes in 2D Semiconductors. 2019 , 31, e1706945	199
861	The adsorption of sulfur trioxide and ozone molecules on stanene nanosheets investigated by DFT: Applications to gas sensor devices. 2019 , 108, 382-390	41
860	Heptazine-based porous graphitic carbon nitride: a visible-light driven photocatalyst for water splitting. 2019 , 7, 20799-20805	15
859	Avalanche Carrier Multiplication in Multilayer Black Phosphorus and Avalanche Photodetector. 2019 , 15, e1805352	10
858	The charge carrier dynamics, efficiency and stability of two-dimensional material-based perovskite solar cells. 2019 , 48, 4854-4891	83
857	Edge-Modified Phosphorene Antidot Nanoflakes and Their van der Waals Heterojunctions for Solar Cell Applications. 2019 , 123, 20748-20756	12
856	Bis-[3]Ferrocenophanes with Central σ -E-E'2019, 8, 1235-1243	9
855	Partially-oxidized phosphorene sensor for the detection of sub-nano molar concentrations of nitric oxide: a first-principles study. 2019 , 21, 19083-19091	6
854	Transport characteristics of multi-terminal pristine and defective phosphorene systems. 2019 , 30, 455705	3
853	Interplay between in-plane and flexural phonons in electronic transport of two-dimensional semiconductors. 2019 , 100,	6
852	. 2019 , 66, 3668-3674	3
851	Surface passivation of black phosphorus via van der Waals stacked PTCDA. 2019 , 496, 143688	17
850	Realizing giant tunneling electroresistance in two-dimensional graphene/BiP ferroelectric tunnel junction. 2019 , 11, 16837-16843	12
849	Strain tunable spin reorientation of an individual Fe atom on 2D blue phosphorous. 2019 , 31, 485802	1
848	Bandgap engineering and electronic properties of phosphorene quantum dot nanoribbons. 2019 , 6, 1050a5	1

847	Strong-field nonlinear optical properties of monolayer black phosphorus. 2019 , 11, 16377-16383	9
846	Electronic and magnetic properties of a black phosphorene/TIS heterostructure with transition metal atom intercalation: a first-principles study.. 2019 , 9, 19418-19428	1
845	Tunable visible-light excitonic absorption and high photoconversion efficiency in two-dimensional group-VI monolayer materials. 2019 , 100,	10
844	A Perspective on Recent Advances in 2D Stanene Nanosheets. 2019 , 6, 1900752	26
843	Simulation of Transition Metal Dichalcogenides. 2019 , 135-172	1
842	Biodegradable Black Phosphorus-based Nanomaterials in Biomedicine: Theranostic Applications. 2019 , 26, 1788-1805	24
841	Quantum transport through the edge states of zigzag phosphorene nanoribbons in presence of a single point defect: analytic Green's function method. 2019 , 31, 215301	7
840	Recent Developments in Stability and Passivation Techniques of Phosphorene toward Next-Generation Device Applications. 2019 , 29, 1903419	69
839	Epitaxial Growth of Large-Scale Orthorhombic CsPbBr ₃ Perovskite Thin Films with Anisotropic Photoresponse Property. 2019 , 29, 1904913	33
838	Identifying the Ground-State NP Sheet through a Global Structure Search in Two-Dimensional Space and Its Promising High-Efficiency Photovoltaic Properties. 2019 , 1, 375-382	20
837	Strain-tunable electronic structure, optical response, and high electron mobility of Bi ₂ O ₂ Se crystals. 2019 , 7, 081110	6
836	Promising photocatalysts with high carrier mobility for water splitting in monolayer Ge ₂ P ₄ S ₂ and Ge ₂ As ₄ S ₂ . 2019 , 44, 21536-21545	7
835	Superior Photo-thermionic electron Emission from Illuminated Phosphorene Surface. 2019 , 9, 10307	6
834	Understanding the Potential of 2D Ga ₂ O ₃ in Flexible Optoelectronic Devices: Impact of Uniaxial Strain and Electric Field. 2019 , 2, 1900106	16
833	Chiral and hyperbolic plasmons in novel 2-D materials. 2019 , 119-138	1
832	Monolayer Phosphorene-Carbon Nanotube Heterostructures for Photocatalysis: Analysis by Density Functional Theory. 2019 , 14, 233	3
831	Two-Dimensional/Three-Dimensional Schottky Junction Photovoltaic Devices Realized by the Direct CVD Growth of vdW 2D PtSe Layers on Silicon. 2019 , 11, 27251-27258	29
830	Recent progress in black phosphorus and black-phosphorus-analogue materials: properties, synthesis and applications. 2019 , 11, 14491-14527	149

829	Strain-engineered indirect-direct band-gap transitions of PbPdO slab with preferred (0 0 2) orientation. 2019 , 31, 405501	8
828	Multifunctional Optoelectronics via Harnessing Defects in Layered Black Phosphorus. 2019 , 29, 1901991	50
827	Improving Electrical Performance of Few-Layer MoS2 FETs via Microwave Annealing. 2019 , 40, 1116-1119	9
826	Two-dimensional heterostructure promoted infrared photodetection devices. 2019 , 1, 272-288	72
825	Two-dimensional layered materials: from mechanical and coupling properties towards applications in electronics. 2019 , 11, 13181-13212	47
824	Electron-phonon coupling in a honeycomb borophene grown on Al(111) surface. 2019 , 100,	13
823	Ultrahigh carrier mobilities and high thermoelectric performance at room temperature optimized by strain-engineering to two-dimensional antimonene. 2019 , 63, 103870	24
822	Manipulating electronic and magnetic properties of black phosphorene with 4d series transition metal adsorption. 2019 , 383, 2765-2771	6
821	Gallium Thiophosphate: An Emerging Bidirectional Auxetic Two-Dimensional Crystal with Wide Direct Band Gap. 2019 , 10, 4455-4462	13
820	Electromagnetic Functions of Patterned 2D Materials for MicroNano Devices Covering GHz, THz, and Optical Frequency. 2019 , 7, 1900689	64
819	Anisotropic Charge Carrier and Coherent Acoustic Phonon Dynamics of Black Phosphorus Studied by Transient Absorption Microscopy. 2019 , 123, 20051-20058	10
818	Black phosphorus quantum dot based all-optical signal processing: ultrafast optical switching and wavelength converting. 2019 , 30, 415202	19
817	Hydrogenation: An effective strategy to improve the thermoelectric properties of multilayer silicene. 2019 , 99,	12
816	Two-dimensional nanoporous metal chalcogenophosphates MP2X6 with high electron mobilities. 2019 , 493, 1334-1339	2
815	Effects of layer stacking and strain on electronic transport in two-dimensional tin monoxide. 2019 , 28, 077104	3
814	The electronic and transport properties of the phosphorene nanoribbons. 2019 , 6, 096317	5
813	Perpendicular electric field effects on the propagation of electromagnetic waves through the monolayer phosphorene. 2019 , 491, 165629	6
812	Insights on Si doping on PNRs for NDR with high PVR and diode behaviour with a high rectification ratio. 2019 , 114, 113630	2

811	Defect-enriched tunability of electronic and charge-carrier transport characteristics of 2D borocarbonitride (BCN) monolayers from ab initio calculations. 2019 , 11, 19398-19407	11
810	The influence of random edge defects on the electric and optical properties of phosphorene nanoribbons along zigzag direction. 2019 , 383, 125845	1
809	Electronic and magnetic properties of phosphorene tuned by Cl and metallic atom co-doping. 2019 , 21, 18551-18558	2
808	Strain-enhanced electron mobility and mobility anisotropy in a two-dimensional vanadium diselenide monolayer. 2019 , 126, 044305	3
807	Transverse Zeeman magnetic field effects on the dynamical dielectric function of monolayer phosphorene: Beyond the continuum approximation. 2019 , 491, 165637	2
806	Realizing nearly-free-electron like conduction band in a molecular film through mediating intermolecular van der Waals interactions. <i>Nature Communications</i> , 2019 , 10, 3374	17.4 4
805	Ab initio study of electronic and transport anisotropy of two square and rectangle phosphorene nanoflakes. 2019 , 125, 1	2
804	Photoelectric properties of monolayer black phosphorus in visible regime at room temperature. 2019 , 9, 055216	2
803	2D V-V Binary Materials: Status and Challenges. 2019 , 31, e1902352	236
802	Superflexible C68-graphyne as a promising anode material for lithium-ion batteries. 2019 , 7, 17357-17365	14
801	Recent Developments in Graphene-Based Two-Dimensional Heterostructures for Sensing Applications. 2019 , 407-436	5
800	Controlled synthesis of 2D MoC/graphene heterostructure on liquid Au substrates as enhanced electrocatalytic electrodes. 2019 , 30, 385601	28
799	Elastic behavior and intrinsic carrier mobility for monolayer SnS and SnSe: First-principles calculations. 2019 , 492, 435-448	31
798	Structural and electronic properties of monolayer group III-VII compounds: A first-principle study. 2019 , 114, 113605	1
797	Slow light effect based on tunable plasmon-induced transparency of monolayer black phosphorus. 2019 , 52, 405203	39
796	Anisotropic Nonlinear Optical Properties of a SnSe Flake and a Novel Perspective for the Application of All-Optical Switching. 2019 , 7, 1900631	47
795	Improved Dreiding force field for single layer black phosphorus. 2019 , 21, 16804-16817	7
794	Large-scale synthesis of van der Waals 1-dimensional material Mo6S3I6 by using a MoI2 precursor. 2019 , 803, 499-504	5

793	BaAs ₃ : a narrow gap 2D semiconductor with vacancy-induced semiconductor-metal transition from first principles. 2019 , 54, 12676-12687	2
792	Three-terminal ballistic junction based on phosphorene. 2019 , 6, 045053	0
791	Temperature-dependent mechanical properties of black and blue phosphorene by molecular dynamics simulations. 2019 , 6, 115043	3
790	Accelerated Discovery of Two-Dimensional Optoelectronic Octahedral Oxyhalides via High-Throughput Calculations and Machine Learning. 2019 , 10, 6734-6740	20
789	Recent Progress on 2D Noble-Transition-Metal Dichalcogenides. 2019 , 29, 1904932	98
788	Robust Amphiphobic Few-Layer Black Phosphorus Nanosheet with Improved Stability. 2019 , 6, 1901991	22
787	Spin Polarization and Spin-Flip Through Phosphorene Superlattice. 2019 , 531, 1900202	7
786	Modeling of Graphene-Based Electronics: From Material Properties to Circuit Simulations. 2019 , 73-120	
785	Investigation of electronic property modulation driven by strain in monolayer tellurium. 2019 , 62, 172-178	5
784	Optical anisotropy of black phosphorus by total internal reflection. 2019 , 1, 304-309	5
783	Van der Waals heterostructures of blue phosphorene and scandium-based MXenes monolayers. 2019 , 126, 143101	6
782	First principles modeling of pure black phosphorus devices under pressure. 2019 , 10, 1943-1951	2
781	Momentum-Resolved Dielectric Response of Free-Standing Mono-, Bi-, and Trilayer Black Phosphorus. 2019 , 19, 8303-8310	12
780	Suspended 2D anisotropic materials thermal diffusivity measurements using dual-wavelength flash Raman mapping method. 2019 , 145, 118795	3
779	Design of Phosphorene for Hydrogen Evolution Performance Comparable to Platinum. 2019 , 31, 8948-8956	37
778	Broadband polarized photodetector based on p-BP/n-ReS ₂ heterojunction. 2019 , 40, 092001	24
777	Linear Dichroism and Nondestructive Crystalline Identification of Anisotropic Semimetal Few-Layer MoTe. 2019 , 15, e1903159	13
776	Blue phosphorene/graphene heterostructure as a promising anode for lithium-ion batteries: a first-principles study with vibrational analysis techniques. 2019 , 7, 611-620	56

775	High-quality in situ fabricated Nb Josephson junctions with black phosphorus barriers. 2019 , 32, 115005	1
774	Two-dimensional Au ₂ B: Robust non-magnetic metallicity independent of the native defects, strain and functional groups. 2019 , 127, 47002	0
773	Sensing Infrared Photons at Room Temperature: From Bulk Materials to Atomic Layers. 2019 , 15, e1904396	48
772	Optical Properties of MXenes. 2019 , 327-346	7
771	Tunable Schottky and Ohmic contacts in graphene and tellurene van der Waals heterostructures. 2019 , 21, 23611-23619	14
770	Stabilities, and electronic and piezoelectric properties of two-dimensional tin dichalcogenide derived Janus monolayers. 2019 , 7, 13203-13210	37
769	Direct Observation of Symmetry-Dependent Electron-Phonon Coupling in Black Phosphorus. 2019 , 141, 18994-19001	10
768	2D Ca Sn S Chalcogenide Perovskite: A Graphene-Like Semiconductor with Direct Bandgap 0.5 eV and Ultrahigh Carrier Mobility 6.7 × 10 ⁴ cm ² V ⁻¹ s ⁻¹ . 2019 , 31, e1905643	14
767	Half-Hydrogenated Monolayer Group III Monochalcogenides: Wide Direct Band Gaps and Potential Photocatalysts for Water Splitting. 2019 , 123, 27697-27703	7
766	Massless Dirac fermions in stable two-dimensional carbon-arsenic monolayer. 2019 , 100,	6
765	Structural, electronic, and electromechanical properties of MoS ₂ /blue phosphorene heterobilayer. 2019 , 9, 115302	12
764	Optical properties of anisotropic excitons in phosphorene. 2019 , 100,	7
763	Effect of excess charge carriers and fluid medium on the magnitude and sign of the Casimir-Lifshitz torque. 2019 , 100,	1
762	Spectral Responsivity and Photoconductive Gain in Thin Film Black Phosphorus Photodetectors. 2019 , 6, 3092-3099	12
761	Halogenated Antimonene: One-Step Synthesis, Structural Simulation, Tunable Electronic and Photoresponse Property. 2019 , 29, 1905857	21
760	Experimental Evidence of Anisotropic and Stable Charged Excitons (Trions) in Atomically Thin 2D ReS ₂ . 2019 , 29, 1905961	12
759	Intrinsic Strong Linear Dichroism of Multilayered 2D Hybrid Perovskite Crystals toward Highly Polarized-Sensitive Photodetection. 2019 , 7, 1901049	22
758	Ultrathin Two-Dimensional Semiconductors for Photocatalysis in Energy and Environment Applications. 2019 , 11, 6147-6165	33

757	The structure and electronic properties of crimson phosphorus. 2019 , 115, 163101	9
756	Reliable Nonvolatile Memory Black Phosphorus Ferroelectric Field-Effect Transistors with van der Waals Buffer. 2019 , 11, 42358-42364	5
755	Filterless Polarization-Sensitive 2D Perovskite Narrowband Photodetectors. 2019 , 7, 1900988	51
754	Oxygen Evolution Reaction on 2D Ferromagnetic Fe ₃ GeTe ₂ : Boosting the Reactivity by the Self-Reduction of Surface Hydroxyl. 2019 , 29, 1904782	23
753	First principle study of In/Ga-doped phosphorene. 2019 ,	
752	Two-dimensional VDW crystal SnP ₃ with high carrier mobility and extraordinary sunlight absorbance. 2019 , 32, 327-332	1
751	First-Principles Mapping of the Electronic Properties of Two-Dimensional Materials for Strain-Tunable Nanoelectronics. 2019 , 2, 5614-5624	11
750	SPR biosensor using SnSe-phosphorene heterostructure. 2021 , 33, 100442	4
749	Excitonic instability and electronic properties of AlSb in the two-dimensional limit. 2021 , 104,	0
748	Actively variable-spectrum optoelectronics with black phosphorus. 2021 , 596, 232-237	28
747	Cr ₂ NX ₂ MXene (X = O, F, OH): A 2D ferromagnetic half-metal. 2021 , 119, 062404	6
746	Strain-induced electronic, stability and enhancement of thermoelectric performance of 2D Si ₂ C ₃ monolayer: An emerging material for renewable energy. 2021 , 132, 114769	1
745	Advance Optical Properties and Emerging Applications of 2D Materials. 2021 , 8,	6
744	Photocurrent Generation Mechanisms in Molybdenum-Contacted Semiconducting Black Phosphorus and Contributions from the Photobolometric Effect. 2021 , 218, 2100196	
743	Decoupling of the Electrical and Thermal Transports in Strongly Coupled Interlayer Materials. 2021 , 12, 7832-7839	1
742	Ultrahigh carrier mobility, Dirac cone and high stretchability in pyrenyl and pyrazinoquinoxaline graphdiyne/graphyne nanosheets confirmed by first-principles. 2021 , 557, 149699	4
741	First-principles study of the quasi-one-dimensional organic-inorganic hybrid perovskites (MV)Al ₃ Cl ₂ (MV=methylviologen; A=Bi,Sb). 2021 , 104,	1
740	Flat epitaxial quasi-1D phosphorene chains. <i>Nature Communications</i> , 2021 , 12, 5160	17.4 4

739	Polarized Raman Spectroscopy for Determining Crystallographic Orientation of Low-Dimensional Materials. 2021 , 12, 7442-7452	8
738	Wide Band Gap PS Monolayer with Anisotropic and Ultrahigh Carrier Mobility. 2021 , 12, 8481-8488	4
737	BSmonolayer: a two-dimensional direct-gap semiconductor with tunable band-gap and high carrier mobility. 2021 , 32,	3
736	Self-assembled photo-responsive black phosphorus-azobenzene composite Langmuir films with chemical gas sensor and photoelectric conversion applications. 2021 , 624, 126811	0
735	Sub-10 nm two-dimensional transistors: Theory and experiment. 2021 , 938, 1-1	14
734	Universal Zigzag Edge Reconstruction of an Φ Phase Puckered Monolayer and Its Resulting Robust Spatial Charge Separation. 2021 , 21, 8095-8102	0
733	Multiorbital edge and corner states in black phosphorene. 2021 , 104,	1
732	Strong electron-phonon coupling influences carrier transport and thermoelectric performances in group-IV/V elemental monolayers. 2021 , 7,	2
731	Development of non-enzymatic and photothermal immuno-sensing assay for detecting the enrofloxacin in animal derived food by utilizing black phosphorus-platinum two-dimensional nanomaterials. 2021 , 357, 129766	5
730	Black phosphorus for near-infrared ultrafast lasers in the spatial/temporal domain. 2021 , 33,	2
729	Surface step edge-assisted monolayer epitaxy of Antimonene on SnSe ₂ substrate. 2021 , 11, 095014	
728	Contacts between monolayer black phosphorene and metal electrodes: Ohmic, Schottky, and their regulating strategy. 2021 , 130, 124305	0
727	Molecularly Engineered Black Phosphorus Heterostructures with Improved Ambient Stability and Enhanced Charge Carrier Mobility. 2021 , 33, e2105694	3
726	The influence of heteroatom doping on local properties of phosphorene monolayer. 2021 , 11, 18494	0
725	Transient Anisotropic Photocurrent Induced Terahertz Emission from the Surface of Black Phosphorus. 2100413	1
724	Adjustable electro-optical properties of novel graphene-like SiC ₂ via strain engineering. 2021 , 559, 149956	16
723	Controllable Schottky barriers by ferroelectric switching in graphene/In ₂ Te ₃ heterostructures.	
722	Controllable Doping in 2D Layered Materials. 2021 , 33, e2104942	20

721	Synthesis and stabilization of black phosphorus and phosphorene: recent progress and perspectives. 2021 , 24, 103116	3
720	Identifying the Intermediate Free-Carrier Dynamics Across the Charge Separation in Monolayer MoS/ReSe Heterostructures. 2021 , 15, 16760-16768	4
719	Interaction of propionate and ethylamine on kagome phosphorene nanoribbons A DFT study. 2021 , 549, 111276	11
718	Black Phosphorus Photodetector Enhanced by a Planar Photonic Crystal Cavity.	4
717	Fourfold Polarization-Sensitive Photodetector Based on GaTe/MoS2 van der Waals Heterojunction. 2100673	8
716	Emerging two-dimensional tellurides. 2021 ,	7
715	DNA hybridization detection using graphene-MoSe2/Ag heterostructure-based surface plasmon resonance biosensor. 2021 , 127, 1	1
714	Study on electronic properties and charge transfer doping of organic molecules adsorbed g-GaN monolayer.	1
713	Highly selective adsorption of SO2 on WX2 (X = S, Se, Te) monolayers and the effect of strain engineering: a DFT study. 2021 , 20, 1874-1883	
712	Comparison of optical response from DFT random phase approximation and a low-energy effective model: Strained phosphorene. 2021 , 104,	3
711	Photoluminescence as a probe of phosphorene properties. 2021 , 5,	1
710	Interfacing 2D M2X (M = Na, K, Cs; X = O, S, Se, Te) monolayers for 2D excitonic and tandem solar cells. 2021 , 563, 150304	2
709	Ab-initio study of nanoporous phosphorene as anode material in rechargeable Li/Na ion batteries. 2021 , 564, 150155	2
708	Band and optical properties of arsenene and antimonene lateral heterostructure by first-principles calculations. 2021 , 134, 114933	3
707	Electric field tunable bandgap and anisotropic high carrier mobility in SiAs2/GeAs2 lateral heterostructure. 2021 , 198, 110697	1
706	Effects of biaxial strain and local constant potential on electronic structure of monolayer SnSe. 2021 , 618, 413177	0
705	Long-term environmental stability of nitrogen-healed black phosphorus. 2021 , 564, 150450	1
704	Two-dimensional phosphorus polymorph possessing both wide band gap and strong anisotropy. 2021 , 114540	1

703	Tin telluride quantum dots as a new saturable absorber for a mode-locked Yb ⁺ doped fiber laser. 2021 , 142, 107258	1
702	Semiconductor-metal transition induced by combined electric field and external strain in bilayer phosphorene. 2021 , 337, 114434	0
701	DFT computation of two-dimensional CdO/GaS van der Waals heterostructure: Tunable absorption spectra for water splitting application. 2021 , 192, 110434	6
700	Excited state dynamics in monolayer black phosphorus revisited: Accounting for many-body effects. 2021 , 155, 134106	5
699	Non-local dielectric screening effects in phosphorene/g-C ₃ N ₄ heterojunctions. 2021 , 567, 150842	2
698	The first-principles prediction of two-dimensional indium-arsenide bilayers. 2021 , 134, 106041	0
697	Black phosphorus-TiF ₃ photocatalyst for hydrogen production with an excellent capacity. 2021 , 883, 160775	3
696	High stability and properties of adsorbed polycyclic aromatic hydrocarbons (PAHs) onto phosphorene: An atomistic DFT study. 2021 , 341, 117465	0
695	Two-dimensional materials and their derivatives for high performance phase change materials: emerging trends and challenges. 2021 , 42, 845-870	9
694	Electronic, optical, magneto-optical, and thermoelectric properties of the SrS graphene-like under Cr impurity. 2021 , 551, 111355	2
693	Interfacial charge transfer in carbon nitride heterojunctions monitored by optical methods. 2021 , 49, 100453	4
692	Hydrogenated boron phosphide with the excellent tunability of electronic properties and Current-Voltage responses. 2022 , 572, 151196	0
691	Anisotropic Raman characterization and electrical properties of black phosphorus. 2021 , 70, 037801-037801	0
690	Monte Carlo analysis of phosphorene nanotransistors. 2021 , 20, 60-69	0
689	Air Stable Polyphosphazene Functionalized Few-Layer Black Phosphorene for Flame Retardancy of Epoxy Resins. 2021 , 33-57	2
688	Accelerating the redox kinetics by catalytic activation of lead sulfur in lithium-sulfur batteries. 2021 , 9, 13442-13458	11
687	Two-Dimensional IV-V Monolayers with Highly Anisotropic Carrier Mobility and Electric Transport Properties. 2021 , 12, 1058-1065	7
686	New materials for water-splitting. 2021 , 32, 791-870	2

685	Anisotropic crack propagation and self-healing mechanism of freestanding black phosphorus nanosheets. 2021 , 32, 165704	4
684	TEM study of edge reconstruction and evolution in monolayer black phosphorus. 2021 , 13, 4133-4139	4
683	Optical properties of two-dimensional black phosphorus. 2021 , 70, 027802-027802	3
682	Pillared cobalt metal-organic frameworks act as chromatic polarizers. 2021 , 57, 1022-1025	0
681	Black phosphorus: device and application. 2021 , 139-163	0
680	Black phosphorene/blue phosphorene van der Waals heterostructure: a potential anode material for lithium-ion batteries. 2021 , 23, 17392-17401	1
679	Outstanding spin-transport properties of a flexible phosphorene photodetector driven by the photogalvanic effect under mechanical strains. 2021 , 23, 11961-11967	0
678	Giant and anisotropic second harmonic generation of $V\bar{V}$ binary phosphorene derivative with permanent dipole. 2021 , 9, 6544-6552	4
677	Excitons in bulk black phosphorus evidenced by photoluminescence at low temperature. 2021 , 8, 021001	3
676	A valence balancing rule for the design of bimetallic phosphides targeting high thermoelectric performance. 2021 , 23, 18916-18924	1
675	Tunable electronic properties and band alignments of InSb/arsenene heterostructures via external strain and electric field. 2021 , 45, 2508-2519	2
674	Substantial and stable magnetoresistance and spin conductance in phosphorene-based spintronic devices with Co electrodes. 2021 , 23, 10573-10579	1
673	Enhanced solar-to-hydrogen efficiency for photocatalytic water splitting based on a polarized heterostructure: the role of intrinsic dipoles in heterostructures. 2021 , 9, 14515-14523	6
672	Intrinsic auxeticity and negative piezoelectricity in two-dimensional group-IV dipnictide monolayers with in-plane anisotropy. 2021 , 9, 6068-6077	4
671	Design and tailoring of two-dimensional Schottky, PN and tunnelling junctions for electronics and optoelectronics. 2021 , 13, 6713-6751	13
670	State-of-the-Art and Perspective of Layered Materials. 2020 , 363-377	1
669	Transport Properties of Two-Dimensional Materials. 2020 , 55-78	1
668	Broadband Nonlinear Optical Response in Few-Layer Antimonene and Antimonene Quantum Dots: A Promising Optical Kerr Media with Enhanced Stability. 2017 , 5, 1700301	207

667	Electronic and Optoelectronic Applications Based on 2D Novel Anisotropic Transition Metal Dichalcogenides. 2017 , 4, 1700231	145
666	Recent Progress in Black-Phosphorus-Based Heterostructures for Device Applications. 2018 , 2, 1700296	39
665	Chemistry of Black Phosphorus. 2020 , 59-72	8
664	Future Prospects and Challenges of Black Phosphorous Materials. 2020 , 157-169	5
663	Phosphorus and phosphide nanomaterials for sodium-ion batteries. 2017 , 10, 4055-4081	90
662	Nondestructive Functionalization of monolayer black phosphorus using Lewis acids: A first-principles study. 2020 , 518, 146210	3
661	Stable black phosphorus quantum dots for alkali PH sensor. 2018 , 406, 91-94	21
660	Electromechanical and magnetic response in zigzag phosphorene nanoribbons. 2020 , 123, 114200	2
659	Quantum confinement and strain effects on the low-dimensional all-inorganic halide Cs ₂ XI ₂ Cl ₂ (X= Pb, Sn) perovskites: A theoretical approach for modulating electronic and optical properties. 2020 , 124, 114226	8
658	Flame retardant polymeric nanocomposites through the combination of nanomaterials and conventional flame retardants. 2020 , 114, 100687	179
657	Nitrophosphorene: A 2D Semiconductor with Both Large Direct Gap and Superior Mobility. 2017 , 121, 28520-28526	25
656	Group 11 Transition-Metal Halide Monolayers: High Promises for Photocatalysis and Quantum Cutting. 2021 , 12, 525-531	7
655	Palladium Diselenide Long-Wavelength Infrared Photodetector with High Sensitivity and Stability. 2019 , 13, 2511-2519	144
654	Safe and Fast Synthesis of Black Phosphorus and Its Purification. 2020 , 5, 11389-11393	1
653	Edge phonons in black phosphorus. <i>Nature Communications</i> , 2016 , 7, 12191	17.4 54
652	Black phosphorus as a bipolar pseudospin semiconductor. 2020 , 19, 277-281	25
651	Quantum-confinement and Structural Anisotropy result in Electrically-Tunable Dirac Cone in Few-layer Black Phosphorous. 2015 , 5, 11699	72
650	Vacancy and Doping States in Monolayer and bulk Black Phosphorus. 2015 , 5, 14165	46

649	Few-layer Phosphorene: An Ideal 2D Material For Tunnel Transistors. 2016 , 6, 28515	78
648	Current status and prospects of memristors based on novel 2D materials. 2020 , 7, 1495-1518	59
647	Computational prediction of a novel 1D InSeI nanochain with high stability and promising wide-bandgap properties. 2020 , 22, 27441-27449	3
646	Langmuir-Blodgett fabrication of large-area black phosphorus-C thin films and heterojunction photodetectors. 2020 , 12, 19814-19823	11
645	Analysis of black phosphorus double gate MOSFET using hybrid method for analogue/RF application. 2020 , 14, 1167-1172	2
644	First-principles study of resistive random access memory based on single-layer black phosphorous resistive layer. 2020 , 128, 215702	1
643	The electrical, thermal, and thermoelectric properties of black phosphorus. 2020 , 8, 120903	5
642	Mechanical properties and fracture behaviour of defective phosphorene nanotubes under uniaxial tension. 2017 , 50, 485303	4
641	The effect of Rashba spin-orbit interaction on the spin-polarized transport of zigzag phosphorene nanoribbons. 2020 , 53, 465302	3
640	Tunable strain effects on the electronic structures and mobility properties of InP/InAs lateral heterostructure. 2020 , 53, 505108	1
639	Electron-phonon scattering limited intrinsic electrical conductivity of metallic MXenes X ₂ C (X= Ti or Mo). 2021 , 54, 015301	1
638	Rotating exchange field effect on the electron energy loss spectrum of black phosphorene: anisotropic blue and red shift phenomena. 2021 , 54, 045105	1
637	Strong anisotropy and layer-dependent carrier mobility of two-dimensional semiconductor ZrGeTe. 2020 , 32, 325502	3
636	Widely tunable direct bandgap of two-dimensional GeSe. 2020 , 33, 115301	1
635	Blue phosphorene reactivity on the Au(111) surface. 2020 , 31, 495602	2
634	BN cluster-doped graphdiyne as visible-light assisted metal-free catalysts for conversion CO to hydrocarbon fuels. 2020 , 31, 495401	10
633	Mechanical properties of 2D blue phosphorus and temperature effect. 2021 , 32, 085702	2
632	Plasmonic biosensor based on excellently absorbable adjustable plasmon-induced transparency in black phosphorus and graphene metamaterials. 2020 , 22, 073049	15

631	Two ultra-stable novel allotropes of tellurium few-layers. 2020 , 29, 097103	2
630	Origin of the complex Raman tensor elements in single-layer triclinic ReSe ₂ . 2021 , 8, 025002	3
629	Two-dimensional heterostructures for photocatalytic water splitting: a review of recent progress. 2020 , 4, 032006	18
628	Bethe-Slater-curve-like behavior and interlayer spin-exchange coupling mechanisms in two-dimensional magnetic bilayers. 2020 , 102,	18
627	Ferroelectric control of electron half-metallicity in A-type antiferromagnets and its application to nonvolatile memory devices. 2020 , 102,	3
626	Highly anisotropic two-dimensional metal in monolayer MoOCl ₂ . 2020 , 102,	5
625	Optically inactive defects in monolayer and bilayer phosphorene: A first-principles study. 2018 , 2,	15
624	Mobility of two-dimensional materials from first principles in an accurate and automated framework. 2018 , 2,	51
623	Protective layer enhanced the stability and superconductivity of tailored antimonene bilayer. 2018 , 2,	4
622	New two-dimensional phase of tin chalcogenides: Candidates for high-performance thermoelectric materials. 2019 , 3,	26
621	Topologically protected states and half-metal behaviors: Defect-strain synergy effects in two-dimensional antimonene. 2019 , 3,	5
620	Native point defects in mono and bilayer phosphorene. 2020 , 4,	2
619	Monolayer C7N6: Room-temperature excitons with large binding energies and high thermal conductivities. 2020 , 4,	3
618	Low-symmetry two-dimensional BNP2 and C2SiS structures with high and anisotropic carrier mobilities. 2020 , 4,	3
617	Noncontacting optostriction driven anisotropic and inhomogeneous strain in two-dimensional materials. 2020 , 2,	5
616	First-principles approach with a pseudohybrid density functional for extended Hubbard interactions. 2020 , 2,	11
615	Multiple-layer black phosphorus phototransistor with Si microdisk resonator based on whispering gallery modes. 2019 , 58, 4400-4405	1
614	Sensitivity enhancement of an SPR biosensor with a graphene and blue phosphorene/transition metal dichalcogenides hybrid nanostructure. 2019 , 58, 9411-9420	18

613	Tunable plasmon-induced transparency absorbers based on few-layer black phosphorus ribbon metamaterials. 2019 , 36, 3060	9
612	Polarization dependent, plasmon-enhanced infrared transmission through gold nanoslits on monolayer black phosphorus. 2019 , 36, F109	7
611	Localized plasmon resonances for black phosphorus bowtie nanoantennas at terahertz frequencies. 2018 , 26, 27683-27693	24
610	Bilayer platinum diselenide saturable absorber for 2.0 μm passively Q-switched bulk lasers. 2018 , 26, 31657-31663	20
609	Black phosphorus-based anisotropic absorption structure in the mid-infrared. 2019 , 27, 27618-27627	33
608	Black phosphorus terahertz sensing based on photonic spin Hall effect. 2020 , 28, 25869-25878	20
607	Active tuning of the hybridization effects of mid-infrared surface plasmon resonance in a black phosphorus sheet array and a metal grating slit. 2020 , 10, 14	10
606	Anisotropic plasmon induced transparency in black phosphorus nanostrip trimer. 2019 , 9, 352	15
605	Facile sonochemical-assisted synthesis of orthorhombic phase black phosphorus/rGO hybrids for effective photothermal therapy. 2020 , 9, 3023-3034	4
604	Nonlinear optical properties of anisotropic two-dimensional layered materials for ultrafast photonics. 2020 , 9, 1651-1673	15
603	MXenes for future nanophotonic device applications. 2020 , 9, 1831-1853	10
602	Tunable plasmon-phonon polaritons in anisotropic 2D materials on hexagonal boron nitride. 2020 , 9, 3909-3920	9
601	Room temperature wideband tunable photoluminescence of pulsed thermally annealed layered black phosphorus. 2020 , 9, 4253-4264	4
600	Black Phosphorus as Multifaceted Advanced Material Nanoplatforms for Potential Biomedical Applications. 2020 , 11,	13
599	Two-Dimensional Pnictogen for Field-Effect Transistors. 2019 , 2019, 1046329	21
598	Nanoelectromechanical Sensors Based on Suspended 2D Materials. 2020 , 2020, 8748602	39
597	Excitons in Two-Dimensional Materials.	4
596	New Materials and Structures for Efficient Terahertz (THz) Spectroscopy. 2021 , 66, 1045-1052	

595	Graphene Plasmon-Enhanced Polarization-Dependent Interfacial Charge Transfer Excitons in 2D Graphene-Black Phosphorus Heterostructures in NIR and MIR Regions. 2021 , 125, 22370-22378	9
594	Near-Infrared Self-Powered Linearly Polarized Photodetection and Digital Incoherent Holography Using WSe/ReSe van der Waals Heterostructure. 2021 ,	16
593	Tunable properties of ZnSe/graphene heterostructure as a promising candidate for photo/electro-catalyst applications. 2022 , 574, 151679	3
592	Layered Dion-Jacobson-Type Chalcogenide Perovskite CsLaMX (M = Ta/Nb; X = S/Se) with a Narrow Band Gap of ~1 eV as a Promising Rear Cell for All-Perovskite Tandem Solar Cells. 2021 , 13, 48971-48980	1
591	In-plane anisotropic 2D CrPS4 for promising polarization-sensitive photodetection. 2021 , 119, 171102	5
590	Activating Carbon Nitride by BP@Ni for the Enhanced Photocatalytic Hydrogen Evolution and Selective Benzyl Alcohol Oxidation. 2021 , 13, 50988-50995	1
589	High Anisotropic Optoelectronics in Two Dimensional Layered PbSnX (X = S/Se). 2021 , 12, 10574-10580	0
588	First-Principles Investigation on the Heterostructure Photocatalyst Comprising BiVO4 and Few-Layer Black Phosphorus. 2021 , 125, 21840-21850	0
587	Polarization-sensitive and wide-spectrum photovoltaic detector based on quasi-1D ZrGeTe 4 nanoribbon.	2
586	Two-dimensional monolayer B2P6 with anisotropic elastic properties and carrier mobility. 2021 , 195, 110651	0
585	Strong Optical, Electrical, and Raman in-Plane Anisotropy in Corrugated Two-Dimensional Perovskite. 2021 , 125, 22630-22642	1
584	Single Nickel Atom-Modified Phosphorene Nanosheets for Electrocatalytic CO2 Reduction. 2021 , 4, 11017-11030	
583	Constructing a new 2D Janus black phosphorus/SMoSe heterostructure for spontaneous wide-spectral-responsive photocatalytic overall water splitting. 2021 ,	3
582	Strong interlayer interaction in two-dimensional layered PtTe2. 2022 , 305, 122657	1
581	A review of perfect absorbers based on the two dimensional materials in the visible and near-infrared regimes. 2022 , 55, 093002	4
580	Periodic oscillation in the reflection and photoluminescence spectra of suspended two-dimensional crystal flakes. 2016 , 65, 136801	
579	Intrinsic Speed of a Black Phosphorus Photoconductive Detector. 2016 ,	
578	Black phosphorus quantum dots (BPQDs) saturable absorber for the passive mode-locking of an Er-doped fiber laser. 2016 ,	0

577 A Black Phosphorus Optoelectronic Mixer. **2017**,

576 Effects of Quartic Wave-Vectors on Continuum Model of Phosphorene. **2017**, 38, 435-443

575 Two-dimensional graphene electronics: current status and prospects. **2018**, 188, 1249-1287

1

574 Localized surface plasmons on periodic monolayer black phosphorene nanoribbons tuned in the infrared region with a dielectric substrate. **2018**,

1

573 Density functional study of metal lithium atom adsorption on antimonene. **2019**, 68, 026802

2

572 Optical absorption and anisotropy of phosphorene flakes. **2019**,

571 Black Phosphorus. **2019**, 39-74

570 Strain-gated infrared photodetector based on helical graphene nanoribbon. **2019**, 3,

569 Black Phosphorous Photodetectors. **2020**, 171-186

568 Structure and Fundamental Properties of Black Phosphorus. **2020**, 139-156

567 Simulation Studies for Black Phosphorus: From Theory to Experiment. **2020**, 101-115

566 Introduction. **2020**, 1-17

565 CHAPTER 17:Non-volatile Bipolar Transistor Memory. **2020**, 393-427

564 Controlling the Dimensionality of Exciton-Exciton Annihilation in Atomically Thin Black Phosphorus. **2020**,

563 Axial driving characteristics of water in rotating black phosphorus nanotubes. **2020**, 69, 110201

562 Tunable optical conductivities of ultrathin black phosphorus film in the visible to mid-infrared regime. **2020**, 10, 045014

3

561 Tunable quantum interference effect on magnetoconductivity in few-layer black phosphorus. **2020**, 2,

560 2D Black Phosphorus. **2020**, 21-45

559	New RTDs with enhanced operation based on black phosphorus-graphene heterostructures and a semianalytical vdW tunneling model. 2021 , 20, 70-80	
558	Linear interband optical refraction and absorption in strained black phosphorene. 2020 , 32, 465301	3
557	Theoretical study of electronic transport in monolayer SnSe. 2020 ,	
556	Stoichiometric modulation on optical nonlinearity of 2D MoS _x Se _{2-x} alloys for photonic applications. 2021 ,	0
555	Quantum Transport of Sub-10 nm Monolayer WGe ₂ N ₄ Transistors.	4
554	Intrinsic Electric Field and Excellent Photocatalytic Solar-to-Hydrogen Efficiency in 2D Janus Transition Metal Dichalcogenide. 2100417	0
553	Origin of phonon-limited mobility in two-dimensional metal dichalcogenides. 2021 , 34,	8
552	Electronic theoretical study on sensing behaviors of defects and doping coexistence of black phosphorene to formaldehyde. 2020 , 69, 237101	0
551	First-principles study on the influence of biaxial strain on the electronic and magnetic properties of defective blue phosphorene. 2020 , 384, 126853	0
550	Janus In ₂ SeTe for photovoltaic device applications from first-principles study. 2022 , 553, 111384	1
549	Tunable optoelectronic properties of two-dimensional PbSe by strain: First-principles study. 2022 , 202, 110957	1
548	All-optical micro-ring modulator with phosphorene film. 2020 ,	
547	Optical properties and applications of SnS ₂ SAs with different thickness. 2021 , 4, 200029-200029	10
546	Evaluation of Charged Defect Energy in Two-Dimensional Semiconductors for Nanoelectronics: The WLZ Extrapolation Method. 2020 , 532, 1900318	2
545	What's the gap? A possible strategy for advancing theory, and an appeal for experimental structure data to drive that advance.. 2020 , 10, 36887-36896	2
544	Resonant Multi-phonon Raman scattering of black phosphorus. 2020 , 69, 167803	2
543	Facile and efficient preparation of high-quality black phosphorus quantum dot films for sensing applications.. 2020 , 10, 13379-13385	0
542	CHAPTER 10:The Family of Two-dimensional Transition Metal Chalcogenides Materials. 2020 , 226-240	

541	Tuning the Electronic, Optical, and Transport Properties of Phosphorene. 2020 , 3-42		0
540	First-principles study of stability, electronic and optical properties of two-dimensional Nb ₂ SiTe ₄ -based materials. 2020 , 69, 197102		
539	Research progress of low-dimensional semiconductor materials in field of nonlinear optics. 2020 , 69, 184211		3
538	Intrinsic ferromagnetism in 2D h-CrC semiconductors with strong magnetic anisotropy and high Curie temperatures.		1
537	Mechanical, electronic and optical properties of a novel BP monolayer: ultrahigh carrier mobility and strong optical absorption. 2021 , 23, 24915-24921		20
536	Design of a broadband infrared absorber based on multiple layers of black phosphorus nanoribbons.		0
535	Integrated polarization-sensitive amplification system for digital information transmission. <i>Nature Communications</i> , 2021 , 12, 6476	17.4	10
534	Effect of Point Defects on Electronic Structure of Monolayer GeS. 2021 , 11,		1
533	Density Functional Theory Half-Electron Self-Energy Correction for Fast and Accurate Nonadiabatic Molecular Dynamics. 2021 , 12, 10886-10892		5
532	Excellent thermoelectric performances of the SiSe ₂ monolayer and layered bulk. 2021 , 151799		2
531	Ab initio simulations of black and blue phosphorene functionalised with chemical groups for biomolecule anchoring. 2021 , 27, 349		
530	Metastable Metallic Phase of a Bilayer Blue Phosphorene Induced by Interlayer Bonding and Intralayer Charge Redistributions. 2021 , 12, 10981-10986		0
529	All-optical modulation in Black Phosphorus functionalized microfibre coil resonator. 2021 , 32, 015202		1
528	Structural, electronic, and excitonic properties of few-layer SeS ₂ and TeS ₂ . 2020 , 4,		0
527	Far-infrared photodetection in graphene nanoribbon heterostructures with black-phosphorus base layers. 2020 , 60,		
526	Equilibration and filtering of quantum Hall edge states in few-layer black phosphorus. 2020 , 4,		0
525	High performance Van der Waals heterostructure photodetectors based on black phosphorus. 2020 ,		
524	A multifunctional 2D black phosphorene-based platform for improved photovoltaics. 2021 , 50, 13346-13371		0

523	Flexible electronics based on 2D transition metal dichalcogenides.	9
522	T-carbon: Experiments, properties, potential applications and derivatives. 2022 , 42, 101346	6
521	High-performance sub-10 nm monolayer black arsenic phosphorus tunneling transistors. 2022 , 576, 151705	3
520	Perfect spin filtering effect, tunnel magnetoresistance and thermoelectric effect in metals-adsorbed blue phosphorene nanoribbons. 2022 , 626, 413580	0
519	First-principle studies on the metal/semiconductor properties and strain-tuned electronic structures of SnP3 monolayer. 2022 , 203, 111047	0
518	Half-metallic of non-metal-adsorbed AsP and multifunctional two-dimensional spintronic device of impure AsP from first-principles calculations. 2022 , 137, 115016	2
517	Novel 2D HfTeS4 for water splitting with high visible-light absorption. 2022 , 578, 151992	0
516	BPFET-based RF electronics: state-of-the-art, small-signal modeling and amplifier design. 2021 ,	
515	Two-dimensional materials toward Terahertz optoelectronic device applications. 2021 , 51, 100473	5
514	Scaling of energy gaps in phosphorene nanoflakes. 2021 , 34,	
513	3D graphene-like semiconductor Ba2HfTe4 with electronic structure similar to graphene and bandgap close to silicon. 2021 , 100658	0
512	Study on graphene-like monolayer ZnS1-xOx: structural and optoelectronic properties. 2021 , 140, 1	
511	Designing stable 2D materials solely from VIA elements. 2021 , 119, 223101	0
510	High Sensitivity of Ammonia Sensor through 2D Black Phosphorus/Polyaniline Nanocomposite. 2021 , 11,	2
509	Toward Rational Design of Polarity Probes by Noncovalent Functionalization of Phosphorene. 2021 , 125, 26099-26107	
508	Boosting in-plane Anisotropy by Periodic Phase Engineering in Two-dimensional VO2 Single Crystals. 2021 ,	4
507	Two-Dimensional Janus Antimony Selenium Telluride with Large Rashba Spin Splitting and High Electron Mobility. 2021 , 6, 31919-31925	1
506	In situ microscopy techniques for characterizing the mechanical properties and deformation behavior of two-dimensional (2D) materials. 2021 , 51, 247-247	2

505	The roles of black phosphorus in performance enhancement of halide perovskite solar cells. 2021 , 67, 672-672	1
504	Efficient First-Principles Methodology for the Calculation of the All-Phonon Inelastic Scattering in Solids. 2021 , 127, 207401	5
503	Even-odd effect of electric and optical properties for antiferromagnetic zigzag phosphorene nanoribbons under an electric field. 2021 , 115051	0
502	Boosting Photocatalytic Activity Using Carbon Nitride Based 2D/2D van der Waals Heterojunctions.	14
501	Prediction of spin-dependent electronic structures of 3d transition metals doped Hittorf's violet phosphorene towards spintronics. 2021 , 138, 115068	
500	Molecular Approach to Engineer Two-Dimensional Devices for CMOS and beyond-CMOS Applications. 2021 ,	7
499	Twist-Dependent Electron Charge Transfer and Transport in Phosphorene-Graphene Heterobilayers. 2021 , 125, 25886-25897	
498	KP15: Natural van der Waals material with ultra-low thermal conductivity and excellent thermoelectric performance. 2021 , 130, 195104	
497	Study of the electronic and opto-electronic properties of the perovskite KPbBr ₃ by DFT and TDDFT methods. 2021 , e00617	1
496	Two-Dimensional GeC with Tunable Electronic and Carrier Transport Properties and a High Current ON/OFF Ratio. 2021 , 12, 11488-11496	
495	Black phosphorus-based heterostructures for photocatalysis and photoelectrochemical water splitting. 2021 , 67, 745-745	6
494	Eliminating Edge Electronic and Phonon States of Phosphorene Nanoribbon by Unique Edge Reconstruction. 2021 , e2105130	0
493	Thermoelectric properties of Janus AsSBr monolayer from first-principles study. 2021 , 114612	1
492	Strong In-Plane Anisotropic SiP as a IV-V 2D Semiconductor for Polarized Photodetection. 2021 ,	9
491	Blue and black phosphorene on metal substrates: a density functional theory study. 2021 , 34,	0
490	2D Violet phosphorene with highly anisotropic mobility and its vdW heterojunction design for device applications.. 2022 ,	3
489	High hydrogen production in the InSe/MoSiN van der Waals heterostructure for overall water splitting.. 2022 ,	3
488	Modeling of Electrochemical Metallization-Based Two-Dimensional Material Memristors for Neuromorphic Applications. 2021 , 20, 912-921	0

487	Recent Advances in Two-Dimensional Materials-Based Kretschmann Configuration for SPR Sensors: A Review. 2021 , 1-1	6
486	Two-dimensional XC-enes (X = Ge, Sn, Pb) with moderate band gaps, biaxial negative Poisson's ratios, and high carrier mobility. 2021 , 23, 26468-26475	
485	Extending Channel Scaling Limit of p-MOSFETs Through Antimonene With Heavy Effective Mass and High Density of State. 2022 , 1-6	6
484	Highly Polarized Light Emission of Monolayer WSe ₂ Coupled with Gap-Plasmon Nanocavity. 2101762	0
483	Anchoring black phosphorus quantum dots over carboxylated multiwalled carbon nanotubes: a stable 0D/1D nanohybrid with high sensing performance to Ochratoxin A. 2022 , 152429	0
482	Recent advances in arsenene nanostructures towards prediction, properties, synthesis and applications. 2022 , 28, 101610	5
481	DFT-FDTD modeling of a new broadband mid-infrared IGZO thin-film phototransistor based on black phosphorus capping layer incorporating intermediate metallic film. 2022 , 162, 110528	2
480	Recent progress in red phosphorus-based photocatalysts for photocatalytic water remediation and hydrogen production. 2022 , 26, 101345	1
479	Structural, electronic, and optical properties of C3B and C3B0.5N0.5 monolayers: A many-body study. 2022 , 138, 115119	
478	The Half-Metallity Induced by Out-of-Plane Electric Field on Phosphorene Nanoribbons.	
477	Highly-anisotropic carrier transport and optical properties of two-dimensional titanium trisulfide. 2022 , 57, 3486-3496	3
476	Anisotropic charge transport in 1D and 2D BeN ₄ and MgN ₄ nanomaterials: A first-principles study. 2022 , 31, 100327	1
475	Improving Humidity Sensing of Black Phosphorus Nanosheets by Co-Doping Benzyl Viologen and Au Nanoparticles. 2022 , 169, 017513	5
474	High-Performance Photodetectors Based on the 2D SiAs/SnS Heterojunction.. 2022 , 12,	1
473	Interface and surface engineering of black phosphorus: a review for photonic and optoelectronic applications.	7
472	Complex Raman Tensor in Helicity-Changing Raman Spectra of Black Phosphorus under Circularly Polarized Light.. 2022 , 1241-1248	0
471	Fabrication Technologies for the On-Chip Integration of 2D Materials.. 2022 , e2101435	8
470	Evidence of Josephson Coupling in a Few-Layer Black Phosphorus Planar Josephson Junction.. 2022 , ,	0

469	Commensurate Assembly of C on Black Phosphorus for Mixed-Dimensional van der Waals Transistors.. 2022 , e2105916	0
468	Significant Increase of Electron Thermal Conductivity in Dirac Semimetal Beryllonitrene by Doping Beyond Van Hove Singularity. 2111556	6
467	A BN monolayer: a direct band gap semiconductor with high and highly anisotropic carrier mobility.. 2022 ,	0
466	Recent Progress in Improving the Performance of Infrared Photodetectors via Optical Field Manipulations.. 2022 , 22,	4
465	Directly Evaluating the Optical Anisotropy of Few-Layered Black Phosphorus during Ambient Oxidization. 2102018	0
464	First-Principles Study of Ti-Deficient Ti ₃ C ₂ MXene Nanosheets as NH ₃ Gas Sensors.	3
463	Two-Dimensional Materials-Based Static Random-Access Memory.. 2021 , e2107894	0
462	Anisotropic Low-Dimensional Materials for Polarization-Sensitive Photodetectors: From Materials to Devices. 2102436	9
461	Study on Black Phosphorus Characteristics Using a Two-Step Thinning Method.. 2022 , 15,	2
460	2D Nanomaterial-Based Hybrid Structured (Au-WSe ₂ -PtSe ₂ -BP) Surface Plasmon Resonance (SPR) Sensor With Improved Performance. 2022 , 10, 689-698	2
459	High-performance polarization-independent black phosphorus refractive index sensors enabled by a single-layer pattern design.. 2022 , 47, 517-520	0
458	Potential outstanding physical properties of novel black arsenic phosphorus AsP/AsP phases: a first-principles investigation.. 2022 , 12, 3745-3754	1
457	All-optical logic devices based on black arsenic phosphorus with strong nonlinear optical response and high stability. 2022 , 5, 200046-200046	6
456	Monolayer NbNSe with High Fermi Velocity and Anisotropic Properties.	0
455	Superior p-Type Surface Doping of Cubic Boron Nitride via MoO ₃ Adsorption. 2100460	1
454	Plasmonic excitations in two-dimensional materials: effects of structural symmetry and material anisotropy. 2022 , 24, 034005	
453	2D materials for organic and perovskite photovoltaics. 2022 , 94, 106833	1
452	Discovery of high thermoelectric performance of WS ₂ -WSe ₂ nanoribbons with superlattice and Janus structures. 2022 , 903, 163850	0

451	Two-dimensional semiconductor materials with high stability and electron mobility in group-11 chalcogenide compounds: MNX (M = Cu, Ag, Au; N = Cu, Ag, Au; X = S, Se, Te; M \square N).. 2022 ,	1
450	Enhanced absorption in black phosphorene on adsorption of Li and K for use in energy conversion applications. 2022 , 54, 1	0
449	Interlayer Quasi-Bonding Interactions in 2D Layered Materials: A Classification According to the Occupancy of Involved Energy Bands. 2021 , 11998-12004	1
448	Moiré bands in twisted trilayer black phosphorene: effects of pressure and electric field.. 2022 ,	0
447	Quantum transport of short-gate MOSFETs based on monolayer MoSiN.. 2022 ,	0
446	Effect of ion irradiation on thermal conductivity of phosphorene and underlying mechanism. 2022 , 71, 056101	0
445	Phosphorus-bridged ternary metal alloy encapsulated in few-layered nitrogen-doped graphene for highly efficient electrocatalytic hydrogen evolution. 2022 , 10, 7111-7121	3
444	A DFT Study on the Potential Application of Graphene-Like Pure and Doped Boron Phosphide Monolayer in Li- and Na-Ion Batteries. 2022 , 96, 125-134	
443	2D material based heterostructures for solar light driven photocatalytic H ₂ production.	4
442	The Elemental Phosphorus for Recent Sustainable Processes: Rules and Strategies in Preparation and Applications.	0
441	Imaging 3D molecular orientation by orthogonal-pair polarization IR microscopy.. 2022 , 30, 8436-8447	2
440	Anisotropic electrical properties of aligned PtSe ₂ nanoribbon arrays grown by a pre-patterned selective selenization process. 1	
439	Performance analysis of broadband Mid-IR graphene-phototransistor using strained black phosphorus sensing gate: DFT-NEGF investigation. 2022 , 107187	1
438	Magnetoexcitons in phosphorene monolayers, bilayers, and van der Waals heterostructures. 2022 , 4,	0
437	Edge modified phosphorene nanoribbon heterojunctions: promising metal-free photocatalysts for direct overall water splitting. 2022 , 57, 5482-5496	0
436	Strain modulating electronic band gaps and SQ efficiencies of semiconductor 2D PdQ (Q = S, Se) monolayer.. 2022 , 12, 2964	1
435	Giant two-photon absorption in MXene quantum dots.. 2022 , 30, 8482-8493	1
434	Heterojunction Nanomedicine.. 2022 , e2105747	8

433	Enhanced interband tunneling in two-dimensional tunneling transistors through anisotropic energy dispersion. 2022 , 105,	2
432	Enhanced thermoelectric performance by lone-pair electrons and bond anharmonicity in the two-dimensional Ge ₂ Y ₂ family of materials with Y=N. 2022 , 105,	2
431	The half-metallity induced by out-of-plane electric field on phosphorene nanoribbons.	
430	First-principles study of two-dimensional HfS ₂ /GaS van der Waals heterostructure for photocatalytic action. 2022 , 115257	0
429	A Strong Two-Dimensional Semiconductor l-B4C with High Carrier Mobility. 2022 , 126, 6036-6046	0
428	Two-Dimensional Type-II BP/MoSi ₂ P ₄ vdW Heterostructures for High-Performance Solar Cells. 2022 , 126, 4677-4683	1
427	Borophene and Pristine Graphene 2D Sheets as Potential Surfaces for the Adsorption of Electron-Rich and Electron-Deficient Systems: A Comparative DFT Study.. 2022 , 12,	0
426	First-Principles Calculations on Semiconducting $\sqrt{3}\times\sqrt{3}$ GeS and $\sqrt{3}\times\sqrt{3}$ SnS Monolayer Nanosheets with Photocatalytic Activity for Sunlight-Driven Water Splitting. 2022 , 5, 3900-3912	2
425	Two-Dimensional Janus GePAs Monolayer: A Direct-Band-Gap Semiconductor with High and Anisotropic Mobility for Efficient Photocatalytic Water Splitting. 2022 , 17,	0
424	Density functional theory study of nitrogen-doped black phosphorene doped with monatomic transition metals as high performance electrocatalysts for N ₂ reduction reaction.. 2022 ,	1
423	2D Materials for Wearable Energy Harvesting. 2101623	1
422	Visualized SERS Imaging of Single Molecule by Ag/Black Phosphorus Nanosheets.. 2022 , 14, 75	6
421	Engineering 2D Materials for Photocatalytic Water-Splitting from a Theoretical Perspective.. 2022 , 15,	4
420	Electronic, Thermal, and Thermoelectric Transport Properties of $\sqrt{3}\times\sqrt{3}$ GaO from First Principles.. 2022 , 7, 11643-11653	2
419	Visible Out-of-plane Polarized Luminescence and Electronic Resonance in Black Phosphorus.. 2022 ,	0
418	Anisotropic absorber and tunable source of MIR radiation based on a black phosphorus-SiC metasurface. 2022 , 101020	5
417	Dynamically Tunable Plasmon-Induced Transparency in Parallel Black Phosphorus Nanoribbons. 1	0
416	Lithography-free and high-efficiency preparation of black phosphorous devices by direct evaporation through shadow mask.. 2022 ,	1

415	Emerging Two-Dimensional Tellurene and Tellurides for Broadband Photodetectors.. 2022 , e2200016	8
414	Ultrafast photonics applications of emerging 2D-Xenes beyond graphene. 2022 , 11, 1261-1284	5
413	Study on AuNPs size regulation and AuNPs/BP photocatalytic performance. 2022 , 125, 112133	0
412	Advances in near-infrared avalanche diode single-photon detectors. 2022 , 1, 100005	2
411	Electronic and magnetic properties of honeycomb arsenic phosphorus nanoribbons via a first-principles study.	
410	Surface and interface control of black phosphorus. 2022 , 8, 632-662	2
409	Ultra-broadband, fast, and polarization-sensitive photoresponse of low-symmetry 2D NdSb2. 1	2
408	Scattering of edge-state electrons from a two-level atom located near the zigzag edge of a phosphorene nanoribbon. 2022 , 345, 114687	0
407	Electronic structure of monolayer and bilayer black phosphorus with charged defects. 2022 , 6,	
406	Effect of fully functionalization on carrier mobility of two-dimensional BN. 2022 , 346, 114698	
405	First-principles investigation of the significant anisotropy and ultrahigh thermoelectric efficiency of a novel two-dimensional Ga2I2S2 at room temperature. 2022 , 4, 025001	2
404	The sensitive energy band structure and the spiral current in helical graphenes. 2022 , 35, 105351	0
403	Enhanced Linear Dichroism of Flattened-Edge Black Phosphorus Nanoribbons.. 2022 ,	0
402	Theoretical study of M6X2 and M6XX' structure (M=Au, Ag; X, X'=S, Se): electronic and optical properties, ability of photocatalytic water splitting and tunable properties under biaxial strain.	0
401	Electronic and optical properties of Janus black arsenic-phosphorus AsP quantum dots under magnetic field.. 2022 ,	0
400	Electronic properties and optical absorption of multi-layer phosphorene quantum rings. 2022 , 12, 045303	
399	Exploring a high-carrier-mobility black phosphorus/MoSe2 heterostructure for high-efficiency thin film solar cells. 2022 , 236, 576-585	0
398	A high sensitivity lossy mode resonance refractive index sensor based on SBS structure. 2022 , 36, 105454	0

- 397 Improvement of thermoelectric properties for silicene by the hydrogenation effect. **2022**, 36, 105422 0
- 396 Tunable anisotropic pulse photo response of ZrS₃ crystal at cryogenic temperatures. **2022**, 633, 413775 0
- 395 Passivation effect of NTCDA nanofilm on black phosphorus. **2022**, 36, 105466
- 394 Mono-elemental saturable absorber in near-infrared mode-locked fiber laser: A review. **2022**, 122, 104103 0
- 393 Photocatalytic hydrogen evolution reaction with high solar-to-hydrogen efficiency driven by the Sb₂S₃ monolayer and RuI₂/Sb₂S₃ heterostructure with solar light. **2022**, 532, 231352 3
- 392 Surface-engineered Mo₂C: an ideal electrode for 2D semiconductor-based complementary circuit with Schottky-barrier-free contacts. **2022**, 24, 100790 0
- 391 Tunable absorptive nonlinearities of silver-modified few-layer black phosphorous nanocomposites. **2022**, 259, 168969 2
- 390 Single-Walled Black Phosphorus Nanotube as a NO₂ Gas Sensor. **2022**, 31, 103434
- 389 Honeycomb-like puckered PbTe monolayer: A promising n-type thermoelectric material with ultralow lattice thermal conductivity. **2022**, 907, 164439 1
- 388 An emerging direct monolayer α -ALP₃: High stability, desirable carrier mobility, NO₂-sensitive sensing performance, and superior catalytic properties toward the nitrogen reduction reaction. **2022**, 591, 153191 1
- 387 Anisotropic exciton states and excitonic absorption spectra in a freestanding monolayer black phosphorus. **2022**, 141, 115238 0
- 386 Modulation of strain on electronic structure and contact type of BP/SnS van der waals heterostructure. **2022**, 55, 125102 1
- 385 Phosphorene Nanoribbon-Augmented Optoelectronics for Enhanced Hole Extraction.. **2021**, 143, 21549-21559 11
- 384 Carbon doping effect on the optoelectronic properties of the KNO₃ material. **2021**, 585, 240-254
- 383 Self-Limiting Synthesis of Ultrathin Ge(110) Single Crystal via Liquid Metal.. **2021**, e2106341 3
- 382 Ultrahigh Anisotropic Transport Properties of Black Phosphorus Field Effect Transistors Realized by Edge Contact. **2022**, 8, 2100988 3
- 381 Raman Anisotropy and Polarization-Sensitive Photodetection in 2D BiOSe-WSe Heterostructure.. **2021**, 6, 34763-34770 4
- 380 Electrical and galvanomagnetic properties of black phosphorus single crystals. **2021**, 7, 127-139

379	Universalities of anomalous properties in electron transport through different Z-shaped phosphorene nanoribbon devices. 2022 , 36,	0
378	High-performance thermoelectric properties of strained two-dimensional tellurium. 2021 , 5,	0
377	Perspectives of 2D Materials for Optoelectronic Integration. 2022 , 32, 2110119	9
376	Two-dimensional noble transition-metal dichalcogenides for nanophotonics and optoelectronics: Status and prospects. 2022 , 15, 3675-3694	4
375	2D layered black arsenic-phosphorus materials: Synthesis, properties, and device applications. 2022 , 15, 3737-3752	3
374	Theoretical prediction of novel two-dimensional auxetic material SiGeS and study of its electronic and optical properties. 2022 ,	
373	NbCX (X=F, Cl, Br, I) with Highly Anisotropic Fermi Velocity, Optical, Mechanical and Electric Transport Properties. 2022 , 111551	0
372	Properties and applications of quantum dots derived from two-dimensional materials. 2022 , 7,	
371	Sign reversal of Casimir-Lifshitz torque with separation distance: A theoretical guide to experimentation. 2022 , 105,	0
370	Photonic spin Hall effect in twisted few-layer anisotropic two-dimensional atomic crystals. 2022 , 105,	3
369	Electric Metal Contacts to Monolayer Blue Phosphorus: Electronic and Chemical Properties. 2022 , 153450	
368	Photoelectronic properties and devices of 2D Xenes. 2022 ,	
367	Review of recent progress, challenges, and prospects of 2D materials-based short wavelength infrared photodetectors..	0
366	Optothermal Raman Spectroscopy of Black Phosphorus on a Gold Substrate.. 2022 , 12,	1
365	Sensing properties of nonmetal doped blue phosphorene toward NO and NO ₂ molecules: A first-principles study.	0
364	Stabilization of Black Phosphorene by Edge-Selective Adsorption of C ₆₀ Molecules. 2022 , 126, 6874-6879	0
363	A first-principles study on the adsorption properties of phosphorene oxide for pollutant removal from water. 2022 , 357, 119103	0
362	Anisotropic Infrared Response and Orientation-Dependent Strain-Tuning of the Electronic Structure in NbSiTe.. 2022 ,	1

- 361 [Adsorption mechanism of typical monohydroxyphenanthrene on polyvinyl chloride microplastics]. **2021**, 39, 870-877
- 360 Electronic Transport in Biphenylene Network Monolayer: Proposals for 2d Multifunctional Carbon-Based Nanodevices.
- 359 Research Progress in Biomedical Fields of 2D Nanomaterials from Group VA Single-element. **2022**, 89
- 358 Anisotropy of thermal transport in phosphorene: A comparative first-principles study using different exchange-correlation functional.
- 357 Adsorption and Migration of Silver on Group IV Semiconductor (001) Surfaces by Density Functional Theory. **2022**, 126, 8134-8142 0
- 356 Computational Study of the C2P4 Monolayer as a Stable Two-Dimensional Material with High Carrier Mobility: Implications for Nanoelectronic Devices. 1
- 355 Aharonov-Bohm oscillations in phosphorene quantum rings: Mass anisotropy compensation by confinement potential. **2022**, 105, 0
- 354 Engineering Plasmonic Environments for 2D Materials and 2D-Based Photodetectors.. **2022**, 27, 1
- 353 The anisotropic plasmon dispersion and damping in multilayer 8-Pmmn borophene structures.
- 352 Room-Temperature Infrared Photodetectors with Zero-Dimensional and New Two-Dimensional Materials. **2022**, 12, 609 1
- 351 Electronic Self-Passivation of Single Vacancy in Black Phosphorus via Ionization.. **2022**, 128, 176801 0
- 350 High-Speed and High-Responsivity Silicon/Black-Phosphorus Hybrid Plasmonic Waveguide Avalanche Photodetector. 2
- 349 Optoelectronic Properties of HMoO Tuned by H Dopant in Different Concentration.. **2022**, 15,
- 348 Gauche Effect on 2D Phosphorus Allotropes Energetics.
- 347 Twisted black phosphorus-based van der Waals stacks for fiber-integrated polarimeters.. **2022**, 8, eabo0375 3
- 346 Electronic band structure and chemical bonding in trigonal Se and Te. **2022**, 12, 055110
- 345 Computational Design of HAsP/AsP Vertical Two-Dimensional Homo Junction for Photovoltaic Applications. **2022**, 12, 1662
- 344 Landau levels and magneto-optical transport properties of a semi-Dirac system. **2022**, 105,

343	Effect of non-magnetic doping on magnetic state and Li/Na adsorption and diffusion of black phosphorene.. 2022 ,	0
342	Microscopic optical nonlinearities and transient carrier dynamics in indium selenide nanosheet. 2022 , 30, 17967	1
341	Phosphorene - an emerging two-dimensional material: recent advances in synthesis, functionalization, and applications.	2
340	Observation of nontrivial topological electronic structure of orthorhombic SnSe. 2022 , 6,	
339	Interfacial contact and electronic properties in the heterojunction based on black phosphorus and borophene. 2022 , 210, 111463	0
338	First-principles study of band alignment and electronic structure of Arsenene/SnS ₂ heterostructures. 2022 , 142, 115271	
337	Tunneling effect in phosphorene through double barriers. 2022 , 351, 114777	
336	Two-dimensional ZnO/BlueP van der Waals heterostructure used for visible-light driven water splitting: A first-principles study.. 2022 , 278, 121359	0
335	The type-II PtSe ₂ /WS ₂ van der Waals heterostructure: A high efficiency water-splitting photocatalyst. 2022 , 723, 122103	1
334	Atomic-scale friction of black phosphorus from first-principles calculations: Insensitivity of friction under the high-load. 2022 , 172, 107590	0
333	Anomalous non-equilibrium response in black phosphorus to sub-gap mid-infrared excitation.. <i>Nature Communications</i> , 2022 , 13, 2667	17.4 1
332	Recent development of two-dimensional magnetic materials. 2022 ,	1
331	Thermal Transport and Mechanical Properties of Layered Oxychalcogenides LaCuOX (X = S, Se, and Te).	1
330	The quantum confinement effects on the electronic properties of monolayer GeS nanoribbon with tube-edged reconstruction.. 2022 ,	1
329	Emergent properties in supercrystals of atomically precise nanoclusters and colloidal nanocrystals.	1
328	Manipulating the electronic structure and physics properties in monolayer Mo ₂ I ₃ Br ₃ via strain and doping.	1
327	Insights into controllable electronic properties of 2D type-II Twin-Graphene/g-CN ₄₃ and type-I Twin-Graphene/hBN vertical heterojunctions via external electric field and strain engineering. 2022 , 128216	
326	CdS/SiI ₂ : A promising two-dimensional materials for photocatalytic water splitting. 2022 , 38, 105636	0

325	Two-dimensional semiconducting Ag ₂ X (X = S, Se) with Janus-induced built-in electric fields and moderate band edges for overall water splitting. 2022 , 597, 153707	1
324	2D Materials for Efficient Photodetection: Overview, Mechanisms, Performance and UV-IR Range Applications. 10,	5
323	The direction-dependent dual-mechanism sensor based on graphene surface plasmon polariton and composite photonic structure with black phosphorus. 2022 , 1-1	
322	Effects of substrate on cavity plasmon polaritons in monolayer MoS ₂ embedded in an asymmetric cavity.	
321	Ferroelectricity in untwisted heterobilayers of transition metal dichalcogenides. 2022 , 376, 973-978	7
320	Lattice dynamics and elastic properties of black phosphorus. 2022 , 105,	0
319	Direct d _{xy} hybridization mechanism for strong anisotropic carrier transport in layered Mo ₂ SBr ₂ . 2022 , 105,	0
318	Allotropes selection apropos of photocatalytic CO ₂ reduction from first principles studies. 2022 , 100751	0
317	Critical review and recent advances of 2D materials-Based gas sensors for food spoilage detection. 1-24	2
316	New 2D material: Two-dimensional black phosphorus (2D BP).	
315	DFT and TDDFT studies of structural, electronic and optical properties of the inorganic solar perovskites XPbBr ₃ (X = Li or Na). 1-14	0
314	Impact of the Channel Thickness on the Photoresponse of Black Arsenic Mid-Infrared Photodetectors.	
313	Properties, performance and multidimensional applications of stable lead-free Cs ₂ AgBiBr ₆ double perovskite. 2022 , 26, 100731	2
312	Two-Dimensional Nanomaterials for Solar Cell Technology. 2022 , 103-119	0
311	Chemically functionalized phosphorenes and their use in the water splitting reaction.	0
310	Mechanical, electronic and photocatalytic properties of binary Ge-based materials GeX ₂ (X = B, C, N) with pentagonal structure.	1
309	Ab initio high-throughput screening of transition metal double chalcogenide monolayers as highly efficient bifunctional catalysts for photochemical and photoelectrochemical water splitting.	3
308	Improving performance of monolayer arsenene tunnel field-effect transistors by defects.	

307	Ultra-sensitive polarization-resolved black phosphorus homojunction photodetector defined by ferroelectric domains. <i>Nature Communications</i> , 2022 , 13,	17.4	12
306	An emerging bidirectional auxetic post-phosphorene SnO monolayer: A promising Janus semiconductor with photocatalytic activity for solar-driven water splitting reaction. 2022 ,		0
305	Engineering van der Waals Materials for Advanced Metaphotonics.		2
304	Real-time first-principles calculations of ultrafast carrier dynamics of SnSe/TiO_2 heterojunction under Li^+ implantation.		
303	Effect of MoO_3 buffer layer on the electronic structure of Al-BP interface.		0
302	Understanding random telegraph noise in two-dimensional BP/ ReS_2 heterointerface. 2022 , 120, 253507		0
301	Detection of Blood Plasma Concentration Theoretically Using SPR-Based Biosensor Employing Black Phosphor Layers and Different Metals.		3
300	Switchable Nonlinear Optical Absorption of Metal-Organic Frameworks. 2200779		3
299	Cell Membrane Camouflaged Metal Oxide-Black Phosphorus Biomimetic Nanocomplex Enhances Photo-chemo-dynamic Ferroptosis. 2022 , 14, 26557-26570		3
298	Unconventional excitonic states with phonon sidebands in layered silicon diphosphide.		5
297	Resonance fluorescence engineering in hybrid systems consist of biexciton quantum dots and anisotropic metasurfaces.		
296	Electronic transport in biphenylene network monolayer: Proposals for 2D multifunctional carbon-based nanodevices. 2022 , 153993		2
295	High-performance broadband photodetector based on PdSe_2 /black phosphorus heterodiode. 2022 , 120, 231103		1
294	Strain engineering on the thermoelectric performance of monolayer AlP_3 : A first-principles study. 2022 , 115365		
293	Improving Harsh Environmental Stability of Few-Layer Black Phosphorus by Local Charge Transfer. 2203967		0
292	Demonstration of passively Q-switched and mode-locked operations through dispersion control in Er-doped fiber lasers with a cylindrite-based saturable absorber. 2022 , 119064		1
291	A Black Phosphorus-Based Fabry-Pot Cavity and Its Application for Reversible Color Switching. 2200137		
290	Metal-phosphorus network on $\text{Pt}(111)$. 2022 , 9, 045002		0

- 289 Strong bulk-surface interaction dominated in-plane anisotropy of electronic structure in GaTe. **2022**, 5, 0
- 288 High Anisotropic Optoelectronics in Monolayer Binary M₈X₁₂ (M = Mo, W; X = S, Se, Te). **2022**, 14, 27056-27062
- 287 Recent advances in field-effect transistors for heavy metal ion detection.
- 286 Preparation, synthesis, properties and characterization of graphene-based 2D nano-materials for biosensors and bioelectronics. **2022**, 19, 2657-2694 3
- 285 First-principles study of the contact resistance and optoelectronic properties of PdSe₂/MoTe₂ van der Waals heterostructure optoelectronic devices. **2022**, 78, 57-71 1
- 284 Tribological properties of Ni-BP/Ni coatings produced by electroless co-deposition. **2022**, 443, 128637 2
- 283 XTlO (X = K, Rb, Cs): Novel 2D semiconductors with high electron mobilities, ultra-low lattice thermal conductivities and high thermoelectric figures of merit at room temperature. **2022**, 599, 153924 2
- 282 Overall direct photocatalytic water-splitting on C₂mm-graphyne: a novel two-dimensional carbon allotrope. 0
- 281 High-Performance Monolayer BeN₂ Transistors With Ultrahigh On-State Current: A DFT Coupled With NEGF Study. **2022**, 1-6 4
- 280 Phosphorene. **2022**, 121-148
- 279 Seeking Novel Low-Symmetry 2D Materials with Strong In-plane Anisotropy. 1,
- 278 2d Boron-Nitride Featuring B₄ Tetrahedros: an Efficient Photocatalyst for Water Splitting.
- 277 Dependence of Tunneling Mechanism on Two-Dimensional Material Parameters: A High-Throughput Study. **2022**, 17, 6
- 276 Ultrafast Carrier-Coupled Interlayer Contraction, Coherent Intralayer Motions, and Phonon Thermalization Dynamics of Black Phosphorus. **2022**, 22, 5230-5235
- 275 High-Performance and Low-Power Transistors Based on Anisotropic Monolayer β -TeO₂. **2022**, 17, 4
- 274 Regulation of electronic and optical properties of monolayer black phosphorus by co-doping B and Si. **2022**, 12, 065031
- 273 High-Performance p-type 2D FET Based on Monolayer GeC with High Hole Mobility: A DFT-NEGF Study. 2200388 2
- 272 Mid-Infrared Optoelectronic Devices Based on Two-Dimensional Materials beyond Graphene: Status and Trends. **2022**, 12, 2260 2

- 271 Far-infrared anisotropic optical properties of Si_3N_4 microsphere arrays based on black phosphorus-like structures. **2022**, 128,
- 270 Tunable Schottky barrier in Janus-XGa₂Y/Graphene (X/Y = S, Se, Te; X ≠ Y) van der Waals heterostructures. 0
- 269 Tunable electronic properties of two-dimensional C₃N/antimonene van der Waals heterostructure.
- 268 Enhanced Spin Thermopower in Phosphorene Nanoribbons via Edge-State Modifications. **2022**, 12, 2350 1
- 267 Two-dimensional CSiO and CGeO: direct-band-gap semiconductors with normal/anomalous auxeticity for solar cells and alkali-metal-ion batteries. **2022**, 34, 365301
- 266 Unfolding essence of nanoscience for improved water splitting hydrogen generation in the light of newly emergent nanocatalysts. **2022**, 1
- 265 MX (M' = Au, Ag; X' = S, Se, Te) monolayers: Promising photocatalysts for oxygen evolution reaction with excellent light capture capability. **2022**, 600, 154055 1
- 264 Mechanical strain and electric field tunable electronic structure of black/violet phosphorene van der Waals heterostructure: From type I to Z-scheme system. **2022**, 169, 110863
- 263 Bonding Heterogeneity Inducing Low Lattice Thermal Conductivity and High Thermoelectric Performance in 2D CdTe₂. 2
- 262 SnSe nanosheet arrays film for trace NO₂ detection at room temperature. **2022**, 370, 132407 0
- 261 Fully auxetic and multifunctional of two-dimensional α -GeS and α -GeSe. **2022**, 106, 1
- 260 Effect of stacking order on the vibration properties of bilayer black phosphorus. **2022**, 478,
- 259 Black Phosphorus: Fundamental Properties and Influence of Impurities Induced by Its Synthesis. **2022**, 14, 34867-34874 1
- 258 Atomically Sharp, Closed Bilayer Phosphorene Edges by Self-Passivation. **2022**, 16, 12822-12830 0
- 257 Recent progress in the edge reconstruction of two-dimensional materials. **2022**, 55, 414003 1
- 256 Large Exciton-Driven Linear and Nonlinear Optical Processes in Monolayers of Nitrogen Arsenide and Nitrogen Antimonide. 0
- 255 Highly efficient water splitting in step-scheme PtS₂/GaSe van der Waals heterojunction. **2022**, 132, 055001
- 254 Advanced Nanostructured Conjugated Microporous Polymer Application in a Tandem Photoelectrochemical Cell for Hydrogen Evolution Reaction. 2201351

- 253 Strain-tunable magnetic transition in few-layer 1T-VSe₂. **2022**, 121, 072402 0
- 252 A novel two-dimensional transition metal dichalcogenide as water splitting photocatalyst with excellent performances. 10,
- 251 Chemical Energy-Driven Lithiation Preparation of Defect-Rich Transition Metal Nanostructures for Electrocatalytic Hydrogen Evolution. 2202779 0
- 250 Monolayer Ge₂S: An auxetic semiconductor with high carrier mobility for metal (Na, K, Mg)-ion battery anodes. **2022**, 132, 075001
- 249 Exciton localization on p-n junctions in two-dimensional crystals. **2022**, 106,
- 248 Two-dimensional complementary gate-programmable PN junctions for reconfigurable rectifier circuit. 0
- 247 A stable low-symmetry T-phase of MSi₂Z₂4 (M = Mo, W; Z = P, As) nanosheets with promising electronic and photovoltaic properties: Insight from first-principles calculations. **2022**, 121, 073101
- 246 Two-dimensional CP₂ and Li_xCP₂ (x=1 and 2) m. **2022**, 106, 0
- 245 Strong Optical Excitation and High Thermoelectric Performance in 2D Holey-Phosphorene Monolayer. 2200400 1
- 244 Te-mediated electro-driven oxygen evolution reaction. **2022**, 12
- 243 Strain modulated electronic and optical properties of laterally stitched MoSi₂N₄/XSi₂N₄ (X=W, Ti) 2D heterostructures. **2022**, 115471 1
- 242 First principles study of biaxially deformed hexagonal buckled XS (X=Ge and Si) monolayers with light absorption in the visible region. **2022**, 139457
- 241 Inkjet-printed graphene and molybdenum disulfide based gas sensors for toxic, flammable, and atmospheric gases. **2022**,
- 240 Global structure search for new 2D PtS₂ allotropes and their potential for thermoelectric and piezoelectric applications. **2022**, 805, 139913 1
- 239 Spin dependent Goos-Hänchen-like effect in a strained phosphorene superlattice. **2022**, 170, 110937
- 238 First-principles study on the electronic properties of layered Ga₂O₃/TeO₂ heterolayers for high-performance electronic devices. **2022**, 602, 154382 1
- 237 Impurity properties in phosphorene: First-principles calculations and comparisons. **2022**, 151, 107006
- 236 Two novel easily exfoliated quaternary chalcogenides with high performance of photocatalytic hydrogen production. **2022**, 604, 154555 1

- 235 Designing a perfect Phosphorene-Plasmon absorber and investigating its geometric irregularity effects: A simulation study. **2022**, 156, 108519
- 234 Quasi-Planar tetracoordinate carbon Networks with tunable electronic properties combined with Ultra-High carrier mobility and optical absorption Coefficient: Two-dimensional Be₂C. **2022**, 604, 154644
- 233 Mn-doped single atom nanozyme composited Au for enhancing enzymatic and photothermal therapy. **2022**, 628, 419-434
- 232 2D boron-nitride featuring B₄ tetrahedros: An efficient photocatalyst for water splitting. **2022**, 531, 112662 ○
- 231 Adsorption of CO, NO, and SO₂ gases on pristine and single Ni₃ cluster doped arsenene monolayer for its potential application as sensor or adsorbent by density functional theory study. **2022**, 1217, 113871 ○
- 230 Anisotropic and outstanding mechanical, thermal conduction, optical, and piezoelectric responses in a novel semiconducting BCN monolayer confirmed by first-principles and machine learning. **2022**, 200, 500-509 ○
- 229 Electric field- and polarisation-dependent two-photon absorption in bilayer black phosphorus. **2022**, 133, 112996 ○
- 228 Tuning electronic and optical properties of graphene/h-BN heterobilayer via surface modification. **2022**, 605, 154591 3
- 227 Magnetron sputtering ultra-thin TiO₂ films for photocatalytic reduction of uranium. **2022**, 543, 116121 ○
- 226 Molecular mechanics mechanisms for ultralow bending stiffness of monolayer silicene. **2022**, 33, 104387 ○
- 225 Two-dimensional MgAl₂S₄ as potential photocatalyst for water splitting and strategies to boost its performance. **2022**, 605, 154826 ○
- 224 Two-Dimensional MgAl₂S₄ as Potential Photocatalyst for Water Splitting and Strategies to Boost its Performance. ○
- 223 Chapter 1. Introduction. **2022**, 1-32 ○
- 222 Designing SnS/MoS₂ van der Waals heterojunction for direct Z-scheme photocatalytic overall water-splitting by DFT investigation. **2022**, 24, 21321-21330 1
- 221 Abnormal linear dichroism transition in two-dimensional PdPS. **2022**, 14, 14129-14134 ○
- 220 Giant in-plane optical and electronic anisotropy of tellurene: a quantitative exploration. **2022**, 14, 12238-12246 ○
- 219 Oxidation behavior of layered Fe_nGeTe₂ (n = 3, 4, 5) and Cr₂Ge₂Te₆ governed by interlayer coupling. **2022**, 14, 11452-11460 ○
- 218 Chapter 6. Next Generation Electronics Based on Anisotropic 2D Materials. **2022**, 168-187 ○

- 217 Non-equilibrium spin-transport properties of Co/phosphorene/Co MTJ with non-collinear electrodes under mechanical bending. ○
- 216 Chapter 2. Defect Engineering in Layered Black Phosphorus for Multi-Functional Optoelectronics. **2022**, 33-52 ○
- 215 W4PCL11 monolayer: an unexplored 2D material with moderate direct bandgap and strong visible-light absorption for highly efficient solar cells. **2022**, 14, 12386-12394 ○
- 214 Theoretical Research of two-dimensional germanether in sodium-ion battery. **2022**, 0 ○
- 213 Electrical and galvanomagnetic properties of black phosphorus single crystals. **2022**, 25, 5-22 ○
- 212 Monolayer TiNI with Anisotropic Optical and Mechanical Properties. **2022**, 12, 1202 ○
- 211 Review in situ transmission electron microscope with machine learning. **2022**, 43, 081001 ○
- 210 Thickness Dependent Ultrafast Charge Transfer in BP/MoS₂ Heterostructure. 2206952 ○
- 209 Infrared Light Emission Devices Based on Two-Dimensional Materials. **2022**, 12, 2996 2
- 208 Van der Waals imprinting of black-phosphorus-like binary alloyed monolayers with tunable band gaps and moiré superstructures. **2022**, 106, ○
- 207 An image interaction approach to quantum-phase engineering of two-dimensional materials. **2022**, 13, ○
- 206 Germanium-based monoelemental and binary two-dimensional materials: Theoretical and experimental investigations and promising applications. ○
- 205 Diffusive density response of electrons in anisotropic multiband systems. **2022**, 106, ○
- 204 Covalent functionalization of black phosphorus nanosheets via insensitive glycidyl azide polymer with durable stability. ○
- 203 First-principles study of O-functionalized two-dimensional AsP monolayers: Electronic structure, mechanical, piezoelectric, and optical properties. ○
- 202 The marriage of Xenon and Hydrogels: Fundamentals, Applications, and Outlook. **2022**, 100327 ○
- 201 Emerging low-dimensional materials for nanoelectromechanical systems resonators. **2023**, 11, 21-52 ○
- 200 Highly tunable band inversion in AB₂X₄ (A=Ge, Sn, Pb; B=). **2022**, 6, ○

- 199 Electronic and optical properties of the buckled and puckered phases of phosphorene and arsenene. ○
- 198 2D Xenos: Optical and Optoelectronic Properties and Applications in Photonic Devices. 2206507 ○
- 197 Prediction of Two-Dimensional Group IV Nitrides A_xN_y ($A = Sn, Ge, \text{ or } Si$): Diverse Stoichiometric Ratios, Ferromagnetism, and Auxetic Mechanical Property. 9316-9325 ○
- 196 Electronic and Optical Properties of BP, InSe Monolayer and BP/InSe Heterojunction with Promising Photoelectric Performance. **2022**, 15, 6214 ○
- 195 Scanning tunneling microscopy study of natural black arsenic. **2022**, 106, ○
- 194 Phonon-limited transport of two-dimensional semiconductors: Quadrupole scattering and free carrier screening. **2022**, 106, 1
- 193 Field Enhancement for the Composite MXene/Black Phosphorus-Based Metasurface. **2022**, 12, 3155 ○
- 192 2D Structures Based Field-Effect Transistors (Review). **2022**, 67, 1134-1151 ○
- 191 Novel two-dimensional PdSe phase: A puckered material with excellent electronic and optical properties. **2022**, 17, 1
- 190 Phonon anharmonicity and thermal conductivity of two-dimensional van der Waals materials: A review. **2022**, 65, ○
- 189 Robust room-temperature ferromagnetism induced by defect engineering in monolayer MoS₂. **2022**, 155220 ○
- 188 High-performance electron mobility and photoabsorption in Bi₂O₂Se nanoribbons. **2022**, 121, 141902 ○
- 187 Phosphorus based hybrid materials for green fuel generation. ○
- 186 Electron-doping induced tunable magnetisms in 2D janus TiXO ($X = S, Se$). **2022**, 115518 ○
- 185 Dynamical Response of Nonlinear Optical Anisotropy in a Tin Sulfide Crystal under Ultrafast Photoexcitation. 9355-9362 ○
- 184 Bulk to Low Dimensional 2D Thermoelectric Materials: Latest Theoretical Research and Future View. **2022**, 571-588 ○
- 183 SnSe₂ monolayer with square lattice structure: a promising p-type thermoelectric material with an indirect bandgap and low lattice thermal conductivity. 1
- 182 Molecular Intercalation in Black Phosphorus with Tunable Bandgaps for Infrared Photoelectric Materials. ○

181	Penta-BCN monolayer: a metal-free photocatalyst with a high carrier mobility for water splitting.	0
180	Ultrahigh thermoelectric performance of Janus HfTe_2 and BiTe_2 monolayers.	0
179	Emerging Trends in 2D TMDs with a Broken Gap Interface.	2
178	2D Layers of Group VA Semiconductors: Fundamental Properties and Potential Applications. 2203956	2
177	Bioinspired interactive neuromorphic devices. 2022,	1
176	Engineering the Polarization Sensitivity in All-2D Photodetectors Composed of Semimetal MoTe_2 and Semiconductor WS ₂ . 2201902	0
175	Tuning the Nonradiative Electron-Hole Recombination with Defects in Monolayer Black Phosphorus. 2022, 13, 10162-10168	3
174	Tunable long-lived exciton lifetime in single-layer two-dimensional LiAlTe_2 . 2022, 6,	0
173	Electric-Field Control in Phosphorene-Based Heterostructures. 2022, 12, 3650	0
172	Superior Thermoelectric Performance of Black Phosphorus in Elemental Tellurium. 2203014	0
171	P-Type 2D Semiconductors for Future Electronics. 2206939	0
170	Resonant Grating-Enhanced Black Phosphorus Mid-Wave Infrared Photodetector.	3
169	Anisotropic magnetoelectric transport in AgCrSe_2 single crystals. 2022, 121, 182405	0
168	Z-scheme heterojunction ZnS/WO_3 composite: photocatalytic reduction of uranium and band gap regulation mechanism. 2022,	0
167	Research progress of two-dimensional nano black phosphorous and fabrication methods. 2022,	0
166	Design of InAs nanosheet arrays for high-performance polarization-sensitive infrared photodetection.	0
165	Intrinsic and engineered properties of black phosphorus. 2022, 28, 100895	0
164	Application of graphdiyne oxide in photoelectrochemical-type photodetectors and ultrafast fiber lasers. 2022, 47, 101653	0

- 163 The half-metallicity induced by non-magnetic adatoms on phosphorene nanoribbons. **2023**, 648, 414406 ○
- 162 Design and synthesis of black phosphorus quantum dot sensitized inverse opal TiO₂ photonic crystal with outstanding photocatalytic activities. **2023**, 609, 155442 ○
- 161 Progress in the preparation, application, and recycling of black phosphorus. **2023**, 311, 137161 ○
- 160 Two-dimensional heterostructures for photocatalytic CO₂ reduction. **2023**, 216, 114699 ○
- 159 Ab initio Methods for Electronic Transport in Semiconductors and Nanostructures. **2023**, 1515-1558 ○
- 158 Hydrogenated Boron Phosphide THz-Metamaterial-Based Biosensor for Diagnosing COVID-19: A DFT Coupled FEM Study. **2022**, 12, 4024 ○
- 157 Electronic structure, vibrational properties, and optical spectra of two- and three-dimensional hexagonal InSe: Layer-dependent ab initio calculations. **2022**, 6, ○
- 156 Excellent spin-filtering and giant tunneling magnetoresistance in a dual-electrode van der Waals magnetic tunnel junction based on ferromagnetic CrSe₂. **2022**, 155588 ○
- 155 Two-Dimensional Functionalized Germananes: Synthesis and Applications. 2207196 1
- 154 Emerging low-dimensional black phosphorus: from physical-optical properties to biomedical applications. ○
- 153 Strain-Tunable Electronic and Transport Properties of One-Dimensional Fibrous Phosphorus Nanotubes. 10778-10785 ○
- 152 Black-phosphorus-based junctions and their optoelectronic device applications. ○
- 151 Highly efficient VOC gas sensors based on Li-doped diamane. **2022**, 155694 ○
- 150 MgXN₂ (X = Hf/Zr) Monolayers: Auxetic Semiconductor with Highly Anisotropic Optical/Mechanical Properties and Carrier Mobility. **2022**, 13, 10534-10542 1
- 149 Influence of Group-IVA Doping on Electronic and Optical Properties of ZnS Monolayer: A First-Principles Study. **2022**, 12, 3898 ○
- 148 Role of External Electric Field in Carrier Mobility of Graphene/ZnO Heterojunction Adsorbed H₂O and O₂ Molecules. **2022**, 7, ○
- 147 High-dimensional single-cell cartography tracking of immune cells subpopulation of mice peripheral blood treated with gold nanorods and black phosphorus nanosheets. **2022**, 47, 101666 ○
- 146 Strong Interlayer Interaction for Engineering Two-Dimensional Materials. ○

- 145 Two-dimensional hydrogenated/fluorinated graphyne/graphyne-like BN van der Waals heterostructures and their potential application in ultraviolet photodetection: a theoretical prediction. **2022**, 155739 ○
- 144 Wigner molecules in phosphorene quantum dots. **2022**, 106, 1 ○
- 143 Quantum manifestations in electronic properties of bilayer phosphorene nanoribbons. ○
- 142 Tunable absorptance by the magnetic field in multilayer black phosphorene dielectric structures. **2023**, 457, 128569 ○
- 141 A review on black-phosphorus-based composite heterojunction photocatalysts for energy and environmental applications. **2023**, 307, 122833 ○
- 140 Analysis of 1/f and GR noise in Phosphorene FETs. **2023**, 200, 108530 ○
- 139 The structural, mechanical and electrical properties of 2D SiC with C-related point defects and substitution of C by foreign atoms. **2023**, 208, 111700 ○
- 138 A novel black-P/blue-P heterostructure for the photovoltaic applications. **2023**, 812, 140242 ○
- 137 Hn2O3 monolayer: A promising material as field-effect phototransistor and out-of-plane piezoelectric device. **2023**, 614, 156198 ○
- 136 Epitaxial growth and E-beam induced structural changes of single crystalline 2D antimonene. **2023**, 226, 115262 ○
- 135 PtSe2/SnS2 heterostructure as a direct Z-scheme photocatalyst for water decomposition. **2023**, 155, 107225 ○
- 134 Recent advances in two-dimensional ultrathin Bi-based photocatalysts. **2023**, 133, 101047 ○
- 133 Spatial shifts of reflected light beam on black phosphorus/hexagonal boron nitride structure. **2023**, 159, 108968 ○
- 132 Electrical and optical properties of Black Phosphorus under Strain effects: A First-principles Study. **2022**, ○
- 131 Anisotropy of the Optical Properties of Pentacene:Black Phosphorus Interfaces. **2022**, 126, 20694-20701 ○
- 130 Junction-Enhanced Polarization Sensitivity in Self-Powered Near-Infrared Photodetectors Based on Sb₂Se₃ Microbelt/n-GaN Heterojunction. 2202080 ○
- 129 DFT Coupled with NEGF Study of N-Type MOSFET Based on 2D Planar B₂S₃ Semiconductor. **2022**, 126, 20613-20619 ○
- 128 Anomalous narrow-band optical anisotropy of MoO₂ crystal in the visible regime. **2022**, 121, 251901 ○

127	Exploring the $\text{Ti}_2\text{CO}_2\text{WSe}_2$ Heterostructure as a Direct Z-Scheme Photocatalyst for Water Splitting: A Non-Adiabatic Study. 2022 , 126, 20852-20863	1
126	The VdW Heterostructure Interface Physics. 2022 , 125-156	0
125	Strain-induced ultrahigh power conversion efficiency in BP-MoSe ₂ vdW heterostructure. 2023 , 34, 085403	0
124	Waveguide integrated high-speed black phosphorus photodetector on a thin film lithium niobate platform. 2023 , 13, 272	0
123	Electron-scattering-induced entanglement between two atoms placed near the zigzag edge of a phosphorene ribbon. 2023 , 22,	0
122	Deep ultraviolet spontaneous emission enhanced by layer dependent black phosphorus plasmonics. 2022 , 30, 47152	2
121	Hardware and Information Security Primitives Based on Two-Dimensional Materials and Devices. 2205365	1
120	High-performance junction-free field-effect transistor based on blue phosphorene. 2022 , 6,	0
119	Band Alignment in Black Phosphorus/Transition Metal Dichalcogenide Heterolayers: Impact of Charge Redistribution, Electric Field, Strain, and Layer Engineering.	0
118	Interweaving Polar Charge Orders in a Layered Metallic Superatomic Crystal. 2022 , 12,	0
117	$\text{Bi}_2\text{O}_2\text{Se}$: A rising star for semiconductor devices. 2022 , 5, 4274-4314	0
116	Progress in the synthesis of 2D black phosphorus beyond exfoliation. 2022 , 9, 041318	1
115	Electronic and optical properties of the buckled and puckered phases of phosphorene and arsenene. 2022 , 12,	0
114	Unique low-energy line defects and lateral heterostructures in phosphorene. 2023 , 98, 015815	0
113	Interlayer Doping of Cu on Bilayer Black Phosphorus for Enhanced Charge Transfer and Transport Properties. 2022 , 13, 11489-11495	0
112	All-inorganic quantum dot light-emitting diodes realizing a synergistically regulated carrier mobility dynamic equilibrium mechanism. 2022 , 57, 21630-21643	0
111	Zero to Three Dimension Structure Evolution from Carbon Allotropes to Phosphorus Allotropes. 2201941	1
110	Controllable Synthesis of 2D Materials by Electrochemical Exfoliation for Energy Storage and Conversion Application. 2206702	0

- 109 Van der Waals Black Phosphorus/Bi10O6S9 Heterojunction Harvesting Ambient Electric Field Energy for Enhanced Photoelectrochemical Sense. ○
- 108 Production of high-quality and large lateral-size black phosphorus nanoparticles/nanosheets by liquid-phase exfoliation. **2023**, 13, 1223-1228 ○
- 107 Disorder effects on the ballistic transport of gated phosphorene superlattices. **2023**, 107, ○
- 106 In-situ scanning tunneling microscopy observation of thickness-dependent air-sensitive layered materials and heterodevices. ○
- 105 Ionic liquid passivated black phosphorus for stabilized compliant electronics. ○
- 104 Highly sensitive detection of infected red blood cells (IRBCs) with plasmodium falciparum using surface plasmon resonance (SPR) nanostructure. **2023**, 55, 9
- 103 Defect physics in 2D monolayer I-VII semiconductor AgI. **2023**, 100304 ○
- 102 Theoretical Prediction of Thermoelectric Performance for Layered LaAgOX (X = S, Se) Materials in Consideration of the Four-Phonon and Multiple Carrier Scattering Processes. 2201368 ○
- 101 Study of the solar perovskites: XZnF3 (X = Ag, Li or Na) by DFT and TDDFT methods. ○
- 100 Spin Polarization in Ferromagnetic Barrier Phosphorene Superlattice Under an Exterior Magnetic Field. ○
- 99 Revealing the biotoxicity of phosphorene oxide nanosheets based on the villin headpiece. ○
- 98 Extreme Anisotropic Dispersion and One-Dimensional Confined Electrons in 2-D SiP₂ FETs With High Transmission Coefficients. **2023**, 1-8 ○
- 97 Two-dimensional Hg and FBX (X = O, S, Se, and Te) photocatalysts with ultrawide bandgap and enhanced photocatalytic performance for water splitting. **2023**, 13, 2301-2310 ○
- 96 Metal halide HgI₂ monolayer with auxetic property and photocatalysis application. **2023**, 219, 112007 ○
- 95 The tunability of electronic and transport properties of InSe/MoSe₂ van der Waals heterostructure: A first-principles study. **2023**, 36, 102634 ○
- 94 Cmc21-CdO: Emerging direct band gap semiconductor with ultrahigh mobility and enhanced visible-light optical absorptions. **2023**, 652, 414645 ○
- 93 Hexagonal and tetragonal ScX (X = P, As, Sb) nanosheets for optoelectronics and straintronics. **2023**, 615, 156306 ○
- 92 Flexible temperature sensors based on two-dimensional materials for wearable devices. ○

- 91 Phosphorene polymeric nanocomposites for biomedical applications: a review. 1-18 ○
- 90 Efficient n-Type Surface Doping in Diamond. **2023**, 127, 642-648 ○
- 89 Design for the reconfigurable polarization rotator by inhibiting Fano resonance with graphene-metal grating structures. 1-29 ○
- 88 Broadband and Incident-Angle-Modulation Near-Infrared Polarizers Based on Optically Anisotropic SnSe. **2023**, 13, 134 ○
- 87 2D materials for neuromorphic devices. **2023**, 259-285 ○
- 86 Third-Order Optical Nonlinearities of 2D Materials at Telecommunications Wavelengths. **2023**, 14, 307 ○
- 85 Multiple poles resonances coupling with high sensitivity sensing for multiple bulging black phosphorus-based metasurface. **2023**, 25, 013034 2
- 84 Graphene: Preparation, tailoring, and modification. 20210233 ○
- 83 High-Performance Black Phosphorus Field-Effect Transistors with Controllable Channel Orientation. 2201126 ○
- 82 Bipolar spin-filtering and giant magnetoresistance effect in spin-semiconducting zigzag graphene nanoribbons. ○
- 81 Two-dimensional MX₂Y₄ systems: ultrahigh carrier transport and excellent hydrogen evolution reaction performances. **2023**, 25, 4519-4527 ○
- 80 Nanobiosensors Design Using 2D Materials: Implementation in Infectious and Fatal Disease Diagnosis. **2023**, 13, 166 ○
- 79 Investigating the magnetic, thermoelectric, and thermodynamic properties of the GeCH₃ single-layer considering external magnetic field, doping, and strain. **2023**, 13, ○
- 78 Influence of thermal interfacings on reduced graphene oxide characteristics and its photocatalytic activity degrading Rhodamine B. **2023**, 34, ○
- 77 Tuning electronic properties and contact type in van der Waals heterostructures of bilayer SnS and graphene. **2023**, 616, 156489 ○
- 76 Efficient photocatalytic hydrogen evolution and CO₂ reduction by HfSe₂/GaAs₃ and ZrSe₂/GaAs₃ heterostructures with direct Z-schemes. **2023**, 25, 8861-8870 2
- 75 Polar 2D hybrid perovskite crystals with intrinsic strong linear dichroism for polarization-sensitive and self-powered detection. **2023**, 11, 3981-3988 ○
- 74 Systematic investigation of the mechanical, electronic, and interfacial properties of high mobility monolayer InAs from first-principles calculations. **2023**, 25, 10769-10777 ○

- 73 Optical properties and polaritons of low symmetry 2D materials. **2023**, 2, R03 ○
- 72 2D Rhenium Dichalcogenides: From Fundamental Properties to Recent Advances in Photodetector Technology. 2212167 ○
- 71 Anisotropic Heavy-Metal-Free Semiconductor Nanocrystals: Synthesis, Properties, and Applications. **2023**, 123, 3625-3692 ○
- 70 Type-II van der Waals heterostructures of GeC, ZnO and Al₂SO monolayers for promising optoelectronic and photocatalytic applications. **2023**, ○
- 69 Sub-5 nm 2D Semiconductor-Based Monolayer Field-Effect Transistor: Status and Prospects. ○
- 68 Effects of Electric Field and Strain on the BP/GeTe van der Waals Heterojunction. ○
- 67 A Review of Ultrathin Piezoelectric Films. **2023**, 16, 3107 ○
- 66 General rules and applications for screening high phonon-limited mobility in two-dimensional semiconductors. **2023**, 107, ○
- 65 Rolling flexible double-MXenes TiCT/VCT hybrid films for microsupercapacitors. **2023**, 464, 142645 ○
- 64 Two-dimensional materials for boosting the performance of perovskite solar cells: Fundamentals, materials and devices. **2023**, 153, 100727 ○
- 63 Janus monolayer SiXY (X = P, As and Sb, Y = N, P, As) for photocatalytic water splitting. **2023**, 621, 156883 ○
- 62 Black phosphorus quantum dots induce autophagy and apoptosis of human bronchial epithelial cells via endoplasmic reticulum stress. **2023**, 327, 138463 ○
- 61 Structural and electronic properties of hexagonal MXH (M = C, Si, Ge and Sn; X = N, P, As and Sb) monolayers: A first-principles prediction. **2023**, 115710 ○
- 60 An antifouling electrochemical sensor based on multiwalled carbon nanotubes functionalized black phosphorus for highly sensitive detection of carbendazim and corresponding response mechanisms analyses. **2023**, 190, 108671 ○
- 59 Quantum transport of sub-5 nm InSe and In₂SSe monolayers and their heterostructure transistors. **2023**, 15, 3496-3503 ○
- 58 Optoelectronic properties of the two-dimensional h-BN/h-AlN superlattice by first-principles calculation. **2023**, 220, 112044 ○
- 57 Pseudospin-selective Floquet band engineering in black phosphorus. **2023**, 614, 75-80 2
- 56 2D janus niobium oxydihalide NbOXY: Multifunctional piezoelectric semiconductor for electronics, photonics, sensing and sustainable energy applications. **2023**, 31, 101001 ○

- 55 Effect of strain and electric field on electronic structure and optical properties of Ga₂SeTe/In₂Se₃ heterojunction. **2023**, 72, 076301 ○
- 54 Thermal conductivity switch via the reversible 2H-1T phase transition in monolayer MoTe₂. ○
- 53 A Review of Phosphorus Structures as CO₂ Reduction Photocatalysts. 2207840 ○
- 52 Theoretical Analysis of Magnetic Coupling in the Ti₂C Bare MXene. **2023**, 127, 3706-3714 ○
- 51 Triggering superconductivity, semiconducting states, and ternary valley structure in graphene via functionalization with Si-N layers. **2023**, 107, ○
- 50 Highly anisotropic and ultra-diffusive vacancies in Antimonene. **2023**, 15, 4821-4829 ○
- 49 N₂ photofixation promoted by in situ photoinduced dynamic iodine vacancies at step edge in Bi₅O₇I nanotubes. ○
- 48 Coherent coupling between surface plasmons and localized surface plasmons in black phosphorus metamaterials. **2023**, 464, 128708 ○
- 47 Origin of contrasting trends of intrinsic electron mobility with tensile strain in hexagonal MoS₂ and triangular PdSe₂. **2023**, 107, ○
- 46 Degenerate and non-degenerate all-optical switches using violet phosphorus nanosheets. **2023**, 15, 6225-6233 ○
- 45 Two-Dimensional Semiconductors with High Intrinsic Carrier Mobility at Room Temperature. **2023**, 130, ○
- 44 2D Material Infrared Photonics and Plasmonics. **2023**, 17, 4134-4179 1
- 43 Microfluidic immunosensor based on a graphene oxide functionalized double helix microfiber coupler for anti-Müllerian hormone detection. **2023**, 14, 1364 ○
- 42 Trends in the Preparation and Passivation Techniques of Black Phosphorus Nanostructures for Optoelectronics Applications: A Review. **2023**, 6, 3159-3183 ○
- 41 Nhung tien bo ve vat lieu xē tē tēh nēbc khēng chua kim loai quē85, 3-17 ○
- 40 Plasmonic Metasurface Integrated Black Phosphorus-Based Mid-Infrared Photodetector with High Responsivity and Speed. **2023**, 10, ○
- 39 Shift current photovoltaic efficiency of 2D materials. **2023**, 9, ○
- 38 Anomalous thickness dependence of photoluminescence quantum yield in black phosphorus. ○

- 37 Two-dimensional borocarbonitrides for photocatalysis and photovoltaics. **2023**, 11, 3875-3884 ○
- 36 Black Phosphorus as Tunable Van der Waals Quantum Wells with High Optical Quality. **2023**, 17, 6073-6080 ○
- 35 Co₂CrAl Heuslerene: Mechanical, Thermodynamic and Electronic Properties. **2023**, 13, 582 ○
- 34 A first-principles study of 1D and 2D C₆₀ nanostructures: strain effects on band alignments and carrier mobility. **2023**, 35, 225701 ○
- 33 Silver-ion-passivated black phosphorus photodetectors to improve the response time. **2023**, 47, 7432-7437 ○
- 32 Photoelectronics Based on 0D Materials. **2022**, 67, S1-S36 ○
- 31 High-photoresponsivity heterojunction based on MoTe₂/2D electron gas at the LaAlO₃/SrTiO₃ interface. **2023**, 56, 205304 ○
- 30 Role of the band-gap parameter in the characterization of Landau levels in a gapped-phase semi-Dirac system: Monolayer phosphorene. **2023**, 107, ○
- 29 Theoretical insights into the epitaxial growth of black arsenene enabled on GeS(001). **2023**, 35, 244001 ○
- 28 Quasi-One-Dimensional ZrS₃ Nanoflakes for Broadband and Polarized Photodetection with High Tuning Flexibility. **2023**, 15, 16999-17008 ○
- 27 Electronic states of elemental semiconductors. **2022**, ○
- 26 Growth of single-crystal black phosphorus and its alloy films through sustained feedstock release. ○
- 25 High-performance metal electrode-enhanced double parallel p-n heterojunctions photodetector. **2023**, 133, 124502 ○
- 24 Infrared Photodetection from 2D/3D van der Waals Heterostructures. **2023**, 13, 1169 ○
- 23 Two-dimensional C₆X (X = P₂, N₂, NP) with ultra-wide bandgap and high carrier mobility. **2023**, 10, 045602 ○
- 22 Piezoelectric substrate-induced strain engineering on tuning polarized Raman spectra of crystalline black phosphorus. **2023**, 122, 132903 ○
- 21 Unconventional conductivity increase in multilayer black phosphorus. **2023**, 7, ○
- 20 Bismuth telluride, graphene, and silver based surface plasmon resonance biosensor for dental application. **2023**, 55, ○

- 19 C4N4: A symmetry-protected semimetal. **2023**, 224, 112165
- 18 Realizing a Superconducting Square-Lattice Bismuth Monolayer.
- 17 Polarization-Sensitive Photodetection of Anisotropic 2D Black Arsenic.
- 16 Machine-learning-assisted rational design of 2D doped tellurene for fin field-effect transistor devices. **2023**, 4, 100722
- 15 General and transferable tight binding model for two-dimensional Bismuth allotropes. **2023**, 98, 055916
- 14 Geometric, Electronic, and Transport Predictions on Two-Dimensional Semiconducting Silicon with Kagome Lattice: Implications for Nanoscale Field-Effect Transistor Applications.
- 13 High-mobility transport symmetry and effect of strain on electronic and optical properties in few-layer blue phosphorus. **2023**, 224, 112177
- 12 Recent Advances, Properties, Fabrication and Opportunities in Two-Dimensional Materials for their Potential Sustainable Applications. **2023**, 102780
- 11 Two-dimensional Pd₃(AsSe₄)₂ as a photocatalyst for the solar-driven oxygen evolution reaction: a first-principles study. **2023**, 13, 11742-11750
- 10 Enhanced quantum capacitance in Ti, V, Cr, Fe, Ga, Ge, Se, and Br doped arsenene: A first principles investigation. **2023**, 823, 140500
- 9 The electronic and optical properties of silicon doped on arsenic and antimony nanotubes: a first-principles study.
- 8 Stacking effect on the electronic structures of hexagonal GaTe.
- 7 Theoretical Study of Intercalation Effects: Graphene and hBN Layers in Metal and Monolayer Black Phosphorus Contacts.
- 6 MatHub-2d: A database for transport in 2D materials and a demonstration of high-throughput computational screening for high-mobility 2D semiconducting materials.
- 5 Casimir interaction with black phosphorus sheets. **2023**, 31, 15204
- 4 Emerging monoelemental 2D materials (Xenes) for biosensor applications.
- 3 Development of in situ characterization of two-dimensional materials grown on insulator substrates with spectroscopic photoemission and low energy electron microscopy. **2023**, 264, 147318
- 2 Thickness-dependent piezoelectricity of black arsenic from few-layer to monolayer. **2023**, 115175

1 The mechanical, electronic and photocatalytic properties of two novel BCN monolayer.

o