Rapid growth of seed black holes in the early universe b

Science 345, 1330-1333 DOI: 10.1126/science.1251053

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A Physics-Based Charge-Control Model for InP DHBT Including Current-Blocking Effect. Chinese Physics Letters, 2009, 26, 077302. | 1.3 | 11 |
| 2 | Driving the growth of the earliest supermassive black holes with major mergers of host galaxies. Classical and Quantum Gravity, 2014, 31, 244005. | 1.5 | 22 |
| 3 | Seeding high-redshift QSOs by collisional runaway in primordial star clusters. Monthly Notices of the Royal Astronomical Society, 2015, 451, 2352-2369. | 1.6 | 114 |
| 4 | THE CASE FOR SUPERCRITICAL ACCRETION ONTO MASSIVE BLACK HOLES AT HIGH REDSHIFT. Astrophysical Journal, 2015, 804, 148. | 1.6 | 151 |
| 5 | The powerful jet of an off-nuclear intermediate-mass black hole in the spiral galaxy NGC 2276. Monthly Notices of the Royal Astronomical Society, 2015, 448, 1893-1899. | 1.6 | 78 |
| 6 | The growth efficiency of high-redshift black holes. Monthly Notices of the Royal Astronomical Society, 2015, 452, 1922-1933. | 1.6 | 85 |
| 7 | The Tidal Disruption of Stars by Supermassive Black Holes. Springer Theses, 2015, , . | 0.0 | 3 |
| 8 | The chemical evolution of self-gravitating primordial disks. Astronomy and Astrophysics, 2016, 585, A11. | 2.1 | 5 |
| 9 | Formation of Supermassive Black Hole Seeds. Publications of the Astronomical Society of Australia, 2016, 33, . | 1.3 | 113 |
| 10 | The Early Growth of the First Black Holes. Publications of the Astronomical Society of Australia, 2016, 33, . | 1.3 | 46 |
| 11 | New constraints on direct collapse black hole formation in the early Universe. Monthly Notices of the Royal Astronomical Society, 2016, 459, 4209-4217. | 1.6 | 63 |
| 12 | Dark stars: a review. Reports on Progress in Physics, 2016, 79, 066902. | 8.1 | 39 |
| 13 | First identification of direct collapse black hole candidates in the early Universe in CANDELS/GOODS-S. Monthly Notices of the Royal Astronomical Society, 2016, 459, 1432-1439. | 1.6 | 51 |
| 14 | Hyper-Eddington accretion flows on to massive black holes. Monthly Notices of the Royal Astronomical Society, 2016, 459, 3738-3755. | 1.6 | 148 |
| 15 | Hyper-Eddington mass accretion on to a black hole with super-Eddington luminosity. Monthly Notices of the Royal Astronomical Society, 2016, 461, 4496-4504. | 1.6 | 38 |
| 16 | Quasistationary solutions of scalar fields around accreting black holes. Physical Review D, 2016, 94, . | 1.6 | 8 |
| 17 | Observational Signatures of High-Redshift Quasars and Local Relics of Black Hole Seeds. Publications of the Astronomical Society of Australia, 2016, 33, . | 1.3 | 61 |
| 18 | FAINT COSMOS AGNs AT z â^1⁄4 3.3. I. BLACK HOLE PROPERTIES AND CONSTRAINTS ON EARLY BLACK HOLE GROWTH. Astrophysical Journal, 2016, 825, 4. | 1.6 | 16 |

| # | Article | IF | CITATIONS |
|----|--|--------|-----------|
| 19 | A POPULATION OF INTERMEDIATE-MASS BLACK HOLES IN DWARF STARBURST GALAXIES UP TO REDSHIFT = 1.5. Astrophysical Journal, 2016, 817, 20. | 1.6 | 89 |
| 20 | On the physical nature of the source of ultraluminous X-ray pulsations. Astrophysics and Space Science, 2016, 361, 1. | 0.5 | 5 |
| 21 | Searching for intermediate-mass black holes in globular clusters with gravitational microlensing. Monthly Notices of the Royal Astronomical Society, 2016, 460, 2025-2035. | 1.6 | 22 |
| 22 | Intermediate-mass black holes from Population III remnants in the first galactic nuclei. Monthly Notices of the Royal Astronomical Society, 2016, 460, 4122-4134. | 1.6 | 26 |
| 23 | THE JET-POWERED SUPERNOVAE OF â^¼10 ⁵ M _⊙ POPULATION III STARS ARE OBSE BY EUCLID, WFIRST, WISH, AND JWST. Astrophysical Journal, 2016, 823, 83. | RVABLE | 15 |
| 24 | Detecting direct collapse black holes: making the case for CR7. Monthly Notices of the Royal Astronomical Society, 2016, 460, 4003-4010. | 1.6 | 47 |
| 25 | Selection bias in dynamically measured supermassive black hole samples: its consequences and the quest for the most fundamental relation. Monthly Notices of the Royal Astronomical Society, 2016, 460, 3119-3142. | 1.6 | 198 |
| 26 | BULGE-DRIVEN FUELING OF SEED BLACK HOLES. Astrophysical Journal, 2016, 818, 184. | 1.6 | 29 |
| 27 | DOES THE INTERMEDIATE-MASS BLACK HOLE IN LEDAÂ87300 (RGG 118) FOLLOW THE NEAR-QUADRATIC M _{bh} –M _{spheroid} RELATION?. Astrophysical Journal, 2016, 818, 172. | 1.6 | 25 |
| 28 | From the first stars to the first black holes. Monthly Notices of the Royal Astronomical Society, 2016, 457, 3356-3371. | 1.6 | 96 |
| 29 | Bright vigorous winds as signposts of supermassive black hole birth. Monthly Notices of the Royal Astronomical Society, 2016, 455, 2-16. | 1.6 | 17 |
| 30 | Feedback Limits to Maximum Seed Masses of Black Holes. Astrophysical Journal Letters, 2017, 835, L36. | 3.0 | 22 |
| 31 | An intermediate-mass black hole in the centre of the globular cluster 47 Tucanae. Nature, 2017, 542, 203-205. | 13.7 | 149 |
| 32 | Unveiling the First Black Holes With JWST:Multi-wavelength Spectral Predictions. Astrophysical Journal, 2017, 838, 117. | 1.6 | 90 |
| 33 | A universal minimal mass scale for present-day central black holes. Nature Astronomy, 2017, 1, . | 4.2 | 17 |
| 34 | Physical Properties of the First Quasars. Publications of the Astronomical Society of Australia, 2017, 34, . | 1.3 | 40 |
| 35 | The first supermassive black holes. Astronomy and Geophysics, 2017, 58, 3.22-3.26. | 0.1 | 25 |
| 36 | Rapid black hole growth under anisotropic radiation feedback. Monthly Notices of the Royal Astronomical Society, 2017, 469, 62-79. | 1.6 | 34 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Formation of Massive Black Holes in Galactic Nuclei: Runaway Tidal Encounters. Monthly Notices of the Royal Astronomical Society, 0, , stx097. | 1.6 | 63 |
| 38 | Conditions for Optimal Growth of Black Hole Seeds. Astrophysical Journal Letters, 2017, 850, L42. | 3.0 | 60 |
| 39 | On the Accretion Rates and Radiative Efficiencies of the Highest-redshift Quasars. Astrophysical Journal Letters, 2017, 836, L1. | 3.0 | 51 |
| 40 | Stellar Dynamics and Stellar Phenomena Near a Massive Black Hole. Annual Review of Astronomy and Astrophysics, 2017, 55, 17-57. | 8.1 | 103 |
| 41 | Observational evidence for intermediate-mass black holes. International Journal of Modern Physics D, 2017, 26, 1730021. | 0.9 | 175 |
| 42 | Faint progenitors of luminous <i>z</i> Ââ^¼Â6 quasars: Why do not we see them?. Monthly Notices of the Royal Astronomical Society, 2017, 466, 2131-2142. | 1.6 | 28 |
| 43 | The sustainable growth of the first black holes. Monthly Notices of the Royal Astronomical Society, 2017, 471, 589-595. | 1.6 | 33 |
| 44 | On the effect of Lyman α trapping during the initial collapse of massive black hole seeds. Monthly Notices of the Royal Astronomical Society, 2017, 472, 2773-2786. | 1.6 | 10 |
| 45 | Imprints of the super-Eddington accretion on the quasar clustering. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 471, L21-L25. | 1.2 | 5 |
| 46 | Physical Properties of 15 Quasars at zÂ≳Â6.5. Astrophysical Journal, 2017, 849, 91. | 1.6 | 230 |
| 47 | Do stellar winds prevent the formation of supermassive stars by accretion?. Monthly Notices of the Royal Astronomical Society, 2017, 465, 5016-5025. | 1.6 | 10 |
| 48 | Metallicity evolution of direct collapse black hole hosts: CR7 as a case study. Monthly Notices of the Royal Astronomical Society, 2017, 469, 231-236. | 1.6 | 13 |
| 49 | Light or heavy supermassive black hole seeds: the role of internal rotation in the fate of supermassive stars. Monthly Notices of the Royal Astronomical Society, 2017, 464, 2259-2269. | 1.6 | 9 |
| 50 | Lyman–Werner escape fractions from the first galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 467, 2288-2300. | 1.6 | 29 |
| 51 | Chasing the observational signatures of seed black holes at zÂ>Â7: candidate statistics. Monthly Notices of the Royal Astronomical Society, 2018, 474, 3825-3834. | 1.6 | 22 |
| 52 | SMBH Seeds: Model Discrimination with High-energy Emission Based on Scaling Relation Evolution. Astrophysical Journal, 2018, 854, 4. | 1.6 | 6 |
| 53 | An 800-million-solar-mass black hole in a significantly neutral Universe at a redshift of 7.5. Nature, 2018, 553, 473-476. | 13.7 | 726 |
| 54 | A Search for Black Hole Microlensing Signatures in Globular Cluster NGC 6656 (M22). Astrophysical Journal, 2018, 867, 37. | 1.6 | 10 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | CMB spectral distortions from black holes formed by vacuum bubbles. Journal of Cosmology and Astroparticle Physics, 2018, 2018, 059-059. | 1.9 | 21 |
| 56 | Expected intermediate mass black holes in the Virgo cluster. II. Late-type galaxies. Monthly Notices of the Royal Astronomical Society, 0, , . | 1.6 | 19 |
| 57 | Stunted accretion growth of black holes by combined effect of the flow angular momentum and radiation feedback. Monthly Notices of the Royal Astronomical Society, 2018, 478, 3961-3975. | 1.6 | 30 |
| 58 | Modeling the Radio Background from the First Black Holes at Cosmic Dawn: Implications for the 21 cm Absorption Amplitude. Astrophysical Journal, 2018, 868, 63. | 1.6 | 149 |
| 59 | The observational signatures of supermassive black hole seeds. Monthly Notices of the Royal Astronomical Society, 2018, 481, 3278-3292. | 1.6 | 92 |
| 60 | Assembly of supermassive black hole seeds. Monthly Notices of the Royal Astronomical Society, 0, , . | 1.6 | 19 |
| 61 | Rapid growth of black holes accompanied with hot or warm outflows exposed to anisotropic super-Eddington radiation. Monthly Notices of the Royal Astronomical Society, 2018, 476, 673-682. | 1.6 | 34 |
| 62 | Exploring SMBH assembly with semi-analytic modelling. Monthly Notices of the Royal Astronomical Society, 2018, 474, 1995-2011. | 1.6 | 37 |
| 63 | Sowing Black Hole Seeds: Direct Collapse Black Hole Formation with Realistic Lyman–Werner Radiation in Cosmological Simulations. Astrophysical Journal, 2018, 861, 39. | 1.6 | 21 |
| 64 | Massive black hole and Population III galaxy formation in overmassive dark-matter haloes with violent merger histories. Monthly Notices of the Royal Astronomical Society, 2018, 479, 4017-4027. | 1.6 | 28 |
| 65 | J1342+0928 supports the timeline in the <i>R</i> _h = <i>ct</i> cosmology. Astronomy and Astrophysics, 2018, 615, A113. | 2.1 | 5 |
| 66 | Growth problems of stellar black holes in early galaxies. Monthly Notices of the Royal Astronomical Society, 2018, 480, 681-691. | 1.6 | 2 |
| 67 | Looking at cosmic near-infrared background radiation anisotropies. Reviews of Modern Physics, 2018, 90, . | 16.4 | 45 |
| 68 | Titans of the early Universe: The Prato statement on the origin of the first supermassive black holes. Publications of the Astronomical Society of Australia, 2019, 36, . | 1.3 | 114 |
| 69 | Super-Eddington growth of black holes in the early universe: effects of disc radiation spectra. Monthly Notices of the Royal Astronomical Society, 2019, 488, 2689-2700. | 1.6 | 17 |
| 70 | Supermassive black holes in the early universe. Contemporary Physics, 2019, 60, 111-126. | 0.8 | 27 |
| 71 | The seeds of supermassive black holes and the role of local radiation and metal spreading. Publications of the Astronomical Society of Australia, 2019, 36, . | 1.3 | 16 |
| 72 | A new bright <i>z</i> Â=Â6.82 quasar discovered with VISTA: VHS J0411–0907. Monthly Notices of the Royal Astronomical Society, 2019, 484, 5142-5154. | 1.6 | 28 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | X-ray properties of z â‰ ³ 6.5 quasars. Monthly Notices of the Royal Astronomical Society, 2020, 491, 3884-3890. | 1.6 | 26 |
| 74 | Intermediate-Mass Black Holes. Annual Review of Astronomy and Astrophysics, 2020, 58, 257-312. | 8.1 | 294 |
| 75 | The Assembly of the First Massive Black Holes. Annual Review of Astronomy and Astrophysics, 2020, 58, 27-97. | 8.1 | 264 |
| 76 | Very high redshift quasars and the rapid emergence of super-massive black holes. Monthly Notices of the Royal Astronomical Society, 0, , . | 1.6 | 66 |
| 77 | The Role of Gravitational Recoil in the Assembly of Massive Black Hole Seeds. Astrophysical Journal, 2020, 896, 72. | 1.6 | 6 |
| 78 | Concerns regarding the use of black hole shadows as standard rulers. Classical and Quantum Gravity, 2020, 37, 087001. | 1.5 | 91 |
| 79 | The near and mid-infrared photometric properties of known redshift <i>z</i> ≥ 5 quasars. Monthly Notices of the Royal Astronomical Society, 2020, 494, 789-803. | 1.6 | 23 |
| 80 | The emergence of the first star-free atomic cooling haloes in the Universe. Monthly Notices of the Royal Astronomical Society, 2020, 492, 3021-3031. | 1.6 | 16 |
| 81 | Refining the mass estimate for the intermediate-mass black hole candidate in NGC 3319. Publications of the Astronomical Society of Australia, 2021, 38, . | 1.3 | 4 |
| 82 | High-redshift SMBHs can grow from stellar-mass seeds via chaotic accretion. Monthly Notices of the Royal Astronomical Society, 2021, 501, 4289-4297. | 1.6 | 12 |
| 83 | Formation of supermassive black hole seeds in nuclear star clusters via gas accretion and runaway collisions. Monthly Notices of the Royal Astronomical Society, 2021, 503, 1051-1069. | 1.6 | 23 |
| 84 | Origins and demographics of wandering black holes. Monthly Notices of the Royal Astronomical Society, 2021, 503, 6098-6111. | 1.6 | 35 |
| 85 | Forming massive seed black holes in high-redshift quasar host progenitors. Monthly Notices of the Royal Astronomical Society, 2021, 503, 5046-5060. | 1.6 | 31 |
| 86 | Black holes, Planckian granularity, and the changing cosmological â€~constant'. General Relativity and Gravitation, 2021, 53, 1. | 0.7 | 3 |
| 87 | Effect of mass-loss due to stellar winds on the formation of supermassive black hole seeds in dense nuclear star clusters. Monthly Notices of the Royal Astronomical Society, 2021, 505, 2186-2194. | 1.6 | 8 |
| 88 | Seeding Supermassive Black Holes with Self-interacting Dark Matter: A Unified Scenario with Baryons. Astrophysical Journal Letters, 2021, 914, L26. | 3.0 | 31 |
| 89 | Objectives of the Millimetron Space Observatory science program and technical capabilities of its realization. Physics-Uspekhi, 2021, 64, 386-419. | 0.8 | 24 |
| 90 | Estimate of the gravitational-wave background from the observed cosmological distribution of quasars. Physical Review D, 2021, 104, . | 1.6 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Unveiling the Population of Wandering Black Holes via Electromagnetic Signatures. Astrophysical Journal Letters, 2021, 916, L18. | 3.0 | 14 |
| 92 | The origins of massive black holes. Nature Reviews Physics, 2021, 3, 732-743. | 11.9 | 85 |
| 93 | Seeds don't sink: even massive black hole â€~seeds' cannot migrate to galaxy centres efficiently. Monthly Notices of the Royal Astronomical Society, 2021, 508, 1973-1985. | 1.6 | 34 |
| 94 | Galaxy Bulges and Their Massive Black Holes: A Review. Astrophysics and Space Science Library, 2016, , 263-313. | 1.0 | 94 |
| 95 | Unveiling early black hole growth with multifrequency gravitational wave observations. Monthly Notices of the Royal Astronomical Society, 2020, 500, 4095-4109. | 1.6 | 24 |
| 96 | Constraints on stupendously large black holes. Monthly Notices of the Royal Astronomical Society, 2021, 501, 2029-2043. | 1.6 | 43 |
| 97 | A new channel to form IMBHs throughout cosmic time. Monthly Notices of the Royal Astronomical Society, 2020, 501, 1413-1425. | 1.6 | 45 |
| 98 | Black hole formation in the first stellar clusters. , 2019, , 125-143. | | 3 |
| 99 | Making a Supermassive Star by Stellar Bombardment. Astrophysical Journal, 2020, 892, 36. | 1.6 | 47 |
| 100 | Biconical-dominated Accretion Flow onto Seed Black Holes in a Hyperaccretion Regime. Astrophysical Journal, 2020, 905, 92. | 1.6 | 6 |
| 101 | The Active Fraction of Massive Black Holes in Dwarf Galaxies. Astrophysical Journal, 2021, 920, 134. | 1.6 | 14 |
| 102 | The search for the farthest quasar: consequences for black hole growth and seed models. Monthly Notices of the Royal Astronomical Society, 2021, 509, 1885-1891. | 1.6 | 20 |
| 103 | Growth and feedback from the first black holes. , 2019, , 177-194. | | 1 |
| 104 | Submillimeter Signatures from Growing Supermassive Black Holes before Reionization. Astrophysical Journal, 2019, 887, 174. | 1.6 | 3 |
| 105 | Dynamics of intermediate-mass black holes wandering in the milky way galaxy using the illustris TNG50 simulation. Monthly Notices of the Royal Astronomical Society, 2022, 511, 2229-2238. | 1.6 | 9 |
| 106 | Central engine of the highest redshift blazar. Astronomy and Astrophysics, 0, , . | 2.1 | 6 |
| 107 | Formation of supermassive black holes in galactic nuclei – II. Retention and growth of seed intermediate-mass black holes. Monthly Notices of the Royal Astronomical Society, 2022, 511, 2631-2647. | 1.6 | 6 |
| 108 | A measurement of the cosmic expansion within our lifetime. European Journal of Physics, 2022, 43, 035601. | 0.3 | 6 |

| | CITATION R | EPORT | |
|-----|---|--------------------|-------------------|
| # | Article | IF | Citations |
| 109 | Rapid Growth of Seed Black Holes during Early Bulge Formation. Astrophysical Journal, 2022, 927, 237. | 1.6 | 16 |
| 110 | Origin of supermassive black holes in massive metal-poor protoclusters. Monthly Notices of the Royal Astronomical Society, 2022, 512, 6192-6200. | 1.6 | 13 |
| 111 | Potential Black Hole Seeding of the Spiral Galaxy NGC 4424 via an Infalling Star Cluster. Astrophysical Journal, 2021, 923, 146. | 1.6 | 9 |
| 112 | Effects of stellar-mass primordial black holes on first star formation. Monthly Notices of the Royal Astronomical Society, 2022, 514, 2376-2396. | 1.6 | 7 |
| 113 | Detectability of wandering intermediate-mass black holes in the Milky Way galaxy from radio to x-rays. Monthly Notices of the Royal Astronomical Society, 2022, 515, 2110-2120. | 1.6 | 7 |
| 114 | Turbulent cold flows gave birth to the first quasars. Nature, 2022, 607, 48-51. | 13.7 | 37 |
| 115 | A Simple Condition for Sustained Super-Eddington Black Hole Growth. Astrophysical Journal, 2022, 934, 58. | 1.6 | 2 |
| 116 | Observational Manifestations of First Galaxies in the Far Infrared Range. Astrophysics, 2022, 65, 161-181. | 0.1 | 2 |
| 117 | ĐĐ°Đ±Đ»ÑŽĐʹаÑ,ĐμĐ»ÑŒĐ½Ñ‹Đμ Đ¿Ñ€Đ¾ÑĐ²Đ»ĐμĐ½Đ,Ñ•Đ¿ĐμÑ€Đ²Ñ‹Ñ Đ³Đ°Đ»Đ°Đ°Ñ,Đ,Đº Đ² Đʹаł | лÑ Œ₽Ð ¹∕2€ | е Ð ¼ Ð,нÍ |
| 118 | Cosmological 21-cm line observations to test scenarios of super-Eddington accretion on to black holes being seeds of high-redshifted supermassive black holes. Physical Review D, 2022, 106, . | 1.6 | 8 |
| 119 | Dwarf AGNs from variability for the origins of seeds (DAVOS): Intermediate-mass black hole demographics from optical synoptic surveys. Monthly Notices of the Royal Astronomical Society, 2022, 518, 1880-1904. | 1.6 | 8 |
| 120 | Accelerated Growth of Seed Black Holes by Dust in the Early Universe. Astrophysical Journal, 2022, 936, 116. | 1.6 | 2 |

| | 550,110. | | |
|-----|--|-----|-----|
| 121 | Observational signatures of massive black hole progenitor pathways: could Leo I be a smoking gun?. Monthly Notices of the Royal Astronomical Society, 2022, 518, 5997-6003. | 1.6 | 4 |
| 122 | How long do high redshift massive black hole seeds remain outliers in black hole versus host galaxy relations?. Monthly Notices of the Royal Astronomical Society, 2022, 519, 2155-2168. | 1.6 | 2 |
| 123 | A Candid Assessment of Standard Cosmology. Publications of the Astronomical Society of the Pacific, 2022, 134, 121001. | 1.0 | 14 |
| 124 | Astrophysics with the Laser Interferometer Space Antenna. Living Reviews in Relativity, 2023, 26, . | 8.2 | 107 |