

CITATION REPORT

List of articles citing

High secondary aerosol contribution to particulate pollution during haze events in China

DOI: 10.1038/nature13774
Nature, 2014, 514, 218-22.

Source: <https://exaly.com/paper-pdf/59370864/citation-report.pdf>

Version: 2024-04-16

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2311	.		
2310	Episode-Based Evolution Pattern Analysis of Haze Pollution: Method Development and Results from Beijing, China.		
2309	Contributions of City-Specific Fine Particulate Matter (PM _{2.5}) to Differential In Vitro Oxidative Stress and Toxicity Implications between Beijing and Guangzhou of China.		
2308	Evidence of aerosols as a media for rapid daytime HONO production over China. 2014 , 48, 14386-91		60
2307	Chemical composition of aerosol particles and light extinction apportionment before and during the heating season in Beijing, China. 2015 , 120, 12708-12722		74
2306	Seasonal variation of local atmospheric circulations and boundary layer structure in the Beijing-Tianjin-Hebei region and implications for air quality. 2015 , 7, 1602-1626		87
2305	Chemical composition, sources and evolution processes of aerosol at an urban site in Yangtze River Delta, China during wintertime. 2015 , 123, 339-349		50
2304	Fine particulate matter (PM 2.5) in China at a city level. 2015 , 5, 14884		483
2303	Modeling study of source contributions and emergency control effects during a severe haze episode over the Beijing-Tianjin-Hebei area. 2015 , 58, 1403-1415		22
2302	Haze formation in China: Importance of secondary aerosol. 2015 , 33, 261-2		11
2301	The air quality of Beijing-Tianjin-Hebei regions around the Asia-Pacific Economic Cooperation (APEC) meetings. 2015 , 6, 1066-1072		16
2300	Biomass burning emissions contaminate winter snowfalls in urban Beijing: A case study in 2012. 2015 , 6, 376-381		10
2299	Dicarboxylic acids, ketocarboxylic acids, dicarbonyls, fatty acids and benzoic acid in PM _{2.5} ; aerosol collected during CAREBeijing-2007: an effect of traffic restriction on air quality. 2015 , 15, 3111-3123		52
2298	Aerosol composition and sources during the Chinese Spring Festival: fireworks, secondary aerosol, and holiday effects. 2015 , 15, 6023-6034		96
2297	Investigating the annual behaviour of submicron secondary inorganic and organic aerosols in London. 2015 , 15, 6351-6366		37
2296	Characterization of ambient volatile organic compounds and their sources in Beijing, before, during, and after Asia-Pacific Economic Cooperation China 2014. 2015 , 15, 7945-7959		82
2295	Particulate matter, air quality and climate: lessons learned and future needs. 2015 , 15, 8217-8299		462

2294	Patterns in atmospheric carbonaceous aerosols in China: emission estimates and observed concentrations. 2015 , 15, 8657-8678	27
2293	VOC species and emission inventory from vehicles and their SOA formation potentials estimation in Shanghai, China. 2015 , 15, 11081-11096	54
2292	Characteristics and sources of submicron aerosols above the urban canopy (260 m) in Beijing, China, during the 2014 APEC summit. 2015 , 15, 12879-12895	80
2291	Changes in chemical components of aerosol particles in different haze regions in China from 2006 to 2013 and contribution of meteorological factors. 2015 , 15, 12935-12952	99
2290	Limited effect of anthropogenic nitrogen oxides on secondary organic aerosol formation. 2015 , 15, 13487-13506	96
2289	Aerosol composition, oxidation properties, and sources in Beijing: results from the 2014 Asia-Pacific Economic Cooperation summit study. 2015 , 15, 13681-13698	95
2288	Long-term real-time measurements of aerosol particle composition in Beijing, China: seasonal variations, meteorological effects, and source analysis. 2015 , 15, 10149-10165	251
2287	Advantages of a city-scale emission inventory for urban air quality research and policy: the case of Nanjing, a typical industrial city in the Yangtze River Delta, China. 2015 , 15, 12623-12644	40
2286	Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode of 2013. 2015 , 15, 1299-1312	129
2285	Simulating aerosol-radiation-cloud feedbacks on meteorology and air quality over eastern China under severe haze conditions in winter. 2015 , 15, 2387-2404	82
2284	Sources, transformation, and health implications of PAHs and their nitrated, hydroxylated, and oxygenated derivatives in PM _{2.5} in Beijing. 2015 , 120, 7219-7228	135
2283	Characteristics of Black Carbon Aerosol during the Chinese Lunar Year and Weekdays in Xi'an, China. 2015 , 6, 195-208	10
2282	Characteristics of Organic and Elemental Carbon in PM _{2.5} and PM _{0.25} in Indoor and Outdoor Environments of a Middle School: Secondary Formation of Organic Carbon and Sources Identification. 2015 , 6, 361-379	14
2281	Characteristics of PM ₁₀ and PM _{2.5} at Mount Wutai Buddhism Scenic Spot, Shanxi, China. 2015 , 6, 1195-1210	10
2280	Human Excreta as a Stable and Important Source of Atmospheric Ammonia in the Megacity of Shanghai. 2015 , 10, e0144661	22
2279	The chemokine CXCL13 in lung cancers associated with environmental polycyclic aromatic hydrocarbons pollution. 2015 , 4,	35
2278	ACTRIS ACSM intercomparison [Part 2: Intercomparison of ME-2 organic source apportionment results from 15 individual, co-located aerosol mass spectrometers. 2015 , 8, 2555-2576	92
2277	The promotion effect of isolated potassium atoms with hybridized orbitals in catalytic oxidation. 2015 , 51, 9888-91	41

2276	Pollution Properties of Water-Soluble Secondary Inorganic Ions in Atmospheric PM _{2.5} in the Pearl River Delta Region. 2015 , 15, 1737-1747	23
2275	Scaling-up Strategy as an Appropriate Approach for Sustainable New Town Development? Lessons from Wujin, Changzhou, China. 2015 , 7, 5682-5704	13
2274	Limited nanospace for growth of Ni/Mn composite oxide nanocrystals with enhanced catalytic activity for deep oxidation of benzene. 2015 , 258, 148-155	22
2273	ACTRIS ACSM intercomparison [Part 2: Intercomparison of ME-2 organic source apportionment results from 15 individual, co-located aerosol mass spectrometers. 2015 ,	7
2272	Evaluating PM _{2.5} at a Construction Site Using Terahertz Radiation. 2015 , 5, 1028-1034	18
2271	Assessing Beijing's PM _{2.5} pollution: severity, weather impact, APEC and winter heating. 2015 , 471, 20150257	106
2270	Nanoparticle pollution and associated increasing potential risks on environment and human health: a case study of China. 2015 , 22, 19297-306	28
2269	To what extent can China's near-term air pollution control policy protect air quality and human health? A case study of the Pearl River Delta region. 2015 , 10, 104006	46
2268	Water Requirements for Shale Gas Fracking in Fuling, Chongqing, Southwest China. 2015 , 76, 106-112	22
2267	Source apportionment of PM _{2.5} in top polluted cities in Hebei, China using the CMAQ model. 2015 , 122, 723-736	90
2266	Emission factors of fine particles, carbonaceous aerosols and traces gases from road vehicles: Recent tests in an urban tunnel in the Pearl River Delta, China. 2015 , 122, 876-884	64
2265	A heavy haze episode in Beijing in February of 2014: Characteristics, origins and implications. 2015 , 6, 867-876	28
2264	Occurrence, gas/particle partitioning and carcinogenic risk of polycyclic aromatic hydrocarbons and their oxygen and nitrogen containing derivatives in Xi'an, central China. 2015 , 505, 814-22	112
2263	Seasonal variation of urban carbonaceous aerosols in a typical city Nanjing in Yangtze River Delta, China. 2015 , 106, 223-231	75
2262	A multiyear assessment of air quality benefits from China's emerging shale gas revolution: Urumqi as a case study. 2015 , 49, 2066-72	28
2261	Long-range transport and regional sources of PM _{2.5} in Beijing based on long-term observations from 2005 to 2010. 2015 , 157, 37-48	132
2260	Transparent air filter for high-efficiency PM _{2.5} capture. 2015 , 6, 6205	525
2259	Low temperature catalytic oxidation of volatile organic compounds: a review. 2015 , 5, 2649-2669	463

2258	Regionally-varying combustion sources of the January 2013 severe haze events over eastern China. 2015 , 49, 2038-43	166
2257	Promotional effect of Ce on Cu-SAPO-34 monolith catalyst for selective catalytic reduction of NOx with ammonia. 2015 , 398, 304-311	55
2256	Radiocarbon-based impact assessment of open biomass burning on regional carbonaceous aerosols in North China. 2015 , 518-519, 1-7	34
2255	Evaluation of Policy Influence on Long-Term Indoor Air Quality in Emperor Qin's Terra-Cotta Museum, China. 2015 , 6, 474-489	
2254	Projecting Fine Particulate Matter-Related Mortality in East China. 2015 , 49, 11141-50	58
2253	Techniques and instruments used for real-time analysis of atmospheric nanoscale molecular clusters: A review. 2015 , 1, 33-38	6
2252	Impacts of mountains on black carbon aerosol under different synoptic meteorology conditions in the Guanzhong region, China. 2015 , 164-165, 286-296	22
2251	Source Apportionment of Elemental Carbon in Beijing, China: Insights from Radiocarbon and Organic Marker Measurements. 2015 , 49, 8408-15	62
2250	Characteristics of PM2.5 in Miyun, the northeastern suburb of Beijing: chemical composition and evaluation of health risk. 2015 , 22, 16688-99	31
2249	Cerium promotion on the hydrocarbon resistance of a Cu-SAPO-34 NH3-SCR monolith catalyst. 2015 , 5, 4511-4521	33
2248	Characterization and source apportionment of health risks from ambient PM10 in Hong Kong over 2000-2011. 2015 , 122, 892-899	22
2247	Kinetics of synthesis of polyoxymethylene dimethyl ethers from paraformaldehyde and dimethoxymethane catalyzed by ion-exchange resin. 2015 , 134, 758-766	65
2246	Toxicity of aged gasoline exhaust particles to normal and diseased airway epithelia. 2015 , 5, 11801	60
2245	Integrated reactive nitrogen budgets and future trends in China. 2015 , 112, 8792-7	283
2244	Heterogeneous Kinetics of cis-Pinonic Acid with Hydroxyl Radical under Different Environmental Conditions. 2015 , 119, 6583-93	18
2243	Variations in PM2.5, TSP, BC, and trace gases (NO2, SO2, and O3) between haze and non-haze episodes in winter over Xi'an, China. 2015 , 112, 64-71	82
2242	Multiphase chemistry at the atmosphere-biosphere interface influencing climate and public health in the anthropocene. 2015 , 115, 4440-75	326
2241	Characterization of fine particulate matter in ambient air by combining TEM and multiple spectroscopic techniques--NMR, FTIR and Raman spectroscopy. 2015 , 17, 552-60	12

2240	Emission characteristics of carbonaceous particles and trace gases from open burning of crop residues in China. 2015 , 123, 399-406	95
2239	Formation of urban fine particulate matter. 2015 , 115, 3803-55	717
2238	Pro-growth giant business, lock in, sustainable urban development and effect on local political economy: the case of petrochemical industry at Nanjing. 2015 , 107, 324-332	10
2237	Is it time to tackle PM(2.5) air pollutions in China from biomass-burning emissions?. 2015 , 202, 217-9	48
2236	Reply to Cao and Zhang: Tightening nonfossil emissions alone is inefficient for PM2.5 mitigation in China. 2015 , 112, E1403	3
2235	Tightening nonfossil emissions control: A potential opportunity for PM2.5 mitigation in China. 2015 , 112, E1402	6
2234	Regenerable fluorescent nanosensors for monitoring and recovering metal ions based on photoactivatable monolayer self-assembly and host-guest interactions. 2015 , 7, 8868-75	19
2233	Aerosol chemical composition and light scattering during a winter season in Beijing. 2015 , 110, 36-44	58
2232	Source attribution of particulate matter pollution over North China with the adjoint method. 2015 , 10, 084011	92
2231	In situ study of the mechanical properties of airborne haze particles. 2015 , 58, 2046-2051	5
2230	Organic tracer-based source analysis of PM2.5 organic and elemental carbon: A case study at Dongguan in the Pearl River Delta, China. 2015 , 118, 164-175	44
2229	Source apportionment of PM10 mass and particulate carbon in the Kathmandu Valley, Nepal. 2015 , 123, 190-199	48
2228	Indoor air quality at five site museums of Yangtze River civilization. 2015 , 123, 449-454	15
2227	Laboratory Evaluation and Calibration of Three Low-Cost Particle Sensors for Particulate Matter Measurement. 2015 , 49, 1063-1077	217
2226	Chemical composition and acidity of size-fractionated inorganic aerosols of 2013-14 winter haze in Shanghai and associated health risk of toxic elements. 2015 , 122, 259-271	49
2225	Effect of heterogeneous aqueous reactions on the secondary formation of inorganic aerosols during haze events. 2015 , 122, 306-312	87
2224	Real-Time Characterization of Aerosol Particle Composition above the Urban Canopy in Beijing: Insights into the Interactions between the Atmospheric Boundary Layer and Aerosol Chemistry. 2015 , 49, 11340-7	87
2223	Effect of selective catalytic reduction (SCR) on fine particle emission from two coal-fired power plants in China. 2015 , 120, 227-233	59

2222	Political-economy based institutional industry complex and sustainable development: The case of the salt-chemical industry in Huai _n , China. 2015 , 87, 39-47	6
2221	Characterization of submicron aerosols and effect on visibility during a severe haze-fog episode in Yangtze River Delta, China. 2015 , 120, 307-316	103
2220	Significant concentration changes of chemical components of PM1 in the Yangtze River Delta area of China and the implications for the formation mechanism of heavy haze-fog pollution. 2015 , 538, 7-15	44
2219	PM 2.5 pollution episode and its contributors from 2011 to 2013 in urban Shanghai, China. 2015 , 123, 298-305	40
2218	VOC from Vehicular Evaporation Emissions: Status and Control Strategy. 2015 , 49, 14424-31	60
2217	Source apportionment of atmospheric PAHs and their toxicity using PMF: Impact of gas/particle partitioning. 2015 , 103, 114-120	54
2216	New particle formation in the fresh flue gas plume increase the effective particle number emissions of a coal-fired power plant. 2016 ,	
2215	Air Quality Improvement in a Megacity: Implications from 2015 Beijing Parade Blue Pollution-Control Actions. 2016 ,	
2214	Characteristics of Haze Pollution Episodes and Analysis of a Typical Winter Haze Process in Shanghai. 2016 , 16, 1625-1637	19
2213	Biomass burning contribution to regional PM _{2.5} during winter in the North China. 2016 ,	1
2212	Modeling Biogenic and Anthropogenic Secondary Organic Aerosol in China. 2016 ,	1
2211	Atmospheric Signature and Potential Sources of Rare Earth Elements in Size-Resolved Particulate Matter in a Megacity of China. 2016 , 16, 2085-2095	11
2210	Validation of OMI, GOME-2A and GOME-2B tropospheric NO ₂ , SO ₂ and HCHO products using MAX-DOAS observations from 2011 to 2014 in Wuxi, China. 2016 ,	4
2209	Development of a high-resolution emission inventory and its evaluation through air quality modeling for Jiangsu Province, China. 2016 ,	1
2208	Differences in the effects of Asian dust on pulmonary function between adult patients with asthma and those with asthma-chronic obstructive pulmonary disease overlap syndrome. 2016 , 11, 183-90	7
2207	Isotopic partitioning of nitrogen in PM _{2.5} at Beijing and a background site of China. 2016 ,	1
2206	Characteristics and Relationships between Indoor and Outdoor PM2.5 in Beijing: A Residential Apartment Case Study. 2016 , 16, 2386-2395	20
2205	Wintertime organic and inorganic aerosols in Lanzhou, China: Sources, processes and comparison with the results during summer. 2016 ,	2

- 2204 Sources and atmospheric processing of wintertime aerosols in Seoul, Korea: Insights from real-time measurements using a high-resolution aerosol mass spectrometer. **2016,**
- 2203 Regional Characteristics of Air Pollutants during Heavy Haze Events in the Yangtze River Delta, China. **2016,** 16, 2159-2171 11
- 2202 Primary and secondary aerosols in Beijing in winter: sources, variations and processes. **2016,**
- 2201 Accuracy of Advanced and Traditional Three-Way Factor Analysis Models for Determining Source Contributions to Particulate Matter. **2016,** 16, 2512-2522 1
- 2200 Effects of Size-Fractionated Particulate Matter on Cellular Oxidant Radical Generation in Human Bronchial Epithelial BEAS-2B Cells. **2016,** 13, 25
- 2199 The variation characteristics and possible sources of atmospheric water-soluble ions in Beijing. **2016,**
- 2198 Isotopic composition for source identification of mercury in atmospheric fine particles. **2016,**
- 2197 Typical synoptic situations and their impacts on the wintertime air pollution in the Guanzhong basin, China. **2016,** 0
- 2196 Significant concentrations of nitryl chloride sustained in the morning: Investigations of the causes and impacts on ozone production in a polluted region of northern China. **2016,** 3
- 2195 Characterization and source apportionment of organic aerosol using offline aerosol mass spectrometry. **2016,** 9, 23-39 86
- 2194 Significant concentrations of nitryl chloride sustained in the morning: investigations of the causes and impacts on ozone production in a polluted region of northern China. **2016,** 16, 14959-14977 103
- 2193 Atmospheric aerosol compositions and sources at two national background sites in northern and southern China. **2016,**
- 2192 Research into Haze Removal Method Based on Diffusion and Relative Motion. **2016,** 16, 1757-1763 2
- 2191 Direct observations of organic aerosols in common wintertime hazes in North China: insights into their size, shape, mixing state, and source. **2016,** 1
- 2190 Simulations of Organic Aerosol Concentrations during Springtime in the Guanzhong Basin, China. **2016,**
- 2189 Heterogeneous reactions of NO_2 with CaCO_3 , $(\text{NH}_4)_2\text{SO}_4$ mixtures at different relative humidities. **2016,**
- 2188 Effect of Uncertainty on Source Contributions from the Positive Matrix Factorization Model for a Source Apportionment Study. **2016,** 16, 1665-1674 4
- 2187 Observation of atmospheric peroxides during Wangdu Campaign 2014 at a rural site in the North China Plain. **2016,**

2186	Modelling winter organic aerosol at the European scale with CAMx: evaluation and source apportionment with a VBS parameterization based on novel wood burning smog chamber experiments og. 2016,	
2185	Characteristics of Atmospheric Compositions in the Background Area of Yangtze River Delta during Heavy Air Pollution Episode. 2016, 2016, 1-13	1
2184	A Long-Term Prediction Model of Beijing Haze Episodes Using Time Series Analysis. 2016, 2016, 6459873	5
2183	Process Contributions to Secondary Inorganic Aerosols during Typical Pollution Episodes over the Pearl River Delta Region, China. 2016, 16, 2129-2144	11
2182	The Impact of Fuel Properties from Chinese Market on the Particulate and VOCs Emissions of a PFI and a DIG Engine. 2016,	12
2181	Evaluation of the absorption Angstr\AA exponents for traffic and wood burning in the Aethalometer based source apportionment using radiocarbon measurements of ambient aerosol. 2016,	6
2180	Chamber simulation on the formation of secondary organic aerosols (SOA) from diesel vehicle exhaust in China. 2016,	3
2179	Characteristics of PM10 Chemical Source Profiles for Geological Dust from the South-West Region of China. 2016, 7, 146	3
2178	Seasonal Variations and Sources of 17 Aerosol Metal Elements in Suburban Nanjing, China. 2016, 7, 153	33
2177	Preliminary Assessment of Health Risks of Potentially Toxic Elements in Settled Dust over Beijing Urban Area. 2016, 13,	24
2176	Spatial and Temporal Variations of PM2.5 and Its Relation to Meteorological Factors in the Urban Area of Nanjing, China. 2016, 13,	76
2175	Air Pollution Control Policies in China: A Retrospective and Prospects. 2016, 13,	195
2174	What Causes Haze Pollution? An Empirical Study of PM2.5 Concentrations in Chinese Cities. 2016, 8, 132	53
2173	Effects of the Post-Olympics Driving Restrictions on Air Quality in Beijing. 2016, 8, 902	15
2172	Wintertime organic and inorganic aerosols in Lanzhou, China: sources, processes, and comparison with the results during summer. 2016, 16, 14937-14957	63
2171	Multi-pollutants emissions from the burning of major agricultural residues in China and the related health-economic effect assessment. 2016,	
2170	Aircraft observations of water-soluble dicarboxylic acids in the aerosols over China. 2016,	
2169	Molecular distributions and stable carbon isotope compositions of oxalic acid and related SOA in Beijing before, during and after the 2014 APEC. 2016,	

2168	Black carbon and wavelength-dependent aerosol absorption in the North China Plain based on two-year aethalometer measurements. 2016 , 142, 132-144	72
2167	Characteristics and mixing state of S-rich particles in haze episodes in Beijing. 2016 , 10, 1	6
2166	VOC characteristics, emissions and contributions to SOA formation during hazy episodes. 2016 , 141, 560-570	117
2165	Fabrication of high performance oxygen sensors using multilayer oxides with high interfacial conductivity. 2016 , 4, 11422-11429	10
2164	Nighttime chemistry at a high altitude site above Hong Kong. 2016 , 121, 2457-2475	61
2163	Chemical profiles of urban fugitive dust PM _{2.5} samples in Northern Chinese cities. 2016 , 569-570, 619-626	78
2162	Trans-boundary aerosol transport during a winter haze episode in China revealed by ground-based Lidar and CALIPSO satellite. 2016 , 141, 20-29	56
2161	Spiers Memorial Lecture. Introductory lecture: chemistry in the urban atmosphere. 2016 , 189, 9-29	5
2160	Aerosol characterization over the North China Plain: Haze life cycle and biomass burning impacts in summer. 2016 , 121, 2508-2521	79
2159	Decadal variability in the occurrence of wintertime haze in central eastern China tied to the Pacific Decadal Oscillation. 2016 , 6, 27424	59
2158	Reconstruction of atmospheric soot history in inland regions from lake sediments over the past 150 years. 2016 , 6, 19151	25
2157	"APEC Blue": Secondary Aerosol Reductions from Emission Controls in Beijing. 2016 , 6, 20668	132
2156	Temporal variations of black carbon during haze and non-haze days in Beijing. 2016 , 6, 33331	31
2155	Spatial and seasonal variations of secondary organic aerosol from terpenoids over China. 2016 , 121, 14,661-14,678	678
2154	Differences in allergic inflammatory responses in murine lungs: comparison of PM _{2.5} and coarse PM collected during the hazy events in a Chinese city. 2016 , 28, 706-718	13
2153	Implications of RCP emissions on future PM _{2.5} air quality and direct radiative forcing over China. 2016 , 121, 12,985-13,008	26
2152	Reactive nitrogen chemistry in aerosol water as a source of sulfate during haze events in China. 2016 , 2, e1601530	608
2151	Rapid formation and evolution of an extreme haze episode in Northern China during winter 2015. 2016 , 6, 27151	131

2150	PAH contamination in Beijing's topsoil: A unique indicator of the megacity's evolving energy consumption and overall environmental quality. 2016 , 6, 33245	14
2149	Characterization and parameterization of aerosol cloud condensation nuclei activation under different pollution conditions. 2016 , 6, 24497	30
2148	Pigeons home faster through polluted air. 2016 , 6, 18989	8
2147	Inter-comparison of Seasonal Variation, Chemical Characteristics, and Source Identification of Atmospheric Fine Particles on Both Sides of the Taiwan Strait. 2016 , 6, 22956	25
2146	Effect of heavy haze and aerosol pollution on rice and wheat productions in China. 2016 , 6, 29612	80
2145	On the source contribution to Beijing PM2.5 concentrations. 2016 , 134, 84-95	114
2144	Amphiphobic Polytetrafluoroethylene Membranes for Efficient Organic Aerosol Removal. 2016 , 8, 8773-81	31
2143	Seasonal and regional variations of source contributions for PM10 and PM2.5 in urban environment. 2016 , 557-558, 697-704	28
2142	Effect of Asian dust on pulmonary function in adult asthma patients in western Japan: A panel study. 2016 , 65, 147-152	13
2141	Chemical characteristics of fine particles and their impact on visibility impairment in Shanghai based on a 1-year period observation. 2016 , 48, 151-160	32
2140	Application of fault tree approach for the causation mechanism of urban haze in Beijing--Considering the risk events related with exhausts of coal combustion. 2016 , 544, 1128-35	26
2139	Identification of chemical compositions and sources of atmospheric aerosols in Xi'an, inland China during two types of haze events. 2016 , 566-567, 230-237	28
2138	The distribution of PM10 and PM2.5 carbonaceous aerosol in Baotou, China. 2016 , 178-179, 102-113	26
2137	Catalytic Control of Typical Particulate Matters and Volatile Organic Compounds Emissions from Simulated Biomass Burning. 2016 , 50, 5825-31	22
2136	Characterization of haze episodes and factors contributing to their formation using a panel model. 2016 , 149, 320-7	12
2135	Influence of pollution control on lead inhalation bioaccessibility in PM2.5: A case study of 2014 Youth Olympic Games in Nanjing. 2016 , 94, 69-75	54
2134	Chemical composition and source apportionment of PM10 and PM2.5 in different functional areas of Lanzhou, China. 2016 , 40, 75-83	49
2133	Fossil and Nonfossil Sources of Organic and Elemental Carbon Aerosols in the Outflow from Northeast China. 2016 , 50, 6284-92	31

2132	Comparison of atmospheric nitrous acid during severe haze and clean periods in Beijing, China. 2016 , 124, 199-206	67
2131	Carbonaceous aerosols in megacity Xi'an, China: Implications of thermal/optical protocols comparison. 2016 , 132, 58-68	32
2130	Contribution of regional transport to the black carbon aerosol during winter haze period in Beijing. 2016 , 132, 11-18	49
2129	Sources of organic matter (PAHs and n-alkanes) in PM _{2.5} of Beijing in haze weather analyzed by combining the C-N isotopic and PCA-MLR analyses. 2016 , 18, 314-22	14
2128	Enhanced haze pollution by black carbon in megacities in China. 2016 , 43, 2873-2879	399
2127	Modeling and analysis of PM _{2.5} generation for key factors identification in China. 2016 , 134, 208-216	11
2126	Impacts of crystal metal on secondary aliphatic amine aerosol formation during dust storm episodes in Beijing. 2016 , 128, 227-234	11
2125	Real time analysis of lead-containing atmospheric particles in Beijing during springtime by single particle aerosol mass spectrometry. 2016 , 154, 454-462	24
2124	Highly Selective Conversion of Cellobiose and Cellulose to Hexitols by Ru-Based Homogeneous Catalyst under Acidic Conditions. 2016 , 55, 5263-5270	9
2123	Preparation of Nanofibrous Metal-Organic Framework Filters for Efficient Air Pollution Control. 2016 , 138, 5785-8	417
2122	Azaarenes in fine particulate matter from the atmosphere of a Chinese megacity. 2016 , 23, 16025-36	14
2121	Source regional contributions to PM _{2.5} in a megacity in China using an advanced source regional apportionment method. 2016 , 147, 256-63	32
2120	Nanofiber Air Filters with High-Temperature Stability for Efficient PM _{2.5} Removal from the Pollution Sources. 2016 , 16, 3642-9	344
2119	Increasing heavy metals in the background atmosphere of central North China since the 1980s: Evidence from a 200-year lake sediment record. 2016 , 138, 183-190	36
2118	Spatial linkage analysis of the impact of regional economic activities on PM _{2.5} pollution in China. 2016 , 139, 1157-1167	142
2117	Source insights into the 11-h daytime and nighttime fine ambient particulate matter in China as well as the synthetic studies using the new Multilinear Engine 2-species ratios (ME2-SR) method. 2016 , 181, 304-311	2
2116	Spatial distributions and chemical properties of PM _{2.5} based on 21 field campaigns at 17 sites in China. 2016 , 159, 480-487	42
2115	Characterization, mixing state, and evolution of urban single particles in Xi'an (China) during wintertime haze days. 2016 , 573, 937-945	26

2114	Characteristics of chemical components in PM _{2.5} at a plateau city, South-west China. 2016 , 10, 1	4
2113	Distributions of SO and NO in the lower atmosphere of an industrial area in Bhutan. 2016 , 51, 1278-1287	0
2112	Pattern of atmospheric mercury speciation during episodes of elevated PM _{2.5} levels in a coastal city in the Yangtze River Delta, China. 2016 , 218, 259-268	24
2111	Intense secondary aerosol formation due to strong atmospheric photochemical reactions in summer: observations at a rural site in eastern Yangtze River Delta of China. 2016 , 571, 1454-66	72
2110	Formation of the H ₂ SO ₄ [HSO ₄] dimer in the atmosphere as a function of conditions: a simulation study. 2016 , 114, 3475-3482	4
2109	Capture of submicrometer particles in a pressurized electrostatic precipitator. 2016 , 50, 1115-1129	3
2108	Long-term observation of air pollution-weather/climate interactions at the SORPES station: a review and outlook. 2016 , 10, 1	48
2107	Physicochemical characteristics of black carbon aerosol and its radiative impact in a polluted urban area of China. 2016 , 121, 12,505-12,519	33
2106	Insights into different nitrate formation mechanisms from seasonal variations of secondary inorganic aerosols in Shanghai. 2016 , 145, 1-9	34
2105	Distinct weekly cycles of thunderstorms and a potential connection with aerosol type in China. 2016 , 43, 8760-8768	19
2104	More than 500 million Chinese urban residents (14% of the global urban population) are imperiled by fine particulate hazard. 2016 , 218, 558-562	27
2103	PM pollution is substantially affected by ammonia emissions in China. 2016 , 218, 86-94	131
2102	Concentration and size distribution of particulate oxalate in marine and coastal atmospheres □ Implication for the increased importance of oxalate in nanometer atmospheric particles. 2016 , 142, 19-31	16
2101	Transported vs. local contributions from secondary and biomass burning sources to PM _{2.5} . 2016 , 144, 24-36	26
2100	The observation-based relationships between PM _{2.5} and AOD over China. 2016 , 121, 10,701-10,716	35
2099	The importance of non-fossil sources in carbonaceous aerosols in a megacity of central China during the 2013 winter haze episode: A source apportionment constrained by radiocarbon and organic tracers. 2016 , 144, 60-68	22
2098	Variations of fine particle physiochemical properties during a heavy haze episode in the winter of Beijing. 2016 , 571, 103-9	28
2097	Evolution of secondary inorganic and organic aerosols during transport: A case study at a regional receptor site. 2016 , 218, 794-803	15

2096	Effects of silica additive on the NH ₃ -SCR activity and thermal stability of a V ₂ O ₅ /WO ₃ -TiO ₂ catalyst. 2016 , 37, 1340-1346	32
2095	Particulate matter and gaseous pollutions in three megacities over China: Situation and implication. 2016 , 140, 476-494	46
2094	Vulnerability assessment of atmospheric environment driven by human impacts. 2016 , 571, 778-90	19
2093	Vertical structure of foggy haze over the Beijing-Tianjin-Hebei area in January 2013. 2016 , 139, 192-204	17
2092	Semi-coke briquettes: towards reducing emissions of primary PM _{2.5} , particulate carbon, and carbon monoxide from household coal combustion in China. 2016 , 6, 19306	70
2091	Characterizing PM _{2.5} in Beijing and Shanxi Province using terahertz radiation. 2016 , 9, 544-548	
2090	The air quality and health impacts of domestic trans-boundary pollution in various regions of China. 2016 , 97, 117-124	69
2089	Long-term trend and spatial pattern of PM induced premature mortality in China. 2016 , 97, 180-186	96
2088	Nonpolar organic compounds as PM _{2.5} source tracers: Investigation of their sources and degradation in the Pearl River Delta, China. 2016 , 121, 11,862-11,879	15
2087	Effect of the pollution control measures on PM during the 2015 China Victory Day Parade: Implication from water-soluble ions and sulfur isotope. 2016 , 218, 230-241	32
2086	Investigation of sources of atmospheric polycyclic aromatic hydrocarbons at Mount Lushan in southern China. 2016 , 121, 3050-3061	4
2085	Impact of aerosol direct effect on East Asian air quality during the EAST-AIRE campaign. 2016 , 121, 6534-6554	21
2084	Diverse origins and pre-depositional histories of organic matter in contemporary Chinese marginal sea sediments. 2016 , 191, 70-88	59
2083	Combustion Chemistry Diagnostics for Cleaner Processes. 2016 , 22, 13390-401	12
2082	Chemical composition, sources, and aging process of submicron aerosols in Beijing: Contrast between summer and winter. 2016 , 121, 1955-1977	197
2081	Radiocarbon-derived source apportionment of fine carbonaceous aerosols before, during, and after the 2014 Asia-Pacific Economic Cooperation (APEC) summit in Beijing, China. 2016 , 121, 4177-4187	14
2080	Spatial and seasonal variations of atmospheric sulfur concentrations and dry deposition at 16 rural and suburban sites in China. 2016 , 146, 79-89	19
2079	Sources and Processes Affecting Fine Particulate Matter Pollution over North China: An Adjoint Analysis of the Beijing APEC Period. 2016 , 50, 8731-40	70

2078	Microscale spatial distribution and health assessment of PM-bound polycyclic aromatic hydrocarbons (PAHs) at nine communities in Xi'an, China. 2016 , 218, 1065-1073	49
2077	Using stable isotopes to trace sources and formation processes of sulfate aerosols from Beijing, China. 2016 , 6, 29958	22
2076	Characterization and source apportionment of size-segregated atmospheric particulate matter collected at ground level and from the urban canopy in Tianjin. 2016 , 219, 982-992	32
2075	Temporal Patterns in Fine Particulate Matter Time Series in Beijing: A Calendar View. 2016 , 6, 32221	17
2074	Contribution of Atmospheric Diffusion Conditions to the Recent Improvement in Air Quality in China. 2016 , 6, 36404	36
2073	Persistent sulfate formation from London Fog to Chinese haze. 2016 , 113, 13630-13635	803
2072	In situ Fabrication of Bi ₂ O ₃ /(BiO) ₂ CO ₃ Nanoplate Heterojunctions with Tunable Optical Property and Photocatalytic Activity. 2016 , 6, 23435	51
2071	Identification of significant precursor gases of secondary organic aerosols from residential wood combustion. 2016 , 6, 27881	112
2070	A study of aerosol properties based on observations of particulate matter from the U.S. Embassy in Beijing, China. 2016 , 4, 381-395	23
2069	Lability of secondary organic particulate matter. 2016 , 113, 12643-12648	75
2068	Spatial and seasonal variations of isoprene secondary organic aerosol in China: Significant impact of biomass burning during winter. 2016 , 6, 20411	40
2067	Network Analysis of Fine Particulate Matter (PM _{2.5}) Emissions in China. 2016 , 6, 33227	12
2066	Development of source profiles and their application in source apportionment of PM _{2.5} in Xiamen, China. 2016 , 10, 1	8
2065	Plasmonic Bi/ZnWO ₄ Microspheres with Improved Photocatalytic Activity on NO Removal under Visible Light. 2016 , 4, 6912-6920	74
2064	Enhanced air pollution via aerosol-boundary layer feedback in China. 2016 , 6, 18998	215
2063	Hydroxyl radicals from secondary organic aerosol decomposition in water. 2016 , 16, 1761-1771	101
2062	Primary and secondary aerosols in Beijing in winter: sources, variations and processes. 2016 , 16, 8309-8329	206
2061	The possible contribution of the periodic emissions from farmers' activities in the North China Plain to atmospheric water-soluble ions in Beijing. 2016 , 16, 10097-10109	36

2060	Atmospheric aerosol compositions and sources at two national background sites in northern and southern China. 2016 , 16, 10283-10297	23
2059	Source apportionment of PM _{2.5} at a regional background site in North China using PMF linked with radiocarbon analysis: insight into the contribution of biomass burning. 2016 , 16, 11249-11265	80
2058	New particle formation in the fresh flue-gas plume from a coal-fired power plant: effect of flue-gas cleaning. 2016 , 16, 7485-7496	14
2057	Size-resolved source apportionment of particulate matter in urban Beijing during haze and non-haze episodes. 2016 , 16, 1-19	193
2056	Simulations of organic aerosol concentrations during springtime in the Guanzhong Basin, China. 2016 , 16, 10045-10061	36
2055	Observation of atmospheric peroxides during Wangdu Campaign 2014 at a rural site in the North China Plain. 2016 , 16, 10985-11000	20
2054	Particle hygroscopicity and its link to chemical composition in the urban atmosphere of Beijing, China, during summertime. 2016 , 16, 1123-1138	78
2053	Isotopic composition for source identification of mercury in atmospheric fine particles. 2016 , 16, 11773-11786	33
2052	Transformation of logwood combustion emissions in a smog chamber: formation of secondary organic aerosol and changes in the primary organic aerosol upon daytime and nighttime aging. 2016 , 16, 13251-13269	52
2051	Climate modulation of the Tibetan Plateau on haze in China. 2016 , 16, 1365-1375	54
2050	Particulate matter (PM) episodes at a suburban site in Hong Kong: evolution of PM characteristics and role of photochemistry in secondary aerosol formation. 2016 , 16, 14131-14145	18
2049	Source apportionment and dynamic changes of carbonaceous aerosols during the haze bloom-decay process in China based on radiocarbon and organic molecular tracers. 2016 , 16, 2985-2996	22
2048	Development of a vehicle emission inventory with high temporal/spatial resolution based on NRT traffic data and its impact on air pollution in Beijing [Part 2: Impact of vehicle emission on urban air quality. 2016 , 16, 3171-3184	38
2047	New insights into PM _{2.5} chemical composition and sources in two major cities in China during extreme haze events using aerosol mass spectrometry. 2016 , 16, 3207-3225	236
2046	Molecular corridors and parameterizations of volatility in the chemical evolution of organic aerosols. 2016 , 16, 3327-3344	90
2045	The importance of vehicle emissions as a source of atmospheric ammonia in the megacity of Shanghai. 2016 , 16, 3577-3594	103
2044	Observation of viscosity transition in α -pinene secondary organic aerosol. 2016 , 16, 4423-4438	47
2043	Fossil and non-fossil source contributions to atmospheric carbonaceous aerosols during extreme spring grassland fires in Eastern Europe. 2016 , 16, 5513-5529	29

2042	Aircraft observations of water-soluble dicarboxylic acids in the aerosols over China. 2016 , 16, 6407-6419	10
2041	Optical properties of atmospheric fine particles near Beijing during the HOPE-J&sup>3&/sup>A campaign. 2016 , 16, 6421-6439	31
2040	Characteristics of aerosol pollution during heavy haze events in Suzhou, China. 2016 , 16, 7357-7371	71
2039	Typical synoptic situations and their impacts on the wintertime air pollution in the Guanzhong basin, China. 2016 , 16, 7373-7387	57
2038	Heterogeneous reactions of NO ₂ with CaCO ₃ , (NH ₄) ₂ SO ₄ mixtures at different relative humidities. 2016 , 16, 8081-8093	6
2037	Optimizing rice plant photosynthate allocation reduces N ₂ O emissions from paddy fields. 2016 , 6, 29333	17
2036	Possible combined influences of absorbing aerosols and anomalous atmospheric circulation on summertime diurnal temperature range variation over the middle and lower reaches of the Yangtze River. 2016 , 30, 927-943	5
2035	Negative ion photoelectron spectra of ISO, ISO, and ISO intermediates formed in interfacial reactions of ozone and iodide/sulfite aqueous microdroplets. 2016 , 145, 214310	9
2034	Model analysis of secondary organic aerosol over China with a regional air quality modeling system (RAMS-CMAQ). 2016 , 9, 443-450	4
2033	Stable carbon isotopic compositions of low-molecular-weight dicarboxylic acids, oxocarboxylic acids, dicarbonyls, and fatty acids: Implications for atmospheric processing of organic aerosols. 2016 , 121, 3707-3717	29
2032	Carbon isotopic (¹⁴ C and ¹³ C) characterization of fossil-fuel derived dissolved organic carbon in wet precipitation in Shandong Province, China. 2016 , 73, 207-221	13
2031	Organic and inorganic components of aerosols over the central Himalayas: winter and summer variations in stable carbon and nitrogen isotopic composition. 2016 , 23, 6102-18	24
2030	On secondary new particle formation in China. 2016 , 10, 1	39
2029	Fabrication of Bi ₂ O ₂ CO ₃ /g-C ₃ N ₄ heterojunctions for efficiently photocatalytic NO in air removal: In-situ self-sacrificial synthesis, characterizations and mechanistic study. 2016 , 199, 123-133	174
2028	The Role of MAPK Pathways in Airborne Fine Particulate Matter-Induced Upregulation of Endothelin Receptors in Rat Basilar Arteries. 2016 , 149, 213-26	12
2027	Numerical Model-Based Artificial Neural Network Model and Its Application for Quantifying Impact Factors of Urban Air Quality. 2016 , 227, 1	33
2026	Impact of various emission control schemes on air quality using WRF-Chem during APEC China 2014. 2016 , 140, 311-319	71
2025	Characterization of parent and oxygenated-polycyclic aromatic hydrocarbons (PAHs) in Xi'an, China during heating period: An investigation of spatial distribution and transformation. 2016 , 159, 367-377	40

2024	Particulate Respirators Functionalized with Silver Nanoparticles Showed Excellent Real-Time Antimicrobial Effects against Pathogens. 2016 , 50, 7144-51	17
2023	Physiochemical properties of carbonaceous aerosol from agricultural residue burning: Density, volatility, and hygroscopicity. 2016 , 140, 94-105	30
2022	Non-contacting characterization of PM _{2.5} in dusty environment with THz-TDS. 2016 , 59, 1	5
2021	Effects of rigorous emission controls on reducing ambient volatile organic compounds in Beijing, China. 2016 , 557-558, 531-41	50
2020	Surface charges on aerosol particles [Accelerating particle growth rate and atmospheric pollution. 2016 , 25, 437-440	8
2019	Evolution process and sources of ambient volatile organic compounds during a severe haze event in Beijing, China. 2016 , 560-561, 62-72	74
2018	The Formation of Barrier Winds East of the Loess Plateau and Their Effects on Dispersion Conditions in the North China Plains. 2016 , 161, 145-163	14
2017	Aromatic compound emissions from municipal solid waste landfill: Emission factors and their impact on air pollution. 2016 , 139, 205-213	28
2016	Fossil Fuel Combustion-Related Emissions Dominate Atmospheric Ammonia Sources during Severe Haze Episodes: Evidence from (15)N-Stable Isotope in Size-Resolved Aerosol Ammonium. 2016 , 50, 8049-56	189
2015	Application of Weather Research and Forecasting Model with Chemistry (WRF/Chem) over northern China: Sensitivity study, comparative evaluation, and policy implications. 2016 , 124, 337-350	44
2014	Air pollution and control action in Beijing. 2016 , 112, 1519-1527	236
2013	Chemical composition of PM _{2.5} and meteorological impact among three years in urban Shanghai, China. 2016 , 112, 1302-1311	91
2012	Composition and sources of PM _{2.5} around the heating periods of 2013 and 2014 in Beijing: Implications for efficient mitigation measures. 2016 , 124, 378-386	98
2011	An index for estimating the potential metal pollution contribution to atmospheric particulate matter from road dust in Beijing. 2016 , 550, 167-175	34
2010	Household concentrations and personal exposure of PM _{2.5} among urban residents using different cooking fuels. 2016 , 548-549, 6-12	58
2009	Estimating nitrogen oxides emissions at city scale in China with a nightlight remote sensing model. 2016 , 544, 1119-27	18
2008	Critical role of meteorological conditions in a persistent haze episode in the Guanzhong basin, China. 2016 , 550, 273-284	58
2007	Visible-Light-Active Plasmonic Ag-SrTiO ₃ Nanocomposites for the Degradation of NO in Air with High Selectivity. 2016 , 8, 4165-74	107

2006	Design and characterization of human exposure to generated sulfate and soot particles in a pilot chamber study. 2016 , 66, 366-76	6
2005	Application of biomass pyrolytic polygeneration technology using retort reactors. 2016 , 200, 64-71	53
2004	Hygroscopicity of internally mixed multi-component aerosol particles of atmospheric relevance. 2016 , 125, 69-77	25
2003	The impact of fuel compositions on the particulate emissions of direct injection gasoline engine. 2016 , 166, 543-552	109
2002	The rural carbonaceous aerosols in coarse, fine, and ultrafine particles during haze pollution in northwestern China. 2016 , 23, 4569-75	19
2001	Characteristics of atmospheric organic and elemental carbon aerosols in urban Beijing, China. 2016 , 125, 293-306	84
2000	Global warming: China's contribution to climate change. <i>Nature</i> , 2016 , 531, 310-2	50.4 14
1999	Size-Resolved Identification, Characterization, and Quantification of Primary Biological Organic Aerosol at a European Rural Site. 2016 , 50, 3425-34	47
1998	Potential threat of heavy metals and PAHs in PM2.5 in different urban functional areas of Beijing. 2016 , 178-179, 6-16	83
1997	Causation mechanism analysis for haze pollution related to vehicle emission in Guangzhou, China by employing the fault tree approach. 2016 , 151, 9-16	25
1996	Dry deposition of particulate matter at an urban forest, wetland and lake surface in Beijing. 2016 , 125, 178-187	54
1995	Source apportionment of Beijing air pollution during a severe winter haze event and associated pro-inflammatory responses in lung epithelial cells. 2016 , 126, 28-35	70
1994	Variability in aerosol optical properties over an urban site, Kanpur, in the Indo-Gangetic Plain: A case study of haze and dust events. 2016 , 174-175, 52-61	36
1993	Characterization of PM2.5 in Guangzhou, China: uses of organic markers for supporting source apportionment. 2016 , 550, 961-971	70
1992	Hierarchical porous ZnWO4 microspheres synthesized by ultrasonic spray pyrolysis: Characterization, mechanistic and photocatalytic NO removal studies. 2016 , 515, 170-178	50
1991	Chemical composition and bioreactivity of PM2.5 during 2013 haze events in China. 2016 , 126, 162-170	53
1990	Size-segregated urban particulate matter: mass closure, chemical composition, and primary and secondary matter content. 2016 , 9, 533-550	54
1989	Urinary Metabolites of Polycyclic Aromatic Hydrocarbons and the Association with Lipid Peroxidation: A Biomarker-Based Study between Los Angeles and Beijing. 2016 , 50, 3738-45	38

1988	Electrospun Polyacrylonitrile-Ionic Liquid Nanofibers for Superior PM2.5 Capture Capacity. 2016 , 8, 7030-6	74
1987	Compositions and pollutant sources of haze in Beijing urban sites. 2016 , 23, 8827-36	4
1986	Source appointment of fine particle number and volume concentration during severe haze pollution in Beijing in January 2013. 2016 , 23, 6845-60	40
1985	The contribution of anthropogenic sources to the aerosols over East China Sea. 2016 , 127, 22-33	39
1984	Annual and diurnal variations of gaseous and particulate pollutants in 31 provincial capital cities based on in situ air quality monitoring data from China National Environmental Monitoring Center. 2016 , 86, 92-106	194
1983	Seasonal variation and secondary formation of size-segregated aerosol water-soluble inorganic ions during pollution episodes in Beijing. 2016 , 168, 70-79	111
1982	Urban dust in the Guanzhong basin of China, part II: A case study of urban dust pollution using the WRF-Dust model. 2016 , 541, 1614-1624	13
1981	Review on recent progress in observations, source identifications and countermeasures of PM2.5. 2016 , 86, 150-70	184
1980	Urban dust in the Guanzhong Basin of China, part I: A regional distribution of dust sources retrieved using satellite data. 2016 , 541, 1603-1613	15
1979	Numerical evaluation of the effectiveness of NO2 and N2O5 generation during the NO ozonation process. 2016 , 41, 51-58	30
1978	Importance of porous structure and synergistic effect on the catalytic oxidation activities over hierarchical MnNi composite oxides. 2016 , 6, 1710-1718	40
1977	Modeling the feedback between aerosol and boundary layer processes: a case study in Beijing, China. 2016 , 23, 3342-57	41
1976	A systematic analysis of PM2.5 in Beijing and its sources from 2000 to 2012. 2016 , 124, 98-108	85
1975	Anthropogenic and biogenic organic compounds in summertime fine aerosols (PM2.5) in Beijing, China. 2016 , 124, 166-175	41
1974	Regional contribution to PM1 pollution during winter haze in Yangtze River Delta, China. 2016 , 541, 161-166	47
1973	Sources apportionment of PM2.5 in a background site in the North China Plain. 2016 , 541, 590-598	146
1972	Local and distant source contributions to secondary organic aerosol in the Beijing urban area in summer. 2016 , 124, 176-185	27
1971	Wintertime haze deterioration in Beijing by industrial pollution deduced from trace metal fingerprints and enhanced health risk by heavy metals. 2016 , 208, 284-293	73

1970	Study on the synoptic flow patterns and boundary layer process of the severe haze events over the North China Plain in January 2013. 2016 , 124, 129-145	107
1969	Modeling organic aerosols over east China using a volatility basis-set approach with aging mechanism in a regional air quality model. 2016 , 124, 186-198	38
1968	A review of single aerosol particle studies in the atmosphere of East Asia: morphology, mixing state, source, and heterogeneous reactions. 2016 , 112, 1330-1349	166
1967	Effect of ambient humidity on the light absorption amplification of black carbon in Beijing during January 2013. 2016 , 124, 217-223	52
1966	Chemical characteristics of PM 2.5 during haze episodes in spring 2013 in Beijing. 2017 , 22, 51-63	21
1965	Ozone and secondary organic aerosol formation potential from anthropogenic volatile organic compounds emissions in China. 2017 , 53, 224-237	90
1964	Impacts of power generation on air quality in ChinaPart II: Future scenarios. 2017 , 121, 115-127	28
1963	Impacts of power generation on air quality in ChinaPart I: An overview. 2017 , 121, 103-114	40
1962	Roll-to-Roll Production of Metal-Organic Framework Coatings for Particulate Matter Removal. 2017 , 29, 1606221	192
1961	Nonlinear response of soil ammonia emissions to fertilizer nitrogen. 2017 , 53, 269-274	30
1960	Highly time-resolved characterization of water-soluble inorganic ions in PM in a humid and acidic mega city in Sichuan Basin, China. 2017 , 580, 224-234	60
1959	On the summertime air quality and related photochemical processes in the megacity Shanghai, China. 2017 , 580, 974-983	31
1958	Particle removal by vegetation: comparison in a forest and a wetland. 2017 , 24, 1597-1607	16
1957	Influence of metal-mediated aerosol-phase oxidation on secondary organic aerosol formation from the ozonolysis and OH-oxidation of α -pinene. 2017 , 7, 40311	12
1956	Relationship between carbonaceous components and aerosol light absorption during winter at an urban site of Gwangju, Korea. 2017 , 185, 73-83	29
1955	A novel Ti-based sorbent for reducing ultrafine particulate matter formation during coal combustion. 2017 , 193, 72-80	33
1954	Predicting household PM2.5-reduction behavior in Chinese urban areas: An integrative model of Theory of Planned Behavior and Norm Activation Theory. 2017 , 145, 64-73	117
1953	Seasonal variation of particle-induced oxidative potential of airborne particulate matter in Beijing. 2017 , 579, 1152-1160	40

1952	Biomass burning tracers in rural and urban ultrafine particles in Xi'an, China. 2017 , 8, 614-618	21
1951	A 10-year observation of PM-bound nickel in Xi'an, China: Effects of source control on its trend and associated health risks. 2017 , 7, 41132	21
1950	Environment-Friendly Carbon Quantum Dots/ZnFeO Photocatalysts: Characterization, Biocompatibility, and Mechanisms for NO Removal. 2017 , 51, 2924-2933	194
1949	Cavity enhanced spectroscopy for measurement of nitrogen oxides in the Anthropocene: results from the Seoul tower during MAPS 2015. 2017 , 200, 529-557	17
1948	PM in the Yangtze River Delta, China: Chemical compositions, seasonal variations, and regional pollution events. 2017 , 223, 200-212	180
1947	Regional transport of anthropogenic pollution and dust aerosols in spring to Tianjin - A coastal megacity in China. 2017 , 584-585, 381-392	11
1946	Environmental effect of current desulfurization technology on fly dust emission in China. 2017 , 72, 1-9	46
1945	Numerical air quality forecasting over eastern China: An operational application of WRF-Chem. 2017 , 153, 94-108	58
1944	Atmospheric gas-to-particle conversion: why NPF events are observed in megacities?. 2017 , 200, 271-288	84
1943	Seasonality of the mass concentration and chemical composition of aerosols around an urbanized basin in East Asia. 2017 , 122, 2026-2042	14
1942	Air pollution characteristics and their relation to meteorological conditions during 2014-2015 in major Chinese cities. 2017 , 223, 484-496	307
1941	Single Living yEast PM Toxicity Sensor (SLEPTor) System. 2017 , 107, 65-73	0
1940	Characterizing spatiotemporal patterns of air pollution in China: A multiscale landscape approach. 2017 , 76, 344-356	43
1939	Real-time chemical characterization of atmospheric particulate matter in China: A review. 2017 , 158, 270-304	142
1938	Village energy survey reveals missing rural raw coal in northern China: Significance in science and policy. 2017 , 223, 705-712	64
1937	Carbonaceous species in PM _{2.5} and PM ₁₀ in urban area of Zhengzhou in China: Seasonal variations and source apportionment. 2017 , 191, 1-11	60
1936	Individual particles emitted from gasoline engines: Impact of engine types, engine loads and fuel components. 2017 , 149, 461-471	31
1935	The research of new daily diffuse solar radiation models modified by air quality index (AQI) in the region with heavy fog and haze. 2017 , 139, 140-150	37

1934	Corona characteristics of HVDC conductors with different surface conditions obtained in a controllable accelerating contamination depositing apparatus. 2017 , 24, 382-390	3
1933	Concentrations, sources and health effects of parent, oxygenated- and nitrated- polycyclic aromatic hydrocarbons (PAHs) in middle-school air in Xi'an, China. 2017 , 192, 1-10	35
1932	Atmospheric Nitrogen Emission, Deposition, and Air Quality Impacts in China: an Overview. 2017 , 3, 65-77	43
1931	Impact of size distributions of major chemical components in fine particles on light extinction in urban Guangzhou. 2017 , 587-588, 240-247	18
1930	Health risk assessment of China's main air pollutants. 2017 , 17, 212	22
1929	Health burden attributable to ambient PM in China. 2017 , 223, 575-586	322
1928	Source apportionment and a novel approach of estimating regional contributions to ambient PM in Haikou, China. 2017 , 223, 334-345	29
1927	PM-bound PAHs in three indoor and one outdoor air in Beijing: Concentration, source and health risk assessment. 2017 , 586, 255-264	84
1926	Insights into measurements of ambient air PM 2.5 in China. 2017 , 13, 1-9	7
1925	Potential rainfall-intensity and pH-driven shifts in the apparent fluorescent composition of dissolved organic matter in rainwater. 2017 , 224, 638-648	20
1924	The effects of coexisting NaSO on heterogeneous uptake of NO on CaCO particles at various RHs. 2017 , 586, 930-938	17
1923	Emission characterization, environmental impact, and control measure of PM2.5 emitted from agricultural crop residue burning in China. 2017 , 149, 629-635	77
1922	Characterization of size-resolved urban haze particles collected in summer and winter at Taiyuan City, China using quantitative electron probe X-ray microanalysis. 2017 , 190, 29-42	6
1921	Estimating the contribution of regional transport to PM air pollution in a rural area on the North China Plain. 2017 , 583, 280-291	91
1920	Limited formation of isoprene epoxydiols-derived secondary organic aerosol under NOx-rich environments in Eastern China. 2017 , 44, 2035	31
1919	Characterising an intense PM pollution episode in March 2015 in France from multi-site approach and near real time data: Climatology, variabilities, geographical origins and model evaluation. 2017 , 155, 68-84	42
1918	Source apportionment of Pb-containing particles in Beijing during January 2013. 2017 , 226, 30-40	26
1917	Impact of land surface heterogeneity on urban heat island circulation and sea-land breeze circulation in Hong Kong. 2017 , 122, 4332-4352	29

1916	The contribution of residential coal combustion to PM 2.5 pollution over China's Beijing-Tianjin-Hebei region in winter. 2017 , 159, 147-161	119
1915	Characterization of fine particles during the 2014 Asia-Pacific economic cooperation summit: Number concentration, size distribution and sources. 2017 , 69, 1303228	21
1914	Pectin, Hemicellulose, or Lignin? Impact of the Biowaste Source on the Performance of Hard Carbons for Sodium-Ion Batteries. 2017 , 10, 2668-2676	97
1913	Assessment of the impacts of aromatic VOC emissions and yields of SOA on SOA concentrations with the air quality model RAMS-CMAQ. 2017 , 158, 105-115	26
1912	Characterization of organic aerosol in Beijing by laser desorption ionization coupled with Fourier Transform Ion Cyclotron Resonance Mass spectrometry. 2017 , 159, 55-65	8
1911	Profiles, sources and potential exposures of parent, chlorinated and brominated polycyclic aromatic hydrocarbons in haze associated atmosphere. 2017 , 593-594, 390-398	43
1910	Characterizations of volatile organic compounds (VOCs) from vehicular emissions at roadside environment: The first comprehensive study in Northwestern China. 2017 , 161, 1-12	79
1909	Impacts of Meteorological Conditions, Aerosol Radiative Feedbacks, and Emission Reduction Scenarios on the Coastal Haze Episodes in Southeastern China in December 2013. 2017 , 56, 1209-1229	4
1908	Dust-wind interactions can intensify aerosol pollution over eastern China. 2017 , 8, 15333	81
1907	Improving the removal of particles and trace elements from coal-fired power plants by combining a wet phase transition agglomerator with wet electrostatic precipitator. 2017 , 161, 1459-1465	47
1906	Comparison of artificial intelligence and empirical models for estimation of daily diffuse solar radiation in North China Plain. 2017 , 42, 14418-14428	45
1905	Identification of Major Sources of Atmospheric NH in an Urban Environment in Northern China During Wintertime. 2017 , 51, 6839-6848	54
1904	Simulated impacts of direct radiative effects of scattering and absorbing aerosols on surface layer aerosol concentrations in China during a heavily polluted event in February 2014. 2017 , 122, 5955-5975	40
1903	Multi-scale comparison of the fine particle removal capacity of urban forests and wetlands. 2017 , 7, 46214	20
1902	Source appointment of nitrogen in PM2.5 based on bulk $\delta^{15}N$ signatures and a Bayesian isotope mixing model. 2017 , 69, 1299672	30
1901	Roles of regional transport and heterogeneous reactions in the PM increase during winter haze episodes in Beijing. 2017 , 599-600, 246-253	108
1900	Air pollution in China: Status and spatiotemporal variations. 2017 , 227, 334-347	349
1899	UV/H ₂ O ₂ : An efficient aqueous advanced oxidation process for VOCs removal. 2017 , 324, 44-50	66

1898	Quantification of source impact to PM using three-dimensional weighted factor model analysis on multi-site data. 2017 , 160, 89-96	4
1897	Effect of nitrogen oxides (NO and NO ₂) and toluene on SO ₂ photooxidation, nucleation and growth: A smog chamber study. 2017 , 192, 38-47	25
1896	Air pollution characteristics and health risks in Henan Province, China. 2017 , 156, 625-634	74
1895	Understanding the Rising Phase of the PM Concentration Evolution in Large China Cities. 2017 , 7, 46456	30
1894	Spatial and Temporal Distributions of Air Pollutants and Size Distribution of Aerosols over Central and Eastern China. 2017 , 72, 481-495	6
1893	Signal Transductions of BEAS-2B Cells in Response to Carcinogenic PM Exposure Based on a Microfluidic System. 2017 , 89, 5413-5421	29
1892	Smog chamber study on aging of combustion soot in isoprene/SO ₂ /NO _x system: Changes of mass, size, effective density, morphology and mixing state. 2017 , 184, 139-148	24
1891	Vehicle Emissions as an Important Urban Ammonia Source in the United States and China. 2017 , 51, 2472-2481	128
1890	Transparent Nanofibrous Mesh Self-Assembled from Molecular LEGOs for High Efficiency Air Filtration with New Functionalities. 2017 , 13, 1601924	24
1889	Quantitative assessment of industrial VOC emissions in China: Historical trend, spatial distribution, uncertainties, and projection. 2017 , 150, 116-125	67
1888	Seasonal variations and source apportionment of atmospheric PM-bound polycyclic aromatic hydrocarbons in a mixed multi-function area of Hangzhou, China. 2017 , 24, 16195-16205	16
1887	Source apportionment of fine particulate matter in China in 2013 using a source-oriented chemical transport model. 2017 , 601-602, 1476-1487	60
1886	Highly Elevated Levels and Particle-Size Distributions of Environmentally Persistent Free Radicals in Haze-Associated Atmosphere. 2017 , 51, 7936-7944	61
1885	Effects of photochemical oxidation on the mixing state and light absorption of black carbon in the urban atmosphere of China. 2017 , 12, 044012	21
1884	Investigation of relationships between meteorological conditions and high PM ₁₀ pollution in a megacity in the western Yangtze River Delta, China. 2017 , 10, 713-724	15
1883	Cardiorespiratory responses of air filtration: A randomized crossover intervention trial in seniors living in Beijing: Beijing Indoor Air Purifier Study, BIAPSY. 2017 , 603-604, 541-549	44
1882	Relay transport of aerosols to Beijing-Tianjin-Hebei region by multi-scale atmospheric circulations. 2017 , 165, 35-45	61
1881	In situ fabrication of Bi ₂ O ₂ CO ₃ /MoS ₂ on carbon nanofibers for efficient photocatalytic removal of NO under visible-light irradiation. 2017 , 217, 224-231	67

1880	Spatio-temporal variation and influence factors of PM _{2.5} concentrations in China from 1998 to 2014. 2017 , 8, 1151-1159	77
1879	Source apportionment of PM _{2.5} across China using LOTOS-EUROS. 2017 , 164, 370-386	61
1878	Significant Increase of Aromatics-Derived Secondary Organic Aerosol during Fall to Winter in China. 2017 , 51, 7432-7441	37
1877	Evaluating the effectiveness of joint emission control policies on the reduction of ambient VOCs: Implications from observation during the 2014 APEC summit in suburban Beijing. 2017 , 164, 117-127	27
1876	Source characterization of urban particles from meat smoking activities in Chongqing, China using single particle aerosol mass spectrometry. 2017 , 228, 92-101	26
1875	Investigation of the potential and mechanism of clove for mitigating airborne particulate matter emission from stationary sources. 2017 , 14, 390-400	5
1874	Industrial PM cause pulmonary adverse effect through RhoA/ROCK pathway. 2017 , 599-600, 1658-1666	25
1873	Investigation of submicron aerosol characteristics in Changzhou, China: Composition, source, and comparison with co-collected PM. 2017 , 183, 176-185	34
1872	PM _{2.5} -induced lung inflammation in mice: Differences of inflammatory response in macrophages and type II alveolar cells. 2017 , 37, 1203-1218	90
1871	Monitoring and Control of an Adsorption System Using Electrical Properties of the Adsorbent for Organic Compound Abatement. 2017 , 51, 7581-7589	9
1870	Historical and future emission of hazardous air pollutants (HAPs) from gas-fired combustion in Beijing, China. 2017 , 24, 16946-16957	11
1869	High-resolution ammonia emissions inventories in Fujian, China, 2009-2015. 2017 , 162, 100-114	20
1868	Characterization of PM-bound polycyclic aromatic hydrocarbons and its deposition in <i>Populus tomentosa</i> leaves in Beijing. 2017 , 24, 8504-8515	5
1867	Multiple Sulfur Isotope Constraints on Sources and Formation Processes of Sulfate in Beijing PM Aerosol. 2017 , 51, 7794-7803	32
1866	Chemical characterization of submicron aerosol particles during wintertime in a northwest city of China using an Aerodyne aerosol mass spectrometry. 2017 , 222, 567-582	25
1865	Time-resolved analysis of primary volatile emissions and secondary aerosol formation potential from a small-scale pellet boiler. 2017 , 158, 236-245	13
1864	Hydrophobic N-doped porous biocarbon from dopamine for high selective adsorption of p-Xylene under humid conditions. 2017 , 317, 660-672	57
1863	Trends of PM concentrations in China: A long term approach. 2017 , 196, 719-732	61

1862	Aerosol characteristics and sources in Yangzhou, China resolved by offline aerosol mass spectrometry and other techniques. 2017 , 225, 74-85	62
1861	Primary particulate emissions and secondary organic aerosol (SOA) formation from idling diesel vehicle exhaust in China. 2017 , 593-594, 462-469	40
1860	Salt-assisted Synthesis of Hollow Bi ₂ WO ₆ Microspheres with Superior Photocatalytic Activity for NO Removal. 2017 , 38, 348-356	37
1859	CCN activity of secondary aerosols from terpene ozonolysis under atmospheric relevant conditions. 2017 , 122, 4654-4669	8
1858	Terahertz assessment of the atmospheric pollution during the first-ever red alert period in Beijing. 2017 , 60, 1	3
1857	Concentration and sources of atmospheric nitrous acid (HONO) at an urban site in Western China. 2017 , 593-594, 165-172	49
1856	The behaviour of multiple reaction fronts during iron (III) oxide reduction in a non-steady state packed bed for chemical looping water splitting. 2017 , 193, 96-111	15
1855	Important fossil source contribution to brown carbon in Beijing during winter. 2017 , 7, 43182	82
1854	Characteristics and origins of air pollutants and carbonaceous aerosols during wintertime haze episodes at a rural site in the Yangtze River Delta, China. 2017 , 8, 900-911	17
1853	Arctic sea ice, Eurasia snow, and extreme winter haze in China. 2017 , 3, e1602751	141
1852	Characteristics and source distribution of air pollution in winter in Qingdao, eastern China. 2017 , 224, 44-53	42
1851	pH of Aerosols in a Polluted Atmosphere: Source Contributions to Highly Acidic Aerosol. 2017 , 51, 4289-4296	102
1850	Environmental risk perception and its influence on well-being. 2017 , 11, 35-50	7
1849	Weather conditions conducive to Beijing severe haze more frequent under climate change. 2017 , 7, 257-262	357
1848	Chemical composition, sources and secondary processes of aerosols in Baoji city of northwest China. 2017 , 158, 128-137	43
1847	Characteristics of volatile organic compounds (VOCs) from the evaporative emissions of modern passenger cars. 2017 , 151, 62-69	40
1846	Chemical Characterization of Water-Soluble Organic Aerosol in Contrasting Rural and Urban Environments in the Southeastern United States. 2017 , 51, 78-88	58
1845	Review of Urban Secondary Organic Aerosol Formation from Gasoline and Diesel Motor Vehicle Emissions. 2017 , 51, 1074-1093	229

1844	Effects of aromatics, olefins and distillation temperatures (T50 & T90) on particle mass and number emissions from gasoline direct injection (GDI) vehicles. 2017 , 101, 185-193	51
1843	Urban atmospheric environmental capacity and atmospheric environmental carrying capacity constrained by GDP/PM _{2.5} . 2017 , 73, 637-652	41
1842	Estimation of atmospheric aerosol composition from ground-based remote sensing measurements of Sun-sky radiometer. 2017 , 122, 498-518	17
1841	Direct Blow-Spinning of Nanofibers on a Window Screen for Highly Efficient PM Removal. 2017 , 17, 1140-1148	187
1840	Influence of haze pollution on water-soluble chemical species in PM and size-resolved particles at an urban site during fall. 2017 , 57, 370-382	23
1839	Effects of Aqueous-Phase and Photochemical Processing on Secondary Organic Aerosol Formation and Evolution in Beijing, China. 2017 , 51, 762-770	127
1838	Energy rebound effect in China's Industry: An aggregate and disaggregate analysis. 2017 , 61, 199-208	59
1837	A review of biomass burning: Emissions and impacts on air quality, health and climate in China. 2017 , 579, 1000-1034	551
1836	Climatology of wintertime long-distance transport of surface-layer air masses arriving urban Beijing in 2001-2012. 2017 , 151, 70-81	5
1835	Light absorption enhancement of black carbon from urban haze in Northern China winter. 2017 , 221, 418-426	43
1834	Characterization of chemical compositions in size-segregated atmospheric particles during severe haze episodes in three mega-cities of China. 2017 , 187, 138-146	25
1833	Effect of current emission abatement strategies on air quality improvement in China: A case study of Baotou, a typical industrial city in Inner Mongolia. 2017 , 57, 383-390	11
1832	Enhanced Light Scattering of Secondary Organic Aerosols by Multiphase Reactions. 2017 , 51, 1285-1292	20
1831	Carbon-Based Microbial-Fuel-Cell Electrodes: From Conductive Supports to Active Catalysts. 2017 , 29, 1602547	182
1830	Emission of volatile organic compounds from domestic coal stove with the actual alternation of flaming and smoldering combustion processes. 2017 , 221, 385-391	53
1829	Seasonal contributions to size-resolved n-alkanes (C-C) in the Shanghai atmosphere from regional anthropogenic activities and terrestrial plant waxes. 2017 , 579, 1918-1928	17
1828	Characterizing the composition and evolution of and urban particles in Chongqing (China) during summertime. 2017 , 187, 84-94	17
1827	Secondary organic aerosol formation from photo-oxidation of toluene with NO _x and SO ₂ : Chamber simulation with purified air versus urban ambient air as matrix. 2017 , 150, 67-76	29

1826	Explaining the spatiotemporal variation of fine particle number concentrations over Beijing and surrounding areas in an air quality model with aerosol microphysics. 2017 , 231, 1302-1313	10
1825	Chemical composition, source, and process of urban aerosols during winter haze formation in Northeast China. 2017 , 231, 357-366	59
1824	Chemical characterization and sources of personal exposure to fine particulate matter (PM) in the megacity of Guangzhou, China. 2017 , 231, 871-881	27
1823	Aerosol formation by heterogeneous reactions in ammonia-based WFGD systems. 2017 , 114, 1-12	4
1822	Distributions and sources of heavy metals in sediments of the Bohai Sea, China: a review. 2017 , 24, 24753-24764	48
1821	Impact of Secondary Organic Aerosol Tracers on Tracer-Based Source Apportionment of Organic Carbon and PM _{2.5} : A Case Study in the Pearl River Delta, China. 2017 , 1, 562-571	45
1820	Particulate matter emissions over the oil sands regions in Alberta, Canada. 2017 , 25, 432-443	12
1819	Effects of inorganic seeds on secondary organic aerosol formation from photochemical oxidation of acetone in a chamber. 2017 , 170, 205-215	8
1818	Synthesis of MnNiBAPO-34 by a one-pot hydrothermal method and its excellent performance for the selective catalytic reduction of NO by NH ₃ . 2017 , 7, 4984-4995	22
1817	Global population exposed to fine particulate pollution by population increase and pollution expansion. 2017 , 10, 1221-1226	14
1816	Chemical Characteristics of Organic Aerosols in Shanghai: A Study by Ultrahigh-Performance Liquid Chromatography Coupled With Orbitrap Mass Spectrometry. 2017 , 122, 11,703-11,722	47
1815	Sources and Potential Photochemical Roles of Formaldehyde in an Urban Atmosphere in South China. 2017 , 122, 11,934-11,947	25
1814	Effect of the Urban Heat Island on Aerosol pH. 2017 , 51, 13095-13103	30
1813	Higher-order Network Analysis of Fine Particulate Matter (PM) Transport in China at City Level. 2017 , 7, 13236	7
1812	Large-scale transport of PM in the lower troposphere during winter cold surges in China. 2017 , 7, 13238	30
1811	Carbon nanotubes / activated carbon fiber based air filter media for simultaneous removal of particulate matter and ozone. 2017 , 125, 60-66	38
1810	Competition between HO and HO Reactions with CHOO/anti-CHCHOO in the Oligomer Formation: A Theoretical Perspective. 2017 , 121, 6981-6991	16
1809	Real-Time Characterization of Aerosol Particle Composition During Winter High-Pollution Events in China. 2017 , 221-244	

- 1808 Spatial Distributions, Chemical Properties, and Sources of Ambient Particulate Matters in China. **2017**, 265-284
- 1807 Sources and Chemical Composition of Particulate Matter During Haze Pollution Events in China. **2017**, 49-68 2
- 1806 Inferring urban air quality based on social media. **2017**, 66, 110-116 21
- 1805 A campaign for investigating aerosol optical properties during winter hazes over Shijiazhuang, China. **2017**, 198, 113-122 27
- 1804 Chemical Composition During Severe Haze Events in Northern China. **2017**, 245-264
- 1803 Biomass Burning Sources in China. **2017**, 135-166 2
- 1802 Urbanization-induced population migration has reduced ambient PM concentrations in China. **2017**, 3, e1700300 99
- 1801 Sectoral linkage analysis of three main air pollutants in China's industry: Comparing 2010 with 2002. **2017**, 202, 232-241 19
- 1800 First principles study of the Mn-doping effect on the physical and chemical properties of mullite-family AlSiO. **2017**, 19, 24991-25001 2
- 1799 Source tagging modeling study of heavy haze episodes under complex regional transport processes over Wuhan megacity, Central China. **2017**, 231, 612-621 37
- 1798 Submicrometer Particles Are in the Liquid State during Heavy Haze Episodes in the Urban Atmosphere of Beijing, China. **2017**, 4, 427-432 95
- 1797 Characterization of PM in Delhi: role and impact of secondary aerosol, burning of biomass, and municipal solid waste and crustal matter. **2017**, 24, 25179-25189 41
- 1796 Long-term exposure to PM_{2.5} lowers influenza virus resistance via down-regulating pulmonary macrophage Kdm6a and mediates histones modification in IL-6 and IFN- β promoter regions. **2017**, 493, 1122-1128 39
- 1795 Combining Positive Matrix Factorization and Radiocarbon Measurements for Source Apportionment of PM from a National Background Site in North China. **2017**, 7, 10648 12
- 1794 Dependence of columnar aerosol size distribution, optical properties, and chemical components on regional transport in Beijing. **2017**, 169, 128-139 10
- 1793 Trace metals and magnetic particles in PM: Magnetic identification and its implications. **2017**, 7, 9865 14
- 1792 Source apportionment of VOCs and their impacts on surface ozone in an industry city of Baoji, Northwestern China. **2017**, 7, 9979 30
- 1791 Observations of biomass burning tracers in PM_{2.5} at two megacities in North China during 2014 APEC summit. **2017**, 169, 54-64 18

1790	Divergent Evolution of Carbonaceous Aerosols during Dispersal of East Asian Haze. 2017 , 7, 10422	21
1789	Spatio-temporal variations of PM concentrations and the evaluation of emission reduction measures during two red air pollution alerts in Beijing. 2017 , 7, 8220	28
1788	Association of ambient Particulate matter 2.5 with intensive care unit admission due to pneumonia: a distributed lag non-linear model. 2017 , 7, 8679	20
1787	Model elucidating the sources and formation mechanisms of severe haze pollution over Northeast mega-city cluster in China. 2017 , 230, 692-700	46
1786	Influence of flue gas desulfurization (FGD) installations on emission characteristics of PM from coal-fired power plants equipped with selective catalytic reduction (SCR). 2017 , 230, 655-662	46
1785	Heterogeneous Reactions between Toluene and NO on Mineral Particles under Simulated Atmospheric Conditions. 2017 , 51, 9596-9604	19
1784	Characteristics and source apportionment of PM during persistent extreme haze events in Chengdu, southwest China. 2017 , 230, 718-729	85
1783	Secondary ion mass spectrometry: The application in the analysis of atmospheric particulate matter. 2017 , 989, 1-14	29
1782	Short-term aerosol radiative effects and their regional difference during heavy haze episodes in January 2013 in China. 2017 , 165, 248-263	6
1781	Health impacts of smog pollution: the human dimensions of exposure. 2017 , 1, e132-e133	13
1780	Influence of the sampling period and time resolution on the PM source apportionment: Study based on the high time-resolution data and long-term daily data. 2017 , 165, 301-309	18
1779	Microbial compositions and metabolic interactions in one- and two-phase partitioning airlift bioreactors treating a complex VOC mixture. 2017 , 44, 1313-1324	14
1778	Novel Hollow Fiber Air Filters for the Removal of Ultrafine Particles in PM with Repetitive Usage Capability. 2017 , 51, 10041-10049	50
1777	Prediction of size-resolved number concentration of cloud condensation nuclei and long-term measurements of their activation characteristics. 2017 , 7, 5819	11
1776	PM _{2.5} particulates and particulate-bound mercury Hg(p) concentrations in a mixed urban, residential, traffic-heavy, and industrial site. 2017 , 18, 178-187	5
1775	On-road measurement of NH ₃ emissions from gasoline and diesel passenger cars during real world driving conditions. 2017 , 166, 488-497	53
1774	Quantification of the sources of long-range transport of PM pollution in the Ordos region, Inner Mongolia, China. 2017 , 229, 1019-1031	31
1773	Volatile organic compounds (VOCs) source profiles of on-road vehicle emissions in China. 2017 , 607-608, 253-261	40

1772	Criegee Intermediates React with Levoglucosan on Water. 2017 , 8, 3888-3894	48
1771	Effect of relative humidity on O ₃ and NO ₂ oxidation of SO ₂ on Al ₂ O ₃ particles. 2017 , 167, 245-253	29
1770	The blue skies in Beijing during APEC 2014: A quantitative assessment of emission control efficiency and meteorological influence. 2017 , 167, 235-244	24
1769	Linking Urbanization and the Environment: Conceptual and Empirical Advances. 2017 , 42, 215-240	141
1768	Ambient Particles (PM ₁₀ , PM _{2.5} and PM _{1.0}) and PM _{2.5} Chemical Components in Western Yangtze River Delta (YRD): An Overview of Data from 1-year Online Continuous Monitoring at Nanjing. 2017 , 1, 107-118	4
1767	Spatio-temporal variations in PM leaf deposition: A meta-analysis. 2017 , 231, 207-218	60
1766	Concentrations of particulates and metallic elements in slow wind (average 1.5 m/s) in the winter season. 2017 , 18, 188-196	3
1765	Air Pollution Prevention and Control Policy in China. 2017 , 1017, 243-261	18
1764	Characteristics of Major Air Pollutants in China. 2017 , 1017, 7-26	18
1763	Ambient Air Pollution and Health Impact in China. 2017 ,	3
1762	Sensitivities of Simulated Source Contributions and Health Impacts of PM to Aerosol Models. 2017 , 51, 14273-14282	12
1761	Do natural gas and renewable energy consumption lead to less CO ₂ emission? Empirical evidence from a panel of BRICS countries. 2017 , 141, 1466-1478	248
1760	Severe Pollution in China Amplified by Atmospheric Moisture. 2017 , 7, 15760	122
1759	Natural Carbonized Sugar as a Low-Temperature Ammonia Sensor Material: Experimental, Theoretical, and Computational Studies. 2017 , 9, 43051-43060	23
1758	India Is Overtaking China as the World's Largest Emitter of Anthropogenic Sulfur Dioxide. 2017 , 7, 14304	182
1757	Relative contributions of boundary-layer meteorological factors to the explosive growth of PM _{2.5} during the red-alert heavy pollution episodes in Beijing in December 2016. 2017 , 31, 809-819	91
1756	Formation of Nitrogen-Containing Organic Aerosol during Combustion of High-Sulfur-Content Coal. 2017 , 31, 14161-14168	4
1755	Selective molecular characterization of particulate matter from gasoline cars using internal extractive electrospray ionization mass spectrometry. 2017 , 9, 6491-6498	3

1754	Air quality improvements and health benefits from China's clean air action since 2013. 2017 , 12, 114020	156
1753	Size-segregated particulate matter and its association with respiratory deposition doses among outdoor exercisers in Dhanbad City, India. 2017 , 67, 1137-1145	21
1752	High Contribution of Nonfossil Sources to Submicrometer Organic Aerosols in Beijing, China. 2017 , 51, 7842-7852	49
1751	Effects of Typical Inorganics on the Emission Behavior of PM ₁₀ during Combustion of Ash-Removed Coals Loaded with Sodium and Quartz. 2017 , 31, 8014-8022	1
1750	Promotional effect of spherical alumina loading with manganese-based bimetallic oxides on nitric-oxide deep oxidation by ozone. 2017 , 38, 1270-1280	13
1749	Quantification of Gas-to-Particle Conversion Rates of Sulfur in the Terrestrial Atmosphere Using High-Sensitivity Measurements of Cosmogenic ³⁵ S. 2017 , 1, 324-333	4
1748	Effects of 1,4-naphthoquinone aged carbon black particles on the cell membrane of human bronchial epithelium. 2017 , 54, 21-27	11
1747	Volatile organic compounds (VOCs) during non-haze and haze days in Shanghai: characterization and secondary organic aerosol (SOA) formation. 2017 , 24, 18619-18629	38
1746	The Importance of Aerosols in the Earth System: Science and Engineering Perspectives. 2017 , 1, 1-6	5
1745	Role identification of NH ₃ in atmospheric secondary new particle formation in haze occurrence of China. 2017 , 163, 107-117	27
1744	Three-Dimensional Bi(₅)O(₇)I Photocatalysts for Efficient Removal of NO in Air Under Visible Light. 2017 , 1, 33-40	3
1743	Characteristics and origins of a typical heavy haze episode in Baotou, China: implications for the spatial distribution of industrial sources. 2017 , 18, 151-162	2
1742	Synergistic effect among Cl ₂ , SO ₂ and NO ₂ in their heterogeneous reactions on gamma-alumina. 2017 , 166, 403-411	9
1741	Mesoporous TiO ₂ under VUV irradiation: Enhanced photocatalytic oxidation for VOCs degradation at room temperature. 2017 , 327, 490-499	102
1740	Identifying the spatial effects and driving factors of urban PM _{2.5} pollution in China. 2017 , 82, 61-75	201
1739	Model simulation of NO ₃ , N ₂ O ₅ and ClNO ₂ at a rural site in Beijing during CAREBeijing-2006. 2017 , 196, 97-107	23
1738	Characterization, sources and health risk analysis of PM _{2.5} bound metals during foggy and non-foggy days in sub-urban atmosphere of Agra. 2017 , 197, 121-131	45
1737	Catalytic oxidation of benzene over Mn modified TiO ₂ /ZSM-5 under vacuum UV irradiation. 2017 , 203, 870-878	79

1736	The study on interactions between 1-ethyl-3-methylimidazolium chloride and benzene/pyridine /pyrrole/thiophene. 2017 , 30, e3663	3
1735	Relationship between air quality and economic development in the provincial capital cities of China. 2017 , 24, 2928-2935	16
1734	Formation, features and controlling strategies of severe haze-fog pollutions in China. 2017 , 578, 121-138	190
1733	Chemical characterization and source apportionment of atmospheric submicron particles on the western coast of Taiwan Strait, China. 2017 , 52, 293-304	8
1732	Haze, public health and mitigation measures in China: A review of the current evidence for further policy response. 2017 , 578, 148-157	171
1731	Airborne particulate matter pollution in urban China: a chemical mixture perspective from sources to impacts. 2017 , 4, 593-610	48
1730	Optical properties and possible sources of brown carbon in PM _{2.5} over Xi'an, China. 2017 , 150, 322-330	58
1729	Particulate matters emitted from maize straw burning for winter heating in rural areas in Guanzhong Plain, China: Current emission and future reduction. 2017 , 184, 66-76	79
1728	Impacts of household coal and biomass combustion on indoor and ambient air quality in China: Current status and implication. 2017 , 576, 347-361	100
1727	A comparison study of carbonaceous aerosols in a typical North China Plain urban atmosphere: Seasonal variability, sources and implications to haze formation. 2017 , 149, 95-103	28
1726	Autophagy and lysosomal dysfunction: A new insight into mechanism of synergistic pulmonary toxicity of carbon black-metal ions co-exposure. 2017 , 111, 322-333	25
1725	Effect of short-term regional traffic restriction on urban submicron particulate pollution. 2017 , 55, 86-99	8
1724	Tracking pollutant characteristics during haze events at background site Zhongmu, Henan Province, China. 2017 , 8, 64-73	7
1723	PM levels, chemical composition and health risk assessment in Xinxiang, a seriously air-polluted city in North China. 2017 , 39, 1071-1083	22
1722	Determination of time- and size-dependent fine particle emission with varied oil heating in an experimental kitchen. 2017 , 51, 157-164	23
1721	Construction of homojunction-adsorption layer on anatase TiO ₂ to improve photocatalytic mineralization of volatile organic compounds. 2017 , 202, 664-670	46
1720	An optimized two-step derivatization method for analyzing diethylene glycol ozonation products using gas chromatography and mass spectrometry. 2017 , 53, 313-321	4
1719	On-road vehicle emissions and their control in China: A review and outlook. 2017 , 574, 332-349	278

1718	Tropospheric volatile organic compounds in China. 2017 , 574, 1021-1043	104
1717	Modeling high aerosol loads in China in January 2013. 2017 , 22, 35-50	1
1716	Variations of polycyclic aromatic hydrocarbons in ambient air during haze and non-haze episodes in warm seasons in Hangzhou, China. 2017 , 24, 135-145	15
1715	Investigation of tailpipe and evaporative emissions from China IV and Tier 2 passenger vehicles with different gasolines. 2017 , 50, 305-315	21
1714	Quantifying the relationship between visibility degradation and PM constituents at a suburban site in Hong Kong: Differentiating contributions from hydrophilic and hydrophobic organic compounds. 2017 , 575, 1571-1581	15
1713	Perovskite LaFeO ₃ -SrTiO ₃ composite for synergistically enhanced NO removal under visible light excitation. 2017 , 204, 346-357	102
1712	Spatial and seasonal variations of gaseous and particulate matter pollutants in 31 provincial capital cities, China. 2017 , 10, 359-370	14
1711	Source apportionment of PM at urban and suburban areas of the Pearl River Delta region, south China - With emphasis on ship emissions. 2017 , 574, 1559-1570	121
1710	Aerosol and boundary-layer interactions and impact on air quality. 2017 , 4, 810-833	332
1709	A Simple and Universal Aerosol Retrieval Algorithm for Landsat Series Images Over Complex Surfaces. 2017 , 122, 13,338-13,355	34
1708	Co-gasification of Alkaline Black Liquor and Coal in Supercritical Water at High Temperatures (600-750 °C). 2017 , 31, 13585-13592	21
1707	Characterization of ozone in the lower troposphere during the 2016 G20 conference in Hangzhou. 2017 , 7, 17368	51
1706	Gasoline aromatics: a critical determinant of urban secondary organic aerosol formation. 2017 , 17, 10743-10753	34
1705	An updated emission inventory of vehicular VOCs and IVOCs in China. 2017 , 17, 12709-12724	52
1704	Regional severe particle pollution and its association with synoptic weather patterns in the Yangtze River Delta region, China. 2017 , 17, 12871-12891	52
1703	Long-term chemical analysis and organic aerosol source apportionment at nine sites in central Europe: source identification and uncertainty assessment. 2017 , 17, 13265-13282	55
1702	Sources and atmospheric processing of winter aerosols in Seoul, Korea: insights from real-time measurements using a high-resolution aerosol mass spectrometer. 2017 , 17, 2009-2033	30
1701	Classification of summertime synoptic patterns in Beijing and their associations with boundary layer structure affecting aerosol pollution. 2017 , 17, 3097-3110	149

1700	Wintertime aerosol chemistry and haze evolution in an extremely polluted city of the North China Plain: significant contribution from coal and biomass combustion. 2017 , 17, 4751-4768	117
1699	Open burning of rice, corn and wheat straws: primary emissions, photochemical aging, and secondary organic aerosol formation. 2017 , 17, 14821-14839	42
1698	Development of a high-resolution emission inventory and its evaluation and application through air quality modeling for Jiangsu Province, China. 2017 , 17, 211-233	56
1697	Ground-based MAX-DOAS observations of tropospheric aerosols, NO ₂ , SO ₂ and HCHO in Wuxi, China, from 2011 to 2014. 2017 , 17, 2189-2215	62
1696	Multi-pollutant emissions from the burning of major agricultural residues in China and the related health-economic effects. 2017 , 17, 4957-4988	34
1695	Modeling biogenic and anthropogenic secondary organic aerosol in China. 2017 , 17, 77-92	87
1694	Assessment of carbonaceous aerosols in Shanghai, China [Part 1: long-term evolution, seasonal variations, and meteorological effects. 2017 , 17, 9945-9964	43
1693	The levels, variation characteristics, and sources of atmospheric non-methane hydrocarbon compounds during wintertime in Beijing, China. 2017 , 17, 10633-10649	48
1692	Sources of non-fossil-fuel emissions in carbonaceous aerosols during early winter in Chinese cities. 2017 , 17, 11491-11502	12
1691	The contribution of residential coal combustion to atmospheric PM _{2.5} in northern China during winter. 2017 , 17, 11503-11520	44
1690	Argon offline-AMS source apportionment of organic aerosol over yearly cycles for an urban, rural, and marine site in northern Europe. 2017 , 17, 117-141	46
1689	Chemical characterization and source identification of PM _{2.5} at multiple sites in the Beijing-Tianjin-Hebei region, China. 2017 , 17, 12941-12962	120
1688	Limited production of sulfate and nitrate on front-associated dust storm particles moving from desert to distant populated areas in northwestern China. 2017 , 17, 14473-14484	13
1687	Field characterization of the PM _{2.5} Aerosol Chemical Speciation Monitor: insights into the composition, sources, and processes of fine particles in eastern China. 2017 , 17, 14501-14517 ³²	32
1686	Impacts of meteorological uncertainties on the haze formation in Beijing-Tianjin-Hebei (BTH) during wintertime: a case study. 2017 , 17, 14579-14591	36
1685	Chemical characterization of fine particulate matter in Changzhou, China, and source apportionment with offline aerosol mass spectrometry. 2017 , 17, 2573-2592	64
1684	Air quality improvement in a megacity: implications from 2015 Beijing Parade Blue pollution control actions. 2017 , 17, 31-46	61
1683	Insights into aerosol chemistry during the 2015 China Victory Day parade: results from simultaneous measurements at ground level and 260 m in Beijing. 2017 , 17, 3215-3232	70

1682	Evaluation of the absorption $\alpha_{\text{str}}^{\text{str}}$ exponents for traffic and wood burning in the Aethalometer-based source apportionment using radiocarbon measurements of ambient aerosol. 2017 , 17, 4229-4249	171
1681	Validation of OMI, GOME-2A and GOME-2B tropospheric NO ₂ , SO ₂ and HCHO products using MAX-DOAS observations from 2011 to 2014 in Wuxi, China: investigation of the effects of priori profiles and aerosols on the satellite products. 2017 , 17, 5007-5033	67
1680	Enhanced hydrophobicity and volatility of submicron aerosols under severe emission control conditions in Beijing. 2017 , 17, 5239-5251	40
1679	Insight into winter haze formation mechanisms based on aerosol hygroscopicity and effective density measurements. 2017 , 17, 7277-7290	23
1678	Modelling winter organic aerosol at the European scale with CAMx: evaluation and source apportionment with a VBS parameterization based on novel wood burning smog chamber experiments. 2017 , 17, 7653-7669	45
1677	Improved provincial emission inventory and speciation profiles of anthropogenic non-methane volatile organic compounds: a case study for Jiangsu, China. 2017 , 17, 7733-7756	44
1676	Opposite long-term trends in aerosols between low and high altitudes: a testimony to the aerosol-BL feedback. 2017 , 17, 7997-8009	31
1675	Organic aerosol source apportionment by offline-AMS over a full year in Marseille. 2017 , 17, 8247-8268	54
1674	Comparison of primary and secondary particle formation from natural gas engine exhaust and of their volatility characteristics. 2017 , 17, 8739-8755	12
1673	Observations of particles at their formation sizes in Beijing, China. 2017 , 17, 8825-8835	20
1672	Differentiating local and regional sources of Chinese urban air pollution based on the effect of the Spring Festival. 2017 , 17, 9103-9114	28
1671	On the multiday haze in the Asian continental outflow: the important role of synoptic conditions combined with regional and local sources. 2017 , 17, 9311-9332	45
1670	A review of current knowledge concerning PM _{2.5} ; chemical composition, aerosol optical properties and their relationships across China. 2017 , 17, 9485-9518	184
1669	Concentrations and stable carbon isotope compositions of oxalic acid and related SOA in Beijing before, during, and after the 2014 APEC. 2017 , 17, 981-992	26
1668	Seasonal variations in high time-resolved chemical compositions, sources, and evolution of atmospheric submicron aerosols in the megacity Beijing. 2017 , 17, 9979-10000	87
1667	Understanding PM _{2.5} sources in China: challenges and perspectives. 2017 , 4, 801-803	15
1666	TCCON Philippines: First Measurement Results, Satellite Data and Model Comparisons in Southeast Asia. 2017 , 9, 1228	16
1665	Long-term chemical analysis and organic aerosol source apportionment at 9 sites in Central Europe: Source identification and uncertainty assessment. 2017 ,	1

1664	Phylloremediation of Air Pollutants: Exploiting the Potential of Plant Leaves and Leaf-Associated Microbes. 2017 , 8, 1318	80
1663	Highly sensitive and selective liquid crystal optical sensor for detection of ammonia. 2017 , 25, 13549-13556	23
1662	Fast heterogeneous N ₂ O uptake and ClNO ₂ production in power plant and industrial plumes observed in the nocturnal residual layer over the North China Plain. 2017 , 17, 12361-12378	65
1661	Characteristics of Particulate Pollution (PM _{2.5} and PM ₁₀) and Their Spacescale-Dependent Relationships with Meteorological Elements in China. 2017 , 9, 2330	31
1660	Study of PBLH and Its Correlation with Particulate Matter from One-Year Observation over Nanjing, Southeast China. 2017 , 9, 668	35
1659	Characteristics of Aerosol Types in Beijing and the Associations with Air Pollution from 2004 to 2015. 2017 , 9, 898	17
1658	Scale- and Region-Dependence in Landscape-PM _{2.5} Correlation: Implications for Urban Planning. 2017 , 9, 918	46
1657	Examining the Influence of Crop Residue Burning on Local PM _{2.5} Concentrations in Heilongjiang Province Using Ground Observation and Remote Sensing Data. 2017 , 9, 971	8
1656	A New Perspective on Formation of Haze-Fog: The Fuzzy Cognitive Map and Its Approaches to Data Mining. 2017 , 9, 352	6
1655	Examining PM _{2.5} Emissions Embodied in China's Supply Chain Using a Multiregional Input-Output Analysis. 2017 , 9, 727	15
1654	Improved provincial emission inventory and speciation profiles of anthropogenic non-methane volatile organic compounds: a case study for Jiangsu, China. 2017 ,	1
1653	Properties of black carbon and other insoluble light-absorbing particles in seasonal snow of northwestern China. 2017 , 11, 1213-1233	17
1652	Morphology, Composition, and Mixing State of Individual Aerosol Particles in Northeast China during Wintertime. 2017 , 8, 47	11
1651	Inverse Relations of PM _{2.5} and O ₃ in Air Compound Pollution between Cold and Hot Seasons over an Urban Area of East China. 2017 , 8, 59	56
1650	Temporal and Spatial Patterns of China's Main Air Pollutants: Years 2014 and 2015. 2017 , 8, 137	21
1649	Chemical and Light Extinction Characteristics of Atmospheric Aerosols in Suburban Nanjing, China. 2017 , 8, 149	10
1648	Spatiotemporal Variations and Driving Factors of Air Pollution in China. 2017 , 14,	26
1647	Seasonal variations of high time-resolved chemical compositions, sources and evolution for atmospheric submicron aerosols in the megacity Beijing. 2017 ,	

1646	Wintertime aerosol chemistry and haze evolution in an extremely polluted city of North China Plain: significant contribution from coal and biomass combustions. 2017,	1
1645	A review of current knowledge concerning PM _{2.5} ; chemical composition, aerosol optical properties, and their relationships across China. 2017,	3
1644	Advanced source apportionment of carbonaceous aerosols by coupling offline AMS and radiocarbon size segregated measurements over a nearly two-year period. 2017,	2
1643	Indoor simulations reveal differences among plant species in capturing particulate matter. 2017, 12, e0177539	6
1642	Estimation of the effects of heavy Asian dust on respiratory function by definition type. 2017, 39, 25	5
1641	New insights into the sources and formation of carbonaceous aerosols in China: potential applications of dual-carbon isotopes. 2017, 4, 804-806	14
1640	Simultaneous Dust and Pollutant Transport over East Asia: The Tripartite Environment Ministers Meeting March 2014 Case Study. 2017, 13, 47-52	10
1639	Direct observations of organic aerosols in common wintertime hazes in North China: insights into direct emissions from Chinese residential stoves. 2017, 17, 1259-1270	43
1638	Organic aerosol source apportionment by offline-AMS over a full year in Marseille. 2017,	3
1637	Large contribution of fossil-fuel derived secondary organic carbon to water-soluble organic aerosols in winter haze of China. 2017,	
1636	Observations of Particles at their Formation Sizes in Beijing, China. 2017,	
1635	Characteristics and source apportionment of fine haze aerosol in Beijing during the winter of 2013. 2017,	
1634	Aerosol Optical Properties at SORPES in Nanjing, East China. 2017,	1
1633	A statistical approach for estimating representative emission rates of biogenic volatile organic compounds and their determination for 192 plant species/genera in China. 2017,	2
1632	The contribution of residential coal combustion to atmospheric PM _{2.5} ; in the North China during winter. 2017,	2
1631	Temporal Variability of Source-Specific Solvent-Extractable Organic Compounds in Coastal Aerosols over Xiamen, China. 2017, 8, 33	6
1630	Investigations of Temporal and Spatial Distribution of Precursors SO ₂ ; and NO ₂ ; Vertical Columns in North China Plain by Mobile DOAS. 2017,	
1629	Vertically-resolved Characteristics of Air Pollution during Two Severe Winter Haze Episodes in Urban Beijing, China. 2017,	

- 1628 Influence of Intense secondary aerosol formation and long range transport on aerosol chemistry and properties in the Seoul Metropolitan Area during spring time: Results from KORUS-AQ. **2017**, 1
- 1627 Dome effect of black carbon and its key influencing factors: A one-dimensional modelling study. **2017**, 0
- 1626 On the multi-day haze in the Asian continental outflow: An important role of synoptic condition combined with regional and local sources. **2017**,
- 1625 Impacts of Meteorological Uncertainties on the Haze Formation in Beijing-Tianjin-Hebei (BTH) during Wintertime: A case study. **2017**,
- 1624 Understanding Variability of Haze in Eastern China. **2017**, 07, 2
- 1623 Open burning of rice, corn and wheat straws: primary emissions, photochemical aging, and secondary organic aerosol formation. **2017**,
- 1622 Feedback effects of boundary-layer meteorological factors on explosive growth of $PM_{2.5}$ during winter heavy pollution episodes in Beijing from 2013 to 2016. **2017**,
- 1621 Quantifying the relationship among $PM_{2.5}$ concentration, visibility and planetary boundary layer height for long-lasting haze and fog-haze mixed events in Beijing city. **2017**,
- 1620 Exposure to Ambient Particulate Matter during Specific Gestational Periods Produces Adverse Obstetric Consequences in Mice. **2017**, 125, 077020 43
- 1619 Stochastic scheduling ensuring air quality through wind power and storage coordination. **2017**, 11, 2031-2040 4
- 1618 Chemical characterization and synergetic source apportionment of $PM_{2.5}$ at multiple sites in the Beijing-Tianjin-Hebei region, China. **2017**, 2
- 1617 Regional severe particle pollution and its association with synoptic weather patterns in the Yangtze River Delta region, China. **2017**,
- 1616 Photochemical aging of organic and inorganic ambient aerosol from the Potential Aerosol Mass (PAM) reactor experiment in East Asia. **2017**, 2
- 1615 Opposite Long-term Trends in Aerosols between Lower and Higher Altitudes: A Testimony to the Aerosol-PBL Feedback. **2017**,
- 1614 Differentiating local and regional sources of Chinese urban air pollution based on effect of Spring Festival. **2017**,
- 1613 Assessment of carbonaceous aerosols in Shanghai, China: Long-term evolution, seasonal variations and meteorological effects. **2017**,
- 1612 Constraining a hybrid volatility basis-set model for aging of wood-burning emissions using smog chamber experiments: a box-model study based on the VBS scheme of the CAMx model (v5.40). **2017**, 10, 2303-2320 20
- 1611 Enhanced atmospheric oxidizing capacity in simulating air quality with updated emission inventories for power plants especially for haze periods over East China. **2017**,

1610	Synoptic meteorological modes of variability for fine particulate matter (PM _{2.5}) air quality in major metropolitan regions of China. 2017 ,	1
1609	Comparison of primary and secondary particle formation from natural gas engine exhaust and of their volatility characteristics. 2017 ,	2
1608	An updated emission inventory of vehicular VOCs/IVOCs in China. 2017 ,	
1607	Hygroscopic behavior of atmospheric aerosols containing nitrates and water-soluble organic acids. 2017 ,	
1606	Characteristics and Formation Mechanisms of Fine Particulate Nitrate in Typical Urban Areas in China. 2017 , 8, 62	42
1605	High-resolution sampling and analysis of ambient particulate matter in the Pearl River Delta region of Southern China: source apportionment and health risk implications. 2017 ,	
1604	Baosteel emission control significantly benefited air quality in Shanghai. 2018 , 71, 127-135	6
1603	A comparative study on the sooting tendencies of various 1-alkene fuels in counterflow diffusion flames. 2018 , 192, 71-85	27
1602	Hot-Pressing Method To Prepare Imidazole-Based Zn(II) Metal-Organic Complexes Coatings for Highly Efficient Air Filtration. 2018 , 10, 9744-9755	32
1601	PM mitigation in China: Socioeconomic determinants of concentrations and differential control policies. 2018 , 213, 47-55	63
1600	Impacts of synoptic condition and planetary boundary layer structure on the trans-boundary aerosol transport from Beijing-Tianjin-Hebei region to northeast China. 2018 , 181, 1-11	50
1599	Assessment of winter air pollution episodes using long-range transport modeling in Hangzhou, China, during World Internet Conference, 2015. 2018 , 236, 550-561	30
1598	Spatiotemporal variation of PM ₁ pollution in China. 2018 , 178, 198-205	46
1597	Spatial and temporal distributions of air pollutant emissions from open crop straw and biomass burnings in China from 2002 to 2016. 2018 , 16, 301-309	55
1596	The characteristics of abnormal wintertime pollution events in the Jing-Jin-Ji region and its relationships with meteorological factors. 2018 , 626, 887-898	45
1595	The Silk Road agenda of the Pan-Eurasian Experiment (PEEX) program. 2018 , 2, 8-35	5
1594	Characterization of coal burning-derived individual particles emitted from an experimental domestic stove. 2018 , 71, 45-55	9
1593	Synthesis of a Bi ₂ O ₂ CO ₃ /ZnFe ₂ O ₄ heterojunction with enhanced photocatalytic activity for visible light irradiation-induced NO removal. 2018 , 234, 70-78	132

1592	Trends in heterogeneous aqueous reaction in continuous haze episodes in suburban Shanghai: An in-depth case study. 2018 , 634, 1192-1204	22
1591	New positive feedback mechanism between boundary layer meteorology and secondary aerosol formation during severe haze events. 2018 , 8, 6095	52
1590	In Vivo Two-Photon Fluorescence Imaging of the Activity of the Inflammatory Biomarker LTAH in a Mouse Pneumonia Model. 2018 , 90, 6020-6027	14
1589	Evidence of Rural and Suburban Sources of Urban Haze Formation in China: A Case Study From the Pearl River Delta Region. 2018 , 123, 4712-4726	13
1588	Seasonal statistical analysis of the impact of meteorological factors on fine particle pollution in China in 2013-2017. 2018 , 93, 677-698	18
1587	Towards a better understanding of adsorption of indoor air pollutants in porous media: From mechanistic model to molecular simulation. 2018 , 11, 997-1010	7
1586	High-resolution sampling and analysis of ambient particulate matter in the Pearl River Delta region of southern China: source apportionment and health risk implications. 2018 , 18, 2049-2064	27
1585	Updated emission inventories of power plants in simulating air quality during haze periods over East China. 2018 , 18, 2065-2079	24
1584	Source Apportionment of PM _{2.5} Using Hourly Measurements of Elemental Tracers and Major Constituents in an Urban Environment: Investigation of Time-Resolution Influence. 2018 , 123, 5284-5300	34
1583	Atmospheric fossil fuel CO traced by CO and air quality index pollutant observations in Beijing and Xiamen, China. 2018 , 25, 17109-17117	5
1582	Shortwave Radiation, Climate Change, and Anthropogenic Aerosols in China. 2018 , 409-423	
1581	Bioinspired Ultralight Inorganic Aerogel for Highly Efficient Air Filtration and Oil-Water Separation. 2018 , 10, 13019-13027	75
1580	Ultrafine particle libraries for exploring mechanisms of PM-induced toxicity in human cells. 2018 , 157, 380-387	25
1579	Poisoning mechanisms of Mn-containing additives on the performance of TiO ₂ based lambda oxygen sensor. 2018 , 267, 565-569	5
1578	The relationship between urban form and air pollution depends on seasonality and city size. 2018 , 25, 15554-15567	53
1577	Dual carbon isotopes (C and C) and optical properties of WSOC and HULIS-C during winter in Guangzhou, China. 2018 , 633, 1571-1578	26
1576	Semivolatile Organic Compounds (SOCs) in Fine Particulate Matter (PM) during Clear, Fog, and Haze Episodes in Winter in Beijing, China. 2018 , 52, 5199-5207	29
1575	Chemical agglomeration properties of fine particles immersed in solutions and the reduction in fine particle emission by adding emulsion polymers. 2018 , 175, 44-53	9

1574	3D Aerogel of Graphitic Carbon Nitride Modified with Perylene Imide and Graphene Oxide for Highly Efficient Nitric Oxide Removal under Visible Light. 2018 , 14, e1800416	52
1573	Do volatile organic compounds (VOCs) emitted from petrochemical industries affect regional PM _{2.5} ? 2018 , 209, 123-130	46
1572	Stable sulfur isotope ratios and chemical compositions of fine aerosols (PM) in Beijing, China. 2018 , 633, 1156-1164	17
1571	Sources of particulate matter in China: Insights from source apportionment studies published in 1987-2017. 2018 , 115, 343-357	95
1570	Parental stress and air pollution increase childhood asthma in China. 2018 , 165, 23-31	35
1569	Attribution of Anthropogenic Influence on Atmospheric Patterns Conducive to Recent Most Severe Haze Over Eastern China. 2018 , 45, 2072-2081	52
1568	Predicted impact of thermal power generation emission control measures in the Beijing-Tianjin-Hebei region on air pollution over Beijing, China. 2018 , 8, 934	22
1567	Temperature effects on multiphase reactions of organic molecular markers: A modeling study. 2018 , 179, 40-48	7
1566	Characteristics of inorganic aerosol formation over ammonia-poor and ammonia-rich areas in the Pearl River Delta region, China. 2018 , 177, 120-131	15
1565	An analysis of chemical and meteorological characteristics of haze events in the Seoul metropolitan area during January 12-18, 2013. 2018 , 178, 87-100	14
1564	Characteristics of airborne lead in Hangzhou, southeast China: Concentrations, species, and source contributions based on Pb isotope ratios and synchrotron X-ray fluorescence based factor analysis. 2018 , 9, 607-616	8
1563	Washable Multilayer Triboelectric Air Filter for Efficient Particulate Matter PM _{2.5} Removal. 2018 , 28, 1706680	141
1562	China-related POM research: Literature review and suggestions for future research. 2018 , 203, 134-153	6
1561	Impacts of air pollution wave on years of life lost: A crucial way to communicate the health risks of air pollution to the public. 2018 , 113, 42-49	60
1560	Characterization of Gas-Phase Organics Using Proton Transfer Reaction Time-of-Flight Mass Spectrometry: Residential Coal Combustion. 2018 , 52, 2612-2617	23
1559	Development and Application of a Novel Bioassay System for Dioxin Determination and Aryl Hydrocarbon Receptor Activation Evaluation in Ambient-Air Samples. 2018 , 52, 2926-2933	15
1558	Aerosol Liquid Water Driven by Anthropogenic Inorganic Salts: Implying Its Key Role in Haze Formation over the North China Plain. 2018 , 5, 160-166	110
1557	Assessing the features of extreme smog in China and the differentiated treatment strategy. 2018 , 474, 20170511	6

1556	Role of Nitrogen Dioxide in the Production of Sulfate during Chinese Haze-Aerosol Episodes. 2018 , 52, 2686-2693	65
1555	Recent intensification of winter haze in China linked to foreign emissions and meteorology. 2018 , 8, 2107	39
1554	Impact of Climate Change on Siberian High and Wintertime Air Pollution in China in Past Two Decades. 2018 , 6, 118-133	33
1553	Diurnal variations of atmospheric polycyclic aromatic hydrocarbons (PAHs) during three sequent winter haze episodes in Beijing, China. 2018 , 625, 1486-1493	31
1552	Transfers of embodied PM emissions from and to the North China region based on a multiregional input-output model. 2018 , 235, 381-393	42
1551	Spatio-temporal characteristics of urban air pollutions and their causal relationships: Evidence from Beijing and its neighboring cities. 2018 , 8, 1279	26
1550	Occurrence and Distribution of Urban Dust-Associated Bacterial Antibiotic Resistance in Northern China. 2018 , 5, 50-55	28
1549	A new method for measurement of air change rate based on indoor PM2.5 removal. 2018 , 15, 2561-2568	2
1548	Enhancement of PM2.5 Concentrations by Aerosol-Meteorology Interactions Over China. 2018 , 123, 1179-1194	35
1547	Tracer element for indoor PM2.5 in China migrated from outdoor. 2018 , 176, 171-178	23
1546	The January 2013 Beijing "Airpocalypse" and its Acute Effects on Emergency and Outpatient Visits at a Beijing Hospital. 2018 , 11, 301-309	12
1545	Natural Silicon Isotopic Signatures Reveal the Sources of Airborne Fine Particulate Matter. 2018 , 52, 1088-1095	17
1544	Investigation of air quality over the largest city in central China using high resolution satellite derived aerosol optical depth data. 2018 , 9, 584-593	10
1543	Atmospheric autoxidation is increasingly important in urban and suburban North America. 2018 , 115, 64-69	101
1542	Improve regional distribution and source apportionment of PM trace elements in China using inventory-observation constrained emission factors. 2018 , 624, 355-365	21
1541	Variations of bacteria and fungi in PM2.5 in Beijing, China. 2018 , 172, 55-64	53
1540	Introduction: Air Pollution in China. 2018 , 234, 279-298	25
1539	Critical issues of energy efficient and new energy vehicles development in China. 2018 , 115, 92-97	93

1538	Characterization of isoprene-derived secondary organic aerosols at a rural site in North China Plain with implications for anthropogenic pollution effects. 2018 , 8, 535	28
1537	Improved photocatalytic NO removal activity of SrTiO ₃ by using SrCO ₃ as a new co-catalyst. 2018 , 227, 24-34	71
1536	Seasonal variability and source distribution of haze particles from a continuous one-year study in Beijing. 2018 , 9, 627-633	13
1535	Chlorine levels and species in fine and size resolved atmospheric particles by X-ray absorption near-edge structure spectroscopy analysis in Beijing, China. 2018 , 196, 393-401	8
1534	Purifier or fresh air unit? A study on indoor particulate matter purification strategies for buildings with split air-conditioners. 2018 , 131, 1-11	11
1533	In Situ Investigation on the Nanoscale Capture and Evolution of Aerosols on Nanofibers. 2018 , 18, 1130-1138	41
1532	Key Role of Nitrate in Phase Transitions of Urban Particles: Implications of Important Reactive Surfaces for Secondary Aerosol Formation. 2018 , 123, 1234-1243	56
1531	Urban air quality management in Xi'an. 2018 , 27, 3-6	7
1530	Oxygen vacancy engineering of Bi ₂ O ₃ /Bi ₂ O ₂ CO ₃ heterojunctions: Implications of the interfacial charge transfer, NO adsorption and removal. 2018 , 231, 357-367	143
1529	Bioaccumulation of heavy metals in maricultured fish, <i>Lates calcarifer</i> (Barramudi), <i>Lutjanus campechanus</i> (red snapper) and <i>Lutjanus griseus</i> (grey snapper). 2018 , 197, 318-324	35
1528	Nitrate-driven urban haze pollution during summertime over the North China Plain. 2018 , 18, 5293-5306	94
1527	Chemical nature of PM and PM in Xi'an, China: Insights into primary emissions and secondary particle formation. 2018 , 240, 155-166	64
1526	How ethanol and gasoline formula changes evaporative emissions of the vehicles. 2018 , 222, 584-594	26
1525	Air Pollution and Greenhouse Gas Emissions in China: An Unsustainable Situation in Search of a Solution. 2018 , 139-157	
1524	Oscillation of Surface PM _{2.5} Concentration Resulting from an Alternation of Easterly and Southerly Winds in Beijing: Mechanisms and Implications. 2018 , 32, 288-301	6
1523	Exploring ozone pollution in Chengdu, southwestern China: A case study from radical chemistry to O-VOC-NO sensitivity. 2018 , 636, 775-786	128
1522	PM Source Apportionment Using a Hybrid Environmental Receptor Model. 2018 , 52, 6357-6369	19
1521	Investigations of temporal and spatial distribution of precursors SO ₂ and NO _x ; vertical columns in the North China Plain using mobile DOAS. 2018 , 18, 1535-1554	22

1520	Quantifying the relationship between PM _{2.5} concentration, visibility and planetary boundary layer height for long-lasting haze and fog/haze mixed events in Beijing. 2018 , 18, 203-225	62
1519	Feedback effects of boundary-layer meteorological factors on cumulative explosive growth of PM _{2.5} during winter heavy pollution episodes in Beijing from 2013 to 2016. 2018 , 18, 247-258	139
1518	Vertically resolved characteristics of air pollution during two severe winter haze episodes in urban Beijing, China. 2018 , 18, 2495-2509	51
1517	Characteristics and source apportionment of fine haze aerosol in Beijing during the winter of 2013. 2018 , 18, 2573-2584	30
1516	Molecular distribution and compound-specific stable carbon isotopic composition of dicarboxylic acids, oxocarboxylic acids and α,β -dicarbonyls in PM _{2.5} from Beijing, China. 2018 , 18, 2749-2767	36
1515	Dome effect of black carbon and its key influencing factors: a 3D-dimensional modelling study. 2018 , 18, 2821-2834	80
1514	Increasing persistent haze in Beijing: potential impacts of weakening East Asian winter monsoons associated with northwestern Pacific sea surface temperature trends. 2018 , 18, 3173-3183	58
1513	Large contribution of fossil fuel derived secondary organic carbon to water soluble organic aerosols in winter haze in China. 2018 , 18, 4005-4017	32
1512	Air quality and climate change, Topic 3 of the Model Inter-Comparison Study for Asia Phase III (MICS-Asia III) [Part I]: Overview and model evaluation. 2018 , 18, 4859-4884	45
1511	Intercomparison of CALIOP, MODIS, and AERONET aerosol optical depth over China during the past decade. 2018 , 39, 7251-7275	2
1510	Source-specific speciation profiles of PM for heavy metals and their anthropogenic emissions in China. 2018 , 239, 544-553	67
1509	Critical review of condensable particulate matter. 2018 , 224, 801-813	64
1508	An observational study of nitrous acid (HONO) in Shanghai, China: The aerosol impact on HONO formation during the haze episodes. 2018 , 630, 1057-1070	35
1507	Degradation mechanism of TiO ₂ based lambda oxygen sensor poisoned by phosphorus. 2018 , 268, 77-83	1
1506	Biocompatible FeOOH-Carbon quantum dots nanocomposites for gaseous NO removal under visible light: Improved charge separation and High selectivity. 2018 , 354, 54-62	94
1505	Plug-in electric vehicle charging infrastructure deployment of China towards 2020: Policies, methodologies, and challenges. 2018 , 90, 710-727	56
1504	Enhanced visible-light photocatalytic performance of a monolithic tungsten oxide/graphene oxide aerogel for nitric oxide oxidation. 2018 , 39, 646-653	17
1503	Fabrication of graphitic-C ₃ N ₄ quantum dots/graphene-InVO ₄ aerogel hybrids with enhanced photocatalytic NO removal under visible-light irradiation. 2018 , 236, 45-52	76

1502	Isotopic evidence for enhanced fossil fuel sources of aerosol ammonium in the urban atmosphere. 2018 , 238, 942-947	45
1501	Photochemical Aging of Beijing Urban PM: HONO Production. 2018 , 52, 6309-6316	61
1500	Agricultural ammonia emissions in China: reconciling bottom-up and top-down estimates. 2018 , 18, 339-355	128
1499	Characterization and source apportionment of organic aerosol at 260 m on a meteorological tower in Beijing, China. 2018 , 18, 3951-3968	23
1498	Role of Carbonaceous Aerosols in Catalyzing Sulfate Formation. 2018 , 8, 3825-3832	35
1497	Spatial-temporal patterns of PM concentrations for 338 Chinese cities. 2018 , 631-632, 524-533	107
1496	Molecular Adsorption Mechanism of Elemental Carbon Particles on Leaf Surface. 2018 , 52, 5182-5190	5
1495	Crystallization of microporous TiO through photochemical deposition of Pt for photocatalytic degradation of volatile organic compounds. 2018 , 25, 15662-15670	7
1494	Emission characteristics and chemical components of size-segregated particulate matter in iron and steel industry. 2018 , 182, 115-127	39
1493	Chemical Compositions of PM _{2.5} Emitted from Diesel Trucks and Construction Equipment. 2018 , 2, 51-60	11
1492	Long-term observations of tropospheric NO, SO and HCHO by MAX-DOAS in Yangtze River Delta area, China. 2018 , 71, 207-221	19
1491	Structural Variation in the Bacterial Community Associated with Airborne Particulate Matter in Beijing, China, during Hazy and Nonhazy Days. 2018 , 84,	45
1490	Impact of aerosols on tropical cyclone-induced precipitation over the mainland of China. 2018 , 148, 173-185	19
1489	Understanding the Patterns and Drivers of Air Pollution on Multiple Time Scales: The Case of Northern China. 2018 , 61, 1048-1061	20
1488	Characteristics of atmospheric ammonia and its relationship with vehicle emissions in a megacity in China. 2018 , 182, 97-104	24
1487	Spatiotemporal variations of ambient volatile organic compounds and their sources in Chongqing, a mountainous megacity in China. 2018 , 627, 1442-1452	68
1486	Synergistically catalytic oxidation of toluene over Mn modified g-CN/ZSM-4 under vacuum UV irradiation. 2018 , 349, 91-100	24
1485	Chemical, optical and radiative characteristics of aerosols during haze episodes of winter in the North China Plain. 2018 , 181, 164-176	9

1484	Potential of secondary aerosol formation from Chinese gasoline engine exhaust. 2018 , 66, 348-357	4
1483	Influences of wind and precipitation on different-sized particulate matter concentrations (PM _{2.5} , PM ₁₀ , PM _{2.5-10}). 2018 , 130, 383-392	51
1482	Chemical characteristics and source apportionment of PM between heavily polluted days and other days in Zhengzhou, China. 2018 , 66, 188-198	31
1481	The health impacts of coal use in China. 2018 , 60, 579-589	67
1480	PM _{2.5} Pollution in China and How It Has Been Exacerbated by Terrain and Meteorological Conditions. 2018 , 99, 105-119	142
1479	MnO ₂ -nanowire@NiO-nanosheet core-shell hybrid nanostructure derived interfacial Effect for promoting catalytic oxidation activity. 2018 , 308, 58-63	24
1478	Studies on seasonal pollution of heavy metals in water, sediment, fish and oyster from the Meiliang Bay of Taihu Lake in China. 2018 , 191, 626-638	167
1477	Comparisons of two serious air pollution episodes in winter and summer in Beijing. 2018 , 69, 141-154	17
1476	Household consumption of coal and related sulfur, arsenic, fluorine and mercury emissions in China. 2018 , 112, 221-232	55
1475	Seasonal variations and sources of atmospheric polycyclic aromatic hydrocarbons and organochlorine compounds in a high-altitude city: Evidence from four-year observations. 2018 , 233, 1188-1197 ¹⁸	
1474	The contribution of socioeconomic factors to PM pollution in urban China. 2018 , 233, 977-985	69
1473	Analyzing the impact of heating emissions on air quality index based on principal component regression. 2018 , 171, 1577-1592	24
1472	Insights into extinction evolution during extreme low visibility events: Case study of Shanghai, China. 2018 , 618, 793-803	7
1471	Chemical characteristics and sources of PM during the 2016 summer in Hangzhou. 2018 , 232, 42-54	27
1470	Emissions of volatile organic compounds (VOCs) from cooking and their speciation: A case study for Shanghai with implications for China. 2018 , 621, 1300-1309	48
1469	Source apportionment of PM for 25 Chinese provincial capitals and municipalities using a source-oriented Community Multiscale Air Quality model. 2018 , 612, 462-471	57
1468	Vehicle exhaust: An overstated cause of haze in China. 2018 , 612, 490-491	26
1467	Estimating premature mortality attributable to PM exposure and benefit of air pollution control policies in China for 2020. 2018 , 612, 683-693	131

1466	Spatial, seasonal and diurnal patterns in physicochemical characteristics and sources of PM in both inland and coastal regions within a megacity in China. 2018 , 342, 139-149	35
1465	Power generation scheduling considering stochastic emission limits. 2018 , 95, 374-383	15
1464	A joint prevention and control mechanism for air pollution in the Beijing-Tianjin-Hebei region in china based on long-term and massive data mining of pollutant concentration. 2018 , 174, 25-42	40
1463	Seasonal variation and size distribution of biogenic secondary organic aerosols at urban and continental background sites of China. 2018 , 71, 32-44	10
1462	Characterization of PM and identification of transported secondary and biomass burning contribution in Seoul, Korea. 2018 , 25, 4330-4343	28
1461	Levels, Sources, Markers and Health Risks of Heavy Metals in PM2.5 Over a Typical Mining and Metallurgical City of Central China. 2018 , 2, 1-10	9
1460	Statistical analysis and parameterization of the hygroscopic growth of the sub-micrometer urban background aerosol in Beijing. 2018 , 175, 184-191	26
1459	Spatiotemporal influence of temperature, air quality, and urban environment on cause-specific mortality during hazy days. 2018 , 112, 10-22	47
1458	Environmental status of livestock and poultry sectors in China under current transformation stage. 2018 , 622-623, 702-709	61
1457	Numerical simulations of the effect of building configurations and wind direction on fine particulate matters dispersion in a street canyon. 2018 , 18, 829-847	10
1456	Sources and radiocarbon ages of aerosol organic carbon along the east coast of China and implications for atmospheric fossil carbon contributions to China marginal seas. 2018 , 619-620, 957-965	12
1455	Smog chamber study of the role of NH in new particle formation from photo-oxidation of aromatic hydrocarbons. 2018 , 619-620, 927-937	23
1454	Characteristics and aging of traffic-derived particles in a highway tunnel at a coastal city in southern China. 2018 , 619-620, 1385-1393	17
1453	New insight into PM pollution patterns in Beijing based on one-year measurement of chemical compositions. 2018 , 621, 734-743	57
1452	Characteristics of total airborne microbes at various air quality levels. 2018 , 116, 57-65	61
1451	Chemical characterization and sources of PM at 12-hr resolution in Guiyang, China. 2018 , 37, 334-345	4
1450	Exploring the heavy air pollution in Beijing in the fourth quarter of 2015: assessment of environmental benefits for red alerts. 2018 , 12, 361-372	1
1449	Spatial and temporal variations in criteria air pollutants in three typical terrain regions in Shaanxi, China, during 2015. 2018 , 11, 95-109	22

1448	Source apportionment of secondary organic aerosol in China using a regional source-oriented chemical transport model and two emission inventories. 2018 , 237, 756-766	38
1447	Seasonal variation characteristic of inhalable microbial communities in PM in Beijing city, China. 2018 , 610-611, 308-315	89
1446	Morphology and property investigation of primary particulate matter particles from different sources. 2018 , 11, 3182-3192	33
1445	Photochemical aging of aerosol particles in different air masses arriving at Baengnyeong Island, Korea. 2018 , 18, 6661-6677	13
1444	Wintertime photochemistry in Beijing: Observations of RO ₂ radical concentrations in the North China Plain during the BEST-ONE campaign. 2018 ,	2
1443	A Study on Elevated Concentrations of Submicrometer Particles in an Urban Atmosphere. 2018 , 9, 393	4
1442	Hygroscopic behavior of atmospheric aerosols containing nitrate salts and water-soluble organic acids. 2018 , 18, 5115-5127	34
1441	Molecular distributions of dicarboxylic acids, oxocarboxylic acids, and α,β-dicarbonyls in PM _{2.5} collected at Mt. Tai, in North China in 2014. 2018 ,	
1440	Multiday haze in the East Asia: Transport and chemical aging of hygroscopic particles. 2018 ,	1
1439	MAX-DOAS NO ₂ observations over Guangzhou, China; ground-based and satellite comparisons. 2018 , 11, 2239-2255	17
1438	Influences of natural and anthropogenic particles on ambient particulate air quality during typhoon season: From Bashi Channel to Kaoping River Valley. 2018 , 19, e819	1
1437	Spatio-Temporal Variation Characteristics of Vegetation Coverage and Its Correlation with Climate Factors in Henan Province from 2006 to 2015. 2018 , 178, 012034	
1436	Nitrate formation from heterogeneous uptake of dinitrogen pentoxide during a severe winter haze in southern China. 2018 , 18, 17515-17527	41
1435	Effects of meteorology and emissions on urban air quality: a quantitative statistical approach to long-term records (1999-2016) in Seoul, South Korea. 2018 , 18, 16121-16137	49
1434	Wintertime secondary organic aerosol formation in Beijing-Tianjin-Hebei (BTH): Contributions of HONO sources and heterogeneous reactions. 2018 ,	
1433	Haze pollution in winter and summer in Zibo, a heavily industrialized city neighboring the Jin-Jin-Ji area of China: source, formation, and implications. 2018 ,	3
1432	Exploration of PM _{2.5} sources on the regional scale in the Pearl River Delta based on ME-2 modeling. 2018 ,	
1431	Shift of daily rainfall peaks over the Beijing-Tianjin-Hebei region: An indication of pollutant effects?. 2018 , 38, 5010-5019	5

1430	Dominant contribution of oxygenated organic aerosol to haze particles from real-time observation in Singapore during an Indonesian wildfire event in 2015. 2018 , 18, 16481-16498	15
1429	Climatological study of a new air stagnation index (ASI) for China and its relationship with air pollution. 2018 ,	0
1428	Source apportionment of carbonaceous aerosols in Xi'an, China: insights from a full year of measurements of radiocarbon and the stable isotope $\delta^{13}C$. 2018 , 18, 16363-16383	38
1427	Vertical profiles of NO_2 , SO_2 , HONO, HCHO, CHOCHO, and aerosols derived from MAX-DOAS measurements at a rural site in the central-western North China Plain and their relation to emission sources and effects of regional transport. 2018 ,	
1426	Interpenetrated nano-MOFs for ultrahigh-performance supercapacitors and excellent dye adsorption performance. 2018 , 20, 6940-6949	35
1425	Increased inorganic aerosol fraction contributes to air pollution and haze in China. 2018 ,	
1424	Preparation and properties of PTFE hollow fiber membranes for the removal of ultrafine particles in PM with repetitive usage capability.. 2018 , 8, 38245-38258	20
1423	Determination of Methylamines and Methylamine- N -oxides in Particulate Matter Using Solid Phase Extraction Coupled with Ion Chromatography. 2018 , 46, 524-529	2
1422	Implications for biomass/coal combustion emissions and secondary formation of carbonaceous aerosols in North China.. 2018 , 8, 38108-38117	9
1421	Preparation and characterization of soy protein isolate-collagen self-assembled nanomicelles.. 2018 , 8, 36879-36885	3
1420	Alteration of clot architecture using bone substitute biomaterials (beta-tricalcium phosphate) significantly delays the early bone healing process. 2018 , 6, 8204-8213	9
1419	The interdecadal worsening of weather conditions affecting aerosol pollution in the Beijing area in relation to climate warming. 2018 , 18, 5991-5999	51
1418	Assessing impact of climate change on the wheat production in the Yellow River Basin, China. 2018 , 39, 2361	1
1417	Fossil and Non-fossil Sources of Organic and Elemental Carbon Aerosols in Beijing, Shanghai and Guangzhou: Seasonal Variation of Carbon Source. 2018 ,	6
1416	Variation of aerosol particle and its impact on pollution flashover events over Eastern China. 2018 ,	1
1415	A Preliminary Assessment of the Impacts of Multiple Temporal-scale Variations in Particulate Matter on its Source Apportionment. 2018 ,	
1414	. 2018 ,	3
1413	Volatile organic compounds at a rural site in Beijing: Influence of temporary emission control and wintertime heating. 2018 ,	1

1412	Formation and characteristics of secondary aerosols in an industrialized environment during cold seasons. 2018,	1
1411	Chinese National Air Protection Policy Development: A Policy Network Theory Analysis. 2018, 15,	7
1410	Comparison of Measurement-Based Methodologies to Apportion Secondary Organic Carbon (SOC) in PM _{2.5} : A Review of Recent Studies. 2018, 9, 452	26
1409	The vertical variability of ammonia in urban Beijing, China. 2018, 18, 16385-16398	28
1408	Unraveling the role of silicon in atmospheric aerosol secondary formation: A new conservative tracer for aerosol chemistry. 2018,	0
1407	Vertical Characterization of Aerosol Particle Composition in Beijing, China: Insights From 3-Month Measurements With Two Aerosol Mass Spectrometers. 2018, 123, 13,016	9
1406	Direct Observations of Fine Primary Particles From Residential Coal Burning: Insights Into Their Morphology, Composition, and Hygroscopicity. 2018, 123, 12,964	44
1405	High H ₂ O ₂ Concentrations Observed during Haze Periods during the Winter in Beijing: Importance of H ₂ O ₂ Oxidation in Sulfate Formation. 2018, 5, 757-763	57
1404	Diminishing clear winter skies in Beijing towards a possible future. 2018, 13, 124029	12
1403	A Case Study of Investigating Secondary Organic Aerosol Formation Pathways in Beijing using an Observation-based SOA Box Model. 2018, 18, 1606-1616	15
1402	Analysis of spatial and temporal patterns of on-road NO ₂ concentrations in Hong Kong. 2018, 11, 6719-6734	7
1401	Urban influence on the concentration and composition of submicron particulate matter in central Amazonia. 2018,	1
1400	Oligomerization Reactions of Criegee Intermediates with Hydroxyalkyl Hydroperoxides: Mechanism, Kinetics, and Structure-Reactivity Relationship. 2018, 1-35	2
1399	Summertime fine particulate nitrate pollution in the North China Plain: Increasing trends, formation mechanisms, and implications for control policy. 2018,	
1398	Spatial-temporal patterns of inorganic nitrogen air concentrations and deposition in eastern China. 2018,	
1397	PM Particle Detection in a Microfluidic Device by Using Ionic Current Sensing. 2018, 34, 1347-1349	3
1396	Production of N ₂ O ₅ and ClNO ₂ in summer in urban Beijing, China. 2018,	
1395	Spatiotemporal Distribution of PM _{2.5} and O ₃ and Their Interaction During the Summer and Winter Seasons in Beijing, China. 2018, 10, 4519	12

1394	Contributions to the explosive growth of PM _{2.5} mass due to aerosol-radiation feedback and decrease in turbulent diffusion during a red alert heavy haze in Beijing/Tianjin/Hebei, China. 2018 , 18, 17717-17733	34
1393	Bibliometrics of highly cited articles in the research field of volatile organic compounds. 2018 , 12, 309-326	2
1392	Nitrate-driven haze pollution during summertime over the North China Plain. 2018 ,	
1391	Rapid formation of intense haze episode in Beijing. 2018 ,	2
1390	Large particulate nitrate formation from N ₂ O ₅ uptake in a chemically reactive layer aloft during winter time in Beijing. 2018 ,	
1389	Impacts of Freight Transport on PM _{2.5} Concentrations in China: A Spatial Dynamic Panel Analysis. 2018 , 10, 2865	11
1388	Biomass and fossil fuel combustion contributions to elemental carbon across the San Francisco Bay Area. 2018 , 195, 229-242	7
1387	Characteristics of VOCs during haze and non-haze days in Beijing, China: Concentration, chemical degradation and regional transport impact. 2018 , 194, 134-145	33
1386	Unraveling the relationships between boundary layer height and PM pollution in China based on four-year radiosonde measurements. 2018 , 243, 1186-1195	55
1385	Wintertime nitrate formation during haze days in the Guanzhong basin, China: A case study. 2018 , 243, 1057-1067	21
1384	Dual-Isotope Constraints on Seasonally Resolved Source Fingerprinting of Black Carbon Aerosols in Sites of the Four Emission Hot Spot Regions of China. 2018 , 123, 11,735-11,747	17
1383	Water-soluble ions in PM during spring haze and dust periods in Chengdu, China: Variations, nitrate formation and potential source areas. 2018 , 243, 1740-1749	37
1382	Growing Urbanization and the Impact on Fine Particulate Matter (PM _{2.5}) Dynamics. 2018 , 10, 1696	13
1381	Differential transcriptional changes in human alveolar epithelial A549 cells exposed to airborne PM collected from Shanghai, China. 2018 , 25, 33656-33666	4
1380	Occurrence and risk assessment of heavy metals in water, sediment, and fish from Dongting Lake, China. 2018 , 25, 34076-34090	30
1379	Decomposition and forecasting analysis of China's household electricity consumption using three-dimensional decomposition and hybrid trend extrapolation models. 2018 , 165, 143-152	16
1378	Using Polyurethane Foam-Based Passive Air Sampling Technique to Monitor Monosaccharides at a Regional Scale. 2018 , 52, 12546-12555	7
1377	Interactions of Fly Ash Particles with Mucin and Serum Albumin. 2018 , 34, 12251-12258	7

1376	High performance sorption and desorption behaviours at high working temperatures of ammonia gas in a cobalt-substituted Prussian blue analogue. 2018 , 54, 11961-11964	18
1375	Possible heterogeneous hydroxymethanesulfonate (HMS) chemistry in northern China winter haze and implications for rapid sulfate formation. 2018 ,	2
1374	Source apportionment of carbonaceous aerosols in Xi'an, China: insights from a full year of measurements of radiocarbon and the stable isotope $\delta^{13}C$. 2018 ,	
1373	Changes in Haze Trends in the Sichuan-Chongqing Region, China, 1980 to 2016. 2018 , 9, 277	8
1372	Molecular and physical characteristics of aerosol at a remote free troposphere site: implications for atmospheric aging. 2018 , 18, 14017-14036	24
1371	Machine Learning for Estimating Leaf Dust Retention Based on Hyperspectral Measurements. 2018 , 2018, 1-12	1
1370	Organosulfates in atmospheric aerosol: synthesis and quantitative analysis of $PM_{2.5}$ from Xi'an, northwestern China. 2018 , 11, 3447-3456	32
1369	Molecular Characterization and Seasonal Variation in Primary and Secondary Organic Aerosols in Beijing, China. 2018 , 123, 12,394-12,412	31
1368	Investigation of the Air Pollution Event in Beijing-Tianjin-Hebei Region in December 2016 Using WRF-Chem. 2018 , 2018, 1-12	1
1367	Light absorption of brown carbon in eastern China based on 3-year multi-wavelength aerosol optical property observations and an improved absorption exponent segregation method. 2018 , 18, 9061-9074	41
1366	Urban Pollution in China. 2018 , 327-340	2
1365	Particulate Matter and Gaseous Pollutions in Three Metropolises along the Chinese Yangtze River: Situation and Implications. 2018 , 15,	12
1364	The Theory of Planned Behavior to Predict Protective Behavioral Intentions against PM _{2.5} in Parents of Young Children from Urban and Rural Beijing, China. 2018 , 15,	19
1363	Advanced source apportionment of carbonaceous aerosols by coupling offline AMS and radiocarbon size-segregated measurements over a nearly 2-year period. 2018 , 18, 6187-6206	32
1362	Regional Differences in Energy and Environmental Performance: An Empirical Study of 283 Cities in China. 2018 , 10, 2303	9
1361	Effects of Wet Flue Gas Desulfurization and Wet Electrostatic Precipitators on Emission Characteristics of Particulate Matter and Its Ionic Compositions from Four 300 MW Level Ultralow Coal-Fired Power Plants. 2018 , 52, 14015-14026	48
1360	Intra-regional transport of black carbon between the south edge of North China Plain and Central China during winter haze episodes. 2018 ,	
1359	The impact of power generation emissions on ambient PM pollution and human health in China and India. 2018 , 121, 250-259	70

1358	High efficiency of livestock ammonia emission controls on alleviating particulate nitrate during a severe winter haze episode in northern China. 2018,	1
1357	Temporal variations, sources and tracer significance of Polonium-210 in the metropolitan atmosphere of Beijing, China. 2018, 193, 214-223	2
1356	Source-Specific Health Risk Analysis on Particulate Trace Elements: Coal Combustion and Traffic Emission As Major Contributors in Wintertime Beijing. 2018, 52, 10967-10974	68
1355	Influence of intense secondary aerosol formation and long-range transport on aerosol chemistry and properties in the Seoul Metropolitan Area during spring time: results from KORUS-AQ. 2018, 18, 7149-7168	64
1354	Primary emissions versus secondary formation of fine particulate matter in the top polluted city, Shijiazhuang, in North China. 2018,	
1353	Fast particulate nitrate formation via N_2O_5 uptake aloft in winter in Beijing. 2018, 18, 10483-10495	51
1352	Spatial-temporal patterns of inorganic nitrogen air concentrations and deposition in eastern China. 2018, 18, 10931-10954	48
1351	Exploration of $\text{PM}_{2.5}$ sources on the regional scale in the Pearl River Delta based on ME-2 modeling. 2018, 18, 11563-11580	24
1350	Volatile organic compounds at a rural site in Beijing: influence of temporary emission control and wintertime heating. 2018, 18, 12663-12682	42
1349	Nitrate formation from heterogeneous uptake of dinitrogen pentoxide during a severe winter haze in southern China. 2018,	1
1348	Summertime fine particulate nitrate pollution in the North China Plain: increasing trends, formation mechanisms and implications for control policy. 2018, 18, 11261-11275	62
1347	Factors affecting relative humidity and its relationship with the long-term variation of fog-haze events in the Yangtze River Delta. 2018, 193, 242-250	12
1346	Simulating Biogenic Secondary Organic Aerosol During Summertime in China. 2018, 123, 11,100	6
1345	Acute effects of ambient air pollution on outpatient children with respiratory diseases in Shijiazhuang, China. 2018, 18, 150	36
1344	Fine-particle pH for Beijing winter haze as inferred from different thermodynamic equilibrium models. 2018, 18, 7423-7438	146
1343	Effect of Titanium Dioxide on Secondary Organic Aerosol Formation. 2018, 52, 11612-11620	10
1342	Responses of secondary aerosols to relative humidity and photochemical activities in an industrialized environment during late winter. 2018, 193, 66-78	39
1341	Characterization of $\text{PM}_{2.5}$ and gaseous emissions during combustion of ultra-clean biomass via dual-stage treatment. 2018, 193, 168-176	10

1340	The organic molecular composition, diurnal variation, and stable carbon isotope ratios of PM in Beijing during the 2014 APEC summit. 2018 , 243, 919-928	12
1339	Air quality-carbon-water synergies and trade-offs in China's natural gas industry. 2018 , 1, 505-511	29
1338	Characteristics of ambient bioaerosols during haze episodes in China: A review. 2018 , 243, 1930-1942	39
1337	Evaluating of the performance of a composite wetting dust suppressant on lignite dust. 2018 , 339, 882-893	29
1336	Inhibition of PM _{2.5} Emission from the Combustion of Waste Materials. 2018 , 32, 10941-10950	2
1335	Sources Profiles of Volatile Organic Compounds (VOCs) Measured in a Typical Industrial Process in Wuhan, Central China. 2018 , 9, 297	31
1334	Wintertime photochemistry in Beijing: observations of RO ₂ and HO ₂ radical concentrations in the North China Plain during the BEST-ONE campaign. 2018 , 18, 12391-12411	110
1333	Characterization of black carbon-containing fine particles in Beijing during wintertime. 2018 ,	1
1332	Saccharides in summer and winter PM _{2.5} over Xi'an, Northwestern China: Sources, and yearly variations of biomass burning contribution to PM _{2.5} . 2018 , 214, 410-417	30
1331	Production of N ₂ O and ClNO ₂ in summer in urban Beijing, China. 2018 , 18, 11581-11597	40
1330	Day-of-week and seasonal patterns of PM _{2.5} concentrations over the United States: Time-series analyses using the Prophet procedure. 2018 , 192, 116-127	36
1329	Non-polar organic compounds in autumn and winter aerosols in a typical city of eastern China: size distribution and impact of gas-particle partitioning on PM _{2.5} source apportionment. 2018 , 18, 9375-9391	15
1328	Chemical composition of outdoor and indoor PM collected during haze events: Transformations and modified source contributions resulting from outdoor-to-indoor transport. 2018 , 28, 828-839	17
1327	Ensemble Forecasts of Air Quality in Eastern China [Part 2. Evaluation of the MarcoPolo-Panda Prediction System, Version 1. 2018 ,	2
1326	The Effect of New Energy Vehicle Policies on Traffic Congestion: Evidence from Beijing. 2018 , 7, 9	0
1325	Characterizing the level, photochemical reactivity, emission, and source contribution of the volatile organic compounds based on PTR-TOF-MS during winter haze period in Beijing, China. 2018 , 212, 54-63	51
1324	The Transport of Asian Dust and Combustion Aerosols and Associated Ozone to North America as Observed From a Mountaintop Monitoring Site in the California Coast Range. 2018 , 123, 5667-5680	6
1323	Temporal characteristic and source analysis of PM _{2.5} in the most polluted city agglomeration of China. 2018 , 9, 1221-1230	15

1322	Seasonal variation and size distributions of water-soluble inorganic ions and carbonaceous aerosols at a coastal site in Ningbo, China. 2018 , 639, 793-803	37
1321	Synoptic meteorological modes of variability for fine particulate matter (PM _{2.5}) air quality in major metropolitan regions of China. 2018 , 18, 6733-6748	64
1320	Corrosion behavior of AZ31 magnesium alloy in the chloride solution containing ammonium nitrate. 2018 , 278, 421-437	49
1319	Number size distribution of atmospheric particles in a suburban Beijing in the summer and winter of 2015. 2018 , 186, 32-44	9
1318	Size-Resolved Endotoxin and Oxidative Potential of Ambient Particles in Beijing and Zürich. 2018 , 52, 6816-6824	24
1317	Impacts of meteorological conditions on wintertime PM pollution in Taiyuan, North China. 2018 , 25, 21855-21866	
1316	Aerosol optical properties at SORPES in Nanjing, east China. 2018 , 18, 5265-5292	22
1315	Concentration characteristics, source apportionment, and oxidative damage of PM-bound PAHs in petrochemical region in Xinjiang, NW China. 2018 , 25, 22629-22640	8
1314	Water and energy recovery: The future of wastewater in China. 2018 , 637-638, 1466-1470	23
1313	Spatiotemporal patterns and spatial clustering characteristics of air quality in China: A city level analysis. 2018 , 91, 523-530	19
1312	Air stagnation and its impact on air quality during winter in Sichuan and Chongqing, southwestern China. 2018 , 635, 576-585	64
1311	A proposed methodology for impact assessment of air quality traffic-related measures: The case of PM in Beijing. 2018 , 239, 818-828	7
1310	Emission-driven changes in anthropogenic aerosol concentrations in China during 1970-2010 and its implications for PM _{2.5} control policy. 2018 , 212, 106-119	13
1309	Mitigation of severe urban haze pollution by a precision air pollution control approach. 2018 , 8, 8151	13
1308	Comparison of primary aerosol emission and secondary aerosol formation from gasoline direct injection and port fuel injection vehicles. 2018 , 18, 9011-9023	37
1307	Improved source apportionment of organic aerosols in complex urban air pollution using the multilinear engine (ME-2). 2018 , 11, 1049-1060	17
1306	Single particle characterization of summertime particles in Xi'an (China). 2018 , 636, 1279-1290	9
1305	Identifying PM _{2.5} samples collected in different environment by using terahertz time-domain spectroscopy. 2018 , 11, 256-260	5

1304	Characterization and source apportionment of carbonaceous PM _{2.5} particles in China - A review. 2018 , 189, 187-212	56
1303	Plasmonic multi-thorny Gold nanostructures for enhanced solar thermal conversion. 2018 , 171, 73-82	29
1302	Source Contributions to PM _{2.5} under Unfavorable Weather Conditions in Guangzhou City, China. 2018 , 35, 1145-1159	15
1301	Preparation, characterization, and mechanistic analysis of BiVO ₄ /CaIn ₂ S ₄ hybrids that photocatalyze NO removal under visible light. 2018 , 122, 239-245	8
1300	Spatial Distribution of Secondary Organic Aerosol Formation Potential in China Derived from Speciated Anthropogenic Volatile Organic Compound Emissions. 2018 , 52, 8146-8156	54
1299	Antibacterial and environmentally friendly chitosan/polyvinyl alcohol blend membranes for air filtration. 2018 , 198, 241-248	73
1298	Metal-Organic Frameworks for the Capture of Trace Aromatic Volatile Organic Compounds. 2018 , 4, 1911-1927	136
1297	Quantitative association analysis between PM concentration and factors on industry, energy, agriculture, and transportation. 2018 , 8, 9461	12
1296	Characterizing the composition and evolution of firework-related components in air aerosols during the Spring Festival. 2018 , 40, 2761-2771	4
1295	Characterizing remarkable changes of severe haze events and chemical compositions in multi-size airborne particles (PM ₁ , PM _{2.5} and PM ₁₀) from January 2013 to 2016-2017 winter in Beijing, China. 2018 , 189, 133-144	91
1294	Variability of satellite-based total aerosols and the relationship with emission, meteorology and landscape in North China during 2000-2016. 2018 , 77, 1	5
1293	UHPLC-Orbitrap mass spectrometric characterization of organic aerosol from a central European city (Mainz, Germany) and a Chinese megacity (Beijing). 2018 , 189, 22-29	38
1292	Strong affinity of mineral dusts for sulfur dioxide and catalytic mechanisms towards acid rain formation. 2018 , 114, 79-83	11
1291	Emerging investigator series: heterogeneous reactions of sulfur dioxide on mineral dust nanoparticles: from single component to mixed components. 2018 , 5, 1821-1833	18
1290	Contributions of residential coal combustion to the air quality in Beijing-Tianjin-Hebei (BTH), China: a case study. 2018 , 18, 10675-10691	41
1289	Climatological study of the Boundary-layer air Stagnation Index for China and its relationship with air pollution. 2018 , 18, 7573-7593	36
1288	The interdecadal worsening of weather conditions affecting aerosol pollution in the Beijing area in relation to climate warming. 2018 ,	
1287	Molecular distributions of dicarboxylic acids, oxocarboxylic acids and <i>α</i>-dicarbonyls in PM_{2.5} collected at the top of Mt. Tai, North China, during the wheat burning season of 2014. 2018 , 18, 10741-10758	19

1286	Realizing China's goals on energy saving and pollution reduction: Industrial structure multi-objective optimization approach. 2018 , 122, 300-312	49
1285	Chemical feedbacks weaken the wintertime response of particulate sulfate and nitrate to emissions reductions over the eastern United States. 2018 , 115, 8110-8115	86
1284	Reduction of wheat photosynthesis by fine particulate (PM) pollution over the North China Plain. 2018 , 28, 635-641	4
1283	VOCs emission profiles from rural cooking and heating in Guanzhong Plain, China and its potential effect on regional O ₃ and SOA formation. 2018 ,	2
1282	Effects of meteorology and emissions on urban air quality: a quantitative statistical approach to long-term records (1999-2016) in Seoul, South Korea. 2018 ,	
1281	The role of varied metal protrusions on the conductor surfaces in corona discharge subjected to DC high voltages. 2018 , 61, 1197-1206	8
1280	The roles of the metallurgy, nonmetal products and chemical industry sectors in air pollutant emissions in China. 2018 , 13, 084013	0
1279	Study on PM _{2.5} pollution and the mortality due to lung cancer in China based on geographic weighted regression model. 2018 , 18, 925	50
1278	Visible-Light-Driven Nitrogen-Doped Carbon Quantum Dots/CaTiO ₃ Composite Catalyst with Enhanced NO Adsorption for NO Removal. 2018 , 57, 10226-10233	24
1277	A Multicity Analysis of the Short-Term Effects of Air Pollution on the Chronic Obstructive Pulmonary Disease Hospital Admissions in Shandong, China. 2018 , 15,	10
1276	Source apportionment of organic aerosol from 2-year highly time-resolved measurements by an aerosol chemical speciation monitor in Beijing, China. 2018 , 18, 8469-8489	70
1275	Emission Characteristics of PM _{2.5} and Trace Gases from Household Wood Burning in Guanzhong Plain, Northwest China. 2018 , 2, 130-140	8
1274	Premature mortality attributable to PM _{2.5} exposure and future policy roadmap for "apocalypse" affected Asian megacities. 2018 , 118, 371-383	22
1273	Physicochemical Characteristics of Individual Aerosol Particles during the 2015 China Victory Day Parade in Beijing. 2018 , 9, 40	3
1272	Day-Night Differences, Seasonal Variations and Source Apportionment of PM ₁₀ -Bound PAHs over Xi'an, Northwest China. 2018 , 9, 62	10
1271	Spatiotemporal Distribution of Satellite-Retrieved Ground-Level PM _{2.5} and Near Real-Time Daily Retrieval Algorithm Development in Sichuan Basin, China. 2018 , 9, 78	8
1270	PM _{2.5} Characteristics and Regional Transport Contribution in Five Cities in Southern North China Plain, During 2013-2015. 2018 , 9, 157	18
1269	Emission control priority of PM-bound heavy metals in different seasons: A comprehensive analysis from health risk perspective. 2018 , 644, 20-30	62

1268	In Situ Active Poling of Nanofiber Networks for Gigantically Enhanced Particulate Filtration. 2018 , 10, 24332-24338	30
1267	Revealing the Sources of Atmospheric Ammonia: a Review. 2018 , 4, 189-197	17
1266	Disentangling the Complex Effects of Socioeconomic, Climatic, and Urban Form Factors on Air Pollution: A Case Study of China. 2018 , 10, 776	16
1265	Hazy Weather-Induced Variation in Environmental Behavior of PCDD/Fs and PBDEs in Winter Atmosphere of A North China Megacity. 2018 , 52, 8173-8182	26
1264	Variations and photochemical transformations of atmospheric constituents in North China. 2018 , 189, 213-226	22
1263	Reactions of Criegee Intermediates with Benzoic Acid at the Gas/Liquid Interface. 2018 , 122, 6303-6310	13
1262	Inhibition of fine particles fugitive emission from the open-pit lignite mines by polymer aqueous solutions. 2018 , 555, 429-439	5
1261	Bacterial community structure in atmospheric particulate matters of different sizes during the haze days in Xi'an, China. 2018 , 637-638, 244-252	53
1260	Reviewing air pollution and public health in China. 2018 , 171, 358-367	7
1259	Simulating Aerosol Size Distribution and Mass Concentration with Simultaneous Nucleation, Condensation/Coagulation, and Deposition with the GRAPES-NAO. 2018 , 32, 265-278	4
1258	The impacts of regional transport and meteorological factors on aerosol optical depth over Beijing, 1980-2014. 2018 , 8, 5113	10
1257	Enhanced Oxygen Vacancies in a Two-Dimensional MnAl-Layered Double Oxide Prepared via Flash Nanoprecipitation Offers High Selective Catalytic Reduction of NO with NH ₃ . 2018 , 8,	15
1256	Characterization of aerosol hygroscopicity, mixing state, and CCN activity at a suburban site in the central North China Plain. 2018 , 18, 11739-11752	30
1255	Exploring China's 21-year PM ₁₀ emissions spatiotemporal variations by DMSP-OLS nighttime stable light data. 2018 , 191, 132-141	9
1254	Characteristics of PM _{2.5} mass concentrations and chemical species in urban and background areas of China: emerging results from the CARE-China network. 2018 , 18, 8849-8871	103
1253	Concentration and Community of Airborne Bacteria in Response to Cyclical Haze Events During the Fall and Midwinter in Beijing, China. 2018 , 9, 1741	25
1252	Source apportionment of organic aerosol from two-year highly time-resolved measurements by an aerosol chemical speciation monitor in Beijing, China. 2018 ,	1
1251	Impacts of energy consumption structure, energy intensity, economic growth, urbanization on PM _{2.5} concentrations in countries globally. 2018 , 230, 94-105	98

1250	Source Apportionment and Secondary Transformation of Atmospheric Nonmethane Hydrocarbons in Chengdu, Southwest China. 2018 , 123, 9741-9763	53
1249	Vehicle Emission Factors for Particulate and Gaseous Pollutants in an Urban Tunnel in Xi'an, China. 2018 , 2018, 1-11	8
1248	Primary PM _{2.5} and trace gas emissions from residential coal combustion: assessing semi-coke briquette for emission reduction in the Beijing-Tianjin-Hebei region, China. 2018 , 191, 378-386	34
1247	Characteristics and Sources of Heavy Metals in PM _{2.5} during a Typical Haze Episode in Rural and Urban Areas in Taiyuan, China. 2018 , 9, 2	23
1246	Urban influence on the concentration and composition of submicron particulate matter in central Amazonia. 2018 , 18, 12185-12206	22
1245	Contributions of residential coal combustion to the air quality in Beijing-Tianjin-Hebei (BTH), China: A case study. 2018 ,	
1244	Self-assembly synthesis of boron-doped graphitic carbon nitride hollow tubes for enhanced photocatalytic NO _x removal under visible light. 2018 , 239, 352-361	97
1243	Adsorption of SO ₂ on mineral dust particles influenced by atmospheric moisture. 2018 , 191, 153-161	14
1242	Sources of PM _{2.5} at an urban-industrial Mediterranean city, Marseille (France): Application of the ME-2 solver to inorganic and organic markers. 2018 , 214, 263-274	16
1241	Assessment and quantification of NO sources at a regional background site in North China: Comparative results from a Bayesian isotopic mixing model and a positive matrix factorization model. 2018 , 242, 1379-1386	13
1240	Surfactant-free electrochemical synthesis of metallic nanoparticles via stochastic collisions of aqueous nanodroplet reactors. 2018 , 54, 10052-10055	29
1239	Characteristics of polycyclic aromatic hydrocarbons components in fine particle during heavy polluting phase of each season in urban Beijing. 2018 , 212, 346-357	25
1238	Terahertz-dependent PM _{2.5} monitoring and grading in the atmosphere. 2018 , 61, 1	8
1237	Air pollution and healthcare expenditure: Implication for the benefit of air pollution control in China. 2018 , 120, 443-455	87
1236	Catalytic oxidation of VOCs over Mn/TiO ₂ /activated carbon under 185 nm VUV irradiation. 2018 , 208, 550-558	41
1235	Effect of oligomerization reactions of Criegee intermediate with organic acid/peroxy radical on secondary organic aerosol formation from isoprene ozonolysis. 2018 , 187, 218-229	14
1234	Implications of RCP emissions on future concentration and direct radiative forcing of secondary organic aerosol over China. 2018 , 640-641, 1187-1204	4
1233	Ambient air pollution of particles and gas pollutants, and the predicted health risks from long-term exposure to PM in Zhejiang province, China. 2018 , 25, 23833-23844	10

1232	Kinetics of atmospheric reactions of 4-chloro-1-butene. 2018 , 25, 24241-24252	4
1231	Exposure of Lung Epithelial Cells to Photochemically Aged Secondary Organic Aerosol Shows Increased Toxic Effects. 2018 , 5, 424-430	55
1230	Influence of pollutants on activity of aerosol cloud condensation nuclei (CCN) during pollution and post-rain periods in Guangzhou, southern China. 2018 , 642, 1008-1019	14
1229	Study of single airborne particle using laser-trapped submicron position-resolved temporal Raman spectroscopy. 2018 , 706, 255-260	6
1228	Evolution in physiochemical and cloud condensation nuclei activation properties of crop residue burning particles during photochemical aging. 2019 , 77, 43-53	0
1227	Morphology and composition of particles emitted from a port fuel injection gasoline vehicle under real-world driving test cycles. 2019 , 76, 339-348	15
1226	PM _{2.5} and its ionic components at a roadside site in Wuhan, China. 2019 , 10, 162-167	5
1225	Reduction effect of co-firing of torrefied straw and bituminous coal on PM ₁ emission under both air and oxyfuel atmosphere. 2019 , 37, 2723-2731	11
1224	Effect of wet flue gas desulfurization (WFGD) on fine particle (PM) emission from coal-fired boilers. 2019 , 77, 32-42	37
1223	Spatio-temporal variation of wind influence on distribution of fine particulate matter and its precursor gases. 2019 , 10, 53-64	7
1222	Seasonal variation, sources and health risk assessment of polycyclic aromatic hydrocarbons in different particle fractions of PM _{2.5} in Beijing, China. 2019 , 10, 105-114	21
1221	Impacts of potential HONO sources on the concentrations of oxidants and secondary organic aerosols in the Beijing-Tianjin-Hebei region of China. 2019 , 647, 836-852	41
1220	Hierarchical electrospun nanofibers treated by solvent vapor annealing as air filtration mat for high-efficiency PM _{2.5} capture. 2019 , 62, 423-436	98
1219	A Dark Target Method for Himawari-8/AHI Aerosol Retrieval: Application and Validation. 2019 , 57, 381-394	32
1218	Variability of winter haze over the Beijing-Tianjin-Hebei region tied to wind speed in the lower troposphere and particulate sources. 2019 , 215, 1-11	31
1217	Variations and sources of nitrous acid (HONO) during a severe pollution episode in Beijing in winter 2016. 2019 , 648, 253-262	42
1216	Enhanced catalytic performances of in situ-assembled LaMnO ₃ /EMnO ₂ hetero-structures for toluene combustion. 2019 , 327, 19-27	23
1215	Photochemical impacts of haze pollution in an urban environment. 2019 , 19, 9699-9714	21

1214	Characteristics of wintertime VOCs in suburban and urban Beijing: concentrations, emission ratios, and festival effects. 2019,	
1213	Chemical characteristics and source apportionment of PM _{2.5} in Wuhan, China. 2019, 76, 245-262	18
1212	Nitrate-Enhanced Oxidation of SO on Mineral Dust: A Vital Role of a Proton. 2019, 53, 10139-10145	13
1211	Health Risk and Resilience Assessment with Respect to the Main Air Pollutants in Sichuan. 2019, 16,	5
1210	Unexpectedly Increased Particle Emissions from the Steel Industry Determined by Wet/Semidry/Dry Flue Gas Desulfurization Technologies. 2019, 53, 10361-10370	19
1209	Characteristics, reactivity and source apportionment of ambient volatile organic compounds (VOCs) in a typical tourist city. 2019, 215, 116898	21
1208	Fast Photochemistry in Wintertime Haze: Consequences for Pollution Mitigation Strategies. 2019, 53, 10676-10684	83
1207	Investigation on the chemical effects of dimethyl ether and ethanol additions on PAH formation in laminar premixed ethylene flames. 2019, 256, 115809	23
1206	Burden of typical diseases attributed to the sources of PM-bound toxic metals in Beijing: An integrated approach to source apportionment and QALYs. 2019, 131, 105041	14
1205	Transparent Antibacterial Nanofiber Air Filters with Highly Efficient Moisture Resistance for Sustainable Particulate Matter Capture. 2019, 19, 214-223	62
1204	Modeling of aerosol property evolution during winter haze episodes over a megacity cluster in northern China: roles of regional transport and heterogeneous reactions of SO ₂ and NO ₂ . 2019, 19, 9351-9370	19
1203	Mapping sources of atmospheric pollution: integrating spatial and cluster bibliometrics. 2019, 1-11	1
1202	High secondary formation of nitrogen-containing organics (NOCs) and its possible link to oxidized organics and ammonium. 2019,	
1201	Comparison of water-soluble inorganic ions and trace metals in PM _{2.5} between online and offline measurements in Beijing during winter. 2019, 10, 1755-1765	27
1200	Source apportionment of carbonaceous aerosols during haze days in Shanghai based on dual carbon isotopes. 2019, 321, 383-389	7
1199	The impacts of three PBL schemes on the simulation of boundary layer meteorological factors and air pollutants in Northern China. 2019, 227, 052011	2
1198	Is water vapor a key player of the wintertime haze in North China Plain?. 2019, 19, 8721-8739	38
1197	Chemistry-triggered events of PM explosive growth during late autumn and winter in Shanghai, China. 2019, 254, 112864	27

1196	Development of a versatile source apportionment analysis based on positive matrix factorization: a case study of the seasonal variation of organic aerosol sources in Estonia. 2019 , 19, 7279-7295	11
1195	Measurements of Outgassing From PM _{2.5} Collected in Xi'an, China Through Soft X-Ray-Radiolysis. 2019 , 32, 259-266	5
1194	Characterization of submicron aerosol volatility in the regional atmosphere in Southern China. 2019 , 236, 124383	7
1193	Using electricity prices to curb industrial pollution. 2019 , 248, 109252	5
1192	Assessing the formation and evolution mechanisms of severe haze pollution in Beijing-Tianjin-Hebei region by using process analysis. 2019 ,	1
1191	A Full-Coverage Daily Average PM _{2.5} Retrieval Method with Two-Stage IVW Fused MODIS C6 AOD and Two-Stage GAM Model. 2019 , 11, 1558	15
1190	Assessment of ethanol blended fuels for gasoline vehicles in China: Fuel economy, regulated gaseous pollutants and particulate matter. 2019 , 253, 731-740	24
1189	Window screen inspired fibrous materials with anisotropic thickness gradients for improving light transmittance. 2019 , 11, 13521-13531	7
1188	Characterization of organic aerosols and their precursors in southern China during a severe haze episode in January 2017. 2019 , 691, 101-111	16
1187	Gaseous and particulate pollutants in Lhasa, Tibet during 2013-2017: Spatial variability, temporal variations and implications. 2019 , 253, 68-77	29
1186	Characteristics and formation mechanisms of winter haze in Changzhou, a highly polluted industrial city in the Yangtze River Delta, China. 2019 , 253, 377-383	22
1185	Estimation of losses in solar energy production from air pollution in China since 1960 using surface radiation data. 2019 , 4, 657-663	44
1184	Vertical distribution of atmospheric particulate matters within urban boundary layer in southern China: size-segregated chemical composition and secondary formation through cloud processing and heterogeneous reactions. 2019 ,	
1183	Relationship analysis of PM _{2.5} and boundary layer height using an aerosol and turbulence detection lidar. 2019 , 12, 3303-3315	21
1182	Computational Study of the Thermodynamics of New Particle Formation Initiated by Complexes of H ₂ SO ₄ -H ₂ O-N ₂ H ₄ , CH ₃ SO ₃ H-H ₂ O-N ₂ H ₄ , and HO ₂ -H ₂ O-N ₂ H ₄ . 2019 , 3, 1415-1425	4
1181	Atmospheric Processing of Loess Particles in a Polluted Urban Area of Northwestern China. 2019 , 124, 7919-7929	2
1180	Investigation of formation mechanism of particulate matter in a laboratory-scale simulated cement kiln co-processing municipal sewage sludge. 2019 , 234, 822-831	9
1179	Speciation of organic fractions does matter for aerosol source apportionment. Part 3: Combining off-line and on-line measurements. 2019 , 690, 944-955	22

1178	Comprehensive metabolic responses of HepG2 cells to fine particulate matter exposure: Insights from an untargeted metabolomics. 2019 , 691, 874-884	12
1177	The heterogeneous reaction of dimethylamine/ammonia with sulfuric acid to promote the growth of atmospheric nanoparticles. 2019 , 6, 2767-2776	6
1176	Observation and Source Apportionment of Trace Gases, Water-Soluble Ions and Carbonaceous Aerosol During a Haze Episode in Wuhan. 2019 , 10, 397	4
1175	A Fluffy Dual-Network Structured Nanofiber/Net Filter Enables High-Efficiency Air Filtration. 2019 , 29, 1904108	87
1174	The relationships between urban landscape patterns and fine particulate pollution in China: A multiscale investigation using a geographically weighted regression model. 2019 , 237, 117744	18
1173	Mechanism of Spatiotemporal Air Quality Response to Meteorological Parameters: A National-Scale Analysis in China. 2019 , 11, 3957	16
1172	Source Apportionment of Fine-Particle, Water-Soluble Organic Nitrogen and Its Association with the Inflammatory Potential of Lung Epithelial Cells. 2019 , 53, 9845-9854	25
1171	Contrasting Aerosol Optical Characteristics and Source Regions During Summer and Winter Pollution Episodes in Nanjing, China. 2019 , 11, 1696	5
1170	Emission inventory of semi-volatile and intermediate-volatility organic compounds and their effects on secondary organic aerosol over the Pearl River Delta region. 2019 , 19, 8141-8161	25
1169	Impact of air pollution control measures and regional transport on carbonaceous aerosols in fine particulate matter in urban Beijing, China: insights gained from long-term measurement. 2019 , 19, 8569-8590	47
1168	Contributions of different anthropogenic volatile organic compound sources to ozone formation at a receptor site in the Pearl River Delta region and its policy implications. 2019 , 19, 8801-8816	69
1167	High-resolution mapping of vehicle emissions of atmospheric pollutants based on large-scale, real-world traffic datasets. 2019 , 19, 8831-8843	48
1166	A new method to determine the aerosol optical properties from multiple-wavelength O ₂ absorptions by MAX-DOAS observation. 2019 , 12, 3289-3302	17
1165	Spatial and temporal distribution characteristics of haze days and associated factors in China from 1973 to 2017. 2019 , 214, 116862	27
1164	Evolution of aqSOA from the Air-Liquid Interfacial Photochemistry of Glyoxal and Hydroxyl Radicals. 2019 , 53, 10236-10245	19
1163	Using non-thermal plasma for decomposition of toluene adsorbed on Al ₂ O ₃ and ZSM-5: Configuration and optimization of a double dielectric barrier discharge reactor. 2019 , 375, 122027	21
1162	Cleaner air for China. 2019 , 12, 497-497	14
1161	Effect of the molecular structure of volatile organic compounds on atmospheric nucleation: A modeling study based on gas kinetic theory and graph theory. 2019 , 213, 215-222	4

1160	Molecular characterization of dissolved organic matters in winter atmospheric fine particulate matters (PM) from a coastal city of northeast China. 2019 , 689, 312-321	14
1159	CFD investigation of the statistical characteristics of NO _x photo-catalytic degradation in a glass curtain wall in hazy winter weather. 2019 , 50, 101668	1
1158	Estimating Secondary Organic Aerosol Production from Toluene Photochemistry in a Megacity of China. 2019 , 53, 8664-8671	21
1157	Source apportionment of environmentally persistent free radicals (EPFRs) in PM over Xi'an, China. 2019 , 689, 193-202	23
1156	Nitrogen isotope composition of ammonium in PM in the Xiamen, China: impact of non-agricultural ammonia. 2019 , 26, 25596-25608	8
1155	The Normalized Difference Vegetation Index and Angular Variation of Surface Spectral Polarized Reflectance Relationships: Improvements on Aerosol Remote Sensing Over Land. 2019 , 6, 982-989	6
1154	Characteristics of wintertime VOCs in suburban and urban Beijing: concentrations, emission ratios, and festival effects. 2019 , 19, 8021-8036	28
1153	A convenient method to assess air infiltration rate using particle mass balance principle. 2019 , 111, 06039	
1152	Distinctions in source regions and formation mechanisms of secondary aerosol in Beijing from summer to winter. 2019 , 19, 10319-10334	30
1151	Insight into the composition of organic compounds (C ₆) in PM _{2.5} in wintertime in Beijing, China. 2019 , 19, 10865-10881	8
1150	High resolution vertical distribution and sources of HONO and NO ₂ in the nocturnal boundary layer in urban Beijing, China. 2019 ,	
1149	Spatio-Temporal Variations of Multiple Primary Air Pollutants Emissions in Beijing of China, 2006-2015. 2019 , 10, 494	7
1148	A study of the morphology and effective density of externally mixed black carbon aerosols in ambient air using a size-resolved single-particle soot photometer (SP2). 2019 , 12, 4347-4359	15
1147	Reducing PM _{2.5} and secondary inorganic aerosols by agricultural ammonia emission mitigation within the Beijing-Tianjin-Hebei region, China. 2019 , 219, 116989	11
1146	Light absorption properties and potential sources of particulate brown carbon in the Pearl River Delta region of China. 2019 , 19, 11669-11685	17
1145	Differences in carbonaceous aerosol of fine particles between haze and non-haze days, Beijing. 2019 , 349, 012003	
1144	Distinct Ultrafine- and Accumulation-Mode Particle Properties in Clean and Polluted Urban Environments. 2019 , 46, 10918-10925	7
1143	Organic Aerosol Processing During Winter Severe Haze Episodes in Beijing. 2019 , 124, 10248-10263	31

1142	Spatial and Temporal Variabilities of PM _{2.5} Concentrations in China Using Functional Data Analysis. 2019 , 11, 1620	3
1141	Long-Term Investigation of Aerosol Optical and Radiative Characteristics in a Typical Megacity of Central China During Winter Haze Periods. 2019 , 124, 12093-12106	24
1140	Highly Efficient, Transparent, and Multifunctional Air Filters Using Self-Assembled 2D Nanoarchitected Fibrous Networks. 2019 , 13, 13501-13512	51
1139	Simulations of Traffic Control Managements on PM _{2.5} Emissions Reduction. 2019 ,	1
1138	Modeling Hardware Trojans in 3D ICs. 2019 ,	2
1137	The control of anthropogenic emissions contributed to 80 % of the decrease in PM _{2.5} concentrations in Beijing from 2013 to 2017. 2019 , 19, 13519-13533	51
1136	Transcriptomic analysis reveals flavonoid biosynthesis of <i>Syringa oblata</i> Lindl. in response to different light intensity. 2019 , 19, 487	13
1135	Unraveling a New Chemical Mechanism of Missing Sulfate Formation in Aerosol Haze: Gaseous NO with Aqueous HSO ₃ /SO ₂ . 2019 , 141, 19312-19320	23
1134	Spatial Distributions and Sources of Inorganic Chlorine in PM _{2.5} across China in Winter. 2019 , 10, 505	13
1133	Morphology and size of the particles emitted from a GDI-engine vehicle and their ageing in an environmental chamber. 2019 ,	1
1132	Summertime and wintertime atmospheric processes of secondary aerosol in Beijing. 2019 ,	
1131	Sources-specific carcinogenicity and mutagenicity of PM-bound PAHs in Beijing, China: Variations of contributions under diverse anthropogenic activities. 2019 , 183, 109552	18
1130	Key role of atmospheric water content in the formation of regional haze in southern China. 2019 , 216, 116918	7
1129	Retrieval of 500 m Aerosol Optical Depths from MODIS Measurements over Urban Surfaces under Heavy Aerosol Loading Conditions in Winter. 2019 , 11, 2218	13
1128	Heterogeneous Formation of Particulate Nitrate under Ammonium-rich Regime during the high PM _{2.5} events in Nanjing, China. 2019 ,	
1127	Multiple technical observations of the atmospheric boundary layer structure of a red-alert haze episode in Beijing. 2019 , 12, 4887-4901	13
1126	Charging Demand Forecasting Model for Electric Vehicles Based on Online Ride-Hailing Trip Data. 2019 , 7, 137390-137409	37
1125	Characterization of Secondary Organic Aerosol Tracers over Tianjin, North China during Summer to Autumn. 2019 , 3, 2339-2352	3

- 1124 Assessing the formation and evolution mechanisms of severe haze pollution in the Beijing-Tianjin-Hebei region using process analysis. **2019**, 19, 10845-10864 37
- 1123 Pollution Characteristics and Sources of Fine Particles During a Heavy Haze Episode in Winter: A Case Study of Weinan City. **2019**, 281, 012012
- 1122 Molecular characteristics and diurnal variations of organic aerosols at a rural site in the North China Plain with implications for the influence of regional biomass burning. **2019**, 19, 10481-10496 15
- 1121 Constraining global aerosol emissions using POLDER/PARASOL satellite remote sensing observations. **2019**, 1
- 1120 Acid-extractable heavy metals in PM over Xi'an, China: seasonal distribution and meteorological influence. **2019**, 26, 34357-34367 13
- 1119 Investigation of long-range transported PM_{2.5} events over Northern Taiwan during 2005-2015 winter seasons. **2019**, 217, 116920 6
- 1118 Spatial homogeneity and heterogeneity of ambient air pollutants in Tehran. **2019**, 697, 134123 21
- 1117 The sensitivity of PM_{2.5} acidity to meteorological parameters and chemical composition changes: 10-year records from six Canadian monitoring sites. **2019**, 19, 9309-9320 22
- 1116 Aerosol Vertical Mass Flux Measurements During Heavy Aerosol Pollution Episodes at a Rural Site and an Urban Site in the Beijing Area of the North China Plain. **2019**,
- 1115 Insight into the Composition of Organic Compounds (C₆) in PM_{2.5} in Wintertime in Beijing, China. **2019**, 1
- 1114 High contributions of fossil sources to more volatile organic carbon. **2019**,
- 1113 Distinctions in source regions and formation mechanisms of secondary aerosol in Beijing from summer to winter. **2019**,
- 1112 Secondary organic aerosol formation from OH-initiated oxidation of *m*-xylene: effects of relative humidity on yield and chemical composition. **2019**,
- 1111 Measurement of aerosol properties during wintertime in Beijing. **2019**,
- 1110 Interactions between aerosol organic components and liquid water content during haze episodes in Beijing. **2019**, 1
- 1109 Effects of Water-soluble Organic Carbon on Aerosol pH. **2019**, 1
- 1108 Seasonal characteristics of organic aerosol chemical composition and volatility in Stuttgart, Germany. **2019**,
- 1107 Sources and formation of carbonaceous aerosols in Xi'an, China: primary emissions and secondary formation constrained by radiocarbon. **2019**,

1106	Molecular characteristics and diurnal variations of organic aerosols at a rural site in the North China Plain with implications for the influence of regional biomass burning. 2019 ,	
1105	Trends of inorganic and organic aerosols and precursor gases in Europe: insights from the EURODELTA multi-model experiment over the 1990-2010 period. 2019 ,	1
1104	Characterizing Spatial Patterns of NO ₂ and SO ₂ in Xi'an by Passive Sampling. 2019 , 3, 88-96	1
1103	Introduction to the National Aerosol Chemical Composition Monitoring Network of China: Objectives, Current Status, and Outlook. 2019 , 100, ES337-ES351	22
1102	Determination of n-alkanes, polycyclic aromatic hydrocarbons and hopanes in atmospheric aerosol: evaluation and comparison of thermal desorption GC-MS and solvent extraction GC-MS approaches. 2019 , 12, 4779-4789	9
1101	Assessing the impact of clean air action on air quality trends in Beijing using a machine learning technique. 2019 , 19, 11303-11314	89
1100	Aerosol chemical component: Simulations with WRF-Chem and comparison with observations in Nanjing. 2019 , 218, 116982	10
1099	Reducing Ammonia Emissions from Dairy Cattle Production via Cost-Effective Manure Management Techniques in China. 2019 , 53, 11840-11848	14
1098	A Review of Lithium-Ion Battery for Electric Vehicle Applications and Beyond. 2019 , 158, 4363-4368	81
1097	14-Years Aerosol Fingerprint Impact and Implications Over Daloa in Western Ivory Coast. 2019 , 35, 874-882	1
1096	Estimating the Effects of Economic Agglomeration on Haze Pollution in Yangtze River Delta China Using an Econometric Analysis. 2019 , 11, 1893	9
1095	Analysis of PM concentrations under pollutant emission control strategies in the metropolitan area of S ^o Paulo, Brazil. 2019 , 26, 33216-33227	15
1094	Spatially differentiated effects of socioeconomic factors on China's NO generation from energy consumption: implications for mitigation policy. 2019 , 250, 109417	4
1093	Chemical and optical properties of carbonaceous aerosols in Nanjing, eastern China: regionally transported biomass burning contribution. 2019 , 19, 11213-11233	26
1092	Stacking machine learning model for estimating hourly PM in China based on Himawari 8 aerosol optical depth data. 2019 , 697, 134021	46
1091	Aqueous-phase reactions occurred in the PM _{2.5} cumulative explosive growth during the heavy pollution episode (HPE) in 2016 Beijing wintertime. 2019 , 71, 1620079	12
1090	Changes of fluorescence spectra and viability from aging aerosolized E. coli cells under various laboratory-controlled conditions in an advanced rotating drum. 2019 , 53, 1261-1276	3
1089	High contributions of fossil sources to more volatile organic aerosol. 2019 , 19, 10405-10422	6

1088	Water-soluble low molecular weight organics in cloud water at Mt. Tai Mo Shan, Hong Kong. 2019 , 697, 134095	3
1087	Quantification of secondary particle loading during a heavy air pollution event in Beijing: A simplified method based on coal emission indicators. 2019 , 215, 116896	7
1086	Development of a Physiologically Relevant Online Chemical Assay To Quantify Aerosol Oxidative Potential. 2019 , 91, 13088-13095	10
1085	Optimal Environmental Tax Rate in an Open Economy with Labor Migration—An E-DSGE Model Approach. 2019 , 11, 5147	3
1084	Seasonal characteristics of organic aerosol chemical composition and volatility in Stuttgart, Germany. 2019 , 19, 11687-11700	14
1083	Relative humidity and O_3 concentration as two prerequisites for sulfate formation. 2019 , 19, 12295-12307	23
1082	Response of aerosol chemistry to clean air action in Beijing, China: Insights from two-year ACSM measurements and model simulations. 2019 , 255, 113345	46
1081	Predicting the impacts of psychological factors and policy factors on individual PM _{2.5} reduction behavior: An empirical study in China. 2019 , 241, 118416	13
1080	Improved Inversion of Monthly Ammonia Emissions in China Based on the Chinese Ammonia Monitoring Network and Ensemble Kalman Filter. 2019 , 53, 12529-12538	37
1079	Defending blue sky in China: Effectiveness of the "Air Pollution Prevention and Control Action Plan" on air quality improvements from 2013 to 2017. 2019 , 252, 109603	112
1078	microRNA-16 Via Twist1 Inhibits EMT Induced by PM _{2.5} Exposure in Human Hepatocellular Carcinoma. 2019 , 14, 673-682	12
1077	Substantial emission reductions from Chinese power plants after the introduction of ultra-low emissions standards. 2019 , 4, 929-938	136
1076	The Slowdown in Global Air-Pollutant Emission Growth and Driving Factors. 2019 , 1, 138-148	46
1075	Source identification of personal exposure to fine particulate matter (PM _{2.5}) among adult residents of Hong Kong. 2019 , 218, 116999	9
1074	Characteristics and source apportionment of PM in Jiaxing, China. 2019 , 26, 7497-7511	23
1073	Dominant variables of global air pollution-climate interaction: Geographic insight. 2019 , 99, 251-260	22
1072	Role of PM in the photodegradation of the atmospheric benzene. 2019 , 247, 447-456	9
1071	Satellite-derived PM concentration trends over Eastern China from 1998 to 2016: Relationships to emissions and meteorological parameters. 2019 , 247, 1125-1133	112

1070	Source contributions to poor atmospheric visibility in China. 2019 , 143, 167-177	11
1069	Characterization of particulate-bound polycyclic aromatic compounds (PACs) and their oxidations in heavy polluted atmosphere: A case study in urban Beijing, China during haze events. 2019 , 660, 1392-1402	13
1068	Characterization of black carbon-containing fine particles in Beijing during wintertime. 2019 , 19, 447-458	51
1067	Magnetic signatures of natural and anthropogenic sources of urban dust aerosol. 2019 , 19, 731-745	18
1066	Improved Jayaweera-Mikkelsen model to quantify ammonia volatilization from rice paddy fields in China. 2019 , 26, 8136-8147	13
1065	Isotopic evaluation on relative contributions of major NO sources to nitrate of PM in Beijing. 2019 , 248, 183-190	47
1064	Exploring the influence of severe haze pollution on residents' intention to purchase energy-saving appliances. 2019 , 212, 1536-1543	42
1063	Light scattering of a coated spherical particle with large absorption in Debye series expansion. 2019 , 436, 90-95	
1062	Exploring the spatiotemporal pattern of PM distribution and its determinants in Chinese cities based on a multilevel analysis approach. 2019 , 659, 1513-1525	25
1061	Engineering black phosphorus to porous g-C ₃ N ₄ -metal-organic framework membrane: a platform for highly boosting photocatalytic performance. 2019 , 7, 4408-4414	51
1060	Important role of aromatic hydrocarbons in SOA formation from unburned gasoline vapor. 2019 , 201, 101-109	18
1059	Rebuilding the linkage between livestock and cropland to mitigate agricultural pollution in China. 2019 , 144, 65-73	63
1058	PM ₁ carbonaceous aerosols during winter in a typical valley city of western China: Vertical profiles and the key influencing factors. 2019 , 202, 75-92	7
1057	Experimental investigation of self-hardening foam-sol for controlling diffusion of static coal dust. 2019 , 345, 274-282	8
1056	Responses of PM and O concentrations to changes of meteorology and emissions in China. 2019 , 662, 297-306	85
1055	Chemical Composition and Deposition Fluxes of Water-Soluble Inorganic Ions on Dry and Wet Deposition Samples in Wuhan, China. 2019 , 16,	3
1054	The impacts of urbanization on fine particulate matter (PM) concentrations: Empirical evidence from 135 countries worldwide. 2019 , 247, 989-998	48
1053	Effects of H ₂ O ₂ generation over visible light-responsive Bi/Bi ₂ O ₂ CO ₃ nanosheets on their photocatalytic NO removal performance. 2019 , 363, 374-382	41

1052	Emission Characteristics of Particulate Matter from Two Ultralow-Emission Coal-Fired Industrial Boilers in Xi'an, China. 2019 , 33, 1944-1954	13
1051	The Effects of PM _{2.5} Concentrations and Relative Humidity on Atmospheric Visibility in Beijing. 2019 , 124, 2235-2259	41
1050	Chemical characteristics, sources, and formation mechanisms of PM before and during the Spring Festival in a coastal city in Southeast China. 2019 , 251, 442-452	26
1049	Moisture Effect on Particulate Matter Filtration Performance using Electro-Spun Nanofibers including Density Functional Theory Analysis. 2019 , 9, 7015	12
1048	Changes in the Relationship between Particulate Matter and Surface Temperature in Seoul from 2002-2017. 2019 , 10, 238	11
1047	A Review of Aerosol Chemical Composition and Sources in Representative Regions of China during Wintertime. 2019 , 10, 277	17
1046	Influence of relative humidity on cyclohexene SOA formation from OH photooxidation. 2019 , 231, 478-486	12
1045	Linkage of aerosol optical depth with rainfall and circulation parameters over the Eastern Gangetic Plains of India. 2019 , 128, 1	5
1044	Size Distribution and Depolarization Properties of Aerosol Particles over the Northwest Pacific and Arctic Ocean from Shipborne Measurements during an R/V Cruise. 2019 , 53, 7984-7995	5
1043	Significant source of secondary aerosol: formation from gasoline evaporative emissions in the presence of SO ₂ and NH ₃ . 2019 , 19, 8063-8081	28
1042	Characteristics of fine particle explosive growth events in Beijing, China: Seasonal variation, chemical evolution pattern and formation mechanism. 2019 , 687, 1073-1086	42
1041	Soot formation in laminar counterflow flames. 2019 , 74, 152-238	156
1040	Chinese Consumers' Perceptions of Functional Foods: A Netnography Study of Foods that Help the Immune System Recover from Air Pollution. 2019 , 25, 628-646	6
1039	Development of land use regression model and health risk assessment for NO ₂ in different functional areas: A case study of Xi'an, China. 2019 , 213, 515-525	15
1038	A high temporal-spatial emission inventory and updated emission factors for coal-fired power plants in Shanghai, China. 2019 , 688, 94-102	16
1037	Aerosol Ammonium in the Urban Boundary Layer in Beijing: Insights from Nitrogen Isotope Ratios and Simulations in Summer 2015. 2019 , 6, 389-395	22
1036	Concentrations, optical and radiative properties of carbonaceous aerosols over urban Lanzhou, a typical valley city: Results from in-situ observations and numerical model. 2019 , 213, 470-484	8
1035	Contributions of different anthropogenic volatile organic compound sources to ozone formation at a receptor site in the Pearl River Delta region and its policy implications. 2019 ,	

1034	Heterogeneous Oxidation of SO in Sulfate Production during Nitrate Photolysis at 300 nm: Effect of pH, Relative Humidity, Irradiation Intensity, and the Presence of Organic Compounds. 2019 , 53, 8757-8766	43
1033	Winter photochemistry in Beijing: Observation and model simulation of OH and HO radicals at an urban site. 2019 , 685, 85-95	52
1032	Potential impacts of cold frontal passage on air quality over the Yangtze River Delta, China. 2019 , 19, 3673-3685	57
1031	Vertical profiles of NO ₂ , SO ₂ , HONO, HCHO, CHOCHO and aerosols derived from MAX-DOAS measurements at a rural site in the central western North China Plain and their relation to emission sources and effects of regional transport. 2019 , 19, 5417-5449	43
1030	Personal exposure to PM _{2.5} emitted from typical anthropogenic sources in southern West Africa: chemical characteristics and associated health risks. 2019 , 19, 6637-6657	15
1029	Ensemble forecasts of air quality in eastern China [Part 2: Evaluation of the MarcoPoloBanda prediction system, version 1. 2019 , 12, 1241-1266	17
1028	Secondary organic aerosol enhanced by increasing atmospheric oxidizing capacity in Beijing-Tianjin-Hebei (BTH), China. 2019 , 19, 7429-7443	36
1027	The impacts of China's provincial energy policies on major air pollutants: A spatial econometric analysis. 2019 , 132, 392-403	57
1026	Vertical characteristics of black carbon physical properties over Beijing region in warm and cold seasons. 2019 , 213, 296-310	26
1025	Particulate Matter Capturing via Naturally Dried ZIF-8/Graphene Aerogels under Harsh Conditions. 2019 , 16, 133-144	39
1024	Measuring Environmental and Economic Performance of Air Pollution Control for Province-Level Areas in China. 2019 , 16,	9
1023	Synoptic pattern and planetary boundary layer structure associated with aerosol pollution during winter in Beijing, China. 2019 , 682, 464-474	21
1022	Investigating secondary organic aerosol formation pathways in China during 2014. 2019 , 213, 133-147	20
1021	Spatiotemporal variation and socioeconomic drivers of air pollution in China during 2005-2016. 2019 , 245, 66-75	54
1020	Comparisons of ambient air particulates concentrations (TSP, PM _{2.5}) and dry depositions during smog and non-smog periods at Luliao, Shalu District sampling site. 2019 , 20, 139-148	
1019	Quantifying the spatial heterogeneity influences of natural and socioeconomic factors and their interactions on air pollution using the geographical detector method: A case study of the Yangtze River Economic Belt, China. 2019 , 232, 692-704	61
1018	Effects of energetic heterogeneity on gas adsorption and gas storage in geologic shale systems. 2019 , 251, 113368	35
1017	Analysis of PM _{2.5} pollution episodes in Beijing from 2014 to 2017: Classification, interannual variations and associations with meteorological features. 2019 , 213, 384-394	19

1016	Least-cost control strategy optimization for air quality attainment of Beijing-Tianjin-Hebei region in China. 2019 , 245, 95-104	16
1015	Comparative Performance of the LUR, ANN, and BME Techniques in the Multiscale Spatiotemporal Mapping of PM _{2.5} Concentrations in North China. 2019 , 12, 1734-1747	12
1014	Characteristics, sources and health risks of PM _{2.5} -bound potentially toxic elements in the northern rural China. 2019 , 10, 1621-1626	14
1013	Characteristics and mixing state of aerosol at the summit of Mount Tai (1534 m) in Central East China: First measurements with SPAMS. 2019 , 213, 273-284	12
1012	Synoptic circulation pattern and boundary layer structure associated with PM _{2.5} during wintertime haze pollution episodes in Shanghai. 2019 , 228, 186-195	31
1011	Satellite detection of aerosol-produced temperature change. 2019 , 10, 854-863	3
1010	Modified Silica Adsorbents for Toluene Adsorption under Dry and Humid Conditions: Impacts of Pore Size and Surface Chemistry. 2019 , 35, 8927-8934	13
1009	Local and regional contributions to fine particulate matter in the 18 cities of Sichuan Basin, southwestern China. 2019 , 19, 5791-5803	28
1008	Effects of air pollution control measures on air quality improvement in Guangzhou, China. 2019 , 244, 127-137	33
1007	Sensitivity of Nitrate Aerosol Production to Vehicular Emissions in an Urban Street. 2019 , 10, 212	5
1006	Secondary organic aerosol enhanced by increasing atmospheric oxidizing capacity in Beijing-Tianjin-Hebei (BTH), China. 2019 ,	
1005	Predominance of Secondary Organic Aerosol to Particle-bound Reactive Oxygen Species Activity in Fine Ambient Aerosol. 2019 ,	1
1004	Tropospheric NO vertical column densities retrieved from ground-based MAX-DOAS measurements at Shangdianzi regional atmospheric background station in China. 2019 , 80, 186-196	9
1003	Impacts of six potential HONO sources on HO budgets and SOA formation during a wintertime heavy haze period in the North China Plain. 2019 , 681, 110-123	26
1002	Comparative statistical models for estimating potential roles of relative humidity and temperature on the concentrations of secondary inorganic aerosol: Statistical insights on air pollution episodes at Beijing during January 2013. 2019 , 212, 11-21	10
1001	Increased inorganic aerosol fraction contributes to air pollution and haze in China. 2019 , 19, 5881-5888	26
1000	Characterization of particle size distributions during winter haze episodes in urban air. 2019 , 228, 55-67	8
999	Molecular Characterization and Source Identification of Atmospheric Particulate Organosulfates Using Ultrahigh Resolution Mass Spectrometry. 2019 , 53, 6192-6202	20

998	Coupled Effects of Carbon Dioxide and Water Vapor Addition on Soot Formation in Ethylene Diffusion Flames. 2019 , 33, 5582-5596	21
997	Evolution of the vertical structure of air pollutants during winter heavy pollution episodes: The role of regional transport and potential sources. 2019 , 228, 206-222	19
996	Increased secondary aerosol contribution and possible processing on polluted winter days in China. 2019 , 127, 78-84	32
995	Chemical Characteristics of PM _{2.5} and Water-Soluble Organic Nitrogen in Yangzhou, China. 2019 , 10, 178	11
994	Ultrasonic nebulization for the elemental analysis of microgram-level samples with offline aerosol mass spectrometry. 2019 , 12, 1659-1671	10
993	Observation-based estimates of the mass absorption cross-section of black and brown carbon and their contribution to aerosol light absorption in East Asia. 2019 , 212, 65-74	26
992	Towards a cleaner domestic heating sector in China: Current situations, implementation strategies, and supporting measures. 2019 , 152, 515-531	20
991	Characteristics of atmospheric intermediate volatility organic compounds (IVOCs) in winter and summer under different air pollution levels. 2019 , 210, 58-65	8
990	Defect Chemistry of Er ³⁺ -Doped TiO ₂ and Its Photocatalytic Activity for the Degradation of Flowing Gas-Phase VOCs. 2019 , 123, 12321-12334	39
989	Porous hollow CoInOx nanocubes as a highly efficient catalyst for the catalytic combustion of toluene. 2019 , 11, 9937-9948	16
988	Clean air for some: Unintended spillover effects of regional air pollution policies. 2019 , 5, eaav4707	80
987	Severe haze in northern China: A synergy of anthropogenic emissions and atmospheric processes. 2019 , 116, 8657-8666	366
986	Ratiometric Fluorescent Quantification of the Size-Dependent Cellular Toxicity of Silica Nanoparticles. 2019 , 91, 6088-6096	22
985	Design of three-dimensional gradient nonwoven composites with robust dust holding capacity for air filtration. 2019 , 136, 47827	15
984	Significant Climate Impact of Highly Hygroscopic Atmospheric Aerosols in Delhi, India. 2019 , 46, 5535-5545	23
983	Installation Planning in Regional Thermal Power Industry for Emissions Reduction Based on an Emissions Inventory. 2019 , 16,	1
982	Characteristics of chemical composition and seasonal variations of PM in Shijiazhuang, China: Impact of primary emissions and secondary formation. 2019 , 677, 215-229	45
981	Diagnosing atmospheric stability effects on the modeling accuracy of PM /AOD relationship in eastern China using radiosonde data. 2019 , 251, 380-389	10

980	Establishment of county-level emission inventory for industrial NMVOCs in China and spatial-temporal characteristics for 2010-2016. 2019 , 211, 194-203	24
979	Measurement of size-fractionated particulate-bound mercury in Beijing and implications on sources and dry deposition of mercury. 2019 , 675, 176-183	9
978	Size-fractionated water-soluble ions during autumn and winter: Insights into volatile ammonium formation mechanisms in Shanghai, a megacity of China. 2019 , 2, 100011	1
977	Cytotoxicity analysis of ambient fine particle in BEAS-2B cells on an air-liquid interface (ALI) microfluidics system. 2019 , 677, 108-119	5
976	Characteristics and formation mechanism of persistent extreme haze pollution events in Chengdu, southwestern China. 2019 , 251, 1-12	26
975	RH and O_3 concentration as two prerequisites for sulfate formation. 2019 ,	2
974	Spatio-Temporal Relationship and Evolvement of Socioeconomic Factors and PM in China During 1998-2016. 2019 , 16,	9
973	Mechanistic and kinetics investigations of oligomer formation from Criegee intermediate reactions with hydroxyalkyl hydroperoxides. 2019 , 19, 4075-4091	9
972	Spatially isolating salt crystallisation from water evaporation for continuous solar steam generation and salt harvesting. 2019 , 12, 1840-1847	198
971	A unit-based emission inventory of SO ₂ , NO and PM for the Chinese iron and steel industry from 2010 to 2015. 2019 , 676, 18-30	35
970	Reliability of Low-Cost, Sensor-Based Fine Dust Measurement Devices for Monitoring Atmospheric Particulate Matter Concentrations. 2019 , 16,	9
969	Meteorological and chemical impacts on PM during a haze episode in a heavily polluted basin city of eastern China. 2019 , 250, 520-529	22
968	Impact of emission controls on air quality in Beijing during APEC 2014: Implications from water-soluble ions and carbonaceous aerosol in PM _{2.5} and their precursors. 2019 , 210, 241-252	29
967	Incorporating hopane degradation into chemical mass balance model: Improving accuracy of vehicular source contribution estimation. 2019 , 210, 211-219	5
966	Increasing importance of nitrate formation for heavy aerosol pollution in two megacities in Sichuan Basin, southwest China. 2019 , 250, 898-905	54
965	Penalized local polynomial regression for spatial data. 2019 , 75, 1179-1190	3
964	Significant source of secondary aerosol: formation from gasoline evaporation emissions in the presence of SO ₂ and NH ₃ . 2019 ,	
963	Molecular characterization of water-soluble organic compounds in PM _{2.5} using ultrahigh resolution mass spectrometry. 2019 , 668, 917-924	13

962	The Two-way feedback mechanism between unfavorable meteorological conditions and cumulative PM _{2.5} mass existing in polluted areas south of Beijing. 2019 , 208, 1-9	21
961	Determinants of haze pollution: An analysis from the perspective of spatiotemporal heterogeneity. 2019 , 222, 768-783	82
960	Daytime atmospheric oxidation capacity in four Chinese megacities during the photochemically polluted season: a case study based on box model simulation. 2019 , 19, 3493-3513	84
959	The sensitivity of PM _{2.5} acidity to meteorological parameters and chemical composition changes: 10-year records from six Canadian monitoring sites. 2019 ,	
958	Bibliometric analysis of global research on air pollution and human health: 1998-2017. 2019 , 26, 13103-13114	20
957	Understanding of Aerosol-Climate Interactions in China: Aerosol Impacts on Solar Radiation, Temperature, Cloud, and Precipitation and Its Changes Under Future Climate and Emission Scenarios. 2019 , 5, 36-51	20
956	Unraveling the role of silicon in atmospheric aerosol secondary formation: a new conservative tracer for aerosol chemistry. 2019 , 19, 2861-2870	8
955	Potential impacts of Arctic warming on Northern Hemisphere mid-latitude aerosol optical depth. 2019 , 53, 1637-1651	7
954	Redistribution of PM _{2.5} -associated nitrate and ammonium during outdoor-to-indoor transport. 2019 , 29, 460-468	9
953	Spatio-temporal variations and factors of a provincial PM pollution in eastern China during 2013-2017 by geostatistics. 2019 , 9, 3613	18
952	Changes of chemical composition and source apportionment of PM _{2.5} during 2013-2017 in urban Handan, China. 2019 , 206, 119-131	32
951	Fault tree analysis of the causes of urban smog events associated with vehicle exhaust emissions: A case study in Jinan, China. 2019 , 668, 245-253	16
950	Electrospun Polyimide/Metal-Organic Framework Nanofibrous Membrane with Superior Thermal Stability for Efficient PM Capture. 2019 , 11, 11904-11909	67
949	Influence of yolk-shell Au@TiO ₂ structure induced photocatalytic activity towards gaseous pollutant degradation under visible light. 2019 , 251, 57-65	60
948	Addressing the Global Air Pollution Crisis: Chemistry's Role. 2019 , 1, 5-8	9
947	Aerosol hygroscopic growth, contributing factors, and impact on haze events in a severely polluted region in northern China. 2019 , 19, 1327-1342	35
946	Alveolar macrophage reaction to PM of hazy day in vitro: Evaluation methods and mitochondrial screening to determine mechanisms of biological effect. 2019 , 174, 566-573	4
945	Modeling and efficient quantified risk assessment of haze causation system in China related to vehicle emissions with uncertainty consideration. 2019 , 668, 74-83	12

944	Influences of Atmospheric Pollution on the Contributions of Major Oxidation Pathways to PM _{2.5} Nitrate Formation in Beijing. 2019 , 124, 4174-4185	46
943	Characteristics of urban boundary layer in heavy haze process based on Beijing 325m tower data. 2019 , 12, 41-49	7
942	Dependence of urban air pollutants on morning/evening peak hours and seasons. 2019 , 76, 572-590	8
941	Formation and Evolution Mechanisms for Two Extreme Haze Episodes in the Yangtze River Delta Region of China During Winter 2016. 2019 , 124, 3607-3623	27
940	Source apportionment of carbonaceous aerosols in the vicinity of a Mediterranean industrial harbor: A coupled approach based on radiocarbon and molecular tracers. 2019 , 212, 250-261	3
939	Textiles/Metal-Organic Frameworks Composites as Flexible Air Filters for Efficient Particulate Matter Removal. 2019 , 11, 17368-17374	140
938	Sources of metals in atmospheric particulate matter in Tehran, Iran: Tree bark biomonitoring. 2019 , 104, 71-82	13
937	Influence of regional emissions on SO ₂ concentrations over Bhubaneswar, a capital city in eastern India downwind of the Indian SO ₂ hotspots. 2019 , 209, 220-232	12
936	Satellite-based prediction of daily SO ₂ exposure across China using a high-quality random forest-spatiotemporal Kriging (RF-STK) model for health risk assessment. 2019 , 208, 10-19	25
935	Atmospheric new particle formation in China. 2019 , 19, 115-138	73
934	iTRAQ based proteomic analysis of PM induced lung damage.. 2019 , 9, 11707-11717	7
933	Measurements of atmospheric aerosol vertical distribution above North China Plain using hexacopter. 2019 , 665, 1095-1102	13
932	Air pollution in the Asia-Pacific Region: A Joint Asian Pacific Society of Respiriology/American Thoracic Society perspective (Republication). 2019 , 24, 484-491	13
931	Characteristics and Source Apportionment of Metallic Elements in PM _{2.5} at Urban and Suburban Sites in Beijing: Implication of Emission Reduction. 2019 , 10, 105	7
930	High-Efficiency Particulate Air Filters Based on Carbon Nanotubes. 2019 , 643-666	4
929	Ammonia emission control in China would mitigate haze pollution and nitrogen deposition, but worsen acid rain. 2019 , 116, 7760-7765	172
928	Traffic-related dustfall and NO, but not NH, seriously affect nitrogen isotopic compositions in soil and plant tissues near the roadside. 2019 , 249, 655-665	11
927	National air pollution distribution in China and related geographic, gaseous pollutant, and socio-economic factors. 2019 , 250, 998-1009	20

926	Does economic growth and energy consumption drive environmental degradation in China's 31 provinces? New evidence from a spatial econometric perspective. 2019 , 51, 4658-4671	13
925	An Electrically Renewable Air Filter with Integrated 3D Nanowire Networks. 2019 , 4, 1900101	12
924	Time-resolved spread of antibiotic resistance genes in highly polluted air. 2019 , 127, 333-339	37
923	Possible heterogeneous chemistry of hydroxymethanesulfonate (HMS) in northern China winter haze. 2019 , 19, 1357-1371	63
922	Volatile organic compounds in a typical petrochemical industrialized valley city of northwest China based on high-resolution PTR-MS measurements: Characterization, sources and chemical effects. 2019 , 671, 883-896	32
921	A low-cost and reusable photothermal membrane for solar-light induced anti-bacterial regulation. 2019 , 7, 2948-2953	12
920	Aerosol Phase State and Its Link to Chemical Composition and Liquid Water Content in a Subtropical Coastal Megacity. 2019 , 53, 5027-5033	24
919	Intra-regional transport of black carbon between the south edge of the North China Plain and central China during winter haze episodes. 2019 , 19, 4499-4516	40
918	Negative Emotion under Haze: An Investigation Based on the Microblog and Weather Records of Tianjin, China. 2018 , 16,	9
917	Assessing the impact of Chinese FY-3/MERSI AOD data assimilation on air quality forecasts: Sand dust events in northeast China. 2019 , 205, 78-89	11
916	Primary emissions versus secondary formation of fine particulate matter in the most polluted city (Shijiazhuang) in North China. 2019 , 19, 2283-2298	43
915	Impact of Control Measures on Nitrogen Oxides, Sulfur Dioxide and Particulate Matter Emissions from Coal-Fired Power Plants in Anhui Province, China. 2019 , 10, 35	14
914	Wintertime secondary organic aerosol formation in Beijing-Tianjin-Hebei (BTH): contributions of HONO sources and heterogeneous reactions. 2019 , 19, 2343-2359	60
913	Air quality in megacity Delhi affected by countryside biomass burning. 2019 , 2, 200-205	85
912	The carbonaceous aerosol levels still remain a challenge in the Beijing-Tianjin-Hebei region of China: Insights from continuous high temporal resolution measurements in multiple cities. 2019 , 126, 171-183	44
911	Improving the electrospinning process of fabricating nanofibrous membranes to filter PM2.5. 2019 , 666, 1011-1021	30
910	Characterization of PM2.5-bound PAHs and carbonaceous aerosols during three-month severe haze episode in Shanghai, China: Chemical composition, source apportionment and long-range transportation. 2019 , 203, 1-9	28
909	On the opposing effects of methanol and ethanol addition on PAH and soot formation in ethylene counterflow diffusion flames. 2019 , 202, 228-242	55

- 908 Contributions of City-Specific Fine Particulate Matter (PM) to Differential In Vitro Oxidative Stress and Toxicity Implications between Beijing and Guangzhou of China. **2019**, 53, 2881-2891 60
- 907 Is water vapor a key player of the wintertime haze in North China Plain?. **2019**, 0
- 906 Observation of atmospheric new particle growth events at the summit of mountain Tai (1534 m) in Central East China. **2019**, 201, 148-157 12
- 905 Severe particulate pollution days in China during 2013-2018 and the associated typical weather patterns in Beijing-Tianjin-Hebei and the Yangtze River Delta regions. **2019**, 248, 74-81 65
- 904 Light absorption property and potential source of particulate brown carbon in the Pearl River Delta region of China. **2019**,
- 903 Estimation and Uncertainty Analysis of Secondary Organic Carbon Using 1 Year of Hourly Organic and Elemental Carbon Data. **2019**, 124, 2774-2795 24
- 902 Identifying Single Particles in Air Using a 3D-Integrated Solid-State Pore. **2019**, 4, 748-755 13
- 901 Influence of Boundary Layer Structure and Low-Level Jet on PM Pollution in Beijing: A Case Study. **2019**, 16, 11
- 900 Roles of N-Vacancies over Porous g-CN Microtubes during Photocatalytic NO Removal. **2019**, 11, 10651-10662 119
- 899 Measurement and evaluation of indoor air quality in naturally ventilated residential buildings. **2019**, 28, 1307-1323 25
- 898 Investigation on the relationship of droplet atomization performance and fine particle abatement during the chemical agglomeration process. **2019**, 245, 65-77 7
- 897 Fluorescent aerosol observation in the lower atmosphere with an integrated fluorescence-Mie lidar. **2019**, 227, 211-218 4
- 896 MicroRNA-26a-CD36 signaling pathway: Pivotal role in lipid accumulation in hepatocytes induced by PM liposoluble extracts. **2019**, 248, 269-278 21
- 895 Effect of Low Ambient Temperature on Emissions and Electric Range of Plug-In Hybrid Electric Vehicles. **2019**, 4, 3159-3168 22
- 894 Climatic Factors and Their Availability in Estimating Long-Term Variations of Fine Particle Distributions Over East China. **2019**, 124, 3319-3334 4
- 893 Occurrence, seasonal variety of organochlorine compounds in street dust of Novi Sad, Serbia, and its implication for risk assessment. **2019**, 662, 895-902 17
- 892 Effect of mechanical ventilation on air infiltration rate in a concert hall. **2019**, 609, 032015
- 891 Formation mechanisms of atmospheric nitrate and sulfate during the winter haze pollution periods in Beijing: gas-phase, heterogeneous and aqueous-phase chemistry. **2019**,

890	The Causes of Vulnerable Regions to Air Pollution in Winter in the Beijing-Tianjin-Hebei Region: A Topographic-Meteorological Impact Model Based on Adaptive Emission Constraint Technique. 2019 , 10, 719	2
889	Effects of water-soluble organic carbon on aerosol pH. 2019 , 19, 14607-14620	17
888	Simulations of Traffic Control Managements on PM2.5 Emissions Reduction. 2019 ,	
887	Retrieval of Aerosol Optical Depth Over North China From Polarized Satellite Observations Using Re-derived Surface Properties. 2019 , 6, 2241-2250	
886	Origin and Transformation of Ambient VOCs during a Dust-to-Haze Episode in Northwest China. 2019 ,	
885	Predominance of secondary organic aerosol to particle-bound reactive oxygen species activity in fine ambient aerosol. 2019 , 19, 14703-14720	15
884	Comparative analysis of PM2.5 pollution risk in China using three-dimensional Archimedean copula method. 2019 , 10, 2368-2386	
883	Air quality and health impacts from the updated industrial emission standards in China. 2019 , 14, 124058	1
882	Dispatch for Urban Integrated Heat and Power System Considering Secondary PM2.5 Under Smart Environmental Sensing. 2019 , 7, 179163-179184	
881	Investigating the assimilation of CALIPSO global aerosol vertical observations using a four-dimensional ensemble Kalman filter. 2019 , 19, 13445-13467	15
880	Regional Atmospheric Aerosol Pollution Detection Based on LiDAR Remote Sensing. 2019 , 11, 2339	16
879	The Characteristics of Ambient Non-Methane Hydrocarbons (NMHCs) in Lanzhou, China. 2019 , 10, 745	3
878	Secondary organic aerosol formation from OH-initiated oxidation of <i>m</i> -xylene: effects of relative humidity on yield and chemical composition. 2019 , 19, 15007-15021	13
877	Summertime Aerosol over the West of Ireland Dominated by Secondary Aerosol during Long-Range Transport. 2019 , 10, 59	5
876	Urban organic aerosol composition in Eastern China differs from North to South: Molecular insight from a liquid chromatography-Orbitrap mass spectrometry study. 2019 ,	
875	Effects of International Fuel Trade on Global Sulfur Dioxide Emissions. 2019 , 6, 727-731	12
874	Study on Spatial Temporal Distribution Characteristics of Air Quality Index in Beijing and Its Correlation with Local Meteorological Conditions. 2019 , 2019, 1-15	0
873	Trends of inorganic and organic aerosols and precursor gases in Europe: insights from the EURODELTA multi-model experiment over the 1990-2010 period. 2019 , 12, 4923-4954	16

872	Review of Chinese atmospheric science research over the past 70 years: Atmospheric physics and atmospheric environment. 2019 , 62, 1903-1945	11
871	Satellite UV-Vis spectroscopy: implications for air quality trends and their driving forces in China during 2005-2017. 2019 , 8, 100	75
870	Wintertime aerosol properties in Beijing. 2019 , 19, 14329-14338	15
869	Drivers of improved PM air quality in China from 2013 to 2017. 2019 , 116, 24463-24469	578
868	Volatile organic compounds emissions from traditional and clean domestic heating appliances in Guanzhong Plain, China: Emission factors, source profiles, and effects on regional air quality. 2019 , 133, 105252	23
867	Multiphase Reactions between Secondary Organic Aerosol and Sulfur Dioxide: Kinetics and Contributions to Sulfate Formation and Aerosol Aging. 2019 , 6, 768-774	17
866	Ma Xing Shi Gan Decoction Attenuates PM _{2.5} Induced Lung Injury via Inhibiting HMGB1/TLR4/NF κ B Signal Pathway in Rat. 2019 , 10, 1361	22
865	Environmental Satisfaction, Residential Satisfaction, and Place Attachment: The Cases of Long-Term Residents in Rural and Urban Areas in China. 2019 , 11, 6439	12
864	A two-pollutant strategy for improving ozone and particulate air quality in China. 2019 , 12, 906-910	223
863	Improved 1-km-resolution PM _{2.5} estimates across China using the space-time extremely randomized trees. 2019 ,	1
862	Aerosol vertical mass flux measurements during heavy aerosol pollution episodes at a rural site and an urban site in the Beijing area of the North China Plain. 2019 , 19, 12857-12874	7
861	Optical properties and molecular compositions of water-soluble and water-insoluble brown carbon (BrC) aerosols in Northwest China. 2019 ,	
860	Enhanced resistance to calcium poisoning on Zr-modified Cu/ZSM-5 catalysts for the selective catalytic reduction of NO with NH ₃ . 2019 , 9, 38477-38485	13
859	Interactions between aerosol organic components and liquid water content during haze episodes in Beijing. 2019 , 19, 12163-12174	13
858	Sources and formation of carbonaceous aerosols in Xi'an, China: primary emissions and secondary formation constrained by radiocarbon. 2019 , 19, 15609-15628	10
857	The ignored emission of volatile organic compounds from iron ore sinter process. 2019 , 77, 282-290	7
856	Analysis of water vapor effects on aerosol properties and direct radiative forcing in China. 2019 , 650, 257-266	10
855	Protonated g-C ₃ N ₄ /Ti ³⁺ self-doped TiO ₂ nanocomposite films: Room-temperature preparation, hydrophilicity, and application for photocatalytic NO removal. 2019 , 240, 122-131	97

854	Review on formation mechanism analysis method and control strategy of urban haze in China. 2019 , 27, 1572-1577	11
853	Linkages between aerosol pollution and planetary boundary layer structure in China. 2019 , 650, 288-296	59
852	Histone modification in the lung injury and recovery of mice in response to PM exposure. 2019 , 220, 127-136	7
851	Comparison of secondary organic aerosol (SOA) formation during o-, m-, and p-xylene photooxidation. 2019 , 245, 20-28	13
850	Seasonal behavior of water-soluble organic nitrogen in fine particulate matter (PM2.5) at urban coastal environments in Hong Kong. 2019 , 12, 389-399	4
849	Changes in Aerosol Chemistry From 2014 to 2016 in Winter in Beijing: Insights From High-Resolution Aerosol Mass Spectrometry. 2019 , 124, 1132-1147	109
848	China's air pollution crisis: Science and policy perspectives. 2019 , 92, 275-280	63
847	Black Carbon Amplifies Haze Over the North China Plain by Weakening the East Asian Winter Monsoon. 2019 , 46, 452-460	41
846	Carbon captured from vehicle exhaust by triboelectric particulate filter as materials for energy storage. 2019 , 56, 792-798	14
845	Silica/mullite fiber composite membrane with double-layer structure for efficient sub-micrometer dust removal. 2019 , 45, 6723-6729	8
844	Contribution of meteorological factors to particulate pollution during winters in Beijing. 2019 , 656, 977-985	24
843	The severe Delhi SMOG of 2016: A case of delayed crop residue burning, coincident firecracker emissions, and atypical meteorology. 2019 , 10, 868-879	34
842	The spatiotemporal variation and key factors of SO2 in 336 cities across China. 2019 , 210, 602-611	31
841	Auto-cleaning paper-based electrochemiluminescence biosensor coupled with binary catalysis of cubic CuO-Au and polyethyleneimine for quantification of Ni and Hg. 2019 , 126, 339-345	24
840	Catalytic conversions of atmospheric sulfur dioxide and formation of acid rain over mineral dusts: Molecular oxygen as the oxygen source. 2019 , 217, 18-25	18
839	Mercury stable isotope compositions of Chinese urban fine particulates in winter haze days: Implications for Hg sources and transformations. 2019 , 504, 267-275	12
838	Traffic-related air pollution induces non-allergic eosinophilic airway inflammation and cough hypersensitivity in guinea-pigs. 2019 , 49, 366-377	18
837	Investigation of levoglucosan decay in wood smoke smog-chamber experiments: The importance of aerosol loading, temperature, and vapor wall losses in interpreting results. 2019 , 199, 224-232	12

836	An urban-rural and sex differences in cancer incidence and mortality and the relationship with PM exposure: An ecological study in the southeastern side of Hu line. 2019 , 216, 766-773	28
835	Predicting wintertime windy days in Beijing with the preceding autumn sea surface temperature and large-scale circulation patterns. 2019 , 137, 1801-1809	2
834	Exploring the effects of crop residue burning on local haze pollution in Northeast China using ground and satellite data. 2019 , 199, 189-201	23
833	Isolation and radiocarbon analysis of elemental carbon in atmospheric aerosols using hydropyrolysis. 2019 , 198, 381-386	5
832	Characteristics of gaseous and particulate ammonia and their role in the formation of secondary inorganic particulate matter at Delhi, India. 2019 , 218, 34-49	25
831	Variation, sources and historical trend of black carbon in Beijing, China based on ground observation and MERRA-2 reanalysis data. 2019 , 245, 853-863	34
830	Origins of aerosol nitrate in Beijing during late winter through spring. 2019 , 653, 776-782	34
829	Comparison of chemical composition and airborne bacterial community structure in PM during haze and non-haze days in the winter in Guilin, China. 2019 , 655, 202-210	38
828	Aerosol pollution in a megacity of southwest China inferred from variation characteristics of sulfate-B4S and water-soluble inorganic compositions in TSP. 2019 , 43, 202-209	1
827	Process analysis of PM pollution events in a coastal city of China using CMAQ. 2019 , 79, 225-238	25
826	Removal of hexanal in cooking fume by combination of storage and plasma-catalytic oxidation on alkali-modified Co-Mn solid solution. 2019 , 220, 738-747	19
825	Vertical Characterization and Source Apportionment of Water-Soluble Organic Aerosol with High-resolution Aerosol Mass Spectrometry in Beijing, China. 2019 , 3, 273-284	18
824	Estimating the Contribution of Local Primary Emissions to Particulate Pollution Using High-Density Station Observations. 2019 , 124, 1648-1661	41
823	Heterogeneous SO ₂ Oxidation in Sulfate Formation by Photolysis of Particulate Nitrate. 2019 , 6, 86-91	68
822	A novel high-volume Photochemical Emission Aging flow tube Reactor (PEAR). 2019 , 53, 276-294	16
821	Effects of meteorology and emission reduction measures on air pollution in Beijing during heating seasons. 2019 , 10, 971-979	15
820	Spatial-temporal variations and reduction potentials of volatile organic compound emissions from the coking industry in China. 2019 , 214, 224-235	17
819	Health benefit assessment of PM reduction in Pearl River Delta region of China using a model-monitor data fusion approach. 2019 , 233, 489-498	27

818	Seasonal variation, formation mechanisms and potential sources of PM in two typical cities in the Central Plains Urban Agglomeration, China. 2019 , 657, 657-670	37
817	Photochemical reaction playing a key role in particulate matter pollution over Central France: Insight from the aerosol optical properties. 2019 , 657, 1074-1084	6
816	Synthesis and Applications of Nanomaterials With High Photocatalytic Activity on Air Purification. 2019 , 299-325	2
815	Investigating the PM mass concentration growth processes during 2013-2016 in Beijing and Shanghai. 2019 , 221, 452-463	36
814	Size fractions of dust and amount of associated metals on leaf surface and inner wax of 15 plant species at Beijing roadside. 2019 , 21, 334-351	4
813	PM2.5 emission characteristics of coal-fired power plants in Beijing-Tianjin-Hebei region, China. 2019 , 10, 954-959	12
812	Levels and health risks of PM-bound toxic metals from firework/firecracker burning during festival periods in response to management strategies. 2019 , 171, 406-413	18
811	Simultaneous retrieval of aerosol size and composition by multi-angle polarization scattering measurements. 2022 , 149, 106799	2
810	Boosted visible-light photocatalytic performance of Au/BiOCl/BiOI by high-speed spatial electron transfer channel. 2022 , 890, 161736	7
809	Regional interaction of lung cancer incidence influenced by PM in China. 2022 , 803, 149979	1
808	Interannual evolution of elemental carbon-containing particles in winter in the atmosphere of Chengdu, China. 2022 , 804, 150133	0
807	Improvement of inorganic aerosol component in PM by constraining aqueous-phase formation of sulfate in cloud with satellite retrievals: WRF-Chem simulations. 2022 , 804, 150229	3
806	High-performance anti-haze window screen based on multiscale structured polyvinylidene fluoride nanofibers. 2022 , 607, 711-719	4
805	Innovative reactive distillation process for the eco-friendly Poly(oxyethylene) dimethyl ethers synthesis from methylal and trioxane. 2022 , 278, 119538	1
804	The isotopic patterns and source apportionment of nitrate and ammonium in atmospheric aerosol. 2022 , 803, 149559	1
803	ZIF-67 grown on a fibrous substrate via a sacrificial template method for efficient PM2.5 capture and enhanced antibacterial performance. 2022 , 280, 119814	2
802	Modified lignite and black coal reduce ammonia volatilization from cattle manure. 2022 , 301, 113807	5
801	The different sensitivities of aerosol optical properties to particle concentration, humidity, and hygroscopicity between the surface level and the upper boundary layer in Guangzhou, China. 2022 , 803, 150010	1

800	An automated method for thermal-optical separation of aerosol organic/elemental carbon for C analysis at the sub- μ C level: A comprehensive assessment. 2022 , 804, 150031	3
799	Mechanism of haze pollution in summer and its difference with winter in the North China Plain. 2022 , 806, 150625	2
798	Spatio-temporal variation characteristics of air pollution and influencing factors in Hebei province. 2021 , 36, 411	0
797	Monkeys fight more in polluted air. 2021 , 11, 654	0
796	Environmentally friendly plant essential oil: Liquid gold for human health. 2021 , 289-337	3
795	Quantitative relationship between the structures and properties of VOCs and SOA formation on the surfaces of acidic aerosol particles. 2021 , 23, 12360-12370	0
794	Characteristics, emission sources and health risk assessment of trace elements in size-segregated aerosols during haze and non-haze periods at Ningbo, China. 2021 , 43, 2945-2963	4
793	Combustion in the future: The importance of chemistry. 2020 ,	31
792	The Opportunities and Challenges for NH ₃ Oxidation with 100% Conversion and Selectivity. 2021 , 25, 103-113	10
791	Pencil-traced-graphite on cellulose: A rapid and solvent-less approach for solar steam generation. 2021 , 45, 6395-6404	5
790	Limited Regional Aerosol and Cloud Microphysical Changes Despite Unprecedented Decline in Nitrogen Oxide Pollution During the February 2020 COVID-19 Shutdown in China.	0
789	Particulate Matter. 2020 , 1267-1306	2
788	Temporal variation of PM _{2.5} -associated health effects in Shijiazhuang, Hebei. 2021 , 15, 1	2
787	Real-time physiochemistry of urban aerosols during a regional haze episode by a single-particle aerosol mass spectrometer: Mixing state, size distribution and source apportionment. 2020 , 11, 1329-1338	5
786	PM _{2.5} from the Guanzhong Plain: Chemical composition and implications for emission reductions. 2016 , 147, 458-469	49
785	Charged graphene aerogel filter enabled superior particulate matter removal efficiency in harsh environment. 2020 , 395, 125086	22
784	Chemical compositions and source apportionment of PM during clear and hazy days: Seasonal changes and impacts of Youth Olympic Games. 2020 , 256, 127163	12
783	Understanding the coevolution of electricity markets and regulation. 2020 , 143, 111585	11

782	Air pollution over the North China Plain and its implication of regional transport: A new sight from the observed evidences. 2018 , 234, 29-38	32
781	Has China's war on pollution reduced employment? Quasi-experimental evidence from the Clean Air Action. 2020 , 260, 109851	14
780	Sex difference in bronchopulmonary dysplasia of offspring in response to maternal PM exposure. 2020 , 389, 122033	5
779	Mechanistic study of ammonium-induced corrosion of AZ31 magnesium alloy in sulfate solution. 2020 , 54, 1-13	10
778	Air pollution terrain nexus: A review considering energy generation and consumption. 2019 , 105, 71-85	86
777	Meteorological factors had more impact on airborne bacterial communities than air pollutants. 2017 , 601-602, 703-712	92
776	Seasonal variations in the sources of organic aerosol in Xi'an, Northwest China: The importance of biomass burning and secondary formation. 2020 , 737, 139666	9
775	Black carbon pollution for a major road in Beijing: Implications for policy interventions of the heavy-duty truck fleet. 2019 , 68, 110-121	14
774	Improved Estimates of Ammonia Emissions from Global Croplands. 2021 , 55, 1329-1338	23
773	Superoxide Formation from Aqueous Reactions of Biogenic Secondary Organic Aerosols. 2021 , 55, 260-270	13
772	Hygroscopic Growth and Phase Transitions of NaCO and Mixed NaCO/LiCO Particles: Influence of LiCO on Phase Transitions of NaCO and Formation of LiNaCO. 2020 , 124, 10870-10878	3
771	Changes of Emission Sources to Nitrate Aerosols in Beijing After the Clean Air Actions: Evidence From Dual Isotope Compositions. 2020 , 125, e2019JD031998	12
770	Differentiation Between Nitrate Aerosol Formation Pathways in a Southeast Chinese City by Dual Isotope and Modeling Studies. 2020 , 125, e2020JD032604	14
769	Establishment of Conceptual Schemas of Surface Synoptic Meteorological Situations Affecting Fine Particulate Pollution Across Eastern China in the Winter. 2020 , 125, e2020JD033153	12
768	Airborne particles might grow fast in cities. <i>Nature</i> , 2020 , 581, 145-146	50.4 2
767	Amplified transboundary transport of haze by aerosol boundary layer interaction in China. 2020 , 13, 428-434	87
766	Self-assembled ionic nanofibers derived from amino acids for high-performance particulate matter removal. 2019 , 7, 4619-4625	28
765	Triple charge-coupled device cameras combined backscatter lidar for retrieving PM2.5 from aerosol extinction coefficient. 2020 , 59, 10369-10379	3

764	Study on polarization scattering applied in aerosol recognition in the air. 2019 , 27, A581-A595	12
763	Oral administration of <i>Lactobacillus paracasei</i> L9 attenuates PM _{2.5} -induced enhancement of airway hyperresponsiveness and allergic airway response in murine model of asthma. 2017 , 12, e0171721	36
762	A green eco-environment for sustainable development: framework and action. 2020 , 7, 67	8
761	Long non-coding RNA stabilizes the Y-box-binding protein 1 and regulates the epidermal growth factor receptor to promote lung carcinogenesis. 2016 , 7, 59556-59571	39
760	Genomic variations in paired normal controls for lung adenocarcinomas. 2017 , 8, 104113-104122	10
759	Tobacco, air pollution, environmental carcinogenesis, and thoughts on conquering strategies of lung cancer. 2019 , 16, 700-713	18
758	Effect of exposure to an Asian dust storm on fractional exhaled nitric oxide in adult asthma patients in Western Japan. 2015 , 62, 233-7	3
757	Quantifying the Influences of PM _{2.5} and Relative Humidity on Change of Atmospheric Visibility over Recent Winters in an Urban Area of East China. 2020 , 11, 461	9
756	Multilevel Validation of Doppler Wind Lidar by the 325 m Meteorological Tower in the Planetary Boundary Layer of Beijing. 2020 , 11, 1051	2
755	Component Characteristics and Emission Factors of Volatile Organic Compounds from Dyestuff Production. 2020 , 20, 108-118	1
754	Absorption properties and size distribution of aerosol particles during the fall season at an urban site of Gwangju, Korea. 2019 , 24, 159-172	9
753	Monitoring of particulate hazardous air pollutants and affecting factors in the largest industrial area in South Korea: The Sihwa-Banwol complex. 2020 , 25, 908-923	8
752	Contrasting impacts of two types of El Niño events on winter haze days in China's Jing-Jin-Ji region. 2020 , 20, 10279-10293	4
751	Vertical distribution of particle-phase dicarboxylic acids, oxoacids and α,β-dicarbonyls in the urban boundary layer based on the 325 m tower in Beijing. 2020 , 20, 10331-10350	5
750	Retrieving tropospheric NO ₂ vertical column densities around the city of Beijing and estimating NO _x emissions based on car MAX-DOAS measurements. 2020 , 20, 10757-10774	3
749	Elucidating the pollution characteristics of nitrate, sulfate and ammonium in PM _{2.5} in Chengdu, southwest China, based on 3-year measurements. 2020 , 20, 11181-11199	9
748	Formation and sink of glyoxal and methylglyoxal in a polluted subtropical environment: observation-based photochemical analysis and impact evaluation. 2020 , 20, 11451-11467	13
747	Source apportionment of PM _{2.5} in Shanghai based on hourly organic molecular markers and other source tracers. 2020 , 20, 12047-12061	15

746	Size-segregated particle number and mass concentrations from different emission sources in urban Beijing. 2020 , 20, 12721-12740	17
745	The promotion effect of nitrous acid on aerosol formation in wintertime in Beijing: the possible contribution of traffic-related emissions. 2020 , 20, 13023-13040	14
744	Spatial and temporal representativeness of point measurements for nitrogen dioxide pollution levels in cities. 2020 , 20, 13241-13251	2
743	Ozone affected by a succession of four landfall typhoons in the Yangtze River Delta, China: major processes and health impacts. 2020 , 20, 13781-13799	10
742	Tropospheric aerosol hygroscopicity in China. 2020 , 20, 13877-13903	8
741	Elevated levels of OH observed in haze events during wintertime in central Beijing. 2020 , 20, 14847-14871	29
740	Elevated dust layers inhibit dissipation of heavy anthropogenic surface air pollution. 2020 , 20, 14917-14932	7
739	A foehn-induced haze front in Beijing: observations and implications. 2020 , 20, 15793-15809	1
738	Measurement report: dual-carbon isotopic characterization of carbonaceous aerosol reveals different primary and secondary sources in Beijing and Xi'an during severe haze events. 2020 , 20, 16041-16053 ⁹	
737	Nitrate-dominated PM _{2.5} and elevation of particle pH observed in urban Beijing during the winter of 2017. 2020 , 20, 5019-5033	32
736	Heavy air pollution with a unique non-stagnant atmospheric boundary layer in the Yangtze River middle basin aggravated by regional transport of PM _{2.5} over China. 2020 , 20, 7217-7230	22
735	Importance of gas-particle partitioning of ammonia in haze formation in the rural agricultural environment. 2020 , 20, 7259-7269	11
734	Chemical characterization of secondary organic aerosol at a rural site in the southeastern US: insights from simultaneous high-resolution time-of-flight aerosol mass spectrometer (HR-ToF-AMS) and FIGAERO chemical ionization mass spectrometer (CIMS) measurements. 2020 , 20, 8421-8440	16
733	Contrasting sources and processes of particulate species in haze days with low and high relative humidity in wintertime Beijing. 2020 , 20, 9101-9114	17
732	Effects of continental emissions on cloud condensation nuclei (CCN) activity in the northern South China Sea during summertime 2018. 2020 , 20, 9153-9167	10
731	Simultaneous measurements of urban and rural particles in Beijing [Part 1: Chemical composition and mixing state. 2020 , 20, 9231-9247	5
730	Fossil vs. non-fossil sources of fine carbonaceous aerosols in four Chinese cities during the extreme winter haze episode in 2013.	2
729	Particle hygroscopicity and its link to chemical composition in the urban atmosphere of Beijing, China during summertime.	1

728	Characterization of ambient volatile organic compounds and their sources in Beijing, before, during, and after Asia-Pacific Economic Cooperation China 2014.	9
727	Long-term real-time measurements of aerosol particle composition in Beijing, China: seasonal variations, meteorological effects, and source analysis.	7
726	Advantages of city-scale emission inventory for urban air quality research and policy: the case of Nanjing, a typical industrial city in the Yangtze River Delta, China.	4
725	Changes in chemical components of aerosol particles in different haze regions in China from 2006 to 2013 and contribution of meteorological factors.	1
724	Characteristics and sources of submicron aerosols above the urban canopy (260 m) in Beijing, China during 2014 APEC summit.	3
723	Aerosol composition, oxidative properties, and sources in Beijing: results from the 2014 Asia-Pacific Economic Cooperation Summit study.	4
722	Observation of viscosity transition in Pinene secondary organic aerosol.	4
721	Climate modulation of the Tibetan Plateau on haze in China.	3
720	New insights into PM _{2.5} ; chemical composition and sources in two major cities in China during extreme haze events using aerosol mass spectrometry.	6
719	Characteristics of aerosol pollution during heavy haze events in Suzhou, China.	4
718	The importance of vehicle emissions as a source of atmospheric ammonia in the megacity of Shanghai.	7
717	Source apportionment and dynamic changes of carbonaceous aerosols during the haze bloom/decay process in China based on radiocarbon and organic molecular tracers.	2
716	VOC species and emission inventory from vehicles and their SOA formation potentials estimation in Shanghai, China.	9
715	Size-resolved source apportionment of particulate matter in urban Beijing during haze and non-haze episodes.	8
714	Version 2 Ozone Monitoring Instrument SO ₂ product (OMSO2 V2): new anthropogenic SO ₂ ; vertical column density dataset. 2020 , 13, 6175-6191	14
713	Characterization and source apportionment of organic aerosol using offline aerosol mass spectrometry.	4
712	Seasonal Variation of PM _{2.5} Components Observed in an Industrial Area of Chiba Prefecture, Japan. 2015 , 9, 66-77	4
711	Chemical Compositions of Primary PM _{2.5} Derived from Biomass Burning Emissions. 2017 , 11, 79-95	4

710	Hygroscopic Behavior of Ammonium Sulfate, Ammonium Nitrate, and their Mixture Particles. 2019 , 13, 196-211	9
709	Review on the Recent PM2.5 Studies in China. 2015 , 31, 411-429	5
708	Review of Recent Smog Chamber Studies for Secondary Organic Aerosol. 2016 , 32, 131-157	4
707	Pollution Characteristics of PM2.5 Observed during Winter and Summer in Baengryeongdo and Seoul. 2018 , 34, 38-55	17
706	Chemical Characteristics of PM1 using Aerosol Mass Spectrometer at Baengnyeong Island and Seoul Metropolitan Area. 2018 , 34, 430-446	7
705	Overall Characteristics of Nationwide High PM2.5 Episodes during 2013~2016. 2019 , 35, 609-624	7
704	Coral reefs as a source of climate-active aerosols. 2020 , 8, e10023	1
703	Aerosols chemical composition, light extinction, and source apportionment near a desert margin city, Yulin, China. 2020 , 8, e8447	4
702	Low-dimensional HfS as SO adsorbent and gas sensor: effect of water and sulfur vacancies. 2021 , 23, 23655-23666	0
701	Advances on Atmospheric Oxidation Mechanism of Typical Aromatic Hydrocarbons. 2021 , 79, 1214	0
700	Pricing air pollution: evidence from short-term exposure to air pollution on hospitalization of acute bronchitis and chronic obstructive pulmonary disease in southwestern China. 2021 ,	1
699	Age-resolved source and region contributions to fine particulate matter during an extreme haze episode in China.	0
698	Metal-free catalysis for the reaction of nitrogen dioxide dimer with phenol: An unexpected favorable source of nitrate and aerosol precursors in vehicle exhaust. 2021 , 132705	1
697	Size distributions and dry deposition fluxes of water-soluble inorganic nitrogen in atmospheric aerosols in Xiamen Bay, China. 2021 , 1-22	1
696	Formation of condensable organic vapors from anthropogenic and biogenic volatile organic compounds (VOCs) is strongly perturbed by NO ₂ in eastern China. 2021 , 21, 14789-14814	3
695	EV Adoption Influence on Air Quality and Associated Infrastructure Costs. 2021 , 12, 207	0
694	Nonlinear responses of particulate nitrate to NO _x emission controls in the megalopolises of China. 2021 , 21, 15135-15152	2
693	Three-dimensional climatology, trends, and meteorological drivers of global and regional tropospheric type-dependent aerosols: insights from 13 years (2007-2019) of CALIOP observations. 2021 , 21, 15309-15336	5

692	Improving the representation of HONO chemistry in CMAQ and examining its impact on haze over China. 2021 , 21, 15809-15826	4
691	Theoretical investigation on the mechanisms and kinetics of OH/NO-initiated atmospheric oxidation of vanillin and vanillic acid. 2021 , 132544	1
690	Effects of Anthropogenic Emissions from Different Sectors on PM Concentrations in Chinese Cities. 2021 , 18,	0
689	Association Between the Ambient Fine Particulate Pollution and the Daily Internal Medicine Outpatient Visits in Zhoushan, China: A Time-Series Study. 2021 , 9, 749191	1
688	Will strengthening the construction of transportation infrastructure help improve the haze problem? Empirical evidence from China.	
687	Effects of the East Asian subtropical westerly jet on winter persistent heavy pollution in the Beijing-Tianjin-Hebei region.	1
686	Exploring the real contribution of socioeconomic variation to urban PM pollution: New evidence from spatial heteroscedasticity. 2022 , 806, 150929	6
685	Competing effects of aerosol reductions and circulation changes for future improvements in Beijing haze. 2021 , 21, 15299-15308	0
684	Smog Pollution, Environmental Uncertainty, and Operating Investment. 2021 , 12, 1378	1
683	Trends in physical, optical and chemical columnar aerosol characteristics and radiative effects over South and East Asia: Satellite and ground-based observations. 2021 ,	0
682	Reduced volatility of aerosols from surface emissions to the top of the planetary boundary layer. 2021 , 21, 14749-14760	2
681	Ambient Air Purification by Nanotechnologies: From Theory to Application. 2021 , 11, 1276	2
680	Aerosol particles with NaCl-inlay in coastal haze-fog episodes. 1	0
679	Study on the causes of heavy pollution in Shenyang based on the contribution of natural conditions, physical processes, and anthropogenic emissions. 2021 , 12, 101224	0
678	Significant decrease in SO ₂ emission and enhanced atmospheric oxidation trigger changes in sulfate formation pathways in China during 2008-2016. 2021 , 326, 129396	2
677	Photocatalytic nitrogen-oxide conversion in red soil. 2021 , 326, 129377	3
676	Influences of PM _{2.5} atmospheric pollution on the performance of free space quantum communication. 2015 , 64, 150301	8
675	Patterns in atmospheric carbonaceous aerosols in China: emission estimates and observed concentrations.	2

- 674 Development of a high temporal-spatial resolution vehicle emission inventory based on NRT traffic data and its impact on air pollution in Beijing [Part 2: Impact of vehicle emission on urban air quality. 2
- 673 Limited effect of anthropogenic nitrogen oxides on Secondary Organic Aerosol formation.
- 672 Fossil and non-fossil source contributions to atmospheric carbonaceous aerosols during extreme spring grassland fires in Eastern Europe.
- 671 Analysis for the Relationship Between Concentrations of Air Pollutants and Meteorological Parameters in Xi'an, China. **2016**, 44, 20140297
- 670 Molecular corridors and parameterizations of volatility in the evolution of organic aerosols.
- 669 Hydroxyl radicals from secondary organic aerosol decomposition in water.
- 668 Optical properties of atmospheric fine particles near Beijing during the HOPE-J&sup>3&/sup>A Campaign.
- 667 Portrait and Classification of Individual Haze Particulates. **2016**, 07, 1355-1379 o
- 666 Genomic variations in paired normal controls for lung adenocarcinomas.
- 665 Air Quality Deterioration in a Pristine Area due to a Petroleum Refinery and Associated Activities. **2017**, 11, 254-269
- 664 Understanding the Coevolution of Electricity Markets and Regulation.
- 663 Particle Identification Based on Microscopic Amplification and Vision Sensing. **2019**, 07, 73-78
- 662 A new method for air quality observation based on ultraviolet laser. **2019**,
- 661 Contribution of Atmospheric Reactive Nitrogen to Haze Pollution in China. **2020**, 113-134
- 660 Study on correlation matrix composed of multidimensional polarization index applied in aerosol recognition in the air. **2019**,
- 659 Biodegradation of Agricultural Wastes by Chaetomium Species. **2020**, 301-341
- 658 Forest Roles in Particle Removal during Spring Dust Storms on Transport Path. **2020**, 17, o
- 657 Relationship between Long-range Transport of Ammonia and Ammonium in Wintertime in Suburban Area. **2020**, 36, 543-557 4

656	Particulate Matter emission sources and meteorological parameters combine to shape the airborne microbiome communities in the Ligurian coast, Italy.	
655	Contribution of on-road transportation to PM. 2021 , 11, 21320	3
654	Photochemical Aging of Atmospheric Fine Particles as a Potential Source for Gas-Phase Hydrogen Peroxide. 2021 , 55, 15063-15071	2
653	Evaluation and spatiotemporal characteristics of atmospheric environment efficiency in Shandong province based on super-SBM model.	
652	Chemical characteristics and sources of organosulfates, organosulfonates, and carboxylic acids in aerosols in urban Xi'an, Northwest China. 2021 , 810, 151187	2
651	The Relationship between Molecular Size and Polarity of Atmospheric Organic Aerosol in Singapore and Its Implications for Volatility and Light Absorption Properties.	0
650	Overview of Air Pollution in Typical Basin of China Under the Target of Carbon Neutrality. 2021 , 15, 1109-1138	1
649	Evolution in physicochemical properties of fine particles emitted from residential coal combustion based on chamber experiment. 2021 ,	0
648	Mapping Total Exceedance PM Exposure Risk by Coupling Social Media Data and Population Modeling Data. 2021 , 5, e2021GH000468	0
647	Retrospect and Outlook of Research on Regional Haze Pollution in China: A Systematic Literature Review. 2021 , 18,	1
646	Profiles and Source Apportionment of Nonmethane Volatile Organic Compounds in Winter and Summer in Xi'an, China, based on the Hybrid Environmental Receptor Model. 2021 , 38, 116-131	0
645	Spatiotemporal Variations in Particulate Matter and Air Quality over China: National, Regional and Urban Scales. 2021 , 12, 43	4
644	Establishment of Air Quality Forecast Model Based on Deep Learning. 2020 ,	1
643	A Fundamental Analysis of the Characteristics of Nitrogen Oxide Concentration via Application of Titanium Dioxide to Urban Roads. 2020 , 22, 87-96	
642	Molecular Distributions of Diacids, Oxoacids, and β -Dicarbonyls in Summer- and Winter-Time Fine Aerosols From Tianjin, North China: Emissions From Combustion Sources and Aqueous Phase Secondary Formation. 2021 , 126,	2
641	Significant wintertime PM _{2.5} mitigation in the Yangtze River Delta, China, from 2016 to 2019: observational constraints on anthropogenic emission controls. 2020 , 20, 14787-14800	6
640	Quantifying influences of administrative division adjustment on PM pollution in China's mega-urban agglomerations. 2022 , 302, 113993	2
639	Effects of relative humidity on heterogeneous reaction of SO ₂ with CaCO ₃ particles and formation of CaSO ₄ · $\frac{1}{2}$ H ₂ O crystal as secondary aerosol. 2022 , 268, 118776	1

638	Quantifying ambient concentrations of primary and secondary organic aerosol in central Los Angeles using an integrated approach coupling source apportionment with regression analysis. 2022 , 268, 118807	1
637	Can tree-ring chemistry be used to monitor atmospheric nanoparticle contamination over time?. 2022 , 268, 118781	1
636	Numerical study of spray combustion and soot emission of gasolineBiodiesel fuel under gasoline compression ignition-relevant conditions. 2022 , 310, 122293	5
635	Organic aerosol formation and aging processes in Beijing constrained by size-resolved measurements of radiocarbon and stable isotopic C. 2021 , 158, 106890	0
634	Kinetic study of SO ₂ with sodium lactate based deep eutectic solvents and modelling of desulfurization intensification in rotating packed bed reactor. 2022 , 248, 117197	0
633	Responses of surface O and PM trends to changes of anthropogenic emissions in summer over Beijing during 2014-2019: A study based on multiple linear regression and WRF-Chem. 2021 , 807, 150792	6
632	Aerosol Optical Depth Retrieval over South Asia Using FY-4A/AGRI Data. 2021 , 1-1	1
631	Parents. 2020 , 273-298	
630	List of Atmospheric Pollutant Components and Seasonal Variation Characteristics of Atmospheric Pollutant Concentration in Shenyang City. 2020 , 10, 466-474	
629	Calibration source for OH radical based on synchronous photolysis. 2020 , 69, 090701	
628	Assessment of COVID-19 effects on satellite-observed aerosol loading over China with machine learning. 2021 , 73, 1-13	3
627	Isotopic evidence for the high contribution of wintertime photochemistry to particulate nitrate formation in Northern China.	2
626	A surface-promoted redox reaction occurs spontaneously on solvating inorganic aerosol surfaces. 2021 , 374, 747-752	6
625	Interannual variation of reactive nitrogen emissions and their impacts on PM _{2.5} air pollution in China during 2005-2015.	3
624	Abating ammonia is more cost-effective than nitrogen oxides for mitigating PM air pollution. 2021 , 374, 758-762	24
623	Aerosol responses to precipitation along North American air trajectories arriving at Bermuda. 2021 , 21, 16121-16141	1
622	Molecular characterization of organic aerosol in winter from Beijing using UHPLC-Orbitrap MS. 2021 , 151507	0
621	Health impacts and spatiotemporal variations of fine particulate and its typical toxic constituents in five urban agglomerations of China. 2022 , 806, 151459	1

620	The effect of earth-air passive exchange on the formation of haze patterns. 2021 , 80, 1	0
619	Real curve: Identifying and quantifying the real environmental effects on migration in China. 2021 , 133, 108348	1
618	Mitigating NO _x emissions does not help alleviate wintertime particulate pollution in Beijing-Tianjin-Hebei (BTH), China.	
617	The isotopic patterns and source apportionment of nitrate and ammonium in atmospheric aerosol.	0
616	Amplification of South Asian haze by water vapour-aerosol interactions. 2020 , 20, 14457-14471	2
615	Preliminary Study on Small-Scale Environment Chambers for Simulating Formation of Fine Particulate Matter at Roadsides. 2020 , 22, 25-35	0
614	Haze, health and disease. 2015 , 7, 1-2	2
613	Aryl hydrocarbon receptor activated by benzo (a) pyrene promotes SMARCA6 expression in NSCLC. 2018 , 8, 1214-1227	10
612	Effects of Working Condition on Oxidation Activity and Surface Functional Group of Particulate Matter Emitted from China VI GDI Engine.	
611	Characteristics and source origins of carbonaceous aerosol in fine particulate matter in a megacity, Sichuan Basin, southwestern China. 2022 , 13, 101266	0
610	Size-fractionated nonpolar organic compounds of traffic aerosol emissions in a highway tunnel. 2021 , 293, 118501	1
609	Spatio-temporal variability and persistence of PM _{2.5} concentrations in China using trend analysis methods and Hurst exponent. 2022 , 13, 101274	0
608	Nitrogen emissions from agriculture sector in Pakistan: context, pathways, impacts and future projections. 2022 , 99-125	0
607	Forecasting PM _{2.5} and Tracking Spatial Influence Patterns of Traffic Using Interpretable Deep Learning. 2021 ,	
606	?????PM_{2.5}?O₃?????????. 2021 ,	0
605	Electrospinning super-assembly of ultrathin fibers from single- to multi-Taylor cone sites. 2021 , 101272	4
604	Does Low-Carbon City Construction Improve Total Factor Productivity? Evidence from a Quasi-Natural Experiment in China. 2021 , 18,	3
603	Needle-punched electret air filters (NEAFs) with high filtration efficiency, low filtration resistance, and superior dust holding capacity. 2021 , 120146	2

602	High-Efficiency Air Filter Media with a Three-Dimensional Network Composed of Core-Shell Zeolitic Imidazolate Framework-8@Tunicate Nanocellulose for PM _{0.3} Removal. 2021 , 13, 57921-57929	3
601	Quantifying the impacts of PM constituents and relative humidity on visibility impairment in a suburban area of eastern Asia using long-term in-situ measurements. 2021 , 151759	3
600	Predictive Combustion Kinetics of OH Radical Reactions with a C5 Unsaturated Alcohol: The Competitive H-Abstraction and OH-Addition Reactions of 2-Methyl-3-buten-2-ol. 2021 , 125, 10451-10462	
599	Variations and Sources of Organic Aerosol in Winter Beijing under Markedly Reduced Anthropogenic Activities During COVID-2019. 2021 ,	4
598	Molecular Composition of Oxygenated Organic Molecules and Their Contributions to Organic Aerosol in Beijing. 2021 ,	3
597	Nitrite/Nitrous Acid Generation from the Reaction of Nitrate and Fe(II) Promoted by Photolysis of Iron-Organic Complexes. 2021 , 55, 15715-15723	3
596	Evaporative emission from China 5 and China 6 gasoline vehicles: Emission factors, profiles and future perspective. 2021 , 331, 129861	0
595	Evaporation process dominates vehicular NMVOC emissions in China with enlarged contribution from 1990 to 2016. 2021 , 16, 124036	0
594	Benefits of refined NH emission controls on PM mitigation in Central China. 2021 , 151957	1
593	Metal-Organic Frameworks With Variable Valence Metal-Photoactive Components: Emerging Platform for Volatile Organic Compounds Photocatalytic Degradation. 2021 , 9, 749839	3
592	Precursors and Pathways Leading to Enhanced Secondary Organic Aerosol Formation during Severe Haze Episodes. 2021 , 55, 15680-15693	4
591	2015~2020???????PM2.5?O3?????????????. 2021 ,	0
590	Characteristics, Seasonality, and Secondary Formation Processes of Diacids and Related Compounds in Fine Aerosols During Warm and Cold Periods: Year-Round Observations at Tianjin, North China. 2021 , 126, e2021JD035435	2
589	Investigating heat transfer and frosting performance of air source heat pumps with the impact of particulate fouling. 2021 , 65, 194-203	2
588	Morphology, composition and mixing state of individual airborne particles: Effects of the 2017 Action Plan in Beijing, China. 2021 , 329, 129748	6
587	In-vitro oxidative potential and inflammatory response of ambient PM in a rural region of Northwest China: Association with chemical compositions and source contribution. 2021 , 205, 112466	2
586	Temporal Variations of the Contribution of Combustion-Derived Water Vapor to Urban Humidity During Winter in XiAn, China.	
585	Concentrations of heavy metals in PM _{2.5} and health risk assessment around Chinese New Year in Dalian, China. 2021 , 13, 1366-1374	

584	Nonlinear Influence of Chinese Real Estate Development on Environmental Pollution: New Evidence from Spatial Econometric Model.. 2022 , 19,	2
583	Pioneering observation of atmospheric volatile organic compounds in Hangzhou in eastern China and implications for upcoming 2022 Asian Games. 2022 ,	0
582	Synthesis of novel highly-dispersed manganese oxide on porous calcium silicate for the catalytic oxidation of toluene.	0
581	Estimating aerosol optical extinction across eastern China in winter during 2014-2019 using the random forest approach. 2022 , 269, 118864	0
580	Temporal and Spatial Heterogeneity of PM Related to Meteorological and Socioeconomic Factors across China during 2000-2018.. 2022 , 19,	2
579	Dual-carbon isotope constraints on source apportionment of black carbon in the megacity Guangzhou of the Pearl River Delta region, China for 2018 autumn season. 2021 , 294, 118638	0
578	Investigation on the difference of PM _{2.5} transport flux between the North China Plain and the Sichuan Basin. 2022 , 271, 118922	2
577	Improvement of PM _{2.5} forecast over China by the joint adjustment of initial conditions and emissions with the NLS-4DVar method. 2022 , 271, 118896	0
576	Tunnel structured manganese dioxides for the gaseous ammonia adsorption and its regeneration performance. 2022 , 284, 120252	1
575	Enhanced photocatalytic NO removal with the superior selectivity for NO ₂ /NO ₃ species of Bi ₁₂ GeO ₂₀ -based composites via a ball-milling treatment: Synergetic effect of surface oxygen vacancies and n-p heterojunctions. 2022 , 231, 109600	4
574	Chemical effects of carbon dioxide in ethylene, ethanol and DME counter-flow diffusion flames: An experimental reference for the fictitious CO ₂ flame. 2022 , 100, 245-258	1
573	Modeling study of aerosol-meteorology feedback during winter haze events over the north China plain. 2022 , 13, 101311	0
572	Novel Method Based Upon Combined Lidar System for PM _{2.5} Detection. 2022 , 14, 1-8	1
571	Observation and simulation of HO _x radicals in an urban area in Shanghai, China.. 2021 , 810, 152275	2
570	Atmospheric nitrate formation pathways in urban and rural atmosphere of Northeast China: Implications for complicated anthropogenic effects.. 2021 , 296, 118752	1
569	Elevated particle acidity enhanced the sulfate formation during the COVID-19 pandemic in Zhengzhou, China.. 2021 , 296, 118716	0
568	Impacts of catalyst coating on the filtration performance of catalyzed wall-flow filters: From the viewpoint of microstructure. 2022 , 285, 120417	0
567	Vertical profile of aerosol number size distribution during a haze pollution episode in Hefei, China.. 2021 , 152693	1

566	PM induces the distant metastasis of lung adenocarcinoma via promoting the stem cell properties of cancer cells.. 2021 , 296, 118718	0
565	Source apportionment and regional transport of PM _{2.5} during haze episodes in Beijing combined with multiple models. 2022 , 266, 105957	0
564	Occurrence and temporal variation of antibiotics and antibiotic resistance genes in hospital inpatient department wastewater: Impacts of daily schedule of inpatients and wastewater treatment process.. 2021 , 292, 133405	2
563	An online technology for effectively monitoring inorganic condensable particulate matter emitted from industrial plants.. 2022 , 428, 128221	1
562	Elucidating the responses of highly time-resolved PM related elements to extreme emission reductions.. 2021 , 206, 112624	1
561	Estimation and variation analysis of secondary inorganic aerosols across the Greater Bay Area in 2005 and 2015.. 2021 , 292, 133393	0
560	Observed coupling between air mass history, secondary growth of nucleation mode particles and aerosol pollution levels in Beijing.. 2022 , 2, 146-164	
559	Interpolation-Based Fusion of Sentinel-5P, SRTM, and Regulatory-Grade Ground Stations Data for Producing Spatially Continuous Maps of PM _{2.5} Concentrations Nationwide over Thailand. 2022 , 13, 161	1
558	Regional heterogeneities in the emission of airborne primary sugar compounds and biogenic secondary organic aerosols in the East Asian outflow: evidence for coal combustion as a source of levoglucosan. 2022 , 22, 1373-1393	0
557	New insights into quantifying deposition and aerodynamic characteristics of PM _{2.5} removal by different tree leaves. 1	0
556	Assessing the influence of environmental conditions on secondary organic aerosol formation from a typical biomass burning compound.. 2022 , 114, 136-148	
555	Influence of organic aerosol molecular composition on particle absorptive properties in autumn Beijing. 2022 , 22, 1251-1269	0
554	A review of atmospheric individual particle analyses: Methodologies and applications in environmental research. 2022 ,	5
553	Evaluating SOA formation from different sources of semi- and intermediate-volatility organic compounds from the Athabasca Oil Sands.	
552	Aqueous secondary organic aerosol formation from the direct photosensitized oxidation of vanillin in the absence and presence of ammonium nitrate. 2022 , 22, 273-293	5
551	Volatile organic compounds in wintertime North China Plain: Insights from measurements of proton transfer reaction time-of-flight mass spectrometer (PTR-ToF-MS).. 2022 , 114, 98-114	1
550	Comprehensive Analysis of the Pollutant Characteristics of Gasoline Vehicle Emissions under Different Engine, Fuel, and Test Cycles. 2022 , 15, 622	1
549	Toxic potency-adjusted control of air pollution for solid fuel combustion.	9

548	Relationship between leaf dust retention capacity and leaf microstructure of six common tree species for campus greening.. 2022 , 1-9	0
547	A hybrid model to improve WRF-Chem performance for crop burning emissions of PM2.5 and secondary aerosols in North India. 2022 , 41, 101084	0
546	Hydrogen production by supercritical water gasification of lignin over CuO/ZnO catalyst synthesized with different methods. 2022 , 47, 8716-8728	0
545	Seasonal variations, temperature dependence, and sources of size-resolved PM components in Nanjing, east China. 2022 ,	1
544	Deciphering urban traffic impacts on air quality by deep learning and emission inventory. 2022 , 124, 745-745	3
543	Variations and Source Apportionment of PM2.5 and PM10 Before and During COVID-19 Lockdown Phases in Delhi, India. 1	1
542	Atmospheric environment monitoring technology and equipment in China: A review and outlook. 2022 ,	1
541	In Situ Biosynthesis of Biodegradable Functional Bacterial Cellulose for High-Efficiency Particulate Air Filtration. 2022 , 10, 1644-1652	1
540	The Different Impacts of Emissions and Meteorology on PM2.5 Changes in Various Regions in China: A Case Study. 2022 , 13, 222	0
539	A review of secondary organic aerosols formation focusing on organosulfates and organic nitrates.. 2022 , 430, 128406	2
538	Spatiotemporal Variations of Aerosols in China during the COVID-19 Pandemic Lockdown. 2022 , 14, 696	1
537	Highly oxidized organic aerosols in Beijing: Possible contribution of aqueous-phase chemistry. 2022 , 273, 118971	1
536	Near-real-time estimation of hourly open biomass burning emissions in China using multiple satellite retrievals.. 2022 , 817, 152777	3
535	Characteristics of secondary organic aerosols tracers in PM in three central cities of the Yangtze river delta, China.. 2022 , 293, 133637	0
534	High-spatial-resolution distributions of aerosol chemical characteristics in urban Lanzhou, western China, during wintertime: Insights from an on-road mobile aerosol mass spectrometry measurement experiment.. 2022 , 819, 153069	
533	Multisize particulate matter and volatile organic compounds in arid and semiarid areas of Northwest China.. 2022 , 300, 118875	0
532	Unraveling the process of aerosols secondary formation and removal based on cosmogenic beryllium-7 and beryllium-10.. 2022 , 821, 153293	0
531	The impact of the aerosol reduction on the worsening ozone pollution over the Beijing-Tianjin-Hebei region via influencing photolysis rates.. 2022 , 821, 153197	1

530	Significant emission reductions of carbonaceous aerosols from residential coal burning by a novel stove. 2022 , 120, 135-143	0
529	PM2.5 and water-soluble inorganic ion concentrations decreased faster in urban than rural areas in China. 2022 , 122, 83-91	1
528	Evaluation of MERRA-2 Aerosol Optical and Component Properties over China Using SONET and PARASOL/GRASP Data. 2022 , 14, 821	0
527	Suppression of anthropogenic secondary organic aerosol formation by isoprene. 2022 , 5,	0
526	Effect of Atmospheric Aging on Soot Particle Toxicity in Lung Cell Models at the Air-Liquid Interface: Differential Toxicological Impacts of Biogenic and Anthropogenic Secondary Organic Aerosols (SOAs).. 2022 , 130, 27003	8
525	Decrease in ambient volatile organic compounds during the COVID-19 lockdown period in the Pearl River Delta region, south China.. 2022 , 823, 153720	0
524	Exploring the relationships between ground-measured particulate matter and satellite-retrieved aerosol parameters in China.. 2022 , 1	0
523	Explorations of tire and road wear microplastics in road dust PM at eight megacities in China.. 2022 , 153717	1
522	Spatiotemporal Patterns and Regional Transport of Ground-Level Ozone in Major Urban Agglomerations in China. 2022 , 13, 301	0
521	Role of Organic and Conservation Agriculture in Ammonia Emissions and Crop Productivity in China.. 2022 ,	1
520	Advances in Biosensing and Environmental Monitoring Based on Electrospun Nanofibers. 2022 , 4, 404-435	13
519	Oxygen Isotope Tracing Study to Directly Reveal the Role of O and HO in the Photocatalytic Oxidation Mechanism of Gaseous Monoaromatics. 2021 ,	4
518	Effect of Biomass Burning on PM 2.5 Composition and Secondary Aerosol Formation During Post-Monsoon and Winter Haze Episodes in Delhi. 2022 , 127,	4
517	Environmental benefits and household costs of clean heating options in northern China.	3
516	The Characterization of Haze and Dust Processes Using MAX-DOAS in Beijing, China. 2021 , 13, 5133	1
515	Evolution under dark conditions of particles from old and modern diesel vehicles in a new environmental chamber characterized with fresh exhaust emissions. 2021 , 14, 7627-7655	2
514	Advances in the Toxicological Studies of Atmospheric Particulate Matter. 2022 , 227-253	
513	The human health risk assessment of particulate air pollution (PM and PM) in Romania.. 2022 , 9, 556-562	2

512	Personal Exposure to Electrophilic Compounds of Fine Particulate Matter and the Inflammatory Response: The Role of Atmospheric Transformation.	
511	Aerosol Retrieval Algorithm for Sentinel-2 Images over Complex Urban Areas. 2022 , 1-1	0
510	The contribution of new particle formation and subsequent growth to haze formation.	1
509	Evaluation of Extinction Effect of PM _{2.5} and Its Chemical Components during Heating Period in an Urban Area in Beijing-Tianjin-Hebei Region. 2022 , 13, 403	0
508	NH ₃ and CO Emissions from Fifteen Euro 6d and Euro 6d-TEMP Gasoline-Fuelled Vehicles. 2022 , 12, 245	1
507	Significant contribution of secondary particulate matter to recurrent air pollution: Evidence from in situ observation in the most polluted city of Fen-Wei Plain of China.. 2022 , 114, 422-433	0
506	Aircraft Study of Secondary Aerosols in Long-Range Transported Air Masses From the North China Plain by a Mid-Latitude Cyclone. 2022 , 127,	1
505	Characterization of peroxyacetyl nitrate (PAN) under different PM concentration in wintertime at a North China rural site.. 2022 , 114, 221-232	0
504	Long-term observations of atmospheric constituents at the first ground-based high-resolution fourier-transform spectrometry observation station in china. 2022 ,	1
503	Variations of airborne bacterial community with seasons and environmental factors in Changsha, China. 1	0
502	Airflow Synergistic Needleless Electrospinning of Instant Noodle-like Curly Nanofibrous Membranes for High-Efficiency Air Filtration.. 2022 , e2107250	6
501	Atmospheric Reactivity of Methoxyphenols: A Review.. 2022 ,	0
500	The distribution and structural fingerprints of metals from particulate matters (PM) deposited in human lungs.. 2022 , 233, 113324	1
499	A Health Impact and Economic Loss Assessment of O ₃ and PM Exposure in China From 2015 to 2020.. 2022 , 6, e2021GH000531	2
498	Development and Application of Photoionization Technology for Organic Analysis of Particulate Matter. 1	
497	Heterogeneity and the determinants of PM in the Yangtze River Economic Belt.. 2022 , 12, 4189	0
496	Stable Iron Isotopic Signature Reveals Multiple Sources of Magnetic Particulate Matter in the 2021 Beijing Sandstorms.	0
495	Generation and release of OH radicals from the reaction of H ₂ O with O ₂ over soot.. 2022 ,	0

494	Advances in coastal ocean boundary layer detection technology and equipment in China. 2022,	
493	Collocated Measurements of Light-Absorbing Organic Carbon in PM 2.5 : Observation Uncertainty and Organic Tracer-Based Source Apportionment. 2022, 127,	0
492	Roles of Atmospheric Aerosols in Extreme Meteorological Events: a Systematic Review. 1	1
491	A Regression-Based Technique for Capacity Estimation of Lithium-Ion Batteries. 2022, 8, 31	2
490	Characterization of PM _{2.5} Mass in Relation to PM _{1.0} and PM ₁₀ in Megacity Seoul. 2022, 16, 85-99	
489	Metal organic frameworks as advanced extraction adsorbents for separation and analysis in proteomics and environmental research. 2022, 65, 650-677	2
488	Regional VOCs Gathering Situation Intelligent Sensing Method Based on Spatial-Temporal Feature Selection. 2022, 13, 483	1
487	Effect of Different Combustion Processes on Atmospheric Nitrous Acid Formation Mechanisms: A Winter Comparative Observation in Urban, Suburban and Rural Areas of the North China Plain.. 2022,	1
486	Nontarget Screening Exhibits a Seasonal Cycle of PM Organic Aerosol Composition in Beijing.. 2022	
485	Multi-Year Variation of Ozone and Particulate Matter in Northeast China Based on the Tracking Air Pollution in China (TAP) Data.. 2022, 19,	0
484	Bioaccumulation and potential human health risks of metals in commercially important fishes and shellfishes from Hangzhou Bay, China.. 2022, 12, 4634	0
483	Modeling Analysis of Biogenic Secondary Organic Aerosol Dependence on Anthropogenic Emissions in China.	1
482	Surface chemistry of atmospheric nanoparticles during a haze episode in Beijing by TOF-SIMS. 2022,	0
481	Spatiotemporal Distribution of Atmospheric Pollutants and Its Relationship with Vegetation Index in the Major Grain-Producing Areas of China. 2022, 233, 1	0
480	Climate Benefits of Cleaner Energy Transitions in East and South Asia Through Black Carbon Reduction. 2022, 10,	1
479	Generation and Release of OH Radicals from the Reaction of H ₂ O with O ₂ over Soot.	
478	Aloft Transport of Haze Aerosols to Xuzhou, Eastern China: Optical Properties, Sources, Type, and Components. 2022, 14, 1589	0
477	Seasonality of Aerosol Sources Calls for Distinct Air Quality Mitigation Strategies.. 2022, 10,	

476	Interpretation of NO ₃ observation via steady state in high-aerosol air mass: the impact of equilibrium coefficient in ambient conditions. 2022 , 22, 3525-3533	
475	Isomer-Resolved Reactivity of Organic Peroxides in Monoterpene-Derived Secondary Organic Aerosol.. 2022 ,	1
474	Efflorescence kinetics of aerosols comprising internally-mixed ammonium sulfate and water-soluble organic compounds. 2022 , 274, 119007	1
473	Spatiotemporal variation and provincial scale differences of the AOD across China during 2000-2021. 2022 , 13, 101359	2
472	Emissions of non-methane hydrocarbons and typical volatile organic compounds from various grate-firing coal furnaces. 2022 , 13, 101380	2
471	Improving the K resistance effectively of CeO ₂ -TiO ₂ catalyst by Nb doping for NH ₃ -SCR reaction. 2022 , 160, 876-886	2
470	Primary Emissions and Secondary Aerosol Processing During Wintertime in Rural Area of North China Plain. 2022 , 127,	0
469	Secondary organic aerosol formed by condensing anthropogenic vapours over China's megacities.	3
468	High atmospheric oxidation capacity drives wintertime nitrate pollution in the eastern Yangtze River Delta of China. 2022 , 22, 4355-4374	1
467	Fine Particulate Matter Exposure Levels in Patients with Normal-Tension Glaucoma and Primary Open-Angle Glaucoma: A Population-Based Study from Taiwan.. 2022 , 19,	
466	Black carbon emissions from traffic contribute substantially to air pollution in Nairobi, Kenya. 2022 , 3,	0
465	Association Between Air Pollutants and Pediatric Respiratory Outpatient Visits in Zhoushan, China.. 2022 , 10, 865798	
464	Study on Air Quality and Its Annual Fluctuation in China Based on Cluster Analysis.. 2022 , 19,	
463	An explainable integrated optimization methodology for source apportionment of ambient particulate matter components.. 2022 , 310, 114789	0
462	Modeling of reducing NH ₄ NO ₃ in PM _{2.5} under high ammonia emission in urban areas: Based on high-resolution data. 2022 , 350, 131499	0
461	Characterization of the organic functional group composition and sources of summertime aerosols in an eastern city of China. 2022 , 277, 119078	0
460	Polyphenylene sulfide fabric with enhanced oxidation resistance and hydrophobicity through polybenzoxazine surface coating for emission control in harsh environment.. 2022 , 432, 128735	3
459	Oxygen vacancies-modified S-scheme Bi ₂ Ti ₂ O ₇ /CaTiO ₃ heterojunction for highly efficient photocatalytic NO removal under visible light. 2022 , 10, 107420	0

458	Effect of working conditions on oxidation activity and surface functional group of particulate matter emitted from China VI GDI engine. 2022 , 318, 123581	0
457	Heterogeneous HONO formation deteriorates the wintertime particulate pollution in the Guanzhong Basin, China.. 2022 , 303, 119157	
456	Green-solvent-processable biodegradable poly(lactic acid) nanofibrous membranes with bead-on-string structure for effective air filtration: Kill two birds with one stone 2022 , 97, 107237	4
455	Characteristics of aerosol chemistry and acidity in Shanghai after PM satisfied national guideline: Insight into future emission control.. 2022 , 154319	0
454	Personal exposure to electrophilic compounds of fine particulate matter and the inflammatory response: The role of atmospheric transformation.. 2022 , 432, 128559	0
453	Multilevel structured PASS nanofiber filter with outstanding thermal stability and excellent mechanical property for high-efficiency particulate matter removal.. 2022 , 431, 128514	0
452	Improving the air quality with Functionalized Carbon Nanotubes: Sensing and remediation applications in the real world.. 2022 , 134468	4
451	Air pollution's impact on the settlement intention of domestic migrants: Evidence from China. 2022 , 95, 106761	1
450	Characterizing spatial variations of city-wide elevated PM and PM concentrations using taxi-based mobile monitoring.. 2022 , 829, 154478	1
449	Hygroscopicity and cloud condensation nucleation activities of hydroxyalkylsulfonates.. 2022 , 154767	0
448	Source apportionment of carbonaceous aerosols using hourly data and implications for reducing PM in the Pearl River Delta region of South China.. 2022 , 210, 112960	1
447	Rapid narrowing of the urban-suburban gap in air pollutant concentrations in Beijing from 2014 to 2019.. 2022 , 304, 119146	0
446	Temporal variations of the contribution of combustion-derived water vapor to urban humidity during winter in Xi'an, China.. 2022 , 154711	0
445	Spatial characteristics of VOCs and their ozone and secondary organic aerosol formation potentials in autumn and winter in the Guanzhong Plain, China.. 2022 , 211, 113036	0
444	Significant reduction in atmospheric organic and elemental carbon in PM in 2+26 cities in northern China.. 2022 , 113055	0
443	Turbulent transport dissimilarities of particles, momentum, and heat.. 2022 , 113111	1
442	Fine particulate matter (PM _{2.5} /PM _{1.0}) in Beijing, China: Variations and chemical compositions as well as sources. 2022 , 121, 187-198	1
441	Characteristics of Volatile Organic Compounds in the Pearl River Delta Region, China: Chemical Reactivity, Source, and Emission Regions. 2022 , 13, 9	0

440	Towards Multi-Scale Space-Time Characteristics of Air Quality and Population Exposure Risk. 2022 , 14, 96	0
439	Characteristics of Turbulence and Aerosol Optical and Radiative Properties during Haze Fog Episodes in Shenyang, Northeast China. 2021 , 12, 1658	1
438	Roles of Atmospheric Turbulence and Stratification in a Regional Pollution Transport Event in the Middle Reaches of the Yangtze River. 2022 , 9,	0
437	Impact of Formation Pathways on Secondary Inorganic Aerosol During Haze Pollution in Beijing: Quantitative Evidence From High-Resolution Observation and Modeling. 2021 , 48,	1
436	Reactive Uptake of Monoethanolamine by Sulfuric Acid Particles and Hygroscopicity of Monoethanolaminium Salts. 2022 , 9, 16-21	1
435	New Insights into Unexpected Severe PM Pollution during the SARS and COVID-19 Pandemic Periods in Beijing.. 2021 ,	1
434	Highly Transparent Nanofibrous Membranes Used as Transparent Masks for Efficient PM Removal. 2021 ,	2
433	Controllable synthesis of MnO ₂ /iron mesh monolithic catalyst and its significant enhancement for toluene oxidation. 2022 ,	
432	Oxygen vacancy engineering of photocatalytic nanomaterials for enrichment, activation, and efficient removal of nitrogen oxides with high selectivity: a review. 1	0
431	Elevated formation of particulate nitrate from N ₂ O ₅ hydrolysis in the Yangtze River Delta region from 2011 to 2019.	0
430	Spatial and seasonal variations of primary and secondary organic aerosols at urban areas and continental background site of China: Ambient levels, size distribution, and sources. 2022 ,	0
429	Machine learning combined with the PMF model reveal the synergistic effects of sources and meteorological factors on PM pollution.. 2022 , 113322	2
428	Volatile organic compounds constituents of a typical integrated iron and steel plant and influence on O ₃ pollution. 1	0
427	Predicting the protective behavioral intentions for parents with young children that possess different levels of education in Hong Kong using the theory of planned behavior for air polluted with PM.. 2022 , 22, 761	2
426	Nonthermal plasma: An emerging innovative technology for the efficient removal of cooking fumes. 2022 , 107721	0
425	Identifying the key drivers in retrieving blue sky during rapid urbanization in Shenzhen, China. 2022 , 131829	0
424	Quantifying the relative contributions of aqueous phase and photochemical processes to water-soluble organic carbon formation in winter in a megacity of South China.. 2022 , 134598	0
423	Comprehensive chemical characterization of gaseous I/SVOC emissions from heavy-duty diesel vehicles using two-dimensional gas chromatography time-of-flight mass spectrometry.. 2022 , 119284	0

422	Emission profiles of volatile organic compounds from various geological maturity coal and its clean coal briquetting in China. 2022 , 274, 106200	1
421	Presentation_1.pdf. 2018 ,	
420	Table_1.docx. 2019 ,	
419	Presentation_1.pdf. 2020 ,	
418	Long-term characterization of roadside air pollutants in urban Beijing and associated public health implications.. 2022 , 113277	0
417	Influence of an Iron Compound Added to Coal on Soot Formation.	
416	Inter-Comparison of Chemical Fingerprint and Source Apportionment of Marine Fine Particles at Two Islands Through the West and East Passages of the Taiwan Island.	
415	Effect of Photooxidation on Size Distribution, Light Absorption, and Molecular Compositions of Smoke Particles from Rice Straw Combustion.	
414	Estimation of secondary PM _{2.5} in China and the United States using a multi-tracer approach. 2022 , 22, 5495-5514	0
413	Seasonal Changes in Urban PM _{2.5} Hotspots and Sources from Low-Cost Sensors. 2022 , 13, 694	1
412	Air pollution, residents' happiness, and environmental regulation: evidence from China.. 2022 , 1	0
411	Seasonal Distribution of Atmospheric Coarse and Fine Particulate Matter in a Medium-Sized City of Northern China. 2022 , 10, 216	0
410	Spatial and Temporal Variations in the Atmospheric Age Distribution of Primary and Secondary Inorganic Aerosols in China. 2022 ,	
409	Reduced Air Pollution during the Prevailing of COVID-19 Pandemic: Five Years Observation and Path Analysis in the Fenwei Plain, Northwest China. 2022 , 2022, 1-11	
408	Does Ambient Secondary Conversion or the Prolonged Fast Conversion in Combustion Plumes Cause Severe PM _{2.5} Air Pollution in China?. 2022 , 13, 673	0
407	Inventory of VOCs Including Ozone Precursors Emitted from Residential Workplaces and Evaluation of Contribution to Ozone Formation. 2022 , 38, 175-187	0
406	Direct Measurement of pH Evolution in Aerosol Microdroplets Undergoing Ammonium Depletion: A Surface-Enhanced Raman Spectroscopy Approach.. 2022 ,	4
405	Determining the impacts of the incineration of sacrificial offerings on PM _{2.5} pollution in Lanzhou, Northwest China. 2022 , 119155	

- 404 The seasonal variation, characteristics and secondary generation of PM in Xi'an, China, especially during pollution events.. **2022**, 212, 113388 ○
- 403 Characteristics of water-soluble organic carbon (WSOC) in PM_{2.5} in inland and coastal cities, China. **2022**, 101447
- 402 Interaction of aerosol with meteorological parameters and its effect on the cash crop in the Vidarbha region of Maharashtra, India.. **2022**, 1 ○
- 401 A review on MXene and its nanocomposites for the detection of toxic inorganic gases.. **2022**, 302, 134933 4
- 400 Molecular Mechanism of Pulmonary Diseases Caused by Exposure to Urban PM_{2.5} in Chengdu-Chongqing Economic Circle, China. **2022**, 107292 ○
- 399 Measurement report: Source apportionment of carbonaceous aerosol using dual-carbon isotopes ($\delta^{13}\text{C}$ and $\delta^{14}\text{C}$) and levoglucosan in three northern Chinese cities during 2016-2019. **2022**, 22, 1055-1074 ○
- 398 Spatiotemporal variations of air pollutants and ozone prediction using machine learning algorithms in the Beijing-Tianjin-Hebei region from 2014 to 2021.. **2022**, 306, 119420 1
- 397 Accumulated oxidative stress risk in HUVECs by chronic exposure to non-observable acute effect levels of PM.. **2022**, 105376
- 396 SO₂ adsorption and conversion on pristine and defected calcite {104} surface: A density functional theory study. **2022**, 153575 1
- 395 Correlation between biomass burning and air pollution in China: Spatial heterogeneity and corresponding factors. **2022**, 213, 103823 1
- 394 Investigation of aerosol optical properties and pollutant transmission mechanisms in Qinhuangdao, North China [A case study during a pollution event. **2022**, 13, 101440
- 393 The trend of natural ventilation potential in 74 Chinese cities from 2014 to 2019: Impact of air pollution and climate change. **2022**, 218, 109146 1
- 392 Preparation of Co-Ce-O catalysts and its application in auto-thermal reforming of acetic acid. **2022**, 141, 109537
- 391 Combustion related ammonia promotes PM_{2.5} accumulation in autumn in Tianjin, China. **2022**, 275, 106225 ○
- 390 Secondary organic aerosol formation and source contributions over east China in summertime.. **2022**, 306, 119383 ○
- 389 Assessment of carbonaceous aerosols in suburban Nanjing under air pollution control measures: Insights from long-term measurements.. **2022**, 212, 113302 ○
- 388 Probing sooting limits in counterflow diffusion flames via multiple optical diagnostic techniques. **2022**, 136, 110679
- 387 Insight into the Role of Cerium in the Enhanced Performances during Catalytic Combustion of Acetonitrile over CoreShell-like CuCe/ZSM-5 Catalysts. ○

386	Formation of Secondary Nitroaromatic Compounds in Polluted Urban Environments.	1
385	Investigating Spatial Heterogeneity of the Environmental Kuznets Curve for Haze Pollution in China. 2022 , 13, 806	2
384	Mechanism of ozone-assisted catalytic oxidation of isopropanol over single-atom platinum catalysts at ambient temperature. 2022 , 136989	1
383	Trends in secondary inorganic aerosol pollution in China and its responses to emission controls of precursors in wintertime. 2022 , 22, 6291-6308	1
382	Unbalanced emission reductions and adverse meteorological conditions facilitate the formation of secondary pollutants during the COVID-19 lockdown in Beijing.. 2022 , 155970	0
381	Observational Subseasonal Variability of the PM _{2.5} Concentration in the Beijing-Tianjin-Hebei Area during the January 2021 Sudden Stratospheric Warming.	0
380	Removal of Size-Dependent Submicron Particles Using Metal-Organic Framework-Based Nanofiber Air Filters.. 2022 ,	1
379	Introduction to Airborne Particulate Matter: Source, Chemistry and Health. 2022 , 1-7	
378	Mass Production of Hierarchically Designed Engine-Intake Air Filters by Multinozzle Electroblow Spinning.	0
377	Traffic costs of air pollution: the effect of PM _{2.5} on traffic violation.	
376	Carbonaceous gas and aerosol emissions from biomass burning in China from 2012 to 2021. 2022 , 362, 132199	0
375	Weather reduced the annual heavy pollution days after 2016 in Beijing. 2022 ,	
374	Characterization of Winter Air Pollutant Gradients Near a Major Highway.	
373	Reversible and irreversible gas/particle partitioning of dicarbonyl compounds observed in the real atmosphere. 2022 , 22, 6971-6987	0
372	The Hot Topics, Frontiers and Trends about Research on the Relationship between Air Pollution and Public Health: Visual Analysis Based on Knowledge Map. 2022 , 13, 892	1
371	Rapid Sulfate Formation via Uncatalyzed Autoxidation of Sulfur Dioxide in Aerosol Microdroplets.	2
370	Chemical Compositions in Winter PM _{2.5} in Changzhou of the Yangtze River Delta Region, China: Characteristics and Atmospheric Responses Along With the Different Pollution Levels. 2022 , 10,	0
369	Seasonal changes in the recent decline of combined high PM _{2.5} and O ₃ pollution and associated chemical and meteorological drivers in the Beijing-Tianjin-Hebei region, China. 2022 , 156312	0

- 368 Evolution of source attributed organic aerosols and gases in a megacity of central China. **2022**, 22, 6937-6951 1
- 367 Has the Three-Year Action Plan improved the air quality in the Fenwei Plain of China? Assessment based on a machine learning technique. **2022**, 119204 0
- 366 A Review of Characteristics, Causes, and Formation Mechanisms of Haze in Southeast Asia. 1
- 365 Bioaerosol Seasonal Variation and Contribution to Airborne Particulate Matter in Huangshi City of Central China. **2022**, 13, 909 0
- 364 Combining Sun-Photometer, PM Monitor and SMPS to Inverse the Missing Columnar AVSD and Analyze Its Characteristics in Central China. **2022**, 13, 915
- 363 Formation pathway of secondary inorganic aerosol and its influencing factors in Northern China: Comparison between urban and rural sites. **2022**, 156404 0
- 362 Heterogeneous kinetics of the OH-initiated degradation of fenthion and parathion. **2022**,
- 361 Investigating the Influence of Metal-Organic Framework Loading on the Filtration Performance of Electrospun Nanofiber Air Filters. 1
- 360 Emission characteristics of filterable particulate matter and condensable particulate matter from coal-fired power plants. **2022**, 35, 102145 0
- 359 Atmospheric oxidizing capacity in autumn Beijing: Analysis of the O₃ and PM_{2.5} episodes based on observation-based model. **2023**, 124, 557-569 1
- 358 Variations and drivers of aerosol vertical characterization after clean air policy in China based on 7-years consecutive observations. **2023**, 125, 499-512 0
- 357 Evidence of haze-driven secondary production of supermicrometer aerosol nitrate and sulfate in size distribution data in South Korea. **2022**, 22, 7505-7522 1
- 356 Multidimensional effects of urbanization on PM_{2.5} concentration in China. 1
- 355 Spatiotemporal Variation in Air Pollution Characteristics and Influencing Factors in Ulaanbaatar from 2016 to 2019. **2022**, 13, 990 0
- 354 Complex interplay between organic and secondary inorganic aerosols with ambient relative humidity implicates the aerosol liquid water content over India during wintertime.
- 353 A remote sensing assessment index for urban ecological livability and its application. 1-22 1
- 352 Self-charge-carrying air filter by in situ polymerization to avoid charge dissipation and potential material poisoning. **2022**, 137788 0
- 351 Effect of NO₂ on nocturnal chemistry of isoprene: Gaseous oxygenated products and secondary organic aerosol formation. **2022**, 156908

- 350 Spatiotemporal Variations in Summertime Ground-Level Ozone around Gasoline Stations in Shenzhen between 2014 and 2020. **2022**, 14, 7289
- 349 The Impacts of Urban Form on PM_{2.5} Concentrations: A Regional Analysis of Cities in China from 2000 to 2015. **2022**, 13, 963 ○
- 348 Developing Nitrogen Isotopic Source Profiles of Atmospheric Ammonia for Source Apportionment of Ammonia in Urban Beijing. 10,
- 347 Measurement report: Distinct size dependence and diurnal variation in organic aerosol hygroscopicity, volatility, and cloud condensation nuclei activity at a rural site in the Pearl River Delta (PRD) region, China. **2022**, 22, 8117-8136
- 346 Vertically Resolved Aerosol Chemistry in the Low Boundary Layer of Beijing in Summer. ○
- 345 Strong light scattering of highly oxygenated organic aerosols impacts significantly on visibility degradation. **2022**, 22, 7713-7726
- 344 A diurnal story of NO_3^- in urban Nanjing and its implication for nitrate aerosol formation. **2022**, 5, 2
- 343 Complex network analysis of fine particulate matter (PM_{2.5}): transport and clustering. **2022**, 13, 1029-1039
- 342 Human Resource Scheduling in Project Management Using the Simulated Annealing Algorithm with the Human Factors Engineering Approach. **2022**, 2022, 1-7 ○
- 341 The corrosion behavior of 316L stainless steel in an Fe(II)EDTA-based liquid-phase denitrification system. ○
- 340 Online vertical measurement of air pollutants: Development of a monitoring platform on a skyscraper and its application in Shanghai. **2022**, 13, 101477 ○
- 339 A comprehensive evaluation of PM_{2.5}-bound PAHs and their derivative in winter from six megacities in China: Insight the source-dependent health risk and secondary reactions. **2022**, 165, 107344 1
- 338 Calculation theory and experiment verification of sedimentation potential of the complex particle system. **2022**, 649, 129447
- 337 Tracer-based characterization of fine carbonaceous aerosol in Beijing during a strict emission control period. **2022**, 841, 156638 ○
- 336 Slower than expected reduction in annual PM_{2.5} in Xi'an revealed by machine learning-based meteorological normalization. **2022**, 841, 156740 ○
- 335 Spatiotemporal variation, source and secondary transformation potential of volatile organic compounds (VOCs) during the winter days in Shanghai, China. **2022**, 286, 119203 ○
- 334 High fraction of soluble trace metals in fine particles under heavy haze in central China. **2022**, 841, 156771 ○
- 333 Charged movement characteristics and enhanced removal of fine particles under the electric fields coupling with turbulence from industrial flue gas. **2022**, 326, 124977 ○

- 332 Heterogeneous reaction of toluene/NO₂/O₃ on Fe₂O₃ nanoparticles: The impacts of O₃, light illumination and relative humidity on the N-containing organic compounds (NOC) formation.
- 331 H₃Pw12O₄₀-Modified MnO_x: Efficient Catalyst for NH₃-Scr of NO_x.
- 330 PM_{2.5}-Mediated Photochemical Reaction of Typical Toluene in Real Air Matrix with Identification of Products by Isotopic Tracing and FT-ICR MS.
- 329 The effectiveness of Rhizobium bacteria on soil fertility and sustainable crop production under cover and catch crops management and green manuring. **2022**, 50, 12560
- 328 Formation potential and source contribution of secondary organic aerosol from volatile organic compounds. ○
- 327 Study on the pH Dependence of the Contribution of Aqueous-Phase Sulfate in Aerosols Formation: On the Cases in Seoul, 2015. **2022**, 38, 323-340 ○
- 326 Linking the Fasting Blood Glucose Level to Short-Term-Exposed Particulate Constituents and Pollution Sources: Results from a Multicenter Cross-Sectional Study in China. **2022**, 56, 10172-10182 ○
- 325 Characterization of Atmospheric Fine Particles and Secondary Aerosol Estimated under the Different Photochemical Activities in Summertime Tianjin, China. **2022**, 19, 7956 ○
- 324 Spatial variability of air pollutants in a megacity characterized by mobile measurements. **2022**, 22, 7389-7404 1
- 323 A critical review of sulfate aerosol formation mechanisms during winter polluted periods. **2022**, ○
- 322 Assessing the Relationship among Land Transfer, Fertilizer Usage, and PM_{2.5} Pollution: Evidence from Rural China. **2022**, 19, 8387 ○
- 321 Dramatic changes in atmospheric pollution source contributions for a coastal megacity in northern China from 2011 to 2020. **2022**, 22, 8597-8615 ○
- 320 S-scheme heterojunctions: emerging designed photocatalysts toward green energy and environmental remediation redox reactions. **2022**, 108249 2
- 319 Fast Nocturnal Heterogeneous Chemistry in a Coastal Background Atmosphere and Its Implications for Daytime Photochemistry. **2022**, 127, ○
- 318 Spatiotemporal variations and sources of PM_{2.5} in the Central Plains Urban Agglomeration, China. ○
- 317 New insights into submicron particles impact on visibility. ○
- 316 Molecular characteristics, sources and environmental risk of aromatic compounds in particulate matter during COVID-2019: nontarget screening by ultra-high resolution mass spectrometry and comprehensive two-dimensional gas chromatography. **2022**, 107421
- 315 Enhanced Oxidation of SO₂ by H₂O₂ During Haze Events: Constraints From Sulfur Isotopes. **2022**, 127, ○

- 314 Initial pH Governs Secondary Organic Aerosol Phase State and Morphology after Uptake of Isoprene Epoxydiols (IEPOX). 1
- 313 Secondary organic aerosol formation at an urban background site on the coastline of South China: Precursors and aging processes. **2022**, 309, 119778 0
- 312 Chemical composition of NR-PM1 in a coastal city of Southeast China: Temporal variations and formation pathways. **2022**, 285, 119243 0
- 311 Induced adsorption and agglomeration under bipolar corona discharge to enhance the simultaneous removal of trace mercury and fine particles. **2022**, 326, 125069 0
- 310 Secondary inorganic aerosol dominated the light absorption enhancement of black carbon aerosol in Wuhan, Central China. **2022**, 287, 119288 0
- 309 The new inspiration from the theoretical re-exploration of traditional autoxidation pathways leading to sulfate formation in the haze episode. **2022**, 287, 119220
- 308 Partitioning indoor-generated and outdoor-generated PM2.5 from real-time residential measurements in urban and peri-urban Beijing. **2022**, 845, 157249
- 307 From Neighbors to Partners: A quantum game model for analyzing collaborative environmental governance in China. **2022**, 118248
- 306 Has Industrial Upgrading Improved Air Pollution? Evidence from China's Digital Economy. **2022**, 14, 8967 1
- 305 Stringent Emission Controls Are Needed to Reach Clean Air Targets for Cities in China under a Warming Climate.
- 304 Cool and hot chitosan/platelet-derived growth factor nanofibers for outdoors burns. **2022**, 218, 409-419
- 303 Sources Apportionment of Water-Soluble Inorganic Salts in Cpm from Coal-Fired Power Plants with Different Emission Control Technologies.
- 302 Measurement report: On the contribution of long-distance transport to the secondary aerosol formation and aging. **2022**, 22, 9513-9524
- 301 Impact of NH3 Emissions on Particulate Matter Pollution in South Korea: A Case Study of the Seoul Metropolitan Area. **2022**, 13, 1227
- 300 Assessing Surface Urban Heat Island Related to Land Use/Land Cover Composition and Pattern in the Temperate Mountain Valley City of Kathmandu, Nepal. **2022**, 14, 4047
- 299 Development and testing a low-cost device for airborne PM monitoring in highly anthropized areas: The international maritime hub of Civitavecchia (Rome, Italy). **2022**, 100120
- 298 A Coevolution Model of the Coupled Society-Water Resources-Environment Systems: An Application in a Case Study in the Yangtze River Economic Belt, China. **2022**, 14, 2449
- 297 Vertical profiles of the transport fluxes of aerosol and its precursors between Beijing and its southwest cities. **2022**, 119988 0

- 296 Research Progress on Heterogeneous Reactions of Pollutant Gases on the Surface of Atmospheric Mineral Particulate Matter in China. **2022**, 13, 1283 ○
- 295 Measurement report: Large contribution of biomass burning and aqueous-phase processes to the wintertime secondary organic aerosol formation in Xi'an, Northwest China. **2022**, 22, 10139-10153 ○
- 294 Chemical Characteristics of Water-Soluble Inorganic Ions in Different Types of Asian Dust in Wajima, a Background Site in Japan. **2022**, 13, 1210
- 293 Persistence of Monoterpene-Derived Organic Peroxides in the Atmospheric Aqueous Phase. ○
- 292 Effects of OH radical and SO₂ concentrations on photochemical reactions of mixed anthropogenic organic gases. **2022**, 22, 10489-10504 1
- 291 Intensified haze formation and meteorological feedback by complex terrain in the North China Plain region. **2022**, 100273
- 290 Mitigation of hazardous toluene via ozone-catalyzed oxidation using MnO_x/Sawdust biochar catalyst. **2022**, 119920 1
- 289 The removal of atmospheric aerosols in a heavy industrial coastal city in China with frequent rainfall. 9,
- 288 Simulation of latent heating rate from the microphysical process associated with Mesoscale Convective System over Korean Peninsula. ○
- 287 Columnar and surface urban aerosol in the Moscow megacity according to measurements and simulations with the COSMO-ART model. **2022**, 22, 10443-10466
- 286 High-Resolution Ammonia Emissions from Nitrogen Fertilizer Application in China during 2005-2020. **2022**, 13, 1297 1
- 285 Progress and prospects of photocatalytic conversion of low-concentration NO. **2022**, 43, 2363-2387 1
- 284 Understanding vegetation structures in green spaces to regulate atmospheric particulate matter and negative air ions. **2022**, 13, 101534 ○
- 283 Effect of amino acid additives in ammonia solution on SO₂ absorption and ammonia escape using bubbling reactor for membrane contactor applications. **2022**, 165, 694-703 ○
- 282 Four-in-one multifunctional air filter using copper coordination polymer particle decorated fibre for efficient pathogen removal and indoor air treatment. **2022**, 166, 177-188 ○
- 281 Ensemble source apportionment of air pollutants and carbon dioxide based on online measurements. **2022**, 370, 133468 ○
- 280 Observed sensitivities of PM_{2.5} and O₃ extremes to meteorological conditions in China and implications for the future. **2022**, 168, 107428 1
- 279 Effect of photooxidation on size distribution, light absorption, and molecular compositions of smoke particles from rice straw combustion. **2022**, 311, 119950

278	Measurement-based intermediate volatility organic compound emission inventory from on-road vehicle exhaust in China. 2022 , 310, 119887	
277	Characterization of winter air pollutant gradients near a major highway. 2022 , 849, 157818	
276	Effects of atmospheric aging processes on carbonaceous species and water-soluble inorganic ions in biomass burning aerosols. 2022 , 288, 119322	
275	Chemical constituents of ambient fine particulate matter and obesity among school-aged children: A representative national study in China. 2022 , 849, 157742	
274	Hourly organic tracers-based source apportionment of PM _{2.5} before and during the Covid-19 lockdown in suburban Shanghai, China: Insights into regional transport influences and response to urban emission reductions. 2022 , 289, 119308	2
273	Insights to the 3D internal morphology and metal oxidation states of single atmospheric aerosol particles by synchrotron-based methodology. 2022 , 307, 135799	
272	Non-agricultural source dominates the ammonium aerosol in the largest city of South China based on the vertical $\delta^{15}N$ measurements. 2022 , 848, 157750	0
271	The role of source emissions in sulfate formation pathways based on chemical thermodynamics and kinetics model. 2022 , 851, 158104	0
270	Seasonal characteristics and provenance of organic aerosols in the urban atmosphere of Liaocheng in the North China Plain: Significant effect of biomass burning. 2023 , 75, 185-198	0
269	Effects of ammonia addition on soot formation in ethylene laminar diffusion flames. Part 2. Further insights into soot inception, growth and oxidation. 2023 , 331, 125623	0
268	Chemical characteristics of three-stage fog water in an agricultural city in China. 10,	0
267	In Situ DRIFTS Study of Single-Atom, 2D, and 3D Pt on γ -Al ₂ O ₃ Nanoflakes and Nanowires for C ₂ H ₄ Oxidation. 2022 , 10, 1773	0
266	Modelling driving factors of PM _{2.5} concentrations in port cities of the Yangtze River Delta. 2022 , 184, 114131	0
265	PM _{2.5} -mediated photochemical reaction of typical toluene in real air matrix with identification of products by isotopic tracing and FT-ICR MS. 2022 , 313, 120181	0
264	Estimates of PM _{2.5} concentrations spatiotemporal evolution across China considering aerosol components in the context of the Reform and Opening-up. 2022 , 322, 115983	0
263	How the Air Clean Plan and carbon mitigation measures co-benefited China in PM _{2.5} reduction and health from 2014 to 2020. 2022 , 169, 107510	1
262	Inter-comparison of chemical fingerprint and source apportionment of marine fine particles at two islands through the west and east passages of the Taiwan Island. 2022 , 851, 158313	0
261	The relationship between the intensified heat waves and deteriorated summertime ozone pollution in the Beijing-Tianjin-Hebei region, China, during 2013-2017. 2022 , 314, 120256	1

- 260 Quantifying the drivers of PM_{2.5} variation in Shenyang, China: A factor decomposition model. **2022**, 323, 116170 ○
- 259 Insights into factors affecting size-segregated nitrate formation in a coastal city through measurements of dual isotopes. **2022**, 290, 119385 ○
- 258 The interplays among meteorology, source, and chemistry in high particulate matter pollution episodes in urban Shanghai, China. **2022**, 853, 158347 ○
- 257 Impacts of ambient air pollution on UNESCO world cultural heritage sites in Eastern Asia: Dose-response calculations for material corrosions. **2022**, 46, 101275 ○
- 256 Particulate and gaseous pollutants in Tehran, Iran during 2015-2021: Factors governing their variability. **2022**, 87, 104183 ○
- 255 Room temperature synthesis of monolithic MIL-100(Fe) in aqueous solution for energy-efficient removal and recovery of aromatic volatile organic compounds. **2023**, 442, 129998 1
- 254 Decadal changes in premature mortality associated with exposure to outdoor PM_{2.5} in mainland Southeast Asia and the impacts of biomass burning and anthropogenic emissions. **2023**, 854, 158775 ○
- 253 Tracking long-term population exposure risks to PM_{2.5} and ozone in urban agglomerations of China 2015–2021. **2023**, 854, 158599 ○
- 252 Regional characteristics of fine aerosol mass increase elucidated from long-term observations and KORUS-AQ campaign at a Northeast Asian background site. **2022**, 10, ○
- 251 Optimal Combination of Air-Related Policies: Empirical Evidence from China. ○
- 250 Urban Air Pollution. **2022**, 77-100 ○
- 249 Two Typical Patterns of Regional PM_{2.5} Transport for Heavy Air Pollution Over Central China: Rapid Transit Transport and Stationary Accumulation Transport. 10, ○
- 248 Aqueous-phase chemistry of atmospheric phenolic compounds: A critical review of laboratory studies. **2023**, 856, 158895 ○
- 247 Typical layered structure bismuth-based photocatalysts for photocatalytic nitrogen oxides oxidation. **2023**, 855, 158644 1
- 246 Characteristics of wintertime carbonaceous aerosols in two typical cities in Beijing-Tianjin-Hebei region, China: Insights from multiyear measurements. **2023**, 216, 114469 1
- 245 High-density volatile organic compound monitoring network for identifying pollution sources. **2023**, 855, 158872 ○
- 244 Characteristics and Provenance Implications of Rare Earth Elements and Nd Isotope in PM_{2.5} in a Coastal City of Southeastern China. **2022**, 13, 1367 ○
- 243 Long-Term (2013–2018) Relationship of Water-Soluble Inorganic Ionic Species of PM_{2.5} with Ammonia and Other Trace Gases in Delhi, India. ○

242	Can Carbon Emission Trading Policy Reduce PM _{2.5} ? Evidence from Hubei, China. 2022 , 14, 10755	1
241	Impacts of condensable particulate matter on atmospheric organic aerosols and fine particulate matter (PM _{2.5}) in China. 2022 , 22, 11845-11866	1
240	Spatial effects of air pollutants reduction on CO ₂ emissions.	0
239	Daytime SO ₂ chemistry on ubiquitous urban surfaces as a source of organic sulfur compounds in ambient air. 2022 , 8,	1
238	Preliminary Assessment and Verification of the Langley Plots Calibration of the Sun Photometer at Mt Foyeding Observatory, Beijing. 2022 , 14, 4321	0
237	Response of PM _{2.5} variations to changing urbanization process in different climatic backgrounds of China. 2022 , 45, 101273	0
236	Atmospheric Particles Are Major Sources of Aged Anthropogenic Organic Carbon in Marginal Seas. 2022 , 56, 14198-14207	2
235	Polystyrene/Fluorinated Polyurethane Electrospinning Nanofiber Membranes Incorporated with Graphene Oxide/Ethylamine as Mask Filter Materials for Reusable Antibacterial Applications. 2022 , 5, 13573-13582	1
234	Influence of ammonium sulfate on the corrosion behavior of AZ31 magnesium alloy in chloride environment. 2022 ,	1
233	MAX-DOAS and In-situ measurements of aerosols and trace gases over Dongying, China: Insight into Ozone formation sensitivity based on Secondary HCHO. 2022 ,	0
232	Characteristics of Water-Soluble Inorganic Ions in PM _{2.5} in Typical Urban Areas of Beijing, China.	0
231	Fabrication of fully degradable branched poly (lactic acid) nanofiber membranes for high-efficiency filter paper materials.	0
230	Using Stable Sulfur Isotope to Trace Sulfur Oxidation Pathways during the Winter of 2017-2019 in Tianjin, North China. 2022 , 19, 10966	1
229	Volatile Organic Compound Sampling through Rotor Unmanned Aerial Vehicle Technique for Environmental Monitoring. 2022 , 13, 1442	0
228	Measurement report: Ambient volatile organic compound (VOC) pollution in urban Beijing: characteristics, sources, and implications for pollution control. 2022 , 22, 11931-11944	0
227	Seasonal modeling analysis of nitrate formation pathways in Yangtze River Delta region, China. 2022 , 22, 12629-12646	0
226	The protective effects of procyanidin supplementation on PM _{2.5} -induced acute cardiac injury in rats.	0
225	Catalytic oxidation of volatile organic compounds over manganese-based catalysts: Recent trends and challenges. 2022 , 108638	0

- 224 Acylperoxy Radicals as Key Intermediates in the Formation of Dimeric Compounds in Pinene Secondary Organic Aerosol. ○
- 223 Characteristics, diffusion, and exposure risk of bioaerosol pollution during haze period on a campus of central China. ○
- 222 How do government environmental concerns affect haze pollution?. 10, ○
- 221 Long-term trends of impacts of global gasoline and diesel emissions on ambient PM_{2.5} and O₃ pollution and the related health burden for 2000–2015. **2022**, 17, 104042 ○
- 220 Intermediate-Volatility Organic Compounds Observed in a Coastal Megacity: Importance of Non-Road Source Emissions. **2022**, 127, ○
- 219 Emission of fugitive dust from railway maintenance vehicles operating on gravel track. **2022**, 112, 103441 ○
- 218 Contrasting mass absorption efficiency of carbonaceous aerosols between PM₁ and PM_{2.5} in urban Beijing. **2022**, 291, 119413 ○
- 217 Water-soluble iron in PM_{2.5} in winter over six Chinese megacities: Distributions, sources, and environmental implications. **2022**, 314, 120329 ○
- 216 The dominant role of aerosol-cloud interactions in aerosol-boundary layer feedback: Case studies in three megacities in China. 10, ○
- 215 Phosphotungstic Acid-Modified MnO_x for Selective Catalytic Reduction of NO_x with NH₃. **2022**, 12, 1248 1
- 214 Emission Characterization of Particulate Matters from the Combustion of Pulverized Coals in a Simulated Fluidized Bed Boiler. **2022**, 7, 37922-37932 ○
- 213 Co-control of the haze pollution emissions in China: Insight from supply chains. ○
- 212 VOCs concentration, SOA formation contribution and festival effects during heavy haze event: a case study in Zhengzhou, Central China. ○
- 211 Algorithm for vertical distribution of boundary layer aerosol components in remote-sensing data. **2022**, 15, 6127-6144 ○
- 210 Investigation on Change in Accumulation Mode Size Distributions of Secondary Inorganic Salts with PM_{2.5}/PM₁₀ during Late Fall at an Urban Site in Gwangju. **2022**, 38, 641-652 ○
- 209 Spatiotemporally Resolved pH Measurement in Aerosol Microdroplets Undergoing Chloride Depletion: An Application of In Situ Raman Microspectrometry. **2022**, 94, 15132-15138 ○
- 208 Improvement of the Aerosol Forecast and Analysis Over East Asia With Joint Assimilation of Two Geostationary Satellite Observations. **2022**, 49, ○
- 207 Spatial Autocorrelation and Temporal Convergence of PM_{2.5} Concentrations in Chinese Cities. **2022**, 19, 13942 ○

206	Investigating drivers of particulate matter pollution over India and the implications for radiative forcing with GEOS-Chem-TOMAS15.	1
205	VOCs emitted by biopharmaceutical industries: Source profiles, health risks, and secondary pollution. 2022,	0
204	Effect of Oily Aerosol Charge Characteristics on the Filtration Efficiency of an Electrostatically Enhanced Fibrous Filter System. 2022, 9, 320	0
203	Lockdown Amid COVID-19 Ascendancy over Ambient Particulate Matter Pollution Anomaly. 2022, 19, 13540	1
202	PM2.5 Pollution in Six Major Chinese Urban Agglomerations: Spatiotemporal Variations, Health Impacts, and the Relationships with Meteorological Conditions. 2022, 13, 1696	0
201	Visualization and Analysis of Air Pollution and Human Health Based on Cluster Analysis: A Bibliometric Review from 2001 to 2021. 2022, 19, 12723	1
200	Exploring Spatiotemporal Dynamics of PM2.5 Emission Based on Nighttime Light in China from 2012 to 2018. 2022, 14, 14011	0
199	Mass Spectrometry Imaging Strategy for In Situ Quantification of Soot in Size-Segregated Air Samples.	0
198	Possible influence of sudden stratospheric warmings on the atmospheric environment in the Beijing-Tianjin-Hebei region. 2022, 22, 13087-13102	0
197	Pollution Characteristics of Water-Soluble Inorganic Ions in PM2.5 from a Mountainous City in Southwest China. 2022, 13, 1713	0
196	PM2.5 source apportionment identified with total and soluble elements in positive matrix factorization. 2022, 159948	0
195	Effects of NO2 and SO2 on the secondary organic aerosol formation from beta-pinene photooxidation. 2022,	0
194	Marked Impacts of Pollution Mitigation on Crop Yields in China. 2022, 10,	0
193	Determining an optimal control strategy for anthropogenic VOC emissions in China based on source emissions and reactivity. 2022,	0
192	Atmospheric sulfate formation in the Seoul Metropolitan Area during spring/summer: Effect of trace metal ions. 2022, 315, 120379	0
191	The effects of environmental inspection on air quality: Evidence from China. 2022, 378, 134496	0
190	Isotopic imprints of aerosol ammonium over the north China plain. 2022, 315, 120376	0
189	Challenges in continuous air quality improvement: An insight from the contribution of the recent clean air actions in China. 2022, 46, 101328	0

188	The reaction behaviors of acetonitrile and ethyl acetate simultaneous degradation over Cu ₂ O/ZSM5 catalyst. 2023 , 609, 155190	0
187	Quantification of fossil and non-fossil sources to the reduction of carbonaceous aerosols in the Yangtze River Delta, China: Insights from radiocarbon analysis during 2014–2019. 2023 , 292, 119421	0
186	Emission characteristics and inventory of volatile organic compounds from the Chinese cement industry based on field measurements. 2023 , 316, 120600	0
185	Cruise observation of the marine atmosphere and ship emissions in South China Sea: Aerosol composition, sources, and the aging process. 2023 , 316, 120539	0
184	Characteristics, secondary transformation and odor activity evaluation of VOCs emitted from municipal solid waste incineration power plant. 2023 , 326, 116703	1
183	The spatial-temporal evolution mechanism of PM _{2.5} concentration based on China's climate zoning. 2023 , 325, 116671	0
182	Impacts of snow cover on micrometeorological conditions and rural air quality in Northeast China. 2022 , 106516	0
181	PM _{2.5} -bound polyhalogenated carbazoles (PHCZs) in urban Beijing, China: occurrence and the source implication. 2022 ,	0
180	Association of PM _{2.5} and Its Chemical Compositions with Metabolic Syndrome: A Nationwide Study in Middle-Aged and Older Chinese Adults. 2022 , 19, 14671	0
179	Synergistic combination of information from ground observations, geostationary satellite, and air quality modeling towards improved PM _{2.5} predictability.	1
178	Environmental regulation and development of the tertiary industry. 1-17	0
177	Improving atmospheric particulate matter removal of residential green space based on Landscape patterns and plant functional types.	0
176	PM _{2.5} source apportionment using organic marker-based chemical mass balance modeling: Influence of inorganic markers and sensitivity to source profiles. 2022 , 119477	2
175	Degradable Nanofiber for Eco-friendly Air Filtration: Progress and Perspectives. 2022 , 122642	2
174	Effects of oxygen partial premixing on soot formation in ethylene counterflow flames with oscillating strain rates. 2022 , 112442	0
173	Different roles of primary and secondary sources in reducing PM _{2.5} : Insights from molecular markers in Pearl River Delta, South China. 2022 , 119487	0
172	Predictive Models of Gas/Particulate Partition Coefficients (KP) for Polycyclic Aromatic Hydrocarbons and Their Oxygen/Nitrogen Derivatives. 2022 , 27, 7608	0
171	Smog chamber study of secondary organic aerosol formation from gas- and particle-phase naphthalene ozonolysis. 2022 , 119490	0

- 170 Secondary organic aerosol formation from mixed volatile organic compounds: Effect of RO₂ chemistry and precursor concentration. **2022**, 5, ○
- 169 Effect of mixed magnetic field on physical properties of atmospheric suspended fine particles. **2022**, e11722 ○
- 168 Exploring the driving factors of haze events in Beijing during Chinese New Year holidays in 2020 and 2021 under the influence of COVID-19 pandemic. **2023**, 859, 160172 ○
- 167 Dynamic harmonization of source-oriented and receptor models for source apportionment. **2023**, 859, 160312 ○
- 166 Preparation of VOC low-temperature oxidation catalysts with copper and iron binary metal oxides via hydrotalcite-like precursors. **2022**, 12, 35083-35093 ○
- 165 Dependence of urban park visits on thermal environment and air quality. **2023**, 79, 127813 ○
- 164 Aggravation of nitrogen losses driven by agriculture and livestock farming development on the Qinghai-Tibet Plateau. **2023**, 326, 116795 ○
- 163 Raman spectroscopy for profiling physical and chemical properties of atmospheric aerosol particles: A review. **2023**, 249, 114405 2
- 162 Comprehensive study about the heterogeneous conversion of NH₃ on nanoscale TiO₂ particles: insight into the mechanism and atmospheric implications. ○
- 161 Atmospheric fates of SO₂ at the gas/solid interface of iron oxyhydroxide (FeOOH) minerals: effects of crystal structure, oxalate coating and light irradiance. ○
- 160 Atmospheric ammonia in the rural North China Plain during wintertime: Variations, sources, and implications for HONO heterogeneous formation. **2023**, 861, 160768 ○
- 159 Sources apportionment of water-soluble inorganic salts in CPM from coal-fired power plants with different emission control technologies. **2023**, 334, 126786 ○
- 158 Distinct diurnal chemical compositions and formation processes of individual organic-containing particles in Beijing winter. **2023**, 318, 120846 ○
- 157 Quantifying the formation pathways of nitrate in size-segregated aerosols during winter haze pollution. **2023**, 115, 71-80 ○
- 156 Molecular level characterization of the biolability of rainwater dissolved organic matter. **2023**, 862, 160709 ○
- 155 Variations of the urban PM_{2.5} chemical components and corresponding light extinction for three heating seasons in the Guanzhong Plain, China. **2023**, 327, 116821 1
- 154 Effects of ammonia on morphological characteristics and nanostructure of soot in the combustion of diesel surrogate fuels. **2023**, 445, 130645 ○
- 153 Relationships between livestock density and soil phosphorus contents [County and farm level analyses]. **2023**, 222, 106817 ○

- 152 Influence of an iron compound added to coal on soot formation. **2023**, 266, 126259 ○
- 151 Influence of extratropical cyclones on air quality in Beijing. **2023**, 283, 106552 ○
- 150 Seasonal Variation of Aerosol Composition and Sources of Water-Soluble Organic Carbon in an Eastern City of China. **2022**, 13, 1968 ○
- 149 A highly efficient bio-inspired 3D solar-driven evaporator with advanced heat management and salt fouling resistance design. **2022**, 140500 ○
- 148 Fast Sulfate Formation Initiated by the Spin-Forbidden Excitation of SO₂ at the Air/Water Interface. **2022**, 144, 22302-22308 ○
- 147 Assessing the impacts of CPM emitted from stationary sources on PM_{2.5} source appointment of Wuhan, China. **2022**, 126869 ○
- 146 Variations of Secondary PM_{2.5} in an Urban Area over Central China during 2015-2020 of Air Pollutant Mitigation. **2022**, 13, 1962 ○
- 145 Investigation on the equilibrium constant of NO absorption into diethylenetriaminecobalt(II) solution. ○
- 144 Weather-Climate Anomalies and Regional Transport Contribute to Air Pollution in Northern China During the COVID-19 Lockdown. **2022**, 127, ○
- 143 Causes of the unexpected slowness in reducing winter PM_{2.5} for 2014-2018 in Henan Province. **2022**, 120928 ○
- 142 The Interaction Mechanism of Fiscal Pressure, Local Government Behavioral Preferences and Environmental Governance Efficiency: Evidence from the Yangtze River Delta Region of China. **2022**, 19, 16618 1
- 141 Mass spectrometry-based Aerosolomics: a new approach to resolve sources, composition, and partitioning of secondary organic aerosol. **2022**, 15, 7137-7154 ○
- 140 Chemical Compositions, Sources, and Intra-Regional Transportation of Submicron Particles Between North China Plain and Twain-Hu Basin of Central China in Winter. **2022**, 127, ○
- 139 Comparison of bacterial community structure in PM_{2.5} during hazy and non-hazy periods in Guilin, South China. ○
- 138 Air-Conditioned Masks Using Nanofibrous Networks for Daytime Radiative Cooling. **2022**, 22, 9485-9492 ○
- 137 Staggered-peak production is a mixed blessing in the control of particulate matter pollution. **2022**, 5, ○
- 136 Characterization and source apportionment for light absorption amplification of black carbon at an urban site in eastern China. **2022**, 161180 ○
- 135 Haze Risk Assessment Based on Improved PCA-MEE and ISPO-LightGBM Model. **2022**, 10, 263 6

134	Spatial characterization of HCHO and reapportionment of its secondary sources considering photochemical loss in Taiyuan, China. 2022 , 161069	0
133	Population Aging Driven Slowdown in the Reduction of Economic Cost-Attributed to PM2.5 Pollution after 2013 in China.	0
132	Exploring condensable organic vapors and their co-occurrence with PM2.5 and O3 in winter over Eastern China.	0
131	Variations of Wintertime Ambient Volatile Organic Compounds in Beijing, China, from 2015 to 2019.	0
130	Titanium Dioxide Promotes New Particle Formation: A Smog Chamber Study. 2023 , 57, 920-928	0
129	Characters of Particulate Matter and Their Relationship with Meteorological Factors during Winter Nanyang 2021-2022. 2023 , 14, 137	1
128	Simultaneous removal of NOx and dust with integrated catalytic filter: interactions between NH3-SCR and filtration processes. 2023 , 141466	0
127	A comprehensive investigation of PM2.5 in the Huaihe River Basin, China: Separating the contributions from meteorology and emission reductions. 2023 , 14, 101647	0
126	Relation between PM2.5 and O3 over Different Urban Environmental Regimes in India. 2023 , 7, 9	0
125	Planetary boundary layer climatological features over North China Plain: derived from intensive experiment data.	0
124	Unanswered questions on the airborne transmission of COVID-19.	0
123	Characteristics, Secondary Transformation Potential and Health Risks of Atmospheric Volatile Organic Compounds in an Industrial Area in Zibo, East China. 2023 , 14, 158	0
122	Evaluation of MODIS DT, DB, and MAIAC Aerosol Products over Different Land Cover Types in the Yangtze River Delta of China. 2023 , 15, 275	0
121	Sources of organic aerosols in eastern China: a modeling study with high-resolution intermediate-volatility and semivolatile organic compound emissions. 2023 , 23, 323-344	0
120	Modeling Secondary Organic Aerosols in China: State of the Art and Perspectives.	0
119	Diurnal variations in primary and secondary organic aerosols in an eastern China coastal city: The impact of land-sea breezes. 2023 , 319, 121016	1
118	A recent high-resolution PM2.5 and VOCs speciated emission inventory from anthropogenic sources: A case study of central China. 2023 , 386, 135795	0
117	Environmental factors driving the formation of water-soluble organic aerosols: A comparative study under contrasting atmospheric conditions. 2023 , 866, 161364	0

- 116 Vertical measurements of stable nitrogen and oxygen isotope composition of fine particulate nitrate aerosol in Guangzhou city: Source apportionment and oxidation pathway. **2023**, 865, 161239 ○
- 115 Exploring the formation mechanism of fine particles in an ex-heavily polluted Northwestern city, China. **2023**, 868, 161333 ○
- 114 Characterization of Water-Soluble Ions in PM_{2.5} in Chongqing, a Megacity in Eastern Sichuan Basin, China. 8, 10-21 ○
- 113 Can promoting ethanol gasoline usage improve air quality? Evidence from Tianjin, China. **2022**, 20, 341-356 ○
- 112 Secondary Organic Aerosol Formation from Semi-Volatile and Intermediate Volatility Organic Compounds in the Fall in Beijing. **2023**, 14, 94 ○
- 111 Exploring the Effects of Industrial Land Transfer on Urban Air Quality Using a Geographically and Temporally Weighted Regression Model. **2023**, 20, 384 ○
- 110 Fates of secondary organic aerosols in the atmosphere identified from compound-specific dual-carbon isotope analysis of oxalic acid. **2023**, 23, 1565-1578 ○
- 109 Measurement report: Intensive biomass burning emissions and rapid nitrate formation drive severe haze formation in the Sichuan Basin, China Insights from aerosol mass spectrometry. **2023**, 23, 1147-1167 ○
- 108 Introduction. **2023**, 3-9 ○
- 107 The Relationship between the Transmission of Different SARS-CoV-2 Strains and Air Quality: A Case Study in China. **2023**, 20, 1943 ○
- 106 A triumph of reducing carbon emission by banning open straw burning. **2023**, 68, 18-20 ○
- 105 Regional Transport of PM_{2.5} from Coal-Fired Power Plants in the Fenwei Plain, China. **2023**, 20, 2170 ○
- 104 Evaluation of transport processes over North China Plain and Yangtze River Delta using MAX-DOAS observations. **2023**, 23, 1803-1824 ○
- 103 4D_{En}Var-based inversion system for ammonia emission estimation in China through assimilating IASI ammonia retrievals. ○
- 102 Air quality and risky behaviors on roads. **2023**, 118, 102786 ○
- 101 Measurement report: Chemical components and ¹³C and ¹⁵N isotope ratios of fine aerosols over Tianjin, North China: year-round observations. **2023**, 23, 2119-2143 ○
- 100 Trends in anthropogenic ammonia emissions in China since 1980: A review of approaches and estimations. 11, ○
- 99 Transport Pathways of Nitrate Formed from Nocturnal N₂O₅ Hydrolysis Aloft to the Ground Level in Winter North China Plain. **2023**, 57, 2715-2725 ○

- 98 Increasing net ecosystem carbon budget and mitigating global warming potential with improved irrigation and nitrogen fertilization management of a spring wheat farmland system in arid Northwest China. ○
- 97 Frontline governmental cooperation in environmental governance: A case analysis on the ecological demonstration zone in China. 11, ○
- 96 Source apportionment of black carbon aerosols in winter across China. **2023**, 298, 119622 ○
- 95 La₂Ti₂O₇ nanosheets modified by Pt quantum dots for efficient NO removal avoiding NO₂ secondary pollutant. **2023**, 223, 115441 ○
- 94 Elucidating pollution characteristics, temporal variation and source origins of carbonaceous species in Xinxiang, a heavily polluted city in North China. **2023**, 298, 119626 ○
- 93 A rational construction of Pt@Cu-ZSM-5@CuO catalyst with detached multi-functional Pt and Cu sites for high-performance acetonitrile decomposition. **2023**, 463, 142343 ○
- 92 Photodegradation of NO with minimal NO₂ secondary pollution by La₂Ti₂O₇ nanosheets loaded with Ag particles. **2023**, 619, 156657 ○
- 91 Substantial short- and long-term health effect due to PM_{2.5} and the constituents even under future emission reductions in China. **2023**, 874, 162433 ○
- 90 Concentration level, health risk assessment and source apportionment of nitrosamines in PM_{2.5} in Urumqi during winter time. **2023**, 14, 101756 ○
- 89 Cooperative simultaneous inversion of satellite-based real-time PM_{2.5} and ozone levels using an improved deep learning model with attention mechanism. **2023**, 327, 121509 ○
- 88 Characteristics of summertime ambient volatile organic compounds in Beijing: Composition, source apportionment, and chemical reactivity. **2023**, 14, 101725 ○
- 87 Emission factors and emission inventory of volatile organic compounds (VOCs) from hair products application in hair salons in Beijing through measurement. **2023**, 878, 162996 ○
- 86 The combined effects of heterogeneous chemistry and aerosol-radiation interaction on severe haze simulation by atmospheric chemistry model in Middle-Eastern China. **2023**, 302, 119729 ○
- 85 Governance matters: Urban expansion, environmental regulation, and PM_{2.5} pollution. **2023**, 876, 162788 ○
- 84 Observation of black carbon in Northern China in winter of 2018–2020 and its implications for black carbon mitigation. **2023**, 877, 162897 ○
- 83 Chemical and morphological characterization by SEM-EDS of PM_{2.5} collected during winter in Ulaanbaatar, Mongolia. **2023**, 303, 119752 ○
- 82 Urban particulate water-soluble organic matter in winter: Size-resolved molecular characterization, role of the S-containing compounds on haze formation. **2023**, 875, 162657 ○
- 81 Aerosols characteristics, sources, and drive factors analysis in typical megacities, NW China. **2023**, 403, 136879 ○

- 80 Source apportionment of fine particulate matter at a megacity in China, using an improved regularization supervised PMF model. **2023**, 879, 163198 ○
- 79 Emission of VOCs from service stations in Beijing: Species characteristics and pollutants co-control based on SOA and O₃. **2023**, 336, 117614 ○
- 78 Mutagenicity of PM_{2.5} and Ethnic Susceptibility in Chengdu-Chongqing Economic Circle, China. **2023**, 879, 163022 ○
- 77 Mechanism of persistent heavy PM_{2.5} pollution over the Beijing-Tianjin-Hebei region of China: A combination of aerosol radiative effect and atmospheric quasi-biweekly oscillation. **2023**, 303, 119751 ○
- 76 Can environmental information disclosure attract FDI? Evidence from PITI project. **2023**, 403, 136861 ○
- 75 Impact of primary emission variations on secondary inorganic aerosol formation: Prospective from COVID-19 lockdown in a typical northern China city. **2023**, 323, 121355 ○
- 74 Can climate indices forecast daily variations of wintertime PM_{2.5} concentrations in East Asia?. **2023**, 881, 163505 ○
- 73 Nitrogen isotopes suggest agricultural and non-agricultural sources contribute equally to NH₃ and NH₄⁺ in urban Beijing during December 2018. **2023**, 326, 121455 ○
- 72 Size distributions of molecular markers for biogenic secondary organic aerosol in urban Beijing. **2023**, 327, 121569 ○
- 71 Characterization of water-soluble brown carbon in atmospheric fine particles over Xi'an, China: Implication of aqueous brown carbon formation from biomass burning. **2023**, 881, 163442 ○
- 70 Emission factors and source profiles of volatile organic compounds from typical industrial sources in Guangzhou, China. **2023**, 869, 161758 ○
- 69 Investigating aerosol chemistry using Real-Time Single Particle Mass Spectrometry: A viewpoint on its recent development. **2023**, 149, 105554 1
- 68 Using hybrid methodologies to characterize temporal behavior and source of ambient ammonia. **2023**, 14, 101663 ○
- 67 Spontaneous Reduction of Transition Metal Ions by One Electron in Water Microdroplets and the Atmospheric Implications. **2023**, 145, 2800-2805 1
- 66 Characteristics, chemical transformation and source apportionment of volatile organic compounds (VOCs) during wintertime at a suburban site in a provincial capital city, east China. **2023**, 298, 119621 ○
- 65 Exploring the contributions of major emission sources to PM_{2.5} and attributable health burdens in China. **2023**, 322, 121177 ○
- 64 VOC emission profiles from typical solid fuel combustion in Fenhe River Basin: Field measurements and environmental implication. **2023**, 322, 121172 ○
- 63 Trends of Full-Volatility Organic Emissions in China from 2005 to 2019 and Their Organic Aerosol Formation Potentials. **2023**, 10, 137-144 1

62	Significant impact of VOCs emission from coking and coal/biomass combustion on O ₃ and SOA formation in taiyuan, China. 2023 , 14, 101671	o
61	Identification of Active Sites over Metal-Free Carbon Catalysts for Flue Gas Desulfurization. 2023 , 57, 2575-2583	o
60	Attribution of Air Quality Benefits to Clean Winter Heating Policies in China: Combining Machine Learning with Causal Inference.	o
59	Divergent Energy-Climate Nexus in the Global Fuel Combustion Processes. 2023 , 57, 2506-2515	o
58	Design of an efficient energy management system for renewables based wireless electric vehicle charging station.	o
57	Modeling of wintertime regional formation of secondary organic aerosols around Beijing: sensitivity analysis and anthropogenic contributions. 2023 , 2,	1
56	Sector-based volatile organic compound emission characteristics and reduction perspectives for coating materials manufacturing in China. 2023 , 394, 136407	o
55	Enhancement of acidic sites in layered MnO ₂ for the highly efficient selective catalytic oxidation of gaseous ammonia. 2023 , 11, 109480	o
54	Chlorinated organic pollutants in global flooded soil and sediments: Pollution status and potential risk. 2023 , 323, 121270	o
53	Synergistic effect of factors influencing urban air quality in China: a hybrid model integrating WGRA and QCA.	o
52	Temporal Modeling and Analysis to the Variations and Trending of Haze in China.	o
51	A Study of Urban Haze and Its Association with Cold Surge and Sea Breeze for Greater Bangkok. 2023 , 20, 3482	o
50	Secondary Formation of Submicron and Supermicron Organic and Inorganic Aerosols in a Highly Polluted Urban Area. 2023 , 128,	o
49	Variations of air pollutant response to COVID-19 lockdown in cities of the Tibetan Plateau. 2023 , 3, 708-716	o
48	BMAL1/p53 mediating bronchial epithelial cell autophagy contributes to PM _{2.5} -aggravated asthma. 2023 , 21,	o
47	Bilateral impact of digital economy on air pollution: Emissions increase and reduction effects. 11,	o
46	The shifting of secondary inorganic aerosol formation mechanisms during haze aggravation: the decisive role of aerosol liquid water. 2023 , 23, 2365-2378	o
45	Using machine learning to quantify drivers of aerosol pollution trend in China from 2015 to 2022. 2023 , 151, 105614	o

- 44 Metal-free catalysis on the reactions of nitric acid with aliphatic aldehydes: A new potential source of organic nitrates. **2023**, 299, 119673 ○
- 43 Target the neglected VOCs emission from iron and steel industry in China for air quality improvement. **2023**, 17, ○
- 42 Change in Air Quality during 2014-2021 in Jinan City in China and Its Influencing Factors. **2023**, 11, 210 ○
- 41 COVID-19 Pandemic: Impacts on Air Quality during Partial Lockdown in the Metropolitan Area of Sā Paulo. **2023**, 15, 1262 ○
- 40 Modulation of daily PM_{2.5} concentrations over China in winter by large-scale circulation and climate change. **2023**, 23, 2829-2842 ○
- 39 Corrosion of Synthetic Intermetallic Compounds and AA7075-T6 in Dilute Harrison's Solution and Inhibition by Cerium(III) Salts. **2023**, 170, 031503 ○
- 38 Characterization Methods of Ions and Metals in Particulate Matter Pollutants on PM_{2.5} and PM₁₀ Samples from Several Emission Sources. **2023**, 15, 4402 ○
- 37 Contributions of various driving factors to air pollution events: Interpretability analysis from Machine learning perspective. **2023**, 173, 107861 ○
- 36 Trends of source apportioned PM_{2.5} in Tianjin over 2013-2019: Impacts of Clean Air Actions. **2023**, 325, 121344 ○
- 35 Facility-Level Emissions and Synergistic Control of Energy-Related Air Pollutants and Carbon Dioxide in China. **2023**, 57, 4504-4512 ○
- 34 Formation Mechanisms and Source Apportionments of Nitrate Aerosols in a Megacity of Eastern China Based On Multiple Isotope Observations. **2023**, 128, ○
- 33 A MISR-Based Method for the Estimation of Particle Size Distribution: Comparison with AERONET over China. **2023**, 3, ○
- 32 Characterization of offline analysis of particulate matter with FIGAERO-CIMS. **2023**, 16, 1147-1165 ○
- 31 Synergistic Effect of El Niño and Arctic Sea-Ice Increment on Wintertime Northeast Asian Anomalous Anticyclone and Its Corresponding PM_{2.5} Pollution. **2023**, 128, 1 ○
- 30 Characteristics of particulate-bound n-alkanes indicating sources of PM_{2.5} in Beijing, China. **2023**, 23, 3015-3029 ○
- 29 Research on the Impact of Air Pollution on the Cost of Living of Residents. ○
- 28 Aqueous-phase formation of N-containing secondary organic compounds affected by the ionic strength. **2024**, 138, 88-101 ○
- 27 Real-Time Single-Particle Characteristics and Aging of Cooking Aerosols in Urban Beijing. ○

- 26 Seasonal Characteristics of Fine Particulate Carbonaceous Species in Taiyuan, North China. **2023**, 14, 593 ○
- 25 More water-soluble brown carbon after the residential "coal-to-gas" conversion measure in urban Beijing. **2023**, 6, ○
- 24 Mechanism of Fenton Oxidation of Levoglucosan in Water. **2023**, 127, 2975-2985 ○
- 23 A Review of Poultry Waste-to-Wealth: Technological Progress, Modeling and Simulation Studies, and Economic- Environmental and Social Sustainability. **2023**, 15, 5620 ○
- 22 Critical contribution of moisture to the air quality deterioration in a warm and humid weather. **2023**, 13, ○
- 21 Polymeric carbon nitride-based photocatalysts for the removal of nitrogen oxides: a review. ○
- 20 Investigation of PM_{2.5}-bound Polycyclic aromatic hydrocarbons (PAHs) and their derivatives (nitrated-PAHs and oxygenated-PAHs) in the roadside environment at the eastern coastal region of China: characterization, source identification, and toxicity evaluation. ○
- 19 Sources of Organic Aerosol in China from 2005 to 2019: A Modeling Analysis. **2023**, 57, 5957-5966 ○
- 18 Seasonal Variations in the Sources and Influential Factors of Aerosol Dissolved Black Carbon at a Southeast Coastal Site in China. **2023**, 128, ○
- 17 An Intelligent Wearable Filtration System for Health Management. **2023**, 17, 7035-7046 ○
- 16 Vehicular ammonia emissions: an underappreciated emission source in densely populated areas. **2023**, 23, 3819-3828 ○
- 15 A review on the heterogeneous oxidation of SO₂ on solid atmospheric particles: Implications for sulfate formation in haze chemistry. 1-24 ○
- 14 Drivers of High Concentrations of Secondary Organic Aerosols in Northern China during the COVID-19 Lockdowns. **2023**, 57, 5521-5531 ○
- 13 Analysis of China's PM_{2.5} and ozone coordinated control strategy based on the observation data from 2015 to 2020. **2023**, ○
- 12 Spatiotemporal variations of wintertime secondary PM_{2.5} and meteorological drivers in a basin region over Central China for 2015-2020. **2023**, 14, 101738 ○
- 11 Improved redox synthesis of Mn-Co bimetallic oxide catalysts using citric acid and their toluene oxidation activity. **2023**, 13, 11069-11080 ○
- 10 Investigation on slagging and high-temperature corrosion prevention and control of a 1000MW ultra supercritical double tangentially fired boiler. **2023**, 275, 127455 ○
- 9 Investigating the impact of relative humidity and air tightness on PM sedimentation and concentration reduction. **2023**, 110270 ○

- 8 Combustion, Chemistry, and Carbon Neutrality. ○
- 7 Changes in the dynamical, thermodynamical and hydrometeor characteristics prior to extreme rainfall events along the southwest coast of India in recent decades. **2023**, 289, 106752 ○
- 6 Source Apportionment of Atmospheric Ammonia at 16 Sites in China Using a Bayesian Isotope Mixing Model Based on $\delta^{15}\text{N}$ / $\delta^3\text{H}$ Signatures. ○
- 5 Synergistic Effects of SO_2 and NH_3 Coexistence on SOA Formation from Gasoline Evaporative Emissions. ○
- 4 How Media Factor and Governmental Factor Affected Individual Opinion on Haze in China. ○
- 3 Seasonal variation of aerosol optical properties in a coastal city of southeast China: Based on one year of measurements. **2023**, 119804 ○
- 2 Air pollution, EGFR mutation, and cancer initiation. **2023**, 4, 101046 ○
- 1 Multiple pathways for the formation of secondary organic aerosol in the North China Plain in summer. **2023**, 23, 5419-5433 ○