

CITATION REPORT

List of articles citing

Special wettable materials for oil/water separation

DOI: 10.1039/c3ta13397d

Journal of Materials Chemistry A, 2014, 2, 2445-2460.

Source: <https://exaly.com/paper-pdf/59378614/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
976	Controllable underwater anisotropic oil-wetting. 2014 , 105, 071608		18
975	Multifunctional superhydrophobic polymer/carbon nanocomposites: graphene, carbon nanotubes, or carbon black?. 2014 , 6, 8859-67		101
974	Mussel-inspired chemistry and StBer method for highly stabilized water-in-oil emulsions separation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20439-20443	13	75
973	EDTA-induced self-assembly of 3D graphene and its superior adsorption ability for paraquat using a teabag. 2014 , 6, 19766-73		48
972	Oil/water separation performances of superhydrophobic and superoleophilic sponges. 2014 , 30, 13137-42		139
971	Turning Low-Cost Filter Papers to Highly Efficient Membranes for Oil/Water Separation by Atomic-Layer-Deposition-Enabled Hydrophobization. 2014 , 53, 16516-16522		28
970	A novel solution-controlled hydrogel coated mesh for oil/water separation based on monolayer electrostatic self-assembly. 2014 , 4, 51404-51410		30
969	Bioinspired underwater superoleophobic surface with ultralow oil-adhesion achieved by femtosecond laser microfabrication. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 8790-8795	13	136
968	Self-driven one-step oil removal from oil spill on water via selective-wettability steel mesh. 2014 , 6, 19858-65		191
967	Mussel-inspired one-step copolymerization to engineer hierarchically structured surface with superhydrophobic properties for removing oil from water. 2014 , 6, 17144-50		92
966	Ultra-light nanocomposite aerogels of bacterial cellulose and reduced graphene oxide for specific absorption and separation of organic liquids. 2014 , 4, 21553		64
965	Wood-based microhaired superhydrophobic and underwater superoleophobic surfaces for oil/water separation. 2014 , 4, 31079-31083		33
964	Mussel-inspired modification of a polymer membrane for ultra-high water permeability and oil-in-water emulsion separation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 10225-10230	13	498
963	Silica-decorated polypropylene microfiltration membranes with a mussel-inspired intermediate layer for oil-in-water emulsion separation. 2014 , 6, 12566-72		254
962	Synthesis of a Novel Hydrogel Nanocomposite Coated on Cotton Fabric for Water/Oil Separation. 2014 , 225, 1		19
961	Facile fabrication of core shell Fe ₃ O ₄ @polydopamine microspheres with unique features of magnetic control behavior and special wettability. 2014 , 463, 101-109		28
960	Biomimetic and bioinspired membranes: Preparation and application. 2014 , 39, 1668-1720		155

959	A facile solvent-manipulated mesh for reversible oil/water separation. 2014 , 6, 12821-6	122
958	Durable superhydrophobic and superoleophilic filter paper for oil/water separation prepared by a colloidal deposition method. 2014 , 313, 304-310	122
957	Superhydrophilic and superoleophobic chitosan-based nanocomposite coatings for oil/water separation. 2014 , 21, 1851-1857	71
956	Protonated Melamine Sponge for Effective Oil/Water Separation. 2015 , 5, 14294	40
955	Superwetting Materials of Oil/Water Emulsion Separation. 2015 , 44, 874-883	68
954	A Superhydrophobic Sponge with Hierarchical Structure as an Efficient and Recyclable Oil Absorbent. 2015 , 80, 1435-1439	32
953	Ö/Wasser-Trennung mit selektiven superabweisenden/superbenetzbaren Oberflächenmaterialien. 2015 , 127, 2358-2368	30
952	Zirconia-Nanoparticle-Reinforced Morphology-Engineered Graphene-Based Foams. 2015 , 27, 4534-43	28
951	Multifunctional Hybrid Porous Micro-/Nanocomposite Materials. 2015 , 27, 7775-81	44
950	Barrel-Shaped Oil Skimmer Designed for Collection of Oil from Spills. 2015 , 2, 1500350	91
949	A Solvothermal Route Decorated on Different Substrates: Controllable Separation of an Oil/Water Mixture to a Stabilized Nanoscale Emulsion. 2015 , 27, 7349-55	187
948	Tuning Surface Wettability and Adhesivity of a Nitrogen-Doped Graphene Foam after Water Vapor Treatment for Efficient Oil Removal. 2015 , 2, 1500243	29
947	Directly Coating Hydrogel on Filter Paper for Effective Oil/Water Separation in Highly Acidic, Alkaline, and Salty Environment. 2015 , 25, 5368-5375	263
946	Highly Elastic and Conductive N-Doped Monolithic Graphene Aerogels for Multifunctional Applications. 2015 , 25, 6976-6984	83
945	Bioinspired Superhydrophobic Fe ₃ O ₄ @Polydopamine@Ag Hybrid Nanoparticles for Liquid Marble and Oil Spill. 2015 , 2, 1500234	67
944	Controlling electrodeposited conducting polymer nanostructures with the number and the length of fluorinated chains for adjusting superhydrophobic properties and adhesion. 2015 , 5, 37196-37205	17
943	A facile one-step spray-coating process for the fabrication of a superhydrophobic attapulgite coated mesh for use in oil/water separation. 2015 , 5, 53802-53808	123
942	Robust Polypropylene Fabrics Super-Repelling Various Liquids: A Simple, Rapid and Scalable Fabrication Method by Solvent Swelling. 2015 , 7, 13996-4003	51

941	Fabrication of optimized oil-water separation devices through the targeted treatment of silica meshes. 2015 , 16, 055006		13
940	Hydrophobic and fire-resistant carbon monolith from melamine sponge: A recyclable sorbent for oil/water separation. 2015 , 84, 551-559		66
939	Underwater self-cleaning scaly fabric membrane for oily water separation. 2015 , 7, 4336-43		104
938	Improved antifouling property of PVDF membranes by incorporating an amphiphilic block-like copolymer for oil/water emulsion separation. 2015 , 5, 21349-21359		47
937	Sorption kinetics and mechanism of various oils into kapok assembly. 2015 , 91, 230-7		35
936	Polyelectrolyte-fluorosurfactant complex-based meshes with superhydrophilicity and superoleophobicity for oil/water separation. <i>Chemical Engineering Journal</i> , 2015 , 268, 245-250	14.7	98
935	Femtosecond laser controlling underwater oil-adhesion of glass surface. 2015 , 119, 837-844		18
934	Transparent, durable and thermally stable PDMS-derived superhydrophobic surfaces. 2015 , 339, 94-101		79
933	Fabrication of antifouling polymer/inorganic hybrid membranes through the synergy of biomimetic mineralization and nonsolvent induced phase separation. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 7287-7295	13	63
932	Underwater superoleophobic palygorskite coated meshes for efficient oil/water separation. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 14696-14702	13	237
931	Fish scale inspired design of underwater superoleophobic microcone arrays by sucrose solution assisted femtosecond laser irradiation for multifunctional liquid manipulation. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 18675-18683	13	77
930	Ante versus post-functionalization to control surface structures with superhydrophobic and superoleophobic properties. 2015 , 5, 63945-63951		7
929	A magnetic and highly reusable macroporous superhydrophobic/superoleophilic PDMS/MWNT nanocomposite for oil sorption from water. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 17685-17696	13	108
928	Oil spill cleanup by structured natural sorbents made from cattail fibers. <i>Industrial Crops and Products</i> , 2015 , 76, 25-33	5.9	55
927	A simple and economical method using graphene oxide for the fabrication of water/oil separation papers. 2015 , 5, 57860-57864		3
926	One-step fabrication of superhydrophobic and superoleophilic cigarette filters for oil-water separation. 2015 , 29, 2399-2407		31
925	Fluorine-free superhydrophobic/hydrophobic polybenzoxazine/TiO ₂ films with excellent thermal stability and reversible wettability. 2015 , 5, 55513-55519		23
924	Mussel-inspired one-step modification of a porous structured surface with self-cleaning properties for oil sorption. 2015 , 39, 6823-6829		14

923	A novel preparation for a PVA/L-histidine/AgNPs membrane and its antibacterial property. 2015 , 5, 54182-54187		
922	Self-roughened superhydrophobic coatings for continuous oil/water separation. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 10248-10253	13	104
921	Superhydrophilic/Underwater superoleophobic ZnO-based coated mesh for highly efficient oil and water separation. 2015 , 153, 62-65		62
920	Adsorption and adhesiveness of kapok fiber to different oils. 2015 , 296, 101-111		65
919	A cellulose sponge with robust superhydrophilicity and under-water superoleophobicity for highly effective oil/water separation. 2015 , 17, 3093-3099		205
918	Mussel-Inspired Hybrid Coatings that Transform Membrane Hydrophobicity into High Hydrophilicity and Underwater Superoleophobicity for Oil-in-Water Emulsion Separation. 2015 , 7, 9534-45		219
917	One-step fabrication of a nickel foam-based superhydrophobic and superoleophilic box for continuous oil/water separation. 2015 , 50, 4707-4716		42
916	Superhydrophobic and superoleophilic sponge-like aerogels for oil/water separation. 2015 , 50, 5115-5124		30
915	A multi-functional oil-water separator from a selectively pre-wetted superamphiphobic paper. 2015 , 51, 6149-52		103
914	One-step fabrication of robust fabrics with both-faced superhydrophobicity for the separation and capture of oil from water. 2015 , 17, 6451-7		160
913	Femtosecond laser induced hierarchical ZnO superhydrophobic surfaces with switchable wettability. 2015 , 51, 9813-6		64
912	Photoinduced switchable underwater superoleophobicity/superoleophilicity on laser modified titanium surfaces. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 10703-10709	13	101
911	Blending and Morphology Control To Turn Hydrophobic SEBS Electrospun Mats Superhydrophilic. 2015 , 31, 5495-503		31
910	Underwater superoleophobic coatings fabricated from tannic acid-decorated carbon nanotubes. 2015 , 5, 16112-16115		14
909	A novel mussel-inspired strategy toward superhydrophobic surfaces for self-driven crude oil spill cleanup. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 12171-12178	13	116
908	Bioinspired transparent underwater superoleophobic and anti-oil surfaces. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9379-9384	13	86
907	Surface modification of bacterial cellulose aerogels' web-like skeleton for oil/water separation. 2015 , 7, 7373-81		291
906	A facile approach in fabricating superhydrophobic and superoleophilic poly (vinylidene fluoride) membranes for efficient water/oil separation. 2015 , 132, n/a-n/a		16

905	Durable superhydrophobic/superoleophilic epoxy/attapulgite nanocomposite coatings for oil/water separation. <i>Surface and Coatings Technology</i> , 2015 , 272, 285-290	4.4	50
904	Femtosecond laser controlled wettability of solid surfaces. 2015 , 11, 8897-906		94
903	A facile dip-coating approach to stable superhydrophobic SiO ₂ /epoxy resin membrane preparation for micro-water separation in transformer oil liquids. 2015 , 5, 92947-92953		13
902	Facile Preparation of Magnetic Poly(styrene-divinylbenzene) Foam and Its Application as an Oil Absorbent. 2015 , 54, 11033-11039		56
901	PhotoATRP-Based Fluorinated Thermosensitive Block Copolymer for Controllable Water/Oil Separation. 2015 , 54, 10714-10722		45
900	A self-cleaning polybenzoxazine/TiO ₂ surface with superhydrophobicity and superoleophilicity for oil/water separation. 2015 , 7, 19476-83		128
899	Continuous, High-Speed, and Efficient Oil/Water Separation using Meshes with Antagonistic Wetting Properties. 2015 , 7, 18915-9		78
898	Stable superhydrophobic and superoleophilic silica coated polyurethane sponges for the continuous capture and removal of oils from the water surface. 2015 , 39, 9958-9962		36
897	Cross-linked graphene membrane for high-performance organics separation of emulsions. <i>Journal of Membrane Science</i> , 2015 , 495, 439-444	9.6	41
896	An ultrathin bilayer membrane with asymmetric wettability for pressure responsive oil/water emulsion separation. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 23477-23482	13	128
895	Electrospun Microfibrous Membranes Based on PIM-1/POSS with High Oil Wettability for Separation of Oil/Water Mixtures and Cleanup of Oil Soluble Contaminants. 2015 , 54, 8772-8781		98
894	Poly(E-caprolactone) Microfiber Meshes for Repeated Oil Retrieval. 2015 , 1, 779-786		6
893	Smart Fiber Membrane for pH-Induced Oil/Water Separation. 2015 , 7, 19643-50		186
892	Surface Modification for Superhydrophilicity and Underwater Superoleophobicity: Applications in Antifog, Underwater Self-Cleaning, and Oil-Water Separation. 2015 , 7, 21021-9		106
891	Sensitivity of coalescence separation of oil/water emulsions using stainless steel felt enabled by LBL self-assembly and CVD. 2015 , 5, 71345-71354		17
890	Low Drag Porous Ship with Superhydrophobic and Superoleophilic Surface for Oil Spills Cleanup. 2015 , 7, 26184-94		64
889	Bimodal SBA-15 and polymethylsilsesquioxane monoliths with regulated mesoporous structure and macroporosity. 2015 , 293, 3369-3380		5
888	Reversible Underwater Lossless Oil Droplet Transportation. 2015 , 2, 1400388		55

887	Mussel-inspired tailoring of membrane wettability for harsh water treatment. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2650-2657	13	150
886	Graphene Foam with Switchable Oil Wettability for Oil and Organic Solvents Recovery. 2015 , 25, 597-605		118
885	Ultrafiltration Membranes with Structure-Optimized Graphene-Oxide Coatings for Antifouling Oil/Water Separation. 2015 , 2, 1400433		116
884	Fabrication and characterization of nanofibrillated cellulose and its aerogels from natural pine needles. 2015 , 119, 202-9		115
883	Oil/water separation with selective superantiwetting/superwetting surface materials. 2015 , 54, 2328-38		861
882	Facile Fabrication of Superhydrophobic/Superoleophilic Cotton for Highly Efficient Oil/Water Separation. 2016 , 12,		6
881	A self-cleaning TiO ₂ coated mesh with robust underwater superoleophobicity for oil/water separation in a complex environment. 2016 , 6, 65171-65178		20
880	A Facile Approach for Fabricating Dual-Function Membrane: Simultaneously Removing Oil from Water and Adsorbing Water-Soluble Proteins. 2016 , 3, 1600291		22
879	Recent Development of Advanced Materials with Special Wettability for Selective Oil/Water Separation. 2016 , 12, 2186-202		563
878	Electrochemical route to prepare polyaniline-coated meshes with controllable pore size for switchable emulsion separation. <i>Chemical Engineering Journal</i> , 2016 , 304, 115-120	14.7	59
877	Electrospun Fibrous Mat with pH-Switchable Superwettability That Can Separate Layered Oil/Water Mixtures. 2016 , 32, 13358-13366		64
876	A highly efficient, stable, durable, and recyclable filter fabricated by femtosecond laser drilling of a titanium foil for oil-water separation. 2016 , 6, 37591		45
875	Rational Design of Next-generation Nanomaterials and Nanodevices for Water Applications. 2016 ,		2
874	Separation of organic liquid mixture by flexible nanofibrous membranes with precisely tunable wettability. 2016 , 8, e334-e334		50
873	Porous hollow fiber membranes with varying hydrophobic/hydrophilic surface properties for gas/liquid membrane contactors. 2016 , 56, 1066-1073		2
872	One-step facile fabrication of controllable microcone and micromolar silicon arrays with tunable wettability by liquid-assisted femtosecond laser irradiation. 2016 , 6, 37463-37471		25
871	A versatile and cost-effective reduced graphene oxide-crosslinked polyurethane sponge for highly effective wastewater treatment. 2016 , 6, 38350-38355		21
870	Omniphilic Polymeric Sponges by Ice Templating. 2016 , 28, 1823-1831		44

869	Superhydrophobic meshes that can repel hot water and strong corrosive liquids used for efficient gravity-driven oil/water separation. 2016 , 8, 7638-45		326
868	Highly efficient oil/water separators based on dual superhydrophobic and superoleophilic properties of multiwall-carbon nanotube filtration films. 2016 , 6, 12431-12434		12
867	A facile approach to silica-modified polysulfone microfiltration membranes for oil-in-water emulsion separation. 2016 , 6, 41323-41330		10
866	Fabrication of Superhydrophobic/Superoleophilic Fabrics by an Etching and Dip-Coating Two-Step Method for Oil/Water Separation. 2016 , 55, 5030-5035		80
865	A facile approach for preparation of underwater superoleophobicity cellulose/chitosan composite aerogel for oil/water separation. 2016 , 122, 1		32
864	Ultrastable coaxial cable-like superhydrophobic mesh with self-adaption effect: facile synthesis and oil/water separation application. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 8080-8090	13	82
863	Facile fabrication of hydrophobic octadecylamine-functionalized polyurethane foam for oil spill cleanup. 2016 , 53, 196-200		8
862	Beads-on-String Structured Nanofibers for Smart and Reversible Oil/Water Separation with Outstanding Antifouling Property. 2016 , 8, 25612-20		106
861	A facile one-step fabrication of robust superhydrophobic/superoleophilic cotton fabric using a crosslinkable POSS-containing fluorinated copolymer. 2016 , 101, 522-529		22
860	Extraction of Oil from an Aqueous Emulsion by Coupling Thermal Swing with a Capillary Pump. 2016 , 32, 10213-10225		1
859	Unpowered oil absorption by a wettability sponge based oil skimmer. 2016 , 6, 88001-88009		20
858	Robust superhydrophobic carbon nanofiber network inlay-gated mesh for water-in-oil emulsion separation with high flux. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 17970-17980	13	64
857	A regenerable copper mesh based oil/water separator with switchable underwater oleophobicity. 2016 , 6, 92833-92838		4
856	Atmospheric Pressure Plasma Functionalized Polymer Mesh: An Environmentally Friendly and Efficient Tool for Oil/Water Separation. 2016 , 4, 6828-6837		71
855	Bioinspired polydopamine particles-assisted construction of superhydrophobic surfaces for oil/water separation. 2016 , 482, 240-251		77
854	Oil-Water Separation: A Gift from the Desert. 2016 , 3, 1500650		91
853	pH-Induced switches of the oil- and water-selectivity of crosslinked polymeric membranes for gravity-driven oil/water separation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 13543-13548	13	69
852	Facile Fabrication of a Polyethylene Mesh for Oil/Water Separation in a Complex Environment. 2016 , 8, 24186-91		62

851	A study on the fabrication of porous PVDF membranes by in-situ elimination and their applications in separating oil/water mixtures and nano-emulsions. <i>Journal of Membrane Science</i> , 2016 , 520, 760-768	9.6	67
850	A novel profiled core-shell nanofibrous membrane for wastewater treatment by direct contact membrane distillation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 14453-14463	13	31
849	Recent advances in biomimetic thin membranes applied in emulsified oil/water separation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 15749-15770	13	138
848	Plug-and-Go Type Liquid Diode: Integrated Mesh with Janus Superwetting Properties. 2016 , 3, 1600276		30
847	Robust superhydrophobic attapulgite coated polyurethane sponge for efficient immiscible oil/water mixture and emulsion separation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 15546-15553	13	259
846	Superhydrophobic filter paper via an improved phase separation process for oil/water separation: study on surface morphology, composition and wettability. 2016 , 23, 3913-3924		29
845	Synthesis of vertically aligned composite microcone membrane filter for water/oil separation. 2016 , 111, 9-16		13
844	A UV-driven superhydrophilic/superoleophobic polyelectrolyte multilayer film on fabric and its application in oil/water separation. 2016 , 6, 91301-91307		30
843	High-efficiency water collection on biomimetic material with superwetttable patterns. 2016 , 52, 12415-12417		71
842	Facile fabrication of superhydrophobic meshes with different water adhesion and their influence on oil/water separation. 2016 , 6, 90824-90830		18
841	Post-functionalization of plasma treated polycarbonate substrates: An efficient way to hydrophobic, oleophobic plastics. 2016 , 387, 28-35		14
840	Femtosecond laser ablated durable superhydrophobic PTFE films with micro-through-holes for oil/water separation: Separating oil from water and corrosive solutions. 2016 , 389, 1148-1155		127
839	Surface-Independent Hierarchical Coatings with Superamphiphobic Properties. 2016 , 8, 29117-29127		56
838	Zirconia based superhydrophobic coatings on cotton fabrics exhibiting excellent durability for versatile use. 2015 , 5, 18503		73
837	Three-dimensional carbon-based architectures for oil remediation: from synthesis and modification to functionalization. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18687-18705	13	62
836	Preparation of an oil-absorptive gel containing a 4-t-butyl styrene-EPDM-divinyl benzene graft polymer by reactive processing. 2016 , 6, 104934-104940		1
835	A Versatile and Scalable Approach toward Robust Superhydrophobic Porous Materials with Excellent Absorbency and Flame Retardancy. 2016 , 6, 31233		21
834	Bionic creation of nano-engineered Janus fabric for selective oil/organic solvent absorption. 2016 , 6, 111250-111260		52

833	In Situ and Ex Situ pH-Responsive Coatings with Switchable Wettability for Controllable Oil/Water Separation. 2016 , 8, 31281-31288		104
832	Fabrication of zirconia based durable superhydrophobic/superoleophilic fabrics using non fluorinated materials for oil/water separation and water purification. 2016 , 6, 103632-103640		44
831	Multifunctional ultrathin aluminum foil: oil/water separation and particle filtration. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18832-18840	13	70
830	Artificial Molecular Machine Immobilized Surfaces: A New Platform To Construct Functional Materials. 2016 , 17, 1759-68		33
829	Robust Superhydrophobic Fabric Bag Filled with Polyurethane Sponges Used for Vacuum-Assisted Continuous and Ultrafast Absorption and Collection of Oils from Water. 2016 , 3, 1500770		164
828	Fabrication of an oil/water separation copper filter using laser beam machining. 2016 , 26, 045008		9
827	Covalently Crosslinked and Physically Stable Polymer Coatings with Chemically Labile and Dynamic Surface Features Fabricated by Treatment of Azlactone-Containing Multilayers with Alcohol-, Thiol-, and Hydrazine-Based Nucleophiles. 2016 , 28, 5063-5072		18
826	Photocatalytic treatment of oil and grease spills in wastewater using coated N-doped TiO ₂ polyscales under sunlight as an alternative driving energy. 2016 , 13, 2293-2302		26
825	Facile fabrication of underwater superoleophobic SiO ₂ coated meshes for separation of polluted oils from corrosive and hot water. 2016 , 168, 209-214		40
824	Electrospun Differential Wetting Membranes for Efficient Oil/Water Separation. 2016 , 301, 812-817		23
823	Recent Advances in TiO ₂ -Based Nanostructured Surfaces with Controllable Wettability and Adhesion. 2016 , 12, 2203-24		228
822	3D Self-Supporting Porous Magnetic Assemblies for Water Remediation and Beyond. 2016 , 6, 1600473		31
821	Toward efficient water/oil separation material: Effect of copolymer composition on pH-responsive wettability and separation performance. 2016 , 62, 1758-1771		34
820	Design of a superhydrophobic and superoleophilic film using cured fluoropolymer@silica hybrid. 2016 , 388, 268-273		31
819	Facile preparation of superhydrophobic and superoleophilic porous polymer membranes for oil/water separation from a polyarylester polydimethylsiloxane block copolymer. 2016 , 51, 3211-3218		44
818	One-Step Coating toward Multifunctional Applications: Oil/Water Mixtures and Emulsions Separation and Contaminants Adsorption. 2016 , 8, 3333-9		101
817	Facile fabrication of underwater superoleophobic TiO ₂ coated mesh for highly efficient oil/water separation. 2016 , 489, 441-446		78
816	Carbon materials as oil sorbents: a review on the synthesis and performance. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 1550-1565	13	245

815	Electrodeposition of Polypyrenes with Tunable Hydrophobicity, Water Adhesion, and Fluorescence Properties. 2016 , 120, 7077-7087		23
814	Inspired smart materials with external stimuli responsive wettability: a review. 2016 , 6, 36623-36641		110
813	Durable superhydrophilic coatings formed for anti-biofouling and oil/water separation. <i>Journal of Membrane Science</i> , 2016 , 506, 22-30	9.6	61
812	Genotoxic and histopathological biomarkers for assessing the effects of magnetic exfoliated vermiculite and exfoliated vermiculite in <i>Danio rerio</i> . 2016 , 551-552, 228-37		8
811	A multifunctional polymeric nanofilm with robust chemical performances for special wettability. 2016 , 8, 5153-61		15
810	Self-cleaning pH/thermo-responsive cotton fabric with smart-control and reusable functions for oil/water separation. 2016 , 6, 24076-24082		45
809	Wetting of Hydrophilic Electrospun Mats Produced by Blending SEBS with PEO-PPO-PEO Copolymers of Different Molecular Weight. 2016 , 32, 1846-53		19
808	Understanding the separations of oil/water mixtures from immiscible to emulsions on super-wettable surfaces. 2016 , 13, 1-29		77
807	Environmental Applications of Interfacial Materials with Special Wettability. 2016 , 50, 2132-50		197
806	A modified mussel-inspired method to fabricate TiO ₂ decorated superhydrophilic PVDF membrane for oil/water separation. <i>Journal of Membrane Science</i> , 2016 , 506, 60-70	9.6	328
805	Surfaces wettability and morphology modulation in a fluorene derivative self-assembly system. 2016 , 368, 97-103		8
804	Potential of <i>Calotropis gigantea</i> fiber as an absorbent for removal of oil from water. <i>Industrial Crops and Products</i> , 2016 , 83, 387-390	5.9	48
803	Free-Standing Graphene Oxide-Palygorskite Nanohybrid Membrane for Oil/Water Separation. 2016 , 8, 8247-56		168
802	Bio-inspired writable multifunctional recycled paper with outer and inner uniform superhydrophobicity. 2016 , 6, 30776-30784		14
801	Fabrication of superhydrophobic fibre and its application to selective oil spill removal. <i>Chemical Engineering Journal</i> , 2016 , 289, 1-6	14.7	63
800	Electrospun nanofibrous materials: a versatile medium for effective oil/water separation. 2016 , 19, 403-414		304
799	Influence of the monomer structure and electrochemical parameters on the formation of nanotubes with parahydrophobic properties (high water adhesion) by a templateless electropolymerization process. 2016 , 466, 413-24		23
798	Highly porous oil sorbent based on hollow fibers as the interceptor for oil on static and running water. 2016 , 305, 1-7		20

797	Separation of Emulsified Oil from Oily Wastewater by Functionalized Multiwalled Carbon Nanotubes. 2016 , 37, 1294-1302		35
796	Simple and eco-friendly fabrication of superhydrophobic textile for oil/water separation. 2016 , 37, 1591-6		16
795	Continuous In Situ Oil Recovery From Oil/Water Mixture with Natural Kapok Fiber and External Pumping. 2016 , 37, 386-392		6
794	A prewetting induced underwater superoleophobic or underoil (super) hydrophobic waste potato residue-coated mesh for selective efficient oil/water separation. 2016 , 18, 541-549		373
793	Special oleophobic and hydrophilic surfaces: approaches, mechanisms, and applications. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 3759-3773	13	178
792	Water purification: oil/water separation by nanotechnology and environmental concerns. 2017 , 4, 514-525		88
791	Recent progress in interfacial polymerization. 2017 , 1, 1028-1040		71
790	Fabrication of highly hydrophilic filter using natural and hydrothermally treated mica nanoparticles for efficient waste oil-water separation. <i>Journal of Environmental Management</i> , 2017 , 191, 96-104	7.9	29
789	Advanced oil sorbents using sequential infiltration synthesis. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 2929-2935	13	87
788	Fish Gill Inspired Crossflow for Efficient and Continuous Collection of Spilled Oil. 2017 , 11, 2477-2485		135
787	Superhydrophobic silica aerogels reinforced with polyacrylonitrile fibers for adsorbing oil from water and oil mixtures. 2017 , 7, 4039-4045		65
786	One-Step Synthesis of Cross-Linked Ionic Polymer Thin Films in Vapor Phase and Its Application to an Oil/Water Separation Membrane. 2017 , 139, 2329-2337		91
785	A facile method to fabricate the superhydrophobic magnetic sponge for oil-water separation. 2017 , 195, 66-70		46
784	Oxidant-Induced High-Efficient Mussel-Inspired Modification on PVDF Membrane with Superhydrophilicity and Underwater Superoleophobicity Characteristics for Oil/Water Separation. 2017 , 9, 8297-8307		104
783	Superhydrophobic sand: a hope for desert water storage and transportation projects. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 6416-6423	13	34
782	Femtosecond laser ablated durable superhydrophobic PTFE sheet for oil/water separation. 2017 ,		2
781	Superwetting Porous Materials for Wastewater Treatment: from Immiscible Oil/Water Mixture to Emulsion Separation. 2017 , 4, 1600029		128
780	Robust superhydrophilic polylactide (PLA) membranes with a TiO ₂ nano-particle inlaid surface for oil/water separation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 6538-6545	13	104

779	Superhydrophilic In-Situ-Cross-Linked Zwitterionic Polyelectrolyte/PVDF-Blend Membrane for Highly Efficient Oil/Water Emulsion Separation. 2017 , 9, 9603-9613		183
778	One-pot fabrication of nanoporous polymer decorated materials: from oil-collecting devices to high-efficiency emulsion separation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 5077-5087	13	78
777	Bioinspired, Mechano-Regulated Interfaces for Rationally Designed, Dynamically Controlled Collection of Oil Spills from Water. 2017 , 1, 1600014		6
776	Recent developments of carbon based nanomaterials and membranes for oily wastewater treatment. 2017 , 7, 20981-20994		68
775	Preparation and properties of monolithic and hydrophobic gelatin/silica composite aerogels for oil absorption. 2017 , 83, 197-206		20
774	Controlling the wettability of mesh substrates by post-functionalization using the Huisgen reaction. 2017 , 195, 67-73		
773	Mussel-inspired V-shaped copolymer coating for intelligent oil/water separation. <i>Chemical Engineering Journal</i> , 2017 , 322, 693-701	14.7	55
772	A novel reusable superhydrophilic NiO/Ni mesh produced by a facile fabrication method for superior oil/water separation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 10821-10826	13	83
771	A robust duplex Cu/PDMS-coated mesh with superhydrophobic surface for applications in cleaning of spilled oil. 2017 , 7, 25101-25108		6
770	Fabrication of superhydrophobic melamine sponges by thiol-ene click chemistry for oil removal. 2017 , 202, 99-102		33
769	A review of the recent advances in design of corrugated plate packs applied for oil/water separation. 2017 , 53, 37-50		25
768	Superhydrophobic hBN-Regulated Sponges with Excellent Absorbency Fabricated Using a Green and Facile Method. 2017 , 7, 45065		17
767	Superoleophobic surfaces. 2017 , 46, 4168-4217		435
766	Oil/water separation techniques: a review of recent progresses and future directions. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 16025-16058	13	585
765	A novel polyacrylonitrile membrane with a high flux for emulsified oil/water separation. 2017 , 184, 72-78		61
764	Fabrication of durable superhydrophobic coatings on cotton fabrics with photocatalytic activity by fluorine-free chemical modification for dual-functional water purification. 2017 , 41, 4618-4628		50
763	Facile Preparation of the Porous PDMS Oil-Absorbent for Oil/Water Separation. 2017 , 4, 1600862		97
762	Surface wettability switching of metal-organic framework mesh for oil-water separation. 2017 , 189, 82-85		32

761	Temperature Control of Mussel-Inspired Chemistry toward Hierarchical Superhydrophobic Surfaces for Oil/Water Separation. 2017 , 4, 1600727		44
760	Controllable <i>Dianthus caryophyllus</i> -like superhydrophilic/superhydrophobic hierarchical structure based on self-congregated nanowires for corrosion inhibition and biofouling mitigation. <i>Chemical Engineering Journal</i> , 2017 , 312, 317-327	14.7	47
759	A versatile and efficient approach to separate both surfactant-stabilized water-in-oil and oil-in-water emulsions. 2017 , 176, 1-7		24
758	Fabrication and Wettability Study of WO Coated Photocatalytic Membrane for Oil-Water Separation: A Comparative Study with ZnO Coated Membrane. 2017 , 7, 1686		37
757	Rapidly Degradable and Sustainable Polyhemiaminal Aerogels for Self-Driven Efficient Separation of Oil/Water Mixture. 2017 , 56, 6508-6514		8
756	Directional Fluid Gating by Janus Membranes with Heterogeneous Wetting Properties for Selective Oil-Water Separation. 2017 , 9, 19102-19113		91
755	A facile procedure to modify filter paper for oil/water separation. 2017 , 7, 30495-30499		16
754	Bioinspired Hydrogel-Coated Mesh with Superhydrophilicity and Underwater Superoleophobicity for Efficient and Ultrafast Oil/Water Separation in Harsh Environments. 2017 , 56, 7080-7085		76
753	Rinse-resistant superhydrophobic block copolymer fabrics by electrospinning, electrospraying and thermally-induced self-assembly. 2017 , 422, 769-777		30
752	Separation of Oil-in-Water Emulsions Using Hydrophilic Electrospun Membranes with Anisotropic Pores. 2017 , 33, 5872-5878		35
751	Stable Superwetting Meshes for On-Demand Separation of Immiscible Oil/Water Mixtures and Emulsions. 2017 , 33, 3702-3710		69
750	Recent Progress of Polyurethane-Based Materials for Oil/Water Separation. 2017 , 12, 1730001		8
749	Corrosion-resistant engineering superhydrophobic and superoleophilic bulk materials with oil/water separation property. 2017 , 52, 7130-7139		14
748	A facile method for the fabrication of a superhydrophobic polydopamine-coated copper foam for oil/water separation. 2017 , 413, 140-148		72
747	Nanosilica-decorated sponges for efficient oil/water separation: role of nanoparticle type and concentration. 2017 , 52, 7017-7027		23
746	Preparation of Superhydrophilic and Underwater Superoleophobic Nanofiber-Based Meshes from Waste Glass for Multifunctional Oil/Water Separation. 2017 , 13, 1700391		95
745	Oil loving hydrophobic gels made from glycerol propoxylate: Efficient and reusable sorbents for oil spill clean-up. <i>Journal of Environmental Management</i> , 2017 , 196, 330-339	7.9	17
744	Underwater Transparent Miniature "Mechanical Hand" Based on Femtosecond Laser-Induced Controllable Oil-Adhesive Patterned Glass for Oil Droplet Manipulation. 2017 , 33, 3659-3665		20

743	1-Octadecanol@hierarchical porous polymer composite as a novel shape-stability phase change material for latent heat thermal energy storage. 2017 , 187, 514-522		70
742	Adaptable bioinspired special wetting surface for multifunctional oil/water separation. 2017 , 7, 39970		33
741	Efficient removal of oil from oil contaminated water by superhydrophilic and underwater superoleophobic nano/micro structured TiO nanofibers coated mesh. 2017 , 171, 134-141		40
740	A catechol-based biomimetic strategy combined with surface mineralization to enhance hydrophilicity and anti-fouling property of PTFE flat membrane. <i>Journal of Membrane Science</i> , 2017 , 524, 409-418	9.6	60
739	Bioinspired Design of Underwater Superaerophobic and Superaerophilic Surfaces by Femtosecond Laser Ablation for Anti- or Capturing Bubbles. 2017 , 9, 39863-39871		108
738	Selective Cooperation with Liquids for Environmentally Friendly and Comprehensive Oil-Water Separation. 2017 , 10, 4839-4844		4
737	Flexible PVDF membranes with exceptional robust superwetting surface for continuous separation of oil/water emulsions. 2017 , 7, 14099		22
736	Fabrication of Robust Superhydrophobic Te@C-TiO ₂ Nanocomposites Coating for Application in Oil/Water Separation. 2017 , 12, 1750122		1
735	3D Multiscale Superhydrophilic Sponges with Delicately Designed Pore Size for Ultrafast Oil/Water Separation. 2017 , 27, 1704293		136
734	An innovative, fast and facile soft-template approach for the fabrication of porous PDMS for oil/water separation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 23785-23793	13	43
733	External-Field-Induced Gradient Wetting for Controllable Liquid Transport: From Movement on the Surface to Penetration into the Surface. 2017 , 29, 1703802		71
732	Morphology-Induced TiO ₂ Bandgap Change for Super Rapid Treatment of Dye Wastewater under Visible Light. 2017 , 2, 1700125		9
731	Special wettable nanostructured copper mesh achieved by a facile hot water treatment process. 2017 , 4, 095021		4
730	Nanofibrous metal-organic framework composite membrane for selective efficient oil/water emulsion separation. <i>Journal of Membrane Science</i> , 2017 , 543, 10-17	9.6	96
729	Gas-switchable carbon nanotube/polymer hybrid membrane for separation of oil-in-water emulsions. 2017 , 7, 39465-39470		12
728	pH-Driven Wetting Switchability of Electrodeposited Superhydrophobic Copolymers of Pyrene Bearing Acid Functions and Fluorinated Chains. 2017 , 18, 3429-3436		9
727	A superhydrophilic and underwater superoleophobic chitosan-TiO ₂ composite membrane for fast oil-in-water emulsion separation. 2017 , 7, 41838-41846		48
726	Combining Staudinger Reductive Amination and Amidification for the Control of Surface Hydrophobicity and Water Adhesion by Introducing Heterobifunctional Groups: Post- and Ante-Approach. 2017 , 218, 1700250		2

725	Robust translucent superhydrophobic PDMS/PMMA film by facile one-step spray for self-cleaning and efficient emulsion separation. <i>Chemical Engineering Journal</i> , 2017 , 330, 26-35	14.7	169
724	Superhydrophobic polymer multilayers for the filtration- and absorption-based separation of oil/water mixtures. 2017 , 55, 3127-3136		8
723	Superhydrophobic surfaces with fluorinated cellulose nanofiber assemblies for oil/water separation. 2017 , 7, 37168-37174		24
722	Diverse wettability of superoleophilicity and superoleophobicity for oil spill cleanup and recycling. 2017 , 426, 1158-1166		9
721	Underwater superoleophobicity cellulose nanofibril aerogel through regioselective sulfonation for oil/water separation. <i>Chemical Engineering Journal</i> , 2017 , 330, 774-782	14.7	72
720	Underwater oleophobic PTFE membrane for efficient and reusable emulsion separation and the influence of surface wettability and pore size. 2017 , 189, 32-39		19
719	Nepenthes Inspired Design of Self-Repairing Omniphobic Slippery Liquid Infused Porous Surface (SLIPS) by Femtosecond Laser Direct Writing. 2017 , 4, 1700552		73
718	Facile fabrication of anti-corrosive superhydrophobic diatomite coatings for removal oil from harsh environments. 2017 , 189, 335-340		23
717	Antifouling, high-flux oil/water separation carbon nanotube membranes by polymer-mediated surface charging and hydrophilization. <i>Journal of Membrane Science</i> , 2017 , 542, 254-263	9.6	72
716	pH-Induced Switchable Superwettability of Efficient Antibacterial Fabrics for Durable Selective Oil/Water Separation. 2017 , 9, 30161-30170		97
715	Closed Pore Structured NiCoO-Coated Nickel Foams for Stable and Effective Oil/Water Separation. 2017 , 9, 29177-29184		43
714	Superhydrophobic/Superoleophilic and Reinforced Ethyl Cellulose Sponges for Oil/Water Separation: Synergistic Strategies of Cross-linking, Carbon Nanotube Composite, and Nanosilica Modification. 2017 , 9, 29167-29176		76
713	A windable and stretchable three-dimensional all-inorganic membrane for efficient oil/water separation. 2017 , 7, 16081		17
712	Controllable domain morphology in coated poly(lactic acid) films for high-efficiency and high-precision transportation of water droplet arrays. 2017 , 7, 53525-53531		7
711	Super-hydrophobic 3D printed polysulfone membranes with a switchable wettability by self-assembled candle soot for efficient gravity-driven oil/water separation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 25401-25409	13	79
710	Electrodeposited Poly(thieno[3,2-b]thiophene) Films for the Templateless Formation of Porous Structures by Galvanostatic and Pulse Deposition. 2017 , 82, 1351-1358		14
709	Remarkably simple achievement of superhydrophobicity, superhydrophilicity, underwater superoleophobicity, underwater superoleophilicity, underwater superaerophobicity, and underwater superaerophilicity on femtosecond laser ablated PDMS surfaces. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 25249-25257	13	108
708	Sustainable polymeric material for the facile and repetitive removal of oil-spills through the complementary use of both selective-absorption and active-filtration processes. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 23339-23348	13	40

707	Surface Design of Separators for Oil/Water Separation with High Separation Capacity and Mechanical Stability. 2017 , 33, 8012-8022		6
706	Nature-inspired superwettability systems. 2017 , 2,		802
705	Selective filtration of oil/water mixtures with bioinspired porous membranes. 2017 , 7, 32806-32811		13
704	Superhydrophobic Coatings with Periodic Ring Structured Patterns for Self-Cleaning and Oil/Water Separation. 2017 , 4, 1700190		107
703	A novel hierarchical hollow SiO ₂ @MnO ₂ cubes reinforced elastic polyurethane foam for the highly efficient removal of oil from water. <i>Chemical Engineering Journal</i> , 2017 , 327, 539-547	14.7	61
702	Robust superhydrophobic-superoleophilic polytetrafluoroethylene nanofibrous membrane for oil/water separation. <i>Journal of Membrane Science</i> , 2017 , 540, 354-361	9.6	145
701	One-step Strategy to Prepare Utility ZnO/Stearic Acid (STA) Superhydrophobic Nanocoating. 2017 , 46, 1393-1395		7
700	Fabrication of robust and durable superhydrophobic fiberglass fabrics for oil/water separation based on self-assembly of novel N-TESPO and N-TESPS reagents. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 680-688	13	21
699	A magnetic superhydrophilic/oleophobic sponge for continuous oil-water separation. <i>Chemical Engineering Journal</i> , 2017 , 309, 366-373	14.7	124
698	Recyclable magnetic graphene oxide for rapid and efficient demulsification of crude oil-in-water emulsion. 2017 , 189, 79-87		89
697	Graphene oxide/polyacrylonitrile fiber hierarchical-structured membrane for ultra-fast microfiltration of oil-water emulsion. <i>Chemical Engineering Journal</i> , 2017 , 307, 643-649	14.7	229
696	Fabrication of highly underwater oleophobic textiles through poly(vinyl alcohol) crosslinking for oil/water separation: the effect of surface wettability and textile type. 2017 , 52, 1194-1202		17
695	Dip-coating for fibrous materials: mechanism, methods and applications. 2017 , 81, 378-404		85
694	Preparation of PVDF-HFP@FAS electrospun fibrous film with special wettability and the research of its oil-water separation performance. 2017 , 182, 218-227		5
693	Polypyrrole Wheel-Like Arrays toward Robust Controlling Manipulation of Organic Droplets Underwater. 2017 , 13, 1701938		9
692	. 2017 ,		3
691	Molecular Dynamics Study on the Effect of Surface Hydroxyl Groups on Three-Phase Wettability in Oil-Water-Graphite Systems. 2017 , 9,		21
690	A Facile and Effective Method to Fabricate Superhydrophobic/Superoleophilic Surface for the Separation of Both Water/Oil Mixtures and Water-in-Oil Emulsions. 2017 , 9,		11

689	Fabrication of Biomimetic and Bioinspired Membranes. 2017 ,		2
688	Self-Assembly of Graphene Derivatives: Methods, Structures, and Applications. 2017 , 47-74		6
687	Effective removal of emulsified oil from oily wastewater using surfactant-modified sepiolite. 2018 , 157, 227-236		36
686	Enhanced oil removal from water in oil stable emulsions using electrospun nanocomposite fiber mats.. 2018 , 8, 7641-7650		21
685	Facile fabrication of superhydrophilic and underwater superoleophobic chitosan/polyvinyl alcohol-TiO ₂ coated copper mesh for efficient oil/water separation. 2018 , 15, 1013-1023		12
684	Fabrication and evaluation of nanocellulose sponge for oil/water separation. 2018 , 190, 184-189		90
683	On-demand oil-water separation via low-voltage wettability switching of core-shell structures on copper substrates. 2018 , 444, 15-27		40
682	Design and fabrication of superhydrophobic/superoleophilic Ni ₃ S ₂ -nanorods/Ni-mesh for oil/water separation. <i>Surface and Coatings Technology</i> , 2018 , 337, 370-378	4-4	11
681	Chinese Knot Inspired Ag Nanowire Membrane for Robust Separation in Water Remediation. 2018 , 5, 1800183		13
680	Fabrication of robust surfaces with special wettability on porous copper substrates for various oil/water separations. <i>Chemical Engineering Journal</i> , 2018 , 347, 585-594	14-7	64
679	Solar-assisted fast cleanup of heavy oil spills using a photothermal sponge. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 9192-9199	13	86
678	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. 2018 , 57, 5740-5745		115
677	Thermo-Driven Controllable Emulsion Separation by a Polymer-Decorated Membrane with Switchable Wettability. 2018 , 130, 5842-5847		11
676	Underwater Curvature-Driven Transport between Oil Droplets on Patterned Substrates. 2018 , 10, 15258-15269		24
675	A magnetic pH-induced textile fabric with switchable wettability for intelligent oil/water separation. <i>Chemical Engineering Journal</i> , 2018 , 347, 52-63	14-7	94
674	Design and preparation of efficient, stable and superhydrophobic copper foam membrane for selective oil absorption and consecutive oil/water separation. 2018 , 142, 83-92		40
673	Green, Biodegradable, Underwater Superoleophobic Wood Sheet for Efficient Oil/Water Separation. 2018 , 3, 1395-1402		40
672	Effective adsorption of oil droplets from oil-in-water emulsion using metal ions encapsulated biopolymers: Role of metal ions and their mechanism in oil removal. 2018 , 112, 294-305		27

671	One-Step Preparation of Highly Hydrophobic and Oleophilic Melamine Sponges via Metal-Ion-Induced Wettability Transition. 2018 , 10, 6652-6660	56
670	Fabrication of a superhydrophobic polyurethane foam and its application for continuous oil removal. 2018 , 5, 025005	1
669	Intelligent environmental nanomaterials. 2018 , 5, 811-836	42
668	One-step transformation of highly hydrophobic membranes into superhydrophilic and underwater superoleophobic ones for high-efficiency separation of oil-in-water emulsions. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 3391-3396	13 158
667	Nanosecond Laser-Induced Underwater Superoleophobic and Underoil Superhydrophobic Mesh for Oil/Water Separation. 2018 , 34, 2981-2988	60
666	A Review on Superhydrophobic Polymer Nanocoatings: Recent Development and Applications. 2018 , 57, 2727-2745	178
665	Mussel-Inspired Nanocomposites: Synthesis and Promising Applications in Environmental Fields. 2018 , 603-650	1
664	Treatment and reclamation of hydrocarbon-bearing oily wastewater as a hazardous pollutant by different processes and technologies: a state-of-the-art review. 2018 , 35, 73-108	30
663	Smart Biomimetic Superhydrophobic Materials with Switchable Wettability. 2018 , 191-227	
662	Biobased super-hydrophobic coating on cotton fabric fabricated by spray-coating for efficient oil/water separation. 2018 , 66, 41-47	63
661	Reusable and Recyclable Superhydrophilic Electrospun Nanofibrous Membranes with In Situ Co-cross-linked Polymer/Chitin Nanowhisiker Network for Robust Oil-in-Water Emulsion Separation. 2018 , 6, 1753-1762	44
660	A superhydrophilic cement-coated mesh: an acid, alkali, and organic reagent-free material for oil/water separation. 2018 , 10, 1920-1929	63
659	Anti-fouling graphene oxide based nanocomposites membrane for oil-water emulsion separation. 2018 , 77, 1179-1185	10
658	Rational design of materials interface at nanoscale towards intelligent oil-water separation. 2018 , 3, 235-260	192
657	Fabrication of 3D porous superhydrophobic sponges using plant polyphenol-Fe ³⁺ complexes as adhesive and their applications in oil/water separation. 2018 , 551, 9-16	22
656	An alternative fabrication of underoil superhydrophobic or underwater superoleophobic stainless steel meshes for oil-water separation: Originating from one-step vapor deposition of polydimethylsiloxane. 2018 , 204, 116-126	34
655	Impact of carboxylation and hydrolysis functionalisations on the anti-oil staining behaviour of textiles grafted with poly(-isopropylacrylamide) hydrogel.. 2018 , 8, 13423-13432	8
654	Dopamine-assisted co-deposition: An emerging and promising strategy for surface modification. 2018 , 256, 111-125	125

653	Fabrication of an Oil Spill Collector Package by Using Polyurethane Foam Wrapped with Superhydrophobic ZnO Microrods/Carbon Cloth. 2018 , 83, 455-462		21
652	A MoS ₂ nanosheet-coated mesh for pH-induced multi-pollutant water remediation with in situ electrocatalysis. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 6435-6441	13	11
651	Simplified and robust adhesive-free superhydrophobic SiO ₂ -decorated PVDF membranes for efficient oil/water separation. <i>Journal of Membrane Science</i> , 2018 , 555, 220-228	9.6	96
650	Recent Progress in Super Hydrophobic/Hydrophilic Self-Cleaning Surfaces for Various Industrial Applications: A Review. 2018 , 57, 1932-1952		79
649	Fabrication of superhydrophilic and underwater superoleophobic metal mesh by laser treatment and its application. 2018 , 5, 045013		3
648	Heterogeneous wettable cotton based superhydrophobic Janus biofabric engineered with PLA/functionalized-organoclay microfibers for efficient oil/water separation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 7457-7479	13	128
647	Separating nanoscale emulsions: Progress and challenges to date. 2018 , 36, 110-117		18
646	Bioinspired fish-scale-like stainless steel surfaces with robust underwater anti-crude-oil-fouling and self-cleaning properties. 2018 , 202, 111-118		16
645	A Review of Femtosecond-Laser-Induced Underwater Superoleophobic Surfaces. 2018 , 5, 1701370		68
644	Robust and elastic superhydrophobic breathable fibrous membrane with in situ grown hierarchical structures. <i>Journal of Membrane Science</i> , 2018 , 547, 93-98	9.6	35
643	Inherent wettability of different rock surfaces at nanoscale: a theoretical study. 2018 , 434, 73-81		28
642	Superhydrophilic nickel-coated meshes with controllable pore size prepared by electrodeposition from deep eutectic solvent for efficient oil/water separation. 2018 , 192, 21-29		33
641	House of Cards Nanostructuring of Graphene Oxide and Montmorillonite Clay for Oil/Water Separation. 2018 , 303, 1700314		8
640	Facile design of superhydrophobic and superoleophilic copper mesh assisted by candle soot for oil water separation. 2018 , 537, 294-302		51
639	Continuous, high-flux and efficient oil/water separation assisted by an integrated system with opposite wettability. 2018 , 433, 374-380		54
638	Ultralight electrospun cellulose sponge with super-high capacity on absorption of organic compounds. 2018 , 179, 164-172		35
637	Wettability transition of laser textured brass surfaces inside different mediums. 2018 , 427, 369-375		63
636	An improved surface for enhanced stem cell proliferation and osteogenic differentiation using electrospun composite PLLA/P123 scaffold. 2018 , 46, 1274-1281		34

635	A Macroporous Metal-Organic Framework with Enhanced Hydrophobicity for Efficient Oil Adsorption. 2018 , 24, 3754-3759		29
634	In Situ Separation of Chemical Reaction Systems Based on a Special Wettable PTFE Membrane. 2018 , 28, 1703970		32
633	Underwater superoleophobic/underoil superhydrophobic corn cob coated meshes for on-demand oil/water separation. 2018 , 195, 232-237		37
632	Surface modification of polymeric foams for oil spills remediation. <i>Journal of Environmental Management</i> , 2018 , 206, 872-889	7-9	44
631	A novel superhydrophilic/Underwater superoleophobic Zn-ZnO electrodeposited copper mesh for efficient oil/water separation. 2018 , 193, 21-28		26
630	Facile fabrication of a free-standing superhydrophobic and superoleophilic carbon nanofiber-polymer block that effectively absorbs oils and chemical pollutants from water. 2018 , 149, 39-47		13
629	Super-durable, non-fluorinated superhydrophobic free-standing items. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 357-362	13	59
628	Fabrication of a novel superhydrophobic and superoleophilic surface by one-step electrodeposition method for continuous oil/water separation. 2018 , 434, 1015-1020		25
627	Electrical potential induced switchable wettability of super-aligned carbon nanotube films. 2018 , 427, 628-635		10
626	Surface infiltration study of palmitic acid modification for oil-water separation. 2018 , 199, 042049		
625	One-step fabrication of robust and anti-oil-fouling aliphatic polyketone composite membranes for sustainable and efficient filtration of oil-in-water emulsions. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24641-24650	13	41
624	An easy preparation of photo-response TiO ₂ @copper wire mesh with quick on/off switchable superwetting for high efficiency oil/water separation. 2018 , 42, 17563-17573		19
623	Superhydrophobic engineering materials provide a rapid and simple route for highly efficient self-driven crude oil spill cleanup.. 2018 , 8, 38363-38369		1
622	Review: Porous Metal Filters and Membranes for Oil-Water Separation. 2018 , 13, 284		50
621	. 2018 ,		9
620	Tailored electrospun fibers from waste polystyrene for high oil adsorption. 2018 , 18, e00084		12
619	Magnetic-Responsive Superwetting Surface. 2018 , 183-203		3
618	Stimuli-Responsive Smart Surfaces for Oil/Water Separation Applications. 2018 , 207-237		0

617	Photo-Responsive Superwetting Surface. 2018 , 37-56		1
616	One-Step Fabrication of the Pure-Silica Zeolite Beta Coating on Stainless Steel Mesh for Efficient Oil/Water Separation. 2018 , 57, 17409-17416		17
615	Fabrication of Janus Membranes for Desalination of Oil-Contaminated Saline Water. 2018 , 10, 44871-44879		36
614	Organic Media Superwettability: On-Demand Liquid Separation by Controlling Surface Chemistry. 2018 , 10, 37634-37642		24
613	Specially Wettable Membranes for Oil/Water Separation. 2018 , 5, 1800576		117
612	An I-doped (BiO) ₂ CO ₃ nanosheets-wrapped carbon cloth for highly efficient separation of oil-in-water emulsions. <i>Journal of Membrane Science</i> , 2018 , 567, 209-215	9.6	9
611	Fabrication of superhydrophobic coatings on cotton fabric using ultrasound-assisted in-situ growth method. 2018 , 125, 463-471		19
610	Superhydrophobic Hierarchical Biomass Carbon Aerogel Assembled with TiO ₂ Nanorods for Selective Immiscible Oil/Water Mixture and Emulsion Separation. 2018 , 57, 14758-14766		43
609	Investigation of disorder in carbon encapsulated core-shell Fe/Fe ₃ C nanoparticles synthesized by one-step pyrolysis. 2018 , 90, 62-71		29
608	Polymer-Decorated Filter Material for Wastewater Treatment: In Situ Ultrafast Oil/Water Emulsion Separation and Azo Dye Adsorption. 2018 , 34, 13192-13202		14
607	Multifunctional Porous and Magnetic Silicone with High Elasticity, Durability, and Oil-Water Separation Properties. 2018 , 34, 13305-13311		22
606	Fabrication of superhydrophobic and superoleophilic polybenzoxazine-based cotton fabric for oil/water separation. 2018 , 25, 6691-6704		36
605	Oil/water separation based on natural materials with super-wettability: recent advances. 2018 , 20, 25140-25168		30
604	Fabrication of zinc oxide nanostructure coated membranes for efficient oil/water separation. <i>Journal of Membrane Science</i> , 2018 , 566, 249-257	9.6	56
603	Treatment of Oil-Contaminated Water by Modified Polysilicate Aluminum Ferric Sulfate. 2018 , 6, 95		12
602	Multilayer Network Membranes Based on Evenly Dispersed Nanofibers/Co ₃ O ₄ Nanoneedles for High-Efficiency Separation of Micrometer-Scale Oil/Water Emulsions. 2018 , 5, 1801004		3
601	Durable and Recyclable Superhydrophilic/Superoleophobic Materials for Efficient Oil/Water Separation and Water-Soluble Dyes Removal. 2018 , 1, 5197-5209		35
600	A bio-based environment-friendly membrane with facile preparation process for oil-water separation. 2018 , 559, 18-22		13

599	Flexible membranes with a hierarchical nanofiber/microsphere structure for oil adsorption and oil/water separation. 2018 , 68, 416-424	42
598	Natural-Light-Initiated 3D Macro Zigzag Architecture of Graphene-Reinforced Polystyrene for Gravity-Driven Oil and Water Separation. 2018 , 2, 1800040	4
597	Rational Design of Superhydrophilic/Superoleophobic Surfaces for Oil-Water Separation via Thiol-Acrylate Photopolymerization. 2018 , 3, 10278-10285	23
596	Separation of asphaltene-stabilized water in oil emulsions and immiscible oil/water mixtures using a hydrophobic cellulosic membrane. 2018 , 231, 297-306	22
595	Electrospun Filters for Oil/Water Separation. 2018 , 151-173	1
594	Cellulose Mineralization as a Route for Novel Functional Materials. 2018 , 28, 1705042	32
593	pH-Responsive Superwetting Fabric for On-demand Oil-Water Separation. 2018 , 47, 923-926	2
592	Transition from superhydrophilic to superhydrophobic of silicon wafer by a combination of laser treatment and fluoropolymer deposition. 2018 , 51, 255307	15
591	A hydrogel-coated membrane for highly efficient separation of microalgal bio-lipid. 2018 , 35, 1319-1327	13
590	Nanofibers for Membrane Applications. 2018 , 1-24	2
589	Cross-Linked Graphene Oxide Membrane Functionalized with Self-Cross-Linkable and Bactericidal Cardanol for Oil/Water Separation. 2018 , 1, 2600-2608	24
588	Robust Superhydrophobic Polytetrafluoroethylene Nanofibrous Coating Fabricated by Self-Assembly and Its Application for Oil/Water Separation. 2018 , 1, 2632-2639	29
587	Development of hydrophobic nanocellulose-based aerogel via chemical vapor deposition for oil separation for water treatment. 2018 , 25, 4695-4710	86
586	A durable and high-flux composite coating nylon membrane for oil-water separation. 2018 , 193, 702-708	25
585	Inorganic Surface Coating with Fast Wetting-Dewetting Transitions for Liquid Manipulations. 2018 , 10, 19182-19188	13
584	Ag nanoparticles loading of polypyrrole-coated superwetting mesh for on-demand separation of oil-water mixtures and catalytic reduction of aromatic dyes. 2018 , 527, 187-194	23
583	Excellent oil-water separation under external pressure: Controllable critical pressure and separation efficiency by well-designed hierarchical mesh structure. 2018 , 456, 602-608	10
582	One-Step Dipping Fabrication of Fe ₃ O ₄ /PVDF-HFP Composite 3D Porous Sponge for Magnetically Controllable Oil/Water Separation. 2018 , 6, 10706-10713	37

581	Biomimetic fabrication of superhydrophobic loofah sponge: robust for highly efficient oil-water separation in harsh environments.. 2018 , 8, 24297-24304		13
580	Facile synthesis of flexible mesoporous aerogel with superhydrophobicity for efficient removal of layered and emulsified oil from water. 2018 , 530, 372-382		44
579	A Hydro-Kinematic approach for the design of compact corrugated plate interceptors for the de-oiling of produced water. 2018 , 130, 127-133		8
578	Tannic acid encountering ovalbumin: a green and mild strategy for superhydrophilic and underwater superoleophobic modification of various hydrophobic membranes for oil/water separation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13959-13967	13	72
577	Practical Oil Spill Recovery by a Combination of Polyolefin Absorbent and Mechanical Skimmer. 2018 , 6, 12036-12045		28
576	2.2 Carbonaceous Materials. 2018 , 40-71		1
575	Preparation of smart and reversible wettability cellulose fabrics for oil/water separation using a facile and economical method. 2018 , 200, 63-71		40
574	Bifunctional supported ionic liquid-based smart films for dyes adsorption and photodegradation. 2018 , 530, 302-311		10
573	Hydrophobic Janus Foam Motors: Self-Propulsion and On-The-Fly Oil Absorption. 2018 , 9,		13
572	A Simple, Green Method to Fabricate Composite Membranes for Effective Oil-in-Water Emulsion Separation. 2018 , 10,		8
571	Thermo-Responsive Cellulose-Based Material with Switchable Wettability for Controllable Oil/Water Separation. 2018 , 10,		43
570	Solvent-thermal induced roughening: A novel and versatile method to prepare superhydrophobic membranes. <i>Journal of Membrane Science</i> , 2018 , 564, 465-472	9.6	50
569	Dual functional membrane with multiple hierarchical structures (MHS) for simultaneous and high-efficiency removal of dye and nano-sized oil droplets in water under high flux. <i>Journal of Membrane Science</i> , 2018 , 564, 317-327	9.6	44
568	Bioinspired one-step construction of hierarchical superhydrophobic surfaces for oil/water separation. 2018 , 531, 300-310		57
567	Polymeric materials with switchable superwettability for controllable oil/water separation: A comprehensive review. 2018 , 87, 1-33		131
566	Dual Superlyophobic Aliphatic Polyketone Membranes for Highly Efficient Emulsified Oil-Water Separation: Performance and Mechanism. 2018 , 10, 30860-30870		30
565	A glucose modified filter paper for effective oil/water separation.. 2018 , 8, 29570-29577		11
564	Nanospikes-mediated Anomalous Dispersities of Hydropobic Micro-objects and their Application for Oil Emulsion Cleaning. 2018 , 8, 12600		6

563	Superhydrophobic Fabric Resistant to an Aqueous Surfactant Solution as Well as Pure Water for the Selective Removal of Spill Oil. 2018 , 1, 5158-5168		11
562	Coordinated silicon elastomer coating@fabrics with oil/water separation capabilities, outstanding durability and ultra-fast room-temperature self-healing ability. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 17156-17163	13	30
561	Superhydrophobic coating from fluoroalkylsilane modified natural rubber encapsulated SiO ₂ composites for self-driven oil/water separation. 2018 , 462, 164-174		28
560	The effect of membrane surface charges on demulsification and fouling resistance during emulsion separation. <i>Journal of Membrane Science</i> , 2018 , 563, 126-133	9.6	50
559	Multifunctional oil-water and immiscible organic liquid separation by micropore arrayed Ti foil. 2018 , 455, 221-226		9
558	Facile Fabrication of Eco-Friendly Durable Superhydrophobic Material from Eggshell with Oil/Water Separation Property. 2018 , 20, 1701180		17
557	Coexistence of superhydrophilicity and superoleophobicity: theory, experiments and applications in oil/water separation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 15057-15063	13	59
556	Superhydrophilic and underwater superoleophobic Ti foam with fluorinated hierarchical flower-like TiO ₂ nanostructures for effective oil-in-water emulsion separation. 2018 , 456, 114-123		31
555	Robust Tunicate Cellulose Nanocrystal/Palygorskite Nanorod Membranes for Multifunctional Oil/Water Emulsion Separation. 2018 , 6, 10833-10840		49
554	Hierarchical, Self-Healing and Superhydrophobic Zirconium Phosphate Hybrid Membrane Based on the Interfacial Crystal Growth of Lyotropic Two-Dimensional Nanoplatelets. 2018 , 10, 22793-22800		28
553	Fabrication of acrylamide decorated superhydrophilic and underwater superoleophobic poly(vinylidene fluoride) membranes for oil/water emulsion separation. 2019 , 95, 300-307		18
552	Surface modification to control the water wettability of electrospun mats. 2019 , 64, 249-287		43
551	Construction of hydrophobic alginate-based foams induced by zirconium ions for oil and organic solvent cleanup. 2019 , 533, 182-189		32
550	Expanded Graphite-Polyurethane Foams for Water-Oil Filtration. 2019 , 11, 30207-30217		20
549	Electrospun flexible nanofibrous membranes for oil/water separation. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 20075-20102	13	105
548	Understanding Wetting Phenomena and Petal Effect in Plasma Sprayed Rare Earth Oxide Ceramic Coating. 2019 ,		
547	A facile and mild strategy to fabricate an underwater superoleophobic and underoil superhydrophobic mesh with outstanding anti-viscous oil-fouling properties for switchable high viscosity oil/water separation. 2019 , 21, 5080-5089		29
546	Wetting Transition from Hydrophilic to Superhydrophobic over Dendrite Copper Leaves Grown on Steel Meshes. 2019 , 16, 719-729		4

545	Fabrication of superwetting Cu@Cu ₂ O cubic film for oil/water emulsion separation and photocatalytic degradation. 2019 , 496, 143580	27
544	Facile fabrication of durable superhydrophobic mesh via candle soot for oil-water separation. 2019 , 136, 105253	23
543	One-pot route to synthesize HNTs@PVDF membrane for rapid and effective separation of emulsion-oil and dyes from waste water. 2019 , 380, 120865	42
542	On-Demand Oil-Water Separation by Environmentally Responsive Cotton Fabrics. 2019 , 4, 12333-12341	7
541	One-step preparation of sepiolite/graphene oxide membrane for multifunctional oil-in-water emulsions separation. 2019 , 181, 105208	17
540	Synthesis of Dual-Functional and Robust Underwater Superoleophobic Interfaces. 2019 , 11, 28571-28581	12
539	Bioinspired synthesis of polyzwitterion/titania functionalized carbon nanotube membrane with superwetting property for efficient oil-in-water emulsion separation. <i>Journal of Membrane Science</i> , 2019 , 589, 117257	9.6 51
538	Mechanically Robust Nanofibrous Xerogel Membrane for One-Pass Removal of Trace Water in Oil. 2019 , 304, 1900251	4
537	Mussel-Inspired Surface Engineering for Water-Remediation Materials. 2019 , 1, 115-155	183
536	Modification of 3D polyacrylonitrile composite fiber for potential oil-water mixture separation. 2019 , 229, 115840	13
535	Toward durable and robust superhydrophobic cotton fabric through hydrothermal growth of ZnO for oil/water separation. 2019 , 26, 8121-8133	20
534	Recent Advances in Bioinspired Gel Surfaces with Superwettability and Special Adhesion. 2019 , 6, 1900996	29
533	Separation of dyes/oils from water by diesel exhaust emission soot coated polyurethane foam: a kinetic and equilibrium isotherm study. 2019 , 1, 015010	13
532	Selective adsorption of oil on self-organized surface patterns formed over soft thin PDMS films. 2019 , 207, 970-979	3
531	Towards an efficient and durable superhydrophobic mesh coated by PDMS/TiO ₂ nanocomposites for oil/water separation. 2019 , 492, 862-870	25
530	Dual-scale TiO and SiO particles in combination with a fluoroalkylsilane and polydimethylsiloxane superhydrophobic/superoleophilic coating for efficient solvent-water separation.. 2019 , 9, 20332-20340	9
529	Self-Healing Graphene-Reinforced Composite for Highly Efficient Oil/Water Separation. 2019 , 35, 13950-139575	
528	Superelastic and Durable Hierarchical Porous Thermoplastic Polyurethane Monolith with Excellent Hydrophobicity for Highly Efficient Oil/Water Separation. 2019 , 58, 20291-20299	17

527	Smart Amphiphilic Random Copolymer-Coated Sponge with pH-Switchable Wettability for On-Demand Oil/Water Separation. 2019 , 35, 14473-14480		17
526	Multiple air-bubble enhanced oil rupture on nanostructured cellulose fabric for easy-oil cleaning fouled in a dry state. 2019 , 9, 14538		1
525	Superhydrophilic and underwater superoleophobic membranes - A review of synthesis methods. 2019 , 98, 101166		127
524	Introduction. 2019 , 1-25		
523	Switchable Wettability Materials for Controllable Oil/Water Separation. 2019 , 113-156		
522	Robust superhydrophobic attapulgite meshes for effective separation of water-in-oil emulsions. 2019 , 557, 84-93		24
521	Femtosecond-Laser-Produced Underwater "Superoleophobic" Nanorippled Surfaces: Repelling Liquid Polymers in Water for Applications of Controlling Polymer Shape and Adhesion. 2019 , 2, 7362-7371		16
520	Highly efficient and reusable superhydrophobic/superoleophilic polystyrene@ Fe ₃ O ₄ nanofiber membrane for high-performance oil/water separation. 2019 , 7, 103508		24
519	Intelligent Micro/Nanomotors in Environmental Sensing and Remediation. 2019 , 227-264		
518	Fabrication of durable and roughness-regeneration superhydrophobic composite materials by hot pressing. <i>Composites Part B: Engineering</i> , 2019 , 179, 107431	10	17
517	A Scalable Chemical Approach for the Synthesis of a Highly Tolerant and Efficient Oil Absorbent. 2019 , 14, 4732-4740		6
516	Synthesis of a Superhydrophobic Polyvinyl Alcohol Sponge Using Water as the Only Solvent for Continuous Oil-Water Separation. 2019 , 2019, 1-8		4
515	Ampholytic Chitosan/Alginate Composite Nanofibrous Membranes with Super Anti-Crude Oil-Fouling Behavior and Multifunctional Oil/Water Separation Properties. 2019 , 7, 15463-15470		22
514	Extraction of Organic-Free Water from Detergent Stabilized Emulsion. 2019 , 58, 21089-21104		2
513	Anti-oil-fouling hydrophobic-superoleophobic composite membranes for robust membrane distillation performance. 2019 , 696, 133883		24
512	Efficient oil removal from wastewater based on polymer coated superhydrophobic tetrapodal magnetic nanocomposite adsorbent. 2019 , 17, 130-141		26
511	A superhydrophobic poly(lactic acid) electrospun nanofibrous membrane surface-functionalized with TiO ₂ nanoparticles and methyltrichlorosilane for oil/water separation and dye adsorption. 2019 , 43, 15823-15831		19
510	A novel PET fabric with durable anti-fouling performance for reusable and efficient oil-water separation. 2019 , 583, 123941		13

509	Investigation of the surfactant effects on oil-water separation on nano-crystalline titanium dioxide substrate using molecular dynamics simulation. 2019 , 495, 143628		1
508	Environmentally benign development of superhydrophilic and underwater superoleophobic mesh for effective oil/water separation. <i>Surface and Coatings Technology</i> , 2019 , 377, 124892	4.4	11
507	Demulsification of acidic oil-in-water emulsions driven by chitosan loaded Ti3C2Tx. 2019 , 476, 878-885		20
506	Fine-tuning of wettability in a single metal-organic framework postcoordination modification and its reduced graphene oxide aerogel for oil-water separation. 2019 , 10, 2663-2669		34
505	Superhydrophilic fluorinated polyarylate membranes photocopolymerization and microphase separation for efficient separation of oil-in-water emulsion.. 2019 , 9, 958-962		5
504	Design and fabrication of superwetting fiber-based membranes for oil/water separation applications. <i>Chemical Engineering Journal</i> , 2019 , 364, 292-309	14.7	174
503	Superhydrophobic Leaf Mesh Decorated with SiO ₂ Nanoparticle/Polystyrene Nanocomposite for Oil/Water Separation. 2019 , 2, 799-805		79
502	Protein-Functionalized Aerogel Membranes for Gravity-Driven Separation. 2019 , 7, 4814-4820		8
501	Robust Superhydrophobic Sepiolite-Coated Polyurethane Sponge for Highly Efficient and Recyclable Oil Absorption. 2019 , 7, 5560-5567		58
500	3D Arrays of Super-Hydrophobic Microtubes from Polypore Mushrooms as Naturally-Derived Systems for Oil Absorption. 2019 , 12,		4
499	Mussel-inspired Ag nanoparticles anchored sponge for oil/water separation and contaminants catalytic reduction. 2019 , 225, 18-23		10
498	Amino-functionalized mesoporous PVA/SiO ₂ hybrids coated membrane for simultaneous removal of oils and water-soluble contaminants from emulsion. <i>Chemical Engineering Journal</i> , 2019 , 374, 1394-1402	14.7	35
497	A flexible TiCT (MXene)/paper membrane for efficient oil/water separation.. 2019 , 9, 16296-16304		31
496	Tension gradient self-assembly to facilely fabricate polytetrafluoroethylene coatings for oil/water separation. 2019 , 9, 690-696		2
495	Iron oxide nanoparticles incorporated polyethersulfone electrospun nanofibrous membranes for effective oil removal. 2019 , 148, 142-154		19
494	Coating Architects: Manipulating Multiscale Structures To Optimize Interfacial Properties for Coating Applications. 2019 , 1, 2249-2266		11
493	Femtosecond Laser-Structured Underwater "Superpolymphobic" Surfaces. 2019 , 35, 9318-9322		16
492	Superhydrophobic Polyurethane Foam Coated with Polysiloxane-Modified Clay Nanotubes for Efficient and Recyclable Oil Absorption. 2019 , 11, 25445-25456		76

491	Diesel soot coated non-woven fabric for oil-water separation and adsorption applications. 2019 , 9, 8503	17
490	Advances in the application of biomimetic surface engineering in the oil and gas industry. 2019 , 7, 289-306	15
489	Multifunctional nanostructured interfaces: Origin and challenges for biomedical and environmental applications. 2019 , 1-14	
488	Sprayable and rapidly bondable phenolic-metal coating for versatile oil/water separation. 2019 , 13, 193-202	0
487	Easy preparation of superoleophobic membranes based on cellulose filter paper and their use for water/oil separation. 2019 , 26, 6813-6823	6
486	Durable and Stable MnMoO ₄ -Coated Copper Mesh for Highly Efficient Oil-in-Water Emulsion Separation and Photodegradation of Organic Contaminants. 2019 , 11, 23789-23797	28
485	Performance Analysis of Gravity-Driven Oil-Water Separation Using Membranes with Special Wettability. 2019 , 35, 7769-7782	21
484	Cellulose-derived multifunctional nano-CuO/carbon aerogel composites as a highly efficient oil absorbent. 2019 , 26, 5381-5394	15
483	Nature-Inspired Liquid Infused Systems for Superwetable Surface Energies. 2019 , 11, 21275-21293	41
482	Novel sandwiched composite electro-spun mats based on polyacrylonitrile and polyvinyl butyral for fast oil/water separation. 2019 , 28, 445-453	3
481	From waste epoxy resins to efficient oil/water separation materials via a microwave assisted pore-forming strategy. 2019 , 6, 1733-1739	26
480	Solar-heated graphene sponge for high-efficiency clean-up of viscous crude oil spill. 2019 , 230, 995-1002	40
479	Facile preparation of loess-coated membranes for multifunctional surfactant-stabilized oil-in-water emulsion separation. 2019 , 21, 3190-3199	111
478	Synthesis of magnetically responsive hyperbranched polyamidoamine based on the graphene oxide: Application as demulsifier for oil-in-water emulsions. 2019 , 43, 4756-4765	25
477	Preparation and property of extremely stable superhydrophobic carbon fibers with core-shell structure. 2019 , 150, 284-291	25
476	Lotus- and Mussel-Inspired PDA-PET/PTFE Janus Membrane: Toward Integrated Separation of Light and Heavy Oils from Water. 2019 , 11, 20545-20556	43
475	A Highly Efficient Absorbent for Various Organic Solvents Using Hydrophobic Graphene-Sponge Composite. 2019 , 19, 6675-6681	2
474	Controlled Surface Wettability by Plasma Polymer Surface Modification. 2019 , 2, 349-371	46

473	Durability and Stability of Superhydrophobic Stainless Steel Mesh Supported Pure-Silica Zeolite Beta Coatings. 2019 , 58, 8044-8049	5
472	A review of femtosecond laser-structured superhydrophobic or underwater superoleophobic porous surfaces/materials for efficient oil/water separation.. 2019 , 9, 12470-12495	58
471	Sodium silicate based aerogel for absorbing oil from water: the impact of surface energy on the oil/water separation. 2019 , 6, 085059	19
470	Recent Advances in Robust Superwetable Membranes for Oil/Water Separation. 2019 , 6, 1900126	56
469	Under-Oil Superhydrophilic Poly(vinyl alcohol)/Silica Hybrid Nanofibrous Aerogel for Gravity-Driven Separation of Surfactant-Stabilized Water-in-Oil Emulsions. 2019 , 304, 1900125	11
468	A highly porous solvent free PVDF/expanded graphite foam for oil/water separation. <i>Chemical Engineering Journal</i> , 2019 , 372, 1174-1182	14.7 25
467	Superhydrophobic Carbon Nanotubes Membrane for Effective Water-in-Oil Emulsions Separation and Quick Deicing. 2019 ,	16
466	Facile preparation of superhydrophilic and underwater superoleophobic mesh for oil/water separation in harsh environments. 2019 , 40, 784-793	7
465	Robust superhydrophobic/superoleophilic sponge for efficient removal of oils from corrosive aqueous solutions. 2019 , 33, 1426-1437	6
464	Fabrication of superhydrophobic fabrics with outstanding self-healing performance in sunlight. 2019 , 3, 1341-1348	11
463	A Robust Cotton Textile-Based Material for High-Flux Oil-Water Separation. 2019 , 11, 13704-13713	73
462	Superwetable antibacterial textiles for versatile oil/water separation. 2019 , 16, 1900003	6
461	Environmental perspectives of interfacially active and magnetically recoverable composite materials - A review. 2019 , 670, 523-538	50
460	A femtosecond laser-induced superhydrophobic surface: beyond superhydrophobicity and repelling various complex liquids.. 2019 , 9, 6650-6657	11
459	Fabrication of Superhydrophobic Hierarchical Surfaces by Square Pulse Electrodeposition: Copper-Based Layers on Gold/Silicon (100) Substrates. 2019 , 84, 368-373	7
458	Ultrastable Underwater Anti-Oil Fouling Coatings from Spray Assemblies of Polyelectrolyte Grafted Silica Nanochains. 2019 , 11, 13642-13651	26
457	Facile Fabrication of Superhydrophobic and Eco-Friendly Poly(lactic acid) Foam for Oil-Water Separation via Skin Peeling. 2019 , 11, 14362-14367	77
456	Robust and durable self-healing superhydrophobic polymer-coated MWCNT film for highly efficient emulsion separation. 2019 , 6, 1259-1266	23

455	Removal of unleaded gasoline from water by multi-walled carbon nanotubes. <i>Journal of Environmental Management</i> , 2019 , 237, 636-643	7.9	24
454	Efficient oil/water separation by a durable underwater superoleophobic mesh membrane with TiO ₂ coating via biomineralization. 2019 , 222, 35-44		19
453	Electrospun Fibrous PTFE Supported ZnO for Oil/Water Separation. 2019 , 29, 1738-1745		11
452	A Comparison between the Oil Removal Capacity of Polymer-Coated Magnetic Nanoparticles in Natural and Synthetic Environmental Samples. 2019 , 53, 4426-4432		11
451	Fabrication of fluorine-free ZnO/CuO nanocomposite superantwettable surfaces with reversible wettability tuning. <i>Surface and Coatings Technology</i> , 2019 , 367, 252-261	4.4	9
450	Characterization of microfibril development on PTFE surface during hot imprinting process and its application for oil/water separation. 2019 , 102, 1871-1883		4
449	A comprehensively fouling- and solvent-resistant aliphatic polyketone membrane for high-flux filtration of difficult oil-in-water micro- and nanoemulsions. <i>Journal of Membrane Science</i> , 2019 , 582, 48-58	9.6	38
448	Stearic acid treated polypyrrole-encapsulated melamine formaldehyde superhydrophobic sponge for oil recovery. 2019 , 2, 70-82		43
447	Superoleophilic, Mechanically Strong Electrospun Membranes for Fast and Efficient Gravity-Driven Oil/Water Separation. 2019 , 1, 765-776		32
446	Microstructure-performance relationships of hollow-fiber membranes with highly efficient separation of oil-in-water emulsions. 2019 , 136, 47615		9
445	Robust fabrication of superhydrophobic and photocatalytic self-cleaning cotton textiles for oil/water separation via thiol-ene click reaction. 2019 , 54, 7369-7382		20
444	Nanotechnology for Oil-Water Separation. 2019 , 299-339		29
443	Micro- and nanoscopic observations of sexual dimorphisms in <i>Mecynorhina polyphemus confluens</i> (Kraatz, 1890) (Coleoptera, Cetoniidae, Goliathini) and consequences for surface wettability. 2019 , 49, 10-18		3
442	Separation Mechanism and Construction of Surfaces with Special Wettability for Oil/Water Separation. 2019 , 11, 11006-11027		237
441	Janus membranes with controllable asymmetric configurations for highly efficient separation of oil-in-water emulsions. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 7907-7917	13	81
440	One-step plant-inspired reaction that transform membrane hydrophobicity into high hydrophilicity and underwater super oleophobicity for oil-in-water emulsion separation. 2019 , 479, 423-429		20
439	A durable mesh decorated with polydopamine/graphene oxide for highly efficient oil/water mixture separation. 2019 , 479, 351-359		38
438	Fabrication and Application of Superhydrophobic MultiStage Structure Separation Membranes. 2019 , 678, 012120		

437	A dual functional Janus membrane combining superwettability with electrostatic force for controllable anionic/cationic emulsion separation and in situ surfactant removal. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 27156-27163	13	23
436	Preparation of Superhydrophobic Multiscale Films for Oil-Water Separation in a Harsh Environment. 2019 , 2019, 1-21		1
435	. 2019 ,		
434	Superoleophobic micro-nanostructure surface formation of PVDF membranes by tannin and a condensed silane coupling agent.. 2019 , 9, 32021-32026		6
433	Superhydrophobic micro/nanostructured copper mesh with self-cleaning property for effective oil/water separation. 2019 , 32, 635-642		2
432	Study on the oil/water separation performance of a super-hydrophobic copper mesh under downhole conditions. 2019 , 72, 310-318		10
431	Kraft Mesh Origami for Efficient Oil-Water Separation. 2019 , 35, 815-823		11
430	Designing of Recyclable Attapulgite for Wastewater Treatments: A Review. 2019 , 7, 1855-1869		45
429	Amino-Functionalized Porous Nanofibrous Membranes for Simultaneous Removal of Oil and Heavy-Metal Ions from Wastewater. 2019 , 11, 1672-1679		55
428	Biomimetic Hierarchical TiO ₂ @CuO Nanowire Arrays-Coated Copper Meshes with Superwetting and Self-Cleaning Properties for Efficient Oil/Water Separation. 2019 , 7, 2569-2577		44
427	Chitosan-coated filter paper with superhydrophilicity for treatment of oily wastewater in acidic and alkaline environments. 2019 , 34, 213-223		11
426	Controllable wettability of laser treated aluminum mesh for on-demand oil/water separation. 2019 , 40, 1627-1636		4
425	Plant polyphenol-inspired nano-engineering topological and chemical structures of commercial sponge surface for oils/organic solvents clean-up and recovery. 2019 , 218, 559-568		16
424	How To Obtain Six Different Superwettabilities on a Same Microstructured Pattern: Relationship between Various Superwettabilities in Different Solid/Liquid/Gas Systems. 2019 , 35, 921-927		36
423	Robust Superhydrophobic/Superoleophilic Wrinkled Microspherical MOF@rGO Composites for Efficient Oil-Water Separation. 2019 , 58, 5297-5301		122
422	Robust Superhydrophobic/Superoleophilic Wrinkled Microspherical MOF@rGO Composites for Efficient Oil/Water Separation. 2019 , 131, 5351-5355		51
421	High-efficiency separation performance of oil-water emulsions of polyacrylonitrile nanofibrous membrane decorated with metal-organic frameworks. 2019 , 476, 61-69		71
420	A new approach to fabricate superhydrophobic and antibacterial low density isotropic pyrocarbon by using catalyst free chemical vapor deposition. 2019 , 145, 359-366		20

419	Substrate-independent polyzwitterionic coating for oil/water separation membranes. <i>Chemical Engineering Journal</i> , 2019 , 362, 126-135	14.7	38
418	Investigation of the differential transport mechanism of cinnabar and mercury containing compounds. 2019 , 66, 83-90		4
417	Magnetic detergent with potential application for diesel spills removal from seawater. 2019 , 561, 120-127		9
416	Electrospun nanofibers for filtration applications. 2019 , 135-152		2
415	Facile and scalable fabrication of superhydrophobic and superoleophilic PDMS-co-PMHS coating on porous substrates for highly effective oil/water separation. <i>Chemical Engineering Journal</i> , 2019 , 358, 1101-1113	14.7	70
414	Preparation of superhydrophobic polyimide microstructural layer on copper mesh for oil/water separation. 2019 , 95, 71-77		21
413	Hierarchical Al ₂ O ₃ /SiO ₂ fiber membrane with reversible wettability for on-demand oil/water separation. 2019 , 36, 92-100		10
412	Asymmetric Janus membranes based on in situ mussel-inspired chemistry for efficient oil/water separation. <i>Journal of Membrane Science</i> , 2019 , 573, 126-134	9.6	46
411	Hydrophobic and oleophilic carbon nanofiber impregnated styrofoam for oil and water separation: A green technology. <i>Chemical Engineering Journal</i> , 2019 , 360, 1613-1622	14.7	26
410	Engineering Fully Organic and Biodegradable Superhydrophobic Materials. 2019 , 6, 1801202		27
409	Robust construction of underwater superoleophobic CNTs/nanoparticles multifunctional hybrid membranes via interception effect for oily wastewater purification. <i>Journal of Membrane Science</i> , 2019 , 569, 32-40	9.6	51
408	Wettability of rock, oil and brine system based on density functional theory. 2019 , 479, 99-105		0
407	The underwater superoleophobic natural pomelo peel fibers powders coatings for efficiently oil/water separation. 2019 , 16, 1177-1188		4
406	Investigating the effect of surface composition and morphology on oil/water separation efficiency of sponges coated with polymer nanocomposites. 2019 , 40, E431		4
405	Performance investigation of a new carbon-silver microspheres/epoxy resin superhydrophobic coating. 2020 , 36, 565-573		7
404	Sustainable approach to recycle waste polystyrene to high-value submicron fibers using solution blow spinning and application towards oil-water separation. 2020 , 8, 102786		18
403	Hydrophobic lipophilic modified cotton fabric for oil absorption applications. 2020 , 17, 146-154		5
402	Underwater superoleophobic APTES-SiO ₂ /PVA organohydrogel for low-temperature tolerant, self-healing, recoverable oil/water separation mesh. <i>Chemical Engineering Journal</i> , 2020 , 382, 122925	14.7	40

401	A novel high-durability oxidized poly (arylene sulfide sulfone) electrospun nanofibrous membrane for direct water-oil separation. 2020 , 234, 116012		17
400	Study on oil-water separation of selective-wettability meshes with different Micro/Nano structures. 2020 , 584, 124026		4
399	Magnetic liquid marbles to facilitate rapid manipulation of the oil phase: Synergistic effect of semifluorinated ligand and cationic surfactant mixtures. 2020 , 585, 124051		5
398	Phase inversion/sintering-induced porous ceramic microsheet membranes for high-quality separation of oily wastewater. <i>Journal of Membrane Science</i> , 2020 , 595, 117477	9.6	35
397	Hierarchical selective membranes combining carbonaceous nanoparticles and commercial permeable substrates for oil/water separation. 2020 , 234, 116053		6
396	Facile fabrication of superhydrophobic Titanium dioxide-composited cotton fabrics to realize oil-water separation with efficiently photocatalytic degradation for water-soluble pollutants. 2020 , 585, 124080		30
395	A low cost paper tissue-based PDMS/SiO ₂ composite for both high efficient oil absorption and water-in-oil emulsion separation. 2020 , 244, 118814		17
394	Nature-inspired chemistry toward hierarchical superhydrophobic, antibacterial and biocompatible nanofibrous membranes for effective UV-shielding, self-cleaning and oil-water separation. 2020 , 384, 121476		159
393	Preparation and characterization of superhydrophobic and highly oleophobic FEVE-SiO ₂ nanocomposite coatings. 2020 , 138, 105388		8
392	Green fabrication of superhydrophilic and underwater superoleophobic coatings with applications in oil-water separation, photocatalysis and fire-retardance. 2020 , 233, 115988		21
391	Molecular level separation of crude oil/water emulsion on carbon nanotube surface induced by weak interaction: a molecular dynamic simulation study. 2020 , 41, 1991-2001		1
390	Facile one-step preparation of robust hydrophobic cotton fabrics by covalent bonding polyhedral oligomeric silsesquioxane for ultrafast oil/water separation. <i>Chemical Engineering Journal</i> , 2020 , 379, 122391	14.7	51
389	Facile fabrication of superhydrophobic copper hydroxide coated mesh for effective separation of water-in-oil emulsions. 2020 , 230, 115856		62
388	Investigating and significantly improving the stability of tannic acid (TA)-aminopropyltriethoxysilane (APTES) coating for enhanced oil-water separation. <i>Journal of Membrane Science</i> , 2020 , 593, 117383	9.6	38
387	Control of organic and surfactant fouling using dynamic membranes in the separation of oil-in-water emulsions. 2020 , 560, 787-794		12
386	Bio-inspired anchoring of amino-functionalized multi-wall carbon nanotubes (N-MWCNTs) onto PES membrane using polydopamine for oily wastewater treatment. 2020 , 711, 134951		29
385	Micro-/Nanostructured Interface for Liquid Manipulation and Its Applications. 2020 , 16, e1903849		39
384	Superhydrophobic nanoporous polymer-modified sponge for in situ oil/water separation. 2020 , 239, 124793		20

383	2D -j3D conversion of superwetting mesh: A simple but powerful strategy for effective and efficient oil/water separation. 2020 , 242, 116244	7
382	Low-density open-cell flexible polyolefin foams as efficient materials for oil absorption: influence of tortuosity on oil absorption. 2020 , 17, 1663-1674	6
381	The influence of bath temperature on the one-step electrodeposition of non-wetting copper oxide coatings. 2020 , 503, 144094	8
380	A novel TiO@stearic acid/chitosan coating with reversible wettability for controllable oil/water and emulsions separation. 2020 , 232, 115807	37
379	Novel separator skimmer for oil spill cleanup and oily wastewater treatment: From conceptual system design to the first pilot-scale prototype development. 2020 , 18, 100598	36
378	HMDSOPTMS Modified Titania Silica Nanocomposite: A New Material for Oil/Water Separation. 2020 , 30, 2134-2141	4
377	Facile fabrication of the durable micro/nano-superhydrophilic/superoleophobic surface through one-step spraying for efficient oil/water separation. 2020 , 17, 747-754	1
376	Preparation of superhydrophobic flexible tubes with water and blood repellency based on template method. 2020 , 587, 124331	13
375	Superhydrophobic PU Sponge Modified by Hydrophobic Silica NPs/Polystyrene Nanocomposite for Oil/Water Separation. 2020 , 393, 2000035	3
374	Morphology optimization of solution blow spun polystyrene to obtain superhydrophobic materials with high ability of oil absorption. 2020 , 91, 106859	4
373	A review on clay wettability: From experimental investigations to molecular dynamics simulations. 2020 , 285, 102266	28
372	Achieving Effective Oil/Water Separation with Bicomponent Supramolecular Hydrogel Paint Coated Metal Mesh. 2020 , 2, 4770-4778	6
371	Femtosecond Laser Microfabrication of Porous Superwetting Materials for Oil/Water Separation: A Mini-Review. 2020 , 8, 585723	2
370	Green Foam-Based Methods of Mineral and Ion Separation. 2020 , 265-301	2
369	Multifunctional membranes with super-wetting characteristics for oil-water separation and removal of hazardous environmental pollutants from water: A review. 2020 , 285, 102276	35
368	Eco-friendly stable cardanol-based benzoxazine modified superhydrophobic cotton fabrics for oil/water separation. 2020 , 253, 117545	21
367	Highly efficient fabrication of self-extinguished flame-retardant and underwater superoleophobic coatings through layer-by-layer method. 2020 , 256, 123590	6
366	Fabrication of 3D silica with outstanding organic molecule separation and self-cleaning performance. 2020 , 511, 145537	10

365	Antiwetting and low-surface-energy behavior of cardanol-based polybenzoxazine-coated cotton fabrics for oil/water separation. 2020 , 17, 1455-1469		7
364	3D-Printed Repeating Re-Entrant Topography to Achieve On-Demand Wettability and Separation. 2020 , 12, 35725-35730		9
363	Investigating the wetting phenomena and fabrication of sticky, para-hydrophobic cerium oxide coating. 2020 , 40, 5749-5757		2
362	Magnetic polyurethane sponge for efficient oil adsorption and separation of oil from oil-in-water emulsions. 2020 , 240, 116627		59
361	One-step, low-cost, mussel-inspired green method to prepare superhydrophobic nanostructured surfaces having durability, efficiency, and wide applicability. 2020 , 580, 211-222		20
360	Engineering and Characterization of Antibacterial Coaxial Nanofiber Membranes for Oil/Water Separation. 2020 , 12,		12
359	Hierarchical TiO ₂ Nanorod Arrays/Carbon Nanofiber Membranes for Oil-in-Water Emulsion Separation. 2020 , 59, 21097-21105		9
358	High-Capacity Reusable Chitosan Absorbent with a Hydrogel-Coated/Aerogel-Core Structure and Superhydrophilicity under Oil for Water Removal from Oil.. 2020 , 3, 5872-5879		11
357	Recent Progress on the Development of Superhydrophobic and Superoleophilic Meshes for Oil and Water Separation: A Review. 2020 , 175-196		4
356	On-site formation of small Ag nanoparticles on superhydrophobic mesoporous silica for antibacterial application. 2020 , 44, 13553-13556		4
355	Designing novel superwetting surfaces for high-efficiency oil/water separation: design principles, opportunities, trends and challenges. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 16831-16853	13	73
354	Tailoring the surface properties of porous zeolite constructs using plasma processing. 2020 , 307, 110467		0
353	Natural Highly-hydrophobic urushiol@TiO ₂ coated cotton fabric for effective oil/water separation in highly acidic alkaline and salty environment. 2020 , 253, 117495		11
352	Solvent-free green preparation of reusable EG-PVDF foam for efficient oil-water separation. 2020 , 253, 117506		12
351	Modified-MOF-808-Loaded Polyacrylonitrile Membrane for Highly Efficient, Simultaneous Emulsion Separation and Heavy Metal Ion Removal. 2020 , 12, 39227-39235		35
350	PVDF-Modified TiO Nanowires Membrane with Underliquid Dual Superlyophobic Property for Switchable Separation of Oil-Water Emulsions. 2020 , 12, 40925-40936		28
349	Study of Mandacaru (<i>Cereus jamacaru</i> DC), in natura and modified by microemulsion, as a biosorbent for diesel oil. 2020 , 43, e49874		1
348	Polydopamine-Mediated Superlyophobic Polysiloxane Coating of Porous Substrates for Efficient Separation of Immiscible Liquids. 2020 , 7, 2000428		4

347	Relationship and Interconversion Between Superhydrophilicity, Underwater Superoleophilicity, Underwater Superaerophilicity, Superhydrophobicity, Underwater Superoleophobicity, and Underwater Superaerophobicity: A Mini-Review. 2020 , 8, 828		3
346	Endowing Metal Surfaces With Underwater Superoleophobicity by Femtosecond Laser Processing for Oil-Water Separation Application. 2020 , 8,		4
345	Effects of masking titanium with a one-atom-thick carbon layer on the adsorption of nitrogen monoxide, nitrogen dioxide, ozone, and formaldehyde. 2020 , 55, 17000-17018		2
344	Under-oil superhydrophilic salt particle filter for the efficient separation of water-in-oil emulsions. 2020 , 56, 11585-11588		2
343	Fast and all-weather cleanup of viscous crude-oil spills with Ti3C2TX MXene wrapped sponge. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 20162-20167	13	30
342	Superoleophilic polyurethane sponge for highly efficient oil/water separation. 2020 , 10, 1122-1126		1
341	How Far Are We in Combating Marine Oil Spills by Using Phase-Selective Organogelators?. 2020 , 13, 5343-5360	13	
340	Superhydrophobic cellulose nanofibril/silica fiber/Fe3O4 nanocomposite aerogel for magnetically driven selective oil absorption. 2020 , 27, 8909-8922		13
339	Perfluorooctyltriethoxy silane and carbon nanotubes-modified PVDF superoleophilic nanofibre membrane for oil-in-water adsorption and recovery. 2020 , 8, 104497		8
338	2D and 3D Bulk Materials for Environmental Remediation: Air Filtration and Oil/Water Separation. 2020 , 13,		6
337	Robust and continuous oil/water separation with superhydrophobic glass microfiber membrane by vertical polymerization under harsh conditions. 2020 , 10, 21413		9
336	A Facile Method for Preparing a Superhydrophobic Block with Rapid Reparability. 2020 , 10, 1202		2
335	Response Surface Optimization of Oil Removal Using Synthesized Polypyrrole-Silica Polymer Composite. 2020 , 25,		6
334	Superhydrophilic Straw Fibers for Oil/Water Separation. 2020 ,		
333	Bioinspired Anti-Oil-Fouling Hierarchical Structured Membranes Decorated with Urchin-Like FeOOH Particles for Efficient Oil/Water Mixture and Crude Oil-in-Water Emulsion Separation. 2020 , 12, 50962-50970		11
332	Facilely fabricating superhydrophobic coated-mesh materials for effective oil-water separation: Effect of mesh size towards various organic liquids. 2020 , 51, 151-160		10
331	Embedded polyzwitterionic brush-modified nanofibrous membrane through subsurface-initiated polymerization for highly efficient and durable oil/water separation. 2020 , 575, 388-398		18
330	Oil spill cleanup by raw flax fiber: Modification effect, sorption isotherm, kinetics and thermodynamics. 2020 , 13, 5553-5563		18

329	Oil spill remediation from water surface using induction of magnetorheological behavior in oil by functionalized sawdust. 2020 , 160, 119-128	4
328	Poly(lactic Acid) Nonwoven Fabric Surface Modified with Stereocomplex Crystals for Recyclable Use in Oil/Water Separation. 2020 , 2, 2509-2516	11
327	Separation of oily wastewater using titanium modified multi-walled carbon nanotubes as demulsifier. 2020 , 1-10	2
326	Rapid UV-radiation synthesis of polyacrylate cryogel oil-sorbents with adaptable structure and performance. 2020 , 187, 109488	7
325	Dynamics of oil-water interface demulsification using multifunctional magnetic hybrid and assembly materials. 2020 , 312, 113434	29
324	WITHDRAWN: Green Fabrication Method of Layered and Open-Cell Polylactide Foams for Oil-Sorption via Pre-Crystallization and Supercritical CO ₂ -Induced Melting. 2020 , 104845	
323	Hydrophobic-Superoleophilic Fluorinated Graphene Nanosheet Composites with Metal-Organic Framework HKUST-1 for Oil/Water Separation. 2020 , 3, 5816-5825	12
322	Progress in Capacitive Deionization for Desalination of Brackish Water: A Materials Perspective. 2020 , 91-113	
321	Electrocoagulation Separation Processes. 2020 , 167-203	6
320	Modeling Liquid-Liquid Extraction for Critical Elements Separations: An Overview. 2020 , 335-365	1
319	Recent Advances in Gas Separation via Supported Liquid Membranes. 2020 , 37-71	
318	Individual and simultaneous adsorption of tetracycline and cadmium by dodecyl dimethyl betaine modified vermiculite. 2020 , 602, 125171	6
317	Progress and Prospects in Membrane Technology for Oil/Water Separation. 2020 , 73-87	0
316	Meeting Tomorrow's Challenges in Particle Separation with Coagulation. 2020 , 207-223	0
315	Lignin-Derived Hybrid Materials as Promising Adsorbents for the Separation of Pollutants. 2020 , 225-261	6
314	Micelle-Based Separations of Small Organic Molecules, Proteins, Carbon Nanotubes, and Nanoparticles: Molecular Origin of Selectivity. 2020 , 303-333	
313	Fluorine Free Bio-Based Polybenzoxazine Coated Substrates for Oil-Water Separation and Anti-Icing Applications. 2020 , 28, 2444-2456	6
312	Electrospun composite membrane with superhydrophobic-superoleophilic for efficient water-in-oil emulsion separation and oil adsorption. 2020 , 602, 125158	16

311	Selective Recovery of Critical and Toxic Elements from Their Low-Concentrated Solutions Using Surface-Based Electrochemical Separation Methods. 2020 , 115-165	
310	Ultrafast and On-Demand Oil/Water Separation Membrane System Based on Conducting Polymer Nanotip Arrays. 2020 , 20, 4895-4900	15
309	Facile fabrication of hydrophilic-underwater superoleophobic poly(N-isopropylacrylamide) coated PP/LPET nonwoven fabrics for highly efficient oil/water separation. 2020 , 148, 105780	4
308	Tuning the Wettability of Metal-Organic Frameworks via Defect Engineering for Efficient Oil/Water Separation. 2020 , 12, 34413-34422	15
307	Advances in Membrane Materials and Processes for Water and Wastewater Treatment. 2020 , 3-35	3
306	Sustainable and antibacterial sandwich-like Ag-Pulp/CNF composite paper for oil/water separation. 2020 , 245, 116587	13
305	Design of poly ionic liquids modified cotton fabric with ion species-triggered bidirectional oil-water separation performance. 2020 , 400, 123163	14
304	Halloysite nanotubes functionalized cotton fabric for oil/water separation. 2020 , 148, 105839	15
303	Microfluidic Devices with Patterned Wettability Using Graphene Oxide for Continuous Liquid-Liquid Two-Phase Separation. 2020 , 3, 3471-3477	13
302	Poly(ionic liquid)-Coated Meshes with Opposite Wettability for Continuous Oil/Water Separation. 2020 , 59, 6672-6680	13
301	Facile Generation of Durable Superhydrophobic Fabrics toward Oil/Water Separation via Thiol-Ene Click Chemistry. 2020 , 59, 6130-6140	18
300	Development of highly efficient, renewable and durable alginate composite aerogels for oil/water separation. <i>Surface and Coatings Technology</i> , 2020 , 388, 125551	4-4 16
299	Corn Oil-Water Separation: Interactions of Proteins and Surfactants at Corn Oil/Water Interfaces. 2020 , 36, 4044-4054	12
298	All-cellulose composite membranes for oil microdroplet collection. 2020 , 27, 4665-4677	4
297	Smart Bifunctional Sb Se Nanorods for Integrated Water Purification: Insoluble Liquid Separation and Photoelectrochemical Degradation. 2020 , 13, 3017-3027	3
296	A review on graphene-based materials for removal of toxic pollutants from wastewater. 2020 , 18, 297-322	9
295	Covalent Surface Modification of Cellulose-Based Textiles for Oil/Water Separation Applications. 2020 , 59, 5456-5465	14
294	Robust Superhydrophobic Composite Featuring Three-Dimensional Porous Metal Rubber with an Embedded Carbon Nanofiber Network for Emulsion Separation. 2020 , 59, 6172-6182	14

293	Micro/Nanoscale Structured Superhydrophilic and Underwater Superoleophobic Hybrid-Coated Mesh for High-Efficiency Oil/Water Separation. 2020 , 12,		9
292	Preface. 2020 , ix-x		
291	Ultrarobust and Biomimetic Hierarchically Macroporous Ceramic Membrane for Oil-Water Separation Templated by Emulsion-Assisted Self-Assembly Method. 2020 , 12, 35555-35562		16
290	Reduction of imine-based cross-linkages to achieve sustainable underwater superoleophobicity that performs under challenging conditions. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 15148-15156	13	4
289	Simple and Low-Cost Oil/Water Separation Based on the Underwater Superoleophobicity of the Existing Materials in Our Life or Nature. 2020 , 8, 507		10
288	Biomimetic, dopamine-modified superhydrophobic cotton fabric for oil/water separation. 2020 , 27, 7873-7885		26
287	In situ silica growth for superhydrophilic-underwater superoleophobic Silica/PVA nanofibrous membrane for gravity-driven oil-in-water emulsion separation. <i>Journal of Membrane Science</i> , 2020 , 612, 118476	9.6	45
286	A novel approach to designing a biomimetic wettable patterned surface for highly efficient and continuous surfactant-free oil emulsion separation. 2020 , 248, 116864		3
285	Cellulose hydrogel functionalized titanate microspheres with self-cleaning for efficient purification of heavy metals in oily wastewater. 2020 , 27, 7751-7763		9
284	Recent advances in preparations and applications of carbon aerogels: A review. 2020 , 163, 1-18		110
283	Formation of periodic superhydrophilic microstructures by infrared nanosecond laser processing of single-crystal silicon. 2020 , 512, 145753		8
282	Three-dimensional monolithic porous structures assembled from fragmented electrospun nanofiber mats/membranes: Methods, properties, and applications. 2020 , 112, 100656		45
281	Microphone-like Cu-CAT-1 hierarchical structures with ultra-low oil adhesion for highly efficient oil/water separation. 2020 , 241, 116688		16
280	Superhydrophobic and superoleophilic polyethylene aerogel coated natural rubber latex foam for oil-water separation application. 2020 , 85, 106451		29
279	Recent developments in forward osmosis membranes using carbon-based nanomaterials. 2020 , 482, 114375		77
278	An Encapsulation-Rearrangement Strategy to Integrate Superhydrophobicity into Mesoporous Metal-Organic Frameworks. 2020 , 2, 988-999		19
277	The preparation of Janus Cu(OH) ₂ @Cu ₂ O/Cu mesh and application in purification of oily wastewater. 2020 , 126, 110815		5
276	Hollow fiber membranes with Janus surfaces for continuous deemulsification and separation of oil-in-water emulsions. <i>Journal of Membrane Science</i> , 2020 , 602, 117964	9.6	31

275	Sawdust-based superhydrophobic pellets for efficient oil-water separation. 2020 , 243, 122634		40
274	Eco-friendly separation layers based on waste peanut shell for gravity-driven water-in-oil emulsion separation. 2020 , 255, 120184		19
273	Underwater Superoleophobic and Salt-Tolerant Sodium Alginate/N-Succinyl Chitosan Composite Aerogel for Highly Efficient Oil/Water Separation. 2020 , 2, 1124-1133		15
272	Biomimetic Superlyophobic Metallic Surfaces: Focusing on Their Fabrication and Applications. 2020 , 17, 1-33		15
271	In situ growth polydopamine decorated polypropylen melt-blown membrane for highly efficient oil/water separation. 2020 , 254, 126873		28
270	Recent development of super-wettable materials and their applications in oil-water separation. 2020 , 266, 121624		73
269	Facile preparation of robust superhydrophobic cotton fabric for ultrafast removal of oil from contaminated waters. 2020 , 27, 21202-21212		3
268	PVDF composite membrane with robust UV-induced self-cleaning performance for durable oil/water emulsions separation. 2020 , 110, 130-139		13
267	Development of Janus membrane with controllable asymmetric wettability for highly-efficient oil/water emulsions separation. <i>Journal of Membrane Science</i> , 2020 , 606, 118141	9.6	34
266	Green fabrication method of layered and open-cell polylactide foams for oil-sorption via pre-crystallization and supercritical CO ₂ -induced melting. 2020 , 162, 104854		8
265	Stretchable Textiles with Superwettabilities for Tunable Oil-Water Separation. 2020 , 6, 1111-1118		4
264	Enhanced Oil Adsorption and Nano-Emulsion Separation of Nanofibrous Aerogels by Coordination of Pomelo Peel-Derived Biochar. 2020 , 59, 8825-8835		19
263	Bioinspired design of underwater superoleophobic Poly(N-isopropylacrylamide)/polyacrylonitrile/TiO ₂ nanofibrous membranes for highly efficient oil/water separation and photocatalysis. 2020 , 186, 109494		15
262	Atmospheric-pressure plasma assisted engineering of polymer surfaces: From high hydrophobicity to superhydrophilicity. 2021 , 535, 147032		20
261	MOF based engineered materials in water remediation: Recent trends. 2021 , 403, 123605		91
260	Facile fabrication of versatile superhydrophobic coating for efficient oil/water separation. 2021 , 42, 363-372		2
259	One-step facile fabrication of PVDF/graphene composite nanofibrous membrane with enhanced oil affinity for highly efficient gravity-driven emulsified oil/water separation and selective oil absorption. 2021 , 254, 117576		22
258	Filtration and removal of liquid polymers from water (polymer/water separation) by use of the underwater superpolymphobic mesh produced with a femtosecond laser. 2021 , 582, 1203-1212		10

257	A robust and repairable copper-based superhydrophobic microfiltration membrane for high-efficiency water-in-oil emulsion separation. 2021 , 256, 117751		8
256	A facile route for the fabrication of a superhydrophilic and underwater superoleophobic phosphorylated PVA-coated mesh for both oil/water immiscible mixture and emulsion separation. 2021 , 537, 147986		17
255	Graphene and its derivative composite materials with special wettability: Potential application in oil-water separation. 2021 , 172, 647-681		27
254	In situ formation of ultrathin polyampholyte layer on porous polyketone membrane via a one-step dopamine co-deposition strategy for oil/water separation with ultralow fouling. <i>Journal of Membrane Science</i> , 2021 , 619, 118789	9.6	19
253	Multifunctional PDMS polyHIPE filters for oil-water separation and antibacterial activity. 2021 , 255, 117748		9
252	Enabling polyketone membrane with underwater superoleophobicity via a hydrogel-based modification for high-efficiency oil-in-water emulsion separation. <i>Journal of Membrane Science</i> , 2021 , 618, 118705	9.6	10
251	Superhydrophilic and Underwater Superoleophobic Poly(propylene) Nonwoven Coated with TiO ₂ by Atomic Layer Deposition. 2021 , 8, 2001485		2
250	Reproducible and fast preparation of superhydrophobic surfaces via an ultrasound-accelerated one-pot approach for oil collection. 2021 , 258, 118036		10
249	Direct recovery of spilled oil using hierarchically porous oil scoop with capillary-induced anti-oil-fouling. 2021 , 410, 124549		2
248	Facile fabrication of super-hydrophilic cellulose hydrogel-coated mesh using deep eutectic solvent for efficient gravity-driven oil/water separation. 2021 , 28, 949-960		3
247	Fabrication of the superhydrophobic natural cellulosic paper with different wettability and oil/water separation application. 2021 , 138, 50371		4
246	Underwater superpolymphobicity: Concept, achievement, and applications. 2021 , 2, 1011-1022		2
245	Facile preparation and application of fluoroalkyl end-capped vinyltrimethoxysilane oligomer/methyltrimethoxysilane nanocomposite lipogels possessing superoleophilic/superhydrophobic characteristic. 2021 , 299, 637-648		1
244	Hierarchical WO ₃ @Cu(OH) ₂ nanorod arrays grown on copper mesh with superwetting and self-cleaning properties for high-performance oil/water separation. 2021 , 855, 157421		21
243	Fabrication and characterization of MnO ₂ -Coated carbon fabrics from silk for shape-editable supercapacitors. 2021 , 854, 157289		5
242	MIL-100(Fe)-derived carbon sponge as high-performance material for oil/water separation. 2021 , 257, 117951		9
241	Optimal synthesis of high fouling-resistant PVC-based ultrafiltration membranes with tunable surface pore size distribution and ultralow water contact angle for the treatment of oily wastewater. 2021 , 257, 117829		14
240	Hierarchical amphiphilic high-efficiency oil/water separation membranes from fermentation derived cellulose and recycled polystyrene. 2021 , 138, 50123		

239	Green fabrication of biodegradable cork membrane for switchable separation of oil/water mixtures. 2021 , 42, 286-297	1
238	Twofold bioinspiration of TiO ₂ -PDA hybrid fabrics with desirable robustness and remarkable polar/nonpolar liquid separation performance. 2021 , 15, 124-137	0
237	The Role of Electrospun Nanomaterials in the Future of Energy and Environment. 2021 , 14,	9
236	Anti-Wetting Polymeric Coatings. 2021 ,	
235	Robust superhydrophobicity: mechanisms and strategies. 2021 , 50, 4031-4061	86
234	Characterization and application of superhydrophobic and superoleophilic OTS-LDH/melamine sponge.	1
233	Structured Surfaces with Engineered Wettability: Fundamentals, Industrial Applications, and Challenges for Commercialization. 2021 , 63-90	
232	Modulation of solid surface with desirable under-liquid wettability based on molecular hydrophilic-lipophilic balance. 2021 , 12, 6136-6142	4
231	Facile fabrication of zeolitic imidazolate framework hollow fibre membranes a novel scalable continuous fluid circulation process. 2021 , 13, 14644-14655	0
230	A robust surface with superhydrophobicity and underwater superoleophobicity for on-demand oil/water separation. 2021 , 13, 15334-15342	8
229	Hydrogel as a Superwetting Surface Design Material for Oil/Water Separation: A Review. 2021 , 8, 2002030	14
228	Salt-induced and alcohol-induced hydrophobic and underoil superhydrophobic poly (vinylidene fluoride) membranes for effective oil collection. 2021 , 9, 104714	4
227	Recent advances in membrane hydrophilic modification with plant polyphenol-inspired coatings for enhanced oily emulsion separation. 2021 , 138, 50587	1
226	Production and environmental applications of gelatin-based composite adsorbents for contaminants removal: a review. 2021 , 19, 2465-2486	12
225	Metal-Organic Framework (MOF) Derived Recyclable, Superhydrophobic Composite of Cotton Fabrics for the Facile Removal of Oil Spills. 2021 , 13, 8563-8573	19
224	Multi-scaled, hierarchical nanofibrous membrane for oil/water separation and photocatalysis: Preparation, characterization and properties evaluation. 2021 , 152, 106125	7
223	Facile Approach to Fabricate a High-Performance Superhydrophobic Mesh. 2021 , 13, 15720-15726	2
222	Modeling oil-water separation with controlled wetting properties. 2021 , 154, 104704	1

221	Dopamine-decorated lotus leaf-like PVDF/TiO ₂ membrane with underwater superoleophobic for highly efficient oil-water separation. 2021 , 147, 788-797		11
220	Facile fabrication of hydrophobic alkylamine intercalated graphene oxide as absorbent for highly effective oil-water separation. 2021 , 325, 115057		20
219	One-step hydrothermal synthesis of the modified carbon cloth membrane: Towards visible light driven and self-cleaning for efficient oil-water separation. <i>Surface and Coatings Technology</i> , 2021 , 409, 126879	4-4	8
218	Fabrication of hydrophilic and underwater superoleophobic SiO ₂ /silk fibroin coated mesh for oil/water separation. 2021 , 9, 105085		4
217	Sorbent-based devices for the removal of spilled oil from water: a review. 2021 , 28, 28876-28910		10
216	Using a simple method to prepare UiO-66-NH ₂ /chitosan composite membranes for oil/water separation. 2021 , 138, 50765		5
215	In situ mussel-inspired Janus membranes using catechol and polyethyleneimine as the additives for highly efficient oil/water emulsions separation. 2021 , 262, 118310		6
214	Facile Construction and Fabrication of a Superhydrophobic Copper Mesh for Ultraefficient Oil/Water Separation. 2021 , 60, 8139-8146		4
213	Directional Droplet Transport on Functional Surfaces with Superwettabilities. 2021 , 8, 2100043		10
212	Advanced Switchable Molecules and Materials for Oil Recovery and Oily Waste Cleanup. 2021 , 8, e2004082		7
211	Superwetting BiMoO/Cu(PO) Nanosheet-Coated Copper Mesh with Superior Anti-Oil-Fouling and Photo-Fenton-like Catalytic Properties for Effective Oil-in-Water Emulsion Separation. 2021 , 13, 23662-23674		11
210	A flame-retardant post-synthetically functionalized COF sponge as absorbent for spilled oil recovery. 2021 , 56, 13031		1
209	Wood-Derived Systems for Sustainable Oil/Water Separation. 2021 , 5, 2100039		5
208	Superhydrophobic and superoleophilic membranes for oil-water separation application: A comprehensive review. 2021 , 204, 109599		66
207	Smart Sand by Surface Engineering: Toward Controllable Oil/Water Separation. 2021 , 60, 9475-9481		3
206	Candle soot particles-modified macroporous monoliths for efficient separation of floating oil/water and stable emulsions. 2021 , 619, 126492		1
205	One-step fabrication of superhydrophobic-superoleophilic membrane by initiated chemical vapor deposition method for oil/water separation. 2021 , 299, 1469-1477		3
204	A sustainable hydrophobic luffa sponge for efficient removal of oils from water. 2021 , 28, e00273		4

203	An integrated separating system constructed by laser-patterned commercially available materials towards oily domestic sewage. 2021 , 621, 126566	1
202	Super-hydrophobic F-TiO ₂ @PP membranes with nano-scale floral-like synapses for waste oil recovery. 2021 , 267, 118579	6
201	Metal-Organic Framework-Based Hierarchically Porous Materials: Synthesis and Applications. 2021 , 121, 12278-12326	110
200	Emulsion preparation of ultralight TiO ₂ foams for selective oil absorption. 2021 , 41, 4349-4354	1
199	Deacetylated Cellulose Acetate/Polyurethane Composite Nanofiber Membranes with Highly Efficient Oil/Water Separation and Excellent Mechanical Properties. 2021 , 306, 2100270	3
198	Optimized microporous structure of ePTFE membranes by controlling the particle size of PTFE fine powders for achieving high oil-water separation performances. <i>Journal of Membrane Science</i> , 2021 , 629, 119294	9.6 6
197	A high lignin-content, ultralight, and hydrophobic aerogel for oil-water separation: preparation and characterization. 1	2
196	Shape-Deformed Mushroom-like Reentrant Structures for Robust Liquid-Repellent Surfaces. 2021 , 13, 33618-33626	3
195	Hyper-Cross-Linked Polymer-Decorated Surfaces with Ultrahigh Efficiency for Oil/Water Emulsion Separation and Recovery. 2021 , 13, 39925-39933	4
194	Titanium Dioxide [A Missing Photo-Responsive Material for Solar-Driven Oil Spill Remediation.	
193	Thermally stable and superhydrophobic foam prepared by high-internal phase emulsion for oil/water separation with good recycling capacity. 2022 , 139, 51521	4
192	Recent advances in developing cellulosic sorbent materials for oil spill cleanup: A state-of-the-art review. 2021 , 311, 127630	10
191	Design, Development, and Outlook of Superwettability Membranes in Oil/Water Emulsions Separation. 2021 , 8, 2100799	6
190	Green fabrication of flame retardant and superhydrophobic materials with application in oil-water separation.	1
189	TiO ₂ encapsulated cross-linked polystyrene-polyacrylic acid membranes for waste oil-water separation. 2021 , 9, 105394	0
188	Fabrication of TiO ₂ /SiO ₂ superhydrophobic coating for efficient oil/water separation. 2021 , 9, 105538	9
187	Tailoring electrospun nanofibrous materials for oil/water emulsion separation. 1-14	2
186	Template Preparation and Experimental Study on Superhydrophilic-Superoleophobic Nano-structures Surfaces Based on Titanium Mesh Membrane. 2021 , 2011, 012072	

185	Hydrophobic modification of sintered glass filters for the separation of organic solvents and gasoline from water as well as emulsified water. 2021 , 9, 106449		0
184	Metal mesh-based special wettability materials for oil-water separation: A review of the recent development. 2021 , 205, 108889		11
183	Novel in-situ electroflotation driven by hydrogen evolution reaction (HER) with polypyrrole (PPy)-Ni-modified fabric membrane for efficient oil/water separation. <i>Journal of Membrane Science</i> , 2021 , 635, 119502	9.6	32
182	Fabrication of super-wetting copper foam based on laser ablation for selective and efficient oil-water separation. <i>Surface and Coatings Technology</i> , 2021 , 424, 127650	4.4	4
181	The effect of superhydrophobicity of prickly shape carbonyl iron particles on the oil-water adsorption. 2021 , 47, 28400-28410		6
180	Micro/nanostructural silica/alkali-treated natural zeolite coated fabrics for oil-water separation and heavy metal ions removal. 2021 , 327, 111430		3
179	Facile preparation of attapulgite nanofiber membrane for efficient separation of high-viscosity oil-in-water emulsions. 2021 , 628, 127322		1
178	Recent Advances in Polymer-based 3D Printing for Wastewater Treatment Application: An Overview. <i>Chemical Engineering Journal</i> , 2022 , 429, 132311	14.7	5
177	Self-Symmetrical 3D Hierarchical Calcium Sulfate Hemihydrate Twin-Flowers Composed of Microplates as a Renewable Material for Water Separation from Water-in-Oil Emulsion. 2021 , 60, 2188-2194		1
176	A robust and antibacterial superhydrophobic cotton fabric with sunlight-driven self-cleaning performance for oil/water separation. 2021 , 28, 1715-1729		27
175	Construction of superhydrophilic/underwater superoleophobic polydopamine-modified h-BN/poly(arylene ether nitrile) composite membrane for stable oil-water emulsions separation. 2020 , 31, 1007-1018		17
174	Recent Development of Advanced Materials with Special Wettability for Selective Oil/Water Separation. 2016 , n/a-n/a		2
173	Mussel-inspired chitosan modified superhydrophilic and underwater superoleophobic cotton fabric for efficient oil/water separation. 2020 , 244, 116449		40
172	Femtosecond laser manipulating underoil surface wettability for water removal from oil. 2020 , 601, 125030		5
171	UV and thermal dual responsive coatings with high adhesion and mechanical robust properties. 2020 , 147, 105771		3
170	Advanced Materials with Special Wettability toward Intelligent Oily Wastewater Remediation. 2021 , 13, 67-87		57
169	Doubly Reentrant Cavities Prevent Catastrophic Wetting Transitions on Intrinsically Wetting Surfaces. 2017 , 9, 21532-21538		51
168	Underwater superoleophobic carbon nanotubes/core-shell polystyrene@Au nanoparticles composite membrane for flow-through catalytic decomposition and oil/water separation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 10810-10815	13	90

167	Janus membrane decorated via a versatile immersion-spray route: controllable stabilized oil/water emulsion separation satisfying industrial emission and purification criteria. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 4941-4949	13	62
166	A polymer coating which is sticky yet repulsive to water and slippery yet attractive for oils. 2020 , 56, 2877-2880		2
165	Cellulosic fiber filter with special wettability for efficient water/fuel oil separation. 2020 , 41, 25-33		3
164	Bioinspired micro/nanostructured surfaces prepared by femtosecond laser direct writing for multi-functional applications. 2020 , 2, 032002		37
163	Ice wicking. 2019 , 4,		9
162	Underwater superoleophobic and anti-oil microlens array prepared by combing femtosecond laser wet etching and direct writing techniques. 2019 , 27, 35903-35913		10
161	Ultralight, Strong and Renewable Hybrid Carbon Nanotubes Film for Oil-Water Emulsions Separation. 2020 , 11,		7
160	Construction of durable superhydrophilic activated carbon fibers based material for highly-efficient oil/water separation and aqueous contaminants degradation. 2021 , 207, 112212		0
159	Assessment of Hydrophobicity/Oleophilicity and Hydrophilicity/Oleophobicity for Autoclave Aerated Concrete Grains Coated with Stearic and Oleic Acids. 2022 , 487-496		
158	Hydroxyapatite-Based Materials for Environmental Remediation. 2022 , 55-100		
157	Structured Copper Mesh for Efficient Oil-Water Separation Processed by Picosecond Laser Combined With Chemical Treatment or Thermal Oxidation. 2021 , 3,		
156	Ultrafast Fabrication of a Robust Superwetting Coating. 2021 , 60, 15151-15161		0
155	Chapter 16:Superwettability of Polymer Surfaces. 2016 , 523-554		
154	Floating Ceramics vs. Floating Oils: Search for Appropriate Conditions. 2016 , 33,		
153	CHAPTER 1:Introduction. 2016 , 1-18		
152	Separation of Oil from Water Using Porous PDMS Capsules. 2018 , 35, 797-801		
151	Functional Rotaxanes. 2019 , 1-34		
150	Nanofibers for Membrane Applications. 2019 , 937-960		

- 149 Editors Biographies. **2020**, 367-367
- 148 Bicomponent PLA Nanofiber Nonwovens as Highly Efficient Filtration Media for Particulate Pollutants and Pathogens. **2021**, 11, 0
- 147 Superhydrophilic Sandwich Structure Aerogel Membrane for Emulsion Separation and Heavy Metal Ion Removal. 0
- 146 Preparation and Application of Superhydrophobic Surface Materials. **2020**, 827-835
- 145 A Compact Volume-Expandable Sorbent for Oil and Solvent Capture. **2021**, 3, 494-503 2
- 144 Electrospun Nanofibers for Scheming Water Pollution. **2022**, 284-308
- 143 . **2020**, 0
- 142 Functional Rotaxanes. **2020**, 277-310 2
- 141 Subject Index. **2020**, 373-377
- 140 Research Progress of Carbon Aerogels in Oil-Water Separation. **2020**, 10, 684-696
- 139 Title, Copyright, Foreword. **2020**, i-v
- 138 Macroporous monoliths with tailorable hydrophobicity for oil/water separation. **2021**, 50, A11-A11
- 137 The gorgeous transformation of paper: from cellulose paper to inorganic paper to 2D paper materials with multifunctional properties. *Journal of Materials Chemistry A*, 13 2
- 136 Photopolymerized superhydrophobic hybrid coating enabled by dual-purpose tetrapodal ZnO for liquid/liquid separation. **2021**, 2
- 135 Polymeric Hydrogels A Promising Platform in Enhancing Water Security for a Sustainable Future. **2021**, 8, 2100580 2
- 134 Abatement of oil residues from produced water using a thermocatalytic packed bed reactor. **2021**, 9, 106749 2
- 133 Laser-assisted synthesis of graphene-based paper for both oil/water mixtures and emulsions separation. **2021**, 159, 674-674 1
- 132 Smart surfaces with reversibly switchable wettability: Concepts, synthesis and applications.. **2021**, 300, 102584 8

131	Poly(vinylidene fluoride) membranes with underwater superoleophobicity for highly efficient separation of oil-in-water emulsions in resisting fouling. 2022 , 285, 120298		1
130	Facile preparation of a multifunctional superhydrophilic PVDF membrane for highly efficient organic dyes and heavy metal ions adsorption and oil/water emulsions separation. 2022 , 637, 128231		0
129	Superhydrophobic palmitic acid modified Cu(OH) ₂ /CuS nanocomposite-coated copper foam for efficient separation of oily wastewater. 2022 , 637, 128249		1
128	Design of adjustable hypercrosslinked poly(ionic liquid)s for highly efficient oil-water separation. 2022 , 285, 120407		2
127	Water Pollution and Advanced Water Treatment Technologies. 2022 , 1-17		
126	Programmable Transition between Adhesive/Anti-Adhesive Performances on Porous PVDF Spheres Supported by Shape Memory PLLA.. 2022 , 14,		0
125	Fabrication of nanostructures with excellent self-cleaning properties. 2022 , 449-478		0
124	Hydrogen-bonding and nuclear quantum effects in clays.. 2022 , 156, 084702		1
123	Polyurethane/multi-walled carbon nanotube electrospun composite membrane for oil/water separation. 52117		2
122	Oleophilic to oleophobic wettability switching of isoporous through-hole membranes by surface structure control for low-voltage electrowetting-based oil-water separation. <i>Journal of Membrane Science</i> , 2022 , 646, 120281	9.6	1
121	Treatment of oily wastewaters by highly porous whisker-constructed ceramic membranes: Separation performance and fouling models.. 2022 , 211, 118042		5
120	Superhydrophobic and superoleophilic PH-CNT membrane for emulsified oil-water separation. 2022 , 526, 115536		4
119	Enhanced durability and versatile superhydrophobic coatings via facile one-step spraying technique. 2022 , 640, 128411		3
118	Nature-Inspired Superwettability Achieved by Femtosecond Lasers. 2022 , 2022, 1-51		10
117	Hydrophobic and oleophilic amine-functionalised graphene/polyethylene nanocomposite for oil-water separation. 2022 , 27, 102391		1
116	Stimuli-responsive wettability quartz sand filter material for efficient separation of oil/water mixture and controllable demulsification of oil/water emulsion. <i>Journal of Water Process Engineering</i> , 2022 , 46, 102596	6.7	2
115	A superwetting stainless steel mesh with Janus surface charges for efficient emulsion separation.. 2022 , 430, 128378		0
114	A Robust Superhydrophobic Polyurethane Sponge Loaded with Multi-Walled Carbon Nanotubes for Efficient and Selective Oil-Water Separation.. 2021 , 11,		4

113	Smart Materials in Oil and Gas Industry: Application. 2021 , 1-41	
112	Carbon nanotube-based oil-water separation. 2022 , 195-206	
111	Superhydrophobic, Elastic and Anisotropic Cellulose Nanofiber Aerogels for Highly Effective Oil/Water Separation.	
110	Superhydrophobic polymeric adsorbents as an efficient oil separator. 2022 , 139-156	
109	Oil spills adsorption and cleanup by polymeric materials: A review. 2022 , 33, 1353-1384	2
108	Emerging Separation Applications of Surface Superwettability.. 2022 , 12,	2
107	A FACILE WAY TO PREPARE A SPONGE/CELLULOSE FIBER COMPOSITE AND ITS APPLICATION IN OIL/WATER SEPARATION. 2022 , 56, 177-189	0
106	Plasma-controlled surface wettability: recent advances and future applications. 1-38	0
105	Porous Al ₂ O ₃ ceramics with directional gradient pore structure modified by cobweb-bridged WO ₃ nanowires for oil/water emulsions separation. 2022 ,	0
104	Upcycling Waste Pine nut Shell Membrane for Highly Efficient Separation of Crude Oil-in-Water Emulsion.. 2022 ,	4
103	Cotton linter as biosorbent: removal study of highly diluted crude oil-in-saline water emulsion. 1	
102	A versatile hydrogel platform for oil/water separation, dye adsorption, and wastewater purification. 1	0
101	Wettability Scope of MoS ₂ -Ionic Liquid Interfaces and Their Modification toward Novel Superhydrophobic Boundaries.. 2022 ,	1
100	Phase separation features of oil/water parallel flow at hydrophobic and hydrophilic micro-T-junctions. 2022 , 253, 117520	0
99	Multifunctional cellulose paper-based materials and their application in complex wastewater treatment.. 2022 , 207, 414-423	0
98	Superhydrophobic copper foam modified with hierarchical stearic acid/CuSiO ₃ /Cu(OH) ₂ nanocomposites for efficient water/oil separation. 2022 , 10, 107618	0
97	Biobased mussel-inspired underwater superoleophobic chitosan derived complex hydrogel coated cotton fabric for oil/water separation.. 2022 , 209, 279-289	1
96	Eco-friendly WBF/PAN nanofiber composite membrane for efficient separation various surfactant-stabilized oil-in-water emulsions. 2022 , 645, 128917	2

95	Biodegradable, biomimetic, and nanonet-engineered membranes enable high-flux and highly-efficient oil/water separation.. 2022 , 434, 128858		4
94	A special underoil superhydrophilic (UOSHL) membrane: Growing of copper phosphate (Cu ₃ (PO ₄) ₂) nanosheet to achieve self-cleaning and efficient oil-water separation. 2022 , 645, 128904		0
93	Superhydrophobic and super-oleophilic natural sponge sorbent for crude oil/water separation. <i>Journal of Water Process Engineering</i> , 2022 , 48, 102783	6.7	0
92	Video_1.AVI. 2020 ,		
91	Video_2.AVI. 2020 ,		
90	Video_3.AVI. 2020 ,		
89	Video_4.AVI. 2020 ,		
88	Video_5.AVI. 2020 ,		
87	Graphene petal foams with hierarchical micro- and nano-channels for ultrafast spontaneous and continuous oil recovery. <i>Journal of Materials Chemistry A</i> ,	13	0
86	Surface Wettability of Cellulose Sponges on Effective Oil Uptake.. 2022 ,		
85	Superhydrophobic, elastic and anisotropic cellulose nanofiber aerogels for highly effective oil/water separation. 2022 , 121266		3
84	Synthesis of sustainable poly(S-Abietic-co-Pinene) through inverse vulcanization of Kurdica gum and used to fabricate durable and recyclable super-hydrophobic cotton wool filter: Oil-water separation application. 2022 , 168, 106862		1
83	Several birds with one stone strategy of pH/thermoresponsive flame-retardant/photothermal bactericidal oil-absorbing material for recovering complex spilled oil. 2022 ,		1
82	Application of Fibrous Structures in Separation of Water and Oil Emulsions: A Review. 2022 , 107999		1
81	Recent advances in oil/water separation using nanomaterial-based filtration methods for crude oil processing-a review. 2022 , 215, 110617		1
80	Reusable carbon nanotube-embedded polystyrene/polyacrylonitrile nanofibrous sorbent for managing oil spills. 2022 , 537, 115865		1
79	Facile fabrication of superhydrophobic-superoleophilic ZnCo ₂ O ₄ nickel foam for highly efficient oil/water separation.		
78	Facile in Situ Growth of Cu(OH) ₂ on Cotton Fabric for Oil/Water Separation. 1-12		

77	Constructing discontinuous silicon-island structure with low surface energy based on the responsiveness of hydrophilic layers to improve the anti-fouling property of membranes. <i>Journal of Membrane Science</i> , 2022 , 120770	9.6	0
76	Sprayable superhydrophobic coating with high mechanical/chemical robustness and anti-corrosion. <i>Surface and Coatings Technology</i> , 2022 , 443, 128609	4.4	2
75	In situ formation of polymethylsiloxane nanofilaments on pristine cotton stalk with natural interconnected pores for rapid and recyclable organic solvents absorption. <i>Industrial Crops and Products</i> , 2022 , 186, 115176	5.9	0
74	A facile surface modification approach to fabricate durable underwater superoleophobic stainless steel mesh for efficient oily wastewater purification. <i>Bulletin of Materials Science</i> , 2022 , 45,	1.7	
73	Lotus leaf-inspired and multifunctional Janus carbon felt@Ag composites enabled by in situ asymmetric modification for electromagnetic protection and low-voltage joule heating. <i>Composites Part B: Engineering</i> , 2022 , 242, 110110	10	2
72	Stable hydrophilic and underwater superoleophobic ZnO nanorod decorated nanofibrous membrane and its application in wastewater treatment. <i>Journal of Membrane Science</i> , 2022 , 659, 120803	9.6	2
71	Magnetically recoverable poly (methyl methacrylate-acrylic acid)/iron oxide magnetic composites nanomaterials with hydrophilic wettability for efficient oil-water separation. <i>Journal of Environmental Management</i> , 2022 , 319, 115690	7.9	
70	Superoleophilic oil-adsorbing membranes based on porous and nonporous fluorinated polyimides for the rapid remediation of oil spills. <i>Chemical Engineering Journal</i> , 2022 , 449, 137821	14.7	1
69	Biomass-derived carbon dots for efficient cleanup of oil spills. <i>Journal of Water Process Engineering</i> , 2022 , 49, 103016	6.7	
68	Electrospun Membrane with Ultrafine Fibers for Oil/Water Separation Application. 2022 , 366-380		
67	Superhydrophilic/air-superoleophobic diatomite porous ceramics for highly-efficient separation of oil-in-water emulsion. 2022 , 108483		0
66	Preparation of Special Wettability Quartz Sand Filter Media and Its Synchronous Oil/Water Mixture Separation and Dye Adsorption. 2022 , 14, 9860		
65	2D Nano-Mica Sheets Assembled Membranes for High-Efficiency Oil/Water Separation. 2022 , 12, 2895		
64	Fluorocarbon-Based Selective-Superwetting Nanofibrous Membranes with Ultraviolet-Driven Switchable Wettability for Oil/Water Separation.		
63	Janus Nanofiber Antibacterial Membrane for Switchable Separation of Oil/Water Emulsions.		1
62	Antibacterial waterborne polyacrylate coated fabric with underwater superoleophobicity and underoil superhydrophobicity for continuous oil/water separation. 2022 , 173, 107149		0
61	Polydimethylsiloxane based sustainable hydrophobic/oleophilic coatings for oil/water separation: A review. 2022 , 6, 100136		0
60	Facile Fabrication of Biobased Porous Material Via the Photocuring Technique and a Template-Assisted Approach for Oil/Water Separation.		0

59	Current research situation and future prospect of superwetting smart oil/water separation materials. 2022 , 10, 20190-20217	8
58	Cellulose/Polyvinyl Alcohol/Tannic Acid Porous Cross-Linked Composite Frame Material with Excellent Oil-Water Separation Performance.	0
57	Hierarchically Superhydrophobic Stereo-Complex Poly (Lactic Acid) Aerogel for Daytime Radiative Cooling. 2207414	3
56	Facile fabrication of biobased porous material via the photocuring technique and a template-assisted approach for oil/water separation. 2022 , 122239	0
55	Highly performant nanocomposite cryogels for multicomponent oily wastewater filtration. 2022 , 122252	0
54	Superhydrophilic/Superhydrophobic patterned surfaces: From simplified fabrication to emerging applications. 2022 , 5, 035002	0
53	Bioinspired Hydrophilic and Oleophilic Absorption Media from Biotemplated Fungi. 2200945	0
52	Synthesis of novel Smart pH-Sensitive Modified Silica Nanoparticles for Controllable Oil-Water Separation of the lab and real samples. 2022 , 102346	0
51	Treating Waste with Waste: Facile Preparation of Elastic Thermoplastic Polyurethane Monolith for Efficient Oil/Water Separation.	0
50	Phosphoric acid functionalized superhydrophilic and underwater superoleophobic UiO-66/polyester fabric composite membrane for efficient oil/water separation and Gd(III) recovery. 2022 , 544, 116141	1
49	Roll-to-roll fabrication of superhydrophobic pads covered with nanofur for the efficient clean-up of oil spills. 13, 1228-1239	0
48	Cellulose/Poly(vinyl alcohol)/Tannic Acid Porous Cross-Linked Composite Frame Materials with Excellent Oil/Water Separation Performance. 2022 , 38, 12795-12803	0
47	Adsorption of Oil by 3-(Triethoxysilyl) Propyl Isocyanate-Modified Cellulose Nanocrystals. 2022 , 10, 2154	0
46	A new antifouling metal-organic framework based UF membrane for oil-water separation: A comparative study on the effect of MOF (UiO-66-NH ₂) ligand modification.	1
45	Lotus leaf-like SiO ₂ nanofiber coating on polyvinylidene fluoride nanofiber membrane for water-in-oil emulsion separation and antifouling enhancement. 2023 , 452, 139710	3
44	Surface engineering of filter membranes with hydrogels for oil-in-water emulsion separation. 2023 , 304, 122340	2
43	Smart Materials in Oil and Gas Industry: Application. 2022 , 1689-1729	0
42	Recent advances in eco-friendly fabrics with special wettability for oil/water separation.	0

- 41 Ultrahigh fluid sorption capacity of superhydrophobic and tough cryogels of cross-linked cellulose nanofibers, cellulose nanocrystals, and Ti₃C₂T_x MXene nanosheets. ○
- 40 A durable MOF-303-coated stainless steel mesh with robust anti-oil-fouling performance for multifunctional oil/water separation. **2022**, 130515 ○
- 39 A Gemini-Type Superwetable Separator for Consecutive Purification of Water and Oil Phases from Oil-Water Mixtures and Emulsions. ○
- 38 SiO₂-PDMS as oil removal system. 29-35 ○
- 37 A sustainable approach to oil spill cleanup by kapok and waste cotton needle punched nonwoven blends. **2023**, 191, 115939 ○
- 36 Special wettable *Azadirachta indica* leaves like microarchitecture mesh filtration membrane produced by galvanic replacement reaction for layered oil/water separation. **2023**, 313, 137544 1
- 35 Bionic engineering-induced formation of hierarchical structured minerals with superwetting surfaces for oil-water separation. **2023**, 669, 121261 ○
- 34 Presence, Origins and Effect of Stable Surface Hydration on Regenerated Cellulose for Underwater Oil-repellent Membranes. **2022**, ○
- 33 Fabrication of novel zwitterionic copolymer high performance membrane applied for Oil/Water Mixtures and Emulsions Separation. **2022**, 130878 ○
- 32 Application of Superhydrophobic Mesh Coated by PDMS/TiO₂ Nanocomposites for Oil/Water Separation. **2022**, 14, 5431 1
- 31 Rational design of dopamine-decorated gradient structure membrane with novel hydrophobic/underwater-oleophobic for oil/water separation. **2022**, ○
- 30 Global research trends in petrochemical wastewater treatment from 2000 to 2021. ○
- 29 Facile Fabrication of Superwetting PVDF Membrane for Highly Efficient Oil/Water Separation. **2023**, 15, 327 ○
- 28 Robust superhydrophobic ceramic fiber braid for oil water separation. **2023**, ○
- 27 Water Pollution and Advanced Water Treatment Technologies. **2022**, 2184-2200 ○
- 26 Green Fabrication of Underwater Superoleophobic Biopolymeric Nanofibrous Membranes for Effective Oil/Water Separation. ○
- 25 Facile preparation of superhydrophilic and underwater superoleophobic stainless steel mesh for oil/water separation. **2023**, ○
- 24 Advancing Hyper-Crosslinked Materials with High Efficiency and Reusability for Oil Spill Response. ○

- 23 Liquid-Liquid Phase Separation of Two Non-Dissolving Liquids: A Mini Review. **2023**, 11, 1145 ○
- 22 Experimental Investigation on the Droplet Stability of Superhydrophobic Mesh. **2023**, 13, 756 ○
- 21 Superhydrophobic coatings from macromolecular fluorinated silica nanoparticles through START polymerization and grafting onto strategy. **2023**, 190, 112021 ○
- 20 One-pot fabrication of SF-DA@PVDF membrane for dye adsorption and oil-in-water emulsion separation. **2023**, 11, 109730 ○
- 19 Hierarchical structured surfaces enhance the contact angle of the hydrophobic (meta-stable) state. **2023**, 158, 154703 ○
- 18 An eco-friendly method to prepare superwetting composites by modifying cotton with TA/FeIII/PDDA coatings for highly effective separations of emulsions. **2023**, 178, 107494 ○
- 17 Design and preparation of ZnS superhydrophobic coating with self-healing property and oil-water separation function on stainless steel mesh surface. **2023**, 666, 131378 ○
- 16 Efficient oily wastewater treatment by a novel electroflotation-membrane separation system consisting a Ni-Cu-P membrane prepared by electroless nickel plating. **2023**, 881, 163135 ○
- 15 Amphiphilic Bowl-Shaped Janus Particles Prepared via Thiol-Ene Click Reaction for Effective Oil/Water Separation. **2023**, 13, 455 ○
- 14 Facile construction of durable superhydrophobic cellulose paper for oil/water separation. **2023**, 30, 3255-3265 1
- 13 Oil/Water Separation using Synthetic Trees. **2023**, 39, 2520-2528 ○
- 12 Synergistic effect of microwave assisted devulcanization of waste NBR rubber and using superhydrophobic/superoleophilic silica nanoparticles on oil-water separation. **2023**, 69, 67-84 ○
- 11 Laser-Heat Surface Treatment of Superwetting Copper Foam for Efficient Oil/Water Separation. **2023**, 13, 736 ○
- 10 Surface Grafting of a Zwitterionic Copolymer onto a Cellulose Nanofiber Membrane for Oil/Water Separation. ○
- 9 Tunable nanostructured stainless-steel coating for high-selective and high-permeable separation membranes for oil/water emulsions. **2023**, 6, ○
- 8 Antimicrobial cellulose paper tuned with chitosan fibers for high-flux oil/water separation. **2023**, 312, 120794 ○
- 7 High-efficiency oil/water separation of hydrophobic stainless steel Mesh filter through carbon and fluorine surface treatment. ○
- 6 Bio-inspired and metal-derived superwetting surfaces: Function, stability and applications. **2023**, 314, 102879 ○

- 5 Oil/Water Mixtures and Emulsions Separation Methods: An Overview. **2023**, 16, 2503 ○
- 4 Developing aerogel surfaces via switchable-hydrophilicity tertiary amidine coating for improved oil recovery. **2023**, 880, 163062 ○
- 3 Facile Preparation of Ni Foam/Bacterial Nanocellulose Composite for Oil/Water Separation. **2023**, 24, 1441-1452 ○
- 2 Hydrophobic-oleophilic surfaces based on chemical modification of nanoporous alumina. **2023**, 302, 127686 ○
- 1 Underwater Superoleophobic and Underoil Superhydrophilic Copper Benzene-1,3,5-tricarboxylate (HKUST-1) Mesh for Self-Cleaning and On-Demand Emulsion Separation. ○