

Determinants of childhood diarrhea among underfive children in Regional State, North West Ethiopia

BMC Pediatrics

14, 102

DOI: [10.1186/1471-2431-14-102](https://doi.org/10.1186/1471-2431-14-102)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Prevalence, one week incidence and knowledge on causes of diarrhea: household survey of under-fives and adults in Mkuranga district, Tanzania. BMC Public Health, 2014, 14, 985.	2.9	31
2	Socio-demographic and environmental determinants of infectious disease morbidity in children under 5 years in Ghana. Global Health Action, 2015, 8, 29349.	1.9	30
3	Determinants of childhood morbidity in Bangladesh: evidence from the Demographic and Health Survey 2011. BMJ Open, 2015, 5, e007538.	1.9	45
4	Risk factors of diarrhea in children under 5 years in Al-Mukalla, Yemen. Journal of King Abdulaziz University, Islamic Economics, 2015, 36, 720-724.	1.1	10
5	Childhood Diarrhea Determinants in Sub-Saharan Africa: A Cross Sectional Study of Tiko-Cameroon. Challenges, 2015, 6, 229-243.	1.7	43
6	Measuring Multidimensional Poverty in a Complex Environment; Identifying the Sensitive Links. Procedia Engineering, 2015, 107, 172-180.	1.2	3
7	Diarrhea and health inequity among Indigenous children in Brazil: results from the First National Survey of Indigenous People's Health and Nutrition. BMC Public Health, 2015, 15, 191.	2.9	32
8	Assessment of Diarrheal Disease Prevalence and Associated Risk Factors in Children of 6-59 Months Old at Adama District Rural Kebeles, Eastern Ethiopia, January/2015. Ethiopian Journal of Health Sciences, 2016, 26, 581.	0.4	20
9	Association of Safe Disposal of Child Feces and Reported Diarrhea in Indonesia: Need for Stronger Focus on a Neglected Risk. International Journal of Environmental Research and Public Health, 2016, 13, 310.	2.6	42
10	Maternal Antiretroviral Therapy Is Associated with Lower Risk of Diarrhea in Early Childhood. Journal of Pediatrics, 2016, 175, 54-60.	1.8	3
11	Childhood diarrhea in high and low hotspot districts of Amhara Region, northwest Ethiopia: a multilevel modeling. Journal of Health, Population and Nutrition, 2016, 35, 13.	2.0	47
13	Socioeconomic factors associated with diarrheal diseases among under-five children of the nomadic population in northeast Ethiopia. Tropical Medicine and Health, 2016, 44, 40.	2.8	52
14	Household wealth, residential status and the incidence of diarrhoea among children under-five years in Ghana. Journal of Epidemiology and Global Health, 2016, 6, 131.	2.9	40
15	Child feeding practices and diarrheal disease among children less than two years of age of the nomadic people in Hadaleala District, Afar Region, Northeast Ethiopia. International Breastfeeding Journal, 2017, 12, 24.	2.6	35
16	Factors associated with diarrheal morbidity among under-five children in Jigjiga town, Somali Regional State, eastern Ethiopia: a cross-sectional study. BMC Pediatrics, 2017, 17, 182.	1.7	19
17	Disposal of children's stools and its association with childhood diarrhea in India. BMC Public Health, 2017, 17, 12.	2.9	64
18	Determinants of childhood diarrhea in Medebay Zana District, Northwest Tigray, Ethiopia: a community based unmatched case-control study. BMC Pediatrics, 2018, 18, 120.	1.7	48
19	Lactating mothers' perception toward diarrheal disease in Mizan-Aman District, South-West Ethiopia: mixed study design. Pan African Medical Journal, 2018, 31, 176.	0.8	2

#	ARTICLE	IF	CITATIONS
21	Diarrheal status and associated factors in under five years old children in relation to implemented and unimplemented community-led total sanitation and hygiene in Yaya Gulele in 2017. <i>Pediatric Health, Medicine and Therapeutics</i> , 2018, Volume 9, 109-121.	1.6	27
22	Does safe disposal of child faeces matter? An assessment of access to improved sanitation and child faeces disposal behaviour and diarrhoea in rural Nepal. <i>International Health</i> , 2018, 10, 277-284.	2.0	11
23	Estimating the distribution of morbidity and mortality of childhood diarrhea, measles, and pneumonia by wealth group in low- and middle-income countries. <i>BMC Medicine</i> , 2018, 16, 102.	5.5	25
24	Effectiveness of a community-based water, sanitation, and hygiene (WASH) intervention in reduction of diarrhoea among under-five children: Evidence from a repeated cross-sectional study (2007-2015) in rural Bangladesh. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 1098-1108.	4.3	28
25	Assessment of Socio-Demographic Factors, Mother and Child Health Status, Water, Sanitation, and Hygienic Conditions Existing in a Hilly Rural Village of Nepal. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3965.	2.6	4
26	Factors associated with diarrhea and acute respiratory infection in children under two years of age in rural Bangladesh. <i>BMC Pediatrics</i> , 2019, 19, 386.	1.7	30
27	Geographical Variations and Factors Associated with Childhood Diarrhea in Tanzania: A National Population Based Survey 2015-16. <i>Ethiopian Journal of Health Sciences</i> , 2019, 29, 513-524.	0.4	23
28	Prevalence of diarrheal diseases and associated factors among under-five children in Dale District, Sidama zone, Southern Ethiopia: a cross-sectional study. <i>BMC Public Health</i> , 2019, 19, 1235.	2.9	66
29	Environmental factors affecting childhood diarrheal disease among under-five children in Jamma district, South Wello zone, Northeast Ethiopia. <i>BMC Infectious Diseases</i> , 2019, 19, 804.	2.9	38
30	Prevalence of oral rehydration therapy use and associated factors among under-five children with diarrhea in Dangure, Benishangul Gumuz Region, Ethiopia/2018. <i>BMC Research Notes</i> , 2019, 12, 67.	1.4	9
31	Prevalence of diarrhea and associated factors among under-five children in Bahir Dar city, Northwest Ethiopia, 2016: a cross-sectional study. <i>BMC Infectious Diseases</i> , 2019, 19, 417.	2.9	39
32	Prevalence of diarrheal illness and healthcare-seeking behavior by age-group and sex among the population of Gaza strip: a community-based cross-sectional study. <i>BMC Public Health</i> , 2019, 19, 704.	2.9	32
33	Diarrheal disease in under-five children among model and non-model families in northern Ethiopia, 2017: a comparative cross-sectional study. <i>BMC Research Notes</i> , 2019, 12, 300.	1.4	6
34	Spatial pattern and determinants of diarrhoea morbidity among under-five-aged children in Lagos State, Nigeria. <i>Cities and Health</i> , 2019, , 1-12.	2.6	2
35	Childhood Diarrhoea in the Eastern Mediterranean Region with Special Emphasis on Non-Typhoidal Salmonella at the Human-Food Interface. <i>Pathogens</i> , 2019, 8, 60.	2.8	7
36	Assessment of the trend and risk factors of under-five diarrhea morbidity and mortality in two selected communities in the West-Mamprusi District. <i>International Journal of Medicine and Medical Sciences</i> , 2019, 11, 27-35.	0.3	2
37	<p>Mothers' Handwashing Knowledge as a Predictor of Diarrheal Disease Among Under-Five Children Visiting Pediatric Ward in University of Gondar Comprehensive Specialized Hospital, Northwest Ethiopia, 2019</p>. <i>Pediatric Health, Medicine and Therapeutics</i> , 2019, Volume 10, 189-194.	1.6	3
38	Etiologies of diarrhea and drug susceptibility patterns of bacterial isolates among under-five year children in refugee camps in Gambella Region, Ethiopia: a case control study. <i>BMC Infectious Diseases</i> , 2019, 19, 1008.	2.9	9

#	ARTICLE	IF	CITATIONS
39	Socio-economic inequality in malnutrition among children in India: an analysis of 640 districts from National Family Health Survey (2015-16). <i>International Journal for Equity in Health</i> , 2019, 18, 203.	3.5	64
40	Individual and community-level risk factors in under-five children diarrhea among agro-ecological zones in southwestern Ethiopia. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 224, 113447.	4.3	10
41	<p>Determinants of Acute Diarrhea Among Children Under-Five in Northeast Ethiopia: Unmatched Case<p>Control Study<p>. <i>Pediatric Health, Medicine and Therapeutics</i> , 2020, Volume 11, 323-333.	1.6	6
42	Associations between women<sup>TM</sup>s empowerment and children<sup>TM</sup>s health status in Ethiopia. <i>PLoS ONE</i> , 2020, 15, e0235825.	2.5	26
43	Element Levels and Predictors of Exposure in the Hair of Ethiopian Children. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8652.	2.6	7
44	<p>Evaluation of Anti-Diarrheal Activity of 80% Methanol Extracts of Vernonia amygdalina Delile (Asteraceae) Leaves in Mice<p>. <i>Journal of Experimental Pharmacology</i> , 2020, Volume 12, 455-462.	3.2	7
45	Geographical disparities and determinants of childhood diarrheal illness in Ethiopia: further analysis of 2016 Ethiopian Demographic and Health Survey. <i>Tropical Medicine and Health</i> , 2020, 48, 64.	2.8	14
46	Diarrheal morbidity and predisposing factors among children under 5<sup>o</sup>years of age in rural East Ethiopia. <i>Tropical Medicine and Health</i> , 2020, 48, 66.	2.8	6
47	<p>Moderate to Severe Diarrhea and Associated Factors Among Under-Five Children in Wonago District, South Ethiopia: A Cross-Sectional Study<p>. <i>Pediatric Health, Medicine and Therapeutics</i> , 2020, Volume 11, 437-443.	1.6	9
48	Do tribal children experience elevated risk of poor nutritional status in India? A multilevel analysis. <i>Journal of Biosocial Science</i> , 2020, 53, 1-26.	1.2	4
49	Implementation of the <sup>TM</sup>Optimising the Health Extension Program<sup>TM</sup> Intervention in Ethiopia: A Process Evaluation Using Mixed Methods. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5803.	2.6	10
50	Socio-demographic and environmental factors associated with diarrhoeal disease among children under five in India. <i>BMC Public Health</i> , 2020, 20, 1886.	2.9	23
51	Association between women<sup>TM</sup>s empowerment and diarrhea in children under two years in Indonesia. <i>Children and Youth Services Review</i> , 2020, 113, 105004.	1.9	13
52	Unsafe child feces disposal status in Ethiopia: what factors matter? Analysis of pooled data from four demographic and health surveys. <i>BMC Public Health</i> , 2020, 20, 800.	2.9	12
53	Disease burden and risk factors of diarrhoea in children under five years: Evidence from Kenya<sup>TM</sup>s demographic health survey 2014. <i>International Journal of Infectious Diseases</i> , 2020, 93, 359-366.	3.3	19
54	Predictive analytics framework for accurate estimation of child mortality rates for Internet of Things enabled smart healthcare systems. <i>International Journal of Distributed Sensor Networks</i> , 2020, 16, 155014772092889.	2.2	13
55	Prevalence and associated factors of diarrhea among under-five children in Debre Berhan town, Ethiopia 2018: a cross sectional study. <i>BMC Infectious Diseases</i> , 2020, 20, 174.	2.9	24
56	Child malnutrition, consumption growth, maternal care and price shocks: new evidence from Northern Ghana. <i>Development Studies Research</i> , 2020, 7, 18-30.	1.9	5

#	ARTICLE	IF	CITATIONS
57	Incidence and Risk Factors for Severe Dehydration in Hospitalized Children in Ujjain, India. International Journal of Environmental Research and Public Health, 2020, 17, 616.	2.6	1
58	Does Basic Sanitation Prevent Diarrhea? Contextualizing Recent Intervention Trials through a Historical Lens. International Journal of Environmental Research and Public Health, 2020, 17, 230.	2.6	12
59	Trends and determinants of diarrhea among under-five children in Ethiopia: cross-sectional study: multivariate decomposition and multilevel analysis based on Bayesian approach evidenced by EDHS 2000–2016 data. BMC Public Health, 2021, 21, 193.	2.9	14
60	Determinants of Childhood Diarrhea in Households with Improved Water, Sanitation, and Hygiene (WASH) in Ethiopia: Evidence from a Repeated Cross-Sectional Study. Environmental Health Insights, 2021, 15, 117863022110251.	1.7	4
61	Sociodemographic Determinants of Healthcare-Seeking Options and Alternative Management Practices of Childhood Diarrheal Illness: A Household Survey among Mothers in Iraq. American Journal of Tropical Medicine and Hygiene, 2021, 104, 748-755.	1.4	1
62	Risk Factors of Diarrhoea among Children Under Five Years in Southwest Nigeria. International Journal of Microbiology, 2021, 2021, 1-9.	2.3	6
64	Prevalence of acute diarrhea and water, sanitation, and hygiene (WASH) associated factors among children under five in Woldia Town, Amhara Region, northeastern Ethiopia. BMC Pediatrics, 2021, 21, 227.	1.7	16
65	Exploring the socio-economic determinants of educational inequalities in diarrhoea among under-five children in low- and middle-income countries: a Fairlie decomposition analysis. Archives of Public Health, 2021, 79, 114.	2.4	10
66	Prevalence of acute diarrhea and associated factors among children under five in semi-urban areas of northeastern Ethiopia. BMC Pediatrics, 2021, 21, 290.	1.7	10
67	Prevalence and Determinants of Diarrheal Diseases among Under-Five Children in Horo Guduru Wollega Zone, Oromia Region, Western Ethiopia: A Community-Based Cross-Sectional Study. Canadian Journal of Infectious Diseases and Medical Microbiology, 2021, 2021, 1-9.	1.9	9
69	Impact of maternal decision-making autonomy and self-reliance in accessing health care on childhood diarrhea and acute respiratory tract infections in Nepal. Public Health, 2021, 198, 89-95.	2.9	6
70	The association of socio-demographic and environmental factors on childhood diarrhea in Cambodia. F1000Research, 2020, 9, 303.	1.6	1
71	Do malnutrition, pre-existing morbidities, and poor household environmental conditions aggravate susceptibility to Coronavirus disease (COVID-19)? A study on under-five children in India. Children and Youth Services Review, 2021, 128, 105962.	1.9	5
72	Prevalence and socio-demographic determinants of diarrhea among children below 5 years in Bondhere district Somalia. Pan African Medical Journal, 2021, 38, 391.	0.8	4
73	A Multilevel Analysis of Factors Associated with Childhood Diarrhea in Ethiopia. Environmental Health Insights, 2021, 15, 117863022110098.	1.7	7
74	Does seasonal variation affect diarrhoea prevalence among children in India? An analysis based on spatial regression models. Children and Youth Services Review, 2020, 118, 105453.	1.9	10
75	Determinants of childhood diarrhea in West Gojjam, Northwest Ethiopia: a case control study. Pan African Medical Journal, 2018, 30, 234.	0.8	13
76	Socio-demographic, environmental and behavioural risk factors of diarrhoea among under-five children in rural Ethiopia: further analysis of the 2016 Ethiopian demographic and health survey. BMC Pediatrics, 2020, 20, 239.	1.7	9

#	ARTICLE	IF	CITATIONS
77	Does Measles Vaccination Reduce the Risk of Acute Respiratory Infection (ARI) and Diarrhea in Children: A Multi-Country Study?. PLoS ONE, 2017, 12, e0169713.	2.5	28
78	Effects of neighbourhood and household sanitation conditions on diarrhea morbidity: Systematic review and meta-analysis. PLoS ONE, 2017, 12, e0173808.	2.5	33
79	Prevalence of Diarrhea and Associated Factors among Under Five Years Children in Harena Buluk Woreda Oromia Region, South East Ethiopia, 2018. Journal of Public Health International, 2018, 1, 9-26.	0.3	10
80	Cumulative effects of environmental factors on household childhood diarrhoea in Ghana. Water Practice and Technology, 2020, 15, 1032-1049.	2.0	3
81	Risk factors of diarrhea of children under five in Malawi: based on Malawi Demographic and Health Survey 2015-2016. Journal of Global Health Science, 2019, 1, .	0.3	6
82	Socioeconomic factors associated with diarrhea among under-five children in Manado Coastal Area, Indonesia. Journal of Global Infectious Diseases, 2019, 11, 140.	0.5	7
83	Association between Maternal High-Risk Fertility Behavior and Childhood Morbidity in Bangladesh: A Nationally Representative Cross-Sectional Survey. American Journal of Tropical Medicine and Hygiene, 2019, 101, 929-936.	1.4	19
84	Households Socio-Economic Determinants of Childhood Diarrhoea Morbidity in Selected South Asian Countries. Review of Economics and Development Studies, 2015, 1, 33-44.	0.5	0
85	Excreta-Related Infections and the Role of Latrines to Control the Transmission in Ethiopia. , 2016, 06, .		0
86	Health Gains and Financial Risk Protection Afforded by Treatment and Prevention of Diarrhea and Pneumonia in Ethiopia: An Extended Cost-Effectiveness Analysis. , 2016, , 345-361.		5
87	Study design for the 2019 baseline survey of newly established longitudinal surveillance woredas as the field lab to serve child health improvement project of Benishangul-Gumuz region, Ethiopia. Journal of Global Health Science, 2019, 1, .	0.3	0
88	Health Promotion for Peace Promotion: Applying Reardon's Holistic Model to Health. Pioneers in Arts, Humanities, Science, Engineering, Practice, 2019, , 229-241.	0.0	0
89	Hubungan Tindakan Pencegahan Ibu dengan Kejadian Diare pada Balita. Jurnal Promkes: the Indonesian Journal of Health Promotion and Health Education (Jurnal Promosi Dan Pendidikan Kesehatan) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 257		
90	Influence of socio-demographic and environmental factors on childhood diarrhea in Cambodia. F1000Research, 2020, 9, 303.	1.6	2
96	Determinants of diarrhea in children under the age of five in Afghanistan: a secondary analysis of the Afghanistan Demographic and Health Survey 2015. Nagoya Journal of Medical Science, 2020, 82, 545-556.	0.3	1
97	Behavioral and environmental determinants of acute diarrhea among under-five children from public health facilities of Siyadebirena Wayu district, north Shoa zone, Amhara regional state, Ethiopia: Unmatched case-control study. PLoS ONE, 2021, 16, e0259828.	2.5	1
98	Factors associated with prevalence of diarrhea among children under five years of age in Pakistan. Children and Youth Services Review, 2022, 132, 106303.	1.9	10
99	Association between Attitude towards Wife Beating and Childhood Diarrhea: A Demographic and Health Survey-Based Study in 25 Sub-Saharan African Countries. Scientific World Journal, The, 2021, 2021, 1-11.	2.1	1

#	ARTICLE	IF	CITATIONS
100	The Role of Household Flooring on Childhood Diarrhea Among Children 0 to 23 Months of Age in Ethiopia: A Nationally Representative Cross-Sectional Study Using a Multi-Level Mixed Effect Analysis. <i>Environmental Health Insights</i> , 2021, 15, 117863022110644.	1.7	1
101	The impact of Ethiopian community-based health extension program on diarrheal diseases among under-five children and factors associated with diarrheal diseases in the rural community of Kalu district, Northeast Ethiopia: a cross-sectional study. <i>BMC Health Services Research</i> , 2022, 22, 168.	2.2	5
102	Prevalence and determinants of fever, ARI and diarrhea among children aged 6â€“59Âmonths in Bangladesh. <i>BMC Pediatrics</i> , 2022, 22, 117.	1.7	8
103	Prevalence of and factors associated with acute diarrhea among children under five in rural areas in Ethiopia with and without implementation of community-led total sanitation and hygiene. <i>BMC Pediatrics</i> , 2022, 22, 148.	1.7	5
104	Hygienic disposal of stools and risk of diarrheal episodes among children aged under two years: Evidence from the Ghana Demographic Health Survey, 2003â€“2014. <i>PLoS ONE</i> , 2022, 17, e0266681.	2.5	3
105	Effects of community-led total sanitation and hygiene implementation on diarrheal diseases prevention in children less than five years of age in South Western Ethiopia: A quasi- experimental study. <i>PLoS ONE</i> , 2022, 17, e0265804.	2.5	3
107	Risk Factors of Infant Diarrhea and Under-five Children Diarrhea. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2022, 10, 400-406.	0.2	0
108	Occurrence of Diarrheal Disease among Under-Five Children and Associated Sociodemographic and Household Environmental Factors: An Investigation Based on National Family Health Survey-4 in Rural India. <i>Children</i> , 2022, 9, 658.	1.5	7
109	Is maternal autonomy associated with child nutritional status? Evidence from a cross-sectional study in India. <i>PLoS ONE</i> , 2022, 17, e0268126.	2.5	8
110	Household Microenvironment and Under-Fives Health Outcomes in Uganda: Focusing on Multidimensional Energy Poverty and Women Empowerment Indices. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6684.	2.6	3
111	Prevalence of Diarrhea, Feeding Practice, and Associated Factors among Children under Five Years in Bereh District, Oromia, Ethiopia. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2022, 2022, 1-13.	1.5	5
112	EVALUATION OF RISK FACTORS AND EXPENDITURE ASSOCIATED WITH ACUTE DIARRHEA IN UNDER-FIVE CHILDREN. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 0, , 212-214.	0.3	0
113	The effect of a largeâ€“scale water, sanitation and hygiene intervention in Bangladesh on knowledge, behaviour and health: Findings from an endline programme evaluation. <i>Tropical Medicine and International Health</i> , 2022, 27, 913-924.	2.3	2
114	Prevalence and associated factors of diarrhea among under-five children in the Jawi district, Awi Zone Ethiopia, 2019. Community based comparative cross-sectional study. <i>Frontiers in Pediatrics</i> , 0, 10, .	1.9	6
115	Modeling the relative risk of incidence and mortality of select vaccine-preventable diseases by wealth group and geographic region in Ethiopia. <i>PLOS Global Public Health</i> , 2022, 2, e0000819.	1.6	0
116	Individual- and Community-Level Factors Associated with Diarrhea in Children Younger Than Age 5 Years in Bangladesh: Evidence from the 2014 Bangladesh Demographic and Health Survey. <i>Current Therapeutic Research</i> , 2022, 97, 100686.	1.2	2
117	Knowledge and practices of mothers on home management of diarrhoea in under-fives children at selected primary health care Centre, Rwanda: A descriptive cross-sectional study. <i>International Journal of Africa Nursing Sciences</i> , 2022, 17, 100508.	0.6	1
118	Prevalence and associated factors of common childhood illnesses in sub-Saharan Africa from 2010 to 2020: a cross-sectional study. <i>BMJ Open</i> , 2022, 12, e065257.	1.9	0

#	ARTICLE	IF	CITATIONS
119	Geographical variation of common childhood illness and its associated factors among under-five children in Ethiopia: spatial and multilevel analysis. <i>Scientific Reports</i> , 2023, 13, .	3.3	3
120	Prevalence of diarrheal disease and associated factors among under-five children in flood-prone settlements of Northwest Ethiopia: A cross-sectional community-based study. <i>Frontiers in Pediatrics</i> , 2023, 11, .	1.9	5
123	Copula based trivariate spatial modeling of childhood illnesses in Western African countries. <i>Spatial and Spatio-temporal Epidemiology</i> , 2023, 46, 100591.	1.7	0
124	Predictive analytics in smart healthcare for child mortality prediction using a machine learning approach. <i>Open Life Sciences</i> , 2023, 18, .	1.4	1
125	Studying infant mortality: A demographic analysis based on data mining models. <i>Open Life Sciences</i> , 2023, 18, .	1.4	0
126	The effect of a health extension program on improving water, sanitation, and hygiene practices in rural Ethiopia. <i>BMC Health Services Research</i> , 2023, 23, .	2.2	0
127	Influence of sanitation facilities on diarrhea prevalence among children aged below 5 years in flood-prone areas of Bangladesh: a multilevel analysis. <i>Environmental Science and Pollution Research</i> , 2023, 30, 97925-97935.	5.3	0
128	Impact of mother's education on childhood diarrhea in households with sub-optimal flooring in Pakistan. <i>Review of Economics of the Household</i> , 0, , .	4.2	0
129	Hygienic Disposal of Children's Stools Practices Among Women of Children With Diarrhoea in Sub-Saharan Africa. <i>Environmental Health Insights</i> , 2023, 17, .	1.7	0
130	Evidence of waste management impacting severe diarrhea prevalence more than WASH: An exhaustive analysis with Brazilian municipal-level data. <i>Water Research</i> , 2023, 247, 120805.	11.3	0
131	Application of a count regression model to identify the risk factors of under-five child morbidity in Bangladesh. <i>International Health</i> , 0, , .	2.0	0
132	Improved household flooring is associated with lower odds of enteric and parasitic infections in low- and middle-income countries: A systematic review and meta-analysis. <i>PLOS Global Public Health</i> , 2023, 3, e0002631.	1.6	0
133	Factors associated with acute watery diarrhea among children aged 0–59 months in Obongi District, Uganda, April 2022: A case–control study. <i>Preventive Medicine Reports</i> , 2024, 40, 102666.	1.8	0
134	Health inequalities at the intersection of multiple social determinants among under five children residing Nairobi urban slums: An application of multilevel analysis of individual heterogeneity and discriminatory accuracy (MAIHDA). <i>PLOS Global Public Health</i> , 2024, 4, e0002931.	1.6	0
135	Determinant of infant mortality in Ethiopia: demographic, socio economic, maternal and environmental factors. <i>MOJ Women S Health</i> , 2022, 11, 49-57.	0.2	0