

CITATION REPORT

List of articles citing

Trends in the prevalence of diabetes and impaired fasting glucose in association with obesity in Iran: 2005-2011

DOI: 10.1016/j.diabres.2013.12.034

Diabetes Research and Clinical Practice, 2014, 103, 319-27.

Source: <https://exaly.com/paper-pdf/59529432/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
181	Effects of Cinnamon, Cardamom, Saffron, and Ginger Consumption on Markers of Glycemic Control, Lipid Profile, Oxidative Stress, and Inflammation in Type 2 Diabetes Patients. 2014 , 11, 258-66		95
180	Musculoskeletal pain in people with and without type 2 diabetes in Taiwan: a population-based, retrospective cohort study. 2015 , 16, 364		28
179	Policies and Programs for Prevention and Control of Diabetes in Iran: A Document Analysis. 2015 , 7, 187-97		18
178	Modeling of in hospital mortality determinants in myocardial infarction patients, with and without type 2 diabetes, undergoing pharmaco-invasive strategy: the first national report using two approaches in Iran. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 216-22	7.4	15
177	Prediabetes and the association with unrecognized myocardial infarction in the multi-ethnic study of atherosclerosis. 2015 , 170, 923-8		24
176	'Knowing what matters in diabetes: healthier below 7': results of the campaign's first 10 years (part 1): participants with known type 2 diabetes. 2016 , 5, 14-20		3
175	Iran Diabetes Research Roadmap (IDRR): the study protocol. 2016 , 15, 58		4
174	Evaluation of empowerment model on indicators of metabolic control in patients with type 2 diabetes, a randomized clinical trial study. <i>Primary Care Diabetes</i> , 2016 , 10, 129-35	2.4	31
173	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. 2016 , 387, 1513-1530		2039
172	Prevalence of prediabetes and its association with obesity among college students in Kuwait: A cross-sectional study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 119, 71-4	7.4	8
171	High Incidence of Diabetes Mellitus Among a Middle-Aged Population in Iran: A Longitudinal Study. 2016 , 40, 570-575		11
170	Factors that could explain the increasing prevalence of type 2 diabetes among adults in a Canadian province: a critical review and analysis. 2016 , 8, 71		28
169	A collaborative care program for management of common mental disorders among diabetic patients in a primary healthcare setting. 2016 , 24, 273-279		3
168	Diabetes mellitus and its risk factors among a middle-aged population of Iran, a population-based study. <i>International Journal of Diabetes in Developing Countries</i> , 2016 , 36, 189-196	0.8	8
167	Prevalence of metabolic syndrome in Iran: A 2011 update. 2017 , 9, 518-525		28
166	White rice intake and incidence of type-2 diabetes: analysis of two prospective cohort studies from Iran. <i>BMC Public Health</i> , 2017 , 17, 133	4.1	38
165	Novel Approach to Non-Invasive Blood Glucose Monitoring Based on Transmittance and Refraction of Visible Laser Light. 2017 , 5, 9163-9174		27

164	Diabetes in Iran: Prospective Analysis from First Nationwide Diabetes Report of National Program for Prevention and Control of Diabetes (NPPCD-2016). 2017 , 7, 13461		125
163	Effects of Self-management Education Through Telephone Follow-up in Diabetic Patients. 2017 , 36, 273-281		5
162	Plasma Apelin and Asymmetric Dimethylarginine (ADMA) Levels Shortly After Laparoscopic Greater Curvature Plication. 2017 , 27, 1596-1603		1
161	General self-efficacy and diabetes management self-efficacy of diabetic patients referred to diabetes clinic of Aq Qala, North of Iran. 2017 , 16, 8		12
160	Estimation of burden of ischemic heart diseases in Isfahan, Iran, 2014: using incompleteness and misclassification adjustment models. 2017 , 16, 12		6
159	Nut consumption is associated with lower incidence of type 2 diabetes: The Tehran Lipid and Glucose Study. 2017 , 43, 18-24		24
158	The 10-year trend of adult diabetes, prediabetes and associated risk factors in Tehran: Phases 1 and 4 of Tehran Lipid and Glucose Study. 2017 , 11, 183-187		5
157	Factors associated with pre-diabetes in Tehranian men and women: A structural equations modeling. <i>PLoS ONE</i> , 2017 , 12, e0188898	3.7	11
156	Technical efficiency of rural primary health care system for diabetes treatment in Iran: a stochastic frontier analysis. 2017 , 16, 33		1
155	Behavioral and familial predictors of diabetes mellitus in adults aged 20-69 in Yazd, Iran during 2014-2015. 2018 , 12, 667-671		2
154	The Burden of Statin Therapy based on ACC/AHA and NCEP ATP-III Guidelines: An Iranian Survey of Non-Communicable Diseases Risk Factors. 2018 , 8, 4928		2
153	The relation of Dietary diversity score and food insecurity to metabolic syndrome features and glucose level among pre-diabetes subjects. <i>Primary Care Diabetes</i> , 2018 , 12, 338-344	2.4	17
152	Optimal Glycated Hemoglobin Cutoff Point for Diagnosis of Type 2 Diabetes in Iranian Adults. 2018 , 42, 582-587		4
151	Mucormycosis in Iran: A six-year retrospective experience. 2018 , 28, 269-273		17
150	Diabetes Care in Iran: Where We Stand and Where We Are Headed. 2015 , 81, 839-50		39
149	Is incident type 2 diabetes associated with cumulative excess weight and abdominal adiposity? Tehran Lipid and Glucose Study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 136, 134-142	7.4	1
148	Effect of long-term exposure to ambient particulate matter on prevalence of type 2 diabetes and hypertension in Iranian adults: an ecologic study. 2018 , 25, 1713-1718		12
147	Association of plasma PCB levels and HbA1c concentration in Iran. 2018 , 13, 18		4

146	Genetic variants in long noncoding RNA H19 and MEG3 confer risk of type 2 diabetes in an Iranian population. 2018 , 675, 265-271		32
145	Prevalence of Chronic Kidney Disease in Iranian General Population: A Meta-Analysis and Systematic Review. 2018 , 22, 594-599		15
144	Cardiovascular mortality in a Western Asian country: results from the Iran Cohort Consortium. 2018 , 8, e020303		12
143	Optimal cut-points of different anthropometric indices and their joint effect in prediction of type 2 diabetes: results of a cohort study. <i>BMC Public Health</i> , 2018 , 18, 691	4.1	9
142	Short-Term Impact of Laparoscopic Sleeve Gastrectomy on Serum Cartonectin and Vaspin Levels in Obese Subjects. 2018 , 28, 3237-3245		4
141	Cardiovascular Risk Factors and Events in Iranian Immigrants Versus Other Immigrants from the Middle East. 2019 , 21, 788-792		1
140	Chronic generalized pruritus without primary skin lesions: a longitudinal prospective observational study. 2019 , 58, 273-278		6
139	Biochemical and anthropometric changes during Ramadan among type 2 diabetes mellitus patients. <i>International Journal of Diabetes in Developing Countries</i> , 2019 , 39, 160-165	0.8	2
138	Efficacy and safety of duloxetine and Pregabalin in Iranian patients with diabetic peripheral neuropathic pain: a double-blind, randomized clinical trial. 2019 , 18, 575-582		3
137	Development and multi-cohort validation of a clinical score for predicting type 2 diabetes mellitus. <i>PLoS ONE</i> , 2019 , 14, e0218933	3.7	2
136	Burden of non-communicable diseases in Iraq after the 2003 war. 2019 , 40, 72-78		14
135	A multidisciplinary team approach in Iranian diabetic foot research group. 2019 , 18, 721-723		4
134	Prevalence, Awareness, Treatment, Control, and the Associated Factors of Diabetes in an Iranian Kurdish Population. 2019 , 2019, 5869206		10
133	Development and psychometric evaluation of the diabetic Men's dietary behaviors inventory based on the theory of reasoned action. 2019 , 77, 3		4
132	Diabetes in the Middle East: Government Health Care Policies and Strategies that Address the Growing Diabetes Prevalence in the Middle East. 2019 , 19, 8		20
131	Incidence and associated risk factors for premature death in the Tehran Lipid and Glucose Study cohort, Iran. <i>BMC Public Health</i> , 2019 , 19, 719	4.1	4
130	Health literacy, knowledge and self-care behaviors to take care of diabetic foot in low-income individuals: Application of extended parallel process model. 2019 , 13, 1535-1541		20
129	Prevalence of Type 2 Diabetes Mellitus Among Men in the Middle East: A Retrospective Study. 2019 , 13, 1557988319848577		16

128	Bacteriology of moderate-to-severe diabetic foot infections in two tertiary hospitals of Iran. 2019 , 40, 54-58		7
127	Comparison of primary versus secondary prevention of cardiovascular disease in patients with type2 diabetes: Focus on achievement of ABC goals. 2019 , 13, 1733-1737		4
126	The role of illness schemata in self-care behaviors and glycemic control among patients with type 2 diabetes in Iran. <i>Primary Care Diabetes</i> , 2019 , 13, 474-480	2.4	1
125	Social cognitive theory-based intervention to promote physical activity among prediabetic rural people: a cluster randomized controlled trial. 2019 , 20, 98		13
124	Cohort Profile: Ravansar Non-Communicable Disease cohort study: the first cohort study in a Kurdish population. 2019 , 48, 682-683f		44
123	Usability of a Disease Management Mobile Application as Perceived by Patients With Diabetes. 2019 , 37, 413-419		2
122	Prediabetes management in the Middle East, Africa and Russia: Current status and call for action. 2019 , 16, 213-226		8
121	The effect of an oral ginger supplementation on NF-B concentration in peripheral blood mononuclear cells and anthropomorphic data of patients with type 2 diabetes: A randomized double-blind, placebo-controlled clinical trial. 2019 , 42, 7-11		9
120	The effect of aromatherapy with bitter orange (<i>Citrus aurantium</i>) extract on anxiety and fatigue in type 2 diabetic patients. 2020 , 7, 3-7		6
119	Comparison of the effect of Dietary Approaches to Stop Hypertension diet and American Diabetes Association nutrition guidelines on lipid profiles in patients with type 2 diabetes: A comparative clinical trial. 2020 , 77, 204-211		4
118	Determinants of glycemic control: Phase 2 analysis from nationwide diabetes report of National Program for Prevention and Control of Diabetes (NPPCD-2018). <i>Primary Care Diabetes</i> , 2020 , 14, 222-237 ⁴		6
117	Circulating miR-135 May Serve as a Novel Co-biomarker of HbA1c in Type 2 Diabetes. 2020 , 191, 623-630		3
116	The prevalence of undiagnosed type 2 diabetes and prediabetes in Eastern Mediterranean region (EMRO): A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 107937 ⁴		14
115	Sex-specific prevalence of coronary heart disease among Tehranian adult population across different glycemic status: Tehran lipid and glucose study, 2008-2011. <i>BMC Public Health</i> , 2020 , 20, 1510 ^{4.1}		8
114	Knowledge of physicians regarding the management of Type two Diabetes in a primary care setting: the impact of online continuous medical education. 2020 , 20, 374		2
113	Effects of L-carnitine supplementation on oxidative and metabolic status in patients with type 2 diabetes mellitus: A randomized, double-blind, clinical trial. 2020 , 40, 101243		0
112	Evaluation of Several Anthropometric and Metabolic Indices as Correlates of Hyperglycemia in Overweight/Obese Adults. 2020 , 13, 2327-2336		1
111	How Much Hypertension is Attributed to Overweight, Obesity, and Hyperglycemia Using Adjusted Population Attributable Risk in Adults?. 2020 , 2020, 4273456		6

110	Incidence and Intensity of Catastrophic Health-care Expenditure for Type 2 Diabetes Mellitus Care in Iran: Determinants and Inequality. 2020 , 13, 2865-2876		2
109	Comparison of SF-36 and WHOQoL-BREF in Measuring Quality of Life in Patients with Type 2 Diabetes. 2020 , 13, 497-506		8
108	Exploring the barriers of adherence to dietary recommendations among patients with type 2 diabetes: A qualitative study in Iran. 2020 , 7, 1735-1745		3
107	Impact of health literacy and self-care behaviors on health-related quality of life in Iranians with type 2 diabetes: a cross-sectional study. 2020 , 18, 357		2
106	Adult Diabetes and Prediabetes Prevalence in Kuwait: Data from the Cross-Sectional Kuwait Diabetes Epidemiology Program. 2020 , 9,		3
105	Patterns of Obesity and Overweight in the Iranian Population: Findings of STEPs 2016. 2020 , 11, 42		25
104	Well-controlled vs poorly-controlled diabetes in patients with COVID-19: Are there any differences in outcomes and imaging findings?. <i>Diabetes Research and Clinical Practice</i> , 2020 , 166, 108286	7.4	13
103	The impact of personality traits on medication adherence and self-care in patients with type 2 diabetes mellitus: The moderating role of gender and age. 2020 , 136, 110178		8
102	Design and psychometric evaluation of self-care behavior assessment tool in diabetic patients. 2020 , 19, 709-716		0
101	The external validity and performance of the no-laboratory American Diabetes Association screening tool for identifying undiagnosed type 2 diabetes among the Iranian population. <i>Primary Care Diabetes</i> , 2020 , 14, 672-677	2.4	1
100	Inadequate achievement of ABC goals (HbA1c, blood pressure, LDL-C) among patients with type 2 diabetes in an Iranian population, 2012-2017. 2020 , 14, 619-625		0
99	Change in glucose intolerance status and risk of incident cardiovascular disease: Tehran Lipid and Glucose Study. 2020 , 19, 41		8
98	Evaluation of the Effect of Vitamin D Supplementation on Anthropometric Indicators and Dietary Intake of Patients with Type 2 Diabetes. <i>Reports of Biochemistry and Molecular Biology</i> , 2021 , 9, 490-497 ^{1,3}		
97	The Pattern of Medication Usage in the Southern Region of Iran: A population-based Pharmacoepidemiological Study. 2021 , 10, 83-89		
96	Prevalence of Diabetes and Hypertension among Hajj Pilgrims: A Systematic Review. 2021 , 18,		6
95	Physical Activity Level Influences Gene Methylation Profile in Diabetic Patients. 2020 , 11, 618672		3
94	National trends in cardiovascular health metrics among Iranian adults using results of three cross-sectional STEPwise approaches to surveillance surveys. 2021 , 11, 58		3
93	Adolescent metabolic syndrome and its components associations with incidence of type 2 diabetes in early adulthood: Tehran lipid and glucose study. 2021 , 13, 1		8

92	Relationship between the levels of serum fibroblast growth factor 19 and metabolic factors in obese and normal weight subjects with and without type 2 diabetes mellitus: a case-control study. 2021 , 42, 11-17		
91	Evaluating the effect of hydro-alcoholic extract of <i>Phoenix dactylifera</i> L. spathe on streptozotocin-induced diabetic rats. 2021 , 30, 163-171		1
90	Quantifying the Sex-Race/Ethnicity-Specific Burden of Obesity on Incident Diabetes Mellitus in the United States, 2001 to 2016: MESA and NHANES. 2021 , 10, e018799		5
89	Prediction Models for Type 2 Diabetes Risk in the General Population: A Systematic Review of Observational Studies. 2021 , 19, e109206		1
88	Interpersonal Continuity of Care and Its Effect on Health Care Utilizations and Expenditures for Diabetes: An Experience From a Fragmented Health System. 2021 , 44, 237-248		
87	A prospective survey of atrial fibrillation management in Iran: Baseline results of the Iranian Registry of Atrial Fibrillation (IRAF). 2021 , 75, e14313		1
86	The Effect of Integrated Intervention Based on Protection Motivation Theory and Implementation Intention to Promote Physical Activity and Physiological Indicators of Patients with Type 2 Diabetes. 2021 , 2021, 6637656		1
85	The impact of chromium supplementation on carbohydrates, liver function, kidney function and testosterone levels in diabetic rats. 2021 ,		
84	Trend and pattern of using herbal medicines among people who are aware of their diabetes mellitus: results from National STEPs Surveys in 2005 to 2011 in Iran.. 2021 , 20, 1319-1325		0
83	Hypogonadism and sexual functioning and in males with and without diabetes type II. 2021 ,		
82	Weight change and risk of cardiovascular disease among adults with type 2 diabetes: more than 14 years of follow-up in the Tehran Lipid and Glucose Study. 2021 , 20, 141		2
81	Contribution of obesity in increasing type 2 diabetes prevalence in Iranian urban and rural adults during recent decade. <i>Primary Care Diabetes</i> , 2021 , 15, 1052-1057	2.4	1
80	Identifying associations between health services operational factors and health experience for patients with type 2 diabetes in Iran. <i>BMC Health Services Research</i> , 2021 , 21, 896	2.9	1
79	Forgone care in patients with type 2 diabetes: a cross-sectional study. <i>BMC Public Health</i> , 2021 , 21, 15884.1		2
78	Nationwide Prevalence of Diabetes and Prediabetes and Associated Risk Factors Among Iranian Adults: Analysis of Data from PERSIAN Cohort Study. <i>Diabetes Therapy</i> , 2021 , 12, 2921-2938	3.6	1
77	Epidemiology of type 2 diabetes in the Middle East and North Africa: Challenges and call for action. <i>World Journal of Diabetes</i> , 2021 , 12, 1401-1425	4.7	4
76	High Incidence of Chronic Kidney Disease among Iranian Diabetic Adults: Using CKD-EPI and MDRD Equations for Estimated Glomerular Filtration Rate. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 684-697 ⁵		5
75	Subclinical vestibular dysfunction in type 1 diabetes mellitus. <i>Hearing, Balance and Communication</i> , 2021 , 19, 86-95	0.7	1

74	Higher oxidative balance score is associated with better glycemic control among Iranian adults with type-2 diabetes. <i>International Journal for Vitamin and Nutrition Research</i> , 2021 , 91, 31-39	1.7	5
73	Epidemiology of diabetes mellitus, pre-diabetes, undiagnosed and uncontrolled diabetes in Central Iran: results from Yazd health study. <i>BMC Public Health</i> , 2020 , 20, 166	4.1	40
72	Projection of Diabetes Population Size and Associated Economic Burden through 2030 in Iran: Evidence from Micro-Simulation Markov Model and Bayesian Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0132505	3.7	48
71	Effects of exercise training on type 2-diabetes: the role of Meteorin-like protein. <i>Health Promotion Perspectives</i> , 2019 , 9, 89-91	3.1	2
70	Association between type 2 diabetes mellitus, biochemical factors and UCSNP-43 polymorphisms of CALPIN-10 gene in patients with atherosclerosis of coronary artery disease in Southern Iran population. <i>Journal of Cardiovascular and Thoracic Research</i> , 2016 , 8, 13-9	1.3	2
69	Association of birth weight with abdominal obesity and weight disorders in children and adolescents: the weight disorder survey of the CASPIAN-IV Study. <i>Journal of Cardiovascular and Thoracic Research</i> , 2017 , 9, 140-146	1.3	6
68	Psychological factors of healthful diet promotion among diabetics: an application of health action process approach. <i>Electronic Physician</i> , 2018 , 10, 6647-6654	1.8	2
67	Evaluation of Salivary Antioxidants and Oxidative Stress Markers in Type 2 Diabetes Mellitus: A Retrospective Cohort Study. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 584-590 ²⁻²	2.2	3
66	Molecular Characteristics of Methicillin-Resistant (MRSA) Isolated from Diabetic Foot Infection. <i>Iranian Journal of Pathology</i> , 2019 , 14, 329-337	1.2	7
65	Development and Psychometric Evaluation of a Health Action Process Approach Inventory for Healthful Diet Among Type 2 Diabetes Patients. <i>International Journal of Preventive Medicine</i> , 2016 , 7, 69	1.6	6
64	Predictors of Physical Activity among Adults with Type 2 Diabetes Mellitus, Isfahan, 2015: Structural Equation Modeling Approach. <i>International Journal of Preventive Medicine</i> , 2018 , 9, 66	1.6	5
63	The Saudi Abnormal Glucose Metabolism and Diabetes Impact Study (SAUDI-DM). <i>Annals of Saudi Medicine</i> , 2014 , 34, 465-75	1.6	39
62	Obesity and Related Factors in Iran: The STEPS Survey, 2011. <i>Iranian Red Crescent Medical Journal</i> , 2015 , 17, e22479	1.3	14
61	Effects of Chromium Picolinate Supplementation on Cardiometabolic Biomarkers in Patients with Type 2 Diabetes Mellitus: a Randomized Clinical Trial. <i>Clinical Nutrition Research</i> , 2020 , 9, 97-106	1.7	7
60	Prevalence and trends of coronary artery disease risk factors and their effect on age of diagnosis in patients with established coronary artery disease: Tehran Heart Center (2005-2015). <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 477	2.3	0
59	Is the Health Belief Model as an Appropriate Predictor of the Self-Care Behaviors in Type II Diabetic Patients?. <i>Journal of Biology and Today's World</i> , 2014 , 3,		
58	Nonalcoholic Fatty Liver Disease and Liver Fibrosis in Bariatric Patients: Tehran Obesity Treatment Study (TOTS). <i>Hepatitis Monthly</i> , 2018 , 18,	1.8	1
57	Obesity is the Most Important Factor for Gender Inequality in Type 2 Diabetes Incidence in an Iranian Population. <i>International Journal of Preventive Medicine</i> , 2019 , 10, 215	1.6	1

56	Metabolic Syndrome and Risk of Colorectal Cancer: A Case-Control Study. <i>International Journal of Cancer Management</i> , 2019 , 12,	0.9	1
55	Association of Liver Aminotransferases with Lipid Profile in Patients with Type II Diabetes Mellitus. <i>Medical Laboratory Journal</i> , 2019 , 13, 11-16	0.2	
54	Sex-specific Prevalence of coronary heart disease among Tehranian adult population across different glycemc status: Tehran Lipid and Glucose Study, 2008-2011.		
53	Association of Preoperative Hemoglobin A1c with In-hospital Mortality Following Valvular Heart Surgery. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2020 , 35, 654-659	1.1	1
52	Adherence to statin therapy in patients with type 2 diabetes: An important dilemma. <i>Journal of Research in Medical Sciences</i> , 2015 , 20, 109-14	1.6	4
51	Health literacy and its influencing factors in Iranian diabetic patients. <i>Medical Journal of the Islamic Republic of Iran</i> , 2015 , 29, 230	1.1	14
50	Role of Superoxide Dismutase 2 Gene Ala16Val Polymorphism and Total Antioxidant Capacity in Diabetes and its Complications. <i>Avicenna Journal of Medical Biotechnology</i> , 2016 , 8, 48-56	1.4	29
49	Lived Experiences of Mothers with Diabetic Children from the Transfer of Caring Role. <i>International Journal of Community Based Nursing and Midwifery</i> , 2018 , 6, 76-88	1.6	8
48	Association of Two Methylenetetrahydrofolate Reductase Polymorphisms (rs1801133, rs1801131) with the Risk of Type 2 Diabetes in South-East of Iran. <i>Reports of Biochemistry and Molecular Biology</i> , 2019 , 8, 178-183	1.3	5
47	Prevalence and Correlates of Musculoskeletal Pain in Adults with Type 2 Diabetes in Populations with Low-Risk of Obesity: A Cross-Sectional Study. <i>Ethiopian Journal of Health Sciences</i> , 2020 , 30, 951-960 ^{1,1}		
46	Clinical features, risk factors and a prediction model for in-hospital mortality among diabetic patients infected with COVID-19: data from a referral centre in Iran.. <i>Public Health</i> , 2021 , 202, 84-92	4	0
45	Evaluation of the effects of the national diabetes control and prevention program on a sample of Iranian people with type 2 diabetes. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2021 , 1-13	1.3	
44	Letter to the Editor Regarding "Nationwide Prevalence of Diabetes and Prediabetes and Associated Risk Factors Among Iranian Adults: Analysis of Data from PERSIAN Cohort Study". <i>Diabetes Therapy</i> , 2021 , 13, 217	3.6	1
43	Prevalence and Correlates of Musculoskeletal Pain in Adults with Type 2 Diabetes in Populations with Low-Risk of Obesity: A Cross- Sectional Study. <i>Ethiopian Journal of Health Sciences</i> , 2020 , 30, 951-960 ^{1,1}		
42	Association of Insulin Receptor Substrate-1 Gene Polymorphism (rs1801278) with Alzheimer's Disease. <i>Journal of Alzheimerts Disease Reports</i> , 1-8	3.3	
41	Data_Sheet_1.PDF. 2020 ,		
40	Data_Sheet_2.PDF. 2020 ,		
39	Data_Sheet_3.PDF. 2020 ,		

38 Data_Sheet_4.PDF. **2020**,

37 Data_Sheet_5.PDF. **2020**,

36 Data_Sheet_6.PDF. **2020**,

35 Table_1.docx. **2020**,

34	Incremental Healthcare Resource Utilization and Expenditures Associated with Cardiovascular Diseases in Patients with Diabetes: A Cross-Sectional Study.. <i>Iranian Journal of Medical Sciences</i> , 2022 , 47, 53-62	1.2	
33	Prevalence and Prevention of Rheumatologic Manifestations and their Relationship with Blood Glucose Control in Patients with Type II Diabetes.. <i>International Journal of Preventive Medicine</i> , 2021 , 12, 142	1.6	1
32	How mothers of a child with type 1 diabetes cope with the burden of care: a qualitative study.. <i>BMC Endocrine Disorders</i> , 2022 , 22, 129	3.3	0
31	Quality of care in type 2 diabetes in Iran; a cross-sectional study using patient-level data.. <i>BMC Endocrine Disorders</i> , 2022 , 22, 133	3.3	
30	The Association of Ideal Cardiovascular Health Metrics and Incident Type 2 Diabetes Mellitus Among an urban population of Iran: a decade follow-up in Tehran Lipid and Glucose Study.. <i>Journal of Diabetes Investigation</i> , 2022 ,	3.9	
29	Changes in self-care behaviors of Iranian patients with type 2 diabetes using insulin pens during COVID-19 pandemic. <i>Obesity Medicine</i> , 2022 , 33, 100418	2.6	0
28	A Comparison of Three Research Methods: Logistic Regression, Decision Tree, and Random Forest to Reveal Association of Type 2 Diabetes with Risk Factors and Classify Subjects in a Military Population. <i>Journal of Archives in Military Medicine</i> , 2022 , 10,	0.6	1
27	Prevalence of tobacco use in adults; 2016 nationally representative household survey in Iran. <i>International Journal of Preventive Medicine</i> , 2022 , 13, 104	1.6	
26	The challenge of tuberculosis diagnosis and management in the era of the COVID-19 pandemic and diabetes mellitus. <i>Archives of Clinical Infectious Diseases</i> , 2022 , 16,	3.1	
25	Glycemic control among Iranian people with type 2 diabetes: a systematic review and meta-analysis. <i>International Journal of Diabetes in Developing Countries</i> ,	0.8	
24	Determinants of Self-care Behaviors in Diabetic Patients in Yazd: An Application of the Protection Motivation Theory. 2022 , 9, 104-110		
23	Long-term cost-effectiveness of quality of diabetes care; experiences from private and public diabetes centers in Iran. 2022 , 12,		
22	Effect of family history of diabetes and obesity status on lifetime risk of type 2 diabetes in the Iranian population. 12,		
21	High incidence of type 1 diabetes, type 2 diabetes and gestational diabetes in Central Iran: A six years results from Semnan health cohort. 2022 , 82, 104749		0

20	The Effect of Nutrition Education Using MyPlate on Lipid Profiles, Glycemic Indices, and Inflammatory Markers in Diabetic Patients. 2022 , 11, 171	0
19	The effects of rutin flavonoid supplement on glycemic status, lipid profile, atherogenic index of plasma, brain-derived neurotrophic factor (BDNF), some serum inflammatory, and oxidative stress factors in patients with type 2 diabetes mellitus: A double-blind, placebo-controlled trial.	1
18	Estimation of myocardial infarction death in Iran: artificial neural network. 2022 , 22,	0
17	Pre-diabetes, Diabetes Mellitus and Related Cardio-metabolic Risk Factors in the Southern Coastal Region of Iran Middle-aged and Elderly Population; Bandare-Kong Cohort Study. 2022 , 25, 409-416	0
16	Prevalence, awareness, treatment, and control of type 2 diabetes mellitus among the adult residents of tehran: Tehran Cohort Study. 2022 , 22,	0
15	Prevalence of prediabetes, diabetes, diabetes awareness, treatment, and its socioeconomic inequality in west of Iran. 2022 , 12,	0
14	Management goal achievements of diabetes care in Iran: study profile and main findings of DiaCare survey.	0
13	Antidiabetic and hepatoprotective activity of a novel polyherbal preparation against streptozotocin-induced diabetes rats and its formulation into a tablet dosage form. 2022 , 14, 25	0
12	The relationship between glucose intolerance status and risk of hospitalization during two decades of follow-up: Tehran lipid and glucose study. 2022 , 54, 3258-3268	0
11	Three-year change in glycemic state and the future risk of incident hypertension among Iranian adults: Tehran Lipid and Glucose Study.	0
10	Detection of high risk people for diabetes by American diabetes association risk score in PERSIAN Guilan cohort study. 2023 , 23,	0
9	Automatic Blood Glucose Regulator. 2023 , 7, 77-81	0
8	Molecular epidemiology of clinical filamentous fungi in Qatar beyond Aspergillus and Fusarium with notes on the rare species. 2022 , 61,	0
7	Application of Pender's health promotion model for type 2 diabetes treatment adherence: protocol for a mixed methods study in southern Iran. 2022 , 23,	0
6	Diabetes Care Cascade and Compliance with WHO Global Coverage Targets in Iran: Findings of STEPS Survey 2021.	0
5	A cost-effectiveness analysis of risk-based intervention for prevention of cardiovascular diseases in IraPEN program: A modeling study. 11,	0
4	The levels and trends of diabetes prevalence at national and sub-national levels in Iran (1990 - 2016).	0
3	The prevalence of uncontrolled diabetes mellitus in patients with type 2 diabetes: a multicenter cross-sectional study.	0

- 2 Challenges to Lifestyle Medicine for Type 2 Diabetes in Iran: A Synoptic Review. 155982762311677 ○
- 1 Pharmacoeconomic evaluation of insulin aspart and glargine in type 1 and 2 diabetes mellitus in Iran. ○