

CITATION REPORT

List of articles citing

A low-temperature order-disorder transition in $\text{Cu}_2\text{ZnSnS}_4$ thin films

DOI: 10.1063/1.4863685

Applied Physics Letters, 2014, 104, 041911.

Source: <https://exaly.com/paper-pdf/59538522/citation-report.pdf>

Version: 2024-04-03

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
302	Reversible order-disorder related band gap changes in $\text{Cu}_2\text{ZnSn}(\text{S,Se})_4$ via post-annealing of solar cells measured by electroreflectance. <i>Applied Physics Letters</i> , 2014 , 105, 262104	3.4	48
301	Assessment of crystal quality and unit cell orientation in epitaxial $\text{Cu}_2\text{ZnSnSe}_4$ layers using polarized Raman scattering. 2014 , 22, 28240-6		2
300	Generalized current-voltage analysis and efficiency limitations in non-ideal solar cells: Case of $\text{Cu}_2\text{ZnSn}(\text{SxSe1-x})_4$ and $\text{Cu}_2\text{Zn}(\text{SnyGe1-y})(\text{SxSe1-x})_4$. 2014 , 115, 234504		57
299	The band gap of $\text{Cu}_2\text{ZnSnSe}_4$: Effect of order-disorder. <i>Applied Physics Letters</i> , 2014 , 105, 112106	3.4	175
298	Polarized Raman spectroscopy of Cu-poor and Zn-rich single-crystal $\text{Cu}_2\text{ZnSnSe}_4$. <i>Applied Physics Letters</i> , 2014 , 105, 173903	3.4	19
297	Understanding the relationship between $\text{Cu}_2\text{ZnSn}(\text{S,Se})_4$ material properties and device performance. 2014 , 4, 159-170		52
296	Influences of Extended Selenization on $\text{Cu}_2\text{ZnSnSe}_4$ Solar Cells Prepared from Quaternary Nanocrystal Ink. 2014 , 118, 27657-27663		16
295	Quasi-Fermi level splitting and sub-bandgap absorptivity from semiconductor photoluminescence. 2014 , 116, 173504		96
294	Cation Disorder Regulation by Microstate Configurational Entropy in Photovoltaic Absorber Materials $\text{Cu}_2\text{ZnSn}(\text{S,Se})_4$. 2014 , 118, 24884-24889		14
293	$\text{Cu}_2\text{ZnSnS}_4$ thin film solar cell utilizing rapid thermal process of precursors sputtered from a quaternary target: a promising application in industrial processes. 2014 , 4, 43080-43086		38
292	CZTS-based materials and interfaces and their effects on the performance of thin film solar cells. 2014 , 08, 735-762		100
291	Synthesis of $(\text{CuInS}_2)_{0.5}(\text{ZnS})_{0.5}$ Alloy Nanocrystals and Their Use for the Fabrication of Solar Cells via Selenization. 2014 , 26, 4060-4063		13
290	Spatial element distribution control in a fully solution-processed nanocrystals-based 8.6% $\text{Cu}_2\text{ZnSn}(\text{S,Se})_4$ device. 2014 , 8, 9164-72		46
289	Photoluminescence study of disordering in the cation sublattice of $\text{Cu}_2\text{ZnSnS}_4$. 2014 , 14, 1424-1427		38
288	Solid-state NMR and Raman spectroscopy to address the local structure of defects and the tricky issue of the Cu/Zn disorder in Cu-poor, Zn-rich CZTS materials. 2014 , 53, 8646-53		99
287	Control of Doping in Cu_2SnS_3 through Defects and Alloying. 2014 , 26, 4951-4959		119
286	Ab initio thermodynamic model of $\text{Cu}_2\text{ZnSnS}_4$. 2014 , 2, 7829-7836		36

285	Effect of post-annealing atmosphere on the grain-size and surface morphological properties of pulsed laser deposited CZTS thin films. 2014 , 40, 15097-15103	69
284	Entropy-Driven Clustering in Tetrahedrally Bonded Multinary Materials. 2015 , 3,	57
283	Structural Properties. 2015 , 21-66	
282	Electronic Energy-Band Structure. 2015 , 173-243	0
281	Elastic, Mechanical, and Lattice Dynamic Properties. 2015 , 111-171	
280	Crystal structure optimisation using an auxiliary equation of state. 2015 , 143, 184101	15
279	Epitaxial Cu ₂ ZnSnS ₄ thin film on Si (111) 4" substrate. <i>Applied Physics Letters</i> , 2015 , 106, 252102	3-4 35
278	Time-resolved investigation of Cu(In,Ga)Se ₂ growth and Ga gradient formation during fast selenisation of metallic precursors. 2015 , 23, 1131-1143	37
277	Temperature dependent electroreflectance study of Cu ₂ ZnSnSe ₄ solar cells. 2015 , 39, 251-254	9
276	Order-disorder related band gap changes in Cu ₂ ZnSn(S,Se) ₄ : Impact on solar cell performance. 2015 ,	7
275	The influence of the degree of Cu-Zn disorder on the radiative recombination transitions in Cu ₂ ZnSn(S,Se) ₄ solar cells. 2015 ,	2
274	Extended antisite defects in tetrahedrally bonded semiconductors. 2015 , 92,	16
273	CuSbSe ₂ photovoltaic devices with 3% efficiency. 2015 , 8, 082301	67
272	Different Bandgaps in Cu ₂ ZnSnSe ₄ : A High Temperature Coevaporation Study. 2015 , 5, 641-648	19
271	Preparation and optical characterization of Cu ₂ ZnGeSe ₄ thin films. 2015 , 40, 76-80	15
270	Annealing-induced optical-bandgap widening of Cu ₂ ZnSnS ₄ thin films with observation of simultaneous increase in local-structure ordering. 2015 , 54, 015503	4
269	Composition dependence of the structure and optical properties of Cu ₂ MnxZn _{1-x} SnS ₄ thin films. 2015 , 627, 388-392	50
268	X-Ray Absorption Spectroscopy Study of Structure and Stability of Disordered (Cu ₂ SnS ₃) _{1-x} (ZnS) _x Alloys. 2015 , 5, 372-377	15

267	The effects of dopant impurities on Cu ₂ ZnSnS ₄ system Raman properties. 2015 , 50, 1613-1623	17
266	Ordering-induced direct-to-indirect band gap transition in multication semiconductor compounds. 2015 , 91,	17
265	Effects of metal ion concentration on electrodeposited CuZnSn film and its application in kesterite Cu ₂ ZnSnS ₄ solar cells. 2015 , 5, 65114-65122	17
264	Complex Surface Chemistry of Kesterites: Cu/Zn Reordering after Low Temperature Postdeposition Annealing and Its Role in High Performance Devices. 2015 , 27, 5279-5287	80
263	Growth and characterization of Cu ₂ ZnSn(S _{1-x} Se _x) ₄ single crystal grown by traveling heater method. 2015 , 423, 9-15	10
262	Co-electroplated Kesterite Bifacial Thin-Film Solar Cells: A Study of Sulfurization Temperature. 2015 , 7, 10414-28	27
261	Synthesis of CZTSSe Thin Films from Nanocrystal Inks. 2015 , 239-270	5
260	Crystallographic Aspects of Cu ₂ ZnSnS ₄ (CZTS). 2015 , 53-74	
259	Vibrational spectra and lattice thermal conductivity of kesterite-structured Cu ₂ ZnSnS ₄ and Cu ₂ ZnSnSe ₄ . 2015 , 3, 041102	55
258	Growth of Cu ₂ ZnSnS ₄ Nanocrystallites on TiO ₂ Nanorod Arrays as Novel Extremely Thin Absorber Solar Cell Structure via the Successive-Ion-Layer-Adsorption-Reaction Method. 2015 , 7, 22888-97	35
257	¹¹⁹ Sn MAS NMR to Assess the Cationic Disorder and the Anionic Distribution in Sulfoselenide Cu ₂ ZnSn(S _x Se _{1-x}) ₄ Compounds Prepared from Colloidal and Ceramic Routes. 2015 , 119, 26849-26857	12
256	A review on pulsed laser deposited CZTS thin films for solar cell applications. 2015 , 619, 109-121	164
255	Pressure-dependent Raman scattering of co-evaporated Cu ₂ ZnSnSe ₄ thin film. 2016 , 253, 1861-1864	7
254	Cation ratio fluctuations in Cu ₂ ZnSnS ₄ at the 20 nm length scale investigated by analytical electron microscopy. 2016 , 213, 2392-2399	11
253	The current status and future prospects of kesterite solar cells: a brief review. 2016 , 24, 879-898	267
252	Is the Cu/Zn Disorder the Main Culprit for the Voltage Deficit in Kesterite Solar Cells?. 2016 , 6, 1502276	221
251	Quantifying point defects in Cu ₂ ZnSn(S,Se) ₄ thin films using resonant x-ray diffraction. <i>Applied Physics Letters</i> , 2016 , 109, 161901	3-4 9
250	Intragrain charge transport in kesterite thin films—limits arising from carrier localization. 2016 , 120, 175302	29

249	Ag ₂ ZnSn(S,Se) ₄ : A highly promising absorber for thin film photovoltaics. 2016 , 144, 104704		75
248	Influence of the Cu Content in Cu ₂ ZnSn(S,Se) ₄ solar cell absorbers on order-disorder related band gap changes. <i>Applied Physics Letters</i> , 2016 , 109, 142103	3-4	16
247	Wild band edges: The role of bandgap grading and band-edge fluctuations in high-efficiency chalcogenide devices. 2016 ,		10
246	Crystal structure and cation disorder in bulk Cu ₂ ZnSnS ₄ using neutron diffraction and X-ray anomalous scattering. 2016 ,		3
245	Quasi-particle electronic band structure and alignment of the V-VI-VII semiconductors SbSI, SbSBr, and SbSeI for solar cells. <i>Applied Physics Letters</i> , 2016 , 108, 112103	3-4	43
244	Effect of the order-disorder transition on the optical properties of Cu ₂ ZnSnS ₄ . <i>Applied Physics Letters</i> , 2016 , 108, 211909	3-4	44
243	A review of defects and disorder in multinary tetrahedrally bonded semiconductors. 2016 , 31, 123004		56
242	Order-disorder transition in B-type Cu ₂ ZnSnS ₄ and limitations of ordering through thermal treatments. <i>Applied Physics Letters</i> , 2016 , 108, 231902	3-4	38
241	Analysis of the radiative transitions in CZTSSe solar cells with varying degree of Cu-Zn order. 2016 ,		
240	Density-functional theory computer simulations of CZTS _{0.25} Se _{0.75} alloy phase diagrams. 2016 , 145, 064704		10
239	Fabrication of band gap tuned Cu ₂ Zn(Sn _{1-x} Gex)(S,Se) ₄ absorber thin film using nanocrystal-based ink in non-toxic solvent. 2016 , 675, 370-376		14
238	Optoelectrical, structural and morphological characterization of Cu ₂ ZnSnSe ₄ compound used in photovoltaic applications. 2016 , 384, 386-392		3
237	Ordering kesterite improves solar cells: A low temperature post-deposition annealing study. 2016 , 151, 131-138		51
236	Colloidal Wurtzite Cu ₂ SnS ₃ (CTS) Nanocrystals and Their Applications in Solar Cells. 2016 , 28, 3308-3317		60
235	Impact of Minor Phases on the Performances of CZTSSe Thin-Film Solar Cells. 2016 , 28, 3540-3563		82
234	Nanoscale Photo-Absorbing Kesterite Grown on Anatase Mesoscopic Films by Sequential Binary Chalcogenide Solution Deposition-Exchange, Annealing, and Etching. 2016 , 16, 3618-3630		8
233	Understanding the phase formation kinetics of nano-crystalline kesterite deposited on mesoscopic scaffolds via in situ multi-wavelength Raman-monitored annealing. 2016 , 18, 29435-29446		11
232	Controlled Grain Growth for High Performance Nanoparticle-Based Kesterite Solar Cells. 2016 , 28, 7703-7714		62

231	Temperature dependency of Cu/Zn ordering in CZTSe kesterites determined by anomalous diffraction. 2016 , 253, 1890-1897	32
230	Effects of Thermochemical Treatment on CuSbS ₂ Photovoltaic Absorber Quality and Solar Cell Reproducibility. 2016 , 120, 18377-18385	51
229	Fabrication of Cu ₂ ZnSnS ₄ (CZTS) absorber films based on different compound targets. 2016 , 689, 849-856	21
228	Photovoltaic Device with over 5% Efficiency Based on an n-Type Ag ₂ ZnSnSe ₄ Absorber. 2016 , 6, 1601182	87
227	Polarized Raman scattering study of kesterite type Cu ₂ ZnSnS ₄ single crystals. 2016 , 6, 19414	67
226	Atomic Layer Deposited Aluminum Oxide for Interface Passivation of Cu ₂ ZnSn(S,Se) ₄ Thin-Film Solar Cells. 2016 , 6, 1600198	62
225	Determining and Controlling the Stoichiometry of Cu ₂ ZnSnS ₄ Photovoltaics: The Physics and Its Implications. 2016 , 28, 4415-4420	24
224	The importance of back contact modification in Cu ₂ ZnSnSe ₄ solar cells: The role of a thin MoO ₂ layer. 2016 , 26, 708-721	62
223	Quantitative anomalous powder diffraction analysis of cation disorder in kesterite semiconductors. 2016 , 31, 168-175	8
222	Rational synthesis of (Cu _{1-x} Ag _x) ₂ ZnSnS ₄ nanocrystals with low defect and tuning band gap. 2016 , 181, 317-320	14
221	Elucidating Structural Disorder and the Effects of Cu Vacancies on the Electronic Properties of Cu ₂ ZnSnS ₄ . 2016 , 28, 864-869	30
220	A mechanochemical route to single phase Cu ₂ ZnSnS ₄ powder. 2016 , 670, 289-296	32
219	Induced effects by the substitution of Zn in Cu ₂ ZnSnX ₄ (X= S and Se). 2016 , 603, 224-229	27
218	The order-disorder transition in Cu ₂ ZnSnS ₄ A neutron scattering investigation. 2016 , 238, 68-73	55
217	Nanoparticle Ligands and Pyrolyzed Graphitic Carbon in CZTSSe Photovoltaic Devices. 2016 , 28, 135-145	27
216	Systematic compositional changes and their influence on lattice and optoelectronic properties of Cu ₂ ZnSnSe ₄ kesterite solar cells. 2016 , 144, 579-585	52
215	Cu ₂ Zn disorder and band gap fluctuations in Cu ₂ ZnSn(S,Se) ₄ : Theoretical and experimental investigations. 2016 , 253, 247-254	140
214	Compositional effects in Ag ₂ ZnSnSe ₄ thin films and photovoltaic devices. 2017 , 126, 383-388	18

213	Structural transitions of ordered kesterite-type Cu ₂ ZnSnS ₄ under pressure. <i>Applied Physics Letters</i> , 2017 , 110, 041905	3-4	11
212	Controlling metastable native point-defect populations in Cu(In,Ga)Se ₂ and Cu ₂ ZnSnSe ₄ materials and solar cells through voltage-bias annealing. 2017 , 121, 043102		4
211	Defect Engineering in Multinary Earth-Abundant Chalcogenide Photovoltaic Materials. 2017 , 7, 1602366		150
210	Trade-Offs in Thin Film Solar Cells with Layered Chalcostibite Photovoltaic Absorbers. 2017 , 7, 1601935		35
209	In-situ investigation of the order-disorder transition in Cu ₂ ZnSnSe ₄ by optical transmission spectroscopy. 2017 , 7, 025303		6
208	The Steady Rise of Kesterite Solar Cells. 2017 , 2, 776-779		144
207	Industrial perspectives on earth abundant, multinary thin film photovoltaics. 2017 , 32, 033004		25
206	Brief review of emerging photovoltaic absorbers. 2017 , 4, 8-15		45
205	Unconventional kesterites: The quest to reduce band tailing in CZTSSe. 2017 , 4, 29-36		24
204	Structural Polymorphism in "Kesterite" CuZnSnS: Raman Spectroscopy and First-Principles Calculations Analysis. 2017 , 56, 3467-3474		55
203	Modification of defects and potential fluctuations in slow-cooled and quenched Cu ₂ ZnSnSe ₄ single crystals. 2017 , 121, 065704		11
202	Nanostructural and photo-electrochemical properties of solution spin-coated CuZnSnS-TiO nanorod forest films with an improved photovoltaic performance. 2017 , 9, 7650-7665		12
201	Lattice dynamics of the tin sulphides SnS, SnS and SnS: vibrational spectra and thermal transport. 2017 , 19, 12452-12465		108
200	Local atomic structure and analysis of secondary phases in non-stoichiometric Cu ₂ ZnSnS ₄ using X-ray absorption fine structure spectroscopy. 2017 , 714, 381-389		11
199	Influence of Cu ₂ S, SnS and Cu ₂ ZnSnSe ₄ on optical properties of Cu ₂ ZnSnS ₄ . 2017 , 202, 70-72		14
198	Low-temperature phase transformation of CZTS thin films. 2017 , 26, 046402		
197	What is the band alignment of Cu ₂ ZnSn(S,Se) ₄ solar cells?. 2017 , 169, 177-194		89
196	The order-disorder transition in Cu ₂ ZnSnS ₄ : A theoretical and experimental study. 2017 , 250, 140-144		21

195	Diode laser annealing on sputtered epitaxial Cu ₂ ZnSnS ₄ thin films. 2017 , 11, 1700033	4
194	Beyond 11% Efficient Sulfide Kesterite Cu ₂ Zn _x Cd _{1-x} SnS ₄ Solar Cell: Effects of Cadmium Alloying. 2017 , 2, 930-936	194
193	Zinc-Tin-Oxide Buffer Layer and Low Temperature Post Annealing Resulting in a 9.0% Efficient Cd-Free Cu ₂ ZnSnS ₄ Solar Cell. 2017 , 1, 1700001	44
192	In Situ Monitoring of Cu ₂ ZnSnS ₄ Absorber Formation With Raman Spectroscopy During Mo/Cu ₂ SnS ₃ /ZnS Thin-Film Stack Annealing. 2017 , 7, 906-912	6
191	Investigation of structural and surface potential studies of CZTS nanorods. 2017 , 123, 1	
190	Raman characterization and modelling of Cu ₂ ZnSn _{1-x} Ge _x S ₄ single crystals grown using chemical vapor transport. 2017 , 66, 671-677	6
189	Cu ₂ ZnSnSe ₄ Photovoltaic Absorber Layers Evaluated by Transmission X-Ray Microscopy Tomography: Composition Fluctuations on the Length Scale of Grains. 2017 , 1, 1600024	
188	Optoelectronic and spectroscopic characterization of vapour-transport grown Cu ₂ ZnSnS ₄ single crystals. 2017 , 5, 1192-1200	123
187	Sol-gel synthesis of Cu ₂ ZnSnS ₄ thin films under mild conditions. 2017 , 697, 361-366	10
186	Low temperature time resolved photoluminescence in ordered and disordered Cu ₂ ZnSnS ₄ single crystals. 2017 , 508, 47-50	9
185	Polymorphism in Cu ₂ ZnSnS ₄ and New Off-Stoichiometric Crystal Structure Types. 2017 , 29, 9829-9839	13
184	Evolution of Morphology and Composition during Annealing and Selenization in Solution-Processed Cu ₂ ZnSn(S,Se) ₄ . 2017 , 29, 9328-9339	30
183	In-Situ Deposition and Growth of Cu ₂ ZnSnS ₄ Nanocrystals on TiO ₂ Nanorod Arrays for Enhanced Photoelectrochemical Performance. 2017 , 164, H863-H871	7
182	Cationic and Anionic Disorder in CZTSSe Kesterite Compounds: A Chemical Crystallography Study. 2017 , 56, 11779-11786	12
181	Spatially Resolved Laser-Induced Modification Raman Spectroscopy for Probing the Microscopic Structural Variations in the Quaternary Alloy Cu ₂ ZnSnSe ₄ . 2017 , 8,	7
180	Raman scattering in right angle configuration on Cu ₂ ZnSiSe ₄ single crystals. 2017 , 73, 119-123	
179	Cation disorder and phase transitions in the structurally complex solar cell material Cu ₂ ZnSnS ₄ . 2017 , 5, 16672-16680	34
178	Calculation of point defect concentration in Cu ₂ ZnSnS ₄ : Insights into the high-temperature equilibrium and quenching. 2017 , 122, 035707	4

177	Effect of different thermo-treatment at relatively low temperatures on the properties of indium-tin-oxide thin films. 2017 , 636, 702-709	11
176	Point defects in Cu ₂ ZnSnSe ₄ (CZTSe): Resonant X-ray diffraction study of the low-temperature order/disorder transition. 2017 , 254, 1700156	10
175	Structural, microstructural and optical properties of (hbox {Cu}_{2}hbox {ZnSnS}_{4}) thin films prepared by thermal evaporation: effect of substrate temperature and annealing. 2017 , 40, 887-895	9
174	Cation Disorder In Cu ₂ ZnSnS ₄ Thin Films: Effect On Solar Cell Performances. 2017 , 1, 1700101	27
173	Candidate photoferroic absorber materials for thin-film solar cells from naturally occurring minerals: enargite, stephanite, and bournonite. 2017 , 1, 1339-1350	23
172	Efficient kesterite solar cells with high open-circuit voltage for applications in powering distributed devices. 2017 , 2, 884-890	51
171	Luminescence properties of Cu ₂ ZnSn(S,Se) ₄ solar cell absorbers: State filling versus screening of electrostatic potential fluctuations. 2017 , 95,	16
170	Strategies to reduce the open-circuit voltage deficit in Cu ₂ ZnSn(S,Se) ₄ thin film solar cells. 2017 , 13, 373-392	25
169	RF Electromagnetic Field Treatment of Tetragonal Kesterite CZTSSe Light Absorbers. 2017 , 12, 408	14
168	Modification of the optoelectronic properties of Cu ₂ CdSnS ₄ through low-temperature annealing. 2017 , 723, 820-825	15
167	Towards In-reduced photovoltaic absorbers: Evaluation of zinc-blende CuInSe ₂ -ZnSe solid solution. 2017 , 160, 26-33	13
166	Influence of order-disorder in Cu ₂ ZnSnS ₄ powders on the performance of monograin layer solar cells. 2017 , 633, 122-126	15
165	Band Gap Changes of the CdS Buffer Induced by Post-Annealing of Cu ₂ ZnSn(S,Se) ₄ Solar Cells. 2017 ,	0
164	Raman scattering assessment of point defects in kesterite semiconductors: UV resonant Raman characterization for advanced photovoltaics. 2017 ,	3
163	Using High-Resolution Anomalous-Scattering X-Ray Diffraction to Observe Off-Stoichiometric Cu ₂ ZnSnS ₄ Crystal Structures. 2017 ,	
162	Insight into the role of post-annealing in air for high efficient Cu ₂ ZnSn(S,Se) ₄ solar cells. 2018 , 182, 228-236	21
161	Cation Substitution in Earth-Abundant Kesterite Photovoltaic Materials. 2018 , 5, 1700744	117
160	High surface recombination velocity limits Quasi-Fermi level splitting in kesterite absorbers. 2018 , 8, 1874	15

159	Structural characterization of off-stoichiometric kesterite-type $\text{Cu}_2\text{ZnGeSe}_4$ compound semiconductors: from cation distribution to intrinsic point defect density. 2018 , 20, 1491-1498	19
158	Study of the fundamental phase formation mechanism of sol-gel sulfurized $\text{Cu}_2\text{ZnSnS}_4$ thin films using in situ Raman spectroscopy. 2018 , 176, 222-229	16
157	The effect of stoichiometry on Cu-Zn ordering kinetics in $\text{Cu}_2\text{ZnSnS}_4$ thin films. 2018 , 123, 161558	26
156	Ultralow Thermal Conductivity in Diamond-Like Semiconductors: Selective Scattering of Phonons from Antisite Defects. 2018 , 30, 3395-3409	16
155	$\text{Cu}_2\text{ZnSn}(\text{S},\text{Se})_4$ from annealing of compound co-sputtered precursors [Recent results and open questions. 2018 , 175, 84-93	11
154	Photoluminescence study of deep donor- deep acceptor pairs in $\text{Cu}_2\text{ZnSnS}_4$. 2018 , 80, 52-55	7
153	Turning Earth Abundant Kesterite-Based Solar Cells Into Efficient Protected Water-Splitting Photocathodes. 2018 , 10, 13425-13433	24
152	Resolving the effects of compositional change on structures in $\text{Cu}_2\text{ZnSnS}_4$ nanocrystals by X-ray absorption fine structure. 2018 , 96, 785-794	1
151	Potential Fluctuations and Localization Effects in CZTS Single Crystals, as Revealed by Optical Spectroscopy. 2018 , 47, 4282-4288	7
150	Path towards high-efficient kesterite solar cells. 2018 , 27, 1040-1053	51
149	Intrinsic point defects in off-stoichiometric $\text{Cu}_2\text{ZnSnSe}_4$: A neutron diffraction study. 2018 , 123, 161519	30
148	Nanometre-scale optical property fluctuations in $\text{Cu}_2\text{ZnSnS}_4$ revealed by low temperature cathodoluminescence. 2018 , 174, 65-76	15
147	Crystal structure and anti-site boundary defect characterisation of $\text{Cu}_2\text{ZnSnSe}_4$. 2018 , 6, 189-197	11
146	On the origin of band-tails in kesterite. 2018 , 179, 142-151	100
145	The Single Phase Region in $\text{Cu}_2\text{ZnSnS}_4$ Thin Films from Theory and Combinatorial Experiments. 2018 , 30, 4624-4638	16
144	Grain-Resolved Ultrafast Photophysics in CuBaSnSSe Semiconductors Using Pump-Probe Diffuse Reflectance Spectroscopy and Microscopy. 2018 , 10, 39615-39623	10
143	Thermal effect on CZTS solar cells in different process of ZnO/ITO window layer fabrication. 2018 , 18, e00078	4
142	Pressure-induced structural and electronic transitions in kesterite-type $\text{Cu}_2\text{ZnSnS}_4$. 2018 , 124, 085905	6

141	Very small tail state formation in Cu ₂ ZnGeSe ₄ . <i>Applied Physics Letters</i> , 2018 , 113, 093901	3-4	19
140	Nanoengineering of the Cu ₂ ZnSnS ₄ /TiO ₂ interface via atomic layer deposition of Al ₂ O ₃ for high sensitivity photodetectors and solid state solar cells. 2018 , 6, 11507-11520		18
139	Impressive self-healing phenomenon of Cu ₂ ZnSn(S, Se) ₄ solar cells. 2018 , 27, 066108		2
138	Point defect engineering in thin-film solar cells. 2018 , 3, 194-210		176
137	The Use of Photoemission Spectroscopies for the Characterisation and Identification of Cu ₂ ZnSnS ₄ and its Secondary Phases. 2018 , 215-306		
136	Cu ₂ ZnSnS ₄ Thin-Film Solar Cells. 2018 , 799-828		2
135	Impact of the degree of Cu/Zn order in Cu ₂ ZnSn(S,Se) ₄ solar cell absorbers on defect states and band tails. <i>Applied Physics Letters</i> , 2018 , 113, 033901	3-4	13
134	7.6% CZGSe Solar Cells Thanks to Optimized CdS Chemical Bath Deposition. 2018 , 215, 1800043		29
133	Lithium/Silver-Doped Cu ₂ ZnSnS ₄ with Tunable Band Gaps and Phase Structures: a First-Principles Study. 2018 , 35, 083101		2
132	Understanding the Effects of Cd and Ag Doping in Cu ₂ ZnSnS ₄ Solar Cells. 2018 , 30, 4543-4555		54
131	From magnetic cubic pre-kesterite to semiconducting tetragonal kesterite Cu ₂ ZnSnS ₄ nanopowders via the mechanochemically assisted route. 2019 , 770, 981-988		16
130	Back and front contacts in kesterite solar cells: state-of-the-art and open questions. 2019 , 1, 044005		40
129	Numerical study of the effect of diode laser-induced optical, thermal, and residual stresses on CZTS thin-films. 2019 , 31, 032006		
128	Order-disorder transition in Nano-Cu ₂ ZnSnS ₄ : A Raman spectroscopic study. 2019 , 102, 104594		6
127	Tuning Electrical, Optical, and Thermal Properties through Cation Disorder in Cu ₂ ZnSnS ₄ . 2019 , 31, 8402-8412	8	
126	Atomistic insights into the order-disorder transition in Cu ₂ ZnSnS ₄ solar cells from Monte Carlo simulations. 2019 , 7, 312-321		14
125	Reactive Mechanism of Cu ₂ ZnSnSe ₄ Thin Films Prepared by Reactive Annealing of the Cu/Zn Metal Layer in a SnSex + Se Atmosphere. 2019 , 9, 10		9
124	Interplay between Composition, Electronic Structure, Disorder, and Doping due to Dual Sublattice Mixing in Nonequilibrium Synthesis of ZnSnN ₂ O. 2019 , 31, e1807406		27

123	Effect of the Order-Disorder Transition on the Seebeck Coefficient of Nanostructured Thermoelectric CuZnSnS. 2019 , 9,	18
122	Structural homogenization and cation ordering in CZTS films during sulfurization as probed via in-situ Raman. 2019 , 684, 21-30	6
121	The electrical and optical properties of kesterites. 2019 , 1, 044002	21
120	Quality improvement of CZTS thin films deposited by spray pyrolysis method using pulsed Nd: YAG laser irradiation. 2019 , 488, 827-835	9
119	Kesterite: New Progress Toward Earth-Abundant Thin-Film Photovoltaic. 2019 , 93-120	3
118	Band gap shift of Cu ₂ ZnSnS ₄ thin film by residual stress. 2019 , 799, 247-255	6
117	Comparative operando XPS studies of quasi-Fermi level splitting and open-circuit voltage in CZTSe/CdS and CIGS/CdS junctions and device structures. 2019 , 37, 031202	8
116	UV-ozone induced surface passivation to enhance the performance of Cu ₂ ZnSnS ₄ solar cells. 2019 , 200, 109892	9
115	Cadmium Free Cu ₂ ZnSnS ₄ Solar Cells with 9.7% Efficiency. 2019 , 9, 1900439	42
114	Properties of phase transition and interfaces of Cu ₂ ZnSnS ₄ with hetero-phase junctions. 2019 , 481, 1044-1052	4
113	Fully depleted emitter layers: a novel method to improve band alignment in thin-film solar cells. 2019 , 34, 055008	0
112	(Cu ₂ ZnSnS ₄) thin films prepared with a Joule-heated graphite closed-space sulfurization system. 2019 , 125, 1	3
111	Cu-Zn disorder in stoichiometric and non-stoichiometric Cu ₂ ZnSnS ₄ /Cu ₂ ZnSnSe ₄ . 2019 , 9, 035248	8
110	Structural and Electronic Properties of Cu ₂ MnSnS ₄ from Experiment and First-Principles Calculations. 2019 , 256, 1800743	13
109	Role of Na and Ca as Isovalent Dopants in Cu ₂ ZnSnS ₄ Solar Cells. 2019 , 7, 5792-5800	15
108	Effect of Cd on cation redistribution and order-disorder transition in Cu ₂ (Zn,Cd)SnS ₄ . 2019 , 7, 26927-26933	10
107	Multicomponent Chalcogenides with Diamond-Like Structure as Thermoelectrics. 2019 , 137-157	
106	Photoelectrochemical Behavior of Bismuth-Containing Cu ₂ ZnSnS ₄ (CZTS) Absorber Layers for Photovoltaic Applications. 2019 , 166, H3040-H3046	8

105	Evolution of the microstructural, electrical and optical characteristics of sol-gel derived Cu ₂ ZnSnS ₄ thin films during sulfurization. 2019 , 91, 31-40	8
104	Phase stability and structural comparison of phases in the Cu-Zn-Sn-S system using solid-state NMR. 2019 , 190, 37-48	2
103	Investigation the influence of Fe (III) doping in Cu ₂ ZnSnS ₄ semiconductor: Structural, optical and magnetic properties. 2019 , 179, 505-513	10
102	Effect of defects and secondary phases in Cu ₂ ZnSnS ₄ absorber material on the performance of Zn(O,S) buffered devices. 2019 , 670, 6-16	9
101	Point defects, compositional fluctuations, and secondary phases in non-stoichiometric kesterites. 2020 , 2, 012002	49
100	Investigating the effect of sulphurization on volatility of compositions in Cu-poor and Sn-rich CZTS thin films. 2020 , 507, 145043	13
99	Improving the performance of low-cost water-based solution-synthesised Cu ₂ ZnSn _{1-x} Ge _x (S,Se) ₄ absorber thin films by germanium doping. 2020 , 46, 25638-25645	6
98	Cu/Zn disorder in stoichiometric Cu ₂ ZnSn(S _{1-x} Se _x) ₄ semiconductors: A complementary neutron and anomalous X-ray diffraction study. 2020 , 846, 156304	5
97	Underlying mechanism of the efficiency loss in CZTSSe solar cells: Disorder and deep defects. 2020 , 63, 2371-2396	18
96	Band Tails and Cu/Zn Disorder in Cu ₂ ZnSnS ₄ Solar Cells. 2020 , 3, 7520-7526	10
95	Colossal thermoelectric enhancement in Cu ₂ +xZn _{1-x} SnS ₄ solid solution by local disordering of crystal lattice and multi-scale defect engineering. 2020 , 8, 10909-10916	13
94	High-temperature decomposition of Cu ₂ BaSnS ₄ with Sn loss reveals newly identified compound Cu ₂ Ba ₃ Sn ₂ S ₈ . 2020 , 8, 11346-11353	5
93	Sn Substitution by Ge: Strategies to Overcome the Open-Circuit Voltage Deficit of Kesterite Solar Cells. 2020 , 3, 5830-5839	18
92	Raman mapping of MoS ₂ at Cu ₂ ZnSnS ₄ /Mo interface in thin film. 2020 , 205, 154-160	15
91	Order/Disorder Transition in Kesterite Cu ₂ ZnSnS ₄ : Thermopower Enhancement via Electronic Band Structure Modification. 2020 , 124, 7091-7096	12
90	Growth and Characterization of CuZnFeSnS Thin Films for Photovoltaic Applications. 2020 , 13,	4
89	Device Postannealing Enabling over 12% Efficient Solution-Processed Cu ZnSnS Solar Cells with Cd Substitution. 2020 , 32, e2000121	93
88	Vegard Relation and Raman Band Reference Data Generated from Bulk Crystals of Kesterite-Phase Composition Series Cu ₂ ZnSnS _{4-x} Se _{4x} (CZTSSe, 0 ≤ x ≤ 1). 2020 , 20, 2164-2173	6

87	Prospects for defect engineering in Cu ₂ ZnSnS ₄ solar absorber films. 2020 , 8, 15864-15874	8
86	Characterization of CuZnSnS Particles Obtained by the Hot-Injection Method. 2020 , 5, 10501-10509	4
85	Tetrahedral CuZnInSe ₃ nanocrystals: One-pot synthesis, properties, and solar cell application. 2021 , 854, 157096	1
84	Correlation and optimization of the optoelectrical properties of DC magnetron-sputtered Cu ₂ ZnSnS ₄ absorber layer as a function of the material composition. 2021 , 121, 105367	1
83	Optical phonons in pentanary compound (Ag Cu _{1-x} ZnSnS ₄ semiconductor: A raman study. 2021 , 865, 158113	2
82	Lattice dynamics in kesterite-type Cu ₂ ZnSnS ₄ : Inelastic neutron scattering studies and thermoelectric properties. 2021 , 150, 109819	2
81	Order Parameter from the Seebeck Coefficient in Thermoelectric Kesterite Cu ₂ ZnSnS ₄ . 2021 , 527-539	2
80	Surface and interface engineering for highly efficient Cu ₂ ZnSnSe ₄ thin-film solar cells via in situ formed ZnSe nanoparticles. 2021 , 9, 5442-5453	1
79	A Facile Process for Partial Ag Substitution in Kesterite CuZnSn(S,Se) Solar Cells Enabling a Device Efficiency of over 12. 2021 , 13, 3959-3968	15
78	Optimizing kesterite solar cells from Cu ₂ ZnSnS ₄ to Cu ₂ CdGe(S,Se) ₄ . 2021 , 9, 9882-9897	5
77	Kesterite Solar Cells: Insights into Current Strategies and Challenges. 2021 , 8, 2004313	18
76	Element-specific investigations of ultrafast dynamics in photoexcited CuZnSnS nanoparticles in solution. 2021 , 8, 024501	1
75	Ag Incorporation with Controlled Grain Growth Enables 12.5% Efficient Kesterite Solar Cell with Open Circuit Voltage Reached 64.2% Shockley-Queisser Limit. 2021 , 31, 2101927	26
74	Training sets based on uncertainty estimates in the cluster-expansion method. 2021 , 3, 034012	1
73	The Heterostructures of CuO and SnO for NO Detection. 2021 , 21,	2
72	Effect of sodium-doping on the performance of CZTS absorb layer: Single and bifacial sodium-incorporation method. 2021 , 221, 476-482	3
71	Conductivity mechanisms and influence of the Cu/Zn disorder on electronic properties of the powder Cu ₂ ZnSn(S _{1-x} Se _x) ₄ solid solutions. 2021 , 13, 2251-2259	0
70	High-pressure behavior of disordered kesterite-type Cu ₂ ZnSnS ₄ . 2021 , 127, 1	2

69	Band alignment tuning at Mo/CZTS back contact interface through surface oxidation states control of Mo substrate. 2021 , 229, 111141	1
68	Interface engineering of p-n heterojunction for kesterite photovoltaics: A progress review. 2021 , 60, 1-8	10
67	Investigation on in-situ thermal treatment of room-temperature pulsed laser deposition technique: How to improve Cu ₂ ZnSnS ₄ films for photoelectric application without sulfurization. 2021 , 562, 150111	1
66	Effect of sulfurization temperature on Cu-Zn disorder for non-stoichiometric spray pyrolyzed Cu ₂ ZnSnS ₄ thin films. 2021 , 300, 130168	2
65	Deposition and characterization of stannite Cu ₂ FeSn(S _{0.8} Se _{0.2}) ₄ thin film for potential absorber layer in solar cell application. 2021 , 120, 111430	0
64	Bandgap engineered Cu ₂ ZnGeSn _{1-x} S ₄ solar cells using an adhesive TiN back contact layer. 2021 , 880, 160478	1
63	Non-destructive determination of phase, size, and strain of individual grains in polycrystalline photovoltaic materials. 2021 , 887, 161364	0
62	Pulsed laser deposited and sulfurized Cu ₂ ZnSnS ₄ thin film for efficient solar cell. 2021 , 233, 111383	2
61	Critical Influence of Annealing Configuration in Kesterite Phase Evolution During Growth of Cu ₂ ZnSnS ₄ Thin Films from Non-Toxic Environment-Friendly Solutions. 2021 , 50, 1314-1322	0
60	Thermoelectric properties of CZTS thin films: effect of Cu-Zn disorder. 2021 , 23, 13148-13158	3
59	Environmentally friendly thermoelectric sulphide Cu ₂ ZnSnS ₄ single crystals achieving a 1.6 dimensionless figure of merit ZT. 2021 , 9, 15595-15604	5
58	Origin of the low conversion efficiency in Cu ₂ ZnSnS ₄ kesterite solar cells: the actual role of cation disorder. 2021 , 14, 3567-3578	15
57	Cu ₂ ZnSnS ₄ photovoltaic cell with improved efficiency fabricated by high-temperature annealing after CdS buffer-layer deposition. 2017 , 25, 14-22	83
56	Effect of cell configuration on the compositional homogeneity of electrodeposited Cu-Zn-Sn alloys and phase purity of the resulting Cu ₂ ZnSnS ₄ absorber layers. 2017 , 255, 347-357	9
55	Origin of a Simultaneous Suppression of Thermal Conductivity and Increase of Electrical Conductivity and Seebeck Coefficient in Disordered Cubic Cu ₂ ZnSnS ₄ . 2020 , 14,	8
54	Insights into cation disorder and phase transitions in CZTS from a first-principles approach. 2018 , 2,	12
53	Structural, Vibrational, and Electronic Properties of Trigonal Cu ₂ SrSnS ₄ Photovoltaic Absorber from First-Principles Calculations. 2020 , 17, 07-12	1
52	Efficient and Composition-Tolerant Kesterite Cu ₂ ZnSn(S, Se) ₄ Solar Cells Derived From an In Situ Formed Multifunctional Carbon Framework. 2021 , 11, 2102298	17

51	Detailed Insight into the CZTS/CdS Interface Modification by Air Annealing in Monograin Layer Solar Cells.	1
50	Spectroscopy and Theoretical Modeling of Phonon Vibration Modes and Band Gap Energy of CuZnSn(S Se) Bulk Crystals and Thin Films. 2021 , 6, 29137-29148	1
49	Topological Anderson Insulator in Cation-Disordered CuZnSnS. 2021 , 11,	1
48	Atomic Layer Deposition of Cu ₂ SnS ₃ Thin Films: Effects of Composition and Heat Treatment on Phase Transformation. 2021 , 33, 8112-8123	1
47	Review article on the lattice defect and interface loss mechanisms in kesterite materials and their impact on solar cell performance. 2021 , 230, 13-58	3
46	Investigation of single phase Cu ₂ ZnSn _x Sb _{1-x} S ₄ compounds processed by mechanochemical synthesis. 2018 , 2,	2
45	Sustainable Photovoltaics. 2020 , 25-85	
44	Effects of composition and thermal treatment on VOC-limiting defects in single-crystalline Cu ₂ ZnSnSe ₄ solar cells.	0
43	Two-Step Annealing CZTSSe/CdS Heterojunction to Improve Interface Properties of Kesterite Solar Cells. 2021 , 13, 55243-55253	4
42	The onset of copper-ion mobility and the electronic transition in the kesterite Cu ₂ ZnGeSe ₄ . 2021 , 9, 27493-27502	1
41	Atypical Deposition Temperature of CZTS Thin Films in Spray-Pyrolysis Technique: Impact on Surface Morphology, Phase, and Chemical Composition. 2020 ,	
40	Effect of stacking sequence on the structural ordering and phase formation in the sequentially deposited copper zinc tin sulfide thin films.	1
39	Photovoltaic performance of Cu ₂ ZnSnS ₄ thin film solar cells on flexible molybdenum foil formed by electrodeposition and sulfurization. 2022 , 33, 3101	
38	Properties of Cu ₂ ZnSnS ₄ films obtained by sulfurization under different sulfur-vapor pressures in a sealed ambient. 2022 , 231, 484-495	0
37	Influence of sulfurization time and Cu-ZnS-Sn stack order on the properties of thermally evaporated CZTS thin films. 2022 , 33, 5341	
36	Static and dynamic components of Debye-Waller coefficients in the novel cubic polymorph of low-temperature disordered CuZnSnS ₂ . 2022 , 9, 272-285	1
35	Defect healing via a gradient cooling strategy for efficient all-inorganic perovskite solar cells. 2022 , 10, 4276-4285	2
34	Kesterite Cu ₂ ZnSnS _{4-x} Se _x Thin Film Solar Cells.	

- 33 Defects properties and vacancy diffusion in Cu₂MgSnS₄. **2022**, 43, 022101 o
- 32 Copper-Content Dependent Structural and Electrical Properties of CZTS Films Formed by Green Colloidal Nanocrystals. **2022**, 3, 136-153 o
- 31 Revisiting the Cu-Zn Disorder in Kesterite Type Cu₂ZnSnSe₄ Employing a Novel Approach to Hybrid Functional Calculations. **2022**, 12, 2576 o
- 30 First-principles investigation of CZTS Raman spectra. **2022**, 6, o
- 29 Al-doped ZnO thin films with excellent optoelectronic properties prepared using H₂-assisted reactive magnetron sputtering at low temperatures for potential application in photovoltaic devices. 1
- 28 Opto-Magnetic and Morphological Properties of the Quaternary CZCr₂TS Semiconductor. o
- 27 Enhancement of solution-processed Cu₂ZnSnS₄ film properties via a facile approach of sodium incorporation. **2022**, 146, 106660
- 26 Extensive Study on Effects of Defects in CZTS/CZTSe Quantum Dots Kesterite Solar Cells. **2021**, o
- 25 Silver-substituted (Ag_{1-x}Cu_x)₂ZnSnS₄ solar cells from aprotic molecular inks. **2022**, o
- 24 Facile and Low-Cost Fabrication of Cu/Zn/Sn-Based Ternary and Quaternary Chalcogenides Thermoelectric Generators. 2
- 23 DMF-Based Large-Grain Spanning Cu₂ZnSn(S,Se)₄ Device with a PCE of 11.76%. **2022**, e2201241 4
- 22 The impact of a magnetic ion on the thermoelectric properties of copper-rich quaternary selenides. **2022**, 4, 034001 o
- 21 Towards Low Cost and Sustainable Thin Film Thermoelectric Devices Based on Quaternary Chalcogenides. 2202157 2
- 20 Cationic substitution and doping approaches for synthesis of high-performance kesterite CZTS(Se) absorber. **2022**, 105-136
- 19 Defect Engineering for Efficient Cu₂ZnSnS₄ Solar Cells via Moisture-Assisted Post-Deposition Annealing. 2200607 o
- 18 Non-stoichiometric effect and disorder in as-prepared Cu₂ZnSnS₄ films deposited at different temperatures by ultrasonic spray pyrolysis. **2022**, 152, 107120 o
- 17 Spiers Memorial Lecture: Next generation chalcogenide-based absorbers for thin-film solar cells. o
- 16 A new approach for alkali incorporation in Cu₂ZnSnS₄ solar cells. o

- 15 Improvement of CZTSSe film quality and superstrate solar cell performance through optimized post-deposition annealing. **2022**, 12, 9
- 14 Elemental de-mixing-induced epitaxial kesterite/CdS interface enabling 13%-efficiency kesterite solar cells. 9
- 13 To grind or not to grind? The influence of mechanical and thermal treatments on the Cu/Zn disorder in $\text{Cu}_2\text{ZnSn}(\text{SxSe}_{1-x})_4$ monograins. **2022**, 248, 112009 0
- 12 The effect of soft-annealing on sputtered $\text{Cu}_2\text{ZnSnS}_4$ thin-film solar cells. **2022**, 128, 0
- 11 Thermoelectric properties of solution-prepared n-type and p-type CZTSSe thin films. **2022**, 0
- 10 Stability of $\text{Cu}_2\text{ZnSnSe}_4/\text{CdS}$ heterojunction based solar cells under soft post-deposition thermal treatments. **2023**, 249, 112046 0
- 9 Two-Step Cooling Strategy for Synergistic Control of Cu Zn and Sn Zn Defects Enabling 12.87% Efficiency (Ag,Cu) $2\text{ZnSn}(\text{S,Se})_4$ Solar Cells. 2210551 0
- 8 Exploring the Effect of Selenidation Time on the Ni-Doped $\text{Cu}_2\text{ZnSn}(\text{S,Se})_4$ Solar Cell. **2022**, 12, 4311 0
- 7 $\text{Cu}_2\text{Zn}(\text{Sn}_{1-x}\text{Six})\text{Se}_4$: Structural Characterization, Vibrational and Physical Properties of CZTSe-Derivatives. **2023**, 11, 7 0
- 6 Antimicrobial particles based on $\text{Cu}_2\text{ZnSnS}_4$ monograins. **2023**, 225, 113275 0
- 5 Manganese-substituted kesterite thin-films for earth-abundant photovoltaic applications. **2023**, 254, 112247 0
- 4 Composition dependence of the optical band gap and the secondary phases via zinc content in CZTS material. **2023**, 151, 110639 0
- 3 Effects of Cu^+ ion implantation on band gap and Raman shift of $\text{Cu}_2\text{ZnSnS}_4$ thin films. **2023**, 50, 153-160 0
- 2 Regulation of solar cell performance by cadmium sulfide/copper-based thin film heterojunction annealing under different atmospheres. **2023**, 72, 088802 0
- 1 Energy Band Alignment by Solution-Processed Aluminum Doping Strategy toward Record Efficiency in Pulsed Laser-Deposited Kesterite Thin-Film Solar Cell. 0