Development of USEtox characterisation factors for dishwasher detergents using data made available under REACH

DOI: 10.1016/j.chemosphere.2013.11.041
Chemosphere, 2014, 100, 160-6.

#	Paper	IF	Citations
20	Chemical footprint method for improved communication of freshwater ecotoxicity impacts in the context of ecological limits. *Environmental Science & Technology*, **2014**, 48, 13253-62	10.3	46
19	PPCPs in wastewater Update and calculation of characterization factors for their inclusion in LCA studies. *Journal of Cleaner Production*, **2014**, 83, 245-255	10.3	46
18	Three methods for strategic product toxicity assessment The case of the cotton T-shirt. *International Journal of Life Cycle Assessment*, **2015**, 20, 903-912	4.6	18
17	Fate and Characterization Factors of Nanoparticles in Seventeen Subcontinental Freshwaters: A Case Study on Copper Nanoparticles. *Environmental Science & Technology*, **2016**, 50, 9370-9	10.3	33
16	Environmental and Safety Issues of Polymers and Polymeric Material in the Printing Industry. **2016**, 397-415		1
15	Evaluating the environmental hazard of industrial chemicals from data collected during the REACH registration process. *Science of the Total Environment*, **2017**, 586, 658-665	10.2	18
14	Exploring REACH as a potential data source for characterizing ecotoxicity in life cycle assessment. *Environmental Toxicology and Chemistry*, **2017**, 36, 492-500	3.8	20
13	Use of product and ingredient tools to assess the environmental profile of automatic dishwashing detergents. *Journal of Cleaner Production*, **2017**, 142, 3536-3543	10.3	8
12	Application of Life Cycle Assessment to Green Chemistry Objectives. **2018**, 1-28		
11	The potential to use QSAR to populate ecotoxicity characterisation factors for simplified LCIA and chemical prioritisation. *International Journal of Life Cycle Assessment*, **2018**, 23, 2208-2216	4.6	5
10	USEtox characterisation factors for textile chemicals based on a transparent data source selection strategy. *International Journal of Life Cycle Assessment*, **2018**, 23, 890-903	4.6	20
9	Extrapolation Factors for Characterizing Freshwater Ecotoxicity Effects. *Environmental Toxicology and Chemistry*, **2019**, 38, 2568-2582	3.8	19
8	Using REACH for the EU Environmental Footprint: Building a Usable Ecotoxicity Database, Part I. *Integrated Environmental Assessment and Management*, **2019**, 15, 783-795	2.5	9
7	Assessing health and environmental impacts of solvents for producing perovskite solar cells. *Nature Sustainability*, **2021**, 4, 277-285	22.1	48
6	Advances, Norms, and Perspectives in Product Chemical Footprint Research. *International Journal of Environmental Research and Public Health*, **2021**, 18,	4.6	1
5	Does the epithelial barrier hypothesis explain the increase in allergy, autoimmunity and other chronic conditions?. *Nature Reviews Immunology*, **2021**, 21, 739-751	36.5	94
4	Hazard statements: looking for alternatives to toxicity evaluation using LCA. *Materiaux Et Techniques*, **2017**, 105, 517	0.6	2

3	Potential trade-off between water consumption and water quality: life cycle assessment of nonaqueous solvent dyeing.. *Water Research*, **2022**, 215, 118222	12.5	0
2	Semi-automated harmonization and selection of chemical data for risk and impact assessment.. *Chemosphere*, **2022**, 302, 134886	8.4	1
1	Dishwashers: Literature Review to Summarise the Multi-Dimensionality of Sustainable Production and Consumption. **2022**, 14, 10302		0