

CITATION REPORT

List of articles citing

Involvement of activating ERK1/2 through G protein coupled receptor 30 and estrogen receptor ?/? in low doses of bisphenol A promoting growth of Sertoli TM4 cells

DOI: 10.1016/j.toxlet.2014.01.035

Toxicology Letters, 2014, 226, 81-9.

Source: <https://exaly.com/paper-pdf/59631298/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
120	Disruption of estrogen receptor signaling and similar pathways in the efferent ductules and initial segment of the epididymis. 2014 , 4, e979103		22
119	Bisphenol A stimulates human lung cancer cell migration via upregulation of matrix metalloproteinases by GPER/EGFR/ERK1/2 signal pathway. 2014 , 68, 1037-43		78
118	The activation of G protein-coupled receptor 30 (GPR30) inhibits proliferation of estrogen receptor-negative breast cancer cells in vitro and in vivo. 2014 , 5, e1428		84
117	Investigation of the effects of subchronic low dose oral exposure to bisphenol A (BPA) and ethinyl estradiol (EE) on estrogen receptor expression in the juvenile and adult female rat hypothalamus. 2014 , 140, 190-203		56
116	Modulation of cytokine expression in human macrophages by endocrine-disrupting chemical Bisphenol-A. 2014 , 451, 592-8		71
115	Signaling related with biphasic effects of bisphenol A (BPA) on Sertoli cell proliferation: a comparative proteomic analysis. 2014 , 1840, 2663-73		48
114	Toxicologie et alimentation : nouveaux concepts. 2015 , 50, 6S36-6S41		
113	Metabolomics reveals metabolic changes in male reproductive cells exposed to thirdhand smoke. 2015 , 5, 15512		24
112	International Union of Basic and Clinical Pharmacology. XCVII. G Protein-Coupled Estrogen Receptor and Its Pharmacologic Modulators. 2015 , 67, 505-40		168
111	Low doses of bisphenol A stimulate the proliferation of breast cancer cells via ERK1/2/ERK3 signals. 2015 , 30, 521-8		69
110	TGF- β and EGF induced HLA-I downregulation is associated with epithelial-mesenchymal transition (EMT) through upregulation of snail in prostate cancer cells. 2015 , 65, 34-42		50
109	Low-dose Bisphenol A Activates Cyp11a1 Gene Expression and Corticosterone Secretion in Adrenal Gland via the JNK Signaling Pathway. 2015 , 148, 26-34		16
108	IKK/NF- κ B mediated the low doses of bisphenol A induced migration of cervical cancer cells. 2015 , 573, 52-8		46
107	A commentary on "Involvement of activating ERK1/2 through G protein coupled receptor 30 and estrogen receptor α in low doses of bisphenol A promoting growth of Sertoli TM4 cells". <i>Toxicology Letters</i> , 2015 , 237, 165-6	4.4	4
106	Bisphenol A stimulates the epithelial mesenchymal transition of estrogen negative breast cancer cells via FOXA1 signals. 2015 , 585, 10-16		36
105	Rapid, nongenomic signaling effects of several xenoestrogens involved in early- vs. late-stage prostate cancer cell proliferation. 2015 , 3, e995003		6
104	EDC-2: The Endocrine Society's Second Scientific Statement on Endocrine-Disrupting Chemicals. 2015 , 36, E1-E150		1028

103	Behavioral effects and mechanisms of migraine pathogenesis following estradiol exposure in a multibehavioral model of migraine in rat. 2015 , 263, 8-16	12
102	Bisphenol A modulates colorectal cancer protein profile and promotes the metastasis via induction of epithelial to mesenchymal transitions. 2015 , 89, 1371-81	61
101	Dehydroepiandrosterone Sulfate Stimulates Expression of Blood-Testis-Barrier Proteins Claudin-3 and -5 and Tight Junction Formation via a Gn α 1-Coupled Receptor in Sertoli Cells. 2016 , 11, e0150143	22
100	Signals involved in the effects of bisphenol A (BPA) on proliferation and motility of Leydig cells: a comparative proteomic analysis. 2016 , 5, 1573-1584	10
99	A commentary on "Involvement of activating ERK1/2 through G protein coupled receptor 30 and estrogen receptor α in low doses of bisphenol A promoting growth of Sertoli TM4 cells". <i>Toxicology Letters</i> , 2016 , 240, 236-7	4-4 8
98	Activation of G-Protein-Coupled Estrogen Receptor Inhibits the Migration of Human Non-small Cell Lung Cancer Cells via IKK- α /NF- κ B Signals. 2016 , 35, 434-42	20
97	GPER-novel membrane oestrogen receptor. 2016 , 130, 1005-16	64
96	Endocrine-disrupting chemicals and uterine fibroids. 2016 , 106, 967-77	35
95	Are aryl hydrocarbon receptor and G-protein-coupled receptor 30 involved in the regulation of seasonal testis activity in photosensitive rodent-the bank vole (<i>Myodes glareolus</i>)?. 2016 , 86, 674-686.e1	14
94	Bisphenol A regulates Snail-mediated epithelial-mesenchymal transition in hemangioma cells. 2016 , 34, 441-8	11
93	Silencing of histone deacetylase 2 suppresses malignancy for proliferation, migration, and invasion of glioblastoma cells and enhances temozolomide sensitivity. 2016 , 78, 1289-1296	30
92	Effects of pre- and post-natal exposure to bisphenol A on the stress system. 2016 , 4, e1184775	4
91	Bisphenol A Increases the Migration and Invasion of Triple-Negative Breast Cancer Cells via Oestrogen-related Receptor Gamma. 2016 , 119, 389-95	28
90	Identification and profiling of microRNAs in the ovaries of polytocous and monotocous goats during estrus. 2016 , 85, 769-80	17
89	Activation of GPER suppresses epithelial mesenchymal transition of triple negative breast cancer cells via NF- κ B signals. 2016 , 10, 775-88	42
88	Valproic acid inhibits the angiogenic potential of cervical cancer cells via HIF-1 α /VEGF signals. 2016 , 18, 1123-1130	15
87	PI3K/Akt Activated by GPR30 and Src Regulates 17 β -Estradiol-Induced Cultured Immature Boar Sertoli Cells Proliferation. 2017 , 24, 57-66	26
86	The TGF- β -Induced up-regulation of NKG2DLs requires AKT/GSK-3 β -mediated stabilization of SP1. 2017 , 21, 860-870	9

85	Induction of oxidative stress by bisphenol A and its pleiotropic effects. 2017 , 58, 60-71	128
84	Promotion of Wilms tumor cells migration and invasion by mono-2-ethylhexyl phthalate (MEHP) via activation of NF- κ B signals. 2017 , 270, 1-8	15
83	Bisphenol A promotes hepatic lipid deposition involving Kupffer cells M1 polarization in male mice. 2017 , 234, 143-154	15
82	Epigenetic down regulation of G protein-coupled estrogen receptor (GPER) functions as a tumor suppressor in colorectal cancer. 2017 , 16, 87	38
81	Bisphenol A triggers proliferation and migration of laryngeal squamous cell carcinoma via GPER mediated upregulation of IL-6. 2017 , 35, 209-216	17
80	Endocrine-disrupting chemicals-Mechanisms of action on male reproductive system. 2017 , 33, 601-609	58
79	Estrogens in Male Physiology. 2017 , 97, 995-1043	201
78	Nonmonotonic responses to low doses of xenoestrogens: A review. 2017 , 155, 199-207	35
77	Biological effects of xenoestrogens and the functional mechanisms via genomic and nongenomic pathways. 2017 , 25, 306-322	13
76	Valproic acid (VPA) enhances cisplatin sensitivity of non-small cell lung cancer cells via HDAC2 mediated down regulation of ABCA1. 2017 , 398, 785-792	22
75	Bisphenol AF and Bisphenol B Exert Higher Estrogenic Effects than Bisphenol A via G Protein-Coupled Estrogen Receptor Pathway. 2017 , 51, 11423-11430	70
74	MiR-338 controls BPA-triggered pancreatic islet insulin secretory dysfunction from compensation to decompensation by targeting Pdx-1. 2017 , 31, 5184-5195	29
73	Low-dose levels of bisphenol A inhibit telomerase via ER/GPR30-ERK signalling, impair DNA integrity and reduce cell proliferation in primary PBMC. 2017 , 7, 16631	14
72	Origin of Uterine Fibroids: Conversion of Myometrial Stem Cells to Tumor-Initiating Cells. 2017 , 35, 481-486	12
71	Activation of GPER suppresses migration and angiogenesis of triple negative breast cancer via inhibition of NF- κ B/IL-6 signals. 2017 , 386, 12-23	71
70	Molecular targets of developmental exposure to bisphenol A in diabetes: a focus on endoderm-derived organs. 2017 , 18, 99-108	18
69	A high-throughput, computational system to predict if environmental contaminants can bind to human nuclear receptors. 2017 , 576, 609-616	12
68	Activation of G protein-coupled receptor 30 by thiodiphenol promotes proliferation of estrogen receptor positive breast cancer cells. 2017 , 169, 204-211	23

67	Low Dose of Bisphenol A Activates NF- κ B/IL-6 Signals to Increase Malignancy of Neuroblastoma Cells. 2017 , 37, 1095-1103	14
66	Activation of G protein coupled estrogen receptor (GPER) promotes the migration of renal cell carcinoma via the PI3K/AKT/MMP-9 signals. 2018 , 12, 109-117	14
65	The Role of GPER Signaling in Carcinogenesis: A Focus on Prostate Cancer. 2018 , 59-117	3
64	Acute effect of bisphenol A: Signaling pathways on calcium influx in immature rat testes. 2018 , 77, 94-102	15
63	Melatonin mitigates bisphenol A-induced estradiol production and proliferation by porcine ovarian granulosa cells in vitro. 2018 , 192, 91-98	16
62	MEHP promotes the proliferation of cervical cancer via GPER mediated activation of Akt. 2018 , 824, 11-16	23
61	Bisphenol A stimulates adrenal cortical cell proliferation via ER α -mediated activation of the sonic hedgehog signalling pathway. 2018 , 178, 254-262	8
60	GPER modulators: Opportunity Nox on the heels of a class Akt. 2018 , 176, 73-81	20
59	Bisphenol A affects trophoblast invasion by inhibiting CXCL8 expression in decidual stromal cells. 2018 , 470, 38-47	13
58	Bisphenol A (BPA) and cell signaling pathways. 2018 , 36, 311-327	143
57	Submicromolar bisphenol A induces proliferation and DNA damage in human hepatocyte cell lines in vitro and in juvenile rats in vivo. 2018 , 111, 125-132	16
56	Effects of bisphenol A and its analogs on reproductive health: A mini review. 2018 , 79, 96-123	126
55	Cellular, transcriptomic and methylome effects of individual and combined exposure to BPA, BPF, BPS on mouse spermatocyte GC-2 cell line. 2018 , 359, 1-11	20
54	Low-concentration BPF induced cell biological responses by the ER α and GPER1-mediated signaling pathways in MCF-7 breast cancer cells. 2018 , 165, 144-152	17
53	Camptothecin Efficacy to Poison Top1 Is Altered by Bisphenol A in Mouse Embryonic Fibroblasts. 2018 , 31, 510-519	9
52	GPER/Hippo-YAP signal is involved in Bisphenol S induced migration of triple negative breast cancer (TNBC) cells. 2018 , 355, 1-9	33
51	Tamoxifen-Induced Apoptosis of MCF-7 Cells via GPR30/PI3K/MAPKs Interactions: Verification by ODE Modeling and RNA Sequencing. 2018 , 9, 907	22
50	The effects of Bisphenol A (BPA) on sympathetic nerve fibers in the uterine wall of the domestic pig. 2019 , 84, 39-48	11

49	Involvement of estrogen receptor and GPER in bisphenol A induced proliferation of vascular smooth muscle cells. 2019 , 56, 156-162	17
48	Inferring Bisphenol-A influences on estrogen-mediated signalling in estrogen and androgen receptors: an in silico approach. 2019 , 20, 101178	
47	MEHP promotes the proliferation of oral cancer cells via down regulation of miR-27b-5p and miR-372-5p. 2019 , 58, 35-41	11
46	Luteolin Ameliorates Testis Injury and Blood-Testis Barrier Disruption through the Nrf2 Signaling Pathway and by Upregulating Cx43. 2019 , 63, e1800843	14
45	Chronic BDE-47 Exposure Aggravates Malignant Phenotypes and Chemoresistance by Activating ERK Through ER α and GPR30 in Endometrial Carcinoma. 2019 , 9, 1079	6
44	Repeated Exposure to 4-Methyl-2,4-bis(4-hydroxyphenyl)pent-1-ene (MBP), an Active Metabolite of Bisphenol A, Aggressively Stimulates Breast Cancer Cell Growth in an Estrogen Receptor (ER)-Dependent Manner. 2019 , 95, 260-268	20
43	Could the endocrine disruptor bisphenol-A be implicated in the pathogenesis of oral and oropharyngeal cancer? Metabolic considerations and future directions. 2019 , 91, 61-69	14
42	An increase of estrogen receptor β protein level regulates BDE-209-mediated blood-testis barrier disruption during spermatogenesis in F1 mice. 2019 , 26, 4801-4820	8
41	Unraveling the Exposome. 2019 ,	6
40	Benzyl butyl phthalate (BBP) triggers the malignancy of acute myeloid leukemia cells via upregulation of PDK4. 2020 , 62, 104693	4
39	Panax ginseng metabolite (GIM-1) modulates the effects of monobutyl phthalate (MBP) on the GPR30/GPER1 canonical pathway in human Sertoli cells. 2020 , 96, 209-215	1
38	The Interaction Test of Binary Mixtures of Endocrine-Disrupting Chemicals Using In Vitro Bioassays. 2020 , 2020, 1-12	
37	GPER as a Receptor for Endocrine-Disrupting Chemicals (EDCs). 2020 , 11, 545	11
36	Role of GPER-Mediated Signaling in Testicular Functions and Tumorigenesis. <i>Cells</i> , 2020 , 9,	7.9 7
35	Maternal Exposure to Di-butyl Phthalate Promotes the Formation of Testicular Tight Junctions through Downregulation of NF- κ B/COX-2/PGE/MMP-2 in Mouse Offspring. 2020 , 54, 8245-8258	8
34	Role of bisphenol A on calcium influx and its potential toxicity on the testis of Danio rerio. 2020 , 202, 110876	6
33	Endocrine Disruptors: Very Low Doses with Genuinely High Impacts on Male Reproduction. 2020 ,	
32	Bioinformatics analysis and quantitative weight of evidence assessment to map the potential mode of actions of bisphenol A. 2021 , 273, 116469	4

31	Endocrine-Disrupting Chemicals and Vitamin D Deficiency in the Pathogenesis of Uterine Fibroids. 2021 , 5, 260-275		0
30	Endocrine disrupting chemicals and breast cancer: a systematic review of epidemiological studies. 2021 , 1-27		4
29	Molecular mechanism study of BPAF-induced proliferation of ER β -negative SKBR-3 human breast cancer cells in vitro/in vivo. 2021 , 775, 145814		1
28	The G-Protein-Coupled Membrane Estrogen Receptor Is Present in Horse Cryptorchid Testes and Mediates Downstream Pathways. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
27	Overview of the Mechanisms of Action of Selected Bisphenols and Perfluoroalkyl Chemicals on the Male Reproductive Axes. 2021 , 12, 692897		3
26	Physiologically detectable bisphenol A impairs human sperm functions by reducing protein-tyrosine phosphorylation. 2021 , 221, 112418		4
25	Low concentration of BPA induces mice spermatocytes apoptosis via GPR30. 2017 , 8, 49005-49015		40
24	Inhibition of ERK β suppresses epithelial mesenchymal transition of triple negative breast cancer cells by directly targeting fibronectin. 2015 , 6, 25588-601		43
23	Inverse agonist of estrogen-related receptor β suppresses the growth of triple negative breast cancer cells through ROS generation and interaction with multiple cell signaling pathways. 2016 , 7, 12568-81		24
22	Visfatin is involved in promotion of colorectal carcinoma malignancy through an inducing EMT mechanism. 2016 , 7, 32306-17		20
21	Low Doses of Nonylphenol Promote Growth of Colon Cancer Cells through Activation of ERK1/2 via G Protein-Coupled Receptor 30. 2019 , 51, 1620-1631		10
20	Coiled-Coil Domain Containing 80 Suppresses Nonylphenol-Induced Colorectal Cancer Cell Proliferation by Inhibiting the Activation of ERK1/2. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 759820	5.7	1
19	Bisphenol A and Nongenotoxic Drivers of Cancer. 415-438		1
18	EXPOsOMICS: Meet-in-the-Middle and Network Perturbation. 2019 , 349-392		
17	Bisphenol A Analogues Suppress Spheroid Attachment on Human Endometrial Epithelial Cells through Modulation of Steroid Hormone Receptors Signaling Pathway. <i>Cells</i> , 2021 , 10,	7.9	1
16	Bisphenol A and rotenone induce S-nitrosylation of protein disulfide isomerase (PDI) and inhibit neurite outgrowth of primary cultured cells of the rat hippocampus and PC12 cells. <i>Journal of Toxicological Sciences</i> , 2020 , 45, 783-794	1.9	2
15	Exacerbating lupus nephritis following BPA exposure is associated with abnormal autophagy in MRL/lpr mice. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 649-659	3	3
14	Estrogen Receptors-Mediated Apoptosis in Hormone-Dependent Cancers.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2

13 Interaction of Bisphenol A with G Protein: Coupled Receptors - New Paradigms in Breast Cancer.

12 Data_Sheet_1.DOCX. **2018**,

11 Data_Sheet_2.XLSX. **2018**,

10 Data_Sheet_3.XLSX. **2018**,

9 Data_Sheet_4.XLSX. **2018**,

8 Data_Sheet_5.XLSX. **2018**,

7 Data_Sheet_6.XLSX. **2018**,

6 Presentation_1.zip. **2018**,

5 Presentation_2.zip. **2018**,

4 G protein-coupled receptor 30 mediates cell proliferation of goat mammary epithelial cells via MEK/ERK&PI3K/AKT signaling pathway. *Cell Cycle*, 1-11 4.7

3 Lactoferrin alleviates spermatogenesis dysfunction caused by bisphenol A and cadmium via ameliorating disordered autophagy, apoptosis and oxidative stress. **2022**, 222, 1048-1062 ○

2 In vitro and in silico assessment of GPER-dependent neurocytotoxicity of emerging bisphenols. **2023**, 862, 160762 ○

1 Molecular insights underlying the adverse effects of bisphenol A on gonadal somatic cellsP steroidogenic activity. **2023**, 23, 100766 ○