

Asterozoa and the Study of Palaeozoic Faunas

Geological Magazine

87, 393-408

DOI: [10.1017/s0016756800077402](https://doi.org/10.1017/s0016756800077402)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A New Silurian Asteroid from Gotland, Sweden. <i>Gff</i> , 1952, 74, 17-24.	0.4	4
2	A geology of south Shropshire. <i>Proceedings of the Geologists Association</i> , 1952, 63, 143-IN3.	1.1	41
3	THE GEOLOGY OF THE AREA AROUND LEINTWARDINE, HEREFORDSHIRE. <i>Quarterly Journal of the Geological Society of London</i> , 1962, 118, 319-347.	0.5	50
4	Chapter 22 Echinodermata: Eleutherozoa. <i>Geological Society Special Publication</i> , 1967, 2, 583-599.	1.3	2
5	Environmental significance of eye-reduction in trilobites and recent arthropods: Additional remarks. <i>Marine Geology</i> , 1967, 5, 377-378.	2.1	3
6	On the biology and palaeontology of some predators of bivalved mollusca. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1968, 4, 29-65.	2.3	84
7	Ordovician biogeography and continental drift. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1973, 13, 161-201.	2.3	36
8	Classification of somasteroids and asteroids (Asterozoa: Echinodermata). <i>Journal of the Royal Society of New Zealand</i> , 1975, 5, 13-19.	1.9	30
9	An Integrated Study of Echinoid Taphonomy: Predictions for the Fossil Record of Four Echinoid Families. <i>Palaios</i> , 1991, 6, 519.	1.3	70
10	Palaeogeographical and palaeoecological aspects of the Cambro-“Ordovician radiation of echinoderms in Gondwanan Africa and peri-Gondwanan Europe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 195, 73-97.	2.3	61
11	Morphometric analysis of Tremadocian (earliest Ordovician) kirkocystid mitrates (Echinodermata, Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.4	10
12	Preservation of tube feet in an ophiuroid (Echinodermata) from the Lower Devonian Hunsrück Slate of Germany and a redescription of <i>Bundenbachia beneckeii</i> and <i>Palaeophiomyxa grandis</i> . <i>Palaontologische Zeitschrift</i> , 2004, 78, 73-95.	1.6	39
13	Skeletal homologies, phylogeny and classification of the earliest asterozoan echinoderms. <i>Journal of Systematic Palaeontology</i> , 2005, 3, 29-114.	1.5	75
14	A mixed ophiuroid “stylophoran assemblage (Echinodermata) from the Middle Ordovician (Llandeilian) of western Brittany, France. <i>Geological Society Special Publication</i> , 2007, 275, 71-86.	1.3	7
15	Early Palaeozoic palaeobiogeography and palaeoecology of stylophoran echinoderms. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 245, 156-199.	2.3	56
16	An ophiuroid trackway from the Lower Devonian Hunsrück Slate, Germany. <i>Lethaia</i> , 1997, 30, 33-39.	1.4	19
17	STARFISH DIVERSITY IN THE WENLOCK OF ENGLAND. <i>Palaeontology</i> , 2007, 50, 1211-1229.	2.2	5
18	Chapter 14 Palaeobiogeography of Ordovician echinoderms. <i>Geological Society Memoir</i> , 2013, 38, 173-198.	1.7	30

#	ARTICLE	IF	CITATIONS
19	Comments on the ophiuroid family Protasteridae and description of a new genus from the Lower Devonian of the Fox Bay Formation, Falkland Islands. <i>Alcheringa</i> , 2016, 40, 429-442.	1.2	15
20	A new Silurian ophiuroid from the west of Ireland. <i>Irish Journal of Earth Sciences</i> , 2017, 35, 57.	0.3	3
21	Asterozoans from the Ludlow Series (upper Silurian) of Leintwardine, Herefordshire, <scp>UK</scp>. <i>Papers in Palaeontology</i> , 2018, 4, 101-160.	1.5	7
22	Prolonged co-existence of “archaic” and “modern” Palaeozoic ophiuroids—Evidence from the early Permian, Southern Carnarvon Basin, Western Australia. <i>Journal of Systematic Palaeontology</i> , 2018, 16, 891-907.	1.5	9
23	Taxonomy and functional morphology of the Urasterellidae (Paleozoic Asteroidea, Echinodermata). <i>Journal of Paleontology</i> , 2020, 94, 1124-1147.	0.8	2