

# CITATION REPORT

List of articles citing

**Inpatient falls after total knee arthroplasty: the role of anesthesia type and peripheral nerve blocks**

**DOI: 10.1097/aln.0000000000000120**  
**Anesthesiology, 2014, 120, 551-63.**

**Source:** <https://exaly.com/paper-pdf/59862692/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
151	Regional analgesia techniques for total knee replacement. <i>Current Opinion in Anaesthesiology</i> , 2014, 27, 501-6	2.9	60
150	The role of peripheral nerve block analgesia in advancing therapeutic effectiveness spanning the episode of care. <b>2014</b> , 18, 118-122		1
149	Optimizing perioperative management of total joint arthroplasty. <b>2014</b> , 32, 865-80		22
148	Which outcomes related to regional anesthesia are most important for orthopedic surgery patients?. <b>2014</b> , 32, 809-21		5
147	Developing a multidisciplinary fall reduction program for lower-extremity joint arthroplasty patients. <b>2014</b> , 32, 853-64		11
146	The effectiveness of ambulatory continuous peripheral nerve blocks for postoperative pain management in children and adolescents. <b>2014</b> , 24, 1141-8		23
145	Fall-prevention strategies and patient characteristics that impact fall rates after total knee arthroplasty. <b>2014</b> , 119, 1113-8		29
144	Issues in geriatric orthopedic anesthesia. <b>2014</b> , 52, 126-39		
143	Comment faire marcher les patients sans danger aprè un bloc du membre infèrieur?. <b>2014</b> , 18, 265-271		
142	A randomized comparison of proximal and distal ultrasound-guided adductor canal catheter insertion sites for knee arthroplasty. <b>2014</b> , 33, 1653-62		41
141	Tranexamic acid use and postoperative outcomes in patients undergoing total hip or knee arthroplasty in the United States: retrospective analysis of effectiveness and safety. <b>2014</b> , 349, g4829		262
140	Adductor canal block for total knee arthroplasty: the perfect recipe or just one ingredient?. <i>Anesthesiology</i> , <b>2014</b> , 120, 530-2	4.3	33
139	Patient Safety and Comparative Effectiveness of Anesthetic Technique in Open Lung Resections. <b>2015</b> , 148, 722-730		7
138	Impact of peripheral nerve block with low dose local anesthetics on analgesia and functional outcomes following total knee arthroplasty: a retrospective study. <b>2015</b> , 16, 998-1006		35
137	Regional analgesia for improvement of long-term functional outcome after elective large joint replacement. <b>2015</b> , CD010278		17
136	Interscalene brachial plexus blocks under general anesthesia in adults. <i>Regional Anesthesia and Pain Medicine</i> , <b>2015</b> , 40, 293	3.4	1
135	Discharge Readiness after Tricompartment Knee Arthroplasty: Adductor Canal versus Femoral Continuous Nerve Blocks-A Dual-center, Randomized Trial. <i>Anesthesiology</i> , <b>2015</b> , 123, 444-56	4.3	44

134	In reply. <i>Anesthesiology</i> , <b>2015</b> , 122, 954-5	4-3
133	Waiting to exhale: neuraxial anesthesia in patients with chronic obstructive pulmonary disease. <b>2015</b> , 120, 1189-91	1
132	Adductor canal block: a great block, but not a panacea. <i>Regional Anesthesia and Pain Medicine</i> , <b>2015</b> , 40, 292-3	3-4
131	Quelle analgésie pour la reprise rapide de la marche?. <b>2015</b> , 1, 441-450	3
130	Analgesic Techniques for Total Knee Arthroplasty. <b>2015</b> , 33, 77-96	1
129	Epidemiology, trends, and disparities in regional anaesthesia for orthopaedic surgery. <b>2015</b> , 115 Suppl 2, ii57-67	42
128	A nationwide analysis of risk factors for in-hospital myocardial infarction after total joint arthroplasty. <b>2015</b> , 39, 777-86	53
127	Who leaves the hospital against medical advice in the orthopaedic setting?. <b>2015</b> , 473, 1140-9	19
126	Use of perioperative hydroxyethyl starch 6% and albumin 5% in elective joint arthroplasty and association with adverse outcomes: a retrospective population based analysis. <b>2015</b> , 350, h1567	40
125	Inpatient surgical site infection after shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , <b>2015</b> , 24, 747-53	4-3 38
124	Additives to local anesthetics for peripheral nerve blocks or local anesthesia: a review of the literature. <b>2015</b> , 5, 117-28	16
123	Best multimodal analgesic protocol for total knee arthroplasty. <b>2015</b> , 5, 185-96	40
122	Peripheral Nerve Blockade for Total Knee Arthroplasty: An Evidence-Based Review. <b>2015</b> , 5, 225-234	
121	Impact of Regional Anesthesia on Perioperative Outcomes. <b>2015</b> , 5, 209-216	
120	Total knee arthroplasty The optimal analgesic regime. <b>2015</b> , 5, 104-110	4
119	Evaluation of a Standardized Program for Training Practicing Anesthesiologists in Ultrasound-Guided Regional Anesthesia Skills. <b>2015</b> , 34, 1883-93	15
118	Clinical benchmarks regarding multimodal peripheral nerve blocks for postoperative analgesia: observations regarding combined perineural midazolam-clonidine-buprenorphine-dexamethasone. <b>2015</b> , 16, 1-6	16
117	Anesthesia type and perioperative outcome: open colectomies in the United States. <b>2015</b> , 193, 684-92	10

116	Tranexamic Acid Use and Post Operative Outcome in Patients Undergoing Spine Surgery for Scoliosis in An-Najah National University Hospital / Palestine: A Prospective, Randomized, Double Blinded Study. <b>2016</b> , 05,		1
115	Anesthetic Care for Orthopedic Patients: Is There a Potential for Differences in Care?. <i>Anesthesiology</i> , <b>2016</b> , 124, 608-23	4.3	27
114	Liposome Bupivacaine Femoral Nerve Block for Postsurgical Analgesia after Total Knee Arthroplasty. <i>Anesthesiology</i> , <b>2016</b> , 124, 1372-83	4.3	43
113	Current issues in postoperative pain management. <i>European Journal of Anaesthesiology</i> , <b>2016</b> , 33, 160-71.	1.3	184
112	The Risk of Falls After Total Knee Arthroplasty with the Use of a Femoral Nerve Block Versus an Adductor Canal Block: A Double-Blinded Randomized Controlled Study. <b>2016</b> , 122, 1696-703		85
111	Cathéter femoral para cirugía del genú : un mal para un bien ?. <b>2016</b> , 20, 211-219		
110	Técnicas de anestesia regional para analgesia postoperatoria en la cirugía de reemplazo total de rodilla. Artículo de revisión. <b>2016</b> , 74, 57-63		1
109	Sciatic nerve block and enhanced recovery after total knee arthroplasty - a reply. <b>2016</b> , 71, 1495-1496		1
108	Combined preoperative femoral and sciatic nerve blockade improves analgesia after anterior cruciate ligament reconstruction: a randomized controlled clinical trial. <i>Journal of Clinical Anesthesia</i> , <b>2016</b> , 33, 68-74	1.9	20
107	Factors influencing the choice of anesthetic technique for primary hip and knee arthroplasty. <b>2016</b> , 6, 297-311		4
106	Epidural analgesia does not increase the rate of inpatient falls after major upper abdominal and thoracic surgery: a retrospective case-control study. <b>2016</b> , 63, 544-51		6
105	The analgesic efficacy of local infiltration analgesia vs femoral nerve block after total knee arthroplasty: a systematic review and meta-analysis. <b>2016</b> , 116, 597-609		71
104	Patient-controlled bolus femoral nerve block after knee arthroplasty: quadriceps recovery, analgesia, local anesthetic consumption. <b>2016</b> , 60, 1461-1469		4
103	Adductor canal blocks for postoperative pain treatment in adults undergoing knee surgery. <b>2016</b> ,		4
102	Lateral femoral cutaneous nerve block after total hip arthroplasty: a randomised trial. <b>2016</b> , 60, 1297-305		15
101	Adductor canal block for knee surgical procedures: review article. <i>Journal of Clinical Anesthesia</i> , <b>2016</b> , 35, 295-303	1.9	40
100	Optimizing Pain and Rehabilitation After Knee Arthroplasty: A Two-Center, Randomized Trial. <b>2016</b> , 123, 1316-1324		18
99	Peripheral nerve blocks in the management of postoperative pain: challenges and opportunities. <i>Journal of Clinical Anesthesia</i> , <b>2016</b> , 35, 524-529	1.9	103

98	Abstracts and Highlight Papers of the 35th Annual European Society of Regional Anaesthesia & Pain Therapy (ESRA) Congress 2016. <i>Regional Anesthesia and Pain Medicine</i> , <b>2016</b> , 41, e1-e162	3-4	6
97	Everybody Knows That the Dice Are Loaded: How Can We Block the Nerves That Innervate the Knee Joint Without Blocking the Nerves That Innervate That Joint?. <i>Regional Anesthesia and Pain Medicine</i> , <b>2016</b> , 41, 665-666	3-4	7
96	The impact of peripheral nerve blocks on perioperative outcome in hip and knee arthroplasty-a population-based study. <b>2016</b> , 157, 2341-2349		62
95	The Perioperative Surgical Home model facilitates change implementation in anesthetic technique within a clinical pathway for total knee arthroplasty. <b>2016</b> , 4, 334-339		15
94	New and Common Perioperative Pain Management Techniques in Total Knee Arthroplasty. <b>2016</b> , 29, 169-78		31
93	Peripheral nerve blocks for hip fractures. <b>2017</b> , 5, CD001159		50
92	Combined Sciatic and Lumbar Plexus Nerve Blocks for the Analgesic Management of Hip Arthroscopy Procedures: A Retrospective Review. <b>2017</b> , 31, 121-125		3
91	Complications of Regional Anesthesia: Upper and Lower Extremity Blockade. <b>2017</b> , 189-198		
90	Regional Anesthesia in Total Joint Arthroplasty: What Is the Evidence?. <i>Journal of Arthroplasty</i> , <b>2017</b> , 32, S74-S76	4-4	10
89	Peripheral Nerve Blockade for Primary Total Knee Arthroplasty: A Population-based Cohort Study of Outcomes and Resource Utilization. <i>Anesthesiology</i> , <b>2017</b> , 126, 312-320	4-3	32
88	Trends in Perioperative Practice and Resource Utilization in Patients With Obstructive Sleep Apnea Undergoing Joint Arthroplasty. <b>2017</b> , 125, 66-77		8
87	Pain Management Modalities after Total Knee Arthroplasty: A Network Meta-analysis of 170 Randomized Controlled Trials. <i>Anesthesiology</i> , <b>2017</b> , 126, 923-937	4-3	102
86	Adherence to a Multimodal Analgesic Clinical Pathway: A Within-Group Comparison of Staged Bilateral Knee Arthroplasty Patients. <i>Regional Anesthesia and Pain Medicine</i> , <b>2017</b> , 42, 368-371	3-4	17
85	Anesthetic and Analgesic Management for Outpatient Knee Arthroplasty. <b>2017</b> , 21, 23		28
84	Nerve blocks or no nerve blocks for pain control after elective hip replacement (arthroplasty) surgery in adults. <b>2017</b> , 10, CD011608		20
83	Anesthesia and Analgesia Practice Pathway Options for Total Knee Arthroplasty: An Evidence-Based Review by the American and European Societies of Regional Anesthesia and Pain Medicine. <i>Regional Anesthesia and Pain Medicine</i> , <b>2017</b> , 42, 683-697	3-4	54
82	Enhanced Recovery for Orthopedic Surgery. <b>2017</b> , 55, 116-134		4
81	In patients undergoing fast track total knee arthroplasty, addition of buprenorphine to a femoral nerve block has no clinical advantage: A prospective, double-blinded, randomized, placebo controlled trial. <i>Medicine (United States)</i> , <b>2017</b> , 96, e7393	1.8	4

80	Continuous Peripheral Nerve Blocks: An Update of the Published Evidence and Comparison With Novel, Alternative Analgesic Modalities. <b>2017</b> , 124, 308-335		148
79	Inpatient falls after shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , <b>2017</b> , 26, 14-19	4-3	9
78	Comprehensive Analysis of Pain Management after Total Knee Arthroplasty. <b>2017</b> , 29, 80-86		13
77	Multicenter cohort-study of 15326 cases analyzing patient satisfaction and perioperative pain management: general, regional and combination anesthesia in knee arthroplasty. <b>2018</b> , 8, 3723		11
76	In Reply. <i>Anesthesiology</i> , <b>2018</b> , 128, 421-422	4-3	
75	Les catheters nerveux périphériques, mode d'emploi. <b>2018</b> , 22, 32-40		
74	Perioperative Pain Management for Total Knee Arthroplasty: Need More Focus on the Forest and Less on the Trees. <i>Anesthesiology</i> , <b>2018</b> , 128, 420-421	4-3	6
73	Elective Orthopedic Surgery in the Geriatric Patient. 173-184		
72	EnfitSystem nasogastric tube failure. <b>2018</b> , 73, 516-517		0
71	Advances in Ultrasound-guided Nerve Block:Lumbar Plexus and Related Nerve Blocks. <b>2018</b> , 38, 258-264		
70	Effectiveness of continuous versus single injection femoral nerve block for total knee arthroplasty: A double blinded, randomized trial. <b>2018</b> , 25, 623-630		20
69	Optimising day-case analgesia for anterior cruciate ligament reconstruction - a reply. <b>2018</b> , 73, 515-516		1
68	Peripheral Nerve Blocks for Hip Fractures: A Cochrane Review. <b>2018</b> , 126, 1695-1704		43
67	Analysis of Inpatient Falls After Total Knee Arthroplasty in Patients With Continuous Femoral Nerve Block. <b>2018</b> , 127, 224-227		4
66	Outpatient Total Knee Arthroplasty: Are We There Yet? (Part 2). <b>2018</b> , 49, 7-16		6
65	Total Hip Arthroplasty in the Outpatient Setting: What You Need to Know (Part 2). <b>2018</b> , 49, 27-33		3
64	Comparison of Continuous Proximal Versus Distal Adductor Canal Blocks for Total Knee Arthroplasty: A Randomized, Double-Blind, Noninferiority Trial. <i>Regional Anesthesia and Pain Medicine</i> , <b>2018</b> , 43, 36-42	3-4	21
63	Regional vs. General Anesthesia for Total Knee and Hip Replacement: An Analysis of Postoperative Pain Perception from the International PAIN OUT Registry. <b>2018</b> , 18, 1036-1047		18

62	Liposomal Bupivacaine Does Not Reduce Inpatient Opioid Prescription or Related Complications after Knee Arthroplasty: A Database Analysis. <i>Anesthesiology</i> , <b>2018</b> , 129, 689-699	4.3	20
61	Ultrasound-guided single injection versus continuous sciatic nerve blockade on pain management and mobilisation after total knee arthroplasty (CoSinUS trial): A randomised, triple-blinded controlled trial. <i>European Journal of Anaesthesiology</i> , <b>2018</b> , 35, 782-791	2.3	3
60	Mortality After Total Knee Arthroplasty: A Systematic Review of Incidence, Temporal Trends, and Risk Factors. <b>2018</b> , 100, 1064-1070		42
59	What Can Regional Anesthesiology and Acute Pain Medicine Learn from "Big Data"?. <b>2018</b> , 36, 467-478		3
58	Update on Selective Regional Analgesia for Hip Surgery Patients. <b>2018</b> , 36, 403-415		30
57	[Peripheral Regional Anesthesia Without Any Complications - a Dream Comes True?!]. <b>2018</b> , 53, 252-268		1
56	Evidence Review Conducted for the Agency for Healthcare Research and Quality Safety Program for Improving Surgical Care and Recovery: Focus on Anesthesiology for Total Knee Arthroplasty. <b>2019</b> , 128, 441-453		30
55	Anaesthetic care of patients undergoing primary hip and knee arthroplasty: consensus recommendations from the International Consensus on Anaesthesia-Related Outcomes after Surgery group (ICAROS) based on a systematic review and meta-analysis. <b>2019</b> , 123, 269-287		74
54	Infiltrations ou blocs pour la chirurgie du genou. <b>2019</b> , 23, 260-267		
53	Adductor canal blocks for postoperative pain treatment in adults undergoing knee surgery. <b>2019</b> , 2019,		8
52	Lower extremity regional anesthesia: essentials of our current understanding. <i>Regional Anesthesia and Pain Medicine</i> , <b>2019</b> ,	3.4	25
51	Peripheral Nerve Blocks and Immediate Postoperative Recovery: A Single-Institution Survey of Perianesthesia Nurses' Preferences and Opinions. <i>Journal of Perianesthesia Nursing</i> , <b>2019</b> , 34, 965-970.e6 <sup>1-3</sup>		
50	In search of the Holy Grail: Poisons and extended release local anesthetics. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , <b>2019</b> , 33, 3-21	4	10
49	Risk factors for falls in patients with total hip arthroplasty and total knee arthroplasty: a systematic review and meta-analysis. <i>Osteoarthritis and Cartilage</i> , <b>2019</b> , 27, 979-993	6.2	20
48	Regional and Multimodal Analgesia to Reduce Opioid Use After Total Joint Arthroplasty: A Narrative Review. <i>HSS Journal</i> , <b>2019</b> , 15, 57-65	2	21
47	A data-driven and practice-based approach to identify risk factors associated with hospital-acquired falls: Applying manual and semi- and fully-automated methods. <i>International Journal of Medical Informatics</i> , <b>2019</b> , 122, 63-69	5.3	17
46	Unicompartmental Knee Arthroplasty. <b>2020</b> ,		
45	Identification of important factors in an inpatient fall risk prediction model to improve the quality of care using EHR and electronic administrative data: A machine-learning approach. <i>International Journal of Medical Informatics</i> , <b>2020</b> , 143, 104272	5.3	13

44	Complication Rates and the Benefits of Neuraxial Anesthesia in the Patient With High Comorbidity Burden Undergoing Primary Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , <b>2020</b> , 35, 3089-3092	4.4	2
43	Peripheral nerve blockade and novel analgesic modalities for ambulatory anesthesia. <i>Current Opinion in Anaesthesiology</i> , <b>2020</b> , 33, 760-767	2.9	7
42	Peripheral nerve block use in inpatient and outpatient shoulder arthroplasty: a population-based study evaluating utilization and outcomes. <i>Regional Anesthesia and Pain Medicine</i> , <b>2020</b> , 45, 818-825	3.4	6
41	A systematic review and meta-analysis of fall incidence and risk factors in elderly patients after total joint arthroplasty. <i>Medicine (United States)</i> , <b>2020</b> , 99, e23664	1.8	3
40	Rapid Recovery in Total Joint Arthroplasty. <b>2020</b> ,		
39	The efficacy of continuous versus single-injection femoral nerve block in Total knee Arthroplasty: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , <b>2020</b> , 21, 121	2.8	8
38	High prevalence of outpatient falls following elective shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , <b>2020</b> , 29, 699-706	4.3	8
37	Analgesic Impact of Single-Shot Versus Continuous Femoral Nerve Block After Total Knee Arthroplasty: A Systematic Review and Meta-Analysis. <i>Advances in Therapy</i> , <b>2020</b> , 37, 671-685	4.1	4
36	Anestesia en cirugía ortopédica. <i>EMC - Anestesia-Reanimación</i> , <b>2021</b> , 47, 1-16	0.1	
35	Peripheral Nerve Blocks and Potentially Attributable Adverse Events in Older People with Hip Fracture: A Retrospective Population-based Cohort Study. <i>Anesthesiology</i> , <b>2021</b> , 135, 454-462	4.3	1
34	High turnover for ambulatory orthopedic surgery. <i>Current Opinion in Anaesthesiology</i> , <b>2021</b> , 34, 659-665	2.9	0
33	Disparities in the provision of regional anesthesia and analgesia in total joint arthroplasty: The role of patient and hospital level factors. <i>Journal of Clinical Anesthesia</i> , <b>2021</b> , 75, 110440	1.9	1
32	Anestesia in chirurgia ortopedica. <i>EMC - Anestesia-Rianimazione</i> , <b>2021</b> , 26, 1-14	0	
31	Acute Pain Management in Total Knee Arthroplasty. <b>2015</b> , 69-78		2
30	Single-injection and continuous femoral nerve blocks are associated with different risks of falling. <i>Anesthesiology</i> , <b>2014</b> , 121, 668-9	4.3	22
29	Is an adductor canal block simply an indirect femoral nerve block?. <i>Anesthesiology</i> , <b>2014</b> , 121, 1349-50	4.3	5
28	Is less than 50% more narcotics really noninferior?. <i>Anesthesiology</i> , <b>2014</b> , 121, 1350-1	4.3	2
27	A Three-arm Randomized Clinical Trial Comparing Continuous Femoral Plus Single-injection Sciatic Peripheral Nerve Blocks versus Periarticular Injection with Ropivacaine or Liposomal Bupivacaine for Patients Undergoing Total Knee Arthroplasty. <i>Anesthesiology</i> , <b>2017</b> , 126, 1139-1150	4.3	59



26	A randomised controlled trial comparing adductor canal block and femoral nerve block for knee arthroplasty. <i>Singapore Medical Journal</i> , <b>2019</b> , 60, 145-149	1.9	13
25	ADDUCTOR CANAL BLOCK FOR TOTAL KNEE ARTHROPLASTY: A REVIEW OF THE CURRENT EVIDENCE. <i>Journal of Anesthesia and Surgery</i> , <b>2016</b> , 3, 1-9	0	3
24	Peripheral nerve blocks and postoperative physical therapy: a single-institution survey of physical therapists' preferences and opinions. <i>Romanian Journal of Anaesthesia and Intensive Care</i> , <b>2017</b> , 24, 115-124	0.2	3
23	Catheter use in regional anesthesia: pros and cons. <i>Minerva Anestesiologica</i> , <b>2019</b> , 85, 1357-1364	1.9	4
22	Perioperative pain control after total knee arthroplasty: An evidence based review of the role of peripheral nerve blocks. <i>World Journal of Orthopedics</i> , <b>2014</b> , 5, 225-32	2.2	25
21	Regional Catheters for Postoperative Pain Control: Review and Observational Data. <i>Anesthesiology and Pain Medicine</i> , <b>2020</b> , 10, e99745	3.5	19
20	In reply. <i>Anesthesiology</i> , <b>2014</b> , 121, 669	4.3	
19	In reply. <i>Anesthesiology</i> , <b>2014</b> , 121, 1351-3	4.3	
18	Local Infiltration Analgesia for Orthopedic Joint Surgery. <b>2017</b> , 381-398		
17	A Selective Anterior Obturator Nerve Block for Total Hip Arthroplasty. <i>Journal of Anesthesia and Surgery</i> , <b>2017</b> , 4, 1-2	0	
16	Outcome Studies and Infection Control in Regional Anesthesia. <b>2018</b> , 589-615		
15	Pain Management in Unicompartmental Knee Arthroplasty. <b>2020</b> , 147-160		1
14	Immediate Postoperative Rehabilitation. <b>2020</b> , 255-270		
13	Adductor canal block performed 20 hours after total knee arthroplasty to improve postoperative analgesia and functional recovery: a double-blind randomized controlled clinical trial. <i>Minerva Anestesiologica</i> , <b>2021</b> ,	1.9	0
12	Anesthesia in the Orthopedic Patient. <b>2020</b> , 75-89		
11	The Impact of Femoral Nerve Anesthesia on Short-Term Clinical Outcomes and Opioid Claims After Total Knee Arthroplasty. <i>Arthroplasty Today</i> , <b>2020</b> , 6, 1016-1021.e9	2	1
10	Postoperative Pain Management in the Orthopedic Setting. <b>2020</b> , 129-141		
9	Postoperative Clinical Pathways for Outpatient Arthroplasty of the Hip and Knee. <b>2020</b> , 153-164		

8	Periarticular Local Infiltrative Anesthesia and Regional Adductor Canal Block Provide Equivalent Pain Relief After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , <b>2021</b> ,	5.4	
7	Pain management after total knee arthroplasty. <i>European Journal of Anaesthesiology</i> , Publish Ahead of Print,	2.3	2
6	Sleep Disturbances and Disorders in Patients with Knee Osteoarthritis and Total Knee Arthroplasty. Publish Ahead of Print,		0
5	Significantly earlier ambulation and reduced risk of near-falls with continuous infusion nerve blocks: a retrospective pilot study of adductor canal block compared to femoral nerve block in total knee arthroplasty. <b>2022</b> , 23,		1
4	Efficacy of single-shot adductor canal block before Versus after primary total knee arthroplasty □ Does timing make a difference? A randomized controlled trial. <b>2022</b> , 30, 102255362211320		0
3	Liberal use of local anaesthetic and the risk of toxicity in elective arthroplasties at a tertiary teaching hospital. 251604352211353		0
2	Setting Up an Outpatient or Same-Day Discharge Total Knee Arthroplasty (TKA) Program. <b>2023</b> , 60-68		0
1	Progress in the Research of Perioperative Analgesia in Total Knee Replacement. <b>2023</b> , 13, 4656-4662		0