

Transversus Abdominis Plane Block to Ameliorate Postoperative Pain after Laparoscopic Surgery

Anesthesia and Analgesia

118, 454-463

DOI: [10.1213/ane.0000000000000066](https://doi.org/10.1213/ane.0000000000000066)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Pain Management for Ambulatory Surgery: What Is New?. <i>Current Anesthesiology Reports</i> , 2014, 4, 326-333.	2.0	2
2	Interventional Modalities to Treat Cancer-Related Pain. <i>Hospital Practice (1995)</i> , 2014, 42, 14-23.	1.0	9
3	Putting It All Together. <i>Plastic and Reconstructive Surgery</i> , 2014, 134, 94S-100S.	1.4	12
4	Pain Management in Ambulatory Surgery—A Review. <i>Pharmaceuticals</i> , 2014, 7, 850-865.	3.8	29
5	Transversus Abdominis Plane Block in Children. <i>Anesthesia and Analgesia</i> , 2014, 119, 395-399.	2.2	94
6	Transversus Abdominis Plane Blocks and Systemic Absorption. <i>Anesthesia and Analgesia</i> , 2014, 119, 1002.	2.2	10
7	Efficacy of Transversus Abdominis Plane Block and Rectus Sheath Block in Laparoscopic Inguinal Hernia Surgery. <i>International Surgery</i> , 2015, 100, 666-671.	0.1	26
8	MP84-12 PATIENT-REPORTED QUALITY OF LIFE AND CONVALESCENCE AFTER MINIMALLY INVASIVE KIDNEY CANCER SURGERY. <i>Journal of Urology</i> , 2015, 193, .	0.4	3
9	Cutaneous Sensory Block Area, Muscle-Relaxing Effect, and Block Duration of the Transversus Abdominis Plane Block. <i>Regional Anesthesia and Pain Medicine</i> , 2015, 40, 355-362.	2.3	99
10	Pneumoperitoneum Does Not Influence Spread of Local Anesthetics in Midaxillary Approach Transversus Abdominis Plane Block. <i>Regional Anesthesia and Pain Medicine</i> , 2015, 40, 349-354.	2.3	15
11	The Analgesic Efficacy of Ultrasound-Guided Transversus Abdominis Plane Block in Adult Patients. <i>Anesthesia and Analgesia</i> , 2015, 121, 1640-1654.	2.2	178
12	Ultrasound-guided rectus sheath block for single-incision laparoscopic cholecystectomy. <i>Asian Journal of Endoscopic Surgery</i> , 2015, 8, 148-152.	0.9	14
13	Transversus Abdominis Plane Block Versus Caudal Epidural for Lower Abdominal Surgery in Children. <i>Anesthesia and Analgesia</i> , 2015, 121, 471-478.	2.2	51
14	Blocks of the Anterior Abdominal Wall. <i>Anesthesia and Analgesia</i> , 2015, 120, 1428.	2.2	1
15	Transversus abdominis plane (<scp>TAP</scp>) block after robot-assisted laparoscopic hysterectomy: a randomised clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 928-935.	1.6	29
16	Pain management in the ambulatory surgical patient. <i>OR Nurse</i> , 2015, 9, 8-11.	0.0	1
17	Paediatric regional anaesthesia. <i>Current Opinion in Anaesthesiology</i> , 2015, 28, 577-582.	2.0	12
18	Discrepancies Between Randomized Controlled Trial Registry Entries and Content of Corresponding Manuscripts Reported in Anesthesiology Journals. <i>Anesthesia and Analgesia</i> , 2015, 121, 1030-1033.	2.2	31

#	ARTICLE	IF	CITATIONS
19	Systematic Reviews and Meta-Analyses of Randomized Controlled Trials on Perioperative Outcomes. <i>Anesthesia and Analgesia</i> , 2015, 121, 1104-1107.	2.2	51
20	Longer Times to Reanesthetization with Longer Anesthetic Duration?. <i>Anesthesia and Analgesia</i> , 2015, 120, 1428-1429.	2.2	0
21	Transversus abdominal plane (TAP) block for postoperative pain management: a review. <i>F1000Research</i> , 2015, 4, 1359.	1.6	33
22	Update on emerging regional techniques and novel local anesthetics in ambulatory anesthesia. <i>Ambulatory Anesthesia</i> , 2015, , 1.	0.0	0
23	Evidence-Based Anesthesia for Major Gynecologic Surgery. <i>Anesthesiology Clinics</i> , 2015, 33, 173-207.	1.4	20
24	Anesthesia for Colorectal Surgery. <i>Anesthesiology Clinics</i> , 2015, 33, 93-123.	1.4	20
25	Optimal Analgesia During Major Open and Laparoscopic Abdominal Surgery. <i>Anesthesiology Clinics</i> , 2015, 33, 65-78.	1.4	28
26	Dose effect of local anesthetics on analgesic outcomes for the transversus abdominis plane (<scp>TAP</scp>) block in children: a randomized, double-blind, clinical trial. <i>Paediatric Anaesthesia</i> , 2015, 25, 506-510.	1.1	25
27	Transversus abdominis plane block with 0.25% levobupivacaine: a prospective, randomized, double-blinded clinical study. <i>Journal of Anesthesia</i> , 2015, 29, 557-561.	1.7	19
28	Laparoscopic-Assisted Transversus Abdominis Plane Block for Postoperative Pain Control in Laparoscopic Ventral Hernia Repair: A Randomized Controlled Trial. <i>Journal of the American College of Surgeons</i> , 2015, 221, 462-469.	0.5	49
29	Transversus abdominis plane block in robotic gynecologic oncology: A randomized, placebo-controlled trial. <i>Gynecologic Oncology</i> , 2015, 136, 460-465.	1.4	30
30	Transversus abdominis plane block vs. wound infiltration in <scp>C</scp>aesarean section: a randomised controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 496-504.	1.6	47
31	Choosing Analgesia to Facilitate Recovery. , 2015, , 147-165.		1
32	Laparoscopic Surgery: A Narrative Review of Pharmacotherapy in Pain Management. <i>Drugs</i> , 2015, 75, 1867-1889.	10.9	37
34	The Current and Future Role of Regional Anesthesia in Enhanced Recovery After Surgery Programs for Abdominal Surgery. <i>Advances in Anesthesia</i> , 2015, 33, 39-59.	0.9	7
35	A Posterior TAP Block Provides More Effective Analgesia Than a Lateral TAP Block in Patients Undergoing Laparoscopic Gynecologic Surgery: A Retrospective Study. <i>Anesthesiology Research and Practice</i> , 2016, 2016, 1-5.	0.7	16
36	Transversus Abdominis Plane Block for Postoperative Analgesia in Patients Undergoing Total Laparoscopic Hysterectomy: A Randomized, Controlled, Observer-Blinded Trial. <i>Anesthesia and Analgesia</i> , 2016, 123, 488-492.	2.2	38
37	Postoperative pain control by preventive intercostal nerve block under direct vision followed by catheter-based infusion of local analgesics in rib cartilage harvest for auricular reconstruction in children with microtia: A randomized controlled trial. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, 1203-1210.	1.0	19

#	ARTICLE	IF	CITATIONS
38	Blood Bupivacaine Concentrations After Transversus Abdominis Plane Block in Neonates. <i>Anesthesia and Analgesia</i> , 2016, 122, 814-817.	2.2	21
39	Current issues in postoperative pain management. <i>European Journal of Anaesthesiology</i> , 2016, 33, 160-171.	1.7	300
40	Ultrasound-Guided Transversus Abdominis Plane Block for Analgesia in Laparoscopic Cholecystectomy: A Systematic Review and Meta-Analysis. <i>Medical Principles and Practice</i> , 2016, 25, 237-246.	2.4	74
41	Perineural dexamethasone does not enhance the analgesic efficacy of ultrasound-guided subcostal transversus abdominis plane block during laparoscopic cholecystectomy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2016, 15, 540-545.	1.3	13
42	Efficacy of transversus abdominis plane block with liposomal bupivacaine during open abdominal wall reconstruction. <i>American Journal of Surgery</i> , 2016, 212, 399-405.	1.8	46
43	Truncal blocks for perioperative pain management: a review of the literature and evolving techniques. <i>Pain Management</i> , 2016, 6, 455-468.	1.5	14
44	Enhanced Recovery After Surgery (ERAS) for gastrointestinal surgery, part 2: consensus statement for anaesthesia practice. <i>Acta Anaesthesiologica Scandinavica</i> , 2016, 60, 289-334.	1.6	479
45	Risk of bias and methodological appraisal practices in systematic reviews published in anaesthetic journals: a meta-epidemiological study. <i>Anaesthesia</i> , 2016, 71, 955-968.	3.8	28
46	Outpatient laparoscopic nerve-sparing radical hysterectomy: A feasibility study and analysis of perioperative outcomes. <i>Gynecologic Oncology</i> , 2016, 143, 352-356.	1.4	20
47	Transversus abdominis plane block after laparoscopic colonic resection in cancer patients. <i>European Journal of Anaesthesiology</i> , 2016, 33, 725-730.	1.7	22
48	Enhanced Recovery Pathways for Improving Outcomes After Minimally Invasive Gynecologic Oncology Surgery. <i>Obstetrics and Gynecology</i> , 2016, 128, 138-144.	2.4	85
49	Day surgery regional anesthesia in children. <i>Current Opinion in Anaesthesiology</i> , 2016, 29, 691-695.	2.0	7
50	Le bloc dans le plan du muscle transverse de l'abdomen pour analgésier une analgésie postopératoire: revue systématique et méta-analyse des études randomisées contrôlées. <i>Canadian Journal of Anaesthesia</i> , 2016, 63, 1184-1196.	1.6	113
51	Local wound infiltration plus transversus abdominis plane (TAP) block versus local wound infiltration in laparoscopic colorectal surgery and ERAS program. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 5117-5125.	2.4	52
52	Guidelines for postoperative care in gynecologic/oncology surgery: Enhanced Recovery After Surgery (ERAS®) Society recommendations – Part II. <i>Gynecologic Oncology</i> , 2016, 140, 323-332.	1.4	377
53	Perioperative Pain Control in the Ambulatory Setting. <i>Current Pain and Headache Reports</i> , 2016, 20, 18.	2.9	27
54	A comparison between fentanyl plus celecoxib therapy and epidural anesthesia for postoperative pain management following laparoscopic gastrectomy. <i>Surgery Today</i> , 2016, 46, 1209-1216.	1.5	4
55	Comparison of the analgesic effect between continuous wound infiltration and single-injection transversus abdominis plane block after gynecologic laparotomy. <i>Journal of Anesthesia</i> , 2016, 30, 31-38.	1.7	12

#	ARTICLE	IF	CITATIONS
56	Effects of preoperative ultrasound-guided transversus abdominis plane block on pain after laparoscopic surgery for colorectal cancer: a double-blind randomized controlled trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 127-134.	2.4	47
57	Effect of transversus abdominis plane block in combination with general anesthesia on perioperative opioid consumption, hemodynamics, and recovery in living liver donors: The prospective, double-blind, randomized study. <i>Clinical Transplantation</i> , 2017, 31, e12931.	1.6	26
58	Transversus Abdominis Plane Block Versus Wound Infiltration for Analgesia After Cesarean Delivery: A Randomized Controlled Trial. <i>Anesthesia and Analgesia</i> , 2017, 124, 1291-1297.	2.2	34
59	Postoperative Analgesia by a Transversus Abdominis Plane Block Using Different Concentrations of Ropivacaine for Abdominal Surgery. <i>Clinical Journal of Pain</i> , 2017, 33, 853-863.	1.9	22
60	Local Anesthetic Toxicity: Prevention and Management. , 2017, , 41-54.		3
61	Tranversus abdominis plane (TAP) block with morphine: Local, systemic or no effect?. <i>Journal of Clinical Anesthesia</i> , 2017, 40, 72-73.	1.6	2
62	Essential Elements of Multimodal Analgesia in Enhanced Recovery After Surgery (ERAS) Guidelines. <i>Anesthesiology Clinics</i> , 2017, 35, e115-e143.	1.4	282
63	American Society for Enhanced Recovery (ASER) and Perioperative Quality Initiative (POQI) joint consensus statement on optimal analgesia within an enhanced recovery pathway for colorectal surgery: part 1 from the preoperative period to PACU. <i>Perioperative Medicine (London, England)</i> , 2017, 6, 8.	1.5	81
64	Liposomal Bupivacaine Use in Transversus Abdominis Plane Blocks Reduces Pain and Postoperative Intravenous Opioid Requirement After Colorectal Surgery. <i>Diseases of the Colon and Rectum</i> , 2017, 60, 170-177.	1.3	58
65	Postoperative Multimodal Analgesia Pain Management With Nonopioid Analgesics and Techniques. <i>JAMA Surgery</i> , 2017, 152, 691.	4.3	647
66	Continuous Transversus Abdominis Plane Blocks via Laparoscopically Placed Catheters for Bariatric Surgery. <i>Obesity Surgery</i> , 2017, 27, 2575-2582.	2.1	23
67	Dexmedetomidine Combined With Intravenous Anesthetics in Electroconvulsive Therapy. <i>Journal of ECT</i> , 2017, 33, 152-159.	0.6	13
68	Endogenous Opiates and Behavior: 2015. <i>Peptides</i> , 2017, 88, 126-188.	2.4	41
69	Dexmedetomidine decreases the required amount of bupivacaine for ultrasound-guided transversus abdominis plane block in pediatrics patients: a randomized study. <i>Journal of Clinical Anesthesia</i> , 2017, 37, 55-60.	1.6	21
70	No benefit of ultrasound-guided transversus abdominis plane blocks over wound infiltration with local anaesthetic in elective laparoscopic colonic surgery: results of a double-blind randomized controlled trial. <i>Colorectal Disease</i> , 2017, 19, 681-689.	1.4	30
71	Perioperative pain management strategies among women having reproductive surgeries. <i>Fertility and Sterility</i> , 2017, 108, 200-206.	1.0	2
72	Quadratus Lumborum Block Versus Transversus Abdominis Plane Block in Children Undergoing Low Abdominal Surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 42, 674-679.	2.3	135
73	Clinical practice guideline for enhanced recovery after colon and rectal surgery from the American Society of Colon and Rectal Surgeons (ASCRS) and Society of American Gastrointestinal and Endoscopic Surgeons (SAGES). <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 3412-3436.	2.4	55

#	ARTICLE	IF	CITATIONS
74	Clinical Practice Guidelines for Enhanced Recovery After Colon and Rectal Surgery From the American Society of Colon and Rectal Surgeons and Society of American Gastrointestinal and Endoscopic Surgeons. <i>Diseases of the Colon and Rectum</i> , 2017, 60, 761-784.	1.3	309
75	Bladder Cancer Recovery Pathways: A Systematic Review. <i>Bladder Cancer</i> , 2017, 3, 269-281.	0.4	14
76	A Comparative Analysis Examining Local Anesthesia versus Transversus Abdominal Plane + Rectus Sheath Block in Terms of Postoperative Analgesia Use Following Gynecologic Laparoscopic Adnexal Tumor Surgery. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2017, 33, 60-62.	0.0	0
77	Epidural analgesia in laparoscopic radical prostatectomy. <i>Revista De La Sociedad Espanola Del Dolor</i> , 2017, , .	0.1	0
78	Enhanced Recovery After Minimally Invasive Surgery (ERAmIS) for Gynecology. <i>Current Obstetrics and Gynecology Reports</i> , 2018, 7, 39-50.	0.8	6
79	Effect of Transversus Abdominis Plane Block on Postoperative Pain after Colorectal Surgery: A Meta-Analysis of Randomized Controlled Trials. <i>Medical Principles and Practice</i> , 2018, 27, 158-165.	2.4	23
80	Conventional Epidural vs Transversus Abdominis Plane Block with Liposomal Bupivacaine: A Randomized Trial in Colorectal Surgery. <i>Journal of the American College of Surgeons</i> , 2018, 227, 78-83.	0.5	55
81	Enhanced recovery pathway in elderly patients undergoing colorectal surgery: is there an effect of increasing ages? Results from the perioperative Italian Society Registry. <i>Updates in Surgery</i> , 2018, 70, 7-13.	2.0	9
82	Managing Postoperative Pain After Minimally Invasive Gynecologic Surgery in the Era of the Opioid Epidemic. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 1165-1178.	0.6	29
83	Transversus abdominis plane block using a short-acting local anesthetic for postoperative pain after laparoscopic colorectal surgery: a systematic review and meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 545-552.	2.4	29
84	Delayed Respiratory Depression Secondary to Opioid Overdose After Multimodal Analgesia With Transversus Abdominis Plane Blocks in Postanesthesia Care Unit. <i>A&A Practice</i> , 2018, 10, 182-184.	0.4	2
85	A pragmatic approach to evaluating new techniques in regional anesthesia and acute pain medicine. <i>Pain Management</i> , 2018, 8, 475-485.	1.5	17
86	Multimodal Simple Analgesia. , 2018, , 15-31.		0
87	Liposomal Bupivacaine Transversus Abdominis Plane Block Versus Epidural Analgesia in a Colon and Rectal Surgery Enhanced Recovery Pathway: A Randomized Clinical Trial. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1196-1204.	1.3	60
88	Enhanced Recovery After Surgery. <i>Surgical Clinics of North America</i> , 2018, 98, 1251-1264.	1.5	25
89	Economic Impact, Cost, and Reimbursement Issues. , 2018, , 21-33.		0
90	The analgesic efficacy of subcostal transversus abdominis plane block with Mercedes incision. <i>BMC Anesthesiology</i> , 2018, 18, 36.	1.8	13
91	Preemptive Analgesia in Minimally Invasive Gynecologic Surgery. <i>Journal of Minimally Invasive Gynecology</i> , 2019, 26, 198-218.	0.6	34

#	ARTICLE	IF	CITATIONS
92	Interfascial plane blocks. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2019, 33, 303-315.	4.0	31
93	Evaluate the Feasibility of Surgical Transversus Abdominis Plane Block for Postoperative Analgesia After Cesarean Section. <i>Journal of Obstetrics and Gynecology of India</i> , 2019, 69, 330-333.	0.9	9
94	Analgesic efficacy of preemptive local wound infiltration plus laparoscopic-assisted transversus abdominis plane block versus wound infiltration in patients undergoing laparoscopic colorectal resection: study protocol for a randomized, multicenter, single-blind, noninferiority trial. <i>Trials</i> , 2019, 20, 391.	1.6	2
95	Anaesthesia for minimally invasive abdominal and pelvic surgery. <i>BJA Education</i> , 2019, 19, 254-260.	1.4	4
96	Effect of posterior quadratus lumborum blockade on the quality of recovery after major gynaecological laparoscopic surgery: A randomized controlled trial. <i>Anaesthesia and Intensive Care</i> , 2019, 47, 146-151.	0.7	22
97	The impact of dexmedetomidine added to ropivacaine for transversus abdominis plane block on stress response in laparoscopic surgery: a randomized controlled trial. <i>BMC Anesthesiology</i> , 2019, 19, 181.	1.8	10
98	Transversus Abdominis Plane (TAP) and Rectus Sheath Blocks: a Technical Description and Evidence Review. <i>Current Anesthesiology Reports</i> , 2019, 9, 479-487.	2.0	23
99	Anesthesia during deployment of a military forward surgical unit in low income countries: A register study of 1547 anesthesia cases. <i>PLoS ONE</i> , 2019, 14, e0223497.	2.5	10
100	Impact of transversus abdominis plane blocks versus non-steroidal anti-inflammatory on post-operative opioid use in ERAS ovarian cancer surgery. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1372-1376.	2.5	11
101	Role of regional anesthesia and analgesia in the opioid epidemic. <i>Regional Anesthesia and Pain Medicine</i> , 2019, 44, 492-493.	2.3	8
102	Enhanced Recovery Programs in Outpatient Surgery. <i>Anesthesiology Clinics</i> , 2019, 37, 225-238.	1.4	16
103	Application of TAP Block in Laparoscopic Urological Surgery: Current Status and Future Directions. <i>Current Urology Reports</i> , 2019, 20, 20.	2.2	18
104	The analgesic efficacy of oblique subcostal transversus abdominis plane block after laparoscopic hysterectomy. <i>Medicine (United States)</i> , 2019, 98, e13994.	1.0	10
105	Contemporary Approaches to Postoperative Pain Management. <i>Plastic and Reconstructive Surgery</i> , 2019, 144, 1080e-1094e.	1.4	8
106	American Society for Enhanced Recovery and Perioperative Quality Initiative Joint Consensus Statement on Perioperative Opioid Minimization in Opioid-Naïve Patients. <i>Anesthesia and Analgesia</i> , 2019, 129, 567-577.	2.2	89
107	The prescription opioid crisis: role of the anaesthesiologist in reducing opioid use and misuse. <i>British Journal of Anaesthesia</i> , 2019, 122, e198-e208.	3.4	83
108	Goal-Directed Fluid Therapy, Perioperative Pain Management, and Enhanced Recovery. , 2019, , 493-508.		0
109	Dexamethasone added to local anesthetics in ultrasound-guided transversus abdominis plain (TAP) block for analgesia after abdominal surgery: A systematic review and meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2019, 14, e0209646.	2.5	29

#	ARTICLE	IF	CITATIONS
110	Evidence Review Conducted for the Agency for Healthcare Research and Quality Safety Program for Improving Surgical Care and Recovery: Focus on Anesthesiology for Colorectal Surgery. <i>Anesthesia and Analgesia</i> , 2019, 128, 879-889.	2.2	46
111	Transversus Abdominis Plane Block for Post Hysterectomy Pain: A Systematic Review and Meta-Analysis. <i>Journal of Minimally Invasive Gynecology</i> , 2019, 26, 40-52.	0.6	42
112	Comparison of preoperative versus postoperative transversus abdominis plane and rectus sheath block in patients undergoing minimally invasive colorectal surgery. <i>Colorectal Disease</i> , 2020, 22, 569-580.	1.4	9
113	<p>Interfascial Plane Blocks and Laparoscopic Abdominal Surgery: A Narrative Review</p>. <i>Local and Regional Anesthesia</i> , 2020, Volume 13, 159-169.	1.3	9
114	Technical Evidence Review for Emergency Major Abdominal Operation Conducted for the AHRQ Safety Program for Improving Surgical Care and Recovery. <i>Journal of the American College of Surgeons</i> , 2020, 231, 743-764e5.	0.5	10
115	<p>Timing of Transversus Abdominis Plane Block and Postoperative Pain Management</p>. <i>Local and Regional Anesthesia</i> , 2020, Volume 13, 185-193.	1.3	8
116	Transversus abdominis plane block using a short-acting local anesthetic reduces pain and opioid consumption after laparoscopic bariatric surgery: a meta-analysis. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 1349-1357.	1.2	29
117	Educating Patients Regarding Pain Management and Safe Opioid Use After Surgery: A Narrative Review. <i>Anesthesia and Analgesia</i> , 2020, 130, 574-581.	2.2	23
118	Quadratus lumborum block versus transversus abdominis plane block for postoperative analgesia in patients undergoing abdominal surgeries: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Anesthesiology</i> , 2020, 20, 53.	1.8	37
119	Patient-Reported Quality of Life and Convalescence After Minimally Invasive Kidney Cancer Surgery. <i>Urology</i> , 2020, 144, 123-129.	1.0	4
120	Efficacy of transversus abdominis plane (TAP) block in colorectal surgery: a systematic review and meta-analysis. <i>Techniques in Coloproctology</i> , 2020, 24, 787-802.	1.8	36
121	Analgesic efficacy of pre-emptive local wound infiltration plus laparoscopic-assisted transversus abdominis plane block versus wound infiltration in patients undergoing laparoscopic colorectal resection: results from a randomized, multicenter, single-blind, non-inferiority trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 3329-3338.	2.4	6
122	Dexmedetomidine versus clonidine adjuvants to levobupivacaine for ultrasoundâ€guided transversus abdominis plane block in paediatric laparoscopic orchiopexy: Randomized, doubleâ€blind study. <i>European Journal of Pain</i> , 2021, 25, 497-507.	2.8	9
123	Use of Transversus Abdominis Plane (TAP) Blocks for Postoperative Pain Management in a Patient With an Open Abdomen: A Case Report and Review of Literature. <i>Cureus</i> , 2021, 13, e12739.	0.5	0
124	Ultrasound guided lateral quadratus lumborum block enhanced recovery in patients undergoing laparoscopic colorectal surgery. <i>Advances in Medical Sciences</i> , 2021, 66, 41-45.	2.1	16
125	Timing of perioperative transversus abdominis plane block at the time of radical cystectomy does not affect perioperative outcomes. <i>International Urology and Nephrology</i> , 2021, 53, 2019-2025.	1.4	5
126	Effect of preoperative versus postoperative use of transversus abdominis plane block with plain 0.25â€% bupivacaine on postoperative opioid use: a retrospective study. <i>BMC Anesthesiology</i> , 2021, 21, 114.	1.8	8
127	Fascial plane blocks: a narrative review of the literature. <i>Regional Anesthesia and Pain Medicine</i> , 2021, 46, 600-617.	2.3	21

#	ARTICLE	IF	CITATIONS
128	A Prospective Randomized Trial of Surgeon-Administered Intraoperative Transversus Abdominis Plane Block With Bupivacaine Against Liposomal Bupivacaine. <i>Diseases of the Colon and Rectum</i> , 2021, 64, 888-898.	1.3	12
129	A Meta-Analysis of Randomized Controlled Trials Concerning the Efficacy of Transversus Abdominis Plane Block for Pain Control After Laparoscopic Cholecystectomy. <i>Frontiers in Surgery</i> , 2021, 8, 700318.	1.4	9
130	Role of Laparoscopic-assisted Transversus Abdominis Plane Block during Elective Laparoscopic Cholecystectomy. <i>World Journal of Laparoscopic Surgery</i> , 2021, 14, 87-89.	0.2	0
131	Posterior quadratus lumborum versus transversus abdominis plane block for inguinal hernia repair: a prospective randomized controlled study. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2021, 71, 505-510.	0.4	5
132	Transversus Abdominis Plane Block Versus Local Wound Infiltration for Postoperative Pain After Laparoscopic Colorectal Cancer Resection: a Randomized, Double-Blinded Study. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 425-432.	1.7	6
133	A randomised controlled trial investigating the analgesic efficacy of transversus abdominis plane block for adult laparoscopic appendectomy. <i>Singapore Medical Journal</i> , 2017, 58, 481-487.	0.6	11
134	Efficacy of laparoscopic transversus abdominis plane block for elective laparoscopic cholecystectomy in elderly patients. <i>Bosnian Journal of Basic Medical Sciences</i> , 2016, 16, 139-44.	1.0	15
135	Analgesic effects and distribution of cutaneous sensory blockade of quadratus lumborum block type 2 and posterior transversus abdominis plane block: an observational comparative study. <i>Korean Journal of Anesthesiology</i> , 2020, 73, 326-333.	2.5	11
136	Anesthetic considerations for urologic surgeries. <i>Korean Journal of Anesthesiology</i> , 2020, 73, 92-102.	2.5	7
137	Analgesic efficacy of ultrasound guided transversus abdominis plane block versus local anesthetic infiltration in adult patients undergoing single incision laparoscopic cholecystectomy: A randomized controlled trial. <i>Anesthesia: Essays and Researches</i> , 2016, 10, 561.	0.5	19
138	Unilateral versus bilateral ultrasound-guided transversus abdominis plane blocks during ureteric shock wave lithotripsy: A prospective randomized trial. <i>Urology Annals</i> , 2016, 8, 265.	0.6	5
139	Evaluation of ultrasound-guided transversus abdominis plane block for postoperative analgesia in patients undergoing intraperitoneal onlay mesh repair. <i>Anesthesia: Essays and Researches</i> , 2019, 13, 126.	0.5	16
140	Efficacy of laparoscopic-guided transversus abdominis plane block for patients undergoing robotic-assisted gynaecologic surgery: A randomised control trial. <i>Indian Journal of Anaesthesia</i> , 2019, 63, 841.	1.0	8
141	The Effect of Transversus Abdominis Plane Block for Analgesia in Patients Undergoing Liver Transplantation: A Systematic Review and Meta-Analysis. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019, 47, 359-366.	0.4	12
142	Efficacy of Dexmedetomidine as an Adjuvant to Bupivacaine in Ultrasound Guided Transverse Abdominis plane Block for Laparoscopic appendectomy: A Randomised Controlled Study. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2020, 48, 364-370.	0.4	11
143	Subcostal Transverse Abdominis Plane Block for Acute Pain Management: A Review. <i>Anesthesiology and Pain Medicine</i> , 2017, 7, e12923.	1.3	18
144	Unilateral Ultrasound-Guided Transversus Abdominis Plane Block After Nephrectomy; Postoperative Pain and Use of Opioids. <i>Nephro-Urology Monthly</i> , 2016, 8, e35356.	0.1	9
145	Enhanced Recovery for Colorectal Surgery. , 2016, , 109-141.		0

#	ARTICLE	IF	CITATIONS
147	The Efficacy of Transversus Abdominis Plane Block for Abdominal Hysterectomy Post-operative Analgesia. <i>Cureus</i> , 2018, 10, e3131.	0.5	2
148	The Role of Interfascial Plane Blocks in Paediatric Regional Anaesthesia: A Narrative Review of Current Perspectives and Updates. <i>Anesthesiology Research and Practice</i> , 2020, 2020, 1-10.	0.7	7
149	Bilateral ultrasound-guided abdominal peripheral block in tap plane, tap - block. <i>Trakia Journal of Sciences</i> , 2020, 18, 344-349.	0.1	0
151	Comparison of transversus abdominis plane block and intrathecal morphine for laparoscopic donor nephrectomy: Randomised controlled trial. <i>Indian Journal of Anaesthesia</i> , 2020, 64, 507.	1.0	3
153	A Comparison of effect of preemptive versus postoperative use of ultrasound-guided bilateral transversus abdominis plane (TAP) block on pain relief after laparoscopic cholecystectomy. <i>Scientific Reports</i> , 2022, 12, 623.	3.3	6
154	Analgesic efficacy of ultrasound-guided transversus abdominis plane block for laparoscopic gynecological surgery: a randomized controlled trial. <i>Anesthesia and Pain Medicine</i> , 2022, 17, 67-74.	1.4	0
155	Perioperative Pain Management Issues Unique to Older Adults Undergoing Surgery: A Narrative Review. <i>Annals of Surgery Open</i> , 2021, 2, .	1.4	0
156	Anaesthesia for Major Urological Surgery. <i>Anesthesiology Clinics</i> , 2022, 40, 175-197.	1.4	0
157	Opioid-Sparing Perioperative Analgesia Within Enhanced Recovery Programs. <i>Anesthesiology Clinics</i> , 2022, 40, 35-58.	1.4	9
158	New techniques of regional anaesthesia for renal laparoscopic surgeries. <i>Urologia</i> , 2022, , 039156032110487.	0.7	0
159	Perioperative Pain Management Issues Unique to Older Adults Undergoing Surgery. <i>Annals of Surgery Open</i> , 2021, 2, e072.	1.4	15
160	The efficacy of ropivacaine 0.5% in transversus abdominis plane block to relieve the postoperative pain of female laparoscopic surgery Grade II. <i>Advanced Biomedical Research</i> , 2022, 11, 12.	0.5	1
161	Nerve Blocks in Breast Plastic Surgery: Outcomes, Complications, and Comparative Efficacy. <i>Plastic and Reconstructive Surgery</i> , 2022, 150, 1e-12e.	1.4	4
162	Robotic Vs. Ultrasound <sc>TAP</sc> Block Vs. Local Anesthetic in Urology: Results of <sc>UIROTAP</sc> Randomized Trial. <i>BJU International</i> , 0, , .	2.5	0
163	Comparison of Analgesic Efficacy of Local Anesthetic Infiltration and Ultrasound-guided Abdominal Wall Nerve Block in Children Undergoing Ambulatory Inguinal Hernia Repair. <i>Journal of Perianesthesia Nursing</i> , 2022, 37, 699-705.	0.7	2
164	Laparoscopic guided liposomal bupivacaine injection compared to transversus abdominis plane block for postoperative pain after robotic gynecologic oncology surgery. <i>Gynecologic Oncology</i> , 2022, 166, 432-437.	1.4	3
165	Levobupivacaine versus levobupivacaine plus dexmedetomidine in transversus abdominis plane block in patients undergoing abdominal aortic surgery. <i>Anesthesia: Essays and Researches</i> , 2022, 16, 154.	0.5	0
166	Advantages of Transmuscular Quadratus Lumborum Block via Subfascial Approach versus Extradiscal Approach for Postoperative Analgesia after Laparoscopic Cholecystectomy. <i>Clinical Journal of Pain</i> , 0, Publish Ahead of Print, .	1.9	1

#	ARTICLE	IF	CITATIONS
167	Surgeon administered transversus abdominis plane block: anatomic principles and technique. <i>Journal of Robotic Surgery</i> , 2023, 17, 1193-1205.	1.8	1
168	A double-blinded, randomized trial comparing surgeon-administered transversus abdominis plane block with placebo after midline laparotomy in gynecologic oncology surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2023, 228, 553.e1-553.e8.	1.3	6
169	Rectus sheath block versus local anesthetic infiltration in pediatric laparoscopic inguinal hernia repair: a randomized controlled trial. <i>International Journal of Surgery</i> , 2023, 109, 716-722.	2.7	2
170	The transversus abdominis plane block in conjunction with intrathecal morphine use after cesarean section in women with severe pre-eclampsia: a randomized controlled trial. <i>BMC Anesthesiology</i> , 2023, 23, .	1.8	1
171	Consensus Guidelines for Perioperative Care for Emergency Laparotomy Enhanced Recovery After Surgery (ERAS [®]) Society Recommendations Part 2â€”Emergency Laparotomy: Intraâ€•and Postoperative Care. <i>World Journal of Surgery</i> , 2023, 47, 1850-1880.	1.6	2
172	Comparison of ultrasound-guided transversus abdominis plane block and caudal epidural block for postoperative analgesia in paediatric lower abdominal surgeries: A randomised controlled trial. <i>Indian Journal of Anaesthesia</i> , 2023, 67, 720-724.	1.0	1
173	Living liver donor pain management. <i>Current Opinion in Organ Transplantation</i> , 0, , .	1.6	0
174	The Postoperative Analgesic Effect Of Transversus Abdominis Plane Block Undergoing inguinal Hernia Repair: A Randomized Controlled Study. <i>Cukurova Anestezi Ve Cerrahi Bilimler Dergisi</i> , 2023, 6, 375-381.	0.0	0
175	Transversus Abdominis Plane Block VS. Local Wound Infiltration for Elective Minimally Invasive Cholecystectomy in Children: A Prospective Randomized Trial. <i>Journal of Pediatric Surgery</i> , 2024, 59, 96-102.	1.6	3
176	Analgesic benefits of pre-operative versus postoperative transversus abdominis plane block for laparoscopic cholecystectomy: a frequentist network meta-analysis of randomized controlled trials. <i>BMC Anesthesiology</i> , 2023, 23, .	1.8	0
177	The Effect of Transversus Abdominis Plane Block Timing on Milliequivalents of Opioid Use and Immediate Postoperative Pain Scores in Patients Undergoing Minimally Invasive Hysterectomy: A Retrospective Cohort Study. <i>Journal of Minimally Invasive Gynecology</i> , 2024, 31, 237-242.	0.6	0
178	Effect of regional block technique on postoperative high-grade complications according to Clavien-Dindo classification in elderly patients with thoracic and abdominal cancer: a retrospective propensity score matching analysis. <i>Frontiers in Oncology</i> , 0, 13, .	2.8	0
179	BILATERAL TRANSVERSUS ABDOMINIS PLANE BLOCK REDUCES POSTOPERATIVE NSAIDS USE AFTER LAPAROSCOPIC HERNIA REPAIR. <i>Trakia Journal of Sciences</i> , 2023, 21, 230-236.	0.1	0
180	Perspective Chapter: Anaesthetic Management for Robotic Surgery. , 0, , .		0