

Deficits in narrative discourse elicited by visual stimuli with mild cognitive impairment

Frontiers in Aging Neuroscience

7, 96

DOI: [10.3389/fnagi.2015.00096](https://doi.org/10.3389/fnagi.2015.00096)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Visual-motor embodiment of language: a few implications for the neuropsychological evaluation (in) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.7	3
2	Editorial: Neuropsychology and Neuropsychiatry of Neurodegenerative Disorders. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 227.	1.7	1
3	Semantic memory and depressive symptoms in patients with subjective cognitive decline, mild cognitive impairment, and Alzheimer's disease. <i>International Psychogeriatrics</i> , 2017, 29, 1123-1135.	0.6	17
4	Connected Speech in Neurodegenerative Language Disorders: A Review. <i>Frontiers in Psychology</i> , 2017, 8, 269.	1.1	189
5	Severity of Alzheimer's disease and language features in picture descriptions. <i>Aphasiology</i> , 2018, 32, 27-40.	1.4	40
6	Word retrieval in connected speech in Alzheimer's disease: a review with meta-analyses. <i>Aphasiology</i> , 2018, 32, 4-26.	1.4	28
7	Analysis of macrolinguistic aspects of narratives from individuals with Alzheimer's disease, mild cognitive impairment, and no cognitive impairment. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 31-40.	1.2	25
8	A computerized test for the assessment of mild cognitive impairment subtypes in sentence processing. <i>Aging, Neuropsychology, and Cognition</i> , 2018, 25, 829-851.	0.7	4
9	Attention-Deficit Hyperactivity Disorder (ADHD) and narrative discourse in older adults. <i>Dementia E Neuropsychologia</i> , 2018, 12, 374-379.	0.3	4
10	Speech Analysis by Natural Language Processing Techniques: A Possible Tool for Very Early Detection of Cognitive Decline?. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 369.	1.7	91
11	On Curiosity: A Fundamental Aspect of Personality, a Practice of Network Growth. <i>Personality Neuroscience</i> , 2018, 1, e13.	1.3	17
12	Connected Speech Features from Picture Description in Alzheimer's Disease: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 519-542.	1.2	64
13	Declines in Connected Language Are Associated with Very Early Mild Cognitive Impairment: Results from the Wisconsin Registry for Alzheimer's Prevention. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 437.	1.7	69
14	Detecting Alzheimer's Disease from Continuous Speech Using Language Models. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 1163-1174.	1.2	19
15	Narrative discourse in Persian-speaking patients with mild Alzheimer's disease. <i>Dementia E Neuropsychologia</i> , 2019, 13, 225-231.	0.3	1
16	Predicting MCI Status From Multimodal Language Data Using Cascaded Classifiers. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 205.	1.7	53
17	Discourse Measures to Differentiate Between Mild Cognitive Impairment and Healthy Aging. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 221.	1.7	30
18	The Von Restorff effect in the Brazilian version of the Rey Auditory Verbal Learning Test in an elderly population. <i>Dementia E Neuropsychologia</i> , 2019, 13, 89-96.	0.3	0

#	ARTICLE	IF	CITATIONS
19	Language in Amnesic Mild Cognitive Impairment and Dementia of Alzheimer's Type: Quantitatively or Qualitatively Different?. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2019, 9, 136-151.	0.6	23
20	Evaluation of macrolinguistic aspects of the oral discourse in patients with Alzheimer's disease. <i>International Psychogeriatrics</i> , 2019, 31, 1343-1353.	0.6	7
21	Discourse macrolinguistic impairment as a marker of linguistic and extralinguistic functions decline in early Alzheimer's disease. <i>International Journal of Language and Communication Disorders</i> , 2019, 54, 390-400.	0.7	19
22	Exercise-linked FNDC5/irisin rescues synaptic plasticity and memory defects in Alzheimer's models. <i>Nature Medicine</i> , 2019, 25, 165-175.	15.2	511
23	Connected speech assessment in the early detection of Alzheimer's disease and mild cognitive impairment: a scoping review. <i>Aphasiology</i> , 2020, 34, 723-755.	1.4	36
24	Impaired coherence for semantic but not episodic autobiographical memory in semantic variant primary progressive aphasia. <i>Cortex</i> , 2020, 123, 72-85.	1.1	11
25	Neurodegenerative Disorders of Speech and Language: Non-language-dominant Diseases. , 2022, , 66-80.		4
26	Referential adjustment during discourse production in Alzheimer's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020, 42, 710-724.	0.8	4
27	Individual cognitive changes in subjective cognitive decline, mild cognitive impairment and Alzheimer's disease using the reliable change index methodology. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 1064-1069.	1.0	5
29	Alzheimer's Dementia. , 2020, , 1-19.		0
30	Primary Progressive Aphasia. , 2020, , 20-42.		1
32	Mild Cognitive Impairment. , 2020, , 68-94.		0
33	Parkinson's Disease Dementia. , 2020, , 95-132.		0
34	Huntington's Disease. , 2020, , 133-166.		0
43	Language and memory: an investigation of the relationship between autobiographical memory recall and narrative production of semantic and episodic information. <i>Aphasiology</i> , 2020, , 1-20.	1.4	2
44	Episodic memory decline is associated with deficits in coherence of discourse. <i>Cognitive Neuropsychology</i> , 2020, 37, 511-522.	0.4	10
45	Using narratives in differential diagnosis of neurodegenerative syndromes. <i>Journal of Communication Disorders</i> , 2020, 85, 105994.	0.8	15
46	Telltale silence: temporal speech parameters discriminate between prodromal dementia and mild Alzheimer's disease. <i>Clinical Linguistics and Phonetics</i> , 2021, 35, 727-742.	0.5	10

#	ARTICLE	IF	CITATIONS
47	Using a Discourse Task to Explore Semantic Ability in Persons With Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 607449.	1.7	9
50	Network analysis of narrative discourse and attention-deficit hyperactivity symptoms in adults. <i>PLoS ONE</i> , 2021, 16, e0245113.	1.1	8
51	Cognitive and Structural Correlates of Conversational Speech Timing in Mild Cognitive Impairment and Mild-to-Moderate Alzheimer's Disease: Relevance for Early Detection Approaches. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 637404.	1.7	6
52	Identification of Mild Cognitive Impairment Among Chinese Based on Multiple Spoken Tasks. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 185-204.	1.2	9
53	A Comparison of Connected Speech Tasks for Detecting Early Alzheimer's Disease and Mild Cognitive Impairment Using Natural Language Processing and Machine Learning. <i>Frontiers in Computer Science</i> , 2021, 3, .	1.7	20
54	Preliminary assessment of connected speech and language as marker for cognitive change in late middle-aged Black/African American adults at risk for Alzheimer's disease. <i>Aphasiology</i> , 0, , 1-24.	1.4	2
55	Low Speech Connectedness in Alzheimer's Disease is Associated with Poorer Semantic Memory Performance. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 905-912.	1.2	15
56	Description of connected speech across different elicitation tasks in the logopenic variant of primary progressive aphasia. <i>International Journal of Language and Communication Disorders</i> , 2021, 56, 1074-1085.	0.7	11
57	Discourse performance and related cognitive function in mild cognitive impairment and dementia: A preliminary study. <i>Applied Neuropsychology Adult</i> , 2021, , 1-10.	0.7	2
58	Predicting Cognitive Impairment in Cerebrovascular Disease Using Spoken Discourse Production. <i>Topics in Language Disorders</i> , 2021, 41, 73-98.	0.9	5
60	Global Coherence Analysis of Discourse in Amnesic Mild Cognitive Impairment and Associated Cognitive Function. <i>Communication Sciences and Disorders</i> , 2018, 23, 1028-1041.	0.1	3
61	Narrative impairment, white matter damage and CSF biomarkers in the Alzheimer's disease spectrum. <i>Aging</i> , 2019, 11, 9188-9208.	1.4	10
62	Towards the Speech Features of Mild Cognitive Impairment: Universal Evidence from Structured and Unstructured Connected Speech of Chinese. , 0, , .		4
63	Using Digital Speech Assessments to Detect Early Signs of Cognitive Impairment. <i>Frontiers in Digital Health</i> , 2021, 3, 749758.	1.5	19
65	Automatic Prediction of Linguistic Decline in Writings of Subjects with Degenerative Dementia. , 2016, , .		2
66	Non-transcription analysis of connected speech in mild cognitive impairment using an information unit scoring system. <i>Journal of Neurolinguistics</i> , 2022, 61, 101035.	0.5	2
68	Written Discourse Task Helps to Identify Progression from Mild Cognitive Impairment to Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 446-453.	0.7	1
69	Speech pause distribution as an early marker for Alzheimer's disease. <i>Speech Communication</i> , 2022, 136, 107-117.	1.6	16

#	ARTICLE	IF	CITATIONS
70	Neuropsychological prediction of dementia using the neuropsychological test battery Vienna – A retrospective study. <i>Brain Disorders</i> , 2022, 5, 100028.	1.1	0
71	Automated text-level semantic markers of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022, 14, e12276.	1.2	6
72	Lower Education and Reading and Writing Habits Are Associated With Poorer Oral Discourse Production in Typical Adults and Older Adults. <i>Frontiers in Psychology</i> , 2022, 13, 740337.	1.1	3
73	A Demonstration of Human-Robot Communication Based on Multiskilled Language-Image Analysis. , 2021, , .		4
77	Linguistic Abnormalities in Isolated Rapid Eye Movement Sleep Behavior Disorder. <i>Movement Disorders</i> , 2022, 37, 1872-1882.	2.2	3
78	Semantic processing and neurobiology in Alzheimer's disease and Mild Cognitive Impairment. <i>Neuropsychologia</i> , 2022, 174, 108337.	0.7	8
79	Cognitive-Motor Interference and Cortical Activation While Walking in Individuals With Multiple Sclerosis. <i>Motor Control</i> , 2022, 26, 677-693.	0.3	2
80	Validation of a Remote and Fully Automated Story Recall Task to Assess for Early Cognitive Impairment in Older Adults: Longitudinal Case-Control Observational Study. <i>JMIR Aging</i> , 2022, 5, e37090.	1.4	5
81	Age-linked suppression of lipoxin A4 associates with cognitive deficits in mice and humans. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	4
82	A longitudinal observational study of home-based conversations for detecting early dementia: protocol for the CUBOld TV task. <i>BMJ Open</i> , 2022, 12, e065033.	0.8	0
83	A systematic review of studies on connected speech processing: Trends, key findings, and implications. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	0
84	Speech/Language Comprehension in the Context of Language Difficulties in Persons with Neurocognitive Disorders. <i>Listy Klinické Logopedie</i> , 2022, 6, 4-13.	0.0	0
85	DementiaBank: Theoretical Rationale, Protocol, and Illustrative Analyses. <i>American Journal of Speech-Language Pathology</i> , 2023, 32, 426-438.	0.9	12
90	Smartwatch-derived Acoustic Markers for Deficits in Cognitively Relevant Everyday Functioning. , 2023, , .		0