

CITATION REPORT

List of articles citing

Risk Factors for Transient Urinary Incontinence after Holmium Laser Enucleation of the Prostate

DOI: 10.5534/wjmh.2015.33.2.88

World Journal of Men's Health, 2015, 33, 88-94.

Source: <https://exaly.com/paper-pdf/61059950/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
54	Nationwide incidence and treatment pattern of benign prostatic hyperplasia in Korea. <i>Investigative and Clinical Urology</i> , 2016 , 57, 424-430	1.9	21
53	Safety and Efficacy of GreenLight XPS Laser Vapoenucleation in Prostates Measuring Over 150 mL. <i>Journal of Endourology</i> , 2016 , 30, 906-12	2.7	16
52	Bipolar, Monopolar, Photovaporization of the Prostate, or Holmium Laser Enucleation of the Prostate: How to Choose What's Best?. <i>Urologic Clinics of North America</i> , 2016 , 43, 377-84	2.9	25
51	A novel vaporization-enucleation technique for benign prostate hyperplasia using 120-W HPS GreenLight laser: Seoul technique II in comparison with vaporization and previously reported modified vaporization-resection technique. <i>World Journal of Urology</i> , 2017 , 35, 1923-1931	4	5
50	Holmium Laser Enucleation of the Prostate: Patient Selection and Outcomes. <i>Current Urology Reports</i> , 2017 , 18, 96	2.9	16
49	Re: Surgical Options for the Enlarged, Obstructing, Benign Prostate: J. K. Parsons J Urol 2017;197:977-978. <i>Journal of Urology</i> , 2017 , 198, 944-945	2.5	
48	Does Cystolitholapaxy at the Time of Holmium Laser Enucleation of the Prostate Affect Outcomes?. <i>Urology</i> , 2017 , 99, 192-196	1.6	13
47	Older Age and Larger Prostate Volume Are Associated with Stress Urinary Incontinence after Plasmakinetic Enucleation of the Prostate. <i>BioMed Research International</i> , 2017 , 2017, 6923290	3	9
46	Patient satisfaction after holmium laser enucleation of the prostate (HoLEP): A prospective cohort study. <i>PLoS ONE</i> , 2017 , 12, e0182230	3.7	9
45	Efficacy of Holmium Laser Enucleation of the Prostate in Patients with a Small Prostate (80 mL). <i>World Journal of Men's Health</i> , 2017 , 35, 163-169	6.8	6
44	Evidence-based outcomes of holmium laser enucleation of the prostate. <i>Current Opinion in Urology</i> , 2018 , 28, 301-308	2.8	6
43	Age and prostate volume are risk factors for transient urinary incontinence after transurethral enucleation with bipolar for benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2018 , 25, 76-80	2.3	8
42	Current status of holmium laser enucleation of the prostate. <i>International Journal of Urology</i> , 2018 , 25, 206-211	2.3	14
41	Holmium Laser Enucleation of the Prostate: Modified Two-Lobe Technique versus Traditional Three-Lobe Technique-A Randomized Study. <i>BioMed Research International</i> , 2019 , 2019, 3875418	3	9
40	[Urinary incontinence after HOLEP: Incidence, evolution and predictive factors]. <i>Progres En Urologie</i> , 2019 , 29, 101-107	0.9	12
39	Aquablation for benign prostatic hyperplasia in large prostates (80-150 mL): 6-month results from the WATER II trial. <i>BJU International</i> , 2019 , 124, 321-328	5.6	19
38	Predictors of Postoperative Urinary Incontinence After Holmium Laser Enucleation of the Prostate: 12 Months Follow-Up. <i>Urology</i> , 2019 , 124, 213-217	1.6	3

37	Second to fourth digit ratio and lung function (forced vital capacity): predictors of maximum urinary flow rate after holmium laser enucleation of the prostate. <i>Andrology</i> , 2019 , 7, 172-177	4.2	2
36	Holmium laser enucleation of the prostate versus thulium laser enucleation of the prostate for the treatment of large-volume prostates > 80 ml: 18-month follow-up results. <i>World Journal of Urology</i> , 2020 , 38, 1555-1562	4	29
35	Enucleation of the prostate: An anatomical perspective. <i>Andrologia</i> , 2020 , 52, e13744	2.4	6
34	Is the membranous urethral length related to postoperative urinary incontinence after holmium laser enucleation of the prostate?. <i>International Journal of Urology</i> , 2020 , 27, 893-898	2.3	2
33	Endoscopic enucleation for prostate larger than 60 ml: comparison between holmium laser enucleation and plasmakinetic enucleation. <i>World Journal of Urology</i> , 2021 , 39, 2011-2018	4	2
32	Anteroposterior dissection three-lobe technique: an effective surgical method for inexperienced surgeons performing holmium laser enucleation of the prostate. <i>International Urology and Nephrology</i> , 2020 , 52, 1821-1828	2.3	2
31	How to optimise urinary continence in anatomical endoscopic enucleation of the prostate?. <i>Andrologia</i> , 2020 , 52, e13621	2.4	1
30	Preoperative pelvic floor muscle exercise for early continence after holmium laser enucleation of the prostate: a randomized controlled study. <i>BMC Urology</i> , 2020 , 20, 3	2.2	11
29	Predictive factors of urinary incontinence after holmium laser enucleation of the prostate: a multicentric evaluation. <i>World Journal of Urology</i> , 2021 , 39, 143-148	4	14
28	Comparison of outcomes of Holmium enucleation of the prostate for small- and moderate-sized prostates. <i>Andrologia</i> , 2021 , 53, e13970	2.4	1
27	T-L technique for HoLEP: perioperative outcomes of a large single-centre series. <i>Central European Journal of Urology</i> , 2021 , 74, 366-371	0.9	0
26	A call for HoLEP: en-bloc vs. two-lobe vs. three-lobe. <i>World Journal of Urology</i> , 2021 , 39, 2337-2345	4	7
25	Development and validation of a nomogram for predicting early stress urinary incontinence following endoscopic enucleation of the prostate. <i>World Journal of Urology</i> , 2021 , 1	4	
24	Holmium Laser Enucleation of the Prostate with Early Apical Release: Are We Ready for a New Paradigm?. <i>Journal of Endourology</i> , 2021 , 35, 1675-1683	2.7	5
23	Postoperative medical treatment of lower urinary tract symptoms after benign prostatic hyperplasia surgery. Are we underestimating the problem?. <i>Current Opinion in Urology</i> , 2021 , 31, 451-455 ^{2.8}		
22	Comparison of different en bloc holmium laser enucleation of the prostate techniques to reduce the rate of postoperative transient urinary incontinence. <i>Journal of International Medical Research</i> , 2021 , 49, 3000605211037488	1.4	1
21	Comparison of different laser-based enucleation techniques for benign prostate hyperplasia: A systematic review and meta-analysis. <i>International Journal of Surgery</i> , 2021 , 94, 106135	7.5	1
20	Development and validation of a nomogram for predicting early stress urinary incontinence following endoscopic enucleation of the prostate. <i>World Journal of Urology</i> , 2021 , 39, 3447-3453	4	3

19	Stress Urinary Incontinence post-Holmium Laser Enucleation of the Prostate: a Single-Surgeon Experience. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 624-631	4
18	Can the lower urinary tract storage symptoms be completely resolved after plasmakinetic enucleation of the prostate?. <i>Asian Journal of Andrology</i> , 2017 , 19, 655-658	2.8 1
17	Preoperative pelvic floor muscle exercise for early continence after holmium laser enucleation of the prostate: a randomized controlled study.	
16	Significance of Membranous Urethral Length for Recovery From Postoperative Urinary Incontinence Following Holmium Laser Enucleation of the Prostate. <i>International Neurourology Journal</i> , 2020 , 24, 358-364	2.6 3
15	Impact of diabetes mellitus on urinary continence after holmium laser enucleation of the prostate due to lower urinary tract symptoms: a retrospective study.. <i>Central European Journal of Urology</i> , 2021 , 74, 535-540	0.9
14	A Review on Urinary Incontinence after Surgery for Benign Prostatic Hyperplasia. <i>Open Journal of Urology</i> , 2022 , 12, 169-184	0.2
13	Meta-analysis of prognostic factors related to early urinary incontinence following new transurethral procedures dominated by laser therapy for benign prostatic hyperplasia.. <i>Lasers in Medical Science</i> , 2022 , 1	3.1
12	A Review of Risk Factors for Predicting Urinary Incontinence after Benign Prostatic Hyperplasia. <i>Journal of Biosciences and Medicines</i> , 2022 , 10, 77-85	0.2
11	Comparison of Holmium Laser Enucleation of the Prostate to Bipolar Plasmakinetic Enucleation of the Prostate: A Randomized Prospective Controlled Trial at Midterm Follow-up..	
10	Lebensqualität und Outcome nach Holmiumlaserenukleation der Prostata (HoLEP).	0
9	Holmium laser enucleation of the prostate: a 3-year single-center experience of 173 cases. 2022 , 28,	0
8	PREDICTORS OF EARLY POST-OPERATIVE TRANSIENT URINARY INCONTINENCE AFTER HOLMIUM LASER ENUCLEATION OF PROSTATE. 205-207	0
7	Incidence and risk factors for postoperative urinary incontinence after various prostate enucleation procedures: systemic review and meta-analysis of PubMed literature from 2000 to 2021.	0
6	Application of En Bloc and Urethral Mucosal Flap Sparing Techniques Improve the Functional Outcomes in Holmium Laser Enucleation of Prostate: A Retrospective Case Control Study. 2022 , 16, 155798832211314	0
5	Incontinence urinaire post ablation endoscopique de la prostate au laser Holmium: aspects étiologiques et facteurs prédictifs associés. 2022 ,	0
4	Patterns and Predictors of Optimal Surgical and Functional Outcomes after Holmium Laser Enucleation of the Prostate (HoLEP): Introducing the Concept of "Trifecta"41,	0
3	Anterior fibromuscular stroma-preserved endoscopic enucleation of the prostate: a precision anatomical approach.	0
2	Effects of early pelvic floor muscle training on early recovery of urinary incontinence after prostate surgery. 2023 , 0	0

- 1 The Efficacy and Safety of Inverted Omega En-bloc Holmium Laser Enucleation of the Prostate (HoLEP) for Benign Prostatic Hyperplasia: A Size-Independent Technique for the Surgical Treatment of LUTS. 41,

o