

Anthalona simplex-branch (Crustacea: Cladocera: Chydoridae)
New records of *Anthalona simplex*-branch (Crustacea: Cladocera: Chydoridae)
Van Damme, Sinev & Simeonova
2018

Zootaxa

4044, 224

DOI: 10.11646/zootaxa.4044.2.3

Citation Report

#	ARTICLE	IF	CITATIONS
1	Exploring the world of micro sculptures - subfossil Cladocera remains under the SEM. <i>Advances in Oceanography and Limnology</i> , 2016, 7, .	0.2	2
2	First record of cladocerans from the headwaters of the Cerrado "Amazon boundary, central Brazil. <i>Biodiversity</i> , 2016, 17, 90-92.	0.5	3
3	A new species of the genus <i>Anthalona</i> Van Damme, Sinev & Dumont, 2011 (Cladocera: Anomopoda: Tj ETQq0 0 0 rgBT /Overlock 10 T	0.2	4
4	A new addition to the genus <i>Anthalona</i> Van Damme, Sinev & Dumont, 2011 (Branchiopoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.2	1
5	The amazing diversity of the genus <i>Monospilus</i> Sars, 1862 (Crustacea: Branchiopoda: Aloninae) in South America. <i>Zootaxa</i> , 2017, 4242, 467-492.	0.2	12
6	New genus of Cladocera of subfamily Aloninae (Anomopoda: Chydoridae) from the Mekong River. <i>Zootaxa</i> , 2017, 4276, 416.	0.2	4
7	An update for cladoceran fauna (Crustacea, Branchiopoda) from Lake Paranoá, Central Brazil, with the first description of a male of <i>Leydigiopsis ornata</i> Daday, 1905. <i>Nauplius</i> , 2017, 25, .	0.3	3
8	Faunal diversity of Cladocera (Crustacea: Branchiopoda) with notes on biogeographically important species in the floodplain wetlands of the Subansiri river basin, India. <i>Annales De Limnologie</i> , 2018, 54, 36.	0.6	2
9	Populations of <i>Flavalona setigera</i> (Brehm, 1931) in Brazil belong to a new species: <i>Flavalona asymmetrica</i> (Cladocera: Chydoridae: Aloninae). <i>Nauplius</i> , 2018, 26, .	0.3	1
10	Cladocera from the Upper Xingu River Basin with the description of a new genus of the Chydoridae (Crustacea: Branchiopoda: Anomopoda). <i>Zootaxa</i> , 2018, 4418, 545-561.	0.2	9
11	A guide to the identification of subfossil chydorid Cladocera (Crustacea: Branchiopoda) from lake sediments of Central America and the Yucatan Peninsula, Mexico: part II. <i>Journal of Paleolimnology</i> , 2020, 63, 37-64.	0.8	8
12	Compound slides: a new technique for examining branchiopod head pores in optical microscopes. <i>Crustaceana</i> , 2020, 93, 881-889.	0.1	1
13	Class Branchiopoda. , 2020, , 585-630.		2
14	Cladocera (Crustacea: Branchiopoda) from the state of Mato Grosso, Brazil. <i>Annales De Limnologie</i> , 2020, 56, 7.	0.6	5
15	Occurrence of <i>Anthalona neotropica</i> Sousa, Elmoor-Loureiro and Debastiani-Júnior, 2015 (Crustacea: Tj ETQq0 0 0 rgBT /Overlock 10 T	0.3	0
16	Cladocera (Crustacea, Branchiopoda) species of Bahia State, Brazil: a critical update on species descriptions, distributions, and new records. <i>Nauplius</i> , 0, 29, .	0.3	3
17	More on the distribution of cladoceran species: gaps and perspectives in Rio de Janeiro State, southeastern Brazil. <i>Nauplius</i> , 0, 30, .	0.3	3
18	Large sampling effort is not related to richness and geographic distribution of Cladocera (Crustacea, Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.5	1

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------