

CITATION REPORT

List of articles citing

Altered prefrontal cortex activity during working memory task in Bipolar Disorder: A functional Magnetic Resonance Imaging study in euthymic bipolar I and II patients

DOI: 10.1016/j.jad.2015.05.026

Journal of Affective Disorders, 2015, 184, 116-22.

Source: <https://exaly.com/paper-pdf/61292803/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
41	Update on bipolar disorder biomarker candidates. <i>Expert Review of Molecular Diagnostics</i> , 2016 , 16, 1209-1220	3.1	30
40	Chronotype and circadian rhythm in bipolar disorder: A systematic review. <i>Sleep Medicine Reviews</i> , 2017 , 34, 46-58	10.2	160
39	Evaluation of the interaction between genetic variants of GAD1 and miRNA in bipolar disorders. <i>Journal of Affective Disorders</i> , 2017 , 223, 1-7	6.6	5
38	Italian Bipolar II vs I patients have better individual functioning, in spite of overall similar illness severity. <i>CNS Spectrums</i> , 2017 , 22, 325-332	1.8	15
37	Temporal, Diagnostic, and Tissue-Specific Regulation of NRG3 Isoform Expression in Human Brain Development and Affective Disorders. <i>American Journal of Psychiatry</i> , 2017 , 174, 256-265	11.9	27
36	Systematic Review of Cognitive Function in Euthymic Bipolar Disorder and Pre-Surgical Temporal Lobe Epilepsy. <i>Frontiers in Psychiatry</i> , 2017 , 8, 133	5	14
35	The impact of psychosis on brain anatomy in bipolar disorder: A structural MRI study. <i>Journal of Affective Disorders</i> , 2018 , 233, 100-109	6.6	28
34	Disrupted Cerebellar Connectivity With the Central Executive Network and the Default-Mode Network in Unmedicated Bipolar II Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 705	5	35
33	MRI Neuroimaging and Psychiatry. 2018 , 267-293		
32	Age-specific effects of structural and functional connectivity in prefrontal-amygdala circuitry in women with bipolar disorder. <i>BMC Psychiatry</i> , 2018 , 18, 177	4.2	7
31	The Neuroimaging of Brain Diseases. 2018 ,		
30	Disrupted functional connectivity within the default mode network and salience network in unmedicated bipolar II disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 88, 11-18	5.5	57
29	The impact of COMT polymorphisms on cognition in Bipolar Disorder: A review: Special Section on "Translational and Neuroscience Studies in Affective Disorders" Section Editor, Maria Nobile MD, PhD. This Section of JAD focuses on the relevance of translational and neuroscience studies in providing a better understanding of the neural basis of affective disorders. The main aim is to highlight translational research and clinical research findings in clinical neuroscience with particular regards to specific innovative topics in the field. <i>Journal of Affective Disorders</i> , 2019 , 243, 545-551	6.6	11
28	The Neurobiology of Bipolar II Disorder. 2019 , 91-107		
27	Neuronal underpinnings of cognitive impairment and - improvement in mood disorders. <i>CNS Spectrums</i> , 2019 , 24, 30-53	1.8	17
26	Aberrant transcriptomes and DNA methylomes define pathways that drive pathogenesis and loss of brain laterality/asymmetry in schizophrenia and bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 138-149	3.5	21
25	Clinical Cases in Psychiatry: Integrating Translational Neuroscience Approaches. 2019 ,		1

24	Pseudodementia: A Case Report on the Connection Between Dementia and Bipolar Spectrum Disorders. 2019 , 91-113		
23	Abnormal cerebellum-DMN regions connectivity in unmedicated bipolar II disorder. <i>Journal of Affective Disorders</i> , 2019 , 243, 441-447	6.6	45
22	Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 464-473	1.3	29
21	The relationship between maintenance and manipulation components of working memory and prefrontal and parietal brain regions in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 264, 519-526	6.6	1
20	Inflammation is associated with decreased functional connectivity of insula in unmedicated bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2020 , 89, 615-622	16.6	9
19	Alterations in Task-Related Brain Activation in Children, Adolescents and Young Adults at Familial High-Risk for Schizophrenia or Bipolar Disorder - A Systematic Review. <i>Frontiers in Psychiatry</i> , 2020 , 11, 632	5	2
18	Altered spatiotemporal consistency of corticolimbic circuitry in euthymic pediatric bipolar disorder. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1290-1299	4.1	2
17	Neurocognitive correlates of working memory and emotional processing in postpartum psychosis: an fMRI study. <i>Psychological Medicine</i> , 2021 , 51, 1724-1732	6.9	4
16	Shared and specific patterns of dynamic functional connectivity variability of striato-cortical circuitry in unmedicated bipolar and major depressive disorders. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
15	Duration of untreated illness and depression severity are associated with cognitive impairment in mood disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020 , 24, 227-235	2.4	11
14	Altered functional activity in bipolar disorder: A comprehensive review from a large-scale network perspective. <i>Brain and Behavior</i> , 2021 , 11, e01953	3.4	1
13	Transcranial Infrared Laser Stimulation Improves Cognition in Older Bipolar Patients: Proof of Concept Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021 , 891988720988906	3.8	6
12	Associations between lifetime stress exposure and the error-related negativity (ERN) differ based on stressor characteristics and exposure timing in young adults. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2021 , 1	3.5	2
11	Altered dynamics of the prefrontal networks are associated with the risk for postpartum psychosis: a functional magnetic resonance imaging study. <i>Translational Psychiatry</i> , 2021 , 11, 238	8.6	1
10	Differential involvement of frontoparietal network and insula cortex in emotion regulation. <i>Neuropsychologia</i> , 2021 , 161, 107991	3.2	1
9	Cognitive Performance in Euthymic Patients with Bipolar Disorder vs Healthy Controls: A Neuropsychological Investigation. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2017 , 13, 71-81	3.2	6
8	Neural correlates of working memory function in euthymic people with bipolar disorder compared to healthy controls: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2022 , 297, 610-622	6.6	0
7	Functional brain imaging in bipolar disorder. 2022 , 39-60		

- 6 Shared and specific characteristics of regional cerebral blood flow and functional connectivity in unmedicated bipolar and major depressive disorders.. *Journal of Affective Disorders*, **2022**, 6.6 ○
- 5 Table_1.xlsx. **2020**,
- 4 Table_2.xlsx. **2020**,
- 3 Table_3.xlsx. **2020**,
- 2 Table_4.xlsx. **2020**,
- 1 Disrupted network switching in euthymic bipolar disorder: Working memory and self-referential paradigms. **2022**, ○