

CITATION REPORT

List of articles citing

EPA guidance on the early intervention in clinical high risk states of psychoses

DOI: 10.1016/j.eurpsy.2015.01.013
European Psychiatry, 2015, 30, 388-404.

Source: <https://exaly.com/paper-pdf/61296179/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
287	Prediction and prevention of psychosis: current progress and future tasks. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264 Suppl 1, S9-16	5.1	16
286	[Should antipsychotics be used in prodromal stages of schizophrenia to prevent psychosis? Con]. 2015 , 86, 1424-6		3
285	[Should antipsychotics be used in prodromal stages of schizophrenia to prevent psychosis? Pro]. 2015 , 86, 1420-3		2
284	Cognitive dysfunction in bipolar disorder and schizophrenia: a systematic review of meta-analyses. 2015 , 11, 3111-25		133
283	Predicting the onset of psychosis in patients at clinical high risk: practical guide to probabilistic prognostic reasoning. 2016 , 19, 10-5		48
282	Abnormal involuntary movements are linked to psychosis-risk in children and adolescents: Results of a population-based study. <i>Schizophrenia Research</i> , 2016 , 174, 58-64	3.6	28
281	A Case of Attenuated Psychosis Syndrome: A Broad Differential Diagnosis Requires Broad-Spectrum Treatment. 2016 , 173, 321-9		1
280	The association between polyunsaturated fatty acid consumption and the transition to psychosis in ultra-high risk individuals. 2016 , 108, 30-7		13
279	Diagnostic Categories: Provisional, Not Otherwise Classified, or Place-holder?. 2016 , 42, 1305-1306		6
278	Ultra high risk status and transition to psychosis in 22q11.2 deletion syndrome. 2016 , 15, 259-265		41
277	Development and interrater reliability of the UK Mental Health Triage Scale. 2016 , 25, 330-6		9
276	[Why and how to treat psychosis earlier?]. 2016 , 45, 992-1000		2
275	Restricted attention to social cues in schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 649-61	5.1	21
274	Early interventions for prodromal stage of psychosis. 2016 ,		2
273	Progress and Future Directions in Research on the Psychosis Prodrome: A Review for Clinicians. 2016 , 24, 87-103		36
272	Mismatch negativity: Alterations in adults from the general population who report subclinical psychotic symptoms. <i>European Psychiatry</i> , 2016 , 34, 9-16	6	6
271	Depression predicts persistence of paranoia in clinical high-risk patients to psychosis: results of the EPOS project. 2016 , 51, 247-57		17

270	Four-Year Follow-up of Cognitive Behavioral Therapy in Persons at Ultra-High Risk for Developing Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. 2016 , 42, 1243-52		48
269	Attenuated psychotic and basic symptom characteristics in adolescents with ultra-high risk criteria for psychosis, other non-psychotic psychiatric disorders and early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1091-102	5.5	24
268	Altering the course of schizophrenia: progress and perspectives. 2016 , 15, 485-515		284
267	Convergent and concurrent validity of the Frankfurt Complaint Questionnaire as a screener for psychosis risk. 2017 , 20, 1480-1496		9
266	[Cas report: Affective symptoms and emerging psychotic disorder in adolescents]. 2017 , 43, 399-401		1
265	The Youth Mental Health Risk and Resilience Study (YouR-Study). <i>BMC Psychiatry</i> , 2017 , 17, 43	4.2	16
264	Course of psychotic symptoms, depression and global functioning in persons at clinical high risk of psychosis: Results of a longitudinal observation study over three years focusing on both converters and non-converters. <i>Schizophrenia Research</i> , 2017 , 189, 19-26	3.6	14
263	[Pros and cons of antipsychotic drugs in Prodromal stages of schizophrenia]. 2017 , 88, 1076-1078		
262	A critique of the "ultra-high risk" and "transition" paradigm. 2017 , 16, 200-206		142
261	Age effect on prevalence of ultra-high risk for psychosis symptoms: replication in a clinical sample of an early detection of psychosis service. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1401-1405 ^{5.5}		21
260	[Detection and early treatment of subjects at high risk of clinical psychosis: Definitions and recommendations]. 2017 , 43, 292-297		5
259	Utility of risk-status for predicting psychosis and related outcomes: evaluation of a 10-year cohort of presenters to a specialised early psychosis community mental health service. 2017 , 247, 336-344		18
258	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. 2017 , 86, 292-299		17
257	Disclosure of Diagnosis in Early Recognition of Psychosis. 2017 , 205, 757-761		1
256	Canadian Practice Guidelines for Comprehensive Community Treatment for Schizophrenia and Schizophrenia Spectrum Disorders. 2017 , 62, 662-672		14
255	European status and perspectives on early detection and intervention in at-risk mental state and first episode psychosis: Viewpoint from the EPA section for prevention of mental disorders. <i>European Psychiatry</i> , 2017 , 46, 48-50	6	9
254	Canadian Treatment Guidelines on Psychosocial Treatment of Schizophrenia in Children and Youth. 2017 , 62, 648-655		17
253	Physical Health and Drug Safety in Individuals with Schizophrenia. 2017 , 62, 673-683		16

252	Canadian Treatment Guidelines for Individuals at Clinical High Risk of Psychosis. 2017 , 62, 656-661		32
251	Canadian Guidelines for the Assessment and Diagnosis of Patients with Schizophrenia Spectrum and Other Psychotic Disorders. 2017 , 62, 594-603		18
250	Canadian Guidelines for the Pharmacological Treatment of Schizophrenia Spectrum and Other Psychotic Disorders in Children and Youth. 2017 , 62, 635-647		24
249	Canadian Schizophrenia Guidelines: Introduction and Guideline Development Process. 2017 , 62, 586-593		10
248	Evolving Notions of Schizophrenia as a Developmental Neurocognitive Disorder. 2017 , 23, 881-892		45
247	Canadian Treatment Guidelines on Psychosocial Treatment of Schizophrenia in Adults. 2017 , 62, 617-623		35
246	Guidelines for the Pharmacotherapy of Schizophrenia in Adults. 2017 , 62, 604-616		130
245	Holding on to false beliefs: The bias against disconfirmatory evidence over the course of psychosis. 2017 , 56, 79-89		21
244	Psychotische Störungen früh erkennen und früh behandeln. 2017 , 19, 40-52		
243	Electrophysiological, cognitive and clinical profiles of at-risk mental state: The longitudinal Minds in Transition (MinT) study. 2017 , 12, e0171657		24
242	No age effect in the prevalence and clinical significance of ultra-high risk symptoms and criteria for psychosis in 22q11 deletion syndrome: Confirmation of the genetically driven risk for psychosis?. 2017 , 12, e0174797		10
241	Coping with Unusual Experiences for 12-18 year olds (CUES+): a transdiagnostic randomised controlled trial of the effectiveness of cognitive therapy in reducing distress associated with unusual experiences in adolescent mental health services: study protocol for a randomised controlled trial. 2017 , 18, e0174797		9
240	[Developmental Aspects in the Early Detection and Intervention in Clinical High Risk States for Psychosis]. 2017 , 66, 324-344		1
239	Survey of recognition and treatment of at-risk mental state by Japanese psychiatrists. <i>Psychiatry and Clinical Neurosciences</i> , 2018 , 72, 391-398	6.2	1
238	Expressed emotion as a predictor of the first psychotic episode - Results of the European prediction of psychosis study. <i>Schizophrenia Research</i> , 2018 , 199, 346-352	3.6	9
237	N-Acetylcystein: neue Option zur frühen Bekämpfung von Schizophrenie. 2018 , 19, 28-34		
236	The Coping with Unusual Experiences for Children Study (CUES): A pilot randomized controlled evaluation of the acceptability and potential clinical utility of a cognitive behavioural intervention package for young people aged 8-14 years with unusual experiences and emotional symptoms. 2018 , 57, 328-350		11
235	Identifying and treating the prodromal phases of bipolar disorder and schizophrenia. 2018 , 5, 113-128		4

234	Psychosis-risk criteria in the general population: frequent misinterpretations and current evidence. 2018 , 17, 107-108		14
233	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)? <i>European Psychiatry</i> , 2018 , 52, 38-44	6	6
232	Recent advances in the prevention of mental disorders. 2018 , 53, 325-339		19
231	The Italian version of the 16-item prodromal questionnaire (iPQ-16): Field-test and psychometric features. <i>Schizophrenia Research</i> , 2018 , 199, 353-360	3.6	16
230	Psychotherapie bei Patienten mit klinischer High-Risk für Psychosen. 2018 , 21, 10-16		
229	Polish individuals with an at-risk mental state: demographic and clinical characteristics. <i>Microbial Biotechnology</i> , 2018 , 12, 391-399	3.3	11
228	Early referral and comorbidity as possible causes of the declining transition rate in subjects at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2018 , 12, 596-604	3.3	7
227	Increased Striatal and Reduced Prefrontal Cerebral Blood Flow in Clinical High Risk for Psychosis. 2018 , 44, 182-192		22
226	Clinical high risk for psychosis in children and adolescents: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 683-700	5.5	26
225	Childhood unusual experiences in community Child and Adolescent Mental Health Services in South East London: Prevalence and impact. <i>Schizophrenia Research</i> , 2018 , 195, 93-96	3.6	6
224	Predictors of longer-term outcome in the Vienna omega-3 high-risk study. <i>Schizophrenia Research</i> , 2018 , 193, 168-172	3.6	5
223	Adolescents at ultra-high risk of psychosis in Italian neuropsychiatry services: prevalence, psychopathology and transition rate. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 725-737	5.5	26
222	Pertinence et faisabilité d'un repérage précoce des troubles psychotiques en institut thérapeutique, éducatif et pédagogique (ITEP): une enquête nationale. 2018 , 66, 52-60		0
221	Development of a Boston Treatment Program for Youth at Clinical High Risk for Psychosis: Center for Early Detection, Assessment, and Response to Risk (CEDAR). 2018 , 26, 274-286		5
220	The many roads to psychosis: recent advances in understanding risk and mechanisms. 2018 , 7,		10
219	[Asperger Syndrome and/or Clinical High Risk of Psychosis? A Differential Diagnostic Challenge]. 2018 , 67, 274-293		1
218	Quantitative System Pharmacology (QSP): An Integrative Framework for paradigm change in the treatment of the first-episode schizophrenia. 2018 , 44, S34-S38		1
217	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. 2018 , 75, 1156-1172		156

216	EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Psychiatry</i> , 2018 , 54, 124-144	6	197
215	Conundrums in Managing Early Stages of Schizophrenia. 2018 , 103-114		
214	Lack of evidence to favor specific preventive interventions in psychosis: a network meta-analysis. 2018 , 17, 196-209		134
213	Efficacy and Acceptability of Interventions for Attenuated Positive Psychotic Symptoms in Individuals at Clinical High Risk of Psychosis: A Network Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 187	5	64
212	Striatal cerebral blood flow, executive functioning, and fronto-striatal functional connectivity in clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2018 , 201, 231-236	3.6	13
211	The approved Italian version of the comprehensive assessment of at-risk mental states (CAARMS-ITA): Field test and psychometric features. <i>Microbial Biotechnology</i> , 2019 , 13, 810-817	3.3	20
210	Clinical high risk for psychosis: The effects of labelling on public stigma in a undergraduate population. <i>Microbial Biotechnology</i> , 2019 , 13, 874-881	3.3	10
209	Perceptions of attenuated psychosis in a diverse sample of undergraduates. <i>Microbial Biotechnology</i> , 2019 , 13, 922-927	3.3	6
208	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. <i>Psychological Medicine</i> , 2019 , 49, 1346-1356	6.9	13
207	Trends in the prescribing of antipsychotic medicines in Pakistan: implications for the future. 2019 , 35, 51-61		3
206	Trends in Schizophrenia Diagnosis and Treatment. 2019 , 603-619		2
205	Psychological interventions in psychosis in children and adolescents: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 735-746	5.5	13
204	The specificity of schizotypal scales and some implications for clinical high-risk research. 2019 , 151, 109450		3
203	[soulspace - Implementing a Low Threshold Specific Treatment and Early Intervention Programme for Young Adults and Adolescents in Routine Care in Germany]. 2019 , 46, 243-246		0
202	Evaluation of the Combined Treatment Approach "Robin" (Standardized Manual and Smartphone App) for Adolescents at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 384	5	4
201	Four reasons why early detection centers for psychosis should be renamed and their treatment targets reconsidered: we should not catastrophize a future we can neither reliably predict nor change. <i>Psychological Medicine</i> , 2019 , 49, 2134-2140	6.9	31
200	Treatment approach Robin For adolescents at high risk for developing a psychotic disorder: therapy modules enhanced by a smartphone application. 2019 , 29, S399-S400		
199	Cognitive behavioural therapy for worry in young individuals with at-risk mental states: a preliminary investigation. 2019 , 12,		1

198	The "Reggio Emilia At-Risk Mental States" program: A diffused, "liquid" model of early intervention in psychosis implemented in an Italian Department of Mental Health. <i>Microbial Biotechnology</i> , 2019 , 13, 1513-1524	3.3	26
197	Nicotine consumption during the prodromal phase of schizophrenia - a review of the literature. 2019 , 15, 2943-2958		5
196	Associations of psychosis-risk symptoms with quality of life and self-rated health in the Community. <i>European Psychiatry</i> , 2019 , 62, 116-123	6	4
195	Functional and structural correlates of abnormal involuntary movements in psychosis risk and first episode psychosis. <i>Schizophrenia Research</i> , 2019 , 212, 196-203	3.6	9
194	The Provision of Education and Employment Support At the Outreach and Support in South London (OASIS) Service for People at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 799	5	4
193	Improvement of psychiatrists' clinical knowledge of the treatment guidelines for schizophrenia and major depressive disorders using the 'Effectiveness of Guidelines for Dissemination and Education in Psychiatric Treatment (EGUIDE)' project: A nationwide dissemination, education, and evaluation study. <i>Psychiatry and Clinical Neuroscience</i> , 2019 , 73, 412-418	6.2	15
192	Trait emotional experience in individuals with schizophrenia and youth at clinical high risk for psychosis. <i>BJPsych Open</i> , 2019 , 5, e78	5	3
191	Health literacy in clinical-high-risk individuals for psychosis: A systematic mixed-methods review. <i>Microbial Biotechnology</i> , 2019 , 13, 1293-1309	3.3	4
190	Multidisciplinary Treatment for Individuals at Clinical High Risk of Developing Psychosis. 2019 , 6, 1-16		17
189	A Mentalization-Informed Staging Approach to Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 385	5	4
188	Psychosis and Schizophrenia-Spectrum Personality Disorders Require Early Detection on Different Symptom Dimensions. <i>Frontiers in Psychiatry</i> , 2019 , 10, 476	5	27
187	Large-Scale Brain Network Dynamics Provide a Measure of Psychosis and Anxiety in 22q11.2 Deletion Syndrome. 2019 , 4, 881-892		16
186	Multimodal prevention of first psychotic episode through N-acetyl-l-cysteine and integrated preventive psychological intervention in individuals clinically at high risk for psychosis: Protocol of a randomized, placebo-controlled, parallel-group trial. <i>Microbial Biotechnology</i> , 2019 , 13, 1404-1415	3.3	8
185	Short clinically-based prediction model to forecast transition to psychosis in individuals at clinical high risk state. <i>European Psychiatry</i> , 2019 , 58, 72-79	6	7
184	Assessment and treatment of individuals at high risk for psychosis. 2019 , 25, 177-184		7
183	Suicidal Thinking and Behavior in Adolescents at Ultra-High Risk of Psychosis: A Two-year Longitudinal Study. 2019 , 49, 1637-1652		18
182	Distinguishing prodromal stage of bipolar disorder and early onset schizophrenia spectrum disorders during adolescence. 2019 , 275, 315-325		9
181	An integrated neurocognitive and social-cognitive treatment for youth at clinical high risk for psychosis: Cognition for Learning and for Understanding Everyday Social Situations (CLUES). <i>Schizophrenia Research</i> , 2019 , 208, 55-59	3.6	6

180	Antipsychotics in adolescents at ultra-high risk of psychosis: Findings from the Reggio Emilia At-Risk Mental States Project. 2019 , 29, S99-S100		
179	Early intervention services for psychosis in Ireland: are we there yet?. 2019 , 36, 243-248		3
178	Interventions for prodromal stage of psychosis. 2019 , 2019,		24
177	Differences Between Self-Reported Psychotic Experiences, Clinically Relevant Psychotic Experiences, and Attenuated Psychotic Symptoms in the General Population. <i>Frontiers in Psychiatry</i> , 2019 , 10, 782	5	12
176	Uncanny Mirroring: A Developmental Perspective on the Neurocognitive Origins of Self-Disorders in Schizophrenia. 2019 , 52, 316-325		6
175	Implementing the Latvian Early Intervention Program (LAT-EIP) for Patients With Schizophrenia Spectrum First-Episode Psychosis: Study Protocol. <i>Frontiers in Psychiatry</i> , 2019 , 10, 829	5	3
174	Integrated Programs for Early Recognition of Severe Mental Disorders: Recommendations From an Italian Multicenter Project. <i>Frontiers in Psychiatry</i> , 2019 , 10, 844	5	6
173	Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2019 , 10, 764	5	50
172	Federated multi-site longitudinal study of at-risk mental state for psychosis in Japan. <i>Schizophrenia Research</i> , 2019 , 204, 343-352	3.6	3
171	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , 2019 , 210, 39-47	3.6	45
170	Anxiety in youth at clinical high risk for psychosis: A case study and conceptual model. <i>Schizophrenia Research</i> , 2019 , 208, 441-446	3.6	2
169	The Global Functioning: Social and Role Scales-Further Validation in a Large Sample of Adolescents and Young Adults at Clinical High Risk for Psychosis. 2019 , 45, 763-772		28
168	Clinical high risk for psychosis in childhood and adolescence: findings from the 2-year follow-up of the ReARMS project. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 957-971	5.5	25
167	Early psychosis detection program in Chile: A first step for the South American challenge in psychosis research. <i>Microbial Biotechnology</i> , 2019 , 13, 328-334	3.3	4
166	Severe conduct problems in adolescence and risk of schizophrenia in early adulthood. <i>Microbial Biotechnology</i> , 2019 , 13, 1338-1344	3.3	1
165	Characterization of children and adolescents with psychosis risk syndrome: The Children and Adolescents Psychosis Risk Syndrome (CAPRIS) study. <i>Microbial Biotechnology</i> , 2019 , 13, 1062-1072	3.3	12
164	Predictors of treatment response to psychological interventions in people at clinical high risk of first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 120-127	3.3	4
163	CBT in the prevention of psychosis and other severe mental disorders in patients with an at risk mental state: A review and proposed next steps. <i>Schizophrenia Research</i> , 2019 , 203, 88-93	3.6	17

162	Predictive capacity of prodromal symptoms in first-episode psychosis of recent onset. <i>Microbial Biotechnology</i> , 2019 , 13, 414-424	3.3	4
161	Open-label study of cognitive behavioural therapy for individuals with at-risk mental state: Feasibility in the Japanese clinical setting. <i>Microbial Biotechnology</i> , 2019 , 13, 137-141	3.3	2
160	Exploring functional impairment in young people at ultra-high risk for psychosis: A qualitative study. <i>Microbial Biotechnology</i> , 2019 , 13, 789-797	3.3	5
159	Anhedonia in adolescents at ultra-high risk (UHR) of psychosis: findings from a 1-year longitudinal study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 337-350	5.1	20
158	Relationships between cognitive event-related brain potential measures in patients at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2020 , 226, 84-94	3.6	15
157	Telehealth interventions for schizophrenia-spectrum disorders and clinical high-risk for psychosis individuals: A scoping review. 2020 , 26, 14-20		38
156	Detecting schizophrenia early: Prediagnosis healthcare utilization characteristics of patients with schizophrenia may aid early detection. <i>Schizophrenia Research</i> , 2020 , 215, 392-398	3.6	3
155	Psychosis screening in schools: Considerations and implementation strategies. <i>Microbial Biotechnology</i> , 2020 , 14, 130-136	3.3	4
154	Treating Comorbid Substance Use and Psychosis. 2020 , 511-536		1
153	The Prodrome of Psychotic Disorders: Identification, Prediction, and Preventive Treatment. 2020 , 29, 57-69		6
152	Psychosis Risk and Development: What Do We Know From Population-Based Studies?. 2020 , 88, 315-325		12
151	Modular cognitive-behavioral therapy for affective symptoms in young individuals at ultra-high risk of first episode of psychosis: Randomized controlled trial. 2020 , 76, 392-405		9
150	Unmet needs for treatment in 102 individuals with brief and limited intermittent psychotic symptoms (BLIPS): implications for current clinical recommendations. 2019 , 29, e67		19
149	The "Parma-Early Psychosis" program: General description and process analysis after 5 years of clinical activity. <i>Microbial Biotechnology</i> , 2020 , 14, 356-364	3.3	18
148	[Early recognition and prevention of schizophrenia and other psychoses]. 2020 , 91, 10-17		1
147	Trapped in a Glass Bell Jar: Neural Correlates of Depersonalization and Derealization in Subjects at Clinical High-Risk of Psychosis and Depersonalization-Derealization Disorder. <i>Frontiers in Psychiatry</i> , 2020 , 11, 535652	5	2
146	Interventions for people at ultra-high risk for psychosis: A systematic review of economic evaluations. <i>Microbial Biotechnology</i> , 2021 , 15, 1115-1126	3.3	2
145	Violence dans les tats mentaux ^ ultra haut risque de psychose. 2020 , 1, 347-353		2

144	Cortical Complexity in People at Ultra-High-Risk for Psychosis Moderated by Childhood Trauma. <i>Frontiers in Psychiatry</i> , 2020 , 11, 594466	5	1
143	Psychosis-risk syndromes in adolescence: Clinical features and tips for care providers. 2020 , 36, 1-5		
142	Efficacy of psychological interventions in young individuals at ultra-high risk for psychosis: A naturalistic study. <i>Microbial Biotechnology</i> , 2021 , 15, 1019-1027	3.3	1
141	Psychosis-spectrum experiences linked to specific psychotherapy readiness domains among psychiatrically hospitalized adolescents. <i>Microbial Biotechnology</i> , 2021 , 15, 949-956	3.3	
140	Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020 , 63, e82	6	4
139	Overcoming the gap between child and adult mental health services: The Reggio Emilia experience in an early intervention in psychosis program. <i>Microbial Biotechnology</i> , 2021 , 15, 1749-1758	3.3	6
138	Has improved treatment contributed to the declining rate of transition to psychosis in ultra-high-risk cohorts?. <i>Schizophrenia Research</i> , 2020 ,	3.6	7
137	Psychological interventions for people with psychotic experiences: A systematic review and meta-analysis of controlled and uncontrolled effectiveness and economic studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 673-695	2.6	3
136	Clinical profile, conversion rate, and suicidal thinking and behaviour in children and adolescents at ultra-high risk for psychosis: a theoretical perspective. 2020 , 23, 455		1
135	Subjective experience of social cognition in adolescents at ultra-high risk of psychosis: findings from a 24-month follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1645-1657	5.5	5
134	Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. 2020 , 22, 517-529		9
133	Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. 2020 , 77, 755-765		143
132	Schizophrenia and "unmet needs": From diagnosis to care in Italy. <i>European Psychiatry</i> , 2020 , 63, e26	6	1
131	Commentary: Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2020 , 11, 488	5	2
130	Cellular and extracellular white matter alterations indicate conversion to psychosis among individuals at clinical high-risk for psychosis. 2021 , 22, 214-227		5
129	Worldwide implementation of clinical services for the prevention of psychosis: The IEPA early intervention in mental health survey. <i>Microbial Biotechnology</i> , 2020 , 14, 741-750	3.3	35
128	Subjective disturbances in emerging psychosis. 2020 , 59-80		
127	Pharmacological intervention for people at risk of psychotic disorder. 2020 , 371-381		1

126	Suicide risk in young people at Ultra-High Risk (UHR) of psychosis: Findings from a 2-year longitudinal study. <i>Schizophrenia Research</i> , 2020 , 220, 98-105	3.6	10
125	The 'Parma-Early Psychosis' programme: Characterization of help-seekers with first episode psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 380-390	3.3	10
124	Computer-aided learning for managing stress: A feasibility trial with clinical high risk adolescents and young adults. <i>Microbial Biotechnology</i> , 2021 , 15, 471-479	3.3	
123	Effect of non-pharmacological interventions on source memory processes in the early course of psychosis: A systematic review. <i>Microbial Biotechnology</i> , 2021 , 15, 219-233	3.3	1
122	Cognitive behavioural therapy for help-seeking adolescents and young adults with at-risk-mental state: Effects on subclinical positive symptoms. <i>Microbial Biotechnology</i> , 2021 , 15, 513-524	3.3	1
121	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 823-824	5.5	2
120	Subjective experience of social cognition in young people at Ultra-High Risk of psychosis: a 2-year longitudinal study. 2021 , 75, 97-108		5
119	Assessing aberrant salience in young community help-seekers with early psychosis: The approved Italian version of the Aberrant Salience Inventory. 2021 , 77, 782-803		3
118	Subtypes of Clinical High Risk for Psychosis that Predict Antipsychotic Effectiveness in Long-Term Remission. 2021 , 54, 23-30		
117	Familiarity for Serious Mental Illness in Help-Seeking Adolescents at Clinical High Risk of Psychosis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552282	5	1
116	Exploring Identity Disturbance and Psychotic Spectrum Symptoms as Predictors of Borderline and Schizotypal Personality Disorders. 2021 , 54, 193-202		1
115	Die Schizophrenie im Entwurf der ICD-11 und Implikationen für die Beurteilung der Schuldfähigkeit. 2021 , 15, 13-19		0
114	Transition to psychosis in randomized clinical trials of individuals at clinical high risk of psychosis compared to observational cohorts: a systematic review and meta-analysis. <i>European Psychiatry</i> , 2021 , 64, e51	6	1
113	Intervention strategies for ultra-high risk for psychosis: Progress in delaying the onset and reducing the impact of first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 228, 344-356	3.6	3
112	Effects of the Health-Awareness-Strengthening Lifestyle Program in a Randomized Trial of Young Adults with an At-Risk Mental State. 2021 , 18,		2
111	Mental Health Services Research Targeting the Clinical High-Risk State for Psychosis: Lessons, Future Directions and Integration with Patient Perspectives. 2021 , 23, 11		2
110	Short-term functional outcome in psychotic patients. Results of the Turku Early Psychosis Study (TEPS).		
109	: Waiting for the Funeral of "Schizophrenia" and the Baby Shower of the Psychosis Spectrum. <i>Frontiers in Psychiatry</i> , 2021 , 12, 618842	5	1

108	Antipsychotics are related to psychometric conversion to psychosis in ultra-high-risk youth. <i>Microbial Biotechnology</i> , 2021 ,	3.3	1
107	Response to 'Diagnostic uncertainty, antipsychotic dosing, and optimal psychosocial interventions: Unanswered questions in first-episode psychosis'. <i>Schizophrenia Research</i> , 2021 , 231, 1-2	3.6	
106	The Bern Early Recognition and Intervention Centre for mental crisis (FETZ Bern)-An 8-year evaluation. <i>Microbial Biotechnology</i> , 2021 ,	3.3	1
105	Preventive psychiatry: a blueprint for improving the mental health of young people. 2021 , 20, 200-221		48
104	Negative Prognostic Effect of Baseline Antipsychotic Exposure in Clinical High Risk for Psychosis (CHR-P): Is Pre-Test Risk Enrichment the Hidden Culprit?. 2021 , 24, 710-720		1
103	Clinical Staging in Schizophrenia Spectrum Disorders.		1
102	Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021 , 232, 98-106	3.6	1
101	Editorial Perspective: Psychosis risk in adolescence - outcomes, comorbidity, and antipsychotics. 2021 ,		0
100	Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. 2021 , 36, 100909		8
99	Subjective experience of aberrant salience in young people at Ultra-High Risk (UHR) for psychosis: a cross-sectional study. 2021 , 1-9		1
98	Cannabidiol (CBD) as a novel treatment in the early phases of psychosis. 2021 , 1		1
97	Antipsychotics in Children and Adolescents at Clinical High Risk for Psychosis. 2021 ,		0
96	Treatment outcomes for young people at clinical high risk for psychosis: Data from a specialized clinic. <i>Microbial Biotechnology</i> , 2021 ,	3.3	0
95	Psychosocial interventions for people with a first episode psychosis: between tradition and innovation. 2021 , 34, 460-466		0
94	Systematic Review and Meta-analysis: Psychosis Risk in Children and Adolescents With an At-Risk Mental State. 2021 ,		2
93	Further evidence that antipsychotic medication does not prevent long-term psychosis in higher-risk individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
92	Psychoserisiksyndrome im Kindes- und Jugendalter. <i>Springer Reference Medizin</i> , 2021 , 1-12	0	1
91	Establishing a clinical service to prevent psychosis: What, how and when? Systematic review. 2021 , 11, 43		21

90	Frñintervention psychischer Stñungen. <i>Springer Reference Medizin</i> , 2021 , 1-11	0	
89	EPA guidance on assessment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021 , 64, e236	28	
88	Basic symptoms and gray matter volumes of patients at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2021 , 51, 2666-2674	6.9	1
87	Meta-analyzing the prevalence and prognostic effect of antipsychotic exposure in clinical high-risk (CHR): when things are not what they seem. <i>Psychological Medicine</i> , 2020 , 50, 2673-2681	6.9	7
86	Was tun, bevor es losgeht? FRITZ IDas Frñinterventions- und Therapiezentrum in Berlin. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2017 , 65, 105-112	0.3	4
85	Schizophrene Psychosen im Kindes- und Jugendalter: Frñerkennung und Behandlung. <i>PSYCH Up2date</i> , 2017 , 11, 131-147	0.1	3
84	Real-world effectiveness of antipsychotic treatment in psychosis prevention in a 3-year cohort of 517 individuals at clinical high risk from the SHARP (ShangHai At Risk for Psychosis). <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 696-706	2.6	13
83	Genetic and pharmacogenetic counselling in psychiatric practice. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2020 , 36, 239-249	0.1	1
82	Identifying patients at risk of psychosis: a qualitative study of GP views in South West England. <i>British Journal of General Practice</i> , 2021 , 71, e113-e120	1.6	3
81	Clinical Practice Guidelines for the Management of Schizophrenia in Children and Adolescents. <i>Indian Journal of Psychiatry</i> , 2019 , 61, 277-293	2.2	7
80	Evaluating the tendencies of community practitioners who actively practice in child and adolescent psychiatry to diagnose and treat DSM-5 attenuated psychotic syndrome. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	
79	Schizophrenie. 2016 , 551-559		
78	Schizophrenia and Its Sequelae. 2016 , 3-13		
77	Literaturverzeichnis zu Voderholzer/Hohagen (Hrsg.): Therapie psychischer Erkrankungen, 13. Auflage. 2017 , 1-111		
76	Early Intervention in Psychosis. 299-306		
75	Psychosen. 2018 , 133-164		
74	Esordi psicotici. Implicazioni cliniche di stili di attaccamento, credenze metacognitive e comunicazione medico-paziente. <i>Psicobiiettivo</i> , 2018 , 135-145	0.1	
73	Gagner du temps : quels soins possibles chez les personnes ^ haut risque clinique de psychose ?. <i>French Journal of Psychiatry</i> , 2018 , 1, S58-S59	0.1	

72	Psychosen bei Kindern und Jugendlichen. <i>Springer Reference Medizin</i> , 2019 , 1-7		0
71	État mental à haut risque de transition psychotique. 2019 , 167-171		
70	Versorgungskoordination (Modul 5). 2019 , 271-299		
69	Psychotische Stufen. 2019 , 715-736		
68	[The effectiveness and feasibility of preventive interventions for psychoses]. <i>Zhurnal Nevrologii I Psikiatrii Imeni S S Korsakova</i> , 2019 , 119, 108-112		0.4
67	Allgemeine Grundlagen (Modul 1). 2019 , 1-12		
66	Quelle modalité de traitement médicamenteux ?. 2019 , 103-114		
65	Intervention Strategies for Attenuated Psychosis Syndromes: A Review of Current Practice, Evidence, and Future Directions. 2019 , 41-63		
64	Behandlung unter besonderen Bedingungen (Modul 4c). 2019 , 181-254		
63	Literaturverzeichnis zu Voderholzer/Hohagen (Hrsg.): Therapie psychischer Erkrankungen, 14. Auflage. 2019 , 1-119		
62	Comment détecter les jeunes à haut risque de transition psychotique ?. 2019 , 27-36		
61	Clinical High Risk for Psychosis Syndromes Among Swiss and German Youth and Young Adults: Early Identification and Intervention. 2019 , 115-142		
60	Attenuated Psychosis in Youth and Adolescents: Clinical and Cultural Considerations from India. 2019 , 323-332		
59	Large-scale brain network dynamics provide a measure of psychosis and anxiety in 22q11.2 deletion syndrome.		0
58	First-Episode Psychosis. <i>Current Clinical Psychiatry</i> , 2020 , 137-156		0.2
57	A randomized Phase II trial evaluating efficacy, safety, and tolerability of oral BI 409306 in attenuated psychosis syndrome: Design and rationale. <i>Microbial Biotechnology</i> , 2021 , 15, 1315-1325	3.3	2
56	Lowering costs for large-scale screening in psychosis: a systematic review and meta-analysis of performance and value of information for speech-based psychiatric evaluation. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 673-686	2.6	3
55	Intervensi pada Populasi Risiko Tinggi Skizofrenia, Perlukah?. <i>Jurnal Psikiatri Surabaya</i> , 2020 , 8, 14		0.1

54	Früherkennung und Frühbehandlung von Menschen mit erhöhtem Psychoserisiko. 2020 , 1-25		
53	Ethics of Informed Consent, Coercive and Preventive Medication. 2020 , 1-16		
52	Neuro-psychopharmacotherapy and the Differential Diagnostic Approaches in Europe. 2020 , 1-30		
51	Psychosen. <i>Springer Reference Medizin</i> , 2020 , 2785-2791	0	
50	Applying intervention mapping approach to a program for early intervention in first-episode mental crisis of a psychotic type. <i>Psicologia: Reflexao E Critica</i> , 2020 , 33, 3	1.1	
49	The Ohio State University Early Psychosis Intervention Center (EPICENTER) step-based care programme for individuals at clinical high risk for psychosis: study protocol for an observational study. <i>BMJ Open</i> , 2020 , 10, e034031	3	
48	Basic self-disturbance trajectories in clinical high risk for psychosis: a one-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
47	Editorial: Clinical High Risk for Psychosis: From Epidemiological Findings to Neurobiological Underpinnings of Treatment Response and Outcome. <i>Frontiers in Psychiatry</i> , 2021 , 12, 790810	5	
46	Short-term functional outcome in psychotic patients: results of the Turku early psychosis study (TEPS). <i>BMC Psychiatry</i> , 2021 , 21, 602	4.2	0
45	Einleitung. 2021 , 1-7		
44	Medikation. 2021 , 147-153		
43	Chapitre 10. Les stratégies thérapeutiques dans la psychose débutante: principes et traitements médicamenteux. 2015 , 155-170		
42	N400 event-related brain potential and functional outcome in persons at clinical high risk for psychosis: a longitudinal study.. <i>Psychiatry and Clinical Neurosciences</i> , 2022 ,	6.2	
41	Intérêt de la restructuration cognitive des idées de référence dans la schizophrénie. <i>Soins Psychiatrie</i> , 2022 ,	0.1	0
40	Examining subjective experience of aberrant salience in young individuals at ultra-high risk (UHR) of psychosis: A 1-year longitudinal study.. <i>Schizophrenia Research</i> , 2022 , 241, 52-58	3.6	0
39	Clusters, lines and webs-so does my patient have psychosis? reflections on the use of psychiatric conceptual frameworks from a clinical vantage point.. <i>Philosophy, Ethics, and Humanities in Medicine</i> , 2022 , 17, 6	2.2	
38	Establishing a business case for setting up early detection services for preventing psychosis.. <i>BJPsych Bulletin</i> , 2022 , 1-10	1.2	1
37	Early Detection and Prevention of Schizophrenic Psychosis-A Review.. <i>Brain Sciences</i> , 2021 , 12,	3.4	3

36	Help-Seekers in an Early Detection of Psychosis Service: The Non-cases.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 778785	5	0
35	A dissemination and education programme to improve the clinical behaviours of psychiatrists in accordance with treatment guidelines for schizophrenia and major depressive disorders: the Effectiveness of Guidelines for Dissemination and Education in Psychiatric Treatment (EGUIDE) project.. <i>BJPsych Open</i> , 2022 , 8, e83	5	0
34	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis.. <i>Lancet Psychiatry</i> , 2022 , 9, 413-422	23.3	1
33	Image_1.PDF. 2018 ,		
32	DataSheet_1.docx. 2020 ,		
31	DataSheet_1.docx. 2019 ,		
30	Table_1.docx. 2019 ,		
29	Table_2.docx. 2019 ,		
28	Table_3.docx. 2019 ,		
27	Table_4.docx. 2019 ,		
26	The Ohio State University Early Psychosis Intervention Center (EPICENTER) step-based care programme for individuals at clinical high risk for psychosis: study protocol for an observational study. 2020 , 10, e034031		0
25	A qualitative study of help-seeking experiences leading up to a specialized service for youth at risk of psychosis. <i>Psychosis</i> , 1-11	1.2	
24	L'Union fait la force': initier un mouvement francophone national et international pour l'implantation de l'intervention précoce. <i>Sante Mentale Au Quebec</i> , 2021 , 46, 365	0.2	
23	An ecological momentary assessment study of age effects on perceptive and non-perceptive clinical high-risk symptoms of psychosis.. <i>European Child and Adolescent Psychiatry</i> , 2022 ,	5.5	0
22	The Role of Psychopharmacology in Mental Health Prevention. 2022 , 53-74		
21	Clinical profile and conversion rate to full psychosis in a prospective cohort study of youth affected by autism spectrum disorder and attenuated psychosis syndrome: A preliminary report. 13,		0
20	The 3-year progression of clinically significant psychotic-like experiences in a general adult population in Lagos, Nigeria.		0
19	Case report: From anxiety disorders to psychosis, a continuum in transitional age youth?. 13,		0

- 18 Plasma Biomarkers in Early-Onset Schizophrenia. Case-Control Study in Adolescent Population. ○
- 17 Neuro-psychopharmacotherapy and the Differential Diagnostic Approaches in Europe. **2022**, 671-700 ○
- 16 Violent and Aggressive Behavior in Individuals at Risk for Psychosis: Prevalence, Mechanisms, Assessment, Management, and Prevention. **2022**, 1-19 ○
- 15 Ethics of Informed Consent: Coercive and Preventive Medication. **2022**, 739-753 ○
- 14 Rhythmic auditory stimulation incorporated in training improved movements in individuals with psychotic-like experiences. ○
- 13 Clinical and functional characteristics of at-risk mental state among non-help seeking adolescents: a cross-sectional study. ○
- 12 IL-17 and TNF- α Predictive biomarkers for transition to psychosis in ultra-high risk individuals. 13, ○
- 11 Mapping the implementation and challenges of clinical services for psychosis prevention in England. 13, ○
- 10 Different Phases of Schizophrenia Patients: From the Psychological Perspective. **2023**, 197-213 ○
- 9 The Parma At-Risk mental states (PARMS) program: General description and process analysis after 5 years of clinical activity. ○
- 8 Survival of patients with severe mental disorders: Influence of social functioning. 002076402311522 ○
- 7 Anhedonia and suicidal ideation in young people with early psychosis: Further findings from the 2-year follow-up of the ReARMS program. **2023**, 323, 115177 ○
- 6 Early Intervention Services for youth at Clinical High-Risk for Psychosis: The Reggio Emilia At-Risk Mental State (ReARMS) experience. **2022**, 146, 61-80 ○
- 5 Prevalence of tobacco smoking in people at clinical high-risk for psychosis: Systematic review and meta-analysis. **2023**, 254, 109-115 ○
- 4 The temporal dynamics of transition to psychosis in individuals at clinical high-risk (CHR-P) shows negative prognostic effects of baseline antipsychotic exposure: a meta-analysis. **2023**, 13, ○
- 3 Longitudinal evaluation on negative symptoms in young people at Ultra-High Risk (UHR) of psychosis: results from a 2-year follow-up study in a real-world care setting. ○
- 2 The identification and management of people with an at-risk mental state (ARMS) for psychosis in primary and secondary care services: A qualitative interview study. ○
- 1 Plasma biomarkers in adolescents with schizophrenia-spectrum disorder. ○

