CITATION REPORT List of articles citing

Default Mode Connectivity in Youth With Perinatally Acquired HIV

DOI: 10.1097/md.0000000000001417 Medicine (United States), 2015, 94, e1417.

Source: https://exaly.com/paper-pdf/61365544/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
25	Executive Functioning in Children and Adolescents With Perinatal HIV Infection and Perinatal HIV Exposure. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2016 , 5, S15-S23	4.8	26
24	Deformed Subcortical Structures Are Related to Past HIV Disease Severity in Youth With Perinatally Acquired HIV Infection. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2016 , 5, S6-S14	4.8	23
23	Brain and Cognitive Development Among U.S. Youth With Perinatally Acquired Human Immunodeficiency Virus Infection. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2016 , 5, S1-S5	4.8	8
22	Lower total and regional grey matter brain volumes in youth with perinatally-acquired HIV infection: Associations with HIV disease severity, substance use, and cognition. <i>Brain, Behavior, and Immunity</i> , 2017 , 62, 100-109	16.6	24
21	Reduced functional connectivity between ventromedial prefrontal cortex and insula relates to longer corrected QT interval in HIV+ and HIV- individuals. <i>Clinical Neurophysiology</i> , 2017 , 128, 1839-1850	₀ 4·3	8
20	Impact of Perinatally Acquired HIV Disease Upon Longitudinal Changes in Memory and Executive Functioning. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, 455-464	3.1	14
19	Combination antiretroviral therapy improves cognitive performance and functional connectivity in treatment-nate HIV-infected individuals. <i>Journal of NeuroVirology</i> , 2017 , 23, 704-712	3.9	27
18	Changes in resting-state functional brain activity are associated with waning cognitive functions in HIV-infected children. <i>NeuroImage: Clinical</i> , 2018 , 20, 1204-1210	5.3	7
17	CNS Persistence of HIV-1 in Children: the Untapped Reservoir. Current HIV/AIDS Reports, 2018, 15, 382-3	8 § 79	11
16	Imaging studies of the HIV-infected brain. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2018 , 152, 229-264	3	26
15	Asymptomatic Human Immunodeficiency Virus Vertical Transmitted AdolescentsVBrain Functional Changes: Based on Resting-State Functional Magnetic Resonance Imaging. <i>AIDS Research and Human Retroviruses</i> , 2018 , 34, 699-704	1.6	3
14	Functional Connectivity Alterations between Networks and Associations with Infant Immune Health within Networks in HIV Infected Children on Early Treatment: A Study at 7 Years. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 635	3.3	7
13	Effects of early HIV infection and combination antiretroviral therapy on intrinsic brain activity: a cross-sectional resting-state fMRI study. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 883-894	3.1	6
12	Mapping abnormal subcortical neurodevelopment in a cohort of Thai children with HIV. <i>NeuroImage: Clinical</i> , 2019 , 23, 101810	5.3	7
11	Diagnostic and prognostic biomarkers for HAND. <i>Journal of NeuroVirology</i> , 2019 , 25, 686-701	3.9	9
10	State of the Mind: Growing up with HIV. Paediatric Drugs, 2020, 22, 511-524	4.2	1
9	Brain morphometric differences in youth with and without perinatally-acquired HIV: A cross-sectional study. <i>NeuroImage: Clinical</i> , 2020 , 26, 102246	5.3	2

CITATION REPORT

8	Synergistic effects of HIV and marijuana use on functional brain network organization. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 104, 110040	5.5	8	
7	White matter of perinatally HIV infected older youths shows low frequency fluctuations that may reflect glial cycling. <i>Scientific Reports</i> , 2021 , 11, 3086	4.9	3	
6	Multivariate approach for longitudinal analysis of brain metabolite levels from ages 5-11 years in children with perinatal HIV infection. <i>NeuroImage</i> , 2021 , 237, 118101	7.9	2	
5	Altered White Matter Tracts in the Somatosensory, Salience, Motor, and Default Mode Networks in 7-Year-Old Children Living with Human Immunodeficiency Virus: A Tractographic Analysis. <i>Brain Connectivity</i> , 2021 ,	2.7	1	
4	Reduced neuronal population in the dorsolateral prefrontal cortex in infant macaques infected with simian immunodeficiency virus (SIV). <i>Journal of NeuroVirology</i> , 2021 , 1	3.9		
3	Neurocognition in Viral Suppressed HIV-Infected Children. 2017 , 257-282		1	
2	Interpretable Graph Neural Networks for Connectome-Based Brain Disorder Analysis. 2022, 375-385		1	
1	The default mode network is affected in the early stage of simian immunodeficiency virus infection: a longitudinal study. 2022 , 0		О	