

CITATION REPORT

List of articles citing

Overcoming the electroluminescence efficiency limitations of perovskite light-emitting diodes

DOI: 10.1126/science.aad1818
Science, 2015, 350, 1222-5.

Source: <https://exaly.com/paper-pdf/61420704/citation-report.pdf>

Version: 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2220	Highly Efficient Perovskite Light-Emitting Diodes Incorporating Full Film Coverage and Bipolar Charge Injection.		
2219	Photo-Induced Exciton Dynamics and Broadband Light Harvesting in ZnO Nanorod-Templated Multilayered Two-Dimensional MoS ₂ /MoO ₃ Photoanodes for Solar Fuel Generation.		
2218	Suppressing Efficiency Roll-Off at High Current Densities for Ultra-Bright Green Perovskite Light-Emitting Diodes.		
2217	High-Efficiency Light-Emitting Diodes of Organometal Halide Perovskite Amorphous Nanoparticles.		
2216	Highly Efficient Light-Emitting Diodes of Colloidal MetalHalide Perovskite Nanocrystals beyond Quantum Size.		
2215	Strategy of Solution-Processed All-Inorganic Heterostructure for Humidity/Temperature-Stable Perovskite Quantum Dot Light-Emitting Diodes.		
2214	Efficient Light-Emitting Diodes Based on in Situ Fabricated FAPbBr ₃ Nanocrystals: The Enhancing Role of the Ligand-Assisted Reprecipitation Process.		
2213	Alternative Type Two-DimensionalThree-Dimensional Lead Halide Perovskite with Inorganic Sodium Ions as a Spacer for High-Performance Light-Emitting Diodes.		
2212	The Doping Mechanism of Halide Perovskite Unveiled by Alkaline Earth Metals.		
2211	Photophysical Model for Non-Exponential Relaxation Dynamics in Hybrid Perovskite Semiconductors.		
2210	Simple and Efficient Green-Light-Emitting Diodes Based on Thin Organolead Bromide Perovskite Films via Tuning Precursor Ratios and Postannealing Temperature.		
2209	High-Efficiency and Air-Stable Perovskite Quantum Dots Light-Emitting Diodes with an All-Inorganic Heterostructure.		
2208	Ultrapure Green Light-Emitting Diodes Using Two-Dimensional Formamidinium Perovskites: Achieving Recommendation 2020 Color Coordinates.		
2207	.		
2206	Cross-Linkable Hole-Transport Materials Improve the Device Performance of Perovskite Light-Emitting Diodes.		
2205	High-Brightness Perovskite Light-Emitting Diodes Using a Printable Silver Microflake Contact.		
2204	Growth of Nanosized Single Crystals for Efficient Perovskite Light-Emitting Diodes.		

2203	High Efficiency Blue and Green Light-Emitting Diodes Using RuddlesdenPopper Inorganic Mixed Halide Perovskites with Butylammonium Interlayers.	
2202	Emulsion Synthesis of Size-Tunable CH ₃ NH ₃ PbBr ₃ Quantum Dots: An Alternative Route toward Efficient Light-Emitting Diodes. 2015 , 7, 28128-33	361
2201	Nanoimprinted distributed feedback lasers of solution processed hybrid perovskites. 2016 , 24, 23677-23684	63
2200	Organometal halide perovskite quantum dots: synthesis, optical properties, and display applications. 2016 , 27, 1124-1130	54
2199	Single step deposition of an interacting layer of a perovskite matrix with embedded quantum dots. 2016 , 8, 14379-83	22
2198	Efficient Visible Quasi-2D Perovskite Light-Emitting Diodes. 2016 , 28, 7515-20	451
2197	All-Inorganic Perovskite Nanocrystals for High-Efficiency Light Emitting Diodes: Dual-Phase CsPbBr ₃ -CsPb ₂ Br ₅ Composites. 2016 , 26, 4595-4600	361
2196	Controlled Growth and Reliable Thickness-Dependent Properties of OrganicInorganic Perovskite Platelet Crystal. 2016 , 26, 5263-5270	52
2195	Improving the Stability and Performance of Perovskite Light-Emitting Diodes by Thermal Annealing Treatment. 2016 , 28, 6906-13	100
2194	Discerning the Surface and Bulk Recombination Kinetics of OrganicInorganic Halide Perovskite Single Crystals. 2016 , 6, 1600551	214
2193	Highly luminescent and stable layered perovskite as the emitter for light emitting diodes. 2016 , 213, 2727-2732	28
2192	Laser Crystallization of Organic-Inorganic Hybrid Perovskite Solar Cells. 2016 , 10, 7907-14	95
2191	Perovskite Materials for Light-Emitting Diodes and Lasers. 2016 , 28, 6804-34	946
2190	Bismuth Iodide Perovskite Materials for Solar Cell Applications: Electronic Structure, Optical Transitions, and Directional Charge Transport. 2016 , 120, 29039-29046	96
2189	Role of Intrinsic Ion Accumulation in the Photocurrent and Photocapacitive Responses of MAPbBr ₃ Photodetectors. 2016 , 8, 35447-35453	10
2188	Three-Dimensional Optical Tomography and Correlated Elemental Analysis of Hybrid Perovskite Microstructures: An Insight into Defect-Related Lattice Distortion and Photoinduced Ion Migration. 2016 , 7, 5227-5234	32
2187	Research Update: Luminescence in lead halide perovskites. 2016 , 4, 091506	12
2186	Research Update: The electronic structure of hybrid perovskite layers and their energetic alignment in devices. 2016 , 4, 091502	48

2185	Optically pumped lasing in single crystals of organometal halide perovskites prepared by cast-capping method. 2016 , 108, 261105	32
2184	Morphology control of perovskite light-emitting diodes by using amino acid self-assembled monolayers. 2016 , 108, 141102	55
2183	Enhanced emissive and lasing characteristics of nano-crystalline MAPbBr ₃ films grown via anti-solvent precipitation. 2016 , 120, 143101	14
2182	Scalable Route to the Fabrication of CH ₃ NH ₃ PbI ₃ Perovskite Thin Films by Electrodeposition and Vapor Conversion. 2016 , 1, 1296-1306	32
2181	Research Update: Challenges for high-efficiency hybrid lead-halide perovskite LEDs and the path towards electrically pumped lasing. 2016 , 4, 091507	48
2180	Room-temperature electroluminescence from two-dimensional lead halide perovskites. 2016 , 109, 151101	58
2179	Field-effect transistors with vacuum-deposited organic-inorganic perovskite films as semiconductor channels. 2016 , 120, 233301	8
2178	Phosphor coated NiO-based planar inverted organometallic halide perovskite solar cells with enhanced efficiency and stability. 2016 , 109, 171103	22
2177	Low-temperature solution-processed Li-doped SnO ₂ as an effective electron transporting layer for high-performance flexible and wearable perovskite solar cells. 2016 , 26, 208-215	331
2176	Structural, Optical, and Electronic Properties of Wide Bandgap Perovskites: Experimental and Theoretical Investigations. 2016 , 120, 3917-23	52
2175	Photovoltaics literature survey (No. 125). 2016 , 24, 405-407	6
2174	Organic-Inorganic Perovskites: Structural Versatility for Functional Materials Design. 2016 , 116, 4558-96	1607
2173	Two-Dimensional Halide Perovskites: Tuning Electronic Activities of Defects. 2016 , 16, 3335-40	80
2172	Dominant factors limiting the optical gain in layered two-dimensional halide perovskite thin films. 2016 , 18, 14701-8	55
2171	Perovskite photonic sources. 2016 , 10, 295-302	1079
2170	Formamidinium Lead Halide Perovskite Crystals with Unprecedented Long Carrier Dynamics and Diffusion Length. 2016 , 1, 32-37	551
2169	A facile one-step solution deposition via non-solvent/solvent mixture for efficient organometal halide perovskite light-emitting diodes. 2016 , 8, 11084-90	39
2168	Highly stable, luminescent core-shell type methylammonium-octylammonium lead bromide layered perovskite nanoparticles. 2016 , 52, 7118-21	105

2167	Nucleation and Growth Control of HC(NH ₂) ₂ PbI ₃ for Planar Perovskite Solar Cell. 2016 , 120, 11262-11267	74
2166	A tailored TiO ₂ electron selective layer for high-performance flexible perovskite solar cells via low temperature UV process. 2016 , 28, 380-389	100
2165	Impact of Photon Recycling on the Open-Circuit Voltage of Metal Halide Perovskite Solar Cells. 2016 , 1, 731-739	96
2164	Mesoscopic Perovskite Light-Emitting Diodes. 2016 , 8, 26989-26997	38
2163	Pure Cs ₄ PbBr ₆ : Highly Luminescent Zero-Dimensional Perovskite Solids. 2016 , 1, 840-845	367
2162	Nonlinear Carrier Interactions in Lead Halide Perovskites and the Role of Defects. 2016 , 138, 13604-13611	61
2161	Perovskite light-emitting diodes based on solution-processed self-organized multiple quantum wells. 2016 , 10, 699-704	1206
2160	Efficient Blue Electroluminescence Using Quantum-Confined Two-Dimensional Perovskites. 2016 , 10, 9720-9729	239
2159	Incorporation of rubidium cations into perovskite solar cells improves photovoltaic performance. <i>Science</i> , 2016 , 354, 206-209	33-3 2628
2158	Single-Layer Halide Perovskite Light-Emitting Diodes with Sub-Band Gap Turn-On Voltage and High Brightness. 2016 , 7, 4059-4066	144
2157	Metal halide perovskite light emitters. 2016 , 113, 11694-11702	381
2156	Periodic Organic-Inorganic Halide Perovskite Microplatelet Arrays on Silicon Substrates for Room-Temperature Lasing. 2016 , 3, 1600137	89
2155	Optical Properties of Heterojunction between Hybrid Halide Perovskite and Charge Transport Materials: Exciplex Emission and Large Polaron. 2016 , 120, 23299-23303	6
2154	Synthesis, properties, and optical applications of low-dimensional perovskites. 2016 , 52, 13637-13655	212
2153	Cross-Linkable Hole-Transport Materials Improve the Device Performance of Perovskite Light-Emitting Diodes. 2016 , 8, 27006-27011	35
2152	In situ gas/solid reaction for the formation of luminescent quantum confined CH ₃ NH ₃ PbBr ₃ perovskite planar film. 2016 , 52, 11080-3	18
2151	NiO Electrode Interlayer and CH ₃ NH ₃ /CH ₃ NH ₃ PbBr ₃ Interface Treatment to Markedly Advance Hybrid Perovskite-Based Light-Emitting Diodes. 2016 , 28, 8687-8694	134
2150	Improved performance of perovskite light-emitting diodes using a PEDOT:PSS and MoO ₃ composite layer. 2016 , 4, 8161-8165	61

2149	Quantum Confinement Effects in Organic Lead Tribromide Perovskite Nanoparticles. 2016 , 120, 18333-18339	25
2148	In Situ Fabrication of Halide Perovskite Nanocrystal-Embedded Polymer Composite Films with Enhanced Photoluminescence for Display Backlights. 2016 , 28, 9163-9168	490
2147	Solvent-Assisted Gel Printing for Micropatterning Thin Organic-Inorganic Hybrid Perovskite Films. 2016 , 10, 9026-35	77
2146	Solution-processed highly bright and durable cesium lead halide perovskite light-emitting diodes. 2016 , 8, 18021-18026	135
2145	Redox Chemistry Dominates the Degradation and Decomposition of Metal Halide Perovskite Optoelectronic Devices. 2016 , 1, 595-602	151
2144	Highly Efficient Perovskite-Quantum-Dot Light-Emitting Diodes by Surface Engineering. 2016 , 28, 8718-8725	700
2143	Enhanced Optical and Electrical Properties of Polymer-Assisted All-Inorganic Perovskites for Light-Emitting Diodes. 2016 , 28, 8983-8989	283
2142	Hybrid perovskite as substituent of indium and gallium in light emitting diodes. 2016 , 13, 958-961	5
2141	Cross-Linkable Fullerene Derivatives for Solution-Processed n-i-p Perovskite Solar Cells. 2016 , 1, 648-653	60
2140	Effective-mass model and magneto-optical properties in hybrid perovskites. 2016 , 6, 28576	88
2139	Efficient Colorful Perovskite Solar Cells Using a Top Polymer Electrode Simultaneously as Spectrally Selective Antireflection Coating. 2016 , 16, 7829-7835	100
2138	Electroluminescence from perovskite LEDs with the structure of Ag/Spiro-OMeTAD/CH ₃ NH ₃ PbI ₃ /TiO ₂ /FTO. 2016 , 662, 176-181	9
2137	Perovskite Luminescent Materials. 2016 , 374, 52	17
2136	Morphology Engineering for High-Performance and Multicolored Perovskite Light-Emitting Diodes with Simple Device Structures. 2016 , 12, 4412-20	95
2135	Efficient perovskite light-emitting diodes by film annealing temperature control. 2016 , 6, 71070-71075	21
2134	Effects of alloying on the optical properties of organic-inorganic lead halide perovskite thin films. 2016 , 4, 7775-7782	75
2133	Carrier Diffusion Lengths in Hybrid Perovskites: Processing, Composition, Aging, and Surface Passivation Effects. 2016 , 28, 5259-5263	74
2132	Solution-Processed Tin-Based Perovskite for Near-Infrared Lasing. 2016 , 28, 8191-8196	174

2131	The Bright Side of Perovskites. 2016 , 7, 4322-4334	100
2130	Simple and Efficient Green-Light-Emitting Diodes Based on Thin Organolead Bromide Perovskite Films via Tuning Precursor Ratios and Postannealing Temperature. 2016 , 7, 4259-4266	33
2129	Bifurcating electron-transfer pathways in DNA photolyases determine the repair quantum yield. <i>Science</i> , 2016 , 354, 209-213	33-34
2128	Ultrastable, Highly Luminescent Organic-Inorganic Perovskite-Polymer Composite Films. 2016 , 28, 10710-10717	99
2127	Polymer-templated nucleation and crystal growth of perovskite films for solar cells with efficiency greater than 21%. 2016 , 1,	1422
2126	Metal halide perovskites for energy applications. 2016 , 1,	528
2125	Molecularly Engineered Organic-Inorganic Hybrid Perovskite with Multiple Quantum Well Structure for Multicolored Light-Emitting Diodes. 2016 , 6, 33546	83
2124	Formation of Perovskite Heterostructures by Ion Exchange. 2016 , 8, 33273-33279	40
2123	Simple Approach to Improving the Amplified Spontaneous Emission Properties of Perovskite Films. 2016 , 8, 32978-32983	40
2122	Pure crystal orientation and anisotropic charge transport in large-area hybrid perovskite films. 2016 , 7, 13407	140
2121	High brightness formamidinium lead bromide perovskite nanocrystal light emitting devices. 2016 , 6, 36733	103
2120	Polyhedral Oligomeric Silsesquioxane Enhances the Brightness of Perovskite Nanocrystal-Based Green Light-Emitting Devices. 2016 , 7, 4398-4404	95
2119	Benign-by-Design Solventless Mechanochemical Synthesis of Three-, Two-, and One-Dimensional Hybrid Perovskites. 2016 , 55, 14972-14977	107
2118	Influence of mobile ions on the electroluminescence characteristics of methylammonium lead iodide perovskite diodes. 2016 , 4, 18614-18620	16
2117	Surface Restructuring of Hybrid Perovskite Crystals. 2016 , 1, 1119-1126	115
2116	Architectural Engineering of Nanowire Network Fine Pattern for 30 μ m Wide Flexible Quantum Dot Light-Emitting Diode Application. 2016 , 10, 10023-10030	56
2115	Reprecipitation synthesis of luminescent CH ₃ NH ₃ PbBr ₃ /NaNO ₃ nanocomposites with enhanced stability. 2016 , 4, 11387-11391	67
2114	Efficient light-emitting diodes based on green perovskite nanocrystals with mixed-metal cations. 2016 , 30, 511-516	67

2113	Bright Perovskite Nanocrystal Films for Efficient Light-Emitting Devices. 2016 , 7, 4602-4610	245
2112	Efficient near-infrared light-emitting diodes based on organometallic halide perovskite-poly(2-ethyl-2-oxazoline) nanocomposite thin films. 2016 , 8, 19846-19852	36
2111	Benign-by-Design Solventless Mechanochemical Synthesis of Three-, Two-, and One-Dimensional Hybrid Perovskites. 2016 , 128, 15196-15201	17
2110	Organometal Halide Perovskite Quantum Dot Light-Emitting Diodes. 2016 , 26, 4797-4802	196
2109	Efficient All-Vacuum Deposited Perovskite Solar Cells by Controlling Reagent Partial Pressure in High Vacuum. 2016 , 28, 7013-9	118
2108	Self-Doped Conducting Polymer as a Hole-Extraction Layer in Organic/Inorganic Hybrid Perovskite Solar Cells. 2016 , 3, 1500678	80
2107	Two-Dimensional Organic-Inorganic Hybrid Perovskite Photonic Films. 2016 , 16, 4166-73	91
2106	A vacuum flash-assisted solution process for high-efficiency large-area perovskite solar cells. <i>Science</i> , 2016 , 353, 58-62	333 1406
2105	Effects of thermal treatment on organic-inorganic hybrid perovskite films and luminous efficiency of light-emitting diodes. 2016 , 16, 1069-1074	20
2104	Modulating carrier dynamics through perovskite film engineering. 2016 , 18, 27119-27123	26
2103	Tunable Near-Infrared Luminescence in Tin Halide Perovskite Devices. 2016 , 7, 2653-8	81
2102	Color-Pure Violet-Light-Emitting Diodes Based on Layered Lead Halide Perovskite Nanoplates. 2016 , 10, 6897-904	321
2101	Perovskite energy funnels for efficient light-emitting diodes. 2016 , 11, 872-877	1484
2100	Diode-Pumped Organo-Lead Halide Perovskite Lasing in a Metal-Clad Distributed Feedback Resonator. 2016 , 16, 4624-9	148
2099	High-performance flexible and air-stable perovskite solar cells with a large active area based on poly(3-hexylthiophene) nanofibrils. 2016 , 4, 11307-11316	42
2098	Unexpected plasticity of potassium niobate during compression between room temperature and 900 °C. 2016 , 36, 2781-2793	11
2097	Electroabsorption Spectroscopy Measurements of the Exciton Binding Energy, Electron/Hole Reduced Effective Mass, and Band Gap in the Perovskite CH ₃ NH ₃ PbI ₃ . 2016 , 3, 1060-1068	82
2096	Water resistant CsPbX nanocrystals coated with polyhedral oligomeric silsesquioxane and their use as solid state luminophores in all-perovskite white light-emitting devices. 2016 , 7, 5699-5703	423

2095	High-Efficiency Light-Emitting Diodes of Organometal Halide Perovskite Amorphous Nanoparticles. 2016 , 10, 6623-30	285
2094	Organometal Halide Perovskite Artificial Synapses. 2016 , 28, 5916-22	221
2093	Challenges in the ambient Raman spectroscopy characterization of methylammonium lead triiodide perovskite thin films. 2016 , 9, 81-86	20
2092	Photophysical Analysis of the Formation of Organic-Inorganic Trihalide Perovskite Films: Identification and Characterization of Crystal Nucleation and Growth. 2016 , 120, 3071-3076	21
2091	High-performance planar green light-emitting diodes based on a PEDOT:PSS/CH ₃ NH ₃ PbBr ₃ /ZnO sandwich structure. 2016 , 8, 10035-42	85
2090	A Bismuth-Halide Double Perovskite with Long Carrier Recombination Lifetime for Photovoltaic Applications. 2016 , 138, 2138-41	1056
2089	Universal energy level tailoring of self-organized hole extraction layers in organic solar cells and organic/inorganic hybrid perovskite solar cells. 2016 , 9, 932-939	192
2088	Enhancing the Brightness of Cesium Lead Halide Perovskite Nanocrystal Based Green Light-Emitting Devices through the Interface Engineering with Perfluorinated Ionomer. 2016 , 16, 1415-20	606
2087	A Ternary Solvent Method for Large-Sized Two-Dimensional Perovskites. 2017 , 129, 2430-2434	23
2086	A Ternary Solvent Method for Large-Sized Two-Dimensional Perovskites. 2017 , 56, 2390-2394	72
2085	Photonic Nanostructures Patterned by Thermal Nanoimprint Directly into Organo-Metal Halide Perovskites. 2017 , 29, 1605003	124
2084	All-Vacuum-Deposited Stoichiometrically Balanced Inorganic Cesium Lead Halide Perovskite Solar Cells with Stabilized Efficiency Exceeding 11. 2017 , 29, 1605290	273
2083	Novel Direct Nanopatterning Approach to Fabricate Periodically Nanostructured Perovskite for Optoelectronic Applications. 2017 , 27, 1606525	75
2082	Efficient Flexible Organic/Inorganic Hybrid Perovskite Light-Emitting Diodes Based on Graphene Anode. 2017 , 29, 1605587	163
2081	Multilayer light emitting devices with organometal halide perovskite: Polymer composite emission layer: The relationship of device performance with the compositions of emission layer and device configurations. 2017 , 43, 167-174	27
2080	Electrochemical Doping of Halide Perovskites with Ion Intercalation. 2017 , 11, 1073-1079	85
2079	All Inorganic Halide Perovskites Nanosystem: Synthesis, Structural Features, Optical Properties and Optoelectronic Applications. 2017 , 13, 1603996	438
2078	Perovskite-Inspired Photovoltaic Materials: Toward Best Practices in Materials Characterization and Calculations. 2017 , 29, 1964-1988	87

2077	CsPbMnCl Perovskite Quantum Dots with High Mn Substitution Ratio. 2017 , 11, 2239-2247	401
2076	High-Efficiency, Blue, Green, and Near-Infrared Light-Emitting Diodes Based on Triple Cation Perovskite. 2017 , 5, 1600920	109
2075	Textured CH ₃ NH ₃ PbI ₃ thin film with enhanced stability for high performance perovskite solar cells. 2017 , 33, 485-496	65
2074	Recent Advances in Energetics of Metal Halide Perovskite Interfaces. 2017 , 4, 1600694	47
2073	Plasmonic Perovskite Light-Emitting Diodes Based on the Ag-CsPbBr System. 2017 , 9, 4926-4931	75
2072	Efficient perovskite light-emitting diodes featuring nanometre-sized crystallites. 2017 , 11, 108-115	949
2071	Multifunctional Optoelectronic Spintronic Device Based on Hybrid Organometal Trihalide Perovskites. 2017 , 3, 1600426	11
2070	Impact of Excess CH ₃ NH ₃ I on Free Carrier Dynamics in High-Performance Nonstoichiometric Perovskites. 2017 , 121, 3143-3148	41
2069	Fabrication and Characterization of High-Quality Perovskite Films with Large Crystal Grains. 2017 , 8, 720-726	14
2068	Tailoring the Mesoscopic TiO Layer: Concomitant Parameters for Enabling High-Performance Perovskite Solar Cells. 2017 , 12, 57	19
2067	Green light-emitting diodes based on hybrid perovskite films with mixed cesium and methylammonium cations. 2017 , 10, 1329-1335	23
2066	Ultrahigh-Responsivity Photodetectors from Perovskite Nanowire Arrays for Sequentially Tunable Spectral Measurement. 2017 , 17, 2482-2489	184
2065	Dismantling the "Red Wall" of Colloidal Perovskites: Highly Luminescent Formamidinium and Formamidinium-Cesium Lead Iodide Nanocrystals. 2017 , 11, 3119-3134	291
2064	Nearly Monodisperse Insulator CsPbX (X = Cl, Br, I) Nanocrystals, Their Mixed Halide Compositions, and Their Transformation into CsPbX Nanocrystals. 2017 , 17, 1924-1930	378
2063	Between the Sheets: Postsynthetic Transformations in Hybrid Perovskites. 2017 , 29, 1868-1884	67
2062	Tunable Light-Emitting Diodes Utilizing Quantum-Confined Layered Perovskite Emitters. 2017 , 4, 476-481	106
2061	Unveiling the Dynamic Processes in Hybrid Lead Bromide Perovskite Nanoparticle Thin Film Devices. 2017 , 7, 1602283	39
2060	Tuning the Competitive Recombination of Free Carriers and Bound Excitons in Perovskite CH ₃ NH ₃ PbBr ₃ Single Crystal. 2017 , 121, 6916-6923	18

2059	Nanocube Superlattices of Cesium Lead Bromide Perovskites and Pressure-Induced Phase Transformations at Atomic and Mesoscale Levels. 2017 , 29, 1606666	177
2058	In-Situ Formed Type I Nanocrystalline Perovskite Film for Highly Efficient Light-Emitting Diode. 2017 , 11, 3311-3319	134
2057	Temperature dependent amplified spontaneous emission of vacuum annealed perovskite films. 2017 , 7, 15911-15916	17
2056	A facile synthesis of CH ₃ NH ₃ PbBr ₃ perovskite quantum dots and their application in flexible nonvolatile memory. 2017 , 110, 083102	72
2055	Giant Two-Photon Absorption and Its Saturation in 2D Organic-Inorganic Perovskite. 2017 , 5, 1601045	116
2054	Colloidal metal oxide nanocrystals as charge transporting layers for solution-processed light-emitting diodes and solar cells. 2017 , 46, 1730-1759	77
2053	Epitaxial Halide Perovskite Lateral Double Heterostructure. 2017 , 11, 3355-3364	68
2052	Transcending the slow bimolecular recombination in lead-halide perovskites for electroluminescence. 2017 , 8, 14558	356
2051	Electrochemical impedance analysis of perovskite-electrolyte interfaces. 2017 , 53, 2467-2470	31
2050	Understanding charge transport in lead iodide perovskite thin-film field-effect transistors. 2017 , 3, e1601935	284
2049	Research progress of low-dimensional perovskites: synthesis, properties and optoelectronic applications. 2017 , 38, 011004	8
2048	Composition dependent structural, optical and photosensitive properties of a series of charge-transfer tin halides. 2017 , 141, 66-73	2
2047	Polaron self-localization in white-light emitting hybrid perovskites. 2017 , 5, 2771-2780	155
2046	Two-Dimensional Materials for Halide Perovskite-Based Optoelectronic Devices. 2017 , 29, 1605448	231
2045	Quantum-Dot Light-Emitting Diodes for Large-Area Displays: Towards the Dawn of Commercialization. 2017 , 29, 1607022	457
2044	The Surface of Hybrid Perovskite Crystals: A Boon or Bane. 2017 , 2, 846-856	73
2043	Decreasing Radiative Recombination Coefficients via an Indirect Band Gap in Lead Halide Perovskites. 2017 , 8, 1265-1271	47
2042	Hybrid Perovskite Light-Emitting Diodes Based on Perovskite Nanocrystals with Organic-Inorganic Mixed Cations. 2017 , 29, 1606405	189

2041	Three-Photon Absorption Induced Photoluminescence in Organo-Lead Mixed Halide Perovskites. 2017 , 46, 3622-3626	6
2040	Self-Assembled Lead Halide Perovskite Nanocrystals in a Perovskite Matrix. 2017 , 2, 769-775	12
2039	Ultra-broadband optical amplification at telecommunication wavelengths achieved by bismuth-activated lead iodide perovskites. 2017 , 5, 2591-2596	16
2038	High-Brightness Blue and White LEDs based on Inorganic Perovskite Nanocrystals and their Composites. 2017 , 29, 1606859	178
2037	Designing of blue, green, and red CsPbX perovskite-codoped flexible films with water resistant property and elimination of anion-exchange for tunable white light emission. 2017 , 53, 5400-5403	77
2036	Thermoresponsive Emission Switching via Lower Critical Solution Temperature Behavior of Organic-Inorganic Perovskite Nanoparticles. 2017 , 29, 1700047	9
2035	Highly efficient CH ₃ NH ₃ PbI ₃ perovskite solar cells prepared by AuCl ₃ -doped graphene transparent conducting electrodes. 2017 , 323, 153-159	42
2034	Electrical Stress Influences the Efficiency of CH ₃ NH ₃ PbI ₃ Perovskite Light Emitting Devices. 2017 , 29, 1605317	81
2033	Enhancing the Performance and Stability of Perovskite Nanocrystal Light-Emitting Diodes with a Polymer Matrix. 2017 , 2, 1700003	30
2032	Nanoionics-Enabled Memristive Devices: Strategies and Materials for Neuromorphic Applications. 2017 , 3, 1600510	123
2031	Defect-Assisted Photoinduced Halide Segregation in Mixed-Halide Perovskite Thin Films. 2017 , 2, 1416-1424	307
2030	A Breakthrough Efficiency of 19.9% Obtained in Inverted Perovskite Solar Cells by Using an Efficient Trap State Passivator Cu(thiourea)I. 2017 , 139, 7504-7512	250
2029	Improved Performance and Stability of All-Inorganic Perovskite Light-Emitting Diodes by Antisolvent Vapor Treatment. 2017 , 27, 1700338	173
2028	Bright and efficient light-emitting diodes based on MA/Cs double cation perovskite nanocrystals. 2017 , 5, 6123-6128	50
2027	Light emitting diodes based on blends of quasi-2D lead halide perovskites stabilized within mesoporous silica matrix. 2017 , 249, 165-175	17
2026	Solution-Processed Organic and Halide Perovskite Transistors on Hydrophobic Surfaces. 2017 , 9, 18120-18126	30
2025	High-Efficiency Perovskite Quantum-Dot Light-Emitting Devices by Effective Washing Process and Interfacial Energy Level Alignment. 2017 , 9, 18054-18060	223
2024	Junction Propagation in Organometal Halide Perovskite-Polymer Composite Thin Films. 2017 , 8, 2412-2419	24

2023	Crystallinity Preservation and Ion Migration Suppression through Dual Ion Exchange Strategy for Stable Mixed Perovskite Solar Cells. 2017 , 7, 1700118	58
2022	Energy transfer yellow light emitting diodes based on blends of quasi-2D perovskites. 2017 , 188, 567-576	8
2021	Thin film perovskite light-emitting diode based on CsPbBr ₃ powders and interfacial engineering. 2017 , 37, 40-45	86
2020	Tailoring the Energy Landscape in Quasi-2D Halide Perovskites Enables Efficient Green-Light Emission. 2017 , 17, 3701-3709	309
2019	Quantification of light-enhanced ionic transport in lead iodide perovskite thin films and its solar cell applications. 2017 , 6, e16243	257
2018	Embedding lead halide perovskite quantum dots in carboxybenzene microcrystals improves stability. 2017 , 10, 2692-2698	27
2017	Tuning the crystal growth of perovskite thin-films by adding the 2-pyridylthiourea additive for highly efficient and stable solar cells prepared in ambient air. 2017 , 5, 13448-13456	74
2016	Magnetodielectric Response from Spin-Orbital Interaction Occurring at Interface of Ferromagnetic Co and Organometal Halide Perovskite Layers via Rashba Effect. 2017 , 29, 1603667	14
2015	Graphene-based flexible electronic devices. 2017 , 118, 1-43	131
2014	Correlating Photoluminescence Heterogeneity with Local Electronic Properties in Methylammonium Lead Tribromide Perovskite Thin Films. 2017 , 29, 5484-5492	34
2013	Hydrogen-Bonding Evolution during the Polymorphic Transformations in CH ₃ NH ₃ PbBr ₃ : Experiment and Theory. 2017 , 29, 5974-5981	51
2012	Rapid Crystallization of All-Inorganic CsPbBr ₃ Perovskite for High-Brightness Light-Emitting Diodes. 2017 , 2, 2757-2764	26
2011	High-Performance Red-Light Photodetector Based on Lead-Free Bismuth Halide Perovskite Film. 2017 , 9, 18977-18985	107
2010	Manipulating Ion Migration for Highly Stable Light-Emitting Diodes with Single-Crystalline Organometal Halide Perovskite Microplatelets. 2017 , 11, 6312-6318	63
2009	Formation of bright-green-color-emitting perovskite CsPbBr ₃ in a bulk state using a simple recrystallization process. 2017 , 144, 151-157	8
2008	Combined optimization of emission layer morphology and hole-transport layer for enhanced performance of perovskite light-emitting diodes. 2017 , 5, 6169-6175	24
2007	Exciton Recombination in Formamidinium Lead Triiodide: Nanocrystals versus Thin Films. 2017 , 13, 1700673	54
2006	20-2: Mixed-Cation Perovskite Light-Emitting Diodes with High Brightness and High Current Efficiency. 2017 , 48, 276-279	

2005	20-3: A Greener Method to Synthesize Br-rich Inorganic Cesium Lead Bromine Perovskite Nanocrystals for High Brightness Light-Emitting Diodes. 2017 , 48, 280-283	1
2004	20-4: High-efficiency Perovskite QLED Achieving BT.2020 Green Chromaticity. 2017 , 48, 284-287	4
2003	57-4: Demonstration of Efficient Green OLEDs with High Color Purity. 2017 , 48, 853-856	
2002	Magnetic Field-Assisted Perovskite Film Preparation for Enhanced Performance of Solar Cells. 2017 , 9, 21756-21762	20
2001	Highly Efficient Light-Emitting Diodes of Colloidal Metal-Halide Perovskite Nanocrystals beyond Quantum Size. 2017 , 11, 6586-6593	233
2000	Ultra-bright and highly efficient inorganic based perovskite light-emitting diodes. 2017 , 8, 15640	557
1999	Dimensionality and Interface Engineering of 2D Homologous Perovskites for Boosted Charge-Carrier Transport and Photodetection Performances. 2017 , 8, 2565-2572	67
1998	Layer-controlled two-dimensional perovskites: synthesis and optoelectronics. 2017 , 5, 5610-5627	47
1997	Hybrid Perovskites: Effective Crystal Growth for Optoelectronic Applications. 2017 , 7, 1602596	54
1996	Boosting thin-film perovskite solar cell efficiency through vacuum-deposited sub-nanometer small-molecule electron interfacial layers. 2017 , 38, 66-71	29
1995	Perovskite quantum dots encapsulated in electrospun fiber membranes as multifunctional supersensitive sensors for biomolecules, metal ions and pH. 2017 , 2, 225-232	57
1994	Enhancing Ion Migration in Grain Boundaries of Hybrid Organic-Inorganic Perovskites by Chlorine. 2017 , 27, 1700749	51
1993	Delayed Luminescence in Lead Halide Perovskite Nanocrystals. 2017 , 121, 13381-13390	109
1992	Broadly tunable metal halide perovskites for solid-state light-emission applications. 2017 , 20, 413-424	145
1991	Halide-Rich Synthesized Cesium Lead Bromide Perovskite Nanocrystals for Light-Emitting Diodes with Improved Performance. 2017 , 29, 5168-5173	187
1990	Surface plasmon enhanced luminescence from organic-inorganic hybrid perovskites. 2017 , 110, 233113	20
1989	High-Efficiency Solution-Processed Inorganic Metal Halide Perovskite Light-Emitting Diodes. 2017 , 29, 1700579	165
1988	Top-Down Fabrication of Stable Methylammonium Lead Halide Perovskite Nanocrystals by Employing a Mixture of Ligands as Coordinating Solvents. 2017 , 56, 9571-9576	84

1987	Top-Down Fabrication of Stable Methylammonium Lead Halide Perovskite Nanocrystals by Employing a Mixture of Ligands as Coordinating Solvents. 2017 , 129, 9699-9704	26
1986	Room-Temperature Synthesis of Widely Tunable Formamidinium Lead Halide Perovskite Nanocrystals. 2017 , 29, 5713-5719	85
1985	Structure formation and evolution in semiconductor films for perovskite and organic photovoltaics. 2017 , 32, 1798-1824	14
1984	Ligand-Controlled Formation and Photoluminescence Properties of CH ₃ NH ₃ PbBr ₃ Nanocubes and Nanowires. 2017 , 3, 303-310	50
1983	Luminescence spectroscopy of lead-halide perovskites: materials properties and application as photovoltaic devices. 2017 , 5, 3427-3437	88
1982	In Situ Preparation of Metal Halide Perovskite Nanocrystal Thin Films for Improved Light-Emitting Devices. 2017 , 11, 3957-3964	128
1981	Cobalt-nickel based ternary selenides as high-efficiency counter electrode materials for dye-sensitized solar cells. 2017 , 235, 672-679	34
1980	Effect of the precursor's stoichiometry on the optoelectronic properties of methylammonium lead bromide perovskites. 2017 , 189, 120-125	9
1979	Amine-Based Passivating Materials for Enhanced Optical Properties and Performance of Organic-Inorganic Perovskites in Light-Emitting Diodes. 2017 , 8, 1784-1792	180
1978	Highly Efficient Perovskite Light-Emitting Diodes Incorporating Full Film Coverage and Bipolar Charge Injection. 2017 , 8, 1810-1818	86
1977	Temperature-dependence studies of organolead halide perovskite-based metal/semiconductor/metal photodetectors. 2017 , 7, 20206-20211	7
1976	Luminescence control in hybrid perovskites and their applications. 2017 , 5, 4098-4110	11
1975	Enhanced optoelectronic quality of perovskite films with excess CH ₃ NH ₃ I for high-efficiency solar cells in ambient air. 2017 , 28, 205401	15
1974	Highly Emissive Green Perovskite Nanocrystals in a Solid State Crystalline Matrix. 2017 , 29, 1605945	252
1973	Transformation of PbI ₂ , PbBr ₂ and PbCl ₂ salts into MAPbBr ₃ perovskite by halide exchange as an effective method for recombination reduction. 2017 , 19, 10913-10921	18
1972	Perovskite Materials: Solar Cell and Optoelectronic Applications. 2017 , 1-14	1
1971	Structural and Thermal Disorder of Solution-Processed CH ₃ NH ₃ PbBr ₃ Hybrid Perovskite Thin Films. 2017 , 9, 10344-10348	25
1970	Temperature-Dependent Electric Field Poling Effects in CH ₃ NH ₃ PbI ₃ Optoelectronic Devices. 2017 , 8, 1429-1435	8

1969	Thermal degradation of luminescence in inorganic perovskite CsPbBr nanocrystals. 2017 , 19, 8934-8940	109
1968	Modulation of electronic and optical properties in mixed halide perovskites CsPbCl ₃ xBr ₃ (1-x) and CsPbBr ₃ xI ₃ (1-x). 2017 , 110, 113901	26
1967	Suppression of Hysteresis Effects in Organohalide Perovskite Solar Cells. 2017 , 4, 1700007	44
1966	Solution-processed visible-blind UV-A photodetectors based on CH ₃ NH ₃ PbCl ₃ perovskite thin films. 2017 , 5, 3796-3806	71
1965	LowDimensional Halide Perovskites and Their Advanced Optoelectronic Applications. 2017 , 9, 36	52
1964	Quantitative Correlation of Perovskite Film Morphology to Light Emitting Diodes Efficiency Parameters. 2017 , 27, 1603219	41
1963	Strongly emissive perovskite nanocrystal inks for high-voltage solar cells. 2017 , 2,	407
1962	Green-Light-Emitting Diodes based on Tetrabromide Manganese(II) Complex through Solution Process. 2017 , 29, 1605739	113
1961	Lattice Distortions Drive Electron-Hole Correlation within Micrometer-Size Lead-Iodide Perovskite Crystals. 2017 , 2, 265-269	15
1960	Broadband Emission in Two-Dimensional Hybrid Perovskites: The Role of Structural Deformation. 2017 , 139, 39-42	253
1959	Solution-processed approach to highly luminescent trigonal Cs ₄ PbBr ₆ nanodisks and their underlying shape evolution. 2017 , 710, 244-252	14
1958	Highly flexible organometal halide perovskite quantum dot based light-emitting diodes on a silver nanowire/polymer composite electrode. 2017 , 5, 531-538	62
1957	Kinetic Control of Perovskite Thin-Film Morphology and Application in Printable Light-Emitting Diodes. 2017 , 2, 81-87	15
1956	Ambience dependent photoluminescence reveals the localization and trap filling effects in CH ₃ NH ₃ PbI ₃ -xCl _x perovskite films. 2017 , 5, 54-58	5
1955	Room temperature formation of organic/inorganic lead halide perovskites: design of nanostructured and highly reactive intermediates. 2017 , 5, 3599-3608	36
1954	Effect of the solvent used for fabrication of perovskite films by solvent dropping on performance of perovskite light-emitting diodes. 2017 , 9, 2088-2094	52
1953	High-Quality, Ligands-Free, Mixed-Halide Perovskite Nanocrystals Inks for Optoelectronic Applications. 2017 , 7, 1601703	26
1952	High-Performance Color-Tunable Perovskite Light Emitting Devices through Structural Modulation from Bulk to Layered Film. 2017 , 29, 1603157	172

1951	High-Efficiency and Air-Stable Perovskite Quantum Dots Light-Emitting Diodes with an All-Inorganic Heterostructure. 2017 , 17, 313-321	335
1950	Enhancement of the Performance of Perovskite Solar Cells, LEDs, and Optical Amplifiers by Anti-Solvent Additive Deposition. 2017 , 29, 1604056	53
1949	Investigation of Energy Levels and Crystal Structures of Cesium Lead Halides and Their Application in Full-Color Light-Emitting Diodes. 2017 , 3, 1600448	60
1948	Lead-Free Hybrid Material with an Exceptional Dielectric Phase Transition Induced by a Chair-to-Boat Conformation Change of the Organic Cation. 2017 , 56, 13078-13085	25
1947	Vacuum-Deposited Organometallic Halide Perovskite Light-Emitting Devices. 2017 , 9, 40516-40522	20
1946	X-ray radioluminescence effect of all-inorganic halide perovskite CsPbBr ₃ quantum dots. 2017 , 314, 2327-2337	25
1945	30-Fold efficiency enhancement achieved in the perovskite light-emitting diodes. 2017 , 7, 50571-50577	7
1944	Perovskite Nanowire Extrusion. 2017 , 17, 6557-6563	33
1943	Mixed-Halide Perovskites with Stabilized Bandgaps. 2017 , 17, 6863-6869	121
1942	Improved performance of pure formamidinium lead iodide perovskite light-emitting diodes by moisture treatment. 2017 , 5, 11121-11127	7
1941	Study on the band alignment of GaN/CH ₃ NH ₃ PbBr ₃ heterojunction by x-ray photoelectron spectroscopy. 2017 , 111, 122103	2
1940	Interfacial characteristics and leakage current transfer mechanisms in organometal trihalide perovskite gate-controlled devices via doping of PCBM. 2017 , 50, 475101	4
1939	Highly efficient Cs-based perovskite light-emitting diodes enabled by energy funnelling. 2017 , 53, 12004-12007	71
1938	Slow-Photon-Effect-Induced Photoelectrical-Conversion Efficiency Enhancement for Carbon-Quantum-Dot-Sensitized Inorganic CsPbBr Inverse Opal Perovskite Solar Cells. 2017 , 29, 1703682	97
1937	Hot electron-hole plasma dynamics and amplified spontaneous emission in ZnTe nanowires. 2017 , 9, 15612-15621	9
1936	Composite electrode with gate-tunable work function for optoelectronic devices. 2017 , 122, 115501	2
1935	Heterovalent B-Site Co-Alloying Approach for Halide Perovskite Bandgap Engineering. 2017 , 2, 2486-2490	33
1934	Direct Observation of Halide Migration and its Effect on the Photoluminescence of Methylammonium Lead Bromide Perovskite Single Crystals. 2017 , 29, 1703451	68

1933	High Performance Metal Halide Perovskite Light-Emitting Diode: From Material Design to Device Optimization. 2017 , 13, 1701770	167
1932	Unravelling additive-based nanocrystal pinning for high efficiency organic-inorganic halide perovskite light-emitting diodes. 2017 , 42, 157-165	73
1931	Growth and characterization of all-inorganic lead halide perovskite semiconductor CsPbBr ₃ single crystals. 2017 , 19, 6797-6803	97
1930	ABX ₃ Perovskites for Tandem Solar Cells. 2017 , 1, 769-793	125
1929	Efficient and High-Color-Purity Light-Emitting Diodes Based on In Situ Grown Films of CsPbX (X = Br, I) Nanoplates with Controlled Thicknesses. 2017 , 11, 11100-11107	153
1928	Recent progress of metal halide perovskite photodetectors. 2017 , 5, 11369-11394	96
1927	Centrifugal-Coated Quasi-Two-Dimensional Perovskite CsPbBr Films for Efficient and Stable Light-Emitting Diodes. 2017 , 8, 5415-5421	56
1926	Intrinsic point defects in inorganic perovskite CsPbI ₃ from first-principles prediction. 2017 , 111, 162106	75
1925	Thermally evaporated hybrid perovskite for hetero-structured green light-emitting diodes. 2017 , 111, 163301	14
1924	Structural Evolution in BaSnFX (X = Cl, Br, I): A Family of Alkaline Earth Metal Tin Mixed Halides. 2017 , 56, 13593-13599	10
1923	Enhancing Optoelectronic Properties of Low-Dimensional Halide Perovskite via Ultrasonic-Assisted Template Refinement. 2017 , 9, 39602-39609	12
1922	Solvent engineering for high-quality perovskite solar cell with an efficiency approaching 20%. 2017 , 365, 1-6	55
1921	Full coverage all-inorganic cesium lead halide perovskite film for high-efficiency light-emitting diodes assisted by 1,3,5-tri(m-pyrid-3-yl-phenyl)benzene. 2017 , 50, 480-484	33
1920	Confining metal-halide perovskites in nanoporous thin films. 2017 , 3, e1700738	81
1919	Enhanced Stability and Performance in Perovskite Nanocrystal Light-Emitting Devices Using a ZnMgO Interfacial Layer. 2017 , 5, 1700377	47
1918	Recent Advances in Metal Halide-Based Perovskite Light-Emitting Diodes. 2017 , 5, 1734-1749	63
1917	Efficient red phosphorescent organic light emitting diodes based on solution processed all-inorganic cesium lead halide perovskite as hole transporting layer. 2017 , 50, 411-417	8
1916	Enhanced photoresponse of self-powered perovskite photodetector based on ZnO nanoparticles decorated CsPbBr ₃ films. 2017 , 172, 341-346	344

1915	Modulating Excitonic Recombination Effects through One-Step Synthesis of Perovskite Nanoparticles for Light-Emitting Diodes. 2017 , 10, 3818-3824	12
1914	Scaffold-reinforced perovskite compound solar cells. 2017 , 10, 2500-2508	50
1913	Low-Noise and Large-Linear-Dynamic-Range Photodetectors Based on Hybrid-Perovskite Thin-Single-Crystals. 2017 , 29, 1703209	208
1912	Enhanced Coverage of All-Inorganic Perovskite CsPbBr ₃ through Sequential Deposition for Green Light-Emitting Diodes. 2017 , 5, 1859-1865	12
1911	Optical study on intrinsic exciton states in high-quality CH ₃ NH ₃ PbBr ₃ single crystals. 2017 , 96,	26
1910	All-Inorganic Halide Perovskites for Optoelectronics: Progress and Prospects. 2017 , 1, 1700086	134
1909	Non-dissipative internal optical filtering with solution-grown perovskite single crystals for full-colour imaging. 2017 , 9, e431-e431	33
1908	Modified Conducting Polymer Hole Injection Layer for High-Efficiency Perovskite Light-Emitting Devices: Enhanced Hole Injection and Reduced Luminescence Quenching. 2017 , 8, 4691-4697	50
1907	Green Perovskite Distributed Feedback Lasers. 2017 , 7, 11727	61
1906	Polaronic Charge Carrier-Lattice Interactions in Lead Halide Perovskites. 2017 , 10, 3705-3711	12
1905	Optical and Scanning Probe Identification of Electronic Structure and Phases in CH ₃ NH ₃ PbBr ₃ Crystal. 2017 , 121, 21930-21934	18
1904	Absence of ferroelectricity in methylammonium lead iodide perovskite. 2017 , 7, 095110	22
1903	Efficient Exciton to Dopant Energy Transfer in Mn ²⁺ -Doped (C ₄ H ₉ NH ₃) ₂ PbBr ₄ Two-Dimensional (2D) Layered Perovskites. 2017 , 29, 7816-7825	98
1902	Reversible air-induced optical and electrical modulation of methylammonium lead bromide (MAPbBr ₃) single crystals. 2017 , 111, 103904	16
1901	Hybrid Organic-Inorganic Perovskite Photodetectors. 2017 , 13, 1702107	206
1900	A Review on Organic-Inorganic Halide Perovskite Photodetectors: Device Engineering and Fundamental Physics. 2017 , 29, 1605242	400
1899	Understanding and Tailoring Grain Growth of Lead-Halide Perovskite for Solar Cell Application. 2017 , 9, 33925-33933	31
1898	Highly stable cesium lead iodide perovskite quantum dot light-emitting diodes. 2017 , 28, 455201	30

- 1897 High-Performance CsPb_{1-x}Sn_xBr₃ Perovskite Quantum Dots for Light-Emitting Diodes. **2017**, 129, 13838-13842 29
- 1896 High-Performance CsPb Sn Br Perovskite Quantum Dots for Light-Emitting Diodes. **2017**, 56, 13650-13654 107
- 1895 Halide Perovskite 3D Photonic Crystals for Distributed Feedback Lasers. **2017**, 4, 2522-2528 47
- 1894 Tuning the gap of lead-based halide perovskites by introducing superalkali species at the cationic sites of ABX₃-type structure. **2017**, 19, 20619-20626 10
- 1893 Solution synthesis and phase control of inorganic perovskites for high-performance optoelectronic devices. **2017**, 9, 11841-11845 55
- 1892 High Quality Hybrid Perovskite Semiconductor Thin Films with Remarkably Enhanced Luminescence and Defect Suppression via Quaternary Alkyl Ammonium Salt Based Treatment. **2017**, 4, 1700562 31
- 1891 A-Site Cation Effect on Growth Thermodynamics and Photoconductive Properties in Ultrapure Lead Iodine Perovskite Monocrystalline Wires. **2017**, 9, 25985-25994 9
- 1890 Facile synthesis of organic/inorganic hybrid perovskite CH₃NH₃PbI₃ microcrystals. **2017**, 725, 270-274 12
- 1889 Non-rare earth containing BCNO phosphors: Chemical activation for LED application. **2017**, 192, 428-435 4
- 1888 Chemically Addressable Perovskite Nanocrystals for Light-Emitting Applications. **2017**, 29, 1701153 106
- 1887 Universal high work function flexible anode for simplified ITO-free organic and perovskite light-emitting diodes with ultra-high efficiency. **2017**, 9, e411-e411 45
- 1886 Dynamic Disorder and Potential Fluctuation in Two-Dimensional Perovskite. **2017**, 8, 3875-3880 18
- 1885 Ultrapure Green Light-Emitting Diodes Using Two-Dimensional Formamidinium Perovskites: Achieving Recommendation 2020 Color Coordinates. **2017**, 17, 5277-5284 166
- 1884 Polymer assisted growth of high-quality perovskite films by Lewis acid-base adduct for efficient planar-heterojunction solar cells. **2017**, 95, 216-222 8
- 1883 CsPb Br Single Crystals: Synthesis and Characterization. **2017**, 10, 3746-3749 93
- 1882 Sodium bromide additive improved film morphology and performance in perovskite light-emitting diodes. **2017**, 111, 053301 13
- 1881 CsPbBr₃ Perovskite Quantum Dot Vertical Cavity Lasers with Low Threshold and High Stability. **2017**, 4, 2281-2289 157
- 1880 An ultrasonic synthesis method for high-luminance perovskite quantum dots. **2017**, 43, 16032-16035 14

1879	Enhancing the crystallinity of HC(NH ₂) ₂ PbI ₃ film by incorporating methylammonium halide intermediate for efficient and stable perovskite solar cells. 2017 , 40, 248-257	55
1878	Perovskite-based photodetectors: materials and devices. 2017 , 46, 5204-5236	498
1877	Peroptronic devices: perovskite-based light-emitting solar cells. 2017 , 10, 1950-1957	35
1876	Structural Investigation of Cesium Lead Halide Perovskites for High-Efficiency Quantum Dot Light-Emitting Diodes. 2017 , 8, 4140-4147	33
1875	Efficient Sky-Blue Perovskite Light-Emitting Devices Based on Ethylammonium Bromide Induced Layered Perovskites. 2017 , 9, 29901-29906	112
1874	Highly compact CsPbBr ₃ perovskite thin films decorated by ZnO nanoparticles for enhanced random lasing. 2017 , 40, 195-202	322
1873	Efficient Inorganic Perovskite Light-Emitting Diodes with Polyethylene Glycol Passivated Ultrathin CsPbBr Films. 2017 , 8, 4148-4154	115
1872	Solvent Toolkit for Electrochemical Characterization of Hybrid Perovskite Films. 2017 , 89, 9649-9653	9
1871	An organic-inorganic perovskite ferroelectric with large piezoelectric response. <i>Science</i> , 2017 , 357, 306-309	506
1870	Synthetic Manipulation of Hybrid Perovskite Systems in Search of New and Enhanced Functionalities. 2017 , 10, 3722-3739	10
1869	Polarized emission effect realized in CH ₃ NH ₃ PbI ₃ perovskite nanocrystals. 2017 , 5, 8699-8706	30
1868	A formamidinium-methylammonium lead iodide perovskite single crystal exhibiting exceptional optoelectronic properties and long-term stability. 2017 , 5, 19431-19438	87
1867	Distinctive electronic transport in pyridine-based devices with narrow graphene nanoribbon electrodes. 2017 , 7, 53696-53705	4
1866	Bright Tail States in Blue-Emitting Ultrasmall Perovskite Quantum Dots. 2017 , 8, 6002-6008	54
1865	One-Step Preparation of Cesium Lead Halide CsPbX (X = Cl, Br, and I) Perovskite Nanocrystals by Microwave Irradiation. 2017 , 9, 42919-42927	84
1864	Low turn-on voltage perovskite light-emitting diodes with methanol treated PEDOT:PSS as hole transport layer. 2017 , 111, 233304	27
1863	Transparent perovskite light-emitting diodes by employing organic-inorganic multilayer transparent top electrodes. 2017 , 111, 213301	5
1862	High-Performance Green Light-Emitting Diodes Based on MAPbBr-Polymer Composite Films Prepared by Gas-Assisted Crystallization. 2017 , 9, 44106-44113	20

1861	Spontaneous emission enhancement of colloidal perovskite nanocrystals by a photonic crystal cavity. 2017 , 111, 221104	11
1860	Efficient and Stable Pure Green All-Inorganic Perovskite CsPbBr ₃ Light-Emitting Diodes with a Solution-Processed NiO _x Interlayer. 2017 , 121, 28132-28138	71
1859	Memory effect behavior with respect to the crystal grain size in the organic-inorganic hybrid perovskite nonvolatile resistive random access memory. 2017 , 7, 16586	41
1858	Vapor-Assisted Solution Approach for High-Quality Perovskite CH ₃ NH ₃ PbBr ₃ Thin Films for High-Performance Green Light-Emitting Diode Applications. 2017 , 9, 42893-42904	40
1857	Benzyl Alcohol-Treated CH ₃ NH ₃ PbBr ₃ Nanocrystals Exhibiting High Luminescence, Stability, and Ultralow Amplified Spontaneous Emission Thresholds. 2017 , 17, 7424-7432	85
1856	Orientalional Glass Formation in Substituted Hybrid Perovskites. 2017 , 29, 10168-10177	26
1855	Transparent Perovskite Light-Emitting Touch-Responsive Device. 2017 , 11, 11368-11375	28
1854	Hot carrier cooling mechanisms in halide perovskites. 2017 , 8, 1300	233
1853	Cathodoluminescence of Self-Organized Heterogeneous Phases in Multidimensional Perovskite Thin Films. 2017 , 29, 10088-10094	21
1852	Iodine Vacancy Redistribution in Organic-Inorganic Halide Perovskite Films and Resistive Switching Effects. 2017 , 29, 1700527	185
1851	Photoluminescence quantum yield exceeding 80% in low dimensional perovskite thin-films via passivation control. 2017 , 53, 8707-8710	40
1850	Facile in situ synthesis of stable luminescent organic-inorganic lead halide perovskite nanoparticles in a polymer matrix. 2017 , 5, 7207-7214	23
1849	Perovskite light-emitting devices with a metal-insulator-semiconductor structure and carrier tunnelling. 2017 , 5, 7715-7719	13
1848	Composite Perovskites of Cesium Lead Bromide for Optimized Photoluminescence. 2017 , 8, 3266-3271	89
1847	The Role of Surface Tension in the Crystallization of Metal Halide Perovskites. 2017 , 2, 1782-1788	103
1846	Methylammonium Lead Bromide Perovskite Light-Emitting Diodes by Chemical Vapor Deposition. 2017 , 8, 3193-3198	85
1845	Two-Dimensional Organic Tin Halide Perovskites with Tunable Visible Emission and Their Use in Light-Emitting Devices. 2017 , 2, 1662-1668	138
1844	Impact of Structural Dynamics on the Optical Properties of Methylammonium Lead Iodide Perovskites. 2017 , 7, 1700286	37

1843	Dynamic Electronic Junctions in Organic-Inorganic Hybrid Perovskites. 2017 , 17, 4831-4839	24
1842	Conducting Polymers as Anode Buffer Materials in Organic and Perovskite Optoelectronics. 2017 , 5, 1600512	51
1841	Crystal Engineering of a Two-Dimensional Lead-Free Perovskite with Functional Organic Cations by Second-Sphere Coordination. 2017 , 82, 681-685	26
1840	High Open-Circuit Voltages in Tin-Rich Low-Bandgap Perovskite-Based Planar Heterojunction Photovoltaics. 2017 , 29, 1604744	166
1839	Sky-blue perovskite light-emitting diodes based on quasi-two-dimensional layered perovskites. 2017 , 28, 29-31	77
1838	Tetraphenylethylene derivative capped CHNHPbBr nanocrystals: AIE-activated assembly into superstructures. 2017 , 196, 91-99	6
1837	Single-crystal perovskites prepared by simple solution process: Cast-capping method. 2017 , 468, 796-799	19
1836	Pure Formamidinium-Based Perovskite Light-Emitting Diodes with High Efficiency and Low Driving Voltage. 2017 , 29, 1603826	145
1835	50-Fold EQE Improvement up to 6.27% of Solution-Processed All-Inorganic Perovskite CsPbBr QLEDs via Surface Ligand Density Control. 2017 , 29, 1603885	819
1834	Stable π -p junction of formamidinium lead iodide perovskites for enhanced near-infrared emission. 2017 , 8, 800-805	142
1833	Deterministic Nucleation for Halide Perovskite Thin Films with Large and Uniform Grains. 2017 , 27, 1702180	24
1832	Stability of CH ₃ NH ₃ PbBr ₃ and evolution of H-bonding during its polymorphic transformations. 2017 ,	
1831	High-Resolution Spin-on-Patterning of Perovskite Thin Films for a Multiplexed Image Sensor Array. 2017 , 29, 1702902	100
1830	Hybrid downconverters with green perovskite-polymer composite films for wide color gamut displays. 2017 , 25, 12915-12925	55
1829	Integrated perovskite lasers on a silicon nitride waveguide platform by cost-effective high throughput fabrication. 2017 , 25, 13199-13206	36
1828	Nanoimprinted perovskite metasurface for enhanced photoluminescence. 2017 , 25, A1162-A1171	28
1827	Third-order nonlinear optical response of CH ₃ NH ₃ PbI ₃ perovskite in the mid-infrared regime. 2017 , 7, 3894	44
1826	Effects of Aromatic Ammoniums on Methyl Ammonium Lead Iodide Hybrid Perovskite Materials. 2017 , 2017, 1-6	1

- 1825 Efficient Perovskite LEDs Featuring Nanometer Sized Crystallites. **2017**,
- 1824 Hydrogen-bonding evolution during the polymorphic transformations in CH₃NH₃PbBr₃: Experiment and theory. **2017**,
- 1823 An Inverse Opal Structured Halide Perovskite Photocatalyst. **2018**, 2018, 2350-2355 28
- 1822 The Impact of Atmosphere on the Local Luminescence Properties of Metal Halide Perovskite Grains. **2018**, 30, e1706208 116
- 1821 Mesoporous Si Nanowire Templated Controlled Fabrication of Organometal Halide Perovskite Nanoparticles with High Photoluminescence Quantum Yield for Light-Emitting Applications. **2018**, 1, 1551-1562 28
- 1820 Recent Advances in Halide-Based Perovskite Crystals and Their Optoelectronic Applications. **2018**, 18, 2645-2664 51
- 1819 Fast Postmoisture Treatment of Luminescent Perovskite Films for Efficient Light-Emitting Diodes. **2018**, 14, e1703410 28
- 1818 Organometal Halide Perovskites for Next Generation Fully Printed and Flexible LEDs and Displays. **2018**, 199-214
- 1817 Rubidium Doping for Enhanced Performance of Highly Efficient Formamidinium-Based Perovskite Light-Emitting Diodes. **2018**, 10, 9849-9857 48
- 1816 Lead-Free Perovskite Nanocrystals for Light-Emitting Devices. **2018**, 9, 1573-1583 129
- 1815 Single-crystal perovskite CH₃NH₃PbBr₃ prepared by cast capping method for light-emitting diodes. **2018**, 57, 04FL10 18
- 1814 High-Efficiency Polycrystalline Perovskite Light-Emitting Diodes Based on Mixed Cations. **2018**, 12, 2883-2892 84
- 1813 Field-induced spin splitting and anomalous photoluminescence circular polarization in CH₃NH₃PbI₃ films at high magnetic field. **2018**, 97, 16
- 1812 Solution-Processed Perovskite Gate Insulator for Sub-2 V Electrolyte-Gated Transistors. **2018**, 122, 10552-10558 4
- 1811 In Situ X-Ray Studies of Crystallization Kinetics and Ordering in Functional Organic and Hybrid Materials. **2018**, 33-60
- 1810 Low-Threshold Lasing from 2D Homologous Organic-Inorganic Hybrid Ruddlesden-Popper Perovskite Single Crystals. **2018**, 18, 3221-3228 124
- 1809 Rubidium as an Alternative Cation for Efficient Perovskite Light-Emitting Diodes. **2018**, 10, 16852-16860 23
- 1808 Organic-inorganic hybrid perovskite quantum dots with high PLQY and enhanced carrier mobility through crystallinity control by solvent engineering and solid-state ligand exchange. **2018**, 10, 13356-13367 53

1807	Quasi-2D Inorganic CsPbBr ₃ Perovskite for Efficient and Stable Light-Emitting Diodes. 2018 , 28, 1801193	85
1806	Real-Time Observation of Order-Disorder Transformation of Organic Cations Induced Phase Transition and Anomalous Photoluminescence in Hybrid Perovskites. 2018 , 30, e1705801	45
1805	All-inorganic perovskite CsPbBr ₃ -based self-powered light-emitting photodetectors with ZnO hollow balls as an ultraviolet response center. 2018 , 6, 5113-5121	27
1804	Enhancement of photocurrent extraction and electron injection in dual-functional CH ₃ NH ₃ PbBr ₃ perovskite-based optoelectronic devices via interfacial engineering. 2018 , 29, 275704	11
1803	Acetone vapour-assisted growth of 2D single-crystalline organic lead halide perovskite microplates and their temperature-enhanced photoluminescence.. 2018 , 8, 14527-14531	14
1802	Cation Dynamics Governed Thermal Properties of Lead Halide Perovskite Nanowires. 2018 , 18, 2772-2779	33
1801	Absorption and Emission of Light in Optoelectronic Nanomaterials: The Role of the Local Optical Environment. 2018 , 9, 2077-2084	11
1800	Charge Transport between Coupling Colloidal Perovskite Quantum Dots Assisted by Functional Conjugated Ligands. 2018 , 130, 5856-5860	2
1799	Perovskite-Initiated Photopolymerization for Singly Dispersed Luminescent Nanocomposites. 2018 , 30, e1800774	53
1798	Polystyrene based perovskite light emitting diode. 2018 , 12, 15-20	6
1797	New down-converter for UV-stable perovskite solar cells: Phosphor-in-glass. 2018 , 389, 135-139	14
1796	Organic-Inorganic hybrid perovskite quantum dots for light-emitting diodes. 2018 , 6, 4831-4841	49
1795	Lead Halide Perovskites in Thin Film Photovoltaics: Background and Perspectives. 2018 , 91, 1058-1068	73
1794	Zero-Dimensional Cesium Lead Halides: History, Properties, and Challenges. 2018 , 9, 2326-2337	158
1793	Electrode quenching control for highly efficient CsPbBr ₃ perovskite light-emitting diodes via surface plasmon resonance and enhanced hole injection by Au nanoparticles. 2018 , 29, 175203	20
1792	Recent developments of truly stretchable thin film electronic and optoelectronic devices. 2018 , 10, 5764-5792	64
1791	Influence of A-site cation on the thermal stability of metal halide perovskite polycrystalline films. 2018 , 19, 53-60	14
1790	Enhanced Performance of Red Perovskite Light-Emitting Diodes through the Dimensional Tailoring of Perovskite Multiple Quantum Wells. 2018 , 9, 881-886	83

1789	Synthesis of highly efficient and stable CH ₃ NH ₃ PbBr ₃ perovskite nanocrystals within mesoporous silica through excess CH ₃ NH ₃ Br method. 2018 , 155, 23-29	5
1788	Solvent-modulated reaction between mesoporous PbI ₂ film and CH ₃ NH ₃ I for enhancement of photovoltaic performances of perovskite solar cells. 2018 , 266, 118-129	13
1787	Lead-free/rare earth-free Green-light-emitting crystal based on organic-inorganic hybrid [(C ₁₀ H ₁₆ N) ₂][MnBr ₄] with high emissive quantum yields and large crystal size. 2018 , 1161, 262-266	24
1786	[C ₆ H ₁₄ N]PbI ₃ : a one-dimensional perovskite-like order-disorder phase transition material with semiconducting and switchable dielectric attributes. 2018 , 5, 897-902	35
1785	Precursor non-stoichiometry to enable improved CH ₃ NH ₃ PbBr nanocrystal LED performance. 2018 , 20, 5918-5925	5
1784	High-efficiency ultrapure green organic light-emitting diodes. 2018 , 2, 704-709	47
1783	A stable lead halide perovskite nanocrystals protected by PMMA. 2018 , 61, 363-370	41
1782	Crown Ethers Enable Room-Temperature Synthesis of CsPbBr ₃ Quantum Dots for Light-Emitting Diodes. 2018 , 3, 526-531	77
1781	Perovskite templating via a bathophenanthroline additive for efficient light-emitting devices. 2018 , 6, 2295-2302	11
1780	A lead-free semiconducting hybrid with ultra-high color rendering index white-light emission. 2018 , 6, 2801-2805	19
1779	Variation in the Photocurrent Response Due to Different Emissive States in Methylammonium Lead Bromide Perovskites. 2018 , 122, 3818-3823	8
1778	In Situ Observation of Light Illumination-Induced Degradation in Organometal Mixed-Halide Perovskite Films. 2018 , 10, 6737-6746	51
1777	Green perovskite light emitting diodes based on the ITO/Al ₂ O ₃ /CsPbBr ₃ heterojunction structure. 2018 , 77, 25-29	12
1776	Ce-Doping to Modulate Photoluminescence Kinetics for Efficient CsPbBr ₃ Nanocrystals Based Light-Emitting Diodes. 2018 , 140, 3626-3634	314
1775	High-Bandwidth White-Light System Combining a Micro-LED with Perovskite Quantum Dots for Visible Light Communication. 2018 , 10, 5641-5648	126
1774	Progress and Perspective in Low-Dimensional Metal Halide Perovskites for Optoelectronic Applications. 2018 , 2, 1700186	69
1773	Design Strategy for Improving Optical and Electrical Properties and Stability of Lead-Halide Semiconductors. 2018 , 140, 2805-2811	154
1772	Efficient green light-emitting diodes based on quasi-two-dimensional composition and phase engineered perovskite with surface passivation. 2018 , 9, 570	580

1771	Minimising efficiency roll-off in high-brightness perovskite light-emitting diodes. 2018 , 9, 608	248
1770	All-Inorganic CsPbI ₃ Perovskite Phase-Stabilized by Poly(ethylene oxide) for Red-Light-Emitting Diodes. 2018 , 28, 1706401	127
1769	Characterization of the Valence and Conduction Band Levels of n = 1 2D Perovskites: A Combined Experimental and Theoretical Investigation. 2018 , 8, 1703468	48
1768	Pb-Activated Amine-Assisted Photocatalytic Hydrogen Evolution Reaction on Organic-Inorganic Perovskites. 2018 , 140, 1994-1997	48
1767	Highly efficient and stable inverted perovskite solar cell employing PEDOT:GO composite layer as a hole transport layer. 2018 , 8, 1070	116
1766	Engineering the Emission of Broadband 2D Perovskites by Polymer Distributed Bragg Reflectors. 2018 , 5, 867-874	31
1765	Preferential Orientation of Crystals Induced by Incorporation of Organic Ligands in Mixed-Dimensional Hybrid Perovskite Films. 2018 , 6, 1701311	23
1764	Distributed Feedback Lasers Based on MAPbBr ₃ . 2018 , 3, 1700253	48
1763	Improving the Stability of Metal Halide Perovskite Materials and Light-Emitting Diodes. 2018 , 30, e1704587	276
1762	Halide Perovskites for Applications beyond Photovoltaics. 2018 , 2, 1700310	63
1761	Grain Boundary Modification via F4TCNQ To Reduce Defects of Perovskite Solar Cells with Excellent Device Performance. 2018 , 10, 1909-1916	91
1760	MAPbI ₃ Solar Cells with Absorber Deposited by Resonant Infrared Matrix-Assisted Pulsed Laser Evaporation. 2018 , 3, 270-275	27
1759	Perovskite Excitonics: Primary Exciton Creation and Crossover from Free Carriers to a Secondary Exciton Phase. 2018 , 6, 1700839	25
1758	Lasing Characteristics of CH ₃ NH ₃ PbCl ₃ Single-Crystal Microcavities under Multiphoton Excitation. 2018 , 6, 1700992	18
1757	Enthusiastic Discussions on Halide Perovskite Materials beyond Photovoltaics at Sungkyun International Solar Forum 2017 (SISF2017). 2018 , 3, 199-203	1
1756	Novel hybrid light-emitting devices based on MAPbBr ₃ nanoplatelets:PVK nanocomposites and zinc oxide nanorod arrays. 2018 , 5, 015037	4
1755	Modulations of various alkali metal cations on organometal halide perovskites and their influence on photovoltaic performance. 2018 , 45, 184-192	111
1754	Perovskite Light-Emitting Diodes via Laser Crystallization: Systematic Investigation on Grain Size Effects for Device Performance. 2018 , 10, 2490-2495	27

1753	Perovskite Quantum Dots with Near Unity Solution and Neat-Film Photoluminescent Quantum Yield by Novel Spray Synthesis. 2018 , 30, 1705532	61
1752	Strategy of Solution-Processed All-Inorganic Heterostructure for Humidity/Temperature-Stable Perovskite Quantum Dot Light-Emitting Diodes. 2018 , 12, 1462-1472	263
1751	Morphology control towards bright and stable inorganic halide perovskite light-emitting diodes. 2018 , 6, 1573-1578	27
1750	Very efficient green light-emitting diodes based on polycrystalline CH(NH ₃) ₂ PbBr ₃ film achieved by regulating precursor concentration and employing novel anti-solvent. 2018 , 55, 35-41	11
1749	High-Performance CsPbX ₃ Perovskite Quantum-Dot Light-Emitting Devices via Solid-State Ligand Exchange. 2018 , 1, 488-496	81
1748	Facile Assembly of High-Quality Organic-Inorganic Hybrid Perovskite Quantum Dot Thin Films for Bright Light-Emitting Diodes. 2018 , 28, 1705189	48
1747	Polymer-Passivated Inorganic Cesium Lead Mixed-Halide Perovskites for Stable and Efficient Solar Cells with High Open-Circuit Voltage over 1.3 V. 2018 , 30, 1705393	328
1746	Tuning Charge Carrier Dynamics and Surface Passivation in Organolead Halide Perovskites with Capping Ligands and Metal Oxide Interfaces. 2018 , 6, 1701203	14
1745	Crystallization manipulation and morphology evolution for highly efficient perovskite solar cell fabrication via hydration water induced intermediate phase formation under heat assisted spin-coating. 2018 , 6, 3012-3021	32
1744	Fabrication of single phase 2D homologous perovskite microplates by mechanical exfoliation. 2018 , 5, 021001	50
1743	Stable Light-Emitting Diodes Using Phase-Pure Ruddlesden-Popper Layered Perovskites. 2018 , 30, 1704217	210
1742	Grain Size Modulation and Interfacial Engineering of CH ₃ NH ₃ PbBr Emitter Films through Incorporation of Tetraethylammonium Bromide. 2018 , 19, 1075-1080	11
1741	Highly Luminescent and Stable Perovskite Nanocrystals with Octylphosphonic Acid as a Ligand for Efficient Light-Emitting Diodes. 2018 , 10, 3784-3792	185
1740	Unique Optical Properties of Methylammonium Lead Iodide Nanocrystals Below the Bulk Tetragonal-Orthorhombic Phase Transition. 2018 , 18, 846-852	32
1739	High-luminance perovskite light-emitting diodes with high-polarity alcohol solvent treating PEDOT:PSS as hole transport layer. 2018 , 13, 128	18
1738	Metal-Halide Perovskites for Gate Dielectrics in Field-Effect Transistors and Photodetectors Enabled by PMMA Lift-Off Process. 2018 , 30, e1707412	30
1737	84% efficiency improvement in all-inorganic perovskite light-emitting diodes assisted by a phosphorescent material. 2018 , 8, 15698-15702	8
1736	Study of the Partial Substitution of Pb by Sn in Cs-Pb-Sn-Br Nanocrystals Owing to Obtaining Stable Nanoparticles with Excellent Optical Properties. 2018 , 122, 14222-14231	31

1735	Luminescence and thermal behaviors of free and trapped excitons in cesium lead halide perovskite nanosheets. 2018 , 10, 9949-9956	80
1734	Uniform Luminous Perovskite Nanofibers with Color-Tunability and Improved Stability Prepared by One-Step Core/Shell Electrospinning. 2018 , 14, e1704379	68
1733	Perovskite-quantum dots interface: Deciphering its ultrafast charge carrier dynamics. 2018 , 49, 471-480	18
1732	Highly pure yellow light emission of perovskite CsPb(Br I) ₃ quantum dots and their application for yellow light-emitting diodes. 2018 , 80, 1-6	12
1731	Exploring the role of spin-triplets and trap states in photovoltaic processes of perovskite solar cells. 2018 , 6, 5055-5062	9
1730	Highly Efficient Spectrally Stable Red Perovskite Light-Emitting Diodes. 2018 , 30, e1707093	142
1729	Water-Induced Dimensionality Reduction in Metal-Halide Perovskites. 2018 , 122, 14128-14134	56
1728	Interfacial Energy-Level Alignment for High-Performance All-Inorganic Perovskite CsPbBr Quantum Dot-Based Inverted Light-Emitting Diodes. 2018 , 10, 13236-13243	36
1727	Textile Display for Electronic and Brain-Interfaced Communications. 2018 , 30, e1800323	99
1726	Highly Efficient Visible Colloidal Lead-Halide Perovskite Nanocrystal Light-Emitting Diodes. 2018 , 18, 3157-3164	160
1725	Enhancement of photoresponse property of perovskite solar cell by aluminium chloride (AlCl ₃). 2018 , 33, 055002	3
1724	All-Inorganic Hetero-Structured Cesium Tin Halide Perovskite Light-Emitting Diodes With Current Density Over 900 A cm ² and Its Amplified Spontaneous Emission Behaviors. 2018 , 12, 1800090	38
1723	Growth of Nanosized Single Crystals for Efficient Perovskite Light-Emitting Diodes. 2018 , 12, 3417-3423	88
1722	Tunable CsPbBr/CsPbBr phase transformation and their optical spectroscopic properties. 2018 , 47, 5670-5678	54
1721	Highly-Stable Organo-Lead Halide Perovskites Synthesized Through Green Self-Assembly Process. 2018 , 2, 1800052	39
1720	Correlation of ETL in perovskite light-emitting diodes and the ultra-long rise time in time-resolved electroluminescence. 2018 , 80, 131-136	2
1719	Reducing Architecture Limitations for Efficient Blue Perovskite Light-Emitting Diodes. 2018 , 30, e1706226	137
1718	Highly Efficient Green Light-Emitting Diodes from All-Inorganic Perovskite Nanocrystals Enabled by a New Electron Transport Layer. 2018 , 6, 1800220	52

1717	Revealing the Formation Mechanism of CsPbBr ₃ Perovskite Nanocrystals Produced via a Slowed-Down Microwave-Assisted Synthesis. 2018 , 130, 5935-5939	11
1716	Revealing the Formation Mechanism of CsPbBr Perovskite Nanocrystals Produced via a Slowed-Down Microwave-Assisted Synthesis. 2018 , 57, 5833-5837	76
1715	Charge Transport between Coupling Colloidal Perovskite Quantum Dots Assisted by Functional Conjugated Ligands. 2018 , 57, 5754-5758	90
1714	Excellent microwave absorption of lead halide perovskites with high stability. 2018 , 6, 4201-4207	15
1713	Preparation of all-inorganic perovskite quantum dots-polymer composite for white LEDs application. 2018 , 748, 537-545	67
1712	Electrochemistry and Spectroelectrochemistry of Lead Halide Perovskite Films: Materials Science Aspects and Boundary Conditions. 2018 , 30, 561-569	72
1711	Phonon mode transformation in size-evolved solution-processed inorganic lead halide perovskite. 2018 , 10, 9892-9898	9
1710	Distinctive electroluminescence characteristics behind efficient mesoscopic perovskite solar cell. 2018 , 80, 174-178	3
1709	Perovskite/Colloidal Quantum Dot Tandem Solar Cells: Theoretical Modeling and Monolithic Structure. 2018 , 3, 869-874	55
1708	Self-assembled hierarchical nanostructured perovskites enable highly efficient LEDs via an energy cascade. 2018 , 11, 1770-1778	113
1707	Screen printing large-area organometal halide perovskite thin films for efficient photodetectors. 2018 , 98, 322-327	30
1706	High-performance colorful semitransparent perovskite solar cells with phase-compensated microcavities. 2018 , 11, 2553-2561	28
1705	Exciton and lattice dynamics in low-temperature processable CsPbBr ₃ thin-films. 2018 , 7, 199-207	41
1704	Design of orange-emitting CsPb _{0.77} Mn _{0.23} Cl ₃ perovskite film for application in optoelectronic device. 2018 , 331, 803-808	4
1703	All-Inorganic Metal Halide Perovskite Nanostructures: From Photophysics to Light-Emitting Applications. 2018 , 2, 1700252	66
1702	Perovskite Quantum Dots and Their Application in Light-Emitting Diodes. 2018 , 14, 1702433	172
1701	Influence of Solvent Coordination on Hybrid Organic-Inorganic Perovskite Formation. 2018 , 3, 92-97	173
1700	Interfacial engineering with ultrathin poly (9,9-di-n-octylfluorenyl-2,7-diyl) (PFO) layer for high efficient perovskite light-emitting diodes. 2018 , 29, 075203	13

1699	Air-stable all inorganic green perovskite light emitting diodes based on ZnO/CsPbBr ₃ /NiO heterojunction structure. 2018 , 44, 4685-4688	30
1698	Enhanced performance of perovskite solar cells by ultraviolet-ozone treatment of mesoporous TiO ₂ . 2018 , 436, 596-602	45
1697	Photoluminescence of Zero-Dimensional Perovskites and Perovskite-Related Materials. 2018 , 9, 176-183	67
1696	Bidentate Ligand-Passivated CsPbI Perovskite Nanocrystals for Stable Near-Unity Photoluminescence Quantum Yield and Efficient Red Light-Emitting Diodes. 2018 , 140, 562-565	537
1695	Warm white light-emitting diodes using organic/inorganic halide perovskite materials coated YAG:Ce ³⁺ phosphors. 2018 , 44, 3868-3872	17
1694	All-Inorganic Perovskite Quantum Dots/p-Si Heterojunction Light-Emitting Diodes under DC and AC Driving Modes. 2018 , 6, 1700897	25
1693	Fine-Tuned Multilayered Transparent Electrode for Highly Transparent Perovskite Light-Emitting Devices. 2018 , 4, 1700285	24
1692	Photophysical Model for Non-Exponential Relaxation Dynamics in Hybrid Perovskite Semiconductors. 2018 , 122, 1119-1124	11
1691	Cation engineering on lead iodide perovskites for stable and high-performance photovoltaic applications. 2018 , 27, 1017-1039	27
1690	Nanocrystals of halide perovskite: Synthesis, properties, and applications. 2018 , 27, 622-636	31
1689	CH ₃ NH ₃ PbBr ₃ nanocubes-array for solar cell application. 2018 , 74, 361-368	6
1688	Nonlinear Optical Crystal Rb ₄ Sn ₃ Cl ₂ Br ₈ : Synthesis, Structure, and Characterization. 2018 , 18, 380-385	14
1687	Recent progress in organohalide lead perovskites for photovoltaic and optoelectronic applications. 2018 , 373, 258-294	41
1686	A radial microfluidic platform for higher throughput chemotaxis studies with individual gradient control. 2018 , 18, 3855-3864	23
1685	Room temperature precipitated dual phase CsPbBr ₃ -CsPbBr ₃ nanocrystals for stable perovskite light emitting diodes. 2018 , 10, 19262-19271	32
1684	Nanostructure and device architecture engineering for high-performance quantum-dot light-emitting diodes. 2018 , 6, 10958-10981	27
1683	Modification of dry/wet hybrid fabrication method for preparing a perovskite absorption layer on a PCBM electron transport layer.. 2018 , 8, 39047-39052	1
1682	Dual water-healable zwitterionic polymer coatings for anti-biofouling surfaces. 2018 , 6, 6930-6935	27

1681	All-solution-processed perovskite light-emitting diodes with all metal oxide transport layers. 2018 , 54, 13283-13286	34
1680	Colloidal synthesis of lead-free all-inorganic cesium bismuth bromide perovskite nanoplatelets. 2018 , 20, 7473-7478	24
1679	Interface engineering in solid state Li metal batteries by quasi-2D hybrid perovskites. 2018 , 6, 20896-20903	23
1678	. 2018 ,	5
1677	Nanoplatelet modulation in 2D/3D perovskite targeting efficient light-emitting diodes. 2018 , 10, 19322-19329	17
1676	Highly stable perovskite nanogels as inks for multicolor luminescent authentication applications. 2018 , 6, 11569-11574	26
1675	. 2018 ,	9
1674	Probing molecule-like isolated octahedra via-phase stabilization of zero-dimensional cesium lead halide nanocrystals. 2018 , 9, 4691	43
1673	The Bandgap as a Moving Target: Reversible Bandgap Instabilities in Multiple-Cation Mixed-Halide Perovskite Solar Cells. 2018 , 3, 2995-3001	17
1672	Effect of Bathocuproine Organic Additive on Optoelectronic Properties of Highly Efficient Methylammonium Lead Bromide Perovskite Light-Emitting Diodes. 2018 , 1, 6992-6998	14
1671	Tailored Phase Conversion under Conjugated Polymer Enables Thermally Stable Perovskite Solar Cells with Efficiency Exceeding 21. 2018 , 140, 17255-17262	162
1670	Highly bright and stable all-inorganic perovskite light-emitting diodes with methoxypolyethylene glycols modified CsPbBr ₃ emission layer. 2018 , 113, 213501	20
1669	Electroluminescence and photo-response of inorganic halide perovskite bi-functional diodes. 2018 , 7, 1981-1988	9
1668	Hybrid perovskite light emitting diodes under intense electrical excitation. 2018 , 9, 4893	97
1667	Efficient radical-based light-emitting diodes with doublet emission. 2018 , 563, 536-540	265
1666	Research progress of low-dimensional metal halide perovskites for lasing applications. 2018 , 27, 114209	6
1665	Color Simulation and Demonstration of Perovskite Nanocrystal Filters for Wide Color Gamut Displays. 2018 ,	1
1664	Anomalous Scaling Exponents in the Capacitance-Voltage Characteristics of Perovskite Thin Film Devices. 2018 , 122, 27935-27940	7

1663	High-efficiency perovskite/polymer bulk heterostructure light-emitting diodes. 2018 , 12, 783-789	511
1662	Polymer-Assisted In Situ Growth of All-Inorganic Perovskite Nanocrystal Film for Efficient and Stable Pure-Red Light-Emitting Devices. 2018 , 10, 42564-42572	62
1661	Efficient and stable emission of warm-white light from lead-free halide double perovskites. 2018 , 563, 541-545	835
1660	Increased luminescent efficiency of perovskite light emitting diodes based on modified two-step deposition method providing gradient concentration. 2018 , 6, 111101	3
1659	Broadband Extrinsic Self-Trapped Exciton Emission in Sn-Doped 2D Lead-Halide Perovskites. 2019 , 31, e1806385	94
1658	Switching excitonic recombination and carrier trapping in cesium lead halide perovskites by air. 2018 , 1,	43
1657	Crystal facet engineering induced anisotropic transport of charge carriers in a perovskite. 2018 , 6, 11707-11713	11
1656	Excitonics in 2D Perovskites. 2018 , 55-79	2
1655	Perovskite Light-Emitting Devices [Fundamentals and Working Principles. 2018 , 199-221	
1654	Toward Electrically Driven Perovskite Lasers [Prospects and Obstacles. 2018 , 223-247	
1653	Novel Spin Physics in Organic/Inorganic Perovskites. 2018 , 249-271	1
1652	Low Power Consumption Red Light-Emitting Diodes Based on Inorganic Perovskite Quantum Dots under an Alternating Current Driving Mode. 2018 , 8,	11
1651	Layer-edge device of two-dimensional hybrid perovskites. 2018 , 9, 5196	49
1650	Structure-controlled optical thermoresponse in Ruddlesden-Popper layered perovskites. 2018 , 6, 114207	15
1649	Control of Interface Defects for Efficient and Stable Quasi-2D Perovskite Light-Emitting Diodes Using Nickel Oxide Hole Injection Layer. 2018 , 5, 1801350	62
1648	Efficient Visible/Near-Infrared Hybrid Perovskite:PbS Quantum Dot Photodetectors Fabricated Using an Antisolvent Additive Solution Process. 2018 , 6, 1800979	35
1647	High-efficiency, solution-processable, multilayer triple cation perovskite light-emitting diodes with copper sulfide/gallium/in oxide hole transport layer and aluminum-zinc oxide/doped cesium electron injection layer. 2018 , 10, 104-111	21
1646	Giant Light-Emission Enhancement in Lead Halide Perovskites by Surface Oxygen Passivation. 2018 , 18, 6967-6973	45

1645	Reversible, Full-Color Luminescence by Post-treatment of Perovskite Nanocrystals. 2018 , 2, 2105-2116	34
1644	High-performance light-emitting diode with poly(ethylene oxide) passivated quasi two dimensional perovskite emitting layer. 2018 , 63, 216-221	17
1643	All-Inorganic Perovskite Quantum Dot-Monolayer MoS Mixed-Dimensional van der Waals Heterostructure for Ultrasensitive Photodetector. 2018 , 5, 1801219	101
1642	Surface Effect on 2D Hybrid Perovskite Crystals: Perovskites Using an Ethanolamine Organic Layer as an Example. 2018 , 30, e1804372	29
1641	Anion-exchange red perovskite quantum dots with ammonium iodine salts for highly efficient light-emitting devices. 2018 , 12, 681-687	785
1640	Tunable Semiconductors: Control over Carrier States and Excitations in Layered Hybrid Organic-Inorganic Perovskites. 2018 , 121, 146401	65
1639	Carrier cascade: Enabling high performance perovskite light-emitting diodes (PeLEDs). 2018 , 11, 91-97	6
1638	Solution-processed perovskite light emitting diodes with efficiency exceeding 15% through additive-controlled nanostructure tailoring. 2018 , 9, 3892	280
1637	Realization of Warm-white light via halide substitution in polar two-dimensional hybrid perovskites (2meptH ₂)PbCl _x Br _{4-x} . 2018 , 6, 12267-12272	31
1636	Excitonic gain and laser emission from mixed-cation halide perovskite thin films. 2018 , 5, 1141	19
1635	Efficient Photo- and Electroluminescence by Trap States Passivation in Vacuum-Deposited Hybrid Perovskite Thin Films. 2018 , 10, 36187-36193	21
1634	Effect of surface recombination in high performance white-light CHNHPbI single crystal photodetectors. 2018 , 26, 26307-26316	6
1633	Manipulating the Trade-off Between Quantum Yield and Electrical Conductivity for High-Brightness Quasi-2D Perovskite Light-Emitting Diodes. 2018 , 28, 1804187	84
1632	Perovskite light-emitting diodes with external quantum efficiency exceeding 20 per cent. 2018 , 562, 245-248	1802
1631	Simultaneous Strontium Doping and Chlorine Surface Passivation Improve Luminescence Intensity and Stability of CsPbI Nanocrystals Enabling Efficient Light-Emitting Devices. 2018 , 30, e1804691	150
1630	Highly Efficient and Environmentally Stable Flexible Color Converters Based on Confined CHNHPbBr Nanocrystals. 2018 , 10, 38334-38340	10
1629	Defect Passivation of CsPbI ₂ Br ₂ Perovskites for High-Performance Solar Cells with Large Open-Circuit Voltage of 1.28 V. 2018 , 1, 5872-5878	54
1628	Efficient Perovskite Light-Emitting Diodes: Effect of Composition, Morphology, and Transport Layers. 2018 , 10, 41586-41591	16

1627	Perovskites - some snapshots of recent developments. 2018 , 101, 384-396	1
1626	Understanding the Role of Lithium Doping in Reducing Nonradiative Loss in Lead Halide Perovskites. 2018 , 5, 1800736	38
1625	Electric Bias Induced Degradation in Organic-Inorganic Hybrid Perovskite Light-Emitting Diodes. 2018 , 8, 15799	15
1624	High Brightness and Enhanced Stability of CsPbBr ₃ -Based Perovskite Light-Emitting Diodes by Morphology and Interface Engineering. 2018 , 6, 1801245	36
1623	Luminescent Intermediates and Humidity-Dependent Room-Temperature Conversion of the MAPbI Perovskite Precursor. 2018 , 3, 14494-14502	15
1622	Ultra-Bright Near-Infrared Perovskite Light-Emitting Diodes with Reduced Efficiency Roll-off. 2018 , 8, 15496	33
1621	All-Perovskite Emission Architecture for White Light-Emitting Diodes. 2018 , 12, 10486-10492	61
1620	Building bridges between halide perovskite nanocrystals and thin-film solar cells. 2018 , 2, 2381-2397	31
1619	Hole-Injection Layer-Free Perovskite Light-Emitting Diodes. 2018 , 10, 32289-32297	20
1618	Opportunities and Challenges in Perovskite Light-Emitting Devices. 2018 , 5, 3866-3875	102
1617	Highly efficient and humidity stable perovskite solar cells achieved by introducing perovskite-like metal formate material as the nanocrystal scaffold. 2018 , 402, 229-236	6
1616	Bright and efficient light-emitting diodes based on perovskite quantum dots with formamidine-methylamine hybrid cations. 2018 , 51, 454003	3
1615	Improved performance of CsPbBr perovskite light-emitting devices by both boundary and interface defects passivation. 2018 , 10, 18315-18322	25
1614	Influence of solvent additive on the chemical and electronic environment of wide bandgap perovskite thin films. 2018 , 6, 12052-12061	19
1613	Interfacial Engineering of Perovskite Quantum-Dot Light-Emitting Devices Using Alkyl Ammonium Salt Layer. 2018 , 31, 329-333	2
1612	Lead-Free Highly Efficient Blue-Emitting Cs Cu I with 0D Electronic Structure. 2018 , 30, e1804547	292
1611	Self-Assembled High Quality CsPbBr Quantum Dot Films toward Highly Efficient Light-Emitting Diodes. 2018 , 12, 9541-9548	113
1610	Ultrafast Carrier Transfer Promoted by Interlayer Coulomb Coupling in 2D/3D Perovskite Heterostructures. 2018 , 12, 1800128	45

1609	Investigation on the wetting issues in solution processed inverted quantum-dot light-emitting diodes. 2018 , 62, 434-440	4
1608	Two-Dimensional Ruddlesden-Popper Perovskite with Nanorod-like Morphology for Solar Cells with Efficiency Exceeding 15. 2018 , 140, 11639-11646	282
1607	Perovskites for Light Emission. 2018 , 30, e1801996	270
1606	Color-stable highly luminescent sky-blue perovskite light-emitting diodes. 2018 , 9, 3541	370
1605	Long-lived polarization memory in the electronic states of lead-halide perovskites from local structural dynamics. 2018 , 9, 3531	21
1604	Investigation on Charge Carrier Recombination of Hybrid Organic-Inorganic Perovskites Doped with Aggregation-Induced Emission Luminogen under High Photon Flux Excitation. 2018 , 6, 1800221	4
1603	Structural and Electronic Properties of Inorganic Mixed Halide Perovskites. 2018 , 12, 1800193	14
1602	Electrical, Optical, and Structural Characteristics of CH ₃ NH ₃ PbI ₃ Perovskite Light-Emitting Diodes. 2018 , 215, 1701014	3
1601	Solvent-Assisted Surface Engineering for High-Performance All-Inorganic Perovskite Nanocrystal Light-Emitting Diodes. 2018 , 10, 19828-19835	38
1600	Conjugated Polyelectrolytes as Efficient Hole Transport Layers in Perovskite Light-Emitting Diodes. 2018 , 12, 5826-5833	38
1599	A CsPbBr ₃ /TiO ₂ Composite for Visible-Light-Driven Photocatalytic Benzyl Alcohol Oxidation. 2018 , 11, 2057-2061	92
1598	General Strategy for the Growth of CsPbX ₃ (X = Cl, Br, I) Perovskite Nanosheets from the Assembly of Nanorods. 2018 , 30, 3854-3860	55
1597	Efficient pure green light-emitting diodes based on formamidinium lead bromide perovskite nanocrystals. 2018 , 60, 64-70	6
1596	Highly Efficient Blue-Emitting Bi-Doped Cs ₂ SnCl ₆ Perovskite Variant: Photoluminescence Induced by Impurity Doping. 2018 , 28, 1801131	239
1595	Improving the Quality of CH ₃ NH ₃ PbI ₃ Films via Chlorobenzene Vapor Annealing. 2018 , 215, 1700959	9
1594	Inducing Isotropic Growth in Multidimensional Cesium Lead Halide Perovskite Nanocrystals. 2018 , 83, 514-520	8
1593	18-1: Invited Paper: Color Tunable, Flexible, and Efficient Light Emitting Diodes Composed of Metal Halide Perovskites. 2018 , 49, 212-213	1
1592	High performance organo-lead halide perovskite light-emitting diodes via surface passivation of phenethylamine. 2018 , 60, 57-63	14

1591	Efficient Photon Recycling and Radiation Trapping in Cesium Lead Halide Perovskite Waveguides. 2018 , 3, 1492-1498	56
1590	Fullerene derivative as an additive for highly efficient printable mesoscopic perovskite solar cells. 2018 , 62, 653-659	7
1589	Temperature-Dependent Photoluminescence of CH ₃ NH ₃ PbBr Perovskite Quantum Dots and Bulk Counterparts. 2018 , 9, 4066-4074	82
1588	Dark-Field Sensors based on Organometallic Halide Perovskite Microlasers. 2018 , 30, e1801481	29
1587	Recent Advances in Perovskite Micro- and Nanolasers. 2018 , 6, 1800278	112
1586	Photonics and Optoelectronics of 2D Metal-Halide Perovskites. 2018 , 14, e1800682	128
1585	High-efficiency and air-stable photodetectors based on lead-free double perovskite Cs ₂ AgBiBr ₆ thin films. 2018 , 6, 7982-7988	90
1584	In Situ Fabricated Perovskite Nanocrystals: A Revolution in Optical Materials. 2018 , 6, 1800380	129
1583	The Role of Metal Halide Perovskites in Next-Generation Lighting Devices. 2018 , 9, 3987-3997	41
1582	Low-Dimensional Perovskites. 2018 , 197-229	9
1581	Controllable synthesis of organic-inorganic hybrid halide perovskite quantum dots for quasi-solid-state solar cells. 2018 , 282, 263-269	14
1580	Theoretical perspective to light outcoupling and management in perovskite light-emitting diodes. 2018 , 61, 351-358	28
1579	Morphology-Tailored Halide Perovskite Platelets and Wires: From Synthesis, Properties to Optoelectronic Devices. 2018 , 6, 1800413	26
1578	High Current Density and Low Hysteresis Effect of Planar Perovskite Solar Cells via PCBM-doping and Interfacial Improvement. 2018 , 10, 29954-29964	25
1577	Giant current amplification induced by ion migration in perovskite single crystal photodetectors. 2018 , 6, 8042-8050	24
1576	Recent Advances toward High-Efficiency Halide Perovskite Light-Emitting Diodes: Review and Perspective. 2018 , 2, 1700419	145
1575	A general printing approach for scalable growth of perovskite single-crystal films. 2018 , 4, eaat2390	101
1574	Towards efficient perovskite light-emitting diodes: A multi-step spin-coating method for a dense and uniform perovskite film. 2018 , 61, 18-24	10

1573	Less-Lead Control toward Highly Efficient Formamidinium-Based Perovskite Light-Emitting Diodes. 2018 , 10, 24242-24248	15
1572	Interfacial Charge Behavior Modulation in Perovskite Quantum Dot-Monolayer MoS ₂ 0D-2D Mixed-Dimensional van der Waals Heterostructures. 2018 , 28, 1802015	75
1571	Photon Upconversion through a Cascade Process of Two-Photon Absorption in CsPbBr ₃ and Triplet-Triplet Annihilation in Porphyrin/Diphenylanthracene. 2018 , 122, 14425-14433	8
1570	High performance perovskite light-emitting diodes realized by isopropyl alcohol as green anti-solvent. 2018 , 204, 110-115	13
1569	Metal Halide Perovskites: From Crystal Formations to Light-Emitting-Diode Applications. 2018 , 2, 1800093	26
1568	Enhanced efficiency in lead-free bismuth iodide with post treatment based on a hole-conductor-free perovskite solar cell. 2018 , 11, 6283-6293	45
1567	Super air stable quasi-2D organic-inorganic hybrid perovskites for visible light-emitting diodes. 2018 , 26, A66-A74	38
1566	A Facile Preparative Route of Nanoscale Perovskites over Mesoporous Metal Oxide Films and Their Applications to Photosensitizers and Light Emitters. 2018 , 28, 1803801	13
1565	A simple method to improve the performance of perovskite light-emitting diodes layer-by-layer spin-coating CsPbBr quantum dots.. 2018 , 8, 27201-27206	1
1564	Dramatically Enhanced Photoluminescence from Femtosecond Laser Induced Micro-/Nanostructures on MAPbBr ₃ Single Crystal Surface. 2018 , 6, 1800411	8
1563	Efficient Light-Emitting Diodes Based on in Situ Fabricated FAPbBr Nanocrystals: The Enhancing Role of the Ligand-Assisted Reprecipitation Process. 2018 , 12, 8808-8816	183
1562	Recent advances toward practical use of halide perovskite nanocrystals. 2018 , 6, 21729-21746	62
1561	Lead-free halide double perovskite-polymer composites for flexible X-ray imaging. 2018 , 6, 11961-11967	61
1560	Phase Transition from CsPbBr ₃ into CsPb ₂ Br ₅ during Size Increasing of Perovskite Nanocrystals Observed by Terahertz Time-Domain Spectroscopy. 2018 ,	
1559	Two-Step Growth of 2D Organic-Inorganic Perovskite Microplates and Arrays for Functional Optoelectronics. 2018 , 9, 4532-4538	22
1558	Pyridine solvent engineering for high quality anion-cation-mixed hybrid and high performance of perovskite solar cells. 2018 , 399, 144-150	45
1557	Enhanced piezo-response in copper halide perovskites based PVDF composite films. 2018 , 63, 1254-1259	20
1556	Flexible and Stretchable Smart Display: Materials, Fabrication, Device Design, and System Integration. 2018 , 28, 1801834	221

1555	Efficient Room-Temperature Phosphorescence from Organic-Inorganic Hybrid Perovskites by Molecular Engineering. 2018 , 30, e1707621	83
1554	Synergistic combination of semiconductor quantum dots and organic-inorganic halide perovskites for hybrid solar cells. 2018 , 374, 279-313	39
1553	Widely used hardly known. An insight into electric and dynamic properties of formamidinium iodide.. 2018 , 8, 26506-26516	6
1552	In situ synthesis and macroscale alignment of CsPbBr perovskite nanorods in a polymer matrix. 2018 , 10, 15436-15441	56
1551	Photo-induced thiol coupling and C ₆₀ activation using nanocrystalline lead-halide perovskite catalysts. 2018 , 8, 4257-4263	63
1550	An efficient solvent additive for the preparation of anion-cation-mixed hybrid and the high performance perovskite solar cells. 2018 , 531, 602-608	12
1549	Atomic Characterization of Byproduct Nanoparticles on Cesium Lead Halide Nanocrystals Using High-Resolution Scanning Transmission Electron Microscopy. 2018 , 8, 2	19
1548	Two-dimensional organic-inorganic hybrid perovskite: from material properties to device applications. 2018 , 61, 1257-1277	64
1547	Crystallization, Properties, and Challenges of Low-Bandgap SnPb Binary Perovskites. 2018 , 2, 1800146	33
1546	Contributions of the lead-bromine weighted bands to the occupied density of states of the hybrid tri-bromide perovskites. 2018 , 113, 022101	6
1545	Whispering gallery mode lasing in lead halide perovskite crystals grown in microcapillary. 2018 , 113, 011107	14
1544	Improved Performance of Perovskite Light-Emitting Diodes by Quantum Confinement Effect in Perovskite Nanocrystals. 2018 , 8,	7
1543	Rational Energy Band Alignment and Au Nanoparticles in Surface Plasmon Enhanced Si-Based Perovskite Quantum Dot Light-Emitting Diodes. 2018 , 6, 1800693	24
1542	Light-Induced Anomalous Resistive Switches Based on Individual Organic-Inorganic Halide Perovskite Micro-/Nanofibers. 2018 , 4, 1800206	15
1541	Doping-Enhanced Short-Range Order of Perovskite Nanocrystals for Near-Unity Violet Luminescence Quantum Yield. 2018 , 140, 9942-9951	380
1540	Charge carrier recombination and ion migration in metal-halide perovskite nanoparticle films for efficient light-emitting diodes. 2018 , 52, 329-335	40
1539	Mutual Composition Transformations Among 2D/3D Organolead Halide Perovskites and Mechanisms Behind. 2018 , 2, 1800125	13
1538	Halide Perovskite Nanopillar Photodetector. 2018 , 12, 8564-8571	46

1537	Metal-free three-dimensional perovskite ferroelectrics. <i>Science</i> , 2018 , 361, 151-155	33-3	360
1536	Photoluminescence of Sn ²⁺ -mixed molecular perovskites. 2018 , 6, 8349-8352		14
1535	Highly Efficient and Fully Solution-Processed Inverted Light-Emitting Diodes with Charge Control Interlayers. 2018 , 10, 17295-17300		65
1534	Linking structural properties with functionality in solar cell materials [The effective mass and effective density of states. 2018 , 2, 1550-1560		11
1533	Boosting the electroluminescence efficiency of solution-processed thermally activated delayed fluorescence OLEDs with a versatile hole-transporting layer of organic/inorganic hybrid perovskite. 2018 , 6, 6305-6311		3
1532	A Strategy for Architecture Design of Crystalline Perovskite Light-Emitting Diodes with High Performance. 2018 , 30, e1800251		112
1531	Surface-Passivated Cesium Lead Halide Perovskite Quantum Dots: Toward Efficient Light-Emitting Diodes with an Inverted Sandwich Structure. 2018 , 6, 1800007		33
1530	Solvothermal Synthesis of Ultrathin Cesium Lead Halide Perovskite Nanoplatelets with Tunable Lateral Sizes and Their Reversible Transformation into Cs ₄ PbBr ₆ Nanocrystals. 2018 , 30, 3714-3721		72
1529	Evaluation of multiple cation/anion perovskite solar cells through life cycle assessment. 2018 , 2, 1600-1609		18
1528	Enhancing Performances of Hybrid Perovskite Light Emitting Diodes with Thickness Controlled PMMA Interlayer. 2018 , 91, 1241-1248		14
1527	Improving the stability and efficiency of perovskite light-emitting diodes via an insulating layer of polyethylenimine ethoxylated. 2018 , 201, 359-363		14
1526	Green Light-Emitting Devices Based on Perovskite CsPbBr ₃ Quantum Dots. 2018 , 6, 381		11
1525	Chemical regulation of metal halide perovskite nanomaterials for efficient light-emitting diodes. 2018 , 61, 1047-1061		24
1524	Quantum Confined Colloidal Perovskite Nanoplatelets for Extremely Pure Green and Efficient LEDs. 2018 ,		1
1523	All-Solution-Processed Pure Formamidinium-Based Perovskite Light-Emitting Diodes. 2018 , 30, e1804137		57
1522	Coherent Spin and Quasiparticle Dynamics in Solution-Processed Layered 2D Lead Halide Perovskites. 2018 , 5, 1800664		38
1521	Boosted electroluminescence of perovskite light-emitting diodes by pinhole passivation with insulating polymer. 2018 , 51, 405103		7
1520	Methylammonium, formamidinium and ethylenediamine mixed triple-cation perovskite solar cells with high efficiency and remarkable stability. 2018 , 6, 17625-17632		33

1519	Lead halide perovskite quantum dots for light-emitting devices. 2018 , 6, 11868-11877	36
1518	Metal-Doped Lead Halide Perovskites: Synthesis, Properties, and Optoelectronic Applications. 2018 , 30, 6589-6613	324
1517	Bulk Heterojunction-Assisted Grain Growth for Controllable and Highly Crystalline Perovskite Films. 2018 , 10, 31366-31373	11
1516	Polar Solvent Induced Lattice Distortion of Cubic CsPbI Nanocubes and Hierarchical Self-Assembly into Orthorhombic Single-Crystalline Nanowires. 2018 , 140, 11705-11715	154
1515	Emergence of Nanoplatelet Light-Emitting Diodes. 2018 , 11,	28
1514	Role of alkyl chain length in diaminoalkane linked 2D Ruddlesden-Popper halide perovskites. 2018 , 20, 6704-6712	17
1513	Recombination Dynamics Study on Nanostructured Perovskite Light-Emitting Devices. 2018 , 30, e1801370	60
1512	Efficient Perovskite Light-Emitting Diodes via Tuning Nanoplatelet Distribution and Crystallinity Orientation. 2018 , 5, 1801030	22
1511	Phase-transition-induced p-n junction in single halide perovskite nanowire. 2018 , 115, 8889-8894	34
1510	Extreme electron transport suppression in siloxane ring-based molecular devices. 2018 , 20, 23352-23362	3
1509	Enhancing Luminescence and Photostability of CsPbBr ₃ Nanocrystals via Surface Passivation with Silver Complex. 2018 , 122, 12994-13000	55
1508	Improved Moisture Stability of 2D Hybrid Perovskite (HOOC(CH ₂) _n H ₃) ₂ PbI ₄ by Dehydration Condensation between Organic Components. 2018 , 1, 2502-2511	6
1507	Influence of Eu-substitution on luminescent CH ₃ NHPbBr quantum dots. 2018 , 10, 11452-11459	13
1506	Pushing the Envelope: Achieving an Open-Circuit Voltage of 1.18 V for Unalloyed MAPbI ₃ Perovskite Solar Cells of a Planar Architecture. 2018 , 28, 1801237	22
1505	Efficient perovskite light-emitting diodes based on a solution-processed tin dioxide electron transport layer. 2018 , 6, 6996-7002	16
1504	Charge-transfer versus energy-transfer in quasi-2D perovskite light-emitting diodes. 2018 , 50, 615-622	75
1503	Degradation of Two-Dimensional CH ₃ NHPbI Perovskite and CH ₃ NHPbI/Graphene Heterostructure. 2018 , 10, 24258-24265	30
1502	Influence of Bulky Organo-Ammonium Halide Additive Choice on the Flexibility and Efficiency of Perovskite Light-Emitting Devices. 2018 , 28, 1802060	53

1501	High-Efficiency Pure-Color Inorganic Halide Perovskite Emitters for Ultrahigh-Definition Displays: Progress for Backlighting Displays and Electrically Driven Devices. 2018 , 2, 1700382	40
1500	Ferroelectric and Piezoelectric Effects on the Optical Process in Advanced Materials and Devices. 2018 , 30, e1707007	107
1499	White perovskite based lighting devices. 2018 , 54, 8150-8169	54
1498	CHNHPbBr Quantum Dot-Induced Nucleation for High Performance Perovskite Light-Emitting Solar Cells. 2018 , 10, 22320-22328	26
1497	Photophysical Properties and Improved Stability of Organic-Inorganic Perovskite by Surface Passivation. 2018 , 122, 15799-15818	48
1496	Low-Temperature Processable Charge Transporting Materials for the Flexible Perovskite Solar Cells. 2018 , 14, 657-668	14
1495	Solution-Processable Near-Infrared-Responsive Composite of Perovskite Nanowires and Photon-Upconversion Nanoparticles. 2018 , 28, 1801782	33
1494	Realization of a Highly Oriented MAPbBr ₃ Perovskite Thin Film via Ion Exchange for Ultrahigh Color Purity Green Light Emission. 2018 , 3, 1662-1669	28
1493	Colloidal Mn ²⁺ Doped 2D (n =1) Lead Bromide Perovskites: Efficient Energy Transfer and Role of Anion in Doping Mechanism. 2018 , 3, 6585-6595	14
1492	Controllable transformation between 3D and 2D perovskites through cation exchange. 2018 , 54, 7944-7947	14
1491	MAPbI ₃ microneedle-arrays for perovskite photovoltaic application. 2019 , 1, 64-70	2
1490	Cu ion-induced photoluminescence quenching of methylammonium lead bromide nanocrystals. 2019 , 384, 112041	3
1489	Enhanced Performance and Stability of Planar Perovskite Solar Cells by Interfacial Engineering using Fluorinated Aliphatic Amines. 2019 , 2, 6230-6236	13
1488	Stable and bright formamidinium-based perovskite light-emitting diodes with high energy conversion efficiency. 2019 , 10, 3624	68
1487	Perovskite-based lasers: An introductory survey. 2019 , 41-74	0
1486	Polarization effects of transition dipoles on photoluminescence and photocurrent in organic-inorganic hybrid perovskites. 2019 , 65, 104004	4
1485	Moisture proof hole transport layers based on CISE quantum dots for highly stable and large active area perovskite solar cells. 2019 , 496, 143610	11
1484	Room-Temperature Stimulated Emission and Lasing in Recrystallized Cesium Lead Bromide Perovskite Thin Films. 2019 , 31, e1903717	96

1483	Single-Step Synthesis of Dual Phase Bright Blue-Green Emitting Lead Halide Perovskite Nanocrystal Thin Films. 2019 , 31, 6824-6832	14
1482	Surface engineering towards highly efficient perovskite light-emitting diodes. 2019 , 65, 104029	20
1481	Strengthened Perovskite/Fullerene Interface Enhances Efficiency and Stability of Inverted Planar Perovskite Solar Cells via a Tetrafluoroterephthalic Acid Interlayer. 2019 , 11, 33515-33524	16
1480	Efficient blue light-emitting diodes based on quantum-confined bromide perovskite nanostructures. 2019 , 13, 760-764	313
1479	Transient Energy Reservoir in 2D Perovskites. 2019 , 7, 1900971	33
1478	Localized exciton emission in CsPbBr ₃ nanocrystals synthesized with excess bromide ions. 2019 , 7, 10783-10788	38
1477	Metal halide perovskite nanocrystals and their applications in optoelectronic devices. 2019 , 1, 430-459	49
1476	Stable Lead-Free (CH ₃ NH ₃) ₃ Bi ₂ I ₉ Perovskite for Photocatalytic Hydrogen Generation. 2019 , 7, 15080-15085	47
1475	Single-phase alkylammonium cesium lead iodide quasi-2D perovskites for color-tunable and spectrum-stable red LEDs. 2019 , 11, 16907-16918	14
1474	Dual Emission of Water-Stable 2D Organic-Inorganic Halide Perovskites with Mn(II) Dopant. 2019 , 29, 1904768	45
1473	Efficient Cesium Lead Halide Perovskite Solar Cells through Alternative Thousand-Layer Rapid Deposition. 2019 , 29, 1905163	21
1472	Hole Transport Bilayer Structure for Quasi-2D Perovskite Based Blue Light-Emitting Diodes with High Brightness and Good Spectral Stability. 2019 , 29, 1905339	50
1471	Highly stable hybrid perovskite light-emitting diodes based on Dion-Jacobson structure. 2019 , 5, eaaw8072	104
1470	Sodium Ion Modifying In Situ Fabricated CsPbBr ₃ Nanoparticles for Efficient Perovskite Light Emitting Diodes. 2019 , 7, 1900747	36
1469	Giant Electric Bias-Induced Tunability of Photoluminescence and Photoresistance in Hybrid Perovskite Films on Ferroelectric Substrates. 2019 , 7, 1901092	6
1468	Toward Electrochemical Studies on the Nanometer and Atomic Scales: Progress, Challenges, and Opportunities. 2019 , 13, 9735-9780	18
1467	Laser-Generated Nanocrystals in Perovskite: Universal Embedding of Ligand-Free and Sub-10 nm Nanocrystals in Solution-Processed Metal Halide Perovskite Films for Effectively Modulated Optoelectronic Performance. 2019 , 9, 1901341	36
1466	Highly Stable Two-Dimensional Tin(II) Iodide Hybrid Organic-Inorganic Perovskite Based on Stilbene Derivative. 2019 , 29, 1904810	36

1465	Covalently Bonded Pillared Layered Bromoplumbate with High Thermal Stability: High Capacitance Gain after Photoinduced Electron Transfer. 2019 , 11, 30713-30718	17
1464	Ammonium Thiocyanate-Passivated CsPbI ₃ Perovskite Nanocrystals for Efficient Red Light-Emitting Diodes. 2019 , 123, 22787-22792	42
1463	Enhanced Performance of Green Perovskite Quantum Dots Light-Emitting Diode Based on Co-Doped Polymers as Hole Transport Layer. 2019 , 40, 1479-1482	10
1462	Phase Engineering for Highly Efficient Quasi-Two-Dimensional All-Inorganic Perovskite Light-Emitting Diodes via Adjusting the Ratio of Cs Cation. 2019 , 14, 255	6
1461	A strategy for improving the performance of perovskite red light-emitting diodes by controlling the growth of perovskite crystal. 2019 , 7, 11887-11895	6
1460	Reduced Efficiency Roll-Off and Improved Stability of Mixed 2D/3D Perovskite Light Emitting Diodes by Balancing Charge Injection. 2019 , 29, 1904101	61
1459	Towards green antisolvent for efficient CH ₃ NH ₃ PbBr ₃ perovskite light emitting diodes: A comparison of toluene, chlorobenzene, and ethyl acetate. 2019 , 115, 033101	9
1458	Size effect of lead-free halide double perovskite on luminescence property. 2019 , 62, 1405-1413	59
1457	Polymer Nanoreactors Shield Perovskite Nanocrystals from Degradation. 2019 , 19, 4928-4933	35
1456	Color-Tunable All-Inorganic CsPbBr ₃ Perovskites Nanoplatelet Films for Photovoltaic Devices. 2019 , 2, 5149-5155	3
1455	Improving the Stability of Organic-Inorganic Hybrid Perovskite Light-Emitting Diodes Using Doped Electron Transport Materials. 2019 , 216, 1900426	11
1454	Device Engineering for All-Inorganic Perovskite Light-Emitting Diodes. 2019 , 9,	20
1453	The Future Is Blue (LEDs): Why Chemistry Is the Key to Perovskite Displays. 2019 , 31, 6003-6032	55
1452	Rational Core-Shell Design of Open Air Low Temperature In Situ Processable CsPbI ₃ Quasi-Nanocrystals for Stabilized p-i-n Solar Cells. 2019 , 9, 1901787	41
1451	Ligand-Size Related Dimensionality Control in Metal Halide Perovskites. 2019 , 4, 1830-1838	23
1450	Improved Efficiency of Perovskite Light-Emitting Diodes Using a Three-Step Spin-Coated CH ₃ NH ₃ PbBr Emitter and a PEDOT:PSS/MoO ₃ -Ammonia Composite Hole Transport Layer. 2019 , 10,	8
1449	Mechanistic Insight into Surface Defect Control in Perovskite Nanocrystals: Ligands Terminate the Valence Transition from Pb to Metallic Pb. 2019 , 10, 4222-4228	28
1448	Probing reversible photoluminescence alteration in CH ₃ NH ₃ PbBr colloidal quantum dots for luminescence-based gas sensing application. 2019 , 554, 668-673	7

1447	Recent Progress on Cesium Lead Halide Perovskites for Photodetection Applications. 2019 , 1, 1348-1366	28
1446	Highly Efficient Light Emitting Diodes Based on In Situ Fabricated FAPbI ₃ Nanocrystals: Solvent Effects of On-Chip Crystallization. 2019 , 7, 1900774	20
1445	Performance boosting strategy for perovskite light-emitting diodes. 2019 , 6, 031402	63
1444	CsPbBrCl/g-CN type II heterojunction as efficient visible range photocatalyst. 2019 , 380, 120855	67
1443	High-resolution remote thermometry and thermography using luminescent low-dimensional tin-halide perovskites. 2019 , 18, 846-852	149
1442	Perovskite Light-Emitting Diodes Based on FAPb _{1-x} Sn _x Br ₃ Nanocrystals Synthesized at Room Temperature. 2019 , 18, 1050-1056	6
1441	Stable 6H Organic/Inorganic Hybrid Lead Perovskite and Competitive Formation of 6H and 3C Perovskite Structure with Mixed A Cations. 2019 , 2, 5427-5437	10
1440	Light-Enhanced Ion Migration in Two-Dimensional Perovskite Single Crystals Revealed in Carbon Nanotubes/Two-Dimensional Perovskite Heterostructure and Its Photomemory Application. 2019 , 5, 1857-1865	23
1439	Enhanced UV-Visible detection of InGaZnO phototransistors via CsPbBr ₃ quantum dots. 2019 , 34, 125013	14
1438	Oxidative Passivation of Metal Halide Perovskites. 2019 , 3, 2716-2731	51
1437	Degradation Mechanisms in Organic Lead Halide Perovskite Light-Emitting Diodes. 2019 , 7, 1900902	35
1436	Ruddlesden-Popper Perovskites: Synthesis and Optical Properties for Optoelectronic Applications. 2019 , 6, 1900941	65
1435	Multi-Resonance Induced Thermally Activated Delayed Fluorophores for Narrowband Green OLEDs. 2019 , 58, 16912-16917	156
1434	Fetal phenotype of Galloway-Mowat syndrome 3 caused by a specific OSGEP variant. 2019 , 242, 182-184	1
1433	Size and temperature dependence of photoluminescence of hybrid perovskite nanocrystals. 2019 , 151, 154705	16
1432	Improved Charge Injection and Transport of Light-Emitting Diodes Based on Two-Dimensional Materials. 2019 , 9, 4140	1
1431	Direct Synthesis of Quaternary Alkylammonium-Capped Perovskite Nanocrystals for Efficient Blue and Green Light-Emitting Diodes. 2019 , 4, 2703-2711	89
1430	Band structure engineering in metal halide perovskite nanostructures for optoelectronic applications. 2019 , 1, 268-287	65

1429	Fiber-Spinning-Chemistry Method toward In Situ Generation of Highly Stable Halide Perovskite Nanocrystals. 2019 , 6, 1901694	25
1428	Halogen Vacancies Enable Ligand-Assisted Self-Assembly of Perovskite Quantum Dots into Nanowires. 2019 , 131, 16223-16227	13
1427	Multi-Resonance Induced Thermally Activated Delayed Fluorophores for Narrowband Green OLEDs. 2019 , 131, 17068-17073	44
1426	A rare case of acute respiratory distress syndrome caused by use of gadolinium-based magnetic resonance imaging contrast media. 2019 , 7, e00483	3
1425	Light Generation in Lead Halide Perovskite Nanocrystals: LEDs, Color Converters, Lasers, and Other Applications. 2019 , 15, e1902079	50
1424	7.4: Metal Halide Perovskite Nanophosphors for Micro-LEDs. 2019 , 50, 65-68	
1423	Flexible Thin Film and Bulk Switchable Relaxor Coexisting Most Optimal 473 nm Blue Light without Blue-Light Hazard/Visual Injury. 2019 , 123, 28385-28391	4
1422	Methylammonium-Mediated Crystallization of Cesium-Based 2D/3D Perovskites toward High-Efficiency Light-Emitting Diodes. 2019 , 11, 43452-43459	6
1421	Bright and Effectual Perovskite Light-Emitting Electrochemical Cells Leveraging Ionic Additives. 2019 , 4, 2922-2928	35
1420	Efficient halide perovskite light-emitting diodes with emissive layer consisted of multilayer coatings. 2019 , 126, 165502	3
1419	Widely Tunable, Room Temperature, Single-Mode Lasing Operation from Mixed-Halide Perovskite Thin Films. 2019 , 6, 3331-3337	20
1418	Role of Ammonium Derivative Ligands on Optical Properties of CH ₃ NH ₃ PbBr Perovskite Nanocrystals. 2019 , 35, 15151-15157	5
1417	High-Energy Optical Transitions and Optical Constants of CH ₃ NH ₃ PbI ₃ Measured by Spectroscopic Ellipsometry and Spectrophotometry. 2019 , 123, 28795-28801	6
1416	Scale-Up Synthesis of Organometal Halide Perovskite Nanocrystals (MAPbX ₃ , X = Cl, Br, and I). 2019 , 7, 19369-19374	13
1415	Ambipolar Transport in Methylammonium Lead Iodide Thin Film Transistors. 2019 , 9, 539	12
1414	Halogen Vacancies Enable Ligand-Assisted Self-Assembly of Perovskite Quantum Dots into Nanowires. 2019 , 58, 16077-16081	32
1413	All-Solution-Processed Organic/Inorganic Hybrid Perovskite Light-Emitting Diodes under Ambient Air. 2019 , 216, 1900642	7
1412	Engineering Green-to-Blue Emitting CsPbBr ₃ Quantum-Dot Films with Efficient Ligand Passivation. 2019 , 4, 2731-2738	17

1411	Highly Efficient and Stable White Light-Emitting Diodes Using Perovskite Quantum Dot Paper. 2019 , 6, 1902230	37
1410	Surface Ligand Engineering toward Brightly Luminescent and Stable Cesium Lead Halide Perovskite Nanoplatelets for Efficient Blue-Light-Emitting Diodes. 2019 , 123, 26161-26169	34
1409	Halogenated-Methylammonium Based 3D Halide Perovskites. 2019 , 31, e1903830	19
1408	3D Nanoprinting of Perovskites. 2019 , 31, e1904073	37
1407	Filterless Polarization-Sensitive 2D Perovskite Narrowband Photodetectors. 2019 , 7, 1900988	51
1406	Nanoreactors for Chemical Synthesis and Biomedical Applications. 2019 , 14, 3240-3250	6
1405	P-9.2: Role of interlayers in inorganic perovskite thin films LEDs. 2019 , 50, 859-860	
1404	Action growth of dyonic black holes and electromagnetic duality. 2019 , 2019, 1	6
1403	Nanostructured colloidal quantum dots for efficient electroluminescence devices. 2019 , 36, 173-185	19
1402	A Coupled Line-Based Coupler With Simultaneously Tunable Phase and Frequency. 2019 , 66, 4637-4647	12
1401	Tunable Spin Characteristic Properties in Spin Valve Devices Based on Hybrid Organic-Inorganic Perovskites. 2019 , 31, e1904059	16
1400	Lead-Free Antimony-Based Light-Emitting Diodes through the Vapor-Anion-Exchange Method. 2019 , 11, 35088-35094	42
1399	Influence of indium-tin-oxide and emitting-layer thicknesses on light outcoupling of perovskite light-emitting diodes. 2019 , 6, 26	14
1398	High-performance and stable CsPbBr light-emitting diodes based on polymer additive treatment.. 2019 , 9, 27684-27691	17
1397	Barium acetate as an additive for high performance perovskite solar cells. 2019 , 7, 11411-11418	5
1396	Pathways toward high-performance inorganic perovskite solar cells: challenges and strategies. 2019 , 7, 20494-20518	44
1395	Ligand-Mediated Release of Halides for Color Tuning of Perovskite Nanocrystals with Enhanced Stability. 2019 , 10, 5836-5840	20
1394	High-Quality All-Inorganic Perovskite CsPbBr ₃ Quantum Dots Emitter Prepared by a Simple Purified Method and Applications of Light-Emitting Diodes. 2019 , 12, 3507	12

1393	Control of aggregation and dissolution of small molecule hole transport layers via a doping strategy for highly efficient perovskite solar cells. 2019 , 7, 11932-11942	6
1392	Highly Emissive and Stable Organic-Perovskite Nanocomposite Thin Films with Phosphonium Passivation. 2019 , 10, 5923-5928	8
1391	Temperature-Dependent Thermal Decomposition Pathway of Organic-Inorganic Halide Perovskite Materials. 2019 , 31, 8515-8522	40
1390	Thin Film of Perovskite (Mixed-Cation of Lead Bromide FA _{1-x} MA _x PbBr ₃) Obtained by One-Step Method. 2019 , 48, 8014-8023	3
1389	Purcell-Enhanced Spontaneous Emission from Perovskite Quantum Dots Coupled to Plasmonic Crystal. 2019 , 123, 25359-25365	7
1388	Highly Efficient Flexible Perovskite Light-Emitting Diodes Using the Modified PEDOT:PSS Hole Transport Layer and Polymer-Silver Nanowire Composite Electrode. 2019 , 11, 39274-39282	11
1387	Perovskite quantum dots for light-emitting devices. 2019 , 11, 19119-19139	53
1386	Blue perovskite light-emitting diodes: progress, challenges and future directions. 2019 , 11, 2109-2120	147
1385	Picosecond multi-hole transfer and microsecond charge-separated states at the perovskite nanocrystal/tetracene interface. 2019 , 10, 2459-2464	23
1384	Versatile Defect Passivation Methods for Metal Halide Perovskite Materials and their Application to Light-Emitting Devices. 2019 , 31, e1805244	59
1383	Surface & grain boundary co-passivation by fluorocarbon based bifunctional molecules for perovskite solar cells with efficiency over 21%. 2019 , 7, 2497-2506	106
1382	Engineering Perovskite Nanocrystal Surface Termination for Light-Emitting Diodes with External Quantum Efficiency Exceeding 15%. 2019 , 29, 1807284	55
1381	Efficient and Tunable Electroluminescence from In Situ Synthesized Perovskite Quantum Dots. 2019 , 15, e1804947	17
1380	Indirect tail states formation by thermal-induced polar fluctuations in halide perovskites. 2019 , 10, 484	58
1379	Perovskite Light-Emitting Diodes with Improved Outcoupling Using a High-Index Contrast Nanoarray. 2019 , 15, e1900135	37
1378	Enhanced brightness of methylammonium lead tribromide perovskite microcrystal-based green light-emitting diodes by adding hydrophilic polyvinylpyrrolidone with oleic acid-modified ZnO quantum dot electron transporting layer. 2019 , 786, 11-17	7
1377	Enhanced X-ray Sensitivity of MAPbBr ₃ Detector by Tailoring the Interface-States Density. 2019 , 11, 7522-7528	60
1376	Perovskite-polymer composite cross-linker approach for highly-stable and efficient perovskite solar cells. 2019 , 10, 520	262

1375	Surface CH ₃ NH ₃ ⁺ to CH ₃ ⁺ Ratio Impacts the Work Function of Solution-Processed and Vacuum-Sublimed CH ₃ NH ₃ PbI ₃ Thin Films. 2019 , 6, 1801827	8
1374	Improved thermal stability of CsPbBr ₃ quantum dots by ligand exchange and their application to light-emitting diodes. 2019 , 12, 035004	14
1373	A redox shuttle imparts operational durability to perovskite solar cells. 2019 , 64, 224-226	4
1372	Functional polymers for growth and stabilization of CsPbBr perovskite nanoparticles. 2019 , 55, 1833-1836	18
1371	Organic interfacial materials for perovskite-based optoelectronic devices. 2019 , 12, 1177-1209	125
1370	Bright perovskite light-emitting diodes with improved film morphology and reduced trap density via surface passivation using quaternary ammonium salts. 2019 , 67, 187-193	18
1369	Size Dependence of Charge Carrier Dynamics in Organometal Halide Perovskite Nanocrystals: Deciphering Radiative Versus Nonradiative Components. 2019 , 123, 4610-4619	21
1368	Realizing a highly luminescent perovskite thin film by controlling the grain size and crystallinity through solvent vapour annealing. 2019 , 11, 5861-5867	16
1367	High open circuit voltages in pin-type perovskite solar cells through strontium addition. 2019 , 3, 550-563	42
1366	Multifunctional bipyramid-Au@ZnO core-shell nanoparticles as a cathode buffer layer for efficient non-fullerene inverted polymer solar cells with improved near-infrared photoresponse. 2019 , 7, 2667-2676	18
1365	All-inorganic cesium lead halide perovskite nanocrystals: synthesis, surface engineering and applications. 2019 , 7, 757-789	146
1364	Luminescent perovskite quantum dots: synthesis, microstructures, optical properties and applications. 2019 , 7, 1413-1446	129
1363	Perovskite film-wire transformation: Preparation, characterization and device application. 2019 , 130, 569-577	2
1362	Tracking Dynamic Phase Segregation in Mixed-Halide Perovskite Single Crystals under Two-Photon Scanning Laser Illumination. 2019 , 3, 1900273	24
1361	Nitrogen-Dopant-Induced Organic-Inorganic Hybrid Perovskite Crystal Growth on Carbon Nanotubes. 2019 , 29, 1902489	11
1360	Controlling competing photochemical reactions stabilizes perovskite solar cells. 2019 , 13, 532-539	161
1359	Low-dimensional iodide perovskite nanocrystals enable efficient red emission. 2019 , 11, 12793-12797	11
1358	Electrospun Fibers Containing Emissive Hybrid Perovskite Quantum Dots. 2019 , 11, 24468-24477	7

1357	Detection of X-Rays by Solution-Processed Cesium-Containing Mixed Triple Cation Perovskite Thin Films. 2019 , 29, 1902346	46
1356	Air-processed, large grain perovskite films with low trap density from perovskite crystal engineering for high-performance perovskite solar cells with improved ambient stability. 2019 , 54, 12000-12011 ¹⁸	
1355	Boosting the external quantum efficiency in perovskite light-emitting diodes by an exciton retrieving layer. 2019 , 7, 8705-8711	4
1354	Perovskite solar cells. 2019 , 417-446	4
1353	Elucidation of Photoluminescence Blinking Mechanism and Multiexciton Dynamics in Hybrid Organic-Inorganic Perovskite Quantum Dots. 2019 , 15, e1900355	19
1352	Gaining Insight into the Underlayer Treatment for in Situ Fabrication of Efficient Perovskite Nanocrystal-Based Light-Emitting Diodes. 2019 , 123, 17353-17359	7
1351	Stable Dynamics Performance and High Efficiency of ABX ₃ -Type Super-Alkali Perovskites First Obtained by Introducing H ₅ O ₂ Cation. 2019 , 9, 1900664	91
1350	Modulating optoelectronic properties of organo-metal halide perovskites with unsaturated heterocyclic cations via ring substitution. 2019 , 135, 109078	3
1349	Luminescent inorganic-organic hybrid semiconductor materials for energy-saving lighting applications. 2019 , 1, 100008	53
1348	Unveiling the synergistic effect of precursor stoichiometry and interfacial reactions for perovskite light-emitting diodes. 2019 , 10, 2818	75
1347	Vivid and Fully Saturated Blue Light-Emitting Diodes Based on Ligand-Modified Halide Perovskite Nanocrystals. 2019 , 11, 23401-23409	45
1346	Stretchable and Ambient Stable Perovskite/Polymer Luminous Hybrid Nanofibers of Multicolor Fiber Mats and Their White LED Applications. 2019 , 11, 23605-23615	37
1345	Micron-Size Two-Dimensional Methylammonium Lead Halide Perovskites. 2019 , 13, 6955-6962	9
1344	One-Dimensional Behavior of Imidazolium Lead Iodide. 2019 , 123, 16449-16455	7
1343	81-5: Late-News Paper: Pb-free Blue-emitting 0D Cs ₃ Cu ₂ I ₅ with High PLQY of ~90%. 2019 , 50, 1176-1178	1
1342	An Improved Strategy for High-Quality Cesium Bismuth Bromine Perovskite Quantum Dots with Remarkable Electrochemiluminescence Activities. 2019 , 91, 8607-8614	45
1341	Centimeter-size square 2D layered Pb-free hybrid perovskite single crystal (CH ₃ NH ₃) ₂ MnCl ₄ for red photoluminescence. 2019 , 21, 4085-4091	20
1340	Layered Germanium Hybrid Perovskite Bromides: Insights from Experiments and First-Principles Calculations. 2019 , 29, 1903528	17

1339	Absolute energy level positions in tin- and lead-based halide perovskites. 2019 , 10, 2560	195
1338	Vacuum-Drying Processed Micrometer-Thick Stable CsPbBr Perovskite Films with Efficient Blue-To-Green Photoconversion. 2019 , 15, e1901954	14
1337	Perovskite white light-emitting diodes based on a molecular blend perovskite emissive layer. 2019 , 7, 8634-8642	31
1336	LEDs using halide perovskite nanocrystal emitters. 2019 , 11, 11402-11412	26
1335	The Rise of Perovskite Light-Emitting Diodes. 2019 , 10, 3035-3042	73
1334	Efficient Quantum Dot Light-Emitting Diodes Based on Trioctylphosphine Oxide-Passivated Organometallic Halide Perovskites. 2019 , 4, 9150-9159	18
1333	Effect of Structure Change on Luminescent Properties of CsPbBr ₂ I Perovskite Nanocrystals after Heat Treatment. 2019 , 72, 663	1
1332	Stable mixed-cation perovskite light-emitting diodes. 2019 , 71, 58-64	13
1331	Pure Bromide-Based Perovskite Nanoplatelets for Blue Light-Emitting Diodes. 2019 , 3, 1900196	21
1330	Progress in air-processed perovskite solar cells: from crystallization to photovoltaic performance. 2019 , 6, 1611-1624	61
1329	Exploiting Two-Step Processed Mixed 2D/3D Perovskites for Bright Green Light Emitting Diodes. 2019 , 7, 1900465	13
1328	Perovskite cobaltates/p-silicon heterojunction photodiodes. 2019 , 796, 243-254	8
1327	Conductive metallic filaments dominate in hybrid perovskite-based memory devices. 2019 , 62, 1323-1331	13
1326	Improved performance of inverted perovskite solar cells due to the incorporation of zirconium acetylacetonate buffer layer. 2019 , 200, 109927	6
1325	Nanoionic Resistive-Switching Devices. 2019 , 5, 1900184	27
1324	Antimony doped Cs ₂ SnCl ₆ with bright and stable emission. 2019 , 12, 352-364	62
1323	Patterned Wettability Surface for Competition-Driving Large-Grained Perovskite Solar Cells. 2019 , 9, 1900838	32
1322	Magnetic field effects on excited states, charge transport, and electrical polarization in organic semiconductors in spin and orbital regimes. 2019 , 68, 49-121	41

1321	Effects of Organic Cations on the Structure and Performance of Quasi-Two-Dimensional Perovskite-Based Light-Emitting Diodes. 2019 , 10, 2892-2897	36
1320	Tunable electronic structures and high efficiency obtained by introducing superalkali and superhalogen into AMX ₃ -type perovskites. 2019 , 429, 120-126	37
1319	Flexible Inorganic Light Emitting Diodes Enabled by New Materials and Designs, With Examples of Their Use in Neuroscience Research. 2019 , 1-39	
1318	Role of Quantum Confinement in 10 nm Scale Perovskite Optoelectronics. 2019 , 10, 2745-2752	5
1317	Inorganic and Layered Perovskites for Optoelectronic Devices. 2019 , 31, e1807095	67
1316	Color Patterning of Luminescent Perovskites via Light-Mediated Halide Exchange with Haloalkanes. 2019 , 31, e1901247	18
1315	High-Efficiency Perovskite Light-Emitting Diodes with Synergetic Outcoupling Enhancement. 2019 , 31, e1901517	130
1314	Halide Perovskite Nanocrystals for Next-Generation Optoelectronics. 2019 , 15, e1900801	37
1313	Spectra stable blue perovskite light-emitting diodes. 2019 , 10, 1868	218
1312	47-Fold EQE improvement in CsPbBr ₃ perovskite light-emitting diodes via double-additives assistance. 2019 , 70, 264-271	9
1311	Highly efficient nanocrystalline CsMAPbBr perovskite layers for white light generation. 2019 , 30, 345702	1
1310	Flash-induced ultrafast recrystallization of perovskite for flexible light-emitting diodes. 2019 , 61, 236-244	20
1309	Semiconducting carbon nanotubes as crystal growth templates and grain bridges in perovskite solar cells. 2019 , 7, 12987-12992	44
1308	CsPbBr Perovskite Powder, a Robust and Mass-Produced Single-Source Precursor: Synthesis, Characterization, and Optoelectronic Applications. 2019 , 4, 8081-8086	10
1307	Ultrastable CsPbBr Perovskite Quantum Dot and Their Enhanced Amplified Spontaneous Emission by Surface Ligand Modification. 2019 , 15, e1901173	129
1306	A Visual Solar UV Sensor Based on Paraffin-Perovskite Quantum Dot Composite Film. 2019 , 11, 16713-16719	12
1305	White-Light Emission from the Structural Distortion Induced by Control of Halide Composition of Two-Dimensional Perovskites ((CH ₃ CH ₂ NH ₂)PbBrCl). 2019 , 58, 6748-6757	25
1304	Ferroelectricity of the Orthorhombic and Tetragonal MAPbBr Single Crystal. 2019 , 10, 2522-2527	25

1303	Light-Emitting Transistors Based on Solution-Processed Heterostructures of Self-Organized Multiple-Quantum-Well Perovskite and Metal-Oxide Semiconductors. 2019 , 5, 1800985	14
1302	Bulk- and Nanocrystalline-Halide Perovskite Light-Emitting Diodes. 2019 , 305-341	2
1301	Boosting Efficiency in Polycrystalline Metal Halide Perovskite Light-Emitting Diodes. 2019 , 4, 1134-1149	44
1300	Nanomaterials for Polymer and Perovskite Light-Emitting Diodes. 2019 , 371-421	
1299	Perovskites for Next-Generation Optical Sources. 2019 , 119, 7444-7477	391
1298	Metal Halide Perovskite Light-Emitting Devices: Promising Technology for Next-Generation Displays. 2019 , 29, 1902008	203
1297	Conjugated Polyelectrolytes as Multifunctional Passivating and Hole-Transporting Layers for Efficient Perovskite Light-Emitting Diodes. 2019 , 31, e1900067	34
1296	Blue perovskite light-emitting diodes based on RbX-doped polycrystalline CsPbBr ₃ perovskite films. 2019 , 7, 5596-5603	22
1295	Caffeine Improves the Performance and Thermal Stability of Perovskite Solar Cells. 2019 , 3, 1464-1477	266
1294	Vacancy-Driven Stabilization of the Cubic Perovskite Polymorph of CsPbI ₃ . 2019 , 123, 9735-9744	32
1293	A photosensor based on lead-free perovskite-like methyl-ammonium bismuth iodide. 2019 , 291, 75-79	9
1292	Wide range tuning of band gap energy of A ₃ B ₂ X ₉ perovskite-like halides. 2019 , 166, 107-111	15
1291	Harvesting Triplet Excitons in Lead-Halide Perovskites for Room-Temperature Phosphorescence. 2019 , 31, 2597-2602	31
1290	Electrical and optical characterization of quantum dots PbS/TiO ₂ based heterojunction as a SWIR detector and a proposed design of PbS/TiO ₂ -PeLED as a SWIR to visible upconversion device. 2019 , 6, 066210	4
1289	One-pot in situ synthesis of CsPbX ₃ @h-BN (X = Cl, Br, I) nanosheet composites with superior thermal stability for white LEDs. 2019 , 7, 4038-4042	31
1288	Highly bright perovskite light-emitting diodes based on quasi-2D perovskite film through synergetic solvent engineering.. 2019 , 9, 8373-8378	11
1287	High-Performance Perovskite Solar Cells with Excellent Humidity and Thermo-Stability via Fluorinated Perylenediimide. 2019 , 9, 1900198	133
1286	Highly flexible, robust, stable and high efficiency perovskite solar cells enabled by van der Waals epitaxy on mica substrate. 2019 , 60, 476-484	44

1285	Direct Evidence of Ion-Migration-Induced Degradation of Ultrabright Perovskite Light-Emitting Diodes. 2019 , 11, 11667-11673	44
1284	Deprotonation and vacancies at the CH ₃ NH ₃ PbI ₃ /ZnO and CH ₃ NH ₃ PbI ₃ /GaN interfaces, detected in their theoretical XANES. 2019 , 7, 5307-5313	2
1283	Laser Emission from Self-Assembled Colloidal Crystals of Conjugated Polymer Particles in a Metal-Halide Perovskite Matrix. 2019 , 31, 2590-2596	19
1282	White Light-Emitting Devices Based on Inorganic Perovskite and Organic Materials. 2019 , 24,	6
1281	Modulation of recombination zone position for quasi-two-dimensional blue perovskite light-emitting diodes with efficiency exceeding 5. 2019 , 10, 1027	282
1280	A bendable nickel oxide interfacial layer via polydopamine crosslinking for flexible perovskite solar cells. 2019 , 55, 3666-3669	35
1279	Tunable Halide Perovskites for Miniaturized Solid-State Laser Applications. 2019 , 7, 1900099	32
1278	Bright Blue Light-Emitting Doped Cesium Bromide Nanocrystals: Alternatives of Lead-Free Perovskite Nanocrystals for White LEDs. 2019 , 7, 1900108	21
1277	Synthesis of Colloidal Halide Perovskite Quantum Dots/Nanocrystals: Progresses and Advances. 2019 , 59, 649-660	21
1276	Distinct green electroluminescence from lead-free CsCuBr halide micro-crosses. 2019 , 55, 4554-4557	33
1275	Suppressing defect states in CsPbBr ₃ perovskite via magnesium substitution for efficient all-inorganic light-emitting diodes. 2019 , 4, 924-932	26
1274	Advances in lead-free double perovskite nanocrystals, engineering band-gaps and enhancing stability through composition tunability. 2019 , 11, 8665-8679	74
1273	From Large to Small Polarons in Lead, Tin, and Mixed Lead-Tin Halide Perovskites. 2019 , 10, 1790-1798	49
1272	Efficient methylammonium lead trihalide perovskite solar cells with chloroformamidinium chloride (Cl-FACl) as an additive. 2019 , 7, 8078-8084	38
1271	Crystal structure, phase transitions, optical and electrical properties in a new Cu-halide organic-inorganic hybrid. 2019 , 1186, 118-126	7
1270	Short-chain ligand assisted synthesis of CH ₃ NH ₃ PbX ₃ (X = Cl, Br, I) perovskite quantum dots and improved morphology of CH ₃ NH ₃ PbBr ₃ thin films. 2019 , 211, 26-31	8
1269	Photoinduced photoluminescence enhancement in self-assembled clusters of formamidinium lead bromide perovskite nanocrystals. 2019 , 11, 9335-9340	11
1268	Ideal conducting polymer anode for perovskite light-emitting diodes by molecular interaction decoupling. 2019 , 60, 324-331	20

1267	Low-dimensional formamidinium lead perovskite architectures via controllable solvent intercalation. 2019 , 7, 3945-3951	15
1266	Tracking Transformative Transitions: From CsPbBr ₃ Nanocrystals to Bulk Perovskite Films. 2019 , 1, 8-13	26
1265	Fully-printed, flexible cesium-doped triple cation perovskite photodetector. 2019 , 15, 389-397	26
1264	Cs _{0.05} (FA _{0.85} MA _{0.15}) _{0.95} Pb(I _{0.85} Br _{0.15}) ₃ based flexible perovskite light-emitting devices with excellent mechanical bending durability. 2019 , 723, 33-38	3
1263	Organolead halide perovskite-based metal-oxide-semiconductor structure photodetectors achieving ultrahigh detectivity. 2019 , 183, 226-233	8
1262	Stable, Efficient Near-Infrared Light-Emitting Diodes Enabled by π Phase Modulation. 2019 , 10, 2101-2107	10
1261	Light Emission Enhancement by Tuning the Structural Phase of APbBr (A = CHNH, Cs) Perovskites. 2019 , 10, 2135-2142	9
1260	Dual effect of humidity on cesium lead bromide: enhancement and degradation of perovskite films. 2019 , 7, 12292-12302	46
1259	Ligand Engineering for Improved All-Inorganic Perovskite Quantum Dot-MoS ₂ Monolayer Mixed Dimensional van der Waals Phototransistor. 2019 , 3, 1900117	26
1258	Mn ²⁺ Doping Enhances the Brightness, Efficiency, and Stability of Bulk Perovskite Light-Emitting Diodes. 2019 , 6, 1111-1117	44
1257	Verification and mitigation of ion migration in perovskite solar cells. 2019 , 7, 041111	125
1256	Recent progress in perovskite-based photodetectors: the design of materials and structures. 2019 , 4, 1592709	22
1255	Strong Cathodoluminescence and Fast Photoresponse from Embedded CHNH ₃ PbBr Nanoparticles Exhibiting High Ambient Stability. 2019 , 11, 14917-14931	21
1254	Engineering the Photoluminescence of CsPbX (X = Cl, Br, and I) Perovskite Nanocrystals Across the Full Visible Spectra with the Interval of 1 nm. 2019 , 11, 14256-14265	38
1253	Efficient Ruddlesden-Popper Perovskite Light-Emitting Diodes with Randomly Oriented Nanocrystals. 2019 , 29, 1901225	70
1252	High-Performance Solution-Processed Organo-Metal Halide Perovskite Unipolar Resistive Memory Devices in a Cross-Bar Array Structure. 2019 , 31, e1804841	64
1251	The Dominant Energy Transport Pathway in Halide Perovskites: Photon Recycling or Carrier Diffusion?. 2019 , 9, 1900185	61
1250	A high performance perovskite CH ₃ NH ₃ PbCl ₃ single crystal photodetector: benefiting from an evolutionary preparation process. 2019 , 7, 5442-5450	26

1249	Efficient Perovskite Light-Emitting Diodes Using Polycrystalline Core-shell-Mimicked Nanograins. 2019 , 29, 1902017	57
1248	Effect of organic cation states on electronic properties of mixed organic-inorganic halide perovskite clusters. 2019 , 21, 8161-8169	7
1247	Improved Performance of Perovskite Light-Emitting Diodes by Dual Passivation with an Ionic Additive. 2019 , 2, 3336-3342	13
1246	Patterning Multicolor Hybrid Perovskite Films via Top-Down Lithography. 2019 , 13, 3823-3829	49
1245	Interface and Defect Engineering for Metal Halide Perovskite Optoelectronic Devices. 2019 , 31, e1803515	201
1244	Intrinsic Instability of Inorganic-Organic Hybrid Halide Perovskite Materials. 2019 , 31, e1805337	175
1243	Recent Advances in Halide Perovskite Single-Crystal Thin Films: Fabrication Methods and Optoelectronic Applications. 2019 , 3, 1800294	62
1242	Bismuth Doping-Induced Stable Seebeck Effect Based on MAPbI ₃ Polycrystalline Thin Films. 2019 , 29, 1900615	24
1241	Large area perovskite light-emitting diodes by gas-assisted crystallization. 2019 , 7, 3795-3801	12
1240	Causes and Solutions of Recombination in Perovskite Solar Cells. 2019 , 31, e1803019	242
1239	Dry-pressed anodized titania nanotube/CH ₃ NH ₃ PbI ₃ single crystal heterojunctions: The beneficial role of N doping. 2019 , 45, 10013-10020	5
1238	Lead-Free Metal Halide Perovskite Nanocrystals: Challenges, Applications, and Future Aspects. 2019 , 5, 300-312	47
1237	Microconcave MAPbBr Single Crystal for High-Performance Photodetector. 2019 , 10, 786-792	26
1236	Large-Size crystal based on rare earth-free Cu(I) hybrid trigger yellow light with high emissive quantum yields. 2019 , 1183, 241-245	3
1235	Localized Traps Limited Recombination in Lead Bromide Perovskites. 2019 , 9, 1803119	17
1234	Trifluoroacetate induced small-grained CsPbBr perovskite films result in efficient and stable light-emitting devices. 2019 , 10, 665	227
1233	Recent progress toward perovskite light-emitting diodes with enhanced spectral and operational stability. 2019 , 5, 100028	73
1232	Effect of Host Moieties on the Phosphorescent Spectrum of Green Platinum Complex. 2019 , 24,	7

1231	Photonics and optoelectronics using nano-structured hybrid perovskite media and their optical cavities. 2019 , 795, 1-51	262
1230	Zn-Alloyed CsPbI Nanocrystals for Highly Efficient Perovskite Light-Emitting Devices. 2019 , 19, 1552-1559	256
1229	Suppressed phase separation of mixed-halide perovskites confined in endotaxial matrices. 2019 , 10, 695	100
1228	Water-stable and ion exchange-free inorganic perovskite quantum dots encapsulated in solid paraffin and their application in light emitting diodes. 2019 , 11, 5557-5563	29
1227	Solution-phase, template-free synthesis of PbI and MAPbI nano/microtubes for high-sensitivity photodetectors. 2019 , 11, 5188-5196	15
1226	Controlled synthesis and photostability of blue emitting Cs ₃ Bi ₂ Br ₉ perovskite nanocrystals by employing weak polar solvents at room temperature. 2019 , 7, 3688-3695	33
1225	Lead-Free Halide Double Perovskite Materials: A New Superstar Toward Green and Stable Optoelectronic Applications. 2019 , 11, 16	131
1224	Slow Hot-Carrier Cooling in Halide Perovskites: Prospects for Hot-Carrier Solar Cells. 2019 , 31, e1802486	104
1223	Radiation Engineering and Optical Phased Array. 2019 , 645-690	0
1222	Continuous wave amplified spontaneous emission in phase-stable lead halide perovskites. 2019 , 10, 988	73
1221	Suppression of non-radiative recombination toward high efficiency perovskite light-emitting diodes. 2019 , 7, 021102	15
1220	Interfacial engineering for highly efficient quasi-two dimensional organic/inorganic hybrid perovskite light-emitting diodes. 2019 , 7, 4344-4349	26
1219	High-Efficiency Red Light-Emitting Diodes Based on Multiple Quantum Wells of Phenylbutylammonium-Cesium Lead Iodide Perovskites. 2019 , 6, 587-594	44
1218	Efficient metal halide perovskite light-emitting diodes with significantly improved light extraction on nanophotonic substrates. 2019 , 10, 727	124
1217	Interfacial Synthesis of Monodisperse CsPbBr ₃ Nanorods with Tunable Aspect Ratio and Clean Surface for Efficient Light-Emitting Diode Applications. 2019 , 31, 1575-1583	49
1216	Influence of a lecithin additive on the performance of all-inorganic perovskite light-emitting diodes. 2019 , 7, 2905-2910	16
1215	Two-Step Structure Phase Transition, Dielectric Anomalies, and Thermochromic Luminescence Behavior in a Direct Band Gap 2D Corrugated Layer Lead Chloride Hybrid of [(CH ₃) ₄ N] Pb Cl. 2019 , 25, 5280-5287	15
1214	Doping and Photon Induced Defect Healing of Hybrid Perovskite Thin Films: An Approach Towards Efficient Light Emitting Diodes. 2019 , 5, 666-673	5

1213	Solution Processed Polymer-ABX ₄ Perovskite-Like Microcavities. 2019 , 9, 5203	6
1212	Sb Doping-Induced Triplet Self-Trapped Excitons Emission in Lead-Free CsSnCl Nanocrystals. 2019 , 10, 7439-7444	92
1211	Vacuum-Deposited Blue Inorganic Perovskite Light-Emitting Diodes. 2019 , 11, 47083-47090	42
1210	Hot carrier extraction in CHNHPbI unveiled by pump-push-probe spectroscopy. 2019 , 5, eaax3620	37
1209	P-13.6: Efficiency Improvement of CsPbI ₃ Quantum dot Light Emitting Diodes via Alkyl Chain Ligand Regulation. 2019 , 50, 970-970	
1208	Ni-Doped CsPbBr Perovskite: Synthesis of Highly Stable Nanocubes. 2019 , 35, 17150-17155	15
1207	A pre-solution mixing precursor method for improving the crystallization quality of perovskite films and electroluminescence performance of perovskite light-emitting diodes. 2019 , 11, 20847-20856	2
1206	The role of excitons in 3D and 2D lead halide perovskites. 2019 , 7, 12006-12018	52
1205	Back-to-back Schottky junction photodetectors based on CVD grown CsPbBr ₃ microcrystalline striped films. 2019 , 9, 125039	3
1204	Computational Screening of New Perovskite Materials Using Transfer Learning and Deep Learning. 2019 , 9, 5510	18
1203	Polymer spacer tunable Purcell-enhanced spontaneous emission in perovskite quantum dots coupled to plasmonic nanowire networks. 2019 , 21, 22831-22838	3
1202	Surface ligand management of a perovskite film for efficient and stable light-emitting diodes. 2019 , 7, 14725-14730	3
1201	Surface/Interface Engineering for Constructing Advanced Nanostructured Light-Emitting Diodes with Improved Performance: A Brief Review. 2019 , 10,	4
1200	Picosecond electron trapping limits the emissivity of CsPbCl perovskite nanocrystals. 2019 , 151, 194701	21
1199	Mechanism of Photocatalytic CO Reduction by Bismuth-Based Perovskite Nanocrystals at the Gas-Solid Interface. 2019 , 141, 20434-20442	103
1198	Efficient sky-blue perovskite light-emitting diodes via photoluminescence enhancement. 2019 , 10, 5633	164
1197	Excited-state stability of quasi-two-dimensional metal halide perovskite films under optical and electrical excitations. 2019 , 115, 233502	7
1196	Direct imaging of carrier diffusion length in organic-inorganic perovskites. 2019 , 115, 242104	1

1195	Enhancing the performance of perovskite light-emitting devices through 1,3,5-tris(2-phenylbenzimidazolyl)benzene interlayer incorporation.. 2019 , 9, 29037-29043	1
1194	Widely applicable phosphomolybdic acid doped poly(9-vinylcarbazole) hole transport layer for perovskite light-emitting devices.. 2019 , 9, 30398-30405	0
1193	Surface molecular doping of all-inorganic perovskite using zethrenes molecules. 2019 , 12, 77-84	12
1192	The Physics of Light Emission in Halide Perovskite Devices. 2019 , 31, e1803336	137
1191	Highly bright and low turn-on voltage CsPbBr ₃ quantum dot LEDs via conjugation molecular ligand exchange. 2019 , 12, 109-114	31
1190	Enhancing violet photoluminescence of 2D perovskite thin films via swift cation doping and grain size reduction. 2019 , 12, 015506	5
1189	High-Performance and Stable Mesoporous Perovskite Solar Cells via Well-Crystallized FAMAPb(I ₂ Br). 2019 , 11, 2989-2996	22
1188	Efficient CsPbBr ₃ Perovskite Light-Emitting Diodes Enabled by Synergetic Morphology Control. 2019 , 7, 1801534	89
1187	A Reconfigurable Color Reflector by Selective Phase Change of GeTe in a Multilayer Structure. 2019 , 7, 1801214	26
1186	Control of Crystal Growth toward Scalable Fabrication of Perovskite Solar Cells. 2019 , 29, 1807047	74
1185	Fine Control of Perovskite Crystallization and Reducing Luminescence Quenching Using Self-Doped Polyaniline Hole Injection Layer for Efficient Perovskite Light-Emitting Diodes. 2019 , 29, 1807535	39
1184	Strategies to Improve Luminescence Efficiency of Metal-Halide Perovskites and Light-Emitting Diodes. 2019 , 31, e1804595	64
1183	Crystal structure, optical and electrical properties of metal-halide compound [C ₇ H ₁₆ N ₂][ZnCl ₄]. 2019 , 129, 71-80	5
1182	Alternative Type Two-Dimensional-Three-Dimensional Lead Halide Perovskite with Inorganic Sodium Ions as a Spacer for High-Performance Light-Emitting Diodes. 2019 , 13, 1645-1654	35
1181	Efficient and Color-Tunable Quasi-2D CsPbBr ₃ Cl _{3-x} Perovskite Blue Light-Emitting Diodes. 2019 , 6, 667-676	62
1180	Lead-Halide Perovskites for Photocatalytic α -Alkylation of Aldehydes. 2019 , 141, 733-738	182
1179	Facile Synthesis of Stable and Highly Luminescent Methylammonium Lead Halide Nanocrystals for Efficient Light Emitting Devices. 2019 , 141, 1269-1279	83
1178	Flexibility of Semitransparent Perovskite Light-Emitting Diodes Investigated by Tensile Properties of the Perovskite Layer. 2019 , 19, 971-976	22

1177	Synthesis, Characterization, and Photodetector Application of Alkali Metal Bismuth Chalcogenide Nanocrystals. 2019 , 2, 182-186	10
1176	Integrating Properties Modification in the Synthesis of Metal Halide Perovskites. 2019 , 4, 1800321	5
1175	Mixed Lead-Tin Halide Perovskites for Efficient and Wavelength-Tunable Near-Infrared Light-Emitting Diodes. 2019 , 31, e1806105	37
1174	Dimensional tailoring of hybrid perovskites for photovoltaics. 2019 , 4, 4-22	440
1173	Improved Outcoupling Efficiency and Stability of Perovskite Light-Emitting Diodes using Thin Emitting Layers. 2019 , 31, e1805836	137
1172	Strategies to Improve Electrical and Electronic Properties of PEDOT:PSS for Organic and Perovskite Optoelectronic Devices. 2019 , 27, 2-9	12
1171	Enhancing perovskite quality and energy level alignment of TiO ₂ nanorod arrays-based solar cells via interfacial modification. 2019 , 191, 183-189	14
1170	Efficient Charge Collection Promoted by Interface Passivation Using Amino Acid Toward High Performance Perovskite Solar Cells. 2019 , 13, 1800505	9
1169	Energy and charge transfer effects for hybrids of perovskite CsPbBr ₃ quantum dots on organic semiconducting rubrene nanosheet. 2019 , 65, 243-250	2
1168	Impact of Organic Spacers on the Carrier Dynamics in 2D Hybrid Lead-Halide Perovskites. 2019 , 4, 17-25	36
1167	A low-cost flexible broadband photodetector based on SnO ₂ /CH ₃ NH ₃ PbI ₃ hybrid structure. 2019 , 88, 689-694	17
1166	Revealing lattice and photocarrier dynamics of high-quality MAPbBr ₃ single crystals by far infrared reflection and surface photovoltage spectroscopy. 2019 , 125, 025706	6
1165	A Eu-Eu ion redox shuttle imparts operational durability to Pb-I perovskite solar cells. <i>Science</i> , 2019 , 363, 265-270	33-3 533
1164	Improving performance of Cs-based perovskite light-emitting diodes by dual additives consisting of polar polymer and n-type small molecule. 2019 , 67, 294-301	24
1163	Colloidal Synthesis of Lead-Free Silver-Iridium Double-Perovskite Cs ₂ AgInCl ₆ Nanocrystals and Their Doping with Lanthanide Ions. 2019 , 123, 2665-2672	96
1162	Spin-optoelectronic devices based on hybrid organic-inorganic trihalide perovskites. 2019 , 10, 129	117
1161	Investigation on the wetting issues in solution processed quantum dot light-emitting diodes with inverted tandem structure. 2019 , 67, 116-121	5
1160	Ultrafast Charge Separation in Two-Dimensional CsPbBr Perovskite Nanoplatelets. 2019 , 10, 566-573	51

1159	Effect of perovskite film morphology on device performance of perovskite light-emitting diodes. 2019 , 11, 1505-1514	20
1158	Synthetic Approaches for Halide Perovskite Thin Films. 2019 , 119, 3193-3295	293
1157	The dependence of chain length of phenylalkylamine on the performance of perovskite light emitting diode. 2019 , 65, 56-62	8
1156	High performance and stable all-inorganic perovskite light emitting diodes by reducing luminescence quenching at PEDOT:PSS/Perovskites interface. 2019 , 64, 47-53	46
1155	Few-layer formamidinium lead bromide nanoplatelets for ultrapure-green and high-efficiency light-emitting diodes. 2019 , 12, 171-176	17
1154	Recent advances in quantum dot-based light-emitting devices: Challenges and possible solutions. 2019 , 24, 69-93	127
1153	Perovskite Nanoparticles: Synthesis, Properties, and Novel Applications in Photovoltaics and LEDs. 2019 , 3, 1800231	51
1152	An overview on enhancing the stability of lead halide perovskite quantum dots and their applications in phosphor-converted LEDs. 2019 , 48, 310-350	545
1151	Light Emitting Diodes Based on Inorganic Composite Halide Perovskites. 2019 , 29, 1807345	42
1150	Effects of n-butyl amine incorporation on the performance of perovskite light emitting diodes. 2019 , 30, 105703	9
1149	Open-Circuit Voltages Exceeding 1.26 V in Planar Methylammonium Lead Iodide Perovskite Solar Cells. 2019 , 4, 110-117	216
1148	Nanoscale Lead(II) Iodide-sensitized Solar Cell. 2019 , 48, 144-147	1
1147	Amplified and Multicolor Emission from Films and Interfacial Layers of Lead Halide Perovskite Nanocrystals. 2019 , 4, 133-141	27
1146	Mixing Entropy-Induced Layering Polydispersity Enabling Efficient and Stable Perovskite Nanocrystal Light-Emitting Diodes. 2019 , 4, 118-125	20
1145	Balance lead in solution-processed CH ₃ NH ₃ PbBr _x Cl _(3-x) single crystals for high performance X-ray detection. 2019 , 236, 26-29	19
1144	Recent Advances in Flexible Inorganic Light Emitting Diodes: From Materials Design to Integrated Optoelectronic Platforms. 2019 , 7, 1800936	46
1143	Electrical and Photoresponse Properties of Al/p-Si/Y _{1-x} Sr _x MnO ₃ /Al Heterojunction Photodiodes. 2020 , 12, 883-891	5
1142	Emerging Self-Emissive Technologies for Flexible Displays. 2020 , 32, e1902391	55

1141	Multiple-Quantum-Well Perovskites for High-Performance Light-Emitting Diodes. 2020 , 32, e1904163	70
1140	CsPbBr ₃ Perovskite Quantum Dot Light-Emitting Diodes Using Atomic Layer Deposited Al ₂ O ₃ and ZnO Interlayers. 2020 , 14, 1900573	12
1139	Modal Properties of Contra-rotating Encased Differential Gear Train Used in Coaxial Helicopter. 2020 , 8, 799-814	3
1138	Verringerung schädlicher Defekte für leistungsstarke Metallhalogenid-Perowskit-Solarzellen. 2020 , 132, 6740-6764	7
1137	Effect of Precursor Stoichiometry on the Performance and Stability of MAPbBr Photovoltaic Devices. 2020 , 8, 1900737	14
1136	Mechanochemical Synthesis of Sn(II) and Sn(IV) Iodide Perovskites and Study of Their Structural, Chemical, Thermal, Optical, and Electrical Properties. 2020 , 8, 1900788	20
1135	Reducing Detrimental Defects for High-Performance Metal Halide Perovskite Solar Cells. 2020 , 59, 6676-6698	171
1134	Large Polaron Self-Trapped States in Three-Dimensional Metal-Halide Perovskites. 2020 , 2, 20-27	15
1133	Fabrication of efficient CsPbBr ₃ perovskite solar cells by single-source thermal evaporation. 2020 , 818, 152903	32
1132	Flexible Neuromorphic Electronics for Computing, Soft Robotics, and Neuroprosthetics. 2020 , 32, e1903558	140
1131	Advanced Wearable Microfluidic Sensors for Healthcare Monitoring. 2020 , 16, e1903822	53
1130	Optically Pumped Lasing from Hybrid Perovskite Light-Emitting Diodes. 2020 , 8, 1901297	27
1129	Highly oriented perovskites for efficient light-emitting diodes with balanced charge transport. 2020 , 77, 105529	4
1128	Efficient Near-Infrared Light-Emitting Diodes based on In(Zn)AsIn(Zn)PInAsPZnS Quantum Dots. 2020 , 30, 1906483	18
1127	Aggregation-enhanced adsorption and optoelectronic performance of metal-free organic dye on anatase (1 0 1) toward water-splitting purpose: A first-principles investigation. 2020 , 502, 144139	3
1126	MAPbI ₃ /agarose photoactive composite for highly stable unencapsulated perovskite solar cells in humid environment. 2020 , 67, 104246	22
1125	Reversible Thermochromism and Strong Ferromagnetism in Two-Dimensional Hybrid Perovskites. 2020 , 132, 209-214	14
1124	Triplet management for efficient perovskite light-emitting diodes. 2020 , 14, 70-75	117

1123	Effects of alkylamine chain length on perovskite nanocrystals after washing and perovskite light-emitting diodes. 2020 , 59, SDDC04	7
1122	Atomistic understanding on molecular halide perovskite/organic/TiO ₂ interface with bifunctional interfacial modifier: A case study on halogen bond and carboxylic acid group. 2020 , 502, 144274	7
1121	Modulation of Electronic States of Hybrid Lead Halide Perovskite Embedded in Organic Matrix. 2020 , 8, 1900894	2
1120	Reversible Thermochromism and Strong Ferromagnetism in Two-Dimensional Hybrid Perovskites. 2020 , 59, 203-208	39
1119	Surface chemistry, modification, and engineering of colloidal nanocrystals. 2020 , 15-24	
1118	Doping and surface passivation improve luminescence intensity and stability of CsPbI ₃ nanocrystals for LEDs. 2020 , 259, 126857	11
1117	Bright and fast-response perovskite light-emitting diodes with an ICBA:modified-C nanocomposite electrical confinement layer. 2020 , 12, 4061-4068	4
1116	Multiband Model for Tetragonal Crystals: Application to Hybrid Halide Perovskite Nanocrystals. 2020 , 11, 808-817	15
1115	Semi-transparent organic-inorganic hybrid perovskite light-emitting diodes fabricated under high relative humidity. 2020 , 165, 107749	2
1114	Realizing an impressive red-emitting Ca ₉ MnNa(PO ₄) ₇ phosphor through a dual function based on disturbing structural confinement and energy transfer. 2020 , 8, 285-295	29
1113	Smart and efficient opto-electronic dual response material based on two-dimensional perovskite crystal/thin film. 2020 , 8, 1953-1961	6
1112	Near-unity photoluminescence quantum yield in inorganic perovskite nanocrystals by metal-ion doping. 2020 , 152, 020902	26
1111	Edge stabilization in reduced-dimensional perovskites. 2020 , 11, 170	79
1110	Fabrication and optimization of hole transport layer NiO for all inorganic perovskite light emitting diodes. 2020 , 109, 104924	5
1109	Innovative Organic Electroluminescent Materials with a Doublet Ground State: A Theoretical Investigation. 2020 , 124, 662-673	2
1108	Importance of Bi-O Bonds at the CsAgBiBr Double-Perovskite/Substrate Interface for Crystal Quality and Photoelectric Performance. 2020 , 12, 6064-6073	26
1107	Revolution of Perovskite. 2020 ,	5
1106	Improved current efficiency of quasi-2D multi-cation perovskite light-emitting diodes: the effect of Cs and K. 2020 , 12, 1571-1579	8

1105	Printable CsPbBr perovskite quantum dot ink for coffee ring-free fluorescent microarrays using inkjet printing. 2020 , 12, 2569-2577	30
1104	Optical and structural properties of CsPbBr perovskite quantum dots/PFO polymer composite thin films. 2020 , 563, 426-434	33
1103	Improved air stability and low voltage resistive switching behaviors of NiO-buffered CH ₃ NH ₃ PbI ₃ films prepared by a solution method. 2020 , 53, 075101	1
1102	Perovskite nanostructures: Leveraging quantum effects to challenge optoelectronic limits. 2020 , 33, 122-140	16
1101	Role of Excess FAI in Formation of High-Efficiency FAPbI ₃ -Based Light-Emitting Diodes. 2020 , 30, 1906875	23
1100	A Review of Diverse Halide Perovskite Morphologies for Efficient Optoelectronic Applications. 2020 , 4, 1900662	44
1099	Improved morphological characteristics and electronic properties of MAPbI ₃ thin film with multiple methylamine spray treatments. 2020 , 78, 105556	3
1098	Surface-2D/Bulk-3D Heterophased Perovskite Nanograins for Long-Term-Stable Light-Emitting Diodes. 2020 , 32, e1905674	36
1097	Strong Collectivity of Optical Transitions in Lead Halide Perovskite Quantum Dots. 2020 , 15, 581-590	2
1096	Fabrication of pyramidal (111) MAPbBr film with low surface defect density using homogeneous quantum-dot seeds. 2020 , 12, 1366-1373	3
1095	Crystal structural and thermochromic luminescence properties modulation by ion liquid cations in bromoplumbate perovskites. 2020 , 112, 107690	3
1094	Trivalent-Neodymium Additive Modulated MAPbBr ₃ Perovskite Nucleation and Growth: Ultrawide Processing Window for One-Step Fabrication of Efficient Light-Emitting Perovskites. 2020 , 6, 1901162	7
1093	Modulation of Growth Kinetics of Vacuum-Deposited CsPbBr Films for Efficient Light-Emitting Diodes. 2020 , 12, 1944-1952	20
1092	All-Inorganic Perovskite Solar Cells: Energetics, Key Challenges, and Strategies toward Commercialization. 2020 , 5, 290-320	101
1091	Improving the efficiency of perovskite light emitting diode using polyvinylpyrrolidone as an interlayer. 2020 , 507, 145071	8
1090	Effect of tin (II and IV) iodide doping on organic/organic bismuth (III) iodide perovskite. 2020 , 262, 127166	1
1089	Efficient Bifacial Passivation with Crosslinked Thioctic Acid for High-Performance Methylammonium Lead Iodide Perovskite Solar Cells. 2020 , 32, e1905661	72
1088	Exploring Orbit-Orbit Interaction in Relationship to Photoluminescence Quantum Efficiency in Perovskite Quantum Dots through Rashba Effect. 2020 , 11, 1-6	14

1087	Surface Termination-Dependent Nanotribological Properties of Single-Crystal MAPbBr ₃ Surfaces. 2020 , 124, 1484-1491	6
1086	Understanding the Origin of Ultrasharp Sub-bandgap Luminescence from Zero-Dimensional Inorganic Perovskite Cs ₄ PbBr ₆ . 2020 , 3, 192-199	21
1085	Synthesis and Spectroscopy of Monodispersed, Quantum-Confined FAPbBr ₃ Perovskite Nanocrystals. 2020 , 32, 549-556	27
1084	Polarons in Metal Halide Perovskites. 2020 , 10, 1902748	47
1083	Hexylammonium Iodide Derived Two-Dimensional Perovskite as Interfacial Passivation Layer in Efficient Two-Dimensional/Three-Dimensional Perovskite Solar Cells. 2020 , 12, 698-705	22
1082	Large-area near-infrared perovskite light-emitting diodes. 2020 , 14, 215-218	151
1081	Electrically-Driven Violet Light-Emitting Devices Based on Highly Stable Lead-Free Perovskite Cs ₃ Sb ₂ Br ₉ Quantum Dots. 2020 , 5, 385-394	90
1080	First-Principles Simulation of Carrier Recombination Mechanisms in Halide Perovskites. 2020 , 10, 1902830	31
1079	Strontium Ion B-Site Substitution for Spectral-Stable Blue Emitting Perovskite Light-Emitting Diodes. 2020 , 8, 2001073	12
1078	P-212: Late-News-Poster: Study on the Ideal Structural Change of Perovskite LEDs for Enhanced Performances by Using Different Perovskite Composition. 2020 , 51, 1783-1786	
1077	Highly crystalline MAPbI ₃ perovskite grain formation by irreversible poor-solvent diffusion aggregation, for efficient solar cell fabrication. 2020 , 78, 105346	9
1076	New insights into the structure of two-dimensional lead iodide-based perovskites. 2020 , 87, 105935	5
1075	Influence of the rate of radiation energy on the charge-carrier kinetics application of all-inorganic CsPbBr perovskite nanocrystals.. 2020 , 10, 34651-34657	8
1074	Solid-State NMR and NQR Spectroscopy of Lead-Halide Perovskite Materials. 2020 , 142, 19413-19437	47
1073	Efficient light-emitting diodes from mixed-dimensional perovskites on a fluoride interface. 2020 , 3, 704-710	67
1072	Revealing Electrical-Poling-Induced Polarization Potential in Hybrid Perovskite Photodetectors. 2020 , 32, e2005481	12
1071	Stabilization of Intrinsic Ions in Perovskite Solar Cells by Employment of a Bipolar Star-Shaped Organic Molecule as a Charge Transport Buffer. 2020 , 3, 10632-10641	1
1070	ABX ₃ -type lead-free perovskites using superatom ions with tunable photovoltaic performances. 2020 , 8, 21993-22000	2

1069	Full-Color Spectrum Coverage by High-Color-Purity Perovskite Nanocrystal Light-Emitting Diodes. 2020 , 1, 100177	12
1068	Solid-State Ionic Rectification in Perovskite Nanowire Heterostructures. 2020 , 20, 8151-8156	6
1067	Self-Powered Photodetector Using Two-Dimensional Ferroelectric Dion-Jacobson Hybrid Perovskites. 2020 , 142, 18592-18598	35
1066	High-Stable X-ray Imaging from All-Inorganic Perovskite Nanocrystals under a High Dose Radiation. 2020 , 11, 9203-9209	18
1065	Miscellaneous and Perspicacious: Hybrid Halide Perovskite Materials Based Photodetectors and Sensors. 2020 , 8, 2001095	23
1064	Highly Efficient Photoluminescence and Lasing from Hydroxide Coated Fully Inorganic Perovskite Micro/Nano-Rods. 2020 , 8, 2001235	2
1063	Fabrication of centimeter-scale MAPbBr ₃ light-emitting device with high color purity. 2020 , 86, 105931	3
1062	Chirality-Induced Spin-Orbit Coupling, Spin Transport, and Natural Optical Activity in Hybrid Organic-Inorganic Perovskites. 2020 , 11, 8638-8646	16
1061	Traps in metal halide perovskites: characterization and passivation. 2020 , 12, 22425-22451	14
1060	Dual Functionalization of Electron Transport Layer Tailoring Molecular Structure for High-Performance Perovskite Light-Emitting Diodes. 2020 , 12, 37346-37353	10
1059	Halide Segregation versus Interfacial Recombination in Bromide-Rich Wide-Gap Perovskite Solar Cells. 2020 , 5, 2728-2736	54
1058	Design Principles for Enhancing Photoluminescence Quantum Yield in Hybrid Manganese Bromides. 2020 , 142, 13582-13589	59
1057	Ultrathin Perovskite Monocrystals Boost the Solar Cell Performance. 2020 , 10, 2000453	20
1056	Chelating-agent-assisted control of CsPbBr quantum well growth enables stable blue perovskite emitters. 2020 , 11, 3674	45
1055	Ambient-Air-Processed Ambipolar Perovskite Phototransistor With High Photodetectivity. 2020 , 67, 3215-3220	2
1054	Interdiffusion Stomatal Movement in Efficient Multiple-Cation-Based Perovskite Solar Cells. 2020 , 12, 35105-35112	5
1053	Simultaneous Low-Order Phase Suppression and Defect Passivation for Efficient and Stable Blue Light-Emitting Diodes. 2020 , 5, 2569-2579	49
1052	Hole injection in perovskite light-emitting device with PEDOT:PSS/perovskite interface via MS contact. 2020 , 117, 012107	2

1051	Magnetic Properties and Magnetodielectric Effect in (C ₆ H ₅ CH ₂ NH ₃) ₂ [CuCl ₄] with Organic-Inorganic Hybrid Layered Structure. 2020 , 77, 1026-1030	2
1050	Voltage bias stress effects in metal halide perovskites are strongly dependent on morphology and ion migration pathways. 2020 , 8, 25109-25119	6
1049	The importance of the molecular weight of PEDOT hole transporting materials for efficient organic solar cells. 2020 , 8, 17185-17193	4
1048	Boosting the Efficiency of NiO-Based Perovskite Light-Emitting Diodes by Interface Engineering. 2020 , 12, 53528-53536	9
1047	Microscopic Picture of Electron-Phonon Interaction in Two-Dimensional Halide Perovskites. 2020 , 11, 9975-9982	8
1046	Controllable deposition of organic metal halide perovskite films with wafer-scale uniformity by single source flash evaporation. 2020 , 10, 18781	4
1045	Lattice constriction and trapped excitons: a structure-property relationship unveiled in CsPbBr ₃ perovskite QDs. 2020 , 8, 17090-17098	6
1044	Revealing the charge carrier kinetics in perovskite solar cells affected by mesoscopic structures and defect states from simple transient photovoltage measurements. 2020 , 10, 19197	13
1043	Lead-free violet-emitting K ₂ CuCl ₃ single crystal with high photoluminescence quantum yield. 2020 , 86, 105903	13
1042	In-situ passivation perovskite targeting efficient light-emitting diodes via spontaneously formed silica network. 2020 , 78, 105134	14
1041	A comprehensive review on synthesis and applications of single crystal perovskite halides. 2020 , 60, 100286	38
1040	Perovskite white light-emitting diodes with a perovskite emissive layer blended with rhodamine 6G. 2020 , 8, 12951-12958	14
1039	Dynamic Response of Alternating-Current-Driven Light-Emitting Diodes Based on Hybrid Halide Perovskites. 2020 , 14,	4
1038	Thickness-Controlled Wafer-Scale Single-Crystalline MAPbBr ₃ Films Epitaxially Grown on CsPbBr ₃ Substrates by the Droplet-Evaporated Crystallization Method. 2020 , 12, 39834-39840	6
1037	Resistive switching performance of fibrous crosspoint memories based on an organic-inorganic halide perovskite. 2020 , 8, 12865-12875	14
1036	Suppressing Ion Migration Enables Stable Perovskite Light-Emitting Diodes with All-Inorganic Strategy. 2020 , 30, 2001834	32
1035	Highly UV Resistant Inch-Scale Hybrid Perovskite Quantum Dot Papers. 2020 , 7, 1902439	19
1034	White Electroluminescence from Perovskite/Organic Heterojunction. 2020 , 5, 2690-2697	9

1033	Understanding coordination reaction for producing stable electrode with various low work functions. 2020 , 11, 3700	13
1032	Toward Efficient and Stable Perovskite Solar Cells: Choosing Appropriate Passivator to Specific Defects. 2020 , 4, 2000308	19
1031	A Multi-functional Molecular Modifier Enabling Efficient Large-Area Perovskite Light-Emitting Diodes. 2020 , 4, 1977-1987	70
1030	Illumination-Induced Phase Segregation and Suppressed Solubility Limit in Br-Rich Mixed-Halide Inorganic Perovskites. 2020 , 12, 38376-38385	15
1029	In situ confined growth of ultrasmall perovskite quantum dots in metal-organic frameworks and their quantum confinement effect. 2020 , 12, 17113-17120	13
1028	Effects of PEDOT:PSS:GO composite hole transport layer on the luminescence of perovskite light-emitting diodes.. 2020 , 10, 26381-26387	37
1027	Molecular functionalization of all-inorganic perovskite CsPbBr ₃ thin films. 2020 , 8, 12587-12598	2
1026	Water Passivation of Perovskite Nanocrystals Enables Air-Stable Intrinsically Stretchable Color-Conversion Layers for Stretchable Displays. 2020 , 32, e2001989	25
1025	Graded heterojunction of perovskite/dopant-free polymeric hole-transport layer for efficient and stable metal halide perovskite devices. 2020 , 78, 105159	16
1024	Submillimeter-Scale Zero-Dimensional Cs ₄ PbBr ₆ Perovskite Rods: Fabrication, Optical Properties, and Applications. 2020 , 2, 2408-2417	6
1023	Light-Emitting Transistors with High Color Purity Using Perovskite Quantum Dot Emitters. 2020 , 12, 35175-35180	
1022	Synthesis of lead-free Cs(CdMn)BiCl ₃ layered double perovskite nanocrystals with controlled Mn-Mn coupling interaction. 2020 , 12, 23191-23199	12
1021	Defects and Their Passivation in Hybrid Halide Perovskites toward Solar Cell Applications. 2020 , 4, 2000505	19
1020	Recent Advancements in Near-Infrared Perovskite Light-Emitting Diodes. 2020 , 2, 3470-3490	19
1019	Flat, Luminescent, and Defect-Less Perovskite Films on PVK for Light-Emitting Diodes with Enhanced Efficiency and Stability. 2020 , 2, 3530-3537	6
1018	Tunable luminescent lead bromide complexes. 2020 , 8, 15996-16000	2
1017	Visible light driven perovskite-based photocatalysts: A new candidate for green organic synthesis by photochemical protocol. 2020 , 3, 100031	11
1016	Perovskites for printed flexible electronics. 2020 , 892, 012011	

1015	Synthesis of post-processable metal halide perovskite nanocrystals via modified ligand-assisted re-precipitation method and their applications to self-powered panchromatic photodetectors. 2020 , 92, 167-173	8
1014	An Efficient Trap Passivator for Perovskite Solar Cells: Poly(propylene glycol) bis(2-aminopropyl ether). 2020 , 12, 177	16
1013	Multifunctional Charge Transporting Materials for Perovskite Light-Emitting Diodes. 2020 , 32, e2002176	23
1012	Quantification of the Optical Properties of Perovskite Nanocrystals Using a Combination of Polarized Resonance Synchronous and Polarized Anti-Stokes, On-Resonance, and Stokes-Shifted Spectroscopy. 2020 , 124, 20388-20397	0
1011	Defect Dynamics in MAPbI ₃ Polycrystalline Films: The Trapping Effect of Grain Boundaries. 2020 , 103, e2000110	3
1010	Lattice marginal reconstruction-enabled high ambient-tolerance perovskite quantum dot phototransistors. 2020 , 8, 16001-16009	3
1009	Energy Upconversion in Rare-Earth-Doped Tin-Based Double Halo Perovskites, A ₂ SnCl ₆ (A = K, Rb, and Cs). 2020 , 2020, 4295-4302	4
1008	A hole-transport material that also passivates perovskite surface defects for solar cells with improved efficiency and stability. 2020 , 13, 4334-4343	73
1007	Toward See-Through Optoelectronics: Transparent Light-Emitting Diodes and Solar Cells. 2020 , 8, 2001122	16
1006	Pressure-Induced Selective Amorphization of CsPbBr ₃ for the Purification of Cs ₄ PbBr ₆ . 2020 , 124, 22291-22297	
1005	Competition between Oxygen Curing and Ion Migration in MAPbI ₃ Induced by Irradiation Exposure. 2020 , 11, 8477-8482	3
1004	Single-emissive-layer all-perovskite white light-emitting diodes employing segregated mixed halide perovskite crystals. 2020 , 11, 11338-11343	7
1003	Optical properties of organic/inorganic perovskite microcrystals through the characterization of Fabry-Pérot resonances. 2020 , 49, 12798-12804	1
1002	Realizing CsPbBr ₃ Light-Emitting Diode Arrays Based on PDMS Template Confined Solution Growth of Single-Crystalline Perovskite. 2020 , 11, 8275-8282	10
1001	Enhancing the light-emitting performance and stability in CsPbBr ₃ perovskite quantum dots via simultaneous doping and surface passivation. 2020 , 8, 14439-14445	13
1000	Spectrally Wide-Range-Tunable, Efficient, and Bright Colloidal Light-Emitting Diodes of Quasi-2D Nanoplatelets Enabled by Engineered Alloyed Heterostructures. 2020 , 32, 7874-7883	16
999	Ambient Manipulation of Perovskites by Alternating Electric Field toward Tunable Photovoltaic Performance. 2020 , 30, 2004652	5
998	Transparent near-infrared perovskite light-emitting diodes. 2020 , 11, 4213	16

997	Perovskite Quantum Dots. 2020 ,	2
996	Self-defect-passivation by Br-enrichment in FA-doped CsFAPbBr quantum dots: towards high-performance quantum dot light-emitting diodes. 2020 , 10, 14758	4
995	Recent Advances of Synthesis, Properties, Film Fabrication Methods, Modifications of Poly(3,4-ethylenedioxythiophene), and Applications in Solution-Processed Photovoltaics. 2020 , 30, 2006213	44
994	Thermal-induced interface degradation in perovskite light-emitting diodes. 2020 , 8, 15079-15085	15
993	Towards commercialization: the operational stability of perovskite solar cells. 2020 , 49, 8235-8286	143
992	Lateral Artificial Synapses on Hybrid Perovskite Platelets with Modulated Neuroplasticity. 2020 , 30, 2005413	33
991	Composition engineering to obtain efficient hybrid perovskite light-emitting diodes. 2020 , 13, 282-290	7
990	Rearranging Low-Dimensional Phase Distribution of Quasi-2D Perovskites for Efficient Sky-Blue Perovskite Light-Emitting Diodes. 2020 , 14, 11420-11430	104
989	Large cation ethylammonium incorporated perovskite for efficient and spectra stable blue light-emitting diodes. 2020 , 11, 4165	113
988	Solution-Processed Quasi-Two-Dimensional/Nanocrystals Perovskite Composite Film Enhances the Efficiency and Stability of Perovskite Light-Emitting Diodes. 2020 , 12, 39720-39729	7
987	Bioinspired Molecular Bridging in a Hybrid Perovskite Leads to Enhanced Stability and Tunable Properties. 2020 , 30, 2005136	5
986	Improving Performance of Nonvolatile Perovskite-Based Photomemory by Size Restrain of Perovskites Nanocrystals in the Hybrid Floating Gate. 2020 , 6, 2000458	14
985	In Situ Green Synthesis of Ni-Doped CsPbBr ₃ @SiO ₂ Composites with Superior Stability for Fabrication of White Light-Emitting Diodes. 2020 , 5, 9920-9925	0
984	A-Site Cation Engineering for Efficient Blue-Emissive Perovskite Light-Emitting Diodes. 2020 , 13, 6689	2
983	Luminescent Metal-Organic Frameworks for White LEDs. 2020 , 2001817	30
982	Improved Electroluminescence Performance of Perovskite Light-Emitting Diodes by a New Hole Transporting Polymer Based on the Benzocarbazole Moiety. 2020 , 12, 51756-51765	9
981	Anisotropic Performance of High-Quality MAPbBr Single-Crystal Wafers. 2020 , 12, 51616-51627	8
980	Enhanced Operational Stability of Perovskite Light-Emitting Electrochemical Cells Leveraging Ionic Additives. 2020 , 8, 2000226	15

979	Blue Perovskite Nanocrystal Light-Emitting Devices via the Ligand Exchange with Adamantane Diamine. 2020 , 8, 2000289	26
978	Cation doping and strain engineering of CsPbBr ₃ -based perovskite light emitting diodes. 2020 , 8, 6640-6653	15
977	Recent Progress in Engineering Metal Halide Perovskites for Efficient Visible-Light-Driven Photocatalysis. 2020 , 13, 4005-4025	43
976	High-Quality MAPbBr ₃ Cuboid Film with Promising Optoelectronic Properties Prepared by a Hot Methylamine Precursor Approach. 2020 , 12, 24498-24504	8
975	Stabilizing the Electroluminescence of Halide Perovskites with Potassium Passivation. 2020 , 5, 1804-1813	29
974	Aqueous phase fabrication and conversion of Pb(OH)Br into a CH ₃ NH ₃ PbBr ₃ perovskite and its application in resistive memory switching devices. 2020 , 22, 3608-3614	7
973	Solution-Processed Halide Perovskite Single Crystals with Intrinsic Compositional Gradients for X-ray Detection. 2020 , 32, 4973-4983	24
972	Ionic-liquid induced enhanced performance of perovskite light-emitting diodes. 2020 , 53, 384002	3
971	Novel 3D photoactive direct bandgap perovskites CsBiPbX ₆ : Ab initio structure and electronic properties. 2020 , 183, 109819	1
970	A controllable and reversible phase transformation between all-inorganic perovskites for white light emitting diodes. 2020 , 8, 8374-8379	27
969	Thermal Management Enables Bright and Stable Perovskite Light-Emitting Diodes. 2020 , 32, e2000752	71
968	Strategically Modulating Carriers and Excitons for Efficient and Stable Ultrapure-Green Fluorescent OLEDs with a Sterically Hindered BODIPY Dopant. 2020 , 8, 2000483	27
967	Reshaping Hybrid Perovskites Emission with Flexible Polymer Microcavities. 2020 , 230, 00006	
966	Blue perovskite light-emitting diodes (LEDs): A minireview. 2020 , 48, 616-636	6
965	Characterizing the Efficiency of Perovskite Solar Cells and Light-Emitting Diodes. 2020 , 4, 1206-1235	24
964	Spin Polarization Dynamics of Free Charge Carriers in CsPbI ₃ Nanocrystals. 2020 , 20, 4724-4730	15
963	Establishing charge-transfer excitons in 2D perovskite heterostructures. 2020 , 11, 2618	27
962	All-vacuum-deposited inorganic cesium lead halide perovskite light-emitting diodes. 2020 , 8, 051113	22

- 961 Highly Sensitive and Ambient Air-Processed Hybrid Perovskite TFT Temperature Sensor. **2020**, 41, 1086-1089 5
- 960 Size- and Halide-Dependent Auger Recombination in Lead Halide Perovskite Nanocrystals. **2020**, 59, 14292-14295 31
- 959 Efficient Flexible Inorganic Perovskite Light-Emitting Diodes Fabricated with CsPbBr Emitters Prepared via Low-Temperature in Situ Dynamic Thermal Crystallization. **2020**, 20, 4673-4680 25
- 958 Lewis acid/base approach for efficacious defect passivation in perovskite solar cells. **2020**, 8, 12201-12225 79
- 957 Flexible optoelectronic devices based on metal halide perovskites. **2020**, 13, 1997-2018 23
- 956 Systematic study of optoelectronic and transport properties of cesium lead halide (Cs₂PbX₆; X=Cl, Br, I) double perovskites for solar cell applications. **2020**, 46, 21378-21387 15
- 955 Finally, inkjet-printed metal halide perovskite LEDs utilizing seed crystal templating of salty PEDOT:PSS. **2020**, 7, 1773-1781 20
- 954 Two-dimensional tin perovskite nanoplate for pure red light-emitting diodes. **2020**, 53, 414005 12
- 953 Identifying the functional groups effect on passivating perovskite solar cells. **2020**, 65, 1726-1734 24
- 952 Efficient quasi-two dimensional perovskite light-emitting diodes using a cage-type additive. **2020**, 8, 9845-9853 5
- 951 Lead-Free Metal Halide Perovskites and Perovskite Derivatives as an Environmentally Friendly Emitter for Light-Emitting Device Applications. **2020**, 11, 5517-5530 29
- 950 Effective Surface Ligand-Concentration Tuning of Deep-Blue Luminescent FAPbBr Nanoplatelets with Enhanced Stability and Charge Transport. **2020**, 12, 31863-31874 18
- 949 Surface-Plasmon-Enhanced Perovskite Light-Emitting Diodes. **2020**, 16, e2001861 17
- 948 Lead-free all-inorganic halide perovskite quantum dots: review and outlook. **2020**, 57, 455-479 25
- 947 Effects of different alkyl chain-length C_nH_{2n+1}NH₃Br additions on the properties of CH₃NH₃PbBr₃ perovskite thin films. **2020**, 107, 110127
- 946 Bifacial passivation towards efficient FAPbBr-based inverted perovskite light-emitting diodes. **2020**, 12, 14724-14732 5
- 945 Synergistic morphology control and non-radiative defect passivation using a crown ether for efficient perovskite light-emitting devices. **2020**, 8, 9986-9992 3
- 944 Size- and Halide-Dependent Auger Recombination in Lead Halide Perovskite Nanocrystals. **2020**, 132, 14398-14401 3

943	CsPbBr ₃ /CH ₃ NH ₃ PbCl ₃ Double Layer Enhances Efficiency and Lifetime of Perovskite Light-Emitting Diodes. 2020 , 5, 2191-2199	25
942	Growth of metal halide perovskite materials. 2020 , 63, 1438-1463	13
941	X-ray detection based on crushed perovskite crystal/polymer composites. 2020 , 312, 112132	9
940	Enhanced stability and performance of light-emitting diodes based on in situ fabricated FAPbBr ₃ nanocrystals via ligand compensation with n-octylphosphonic acid. 2020 , 8, 9936-9944	6
939	Advances in light-emitting metal-halide perovskite nanocrystals. 2020 , 45, 458-466	7
938	Vertical phase segregation suppression for efficient FA-based quasi-2D perovskite solar cells via HCl additive. 2020 , 31, 12301-12308	5
937	Air-Stable Perovskite Nanostructures with Dimensional Tunability by Polymerizable Structure-Directing Ligands. 2020 , 12, 31770-31775	3
936	Wettability-Guided Screen Printing of Perovskite Microlaser Arrays for Current-Driven Displays. 2020 , 32, e2001999	32
935	Negative photoconductivity in CsPbBr single crystal. 2020 , 22, 14276-14283	8
934	Micro- and Nanopatterning of Halide Perovskites Where Crystal Engineering for Emerging Photoelectronics Meets Integrated Device Array Technology. 2020 , 32, e2000597	31
933	Directionally Selective Polyhalide Molecular Glue for Stable Inverted Perovskite Solar Cells. 2020 , 4, 2000244	2
932	Recent Advancement in Bio-precursor derived graphene quantum dots: Synthesis, Characterization and Toxicological Perspective. 2020 , 31, 292001	19
931	Shining Light on the Photoluminescence Properties of Metal Halide Perovskites. 2020 , 30, 1910004	58
930	Toward perovskite nanocrystalline solar cells: progress and potential. 2020 , 8, 5321-5334	10
929	Facile and noninvasive passivation, doping and chemical tuning of macroscopic hybrid perovskite crystals. 2020 , 15, e0230540	3
928	Fundamentals of Materials Selection for Light-Emitting Electrochemical Cells. 2020 , 30, 1909102	20
927	Enhanced photoluminescence quantum yield of MAPbBr ₃ nanocrystals by passivation using graphene. 2020 , 13, 932-938	5
926	Co-Interlayer Engineering toward Efficient Green Quasi-Two-Dimensional Perovskite Light-Emitting Diodes. 2020 , 30, 1910167	26

925	Engineering 3D perovskites for photon interconversion applications. 2020 , 15, e0230299	9
924	Stabilized and Operational PbI ₂ Precursor Ink for Large-Scale Perovskite Solar Cells via Two-Step Blade-Coating. 2020 , 124, 8129-8139	14
923	Efficient All-Inorganic Perovskite Light-Emitting Diodes with Improved Operation Stability. 2020 , 12, 18084-18090	33
922	Antithermal Quenching of Luminescence in Zero-Dimensional Hybrid Metal Halide Solids. 2020 , 11, 2902-2909	20
921	Efficient quantum-dot light-emitting diodes using ZnS/AgInS ₂ solid-solution quantum dots in combination with organic charge-transport materials. 2020 , 116, 093302	7
920	Reversible luminescent humidity chromism of organic-inorganic hybrid PEAMnBr single crystals. 2020 , 49, 5662-5668	30
919	In Situ Growth of MAPbBr Nanocrystals on Few-Layer MXene Nanosheets with Efficient Energy Transfer. 2020 , 16, e1905896	17
918	Colloidal Synthesis of Ternary Copper Halide Nanocrystals for High-Efficiency Deep-Blue Light-Emitting Diodes with a Half-Lifetime above 100 h. 2020 , 20, 3568-3576	121
917	Phase Distribution and Carrier Dynamics in Multiple-Ring Aromatic Spacer-Based Two-Dimensional Ruddlesden-Popper Perovskite Solar Cells. 2020 , 14, 4871-4881	60
916	Rational Interface Engineering for Efficient Flexible Perovskite Light-Emitting Diodes. 2020 , 14, 6107-6116	58
915	Quo vadis, perovskite emitters?. 2020 , 152, 130901	11
914	Composite Films of CsPbBr Perovskite Nanocrystals in a Hydrophobic Fluoropolymer for Temperature Imaging in Digital Microfluidics. 2020 , 12, 19805-19812	16
913	Boosting Efficiency and Curtailing the Efficiency Roll-Off in Green Perovskite Light-Emitting Diodes via Incorporating Ytterbium as Cathode Interface Layer. 2020 , 12, 18761-18768	17
912	Stable Yellow Light-Emitting Devices Based on Ternary Copper Halides with Broadband Emissive Self-Trapped Excitons. 2020 , 14, 4475-4486	106
911	Modulation of ligand conjugation for efficient FAPbBr ₃ based green light-emitting diodes. 2020 , 4, 1383-1389	3
910	First principle-based calculations of the optoelectronic features of 2 x 2 x 2 CsPb(I _{1-x} Br _x) ₃ perovskite. 2020 , 140, 106474	6
909	Sensitized Molecular Triplet and Triplet Excimer Emission in Two-Dimensional Hybrid Perovskites. 2020 , 11, 2247-2255	18
908	Lead-Free Perovskite Variant Solid Solutions Cs Sn Te Cl : Bright Luminescence and High Anti-Water Stability. 2020 , 32, e2002443	74

907	Tailoring the Surface Morphology and Phase Distribution for Efficient Perovskite Electroluminescence. 2020 , 11, 5877-5882	7
906	Recent Progresses on Metal Halide Perovskite-Based Material as Potential Photocatalyst. 2020 , 10, 709	36
905	Unveiling the Morphology Effect on the Negative Capacitance and Large Ideality Factor in Perovskite Light-Emitting Diodes. 2020 , 12, 34265-34273	22
904	Highly ordered lead-free double perovskite halides by design. 2020 , 6, 651-660	10
903	High-Performance Deep Ultraviolet Photodetector Based on a One-Dimensional Lead-Free Halide Perovskite CsCuI Film with High Stability. 2020 , 11, 6880-6886	33
902	Photon Energy-Dependent Ultrafast Photoinduced Terahertz Response in a Microcrystalline Film of CHNHPbBr. 2020 , 11, 6068-6076	1
901	Functionalized PFN-X (X = Cl, Br, or I) for Balanced Charge Carriers of Highly Efficient Blue Light-Emitting Diodes. 2020 , 12, 35740-35747	13
900	Modulating the optical and electrical properties of MAPbBr single crystals via voltage regulation engineering and application in memristors. 2020 , 9, 111	22
899	Proton-transfer-induced 3D/2D hybrid perovskites suppress ion migration and reduce luminance overshoot. 2020 , 11, 3378	51
898	Significance of Ambient Temperature Control for Highly Reproducible Layered Perovskite Light-Emitting Diodes. 2020 , 7, 2489-2497	10
897	Theoretical Progress on the Relationship between the Structures and Properties of Perovskite Solar Cells. 2020 , 3, 2000022	4
896	Efficient Bidentate Molecules Passivation Strategy for High-Performance and Stable Inorganic CsPbI ₂ Br Perovskite Solar Cells. 2020 , 4, 2000268	12
895	Size-controlled emission of long-time durable CsPbBr ₃ perovskite quantum dots embedded tellurite glass nanocomposites. 2020 , 401, 126053	33
894	Narrow-band emitters in LED backlights for liquid-crystal displays. 2020 , 40, 246-265	53
893	Achieving Pure Green Electroluminescence with CIE _y of 0.69 and EQE of 28.2% from an Aza-Fused Multi-Resonance Emitter. 2020 , 132, 17652-17656	30
892	Achieving Pure Green Electroluminescence with CIE _y of 0.69 and EQE of 28.2% from an Aza-Fused Multi-Resonance Emitter. 2020 , 59, 17499-17503	81
891	Improved stability and performance of all inorganic perovskite quantum dots synthesized directly with N-alkylmonoamine ligands for light-erasable transistor memory. 2020 , 86, 105869	8
890	Challenges, myths, and opportunities of electron microscopy on halide perovskites. 2020 , 128, 010901	21

- 889 Organic-Salt-Assisted Crystal Growth and Orientation of Quasi-2D Ruddlesden-Popper Perovskites for Solar Cells with Efficiency over 19. **2020**, 32, e2001470 83
- 888 Enhanced emission from CH₃NH₃PbBr₃ perovskite films by graphene quantum dot modification. **2020**, 7, 016415 4
- 887 High-Performance Quasi-2D Perovskite Light-Emitting Diodes Via Poly(vinylpyrrolidone) Treatment. **2020**, 15, 34 8
- 886 A Cocktail of Multiple Cations in Inorganic Halide Perovskite toward Efficient and Highly Stable Blue Light-Emitting Diodes. **2020**, 5, 1062-1069 56
- 885 Multi-cation perovskites prevent carrier reflection from grain surfaces. **2020**, 19, 412-418 52
- 884 Detrimental Effect of Unreacted Pbl on the Long-Term Stability of Perovskite Solar Cells. **2020**, 32, e1905035 123
- 883 Light-induced charge transfer at the CH₃NH₃PbI₃/TiO₂ interface—low-temperature photo-electron paramagnetic resonance assay. **2020**, 2, 014007 1
- 882 Mechanism of segmentation of lead halide perovskite at interfaces with GaN and ZnO. **2020**, 514, 145924 1
- 881 Near-Unity Red Mn Photoluminescence Quantum Yield of Doped CsPbCl Nanocrystals with Cd Incorporation. **2020**, 11, 2142-2149 44
- 880 Organic additive engineering toward efficient perovskite light-emitting diodes. **2020**, 2, 1095-1108 15
- 879 The enhancement of excitonic emission crossing Saha equilibrium in trap passivated CH₃NH₃PbBr₃ perovskite. **2020**, 3, 7
- 878 Enhancing photoluminescence quantum efficiency of metal halide perovskites by examining luminescence-limiting factors. **2020**, 8, 020904 13
- 877 Critical Role of Organic Spacers for Bright 2D Layered Perovskites Light-Emitting Diodes. **2020**, 7, 1903202 29
- 876 Self-Additive Low-Dimensional Ruddlesden-Popper Perovskite by the Incorporation of Glycine Hydrochloride for High-Performance and Stable Solar Cells. **2020**, 30, 2000034 34
- 875 Effect of reabsorption and photon recycling on photoluminescence spectra and transients in lead-halide perovskite crystals. **2020**, 3, 025003 9
- 874 In[BaClF]: a novel infrared-transparent molecular sieve constructed by halides. **2020**, 56, 3297-3300 2
- 873 Fluorene-Based Poly(imino ketone) with Fluorine Atoms on the Side Chains as an Intelligent High-Performance Polymer. **2020**, 59, 357-365
- 872 Hierarchical and scalable integration of nanostructures for energy and environmental applications: a review of processing, devices, and economic analyses. **2020**, 4, 012002 6

871	Thermodynamic Control in the Synthesis of Quantum-Confined Blue-Emitting CsPbBr Perovskite Nanostrips. 2020 , 11, 2036-2043	20
870	Self-powered and flexible perovskite photodiode/solar cell bifunctional devices with MoS ₂ hole transport layer. 2020 , 514, 145880	15
869	An effective strategy to boost 3D perovskite light-emitting diode performance via solvent mixing strategy. 2020 , 222, 117120	4
868	Size-selected and surface-passivated CsPbBr perovskite nanocrystals for self-enhanced electrochemiluminescence in aqueous media. 2020 , 12, 7321-7329	17
867	Uniform and Large-Area Cesium-Based Quasi-2D Perovskite Light-Emitting Diodes Using Hot-Casting Method. 2020 , 7, 1902158	13
866	Modification of interface between PEDOT:PSS and perovskite film inserting an ultrathin LiF layer for enhancing efficiency of perovskite light-emitting diodes. 2020 , 81, 105675	10
865	Three-Dimensional Metal-Free Molecular Perovskite with a Thermally Induced Switchable Dielectric Response. 2020 , 11, 1668-1674	18
864	Towards high-power-efficiency solution-processed OLEDs: Material and device perspectives. 2020 , 140, 100547	93
863	Ag/In lead-free double perovskites. 2020 , 2, e12017	12
862	Quasi-2D organic cation-doped formamidinium lead bromide (FAPbBr ₃) perovskite light-emitting diodes by long alkyl chain. 2020 , 79, 105626	7
861	Enhanced photoluminescence and stability of ZnSe microspheres/Cs ₄ PbBr ₆ microcrystals/CsPbBr ₃ nanocrystals composites. 2020 , 31, 2499-2502	2
860	Permanent Lattice Compression of Lead-Halide Perovskite for Persistently Enhanced Optoelectronic Properties. 2020 , 5, 642-649	21
859	Materials chemistry and engineering in metal halide perovskite lasers. 2020 , 49, 951-982	143
858	Whispering Gallery Mode Lasing from CH ₃ NH ₃ PbBr ₃ /PEO Composites Grown in a Microcapillary. 2020 , 124, 3242-3249	3
857	Photo-Induced Exciton Dynamics and Broadband Light Harvesting in ZnO Nanorod-Templated Multilayered Two-Dimensional MoS ₂ /MoO ₃ Photoanodes for Solar Fuel Generation. 2020 , 3, 1223-1231	14
856	Effects of Hydrogen Bonds between Polymeric Hole-Transporting Material and Organic Cation Spacer on Morphology of Quasi-Two-Dimensional Perovskite Grains and Their Performance in Light-Emitting Diodes. 2020 , 12, 9440-9447	7
855	Efficient CsPbBr ₃ Inorganic Perovskite Light-Emitting Diodes via Lewis Acid-Base Reaction with Organic Small Molecule mCP. 2020 , 2, 597-603	2
854	High-Performance Perovskite Solar Cells Using Iodine as Effective Dopant for Spiro-OMeTAD. 2020 , 8, 1901171	11

- 853 Ambient Air Stability of Hybrid Perovskite Thin-Film Transistors by Ambient Air Processing. **2020**, 7, 1901777 11
- 852 High-Efficiency Formamidinium Lead Bromide Perovskite Nanocrystal-Based Light-Emitting Diodes Fabricated via a Surface Defect Self-Passivation Strategy. **2020**, 8, 1901390 22
- 851 High-Brightness Perovskite Light-Emitting Diodes Using a Printable Silver Microflake Contact. **2020**, 12, 11428-11437 6
- 850 Magneto-electroluminescence response in 2D and 3D hybrid organic-inorganic perovskite light emitting diodes. **2020**, 152, 044714 5
- 849 Structurally Stable and Highly Enhanced Luminescent Perovskite Based on Quasi-Two-Dimensional Structures upon Addition of Guanidinium Cations. **2020**, 124, 4414-4420 10
- 848 Structural and spectroscopic studies of a nanostructured silicon-perovskite interface. **2020**, 12, 4498-4505 1
- 847 Dual Passivation of Perovskite Defects for Light-Emitting Diodes with External Quantum Efficiency Exceeding 20%. **2020**, 30, 1909754 114
- 846 Grain Boundary Enhanced Photoluminescence Anisotropy in Two-Dimensional Hybrid Perovskite Films. **2020**, 8, 1901780 9
- 845 Strong Linearly Polarized Photoluminescence and Electroluminescence from Halide Perovskite/Azobenzene Dye Composite Film for Display Applications. **2020**, 8, 1901824 9
- 844 Low-dimensional metal halide perovskites and related optoelectronic applications. **2020**, 2, 341-378 36
- 843 Bright and Color-Stable Blue-Light-Emitting Diodes based on Three-Dimensional Perovskite Polycrystalline Films via Morphology and Interface Engineering. **2020**, 11, 1411-1418 21
- 842 Silver-Bismuth Bilayer Anode for Perovskite Nanocrystal Light-Emitting Devices. **2020**, 11, 3853-3859 8
- 841 Insulator as Efficient Hole Injection Layer in Perovskite Light-Emitting Device via MIS Contact. **2020**, 8, 1902177 8
- 840 Mixed 2D/3D perovskite with fine phase control modulated by a novel cyclopentanamine hydrobromide for better stability in light-emitting diodes. **2020**, 393, 124787 4
- 839 Recent progress in surface modification and interfacial engineering for high-performance perovskite light-emitting diodes. **2020**, 73, 104752 29
- 838 Calcium-tributylphosphine oxide passivation enables the efficiency of pure-blue perovskite light-emitting diode up to 3.3%. **2020**, 65, 1150-1153 19
- 837 Large-Area Cesium Lead Bromide Perovskite Light-Emitting Diodes Realized by Incorporating a Hybrid Additive. **2020**, 2, 1113-1121 9
- 836 Improving the Performance of Blue Polymer Light-Emitting Diodes Using a Hole Injection Layer with a High Work Function and Nanotexture. **2020**, 12, 20750-20756 5

835	Water-Stable 1D Hybrid Tin(II) Iodide Emits Broad Light with 36% Photoluminescence Quantum Efficiency. 2020 , 142, 9028-9038	31
834	Metal chloride perovskite thin film based interfacial layer for shielding lithium metal from liquid electrolyte. 2020 , 11, 1761	34
833	Ambient-Processed, Additive-Assisted CsPbBr ₃ Perovskite Light-Emitting Diodes with Colloidal NiOx Nanoparticles for Efficient Hole Transporting. 2020 , 10, 336	4
832	Raman Scattering Studies of the Structural Phase Transitions in Single-Crystalline CH ₃ NHPbCl. 2020 , 11, 3773-3781	9
831	Coexistence of light-induced photoluminescence enhancement and quenching in CH ₃ NHPbBr perovskite films.. 2020 , 10, 11054-11059	3
830	Origin of Amplified Spontaneous Emission Degradation in MAPbBr ₃ Thin Films under Nanosecond-UV Laser Irradiation. 2020 , 124, 10696-10704	8
829	A Series of Organic-Inorganic Hybrid Compounds [(CH ₃) _N]InClBr (= 0, 2, 4): Synthesis, Crystal Structure, and Nonlinear Optical Properties. 2020 , 59, 5721-5727	15
828	Review on recent advances of core-shell structured lead halide perovskites quantum dots. 2020 , 834, 155246	16
827	All-Inorganic Halide Perovskites as Potential Thermoelectric Materials: Dynamic Cation off-Centering Induces Ultralow Thermal Conductivity. 2020 , 142, 9553-9563	64
826	Recent Advances and Optoelectronic Applications of Lead-Free Halide Double Perovskites. 2020 , 26, 16975-16984	15
825	Molecule-Induced p-Doping in Perovskite Nanocrystals Enables Efficient Color-Saturated Red Light-Emitting Diodes. 2020 , 16, e2001062	31
824	Quantum Dot Optoelectronic Devices. 2020 ,	1
823	Simultaneous enhancement of luminescence and stability of CsPbBr ₃ perovskite nanocrystals via formation of perhydropolysilazane-derived nanopatterned film. 2020 , 393, 124767	8
822	Embedding of WO ₃ nanocrystals with rich oxygen-vacancies in solution processed perovskite film for improved photovoltaic performance. 2020 , 461, 228175	12
821	Prominent Heat Dissipation in Perovskite Light-Emitting Diodes with Reduced Efficiency Droop for Silicon-Based Display. 2020 , 11, 3689-3698	23
820	In Situ Inkjet Printing of the Perovskite Single-Crystal Array-Embedded Polydimethylsiloxane Film for Wearable Light-Emitting Devices. 2020 , 12, 22157-22162	24
819	High-Performance Perovskite-Based Light-Emitting Diodes from the Conversion of Amorphous Spin-Coated Lead Bromide with Phenethylamine Doping. 2020 , 5, 8697-8706	3
818	A surface photovoltaic effect-related high-performance photodetector based on a single CH ₃ NH ₃ PbI ₃ micro/nanowire. 2020 , 8, 6558-6564	4

817	Ultrathin PEDOT:PSS Enables Colorful and Efficient Perovskite Light-Emitting Diodes. 2020 , 7, 2000689	27
816	Organic Cation Alloying on Intralayer A and Interlayer A' sites in 2D Hybrid Dion-Jacobson Lead Bromide Perovskites (A')(A)PbBr. 2020 , 142, 8342-8351	28
815	Low-Temperature Processed Carbon Electrode-Based Inorganic Perovskite Solar Cells with Enhanced Photovoltaic Performance and Stability. 2021 , 4, 95-102	10
814	Groups-dependent phosphines as the organic redox for point defects elimination in hybrid perovskite solar cells. 2021 , 54, 23-29	10
813	Biopolymer passivation for high-performance perovskite solar cells by blade coating. 2021 , 54, 45-52	15
812	Micro- and Nanostructured Lead Halide Perovskites: From Materials to Integrations and Devices. 2021 , 33, e2000306	33
811	Multifunctional dopamine-assisted preparation of efficient and stable perovskite solar cells. 2021 , 54, 291-300	22
810	All-inorganic Cs ₂ AgBiBr ₆ /CuSCN-based photodetectors for weak light imaging. 2021 , 64, 198-208	18
809	All Electro Spray Printing of Carbon-Based Cost-Effective Perovskite Solar Cells. 2021 , 31, 2006803	5
808	Highly-stable tin-based perovskite nanocrystals produced by passivation and coating of gelatin. 2021 , 403, 123967	5
807	Two-dimensional materials for light emitting applications: Achievement, challenge and future perspectives. 2021 , 14, 1912-1936	11
806	Suppressing Ion Migration across Perovskite Grain Boundaries by Polymer Additives. 2021 , 31, 2006802	33
805	High-Mobility Organic Light-Emitting Semiconductors and Its Optoelectronic Devices. 2021 , 2, 2000083	24
804	Challenges, recent advances and improvements for enhancing the efficiencies of ABX ₃ -based PeLEDs (perovskites light emitting diodes): A review. 2021 , 850, 156827	4
803	A Turn-on Fluorescence perovskite sensor based on MAPbBr ₃ /mesoporous TiO ₂ for NH ₃ and amine vapor detections. 2021 , 327, 128918	12
802	Boosting the efficiency of quasi-2D perovskites light-emitting diodes by using encapsulation growth method. 2021 , 80, 105511	30
801	Perovskite QLED with an external quantum efficiency of over 21% by modulating electronic transport. 2021 , 66, 36-43	70
800	Mn ²⁺ -Doped Metal Halide Perovskites: Structure, Photoluminescence, and Application. 2021 , 15, 2000334	48

799	Extremely Stable Luminescent Crosslinked Perovskite Nanoparticles under Harsh Environments over 1.5 Years. 2021 , 33, e2005255	26
798	Deep Blue Layered Lead Perovskite Light-Emitting Diode. 2021 , 9, 2001709	9
797	Emerging Light-Emitting Materials for Photonic Integration. 2021 , 33, e2003733	7
796	High Quality CsPbI ₃ /Br _x Thin Films Enabled by Synergetic Regulation of Fluorine Polymers and Amino Acid Molecules for Efficient Pure Red Light Emitting Diodes. 2021 , 9, 2001684	6
795	High-Performance Blue Perovskite Light-Emitting Diodes Enabled by Efficient Energy Transfer between Coupled Quasi-2D Perovskite Layers. 2021 , 33, e2005570	74
794	Epitaxial halide perovskite-based materials for photoelectric energy conversion. 2021 , 14, 127-157	17
793	Interfacial Potassium-Guided Grain Growth for Efficient Deep-Blue Perovskite Light-Emitting Diodes. 2021 , 31, 2006736	42
792	Improving photovoltaic effect of inorganic perovskite by resistive switching using various electrode materials. 2021 , 859, 157767	
791	Utilization of Trapped Optical Modes for White Perovskite Light-Emitting Diodes with Efficiency over 12%. 2021 , 5, 456-466	37
790	Artemisinin-passivated mixed-cation perovskite films for durable flexible perovskite solar cells with over 21% efficiency. 2021 , 9, 1574-1582	63
789	Titanium Nanopillar Arrays Functioning as Electron Transporting Layers for Efficient, Anti-Aging Perovskite Solar Cells. 2021 , 17, e2004778	5
788	Low-Dimensional Metal Halide Perovskite Photodetectors. 2021 , 33, e2003309	138
787	Anharmonicity-Driven Rashba Cohelical Excitons Break Quantum Efficiency Limitation. 2021 , 33, e2005400	1
786	Efficient and bright white light-emitting diodes based on single-layer heterophase halide perovskites. 2021 , 15, 238-244	111
785	Surface-induced phase engineering and defect passivation of perovskite nanograins for efficient red light-emitting diodes. 2021 , 13, 340-348	11
784	Tailoring methyl-ammonium lead bromide nanostructure by solvent engineering and their application to high open circuit voltage solar cells. 2021 , 126, 114420	4
783	Boosting the performance of CsPbBr ₃ -based perovskite light-emitting diodes via constructing nanocomposite emissive layers. 2021 , 9, 916-924	5
782	Understanding the Synergistic Effect of Device Architecture Design toward Efficient Perovskite Light-Emitting Diodes Using Interfacial Layer Engineering. 2021 , 8, 2001712	12

781	Reconfigurable Perovskite LEC: Effects of Ionic Additives and Dual Function Devices. 2021 , 9, 2001715	16
780	Atomic-scale visualization of metallic lead leak related fine structure in CsPbBr quantum dots. 2021 , 13, 124-130	4
779	Chlorine distribution management for spectrally stable and efficient perovskite blue light-emitting diodes. 2021 , 79, 105486	15
778	Coarse and fine-tuning of lasing transverse electromagnetic modes in coupled all-inorganic perovskite quantum dots. 2021 , 14, 108-113	3
777	Recent progress in the piezoelectricity of molecular ferroelectrics. 2021 , 5, 44-59	13
776	Metal halide perovskites for light-emitting diodes. 2021 , 20, 10-21	322
775	Amplified spontaneous emission in thin films of quasi-2D BAMAPbBr lead halide perovskites. 2021 , 13, 8893-8900	4
774	Low-Dimensional Hybrid Lead Iodide Perovskites Single Crystals via Bifunctional Amino Acid Cross-Linkage: Structural Diversity and Properties Controllability. 2021 , 13, 3325-3335	1
773	Improved performance of perovskite light-emitting diodes with a NaCl doped PEDOT:PSS hole transport layer. 2021 , 9, 4344-4350	6
772	Advances in Perovskite Light-Emitting Diodes Possessing Improved Lifetime. 2021 , 11,	1
771	Chloride-incorporated quasi-2D perovskite films via dynamic processing for spectrum-stable blue light-emitting diodes. 2021 , 9, 9637-9642	4
770	Improving the performance of all-inorganic perovskite light-emitting diodes through using polymeric interlayers with a pendant design. 2021 , 5, 7199-7207	0
769	Role of surface termination and quantum size in CsPbX (X = Cl, Br, I) 2D nanostructures for solar light harvesting. 2021 , 23, 3031-3040	7
768	Fluoroarene derivative based passivation of perovskite solar cells exhibiting excellent ambient and thermo-stability achieving efficiency >20%. 2021 , 9, 10406-10413	8
767	Perovskite photodetectors and their application in artificial photonic synapses. 2021 , 57, 11429-11442	3
766	The Path to Enlightenment: Progress and Opportunities in High Efficiency Halide Perovskite Light-Emitting Devices. 2021 , 8, 386-404	12
765	Block copolymer micelles enable facile synthesis of organic-inorganic perovskite nanostructures with tailored architecture. 2021 , 57, 1879-1882	2
764	Efficient all-inorganic perovskite light-emitting diodes enabled by manipulating the crystal orientation. 2021 , 9, 11064-11072	5

763	The effect of local structure on the luminescence of Eu ²⁺ in ternary phosphate solid solutions by cationic heterovalent substitution and their application in white LEDs. 2021 , 9, 1085-1096	3
762	Postpassivation of Cs(FAMA)Pb(I)Br Perovskite Films with Tris(pentafluorophenyl)borane. 2021 , 13, 2472-2482	15
761	Sustainable fabrication of ultralong Pb(OH)Br nanowires and their conversion to luminescent CH ₃ NH ₃ PbBr ₃ nanowires.	0
760	Comprehensive defect suppression in perovskite nanocrystals for high-efficiency light-emitting diodes. 2021 , 15, 148-155	257
759	Temperature-driven phase transition and transition dipole moment of two-dimensional (BA)CsPbBr ₃ perovskite. 2021 , 23, 16341-16348	0
758	All-inorganic lead-free metal halide perovskite quantum dots: progress and prospects. 2021 , 57, 7465-7479	4
757	Tunable ionic conductivity and photoluminescence in quasi-2D CH ₃ NH ₃ PbBr ₃ thin films incorporating sulphur doped graphene quantum dots. 2021 , 23, 22733-22742	1
756	Reality or fantasy Perovskite semiconductor laser diodes. 2021 , 3, e12077	8
755	Ultrapure green light emission in one-dimensional hybrid lead perovskites: achieving recommendation 2020 standard.	6
754	Ultra-Bright and Stable Pure Blue Light-Emitting Diode from O, N Co-Doped Carbon Dots. 2021 , 15, 2000412	22
753	A deep-dyeing strategy for ultra-stable, brightly luminescent perovskite-polymer composites. 2021 , 9, 3396-3402	5
752	Halide perovskites for light emission and artificial photosynthesis: Opportunities, challenges, and perspectives. 2021 , 3, e12074	6
751	Synthesis, structure, mobility and memristor properties of tetragonal CH ₃ NH ₃ PbBr ₃ perovskite single crystals. 2021 , 50, 10365-10368	0
750	Novel (110) Double-Layered Guanidinium-Lead Iodide Perovskite Material: Crystal Structure, Electronic Structure, and Broad Luminescence. 2021 , 125, 964-972	2
749	Recent advances in radiation detection technologies enabled by metal-halide perovskites.	5
748	All-in-one: a new approach toward robust and solution-processable copper halide hybrid semiconductors by integrating covalent, coordinate and ionic bonds in their structures. 2021 , 12, 3805-3817	13
747	Nucleation management for the ambient fabrication of high-performance perovskite photodetectors with the eco-friendly tert-butanol anti-solvent. 2021 , 9, 8650-8658	0
746	MoC/MAPbI ₃ hybrid composites for efficient photocatalytic hydrogen evolution. 2021 , 50, 10860-10866	3

745	A dithieno[3,2-a:3',2'-j][5,6,11,12]chrysene diimide based polymer as an electron transport layer for efficient inverted perovskite solar cells.	0
744	Light-triggered interfacial charge transfer and enhanced photodetection in CdSe/ZnS quantum dots/MoS ₂ mixed-dimensional phototransistors. 2021 , 4, 210017-210017	5
743	Lead iodide thin-film morphological-dependent metastability investigation by electrical conductivity. 2021 , 32, 3222-3231	2
742	Lead-free metal halide perovskites for light-emitting diodes. 2021 , 3, e12082	2
741	Metal halide perovskite nanocrystals: application in high-performance photodetectors. 2021 , 2, 856-879	7
740	Morphology optimization of perovskite films for efficient sky-blue light emitting diodes via a novel green anti-solvent dimethyl carbonate.	2
739	Lead-free halide double perovskites: Toward stable and sustainable optoelectronic devices. 2021 ,	16
738	Research Progress of Composition and Structure Design in Perovskites for High Performance Light-emitting Diodes. 2021 , 79, 223	1
737	Binary ligand-mediated morphological evolution of methylammonium lead bromide nanocrystals. 2021 , 23, 4434-4438	3
736	Performance and stability improvements in metal halide perovskite with intralayer incorporation of organic additives. 2021 , 9, 16281-16338	9
735	Anion Substitution Effects on the Structural, Electronic, and Optical Properties of Inorganic CsPb(I _{1-x} Br _x) ₃ and CsPb(Br _{1-x} Cl _x) ₃ Perovskites: Theoretical and Experimental Approaches. 2021 , 125, 886-897	12
734	Spontaneous Radiation Amplification in a Microsphere-Coupled CsPbBr ₃ Perovskite Vertical Structure. 2021 , 9, 2001932	2
733	The Impact of PbI ₂ :KI Alloys on the Performance of Sequentially Deposited Perovskite Solar Cells. 2021 , 2021, 821-830	3
732	Recent Advances and Opportunities of Lead-Free Perovskite Nanocrystal for Optoelectronic Application. 2021 , 2021, 1-38	12
731	Perovskite materials as superior and powerful platforms for energy conversion and storage applications. 2021 , 80, 105552	24
730	The composition engineering of red-emitting Eu ³⁺ -doped Ca _{10.5} (PO ₄) ₇ -type solid solution phosphors and application in LED. 2021 , 104, 3365-3375	2
729	Recent Progress on Patterning Strategies for Perovskite Light-Emitting Diodes toward a Full-Color Display Prototype. 2021 , 1, 2000050	15
728	Tautomeric Molecule Acts as a Sunscreen for Metal Halide Perovskite Solar Cells. 2021 , 133, 8755-8759	1

727	Carbon Nanoparticles as Versatile Auxiliary Components of Perovskite-Based Optoelectronic Devices. 2021 , 31, 2010768	13
726	Perovskite Nanocrystals: Synthesis, Stability, and Optoelectronic Applications. 2021 , 2, 2000124	20
725	Fluorescent Carbon Dots: Fantastic Electroluminescent Materials for Light-Emitting Diodes. 2021 , 8, 2001977	47
724	Smoothing the energy transfer pathway in quasi-2D perovskite films using methanesulfonate leads to highly efficient light-emitting devices. 2021 , 12, 1246	113
723	Tautomeric Molecule Acts as a "Sunscreen" for Metal Halide Perovskite Solar Cells. 2021 , 60, 8673-8677	30
722	Electroluminescence Principle and Performance Improvement of Metal Halide Perovskite Light-Emitting Diodes. 2021 , 9, 2002167	20
721	Methylammonium Chloride reduces the bandgap width and trap densities for efficient perovskite photodetectors. 2021 , 56, 9242-9253	6
720	Thermally Stable Charge Transport Materials for Vapor-Phase Fabrication of Perovskite Devices. 2021 , 2, 2000140	1
719	Two-Dimensional DionJacobson Structure Perovskites for Efficient Sky-Blue Light-Emitting Diodes. 2021 , 6, 908-914	21
718	Unraveling the Energy Landscape and Energy Funneling Modulated by Hole Transport Layer for Highly Efficient Perovskite LEDs. 2021 , 15, 2000495	3
717	Pressure-assisted fabrication of perovskite light emitting devices. 2021 , 11, 025112	2
716	Threshold Size Effects in the Patterned Crystallization of Hybrid Halide Perovskites for Random Lasing. 2021 , 2, 2000097	3
715	The effects of cesium lead bromide quantum dots on the performance of copper phthalocyanine-based organic field-effect transistors. 2021 , 32, 195208	7
714	Atomic and electronic structure of cesium lead triiodide surfaces. 2021 , 154, 074712	1
713	Amine-Free Synthesis of Colloidal Cesium Lead Halide Perovskite Nanocrystals. 2021 , 7, 342-353	10
712	Distributed feedback laser with methylammonium lead bromide embedded in channel-type waveguides. 2021 , 60, SBBH11	1
711	Preliminary Studies of Perovskite-Loaded Plastic Scintillator Prototypes for Radioactive Strontium Detection. 2021 , 9, 53	6
710	Tailored Design-of-Experiments Approach for Device Performance Prediction and Optimization of Flash-Evaporated OrganicInorganic Halide Perovskite-Based Photodetectors. 2021 , 6, 2001131	1

709	Waterproof Light-Emitting Metal Halide Perovskite Polymer Composite Microparticles Prepared via Microfluidic Device. 2021 , 38, 2100006	4
708	Metastable $\sqrt{3}\times\sqrt{3}$ CsPbI ₃ Perovskite Nanocrystals Created Using Aged Orthorhombic CsPbBr ₃ . 2021 , 125, 7109-7118	4
707	Perovskite Light-Emitting Diodes with Near Unit Internal Quantum Efficiency at Low Temperatures. 2021 , 33, e2006302	7
706	Efficient and Stable Red Perovskite Light-Emitting Diodes with Operational Stability >300 h. 2021 , 33, e2008820	38
705	Nano fibers of lead free perovskite Cesium Titanium Bromide (CsTiBr ₃) thin films by in-house deposition technique. 2021 , 96, 055707	1
704	EA-Directing Formamidinium-Based Perovskite Microwires with A-Site Doping. 2021 , 6, 7157-7164	1
703	Halide Perovskite Light-Emitting Diode Technologies. 2021 , 9, 2002128	29
702	Chiral-induced spin selectivity enables a room-temperature spin light-emitting diode. <i>Science</i> , 2021 , 371, 1129-1133	33-3 86
701	Enhanced Stability of All-Inorganic Perovskite Light-Emitting Diodes by a Facile Liquid Annealing Strategy. 2021 , 17, e2006568	6
700	Highly Efficient Halide Perovskite Light-Emitting Diodes via Molecular Passivation. 2021 , 133, 8418-8424	2
699	Optimization of Composition with Reduced Phase Impurity in Quasi-2D Perovskite for Electroluminescence. 2021 , 2, 2000164	5
698	Lewis Base Passivation of Quasi-2D Ruddlesden-Popper Perovskite for Order of Magnitude Photoluminescence Enhancement and Improved Stability. 2021 , 3, 1572-1582	12
697	Highly Efficient Halide Perovskite Light-Emitting Diodes via Molecular Passivation. 2021 , 60, 8337-8343	21
696	Colorful Efficient Moiré Perovskite Solar Cells. 2021 , 33, e2008091	13
695	Lead-Free Organic-Perovskite Hybrid Quantum Wells for Highly Stable Light-Emitting Diodes. 2021 , 15, 6316-6325	28
694	Low-Dimensional Single-Cation Formamidinium Lead Halide Perovskites (FAM+2PbmBr _{3m+2}): From Synthesis to Rewritable Phase-Change Memory Film. 2021 , 31, 2011093	5
693	Recent progress on defect modulation for highly efficient metal halide perovskite light-emitting diodes. 2021 , 22, 100946	4
692	Phosphomolybdic Acid-Modified Monolayer Graphene Anode for Efficient Organic and Perovskite Light-Emitting Diodes. 2021 , 13, 12268-12277	2

691	Stable Layered 2D Perovskite Solar Cells with an Efficiency of over 19% via Multifunctional Interfacial Engineering. 2021 , 143, 3911-3917	42
690	Achieving Green and Deep-Blue Perovskite LEDs by Dimensional Control Using Various Ammonium Bromides with CsPbBr ₃ . 2021 , 100749	5
689	Perovskite Light-Emitting Diodes with External Quantum Efficiency Exceeding 22% via Small-Molecule Passivation. 2021 , 33, e2007169	77
688	The poly(styrene-co-acrylonitrile) polymer assisted preparation of high-performance inverted perovskite solar cells with efficiency exceeding 22%. 2021 , 82, 105731	37
687	Quasi-two-dimensional perovskite light emitting diodes for bright future. 2021 , 10, 86	4
686	Energy vs Charge Transfer in Manganese-Doped Lead Halide Perovskites.. 2021 , 6, 1869-1878	12
685	High-Efficiency, Low-Hysteresis Planar Perovskite Solar Cells by Inserting the NaBr Interlayer. 2021 , 13, 20251-20259	7
684	High-performance large-area quasi-2D perovskite light-emitting diodes. 2021 , 12, 2207	58
683	Adsorption and Diffusion of Halogen Gas Molecules on CH ₃ NH ₃ PbI ₃ Halide Perovskite Surfaces. 2021 , 95, 792-798	
682	Phase Tailoring of Ruddlesden-Popper Perovskite at Fixed Large Spacer Cation Ratio. 2021 , 17, e2100560	3
681	Solution-Processed Epitaxial Growth of MAPbI ₃ Single-Crystal Films for Highly Stable Photodetectors. 2021 , 8,	2
680	Nanocrystalline Polymorphic Energy Funnels for Efficient and Stable Perovskite Light-Emitting Diodes. 2021 , 6, 1821-1830	10
679	Synthesis of 0D Manganese-Based Organic-Inorganic Hybrid Perovskite and Its Application in Lead-Free Red Light-Emitting Diode. 2021 , 31, 2100855	24
678	First principle study of lead-free double perovskites halides Rb ₂ Pd(Cl/Br) ₆ for solar cells and renewable energy devices: A quantum DFT. 2021 , 45, 14995-15004	9
677	Highly Stable Bulk Perovskite for Blue LEDs with Anion-Exchange Method. 2021 , 21, 3473-3479	15
676	Poly(catecholamine) coated CsPbBr perovskite microlasers: lasing in water and biofunctionalization. 2021 , 31, 2101902	4
675	Synthesis of Red Cesium Lead Bromiodide Nanocrystals Chelating Phenylated Phosphine Ligands with Enhanced Stability. 2021 , 6, 10437-10446	1
674	Efficient Optical Orientation and Slow Spin Relaxation in Lead-Free CsSnBr ₃ Perovskite Nanocrystals. 2021 , 6, 1670-1676	7

673	Highly Luminescent and Patternable Block Copolymer Templated 3D Perovskite Films. 2021 , 6, 2001209	3
672	Perovskite random lasers: a tunable coherent light source for emerging applications. 2021 , 32,	13
671	Robust frequency-upconversion lasing operated at 400 K from inorganic perovskites microcavity. 1	3
670	Effects of Choline Chloride in Lead Bromide Layer and Methylammonium Bromide Precursor on Perovskite Conversion and Optoelectronic Properties of Perovskite-Based Light-Emitting Diodes. 2021 , 3, 2035-2043	3
669	Advances in Halide Perovskite Memristor from Lead-Based to Lead-Free Materials. 2021 , 13, 17141-17157	20
668	Performance and stability-enhanced inorganic perovskite light-emitting devices by employing triton X-100*. 2021 , 30, 048506	1
667	Materials, photophysics and device engineering of perovskite light-emitting diodes. 2021 , 84,	18
666	Thermal and Humidity Stability of Mixed Spacer Cations 2D Perovskite Solar Cells. 2021 , 8, 2004510	14
665	Fluorinated Aromatic Formamidinium Spacers Boost Efficiency of Layered Ruddlesden-Popper Perovskite Solar Cells. 2021 , 6, 2072-2080	18
664	Tailoring quasi-2D perovskite thin films via nanocrystals mediation for enhanced electroluminescence. 2021 , 411, 128511	3
663	Morphology controlled nanocrystalline CsPbBr ₃ thin-film for metal halide perovskite light emitting diodes. 2021 , 97, 417-425	5
662	Operationally Stable Perovskite Light Emitting Diodes with High Radiance. 2021 , 9, 2100586	6
661	Nonlinear Perceptual Color Space Coded by Additive Digital Pulses.	0
660	Highly Efficient Sky-Blue Perovskite Light-Emitting Diode Via Suppressing Nonradiative Energy Loss. 2021 , 33, 4154-4162	15
659	Exploring inorganic and nontoxic double perovskites Cs ₂ AgInBr ₆ (1-x)Cl _{6x} from material selection to device design in material genome approach. 2021 , 862, 158575	4
658	All-Inorganic Halide Perovskite Nanocrystals: Future Prospects and Challenges to Go Lead Free. 2021 , 218, 2100185	1
657	Strategies Toward Efficient Blue Perovskite Light-Emitting Diodes. 2021 , 31, 2100516	24
656	Luminescence and Stability Enhancement of CsPbBr ₃ Perovskite Quantum Dots through Surface Sacrificial Coating. 2021 , 9, 2100474	8

655	Enhanced Electrochemical Stability by Alkyldiammonium in DionJacobson Perovskite toward Ultrastable Light-Emitting Diodes. 2021 , 9, 2100243	5
654	Fluorinated Oligomer Wrapped Perovskite Crystals for Inverted MAPbI Solar Cells with 21% Efficiency and Enhanced Stability. 2021 , 13, 26093-26101	3
653	Exploiting a Multiphase Pure Formamidinium Lead Perovskite for Efficient Green-Light-Emitting Diodes. 2021 , 13, 23067-23073	4
652	Recent Advances in Ligand Design and Engineering in Lead Halide Perovskite Nanocrystals. 2021 , 8, 2100214	33
651	Air-Processed MAPbBr Perovskite Thin Film with Ultrastability and Enhanced Amplified Spontaneous Emission. 2021 , 17, e2101107	10
650	Rational Anode Engineering Enables Progresses for Different Types of Organic Solar Cells. 2021 , 11, 2100492	48
649	Study of light-emitting defects induced by 100 MeV Ag ion irradiation in potassium sodium niobate thin films. 2021 , 233, 117909	2
648	Exceeding 19% efficiency for inverted perovskite solar cells used conventional organic small molecule TPD as hole transport layer. 2021 , 118, 183301	4
647	First-Principles Insights into the Stability Difference between ABX ₃ Halide Perovskites and Their A ₂ BX ₆ Variants. 2021 , 125, 9688-9694	12
646	An Overview for Zero-Dimensional Broadband Emissive Metal-Halide Single Crystals. 2021 , 9, 2100544	33
645	The Past, Present, and Future of Metal Halide Perovskite Light-Emitting Diodes. 2021 , 1, 2000072	17
644	Case Studies on Structure-Property Relations in Perovskite Light-Emitting Diodes via Interfacial Engineering with Self-Assembled Monolayers. 2021 , 13, 31236-31247	7
643	Air-stable and low threshold amplified spontaneous emission via CsBr aqueous solution processed all-inorganic CsPbBr ₃ perovskite films. 2021 , 118, 251106	3
642	Defect activity in metal halide perovskites with wide and narrow bandgap.	26
641	Manganese doping for enhanced magnetic brightening and circular polarization control of dark excitons in paramagnetic layered hybrid metal-halide perovskites. 2021 , 12, 3489	10
640	Excess Ion-Induced Efficiency Roll-Off in High-Efficiency Perovskite Light-Emitting Diodes. 2021 , 13, 28546-28554	
639	Dependence of the Radiative Efficiency of Quasi-2D Perovskite Light-Emitting Diodes on the Multi-Quantum-Well Composition. 2021 , 125, 12241-12250	0
638	Ultra-bright pure green perovskite light-emitting diodes. 2021 , 118, 262102	0

637	Low-dimensional phases engineering for improving the emission efficiency and stability of quasi-2D perovskite films*. 2021 , 30, 067802	1
636	Variational hysteresis and photoresponse behavior of MAPb(= I, Br, Cl) perovskite single crystals. 2021 , 33,	4
635	Defect tolerance in chalcogenide perovskite photovoltaic material BaZrS ₃ . 1	9
634	Asymmetric Bipolar Resistive Switching of Halide Perovskite Film in Contact with TiO Layer. 2021 , 13, 27209-27216	4
633	Synergistic Molecular Engineering of Hole-Injecting Conducting Polymers Overcomes Luminescence Quenching in Perovskite Light-Emitting Diodes. 2021 , 9, 2100646	4
632	Creation and investigation of electronic defects on methylammonium lead iodide (CH ₃ NH ₃ PbI ₃) films depending on atmospheric conditions. 2021 , 75, 1	1
631	Multimodal Digital X-ray Scanners with Synchronous Mapping of Tactile Pressure Distributions using Perovskites. 2021 , 33, e2008539	16
630	The Role of the Atmosphere on the Photophysics of Ligand-Free Lead-Halide Perovskite Nanocrystals. 2021 , 9, 2100605	2
629	Stable zero-dimensional cesium indium bromide hollow nanocrystals emitting blue light from self-trapped excitons. 2021 , 38, 101153	13
628	Restricted growth and grain boundary reinforcement of MAPbBr ₃ film by graphene quantum dots with enhanced luminescence and stability. 2021 , 14, 2151028	
627	Pure Blue Electroluminescence by Differentiated Ion Motion in a Single Layer Perovskite Device. 2021 , 31, 2102006	4
626	Solid-State Neutron Detection Based on Methylammonium Lead Bromide Perovskite Single Crystals. 2021 , 13, 28049-28056	3
625	Phase Aggregation Suppression of Homogeneous Perovskites Processed in Ambient Condition toward Efficient Light-Emitting Diodes. 2021 , 31, 2103399	5
624	Non-toxic near-infrared light-emitting diodes. 2021 , 24, 102545	4
623	High-brightness perovskite quantum dot light-emitting devices using inkjet printing. 2021 , 93, 106168	5
622	Synthesis of a Bi-Doped CsHfCl Double Perovskite with Highly Efficient Blue Light Emission at Room Temperature. 2021 , 60, 10451-10458	7
621	Photon-assisted nanostructures of self-assembled soft materials. 2021 , 38, 101199	2
620	Embedding of Ti C T Nanocrystals in MAPbI Microwires for Improved Responsivity and Detectivity of Photodetector. 2021 , 17, e2101954	5

619	Highly Efficient Vacuum-Evaporated CsPbBr Perovskite Light-Emitting Diodes with an Electrical Conductivity Enhanced Polymer-Assisted Passivation Layer. 2021 , 13, 37323-37330	8
618	Highly efficient light emitting transistor with transparent electrode using simulation. 2021 ,	
617	Highly Efficient Pure-Blue Light-Emitting Diodes Based on Rubidium and Chlorine Alloyed Metal Halide Perovskite. 2021 , 33, e2100783	25
616	Perovskitoid-Templated Formation of a 1D@3D Perovskite Structure toward Highly Efficient and Stable Perovskite Solar Cells. 2021 , 11, 2101018	22
615	In Situ-Prepared Attachable Transparent Luminescent Solar Concentrators for Photovoltaic with Polymer Antireflection/Barrier Layer. 2021 , 5, 2100491	0
614	Perovskite (PEA) ₂ Pb(I _{1-x} Br _x) ₄ single crystal thin films for improving optoelectronic performances. 2021 , 117, 111074	2
613	Solvent-Vapor Atmosphere Controls the in Situ Crystallization of Perovskites. 2021 , 3, 1172-1180	2
612	The Role of Grain Boundaries in Charge Carrier Dynamics in Polycrystalline Metal Halide Perovskites. 2021 , 2021, 3519-3527	2
611	Alkalis-doping of mixed tin-lead perovskites for efficient near-infrared light-emitting diodes. 2021 , 67, 54-54	2
610	Domain Controlling by Compound Additive toward Highly Efficient Quasi-2D Perovskite Light-Emitting Diodes. 2021 , 31, 2103890	21
609	Perovskite Nanomaterial-Engineered Multiplex-Mode Fluorescence Sensing of Edible Oil Quality. 2021 , 93, 11033-11042	5
608	Highly stable perovskite; Light CsPbBr ₃ /silica composite prepared via novel electrospray injection process. 2021 , 238, 166690	1
607	Progress in ambient air-processed perovskite solar cells: Insights into processing techniques and stability assessment. 2021 , 224, 1369-1395	11
606	Efficient and Stable Mg-Doped CsPbCl Nanocrystals for Violet LEDs. 2021 , 12, 8203-8211	4
605	Construction of Single-Atom Platinum Catalysts Enabled by CsPbBr Nanocrystals. 2021 ,	13
604	Decoupling the Positive and Negative Aging Processes of Perovskite Light-Emitting Diodes Using a Thin Interlayer of Ionic Liquid. 2021 , 12, 7783-7791	3
603	Applications of Solar Cells. 2021 , 345-369	
602	First-principles prediction of the ground-state crystal structure of double-perovskite halides Cs ₂ AgCrX ₆ (X = Cl, Br, and I). 2021 , 110302	10

601	Characterization of stability and challenges to improve lifetime in perovskite LEDs. 2021 , 15, 630-634	19
600	Efficient and large-area all vacuum-deposited perovskite light-emitting diodes via spatial confinement. 2021 , 12, 4751	25
599	Light-Mediated Polymerization Induced by Semiconducting Nanomaterials: State-of-the-Art and Future Perspectives.	10
598	Energy Transfer from Blue-Emitting CsPbBr ₃ Perovskite Nanocrystals to Green-Emitting CsPbBr ₃ Perovskite Nanocrystals. 2021 , 125, 19368-19373	2
597	44.3: Enhancing the Performance and Stability of Sky-blue Perovskite Light-emitting Diodes with Guanidinium Thiocyanate Additive. 2021 , 52, 542-546	
596	Manipulating crystallization dynamics through chelating molecules for bright perovskite emitters. 2021 , 12, 4831	16
595	Multiwalled Carbon Nanotubes/CsPbX ₃ @Polyacrylonitrile Core/Shell Nanofibers with Ultrahigh Water, Thermal, and Ultraviolet Stability. 2021 , 306, 2100200	1
594	Moisture-Induced Reversible Phase Conversion of Cesium Copper Iodine Nanocrystals Enables Advanced Anti-Counterfeiting. 2105771	24
593	Promoting Energy Transfer via Manipulation of Crystallization Kinetics of Quasi-2D Perovskites for Efficient Green Light-Emitting Diodes. 2021 , 33, e2102246	25
592	Water-Soluble Conjugated Polyelectrolyte Hole Transporting Layer for Efficient Sky-Blue Perovskite Light-Emitting Diodes. 2021 , 17, e2101477	7
591	Efficient Blue Light Emitting Diodes Based On Europium Halide Perovskites. 2021 , 33, e2101903	27
590	Dimension-controlled halide perovskites using templates. 2021 , 39, 101181	5
589	Optical Properties of Ion Accumulation Areas in MAPbX ₃ Single Crystals. 2100850	4
588	Nonlinear optical properties of CsPbCl _x Br _{3-x} nanocrystals embedded glass. 2021 , 9, 1767	3
587	Cost-Effective High-Throughput Calculation Based on Hybrid Density Functional Theory: Application to Cubic, Double, and Vacancy-Ordered Halide Perovskites. 2021 , 12, 7885-7891	4
586	Submicrometer perovskite plasmonic lasers at room temperature. 2021 , 7,	8
585	Stability of electroluminescent perovskite quantum dots light-emitting diode.	0
584	Emerging light-emitting diodes for next-generation data communications. 2021 , 4, 559-572	20

583	Large-area fabrication: The next target of perovskite light-emitting diodes*. 2021 , 30, 088502	1
582	Interfacial "Anchoring Effect" Enables Efficient Large-Area Sky-Blue Perovskite Light-Emitting Diodes. 2021 , 8, e2102213	15
581	UV soaking for enhancing the photocurrent and response speed of Cs ₂ AgBiBr ₆ -based all-inorganic perovskite photodetectors. 1	3
580	Fabrications of Halide Perovskite Single-Crystal Slices and Their Applications in Solar Cells, Photodetectors, and LEDs.	2
579	Inkjet-Printed Full-Color Matrix Quasi-Two-Dimensional Perovskite Light-Emitting Diodes. 2021 , 13, 41773-41781	
578	Minimizing Optical Energy Losses for Long-Lifetime Perovskite Light-Emitting Diodes. 2105813	8
577	Novel MAPbBr ₃ perovskite/ polymer nanocomposites with luminescence and self-healing properties: In situ fabrication and structure characterization. 2021 , 119, 111405	1
576	First-principles investigation on the thickness-dependent optoelectronic properties of two-dimensional perovskite BA ₂ SnI ₄ . 2021 , 616, 413070	1
575	Donor-Acceptor Competition via Halide Vacancy Filling for Oxygen Detection of High Sensitivity and Stability by All-Inorganic Perovskite Films. 2021 , 17, e2102733	1
574	Antisolvent-fumigated grain growth of active layer for efficient perovskite solar cells. 2021 , 225, 1001-1008	3
573	Observation of spatially resolved Rashba states on the surface of CH ₃ NH ₃ PbBr ₃ single crystals. 2021 , 8, 031408	3
572	Facile Fabrication of Highly Stable and Wavelength-Tunable Tin Based Perovskite Materials with Enhanced Quantum Yield via the Cation Transformation Reaction. 2021 , 12, 8763-8769	2
571	Narrow-Band Violet-Light-Emitting Diodes Based on Stable Cesium Lead Chloride Perovskite Nanocrystals. 3545-3554	7
570	Electrical Switching of Optical Gain in Perovskite Semiconductor Nanocrystals. 2021 , 21, 7831-7838	0
569	Highly Efficient Quasi-2D Perovskite Light-Emitting Diodes Incorporating a TADF Dendrimer as an Exciton-Retrieving Additive. 2021 , 13, 44585-44595	3
568	Efficient and Spectrally Stable Blue Perovskite Light-Emitting Diodes Employing a Cationic EConjugated Polymer. 2021 , 33, e2103640	18
567	Efficient green-emitting perovskite light-emitting diodes using a conjugated polyelectrolyte additive. 2021 , 21, 100755	3
566	Unnatural Hygroscopic Property of Nicotinic Acid by Restructuring Molecular Density: Self-Healing Halide Perovskites. 2021 , 12, 8932-8938	0

565	Simple Method of Dual Passivation with Efficiency Beyond 20% for Fabricating Perovskite Solar Cells in the Full Ambient Air. 2021 , 9, 13010-13020	1
564	Synthesis of Lead-Free CaTiO Oxide Perovskite Film through Solution Combustion Method and Its Thickness-Dependent Hysteresis Behaviors within 100 mV Operation. 2021 , 26,	2
563	Nanosecond-Pulsed Perovskite Light-Emitting Diodes at High Current Density. 2021 , 33, e2104867	6
562	Efficient Perovskite White Light-Emitting Diode Based on an Interfacial Charge-Confinement Structure. 2021 , 13, 44991-45000	3
561	Properties of mesoporous hybrid perovskite nanocrystals and its application in light-emitting diodes. 2021 , 32,	0
560	Two-Dimensional Crystalline Gridding Networks of Hybrid Halide Perovskite for Random Lasing. 2021 , 11, 1114	2
559	Current status on synthesis, properties and applications of CsPbX(X = Cl, Br, I) perovskite quantum dots/nanocrystals. 2021 , 32,	3
558	All-vacuum fabrication of yellow perovskite light-emitting diodes. 2021 ,	3
557	Dendritic CsSnI for Efficient and Flexible Near-Infrared Perovskite Light-Emitting Diodes. 2021 , 33, e2104414	8
556	Enhancing Performance and Stability of Tin Halide Perovskite Light Emitting Diodes via Coordination Engineering of Lewis AcidBase Adducts. 2106974	9
555	Efficient mini/micro-perovskite light-emitting diodes. 2021 , 2, 100582	3
554	New lead-free double perovskites (Rb ₂ GeCl/Br) ₆ ; a promising materials for renewable energy applications. 2021 , 271, 124876	6
553	Stable cyan and white light-emitting diodes enabled by branched cations sterically stabilized 2D/3D perovskites. 2021 , 423, 130160	6
552	Highly efficient quasi-two dimensional perovskite light-emitting diodes by phase tuning. 2021 , 98, 106295	5
551	Hydrogen-bonded cation-composition-engineered color-stable blue PeLEDs. 2021 , 66, 2159-2161	
550	Modulating electronic properties of pyridinium lead halide perovskites via fluorinated methyl substituents. 2021 , 273, 125139	3
549	H ₂ O treatment-induced uniform NiOX interfacial layer boosting brightness and light-emitting efficiency of blue perovskite electroluminescence. 2021 , 98, 106299	0
548	Novel and stable CsPbX ₃ -TS-1 (X = Br, I) nanocomposites for light-emitting diodes. 2021 , 426, 131327	2

547	Construction of efficient perovskite solar cell through small-molecule synergistically assisted surface defect passivation and fluorescence resonance energy transfer. 2021 , 426, 131358	7
546	Controllable crystallization based on the aromatic ammonium additive for efficiently near-infrared perovskite light-emitting diodes. 2021 , 99, 106327	3
545	The chloride anion doped hybrid perovskite quantum dots exchanged by short surfactant ligand enable color-tunable blue fluorescent emitting for QLEDs application. 2022 , 275, 125281	3
544	Performance enhancement of CsPbBr ₃ thin film-based light-emitting diodes by CsF-induced surface modification. 2022 , 891, 161996	0
543	Modulation of Metal Halide Structural Units for Light Emission. 2021 , 54, 441-451	20
542	Strategically integrating quantum dots into organic and perovskite solar cells. 2021 , 9, 4505-4527	10
541	Eu ²⁺ ions as an antioxidant additive for Sn-based perovskite light-emitting diodes. 2021 , 9, 12079-12085	3
540	Large-area and efficient perovskite light-emitting diodes via low-temperature blade-coating. 2021 , 12, 147	51
539	One-step conversion of CsPbBr ₃ into Cs ₄ PbBr ₆ /CsPbBr ₃ @Ta ₂ O ₅ core-shell microcrystals with enhanced stability and photoluminescence. 2021 , 9, 1228-1234	3
538	Luminescence enhancement of lead halide perovskite light-emitting diodes with plasmonic metal nanostructures. 2021 , 13, 16427-16447	1
537	Engineering electrodes and metal halide perovskite materials for flexible/stretchable perovskite solar cells and light-emitting diodes. 2021 , 14, 2009-2035	16
536	Excited-State Properties of Defected Halide Perovskite Quantum Dots: Insights from Computation. 2021 , 12, 1005-1011	6
535	Chemically Robust Indium Tin Oxide/Graphene Anode for Efficient Perovskite Light-Emitting Diodes. 2021 , 13, 9074-9080	1
534	Production of C, N Alternating 2D Materials Using Covalent Modification and Their Electroluminescence Performance. 2021 , 1, 2000042	4
533	Water-assisted synthesis of highly stable CsPbX perovskite quantum dots embedded in zeolite-Y.. 2021 , 11, 2866-2871	1
532	Organic-organic hybrid thin film light-emitting devices: interfacial engineering and device physics. 2021 , 9, 1484-1519	7
531	Long-lived electrets and lack of ferroelectricity in methylammonium lead bromide CH ₃ NH ₂ PbBr ₃ ferroelastic single crystals. 2021 , 23, 3233-3245	4
530	Nanoscale interfacial engineering enables highly stable and efficient perovskite photovoltaics. 2021 , 14, 5552-5562	20

529	Bright Single-Layer Perovskite Host-Inorganic Guest Light-Emitting Electrochemical Cells. 2021 , 33, 1201-1212	5
528	Mechanism of ultrafast energy transfer between the organic-inorganic layers in multiple-ring aromatic spacers for 2D perovskites. 2021 , 13, 15668-15676	1
527	Reducing the impact of Auger recombination in quasi-2D perovskite light-emitting diodes. 2021 , 12, 336	100
526	Metal Halide Perovskite Arrays: From Construction to Optoelectronic Applications. 2021 , 31, 2005230	19
525	Effect of the Device Architecture on the Performance of FA _{0.85} MA _{0.15} PbBr _{0.45} I _{2.55} Planar Perovskite Solar Cells. 2019 , 6, 1801667	11
524	Electron-Beam-Related Studies of Halide Perovskites: Challenges and Opportunities. 2020 , 10, 1903191	27
523	Photophysics of Methylammonium Lead Tribromide Perovskite: Free Carriers, Excitons, and Sub-Bandgap States. 2020 , 10, 1903258	12
522	Highly Efficient Perovskite Solar Cells Enabled by Multiple Ligand Passivation. 2020 , 10, 1903696	119
521	Imaging Carrier Transport Properties in Halide Perovskites using Time-Resolved Optical Microscopy. 2020 , 10, 1903814	14
520	Cesium Lead Halide Perovskite Quantum Dots in the Limelight: Dynamics and Applications. 2020 , 175-205	4
519	LEDs and Other Electronic Devices Based on Perovskite Materials. 2020 , 289-314	1
518	A universal tactic of using Lewis-base polymer-CNTs composites as additives for high performance cm ² -sized and flexible perovskite solar cells. 2021 , 64, 281-292	4
517	Highly enhanced photoluminescence from perovskite-semiconductor composites formed by CsPbBr ₃ nanocrystals embedded in ZnSe microsphere. 2020 , 221, 117081	3
516	Visible light responsive CsPbBr ₃ /TiO ₂ photocatalyst with long-term stability in aqueous solution. 2020 , 274, 128041	6
515	High efficiency perovskite light-emitting diodes of ligand-engineered colloidal formamidinium lead bromide nanoparticles. 2017 , 38, 51-58	162
514	Excitonic optical properties of cesium trifluoroacetate induced CsPbBr ₃ thin film with anti-solvent treatment. 2020 , 106, 110005	3
513	Electroluminescence of Perovskite Nanocrystals with Ligand Engineering. 2020 , 2, 837-849	10
512	Spontaneous Formation of 2D/3D Heterostructures on the Edges of 2D Ruddlesden-Popper Hybrid Perovskite Crystals. 2020 , 32, 5009-5015	25

511	Layer-by-Layer Structural Identification of 2D Ruddlesden-Popper Hybrid Lead Iodide Perovskites by Solid-State NMR Spectroscopy. 2021 , 33, 370-377	25
510	Performance Enhancement of All-Inorganic Perovskite Quantum Dots (CsPbX ₃) by UV-NIR Laser Irradiation. 2019 , 123, 4502-4511	17
509	Origin of Light-Induced Photophysical Effects in Organic Metal Halide Perovskites in the Presence of Oxygen. 2018 , 9, 3891-3896	84
508	Bifunctional Organic Disulfide for High-Efficiency and High-Stability Planar Perovskite Solar Cells. 2020 , 3, 9724-9731	5
507	Boosting Perovskite Light-Emitting Diode Performance via Tailoring Interfacial Contact. 2018 , 10, 24320-24326	70
506	Surface Ligand Engineering for Efficient Perovskite Nanocrystal-Based Light-Emitting Diodes. 2019 , 11, 8428-8435	76
505	Light Propagation and Radiative Exciton Transport in Two-Dimensional Layered Perovskite Microwires. 2021 , 8, 276-282	7
504	Nonlinear Optics in Lead Halide Perovskites: Mechanisms and Applications. 2021 , 8, 113-124	24
503	Dimension control of in situ fabricated CsPbClBr nanocrystal films toward efficient blue light-emitting diodes. 2020 , 11, 6428	65
502	Photodoping through local charge carrier accumulation in alloyed hybrid perovskites for highly efficient luminescence. 2020 , 14, 123-128	60
501	Flexible and highly efficient perovskite solar cells with a large active area incorporating cobalt-doped poly(3-hexylthiophene) for enhanced open-circuit voltage. 2017 , 5, 12158-12167	43
500	Fabrication of highly emissive and highly stable perovskite nanocrystal-polymer slabs for luminescent solar concentrators. 2019 , 7, 4872-4880	30
499	The thermal stability of FAPbBr nanocrystals from temperature-dependent photoluminescence and first-principles calculations.. 2020 , 10, 44373-44381	5
498	Polymer-perovskite blend light-emitting diodes using a self-compensated heavily doped polymeric anode. 2020 , 8, 021101	7
497	Defect passivation with novel silicone copolymers for efficient perovskite light-emitting diodes. 2021 , 54, 074005	2
496	The strategies for preparing blue perovskite light-emitting diodes. 2020 , 41, 051203	7
495	Comprehensive first-principles studies on phase stability of copper-based halide perovskite derivatives A ₁ Cu _m X _n (A = Rb and Cs; X = Cl, Br, and I). 2020 , 41, 052201	3
494	Two-dimensional transition metal dichalcogenides for lead halide perovskites-based photodetectors: band alignment investigation for the case of CsPbBr ₃ /MoSe ₂ . 2020 , 41, 052206	8

493	CsPbBr ₃ perovskites: Theoretical and experimental investigation on water-assisted transition from nanowire formation to degradation. 2018 , 2,	45
492	Lead chloride perovskites for p-type transparent conductors: A critical theoretical reevaluation. 2020 , 4,	4
491	Enhancing the electroluminescence of perovskite light-emitting diodes by optimizing the morphology of perovskite film to suppress leakage current. 2020 , 59, 7975-7980	4
490	Study on organic-inorganic hybrid perovskite nanocrystals with regular morphologies and their effect on photoluminescence properties. 2020 , 28, 10714-10724	5
489	Polyethylenimine-ethoxylated dual interfacial layers for highly efficient and all-solution-processed inverted quantum dot light-emitting diodes. 2020 , 28, 33971-33981	3
488	Improved performance of pure red perovskite light-emitting devices based on CsPb(BrI) with variable content of iodine and bromine. 2020 , 45, 2724-2727	1
487	Improved light extraction in all-inorganic perovskite light-emitting devices with periodic nanostructures by nanoimprinting lithography. 2020 , 45, 5156-5159	2
486	Highly flexible organic-inorganic hybrid perovskite light-emitting devices based on an ultrathin Au electrode. 2018 , 43, 5524-5527	10
485	Enhanced efficiency of all-inorganic perovskite light-emitting diodes by using F4-TCNQ-doped PTAA as a hole-transport layer. 2019 , 44, 4817-4820	5
484	Amplified spontaneous emission properties of solution processed CsPbBr ₃ perovskite thin films doped with large-group ammonium cations. 2020 , 10, 981	4
483	Enhanced emission of in-situ fabricated perovskite-polymer composite films on gold nanoparticle substrates. 2020 , 10, 1659	4
482	Phase segregation in inorganic mixed-halide perovskites: from phenomena to mechanisms. 2020 , 8, A56	17
481	Radiation-pressure-induced photoluminescence enhancement of all-inorganic perovskite CsPbBr ₃ quantum dots. 2019 , 7, 837	14
480	Ultrasensitive polarization-dependent terahertz modulation in hybrid perovskites plasmon-induced transparency devices. 2019 , 7, 994	28
479	Plasmon-enhanced organic and perovskite solar cells with metal nanoparticles. 2020 , 9, 3111-3133	19
478	Lead-free metal-halide double perovskites: from optoelectronic properties to applications. 2021 , 10, 2181-2219	9
477	Recent advancements and perspectives on light management and high performance in perovskite light-emitting diodes. 2021 , 10, 2103-2143	11
476	Large Area, High Performance and Stable Perovskite Light Emitting Diodes.	1

475	Perovskite LEDs. 2019 , 1, 1-5	3
474	Recent Advances and Challenges in Halide Perovskite Crystals in Optoelectronic Devices from Solar Cells to Other Applications. 2021 , 11, 39	4
473	High efficiency green perovskite light-emitting diodes based on exciton blocking layer. 2020 , 69, 038501	1
472	Perovskite light-emitting diodes based on solution-processed metal-doped nickel oxide hole injection layer. 2020 , 69, 018101	2
471	Room-temperature synthesis of blue-emissive zero-dimensional cesium indium halide quantum dots for temperature-stable down-conversion white light-emitting diodes with a half-lifetime of 186 h. 2021 , 8, 3432-3442	3
470	Crystallization control via a molecular needle knitting strategy for the enhanced emission efficiency and stability of CsPbBr ₃ films.	4
469	Deciphering the capacitance frequency technique for performance-limiting defect-state parameters in energy-harvesting perovskites. 2021 , 23, 24421-24427	0
468	Improvement of Photoluminescence of Perovskite CH ₃ NH ₃ PbI ₃ by Adding Additional CH ₃ NH ₃ I during Grinding. 2021 , 38, 087801	1
467	Optimizing the Performance of Perovskite Nanocrystal LEDs Utilizing Cobalt Doping on a ZnO Electron Transport Layer. 2021 , 12, 10112-10119	2
466	Highly Efficient and Stable Dion-Jacobson Perovskite Solar Cells Enabled by Extended Conjugation of Organic Spacer. 2021 , e2105083	22
465	CH ₃ NH ₃ PbBr ₃ Thin Film Served as Guided-Wave Layer for Enhancing the Angular Sensitivity of Plasmon Biosensor. 2021 , 11,	0
464	Efficient and Spectrally Stable Blue Light-Emitting Diodes Based on Diphenylguanidine Bromide Passivated Mixed-Halide Perovskites.	3
463	Defect suppression and energy level alignment in formamidinium-based perovskite solar cells. 2021 , 67, 65-65	3
462	High-Speed Fabrication of All-Inkjet-Printed Organometallic Halide Perovskite Light-Emitting Diodes on Elastic Substrates. 2021 , 33, e2102095	4
461	Deep-Red Perovskite Light-Emitting Diodes Based on One-Step-Formed CsPbI ₃ Cuboid Crystallites. 2021 , 33, e2105699	8
460	A Generic Protocol for Highly Reproducible Manufacturing of Efficient Perovskite Light-Emitting Diodes Using In-Situ Photoluminescence Monitoring. 2100987	0
459	Photogeneration of thiyl radicals using metal-halide perovskite for highly efficient synthesis of thioethers. e6492	0
458	Ambient-environment processed perovskite solar cells: A review. 2021 , 21, 100557	1

457	Fabrication of Robust and Porous Lead Chloride-Based Metal-Organic Frameworks toward a Selective and Sensitive Smart NH Sensor. 2021 ,	1
456	Enabling Quasi-2D Perovskite-Compatible Growth Environment for Efficient Light-Emitting Diodes. 2100671	1
455	Efficient Sky-Blue Light-Emitting Diodes Based on Oriented Perovskite Nanoplates. 2101525	4
454	Structure-Property Relationships and Idiosyncrasies of Bulk, 2D Hybrid Lead Bromide Perovskites.	2
453	A Systematic Review of Metal Halide Perovskite Crystallization and Film Formation Mechanism Unveiled by In Situ GIWAXS. 2021 , e2105290	21
452	A-site phase segregation in mixed cation perovskite. 2021 , 100064	4
451	Blue-emission tuning of perovskite light-emitting diodes with a simple TPBi surface treatment. 1	0
450	1D Chiral Lead Halide Perovskites with Superior Second-Order Optical Nonlinearity. 2101545	10
449	Quasi-2D CsPbBr ₃ /I ₃ Composite Thin Films for Efficient and Stable Red Perovskite Light-Emitting Diodes. 2101419	2
448	Efficient light-emitting diodes based on oriented perovskite nanoplatelets. 2021 , 7, eabg8458	23
447	Structural, optical, and electrical properties of tin iodide-based vacancy-ordered-double perovskites synthesized via mechanochemical reaction. 2021 ,	
446	Perovskite-Based Facile NiO/CH ₃ NH ₃ PbI ₃ Heterojunction Self-Powered Broadband Photodetector. 2021 , 3, 4548-4557	3
445	Stable perovskite solar cells with efficiency of 22.6% via quinoxaline-based polymeric hole transport material. 2021 , 64, 2035	3
444	Enhanced thermoelectric performance in inorganic CsSnI ₃ perovskite by doping with PbI ₂ . 2022 , 308, 131127	1
443	Perovskite-Based Tandem Solar Cells. 2021 , 463-508	
442	Decorating wide band gap CH ₃ NH ₃ PbBr ₃ perovskite with 4AMP for highly efficient and enhanced open circuit voltage perovskite solar cells. 2021 , 230, 501-508	0
441	Dual-functional metal (IIB) diethyldithiocarbamate salts passivation enabled high-efficiency and stable carbon-based CsPbI ₂ Br ₂ all-inorganic perovskite solar cells. 2021 , 516, 230675	4
440	Unlocking Efficient Perovskite-based Light Emitting Devices. 2016 ,	

439	Unlocking Efficient Perovskite-based Light Emitting Devices. 2016,	
438	Synthesis and Application of Metal Halide Perovskite Nanocrystals. 2017,	
437	Metal Halide Perovskites: Processing, Interfaces, and Light Emitting Devices. 2017,	
436	Organometal halide perovskite light-emitting diodes with laminated carbon nanotube electrodes. 2017,	
435	Phase Transformation in Size-Evolved Solution-Processed Pure-Inorganic Lead Halide Perovskite. 2018,	
434	Technology Trend of Luminescent Nanomaterials. 2018, 25, 170-177	1
433	Efficient light-emitting diodes based on in-situ self-assembled Perovskite nanocrystals. 2018,	
432	Efficient light-emitting diodes based on in-situ self-assembled perovskite nanocrystals. 2018, 8, 1	2
431	Research progress of efficient green perovskite light emitting diodes. 2019, 68, 158504	3
430	Intrinsic stability of organic-inorganic hybrid perovskite. 2019, 68, 158804	2
429	Study of different electron transporting layer on electroluminescent properties of perovskite light emitting diodes. 2019,	
428	Layered perovskite with compact morphology and reduced grain size via vacuum assisted crystallization for luminescence applications. 2020, 10, 1182	5
427	Bio-Inspired Molecular Bridging in a Hybrid Perovskite Leads to Enhanced Stability and Tunable Properties.	
426	POE Enhanced Stabilities of CsPbX ₃ (X = Br, I) Perovskite and Their White LED Application. 2021, 67, 193-193	0
425	PTB7 as additive in Anti-solvent to enhance perovskite film surface crystallinity for solar cells with efficiency over 21%. 2021, 575, 151737	2
424	Small Molecule Approach to Passivate Undercoordinated Ions in Perovskite Light Emitting Diodes: Progress and Challenges. 2101361	9
423	Surface-modified ultra-thin indium tin oxide electrodes for efficient perovskite light-emitting diodes. 2021, 575, 151783	
422	Improving the stability and optical properties of CsPbI ₃ perovskite nanocrystals by 1-Octadecanethiol through surface modification. 2021, 276, 125404	2

421	Oxygen-deficient tungsten oxide perovskite nanosheets-based photonic nanomedicine for cancer theranostics. 2021 , 431, 133273	1
420	Full color emission of all-bromide inorganic perovskite nanocrystals. 2020 , 117, 261903	0
419	Insight into perovskite light-emitting diodes based on PVP buffer layer. 2022 , 241, 118515	1
418	Enhanced interfacial characteristics of perovskite solar cell with multi-functional organic hole-selective interlayer. 2022 , 197, 109837	0
417	Improving inter-phase charge transfer via defect passivation for efficient Quasi-2D (BA) ₂ (FA) ₈ Pb ₉ I ₂₈ perovskite solar cells. 2022 , 138, 106296	0
416	Strategies Towards Improving the Stability of All-Inorganic Perovskite Quantum Dots. 2020 , 347-372	
415	Perovskite Quantum Dots Based Light-Emitting Diodes. 2020 , 107-138	
414	Efficient and stable blue perovskite light emitting diodes based on defect passivation. 2020 , 69, 138502	1
413	Interplay between Morphology and Electronic Structure in Emergent Organic and Hybrid Conjugated Organometal Thin Film Materials. 2021 , 60, 15365-15379	0
412	Surface reconstruction of tetragonal methylammonium lead triiodide. 2021 , 9, 111102	2
411	Rapid thermal annealing induced engineering of surface and photoluminescence properties of (K,Na)NbO ₃ thin films for optoelectronic applications. 2021 , 151794	0
410	Flexible and Wearable Optoelectronic Devices Based on Perovskites. 2101124	4
409	Energy Funneling in Quasi-2D Ruddlesden-Popper Perovskites: Charge Transfer versus Resonant Energy Transfer. 2100283	0
408	Targeted Distribution of Passivator for Polycrystalline Perovskite Light-Emitting Diodes with High Efficiency. 4187-4194	12
407	Numerical simulation and optimization of CH ₃ NH ₃ PbI ₃ Br _x perovskite solar cell for high conversion efficiency. 2021 , 122, 111734	1
406	Enhanced emission of in-situ fabricated perovskite-polymer composite films on gold nanoparticle substrates. 2020 , 10, 1659	2
405	Impact of structural disorder on excitonic behaviors and dynamics in 2D organic-inorganic hybrid perovskites. 2020 , 33, 561-568	
404	Phase transition dynamics in one-dimensional halide perovskite crystals. 1-7	0

403	Detection of Volatile Organic Compounds (VOCs) using Organic-Inorganic Hybrid Perovskite Nanoparticles. 2020 , 30, 515-521	
402	Nucleation-controlled growth of ultra-small perovskite quantum dots for bright blue light-emitting diodes.	0
401	Reduced defects and enhanced Vbi in perovskite absorbers through synergetic passivating effect using 4-methoxyphenylacetic acid. 2022 , 518, 230734	2
400	Defect Behaviors in Perovskite Light-Emitting Diodes. 1702-1728	5
399	Nanophotonics for current and future white light-emitting devices. 2021 , 130, 200901	1
398	Traversing Excitonic and Ionic Landscapes: Reduced-Dimensionality-Inspired Design of Organometal Halide Semiconductors for Energy Applications. 2021 , 54, 4371-4382	2
397	Pressure-Treated Engineering to Harvest Enhanced Green Emission in Mn-Based Organic-Inorganic Metal Halides at Ambient Conditions. 2109277	2
396	Transformation of Quasi-2D Perovskite into 3D Perovskite Using Formamidine Acetate Additive for Efficient Blue Light-Emitting Diodes. 2105164	8
395	High performance sky-blue perovskite light-emitting diodes enabled by a bifunctional phosphate molecule. 2021 , 897, 162727	1
394	Perovskite luminescent solar concentrators for photovoltaics.	2
393	Phosphine Oxide Additives for High-Brightness Inorganic Perovskite Light-Emitting Diodes. 2101602	3
392	A-Site Mixing to Adjust the Photovoltaic Performance of a Double-Cation Perovskite: It Is Not Always the Simple Way. 2021 , 12, 11206-11213	0
391	Toward Stable and Efficient Perovskite Light-Emitting Diodes. 2109495	17
390	Spectral Stable Blue-Light-Emitting Diodes via Asymmetric Organic Diamine Based Dion-Jacobson Perovskites. 2021 , 143, 19711-19718	6
389	Blue light-emitting diodes based on halide perovskites: Recent advances and strategies. 2021 , 51, 222-222	14
388	Single Crystal Halide Perovskite Film for Nonlinear Resistive Memory with Ultrahigh Switching Ratio. 2021 , e2103881	5
387	Distribution control enables efficient reduced-dimensional perovskite LEDs. 2021 , 599, 594-598	81
386	Rationalizing the Photoluminescence of Bi ³⁺ and Sb ³⁺ in Double Perovskite Halide Crystals.	1

385	Ambient Fabrication of Efficient Triple Cation Perovskite-Based Near-Infrared Light-Emitting Diodes.	1
384	Ion Migration in Perovskite Light Emitting Diodes: Mechanism, Characterizations, and Material and Device Engineering. 2021 , e2108102	17
383	Spectral Stable Blue Perovskite Light-Emitting Diodes by Introducing Organometallic Ligand. 2101655	2
382	Engineering of Annealing and Surface Passivation toward Efficient and Stable Quasi-2D Perovskite Light-Emitting Diodes. 2021 , 12, 11645-11651	5
381	Microstructures and Grain Boundaries of Halide Perovskite Thin Films. 2022 , 81-105	
380	Perovskite Light - Emitting Diode Technologies. 2022 , 345-381	
379	Inkjet printed organic light-emitting diodes employing organometal-halide perovskite as hole transport layer. 2022 , 55, 105101	
378	The Role of Subsurface Valence Band Localization in the Passivation of Perovskite Nanocrystals. 2101914	0
377	Strategies for chemical vapor deposition of two-dimensional organic-inorganic halide perovskites.. 2021 , 24, 103486	0
376	High Triplet Energy Level Molecule Enables Highly Efficient Sky-Blue Perovskite Light-Emitting Diodes. 2021 , 12, 11723-11729	2
375	Electrically Switchable Amplified Spontaneous Emission from Lead Halide Perovskite Film.. 2021 , 6, 34021-34026	
374	Amplified Spontaneous Emission in low dimensional lead halide perovskites: An overview. 2021 , 12, 100115	0
373	Gateway towards recent developments in quantum dot-based light-emitting diodes.. 2022 ,	3
372	Layer number-dependent optoelectronic characteristics of quasi-2D PBA ₂ (MAPbBr ₃) _n PbBr ₄ perovskite films. 2021 , 9, 17033-17041	1
371	Stretchable Photodetectors Based on Electrospun Polymer/Perovskite Composite Nanofibers.	3
370	Suppression of Halide Migration and Immobile Ionic Surface Passivation for Blue Perovskite Light-Emitting Diodes.	2
369	The hole transport layer with ammonia-modified to improve luminescence efficiency of all-inorganic perovskite light-emitting diodes. 2022 , 101, 106418	
368	Self-aligned CH ₃ NH ₃ PbBr ₃ perovskite nanowires via dielectrophoresis for gas sensing applications. 2022 , 26, 101307	1

367	Praseodymium-doped triple-cation perovskite layer for enhanced photovoltaic performance. 2022 , 307, 122826	1
366	A holistic sunscreen interface strategy to effectively improve the performance of perovskite solar cells and prevent lead leakage. 2022 , 433, 134566	9
365	Probing the Band Gap of Xino ₃ (X = as, Sb) Compound for Solar Cell Applications by Dft.	
364	Magnetic field effects in non-magnetic luminescent materials: from organic semiconductors to halide perovskites. 2022 ,	
363	Perovskite Quantum Dots in Solar Cells.. 2022 , e2104577	8
362	Tailoring Anchoring Groups in Low-Dimensional Organic Semiconductor-Incorporated Perovskites. 2100173	2
361	Nonlinear absorption of CsPbBr ₃ /antimonene blend materials prepared by laser ablation in liquid. 2022 , 123, 111901	1
360	Recent Research Trends for Improving the Stability of Organo/Inorgano Halide Perovskites. 2022 , 60, 1-13	1
359	Formamidinium-based Ruddlesden-Popper perovskite films fabricated via two-step sequential deposition: quantum well formation, physical properties and film-based solar cells.	6
358	Tuning Precursor-Amine Interactions for Light-Emitting Lead Bromide Perovskites.. 2022 , 13, 704-710	2
357	Interfacial Chemistry Triggers Ultrafast Radiative Recombination in Metal Halide Perovskites.	
356	ZnO-Based Electron-Transporting Layers for Perovskite Light-Emitting Diodes: Controlling the Interfacial Reactions.. 2022 , 13, 694-703	2
355	Precise Tuning of Multiple Perovskite Photoluminescence by Volume-Controlled Printing of Perovskite Precursor Solution on Cellulose Paper.. 2022 ,	4
354	Carrier dynamics in two-dimensional perovskites: Dion-Jacobson vs. Ruddlesden-Popper thin films. 2022 , 10, 3069-3076	7
353	Anion Exchange in Lead Halide Perovskites: An Overview. 2100600	1
352	Interface engineering improves the performance of green perovskite light-emitting diodes.	1
351	Efficient Pure Blue Light-Emitting Diodes Based on CsPbBr ₃ Quantum-Confined Nanoplates.. 2022 ,	7
350	Perovskite/Organic Hybrid White Electroluminescent Devices with Stable Spectrum and Extended Operating Lifetime. 2022 , 7, 523-532	2

349	Tunable engineering of photo- and electro-induced carrier dynamics in perovskite photoelectronic devices. 1	2
348	All-Inorganic Perovskite Solar Cells with Tetrabutylammonium Acetate as the Buffer Layer between the SnO Electron Transport Film and CsPbI ₃ . 2022 ,	1
347	Surface Passivation Using Two Dimensional Perovskites Towards Efficient and Stable Perovskite Solar Cells. 2021 , e2105635	35
346	Investigation of emission behaviour of perovskite nanocrystals using nano to microspheres of TiO ₂ . 2022 , 46, 844-850	3
345	Effect of Temperature and Pressure on Structural and Optical Properties of Organic-Inorganic Hybrid Manganese Halides.. 2022 ,	5
344	Efficient Dion-Jacobson perovskite light-emitting diodes via mixed cation engineering.. 2022 , 47, 657-660	
343	Unusual luminescence and its decay behavior of CH ₃ NH ₃ PbBr ₃ single crystals at orthorhombic phase. 2022 , 22, 100621	0
342	Highly Efficient Pure-Blue Perovskite Light-Emitting Diode Leveraging CsPbBr ₃ x Cl ₃ /Cs ₄ PbBr ₃ x Cl ₆ Nanocomposite Emissive Layer with Shallow Valence Band. 2102502	1
341	Interfacial chemistry triggers ultrafast radiative recombination in metal halide perovskites.. 2022 ,	2
340	Syntheses, crystal structures, antibacterial activities and non-linear optical properties based on DFT calculation of two substituted benzyl piperidinium salts tetrahalogenated copper(II). 2022 , 1256, 132543	1
339	Insight into the Enhanced Charge Transport in Quasi-2D Perovskite via Fluorination of Ammonium Cations for Photovoltaic Applications.. 2022 ,	1
338	Study of new lead-free double perovskites halides Ti ₂ TiX ₆ (X = Cl, Br, I) for solar cells and renewable energy devices. 2022 , 308, 122887	5
337	Ternary Strategy Enabling High-Efficiency Rigid and Flexible Organic Solar Cells with Reduced Non-radiative Voltage Loss.	17
336	Growth and optical properties of lead-free Cs ₃ Bi ₂ Br ₉ perovskite microplatelets.	0
335	Composition-Dependent Optoelectronic Properties of Mixed 2D/3D Metal Halide Perovskite Films for Light-Emitting Diodes.	1
334	Post-Treatment Passivation by Quaternary Ammonium Chloride Zwitterion for Efficient and Stable Perovskite Solar Cells.	
333	Interfacial Electronic Properties and Photocatalytic CO ₂ Reduction of a Z-Scheme SnS/(CH ₃ NH ₃) ₂ AgBiI ₆ Double Perovskite Heterostructure.	2
332	Improved device efficiency and lifetime of perovskite light-emitting diodes by size-controlled polyvinylpyrrolidone-capped gold nanoparticles with dipole formation.. 2022 , 12, 2300	0

331	Minimization of metallic BiO species to increase the efficiency and stability of Ag ₃ BiI ₆ solar cells via Cu doping. 2022 , 234, 190-202	0
330	Strain coupling and Jahn-Teller effect in efficient and stable sky-blue germanium-lead perovskites.	0
329	The construction of a two-dimensional organichorganic hybrid double perovskite ferroelastic with a high T _c and narrow band gap.	8
328	Metal oxide nanoparticle-modified ITO electrode for high-performance solution-processed perovskite photodetectors.. 2022 , 12, 5638-5647	0
327	Improved highly efficient Dion-Jacobson type perovskite light-emitting diodes by effective surface polarization architecture.. 2022 ,	0
326	Encapsulated MAPbBr in nickel oxide nanotubes and their electroluminescence.. 2022 ,	
325	Methyl Ammonium Lead Bromide Perovskite Films and Their Applications to Optoelectronic Devices. 2022 , 3-19	
324	Operational Stability Issues and Challenges in Metal Halide Perovskite Light-Emitting Diodes.. 2022 , 1962-19718	
323	High-Performance Blue Quasi-2D Perovskite Light-Emitting Diodes via Balanced Carrier Confinement and Transfer.. 2022 , 14, 66	7
322	Improved efficiency of red perovskite quantum dots-based light-emitting diodes by thickness tuning of PEDOT:PSS. 2022 , 33, 7349-7356	0
321	Brominated PEAI as Multi-Functional Passivator for High Efficiency Perovskite Solar Cell.	1
320	Fast Polaron Formation and Low Carrier Mobility in Defect-Free Polyhedral CsPbBr ₃ Perovskite Nanocrystals. 2022 , 9, 969-978	7
319	Anion-exchange Driven Phase Transition in CsPbI ₃ Nanowires for Fabricating Epitaxial Perovskite Heterojunctions.. 2022 , e2109867	1
318	Efficient all-inorganic perovskite light-emitting diodes with a multifunctional potassium bromide doped hole transport layer. 2022 , 12, 1708	1
317	Revealing a Zinc Oxide/Perovskite Luminescence Quenching Mechanism Targeting Low-Roll-off Light-Emitting Diodes.. 2022 , 13, 3121-3129	3
316	High-Performance Blue Perovskite Light-Emitting Diodes Enabled by a Sacrificial Agent Maleic Anhydride.	1
315	Embedding laser generated GaAs nanocrystals in perovskite wires for enhanced charge transport and photodetection. 2022 , 65, 1	0
314	A water-stable organolead iodide material for overall photocatalytic CO ₂ reduction.	0

313	Dielectric-Optical Switches: Photoluminescent, EPR, and Magnetic Studies on Organic-Inorganic Hybrid (azetidinium)MnBr.. 2022 ,	3
312	Omnidirectional exciton diffusion in quasi-2D hybrid organic-inorganic perovskites.. 2022 , 156, 124706	1
311	Strategies to Enhance Light Emission from Two-Dimensional Perovskite Light-Emitting Diodes: Challenges and Future Opportunities.	1
310	Large-scale planar and spherical light-emitting diodes based on arrays of perovskite quantum wires. 2022 , 16, 284-290	4
309	Transient quantum beatings of trions in hybrid organic tri-iodine perovskite single crystal.. 2022 , 13, 1428	1
308	Screen printing strategy for fabricating flexible crystallized perovskite nanocomposite patterns with high photoluminescence. 2022 , 7, 015010	
307	Flexible Perovskite Solar Cells: From Materials and Device Architectures to Applications. 2022 , 7, 1412-1445	9
306	Chemical Potential Diagram-Guided Rational Tuning of Electrical Properties: A Case Study of CsPbBr for X-ray Detection.. 2022 , e2110252	8
305	Large-Area and Efficient Sky-Blue Perovskite Light-Emitting Diodes via Blade-Coating.. 2022 , e2108939	6
304	Hierarchical Confined Assembly of Bilayer Heterostructures with Programmable Patterns. 770-778	1
303	Ligand-Free CsPbBr ₃ Perovskite Quantum Dots in Silica-Aerogel Composites with Enhanced Stability for w-LED and Display by Substituting Pb ²⁺ with Pr ³⁺ or Gd ³⁺ Ions. 2102200	2
302	Hierarchically Ordered Perovskites with High Photo-Electronic and Environmental Stability via Nanoimprinting Guided Block Copolymer Self-Assembly. 2200082	3
301	Co-doping of Stibium and Rare earth (Nd, Yb) in Lead-Free Double Perovskite for efficient near-infrared emission. 2022 , 164946	1
300	Approaching high-performance light-emitting devices upon perovskite quantum dots: Advances and prospects. 2022 , 43, 101449	5
299	Halide Perovskites for Photonics and Optoelectronics: introduction to special issue. 2022 , 12, 1764	
298	Highly luminescent lead bromine perovskite via fast and eco-friendly water-assisted mechanochemical method. 2022 , 127, 112289	0
297	Correlation between molecular configuration and charge transfer dynamics in highly efficient organic solar cells. 2022 , 532, 231351	0
296	Enhanced electroluminescence of cesium lead bromide light-emitting diode driven by ion migration via surface passivation with organic halide surfactants. 2022 , 30, 101853	0

295	2D/3D Heterojunction perovskite light-emitting diodes with tunable ultrapure blue emissions. 2022 , 97, 107181	10
294	Efficient Inorganic Perovskite Light-Emitting Diodes by Inducing Grain Arrangement via a Multifunctional Interface. 2021 ,	2
293	Calcium-Assisted In Situ Formation of Perovskite Nanocrystals for Luminescent Green and Blue Emitters. 2021 , 4, 14303-14311	1
292	Mixed Dimensional Perovskites Heterostructure for Highly Efficient and Stable Perovskite Solar Cells. 2022 , 6, 2100879	3
291	Efficient Photoluminescence of Manganese-Doped Two-Dimensional Chiral Alloyed Perovskites.. 2021 , 12, 12129-12134	4
290	Monodisperse Carbon Nitride Nanosheets as Multifunctional Additives for Efficient and Durable Perovskite Solar Cells.. 2021 , 13, 61215-61226	1
289	Characterize and Retard the Impact of the Bias-Induced Mobile Ions in CH ₃ NH ₃ PbBr ₃ Perovskite Light-Emitting Diodes. 2022 , 10, 2101439	1
288	Enhanced Light Emission through Symmetry Engineering of Halide Perovskites.. 2021 ,	0
287	Luminescence Enhancement, Encapsulation, and Patterning of Quantum Dots Toward Display Applications. 2022 , 32, 2109472	3
286	Toward eco-friendly and stable halide perovskite-inspired materials for light-emitting devices applications by dimension classification: Recent advances and opportunities. 2022 , 4,	0
285	High-Pressure Photoluminescence Properties of Cr-Doped LaGaO Perovskites Modulated by Pressure-Induced Phase Transition. 2021 ,	3
284	Light extraction efficiency enhancement of CH ₃ NH ₃ PbBr ₃ light-emitting diodes using nanopatterned PEDOT:PSS layers. 2021 , 119, 233302	
283	Perovskites: Weaving a Network of Knowledge Beyond Photovoltaics.	0
282	An alcohol-dispersed conducting polymer complex for fully printable organic solar cells with improved stability.	22
281	Highly Effective Surface Defect Passivation of Perovskite Quantum Dots for Excellent Optoelectronic Properties. 2022 ,	2
280	Crystal Orientation and Insulating Ligand of Quasi-Two Dimensional Perovskite Optimized through Silver Ion Doping for Realizing Efficient Light Emitting Diodes. 2022 , 136496	4
279	Unexpected Anisotropy of the Electron and Hole Landg-Factors in Perovskite CH ₃ NH ₃ PbI ₃ Polycrystalline Films.. 2022 , 12,	2
278	Energy Transfer between Size-Controlled CsPbI ₃ Quantum Dots for Light-Emitting Diode Application.. 2022 ,	1

277	Developments and challenges ahead in blue perovskite light-emitting devices. 2022,	0
276	Enhancing the Performance of Perovskite Light-Emitting Diodes by Humidity Treatment.. 2022,	1
275	Tuning Spin Texture and Spectroscopic Limited Maximum Efficiency through Chemical Composition Space in Double Halide Perovskites.	2
274	High-Luminance Microsized CHNHPbBr Single-Crystal-Based Light-Emitting Diodes via a Facile Liquid-Insulator Bridging Route.. 2022,	2
273	Table_1.docx. 2018,	
272	The Halide Perovskite Gain Media. 2022, 21-61	
271	Consolidating a PbX framework via multifunctional passivation with fluorinated zwitterions for efficient and stable perovskite solar cells.	2
270	Dehydration-activated structural phase transition in a two-dimensional hybrid double perovskite.. 2022,	2
269	Highly Efficient Quasi-2D Green Perovskite Light-Emitting Diodes with Bifunctional Amino Acid. 2200276	3
268	Laser Cutting of Metal-Halide-Perovskite Wafers for X-Ray Detector Integration. 2200642	
267	Pseudohalide-Assisted Growth of Oriented Large Grains for High-Performance and Stable 2D Perovskite Solar Cells. 2022, 7, 1842-1849	4
266	Recent progress of lead-free halide double perovskites for green energy and other applications. 2022, 128, 1	0
265	Recent progress in quasi-two-dimensional and quantum dot perovskite light-emitting diodes harnessing the diverse effects of ligands: A review.	1
264	Engineering the Morphology and Component via Multistep Deposition of CsPbBr ₃ Films toward High Detectivity and Stable Self-Powered Photodetectors. 2200450	1
263	Strongly Quantum-Confined Perovskite Nanowire Arrays for Color-Tunable Blue-Light-Emitting Diodes.. 2022,	3
262	All Optical Switching through Anisotropic Gain of CsPbBr ₃ Single Crystal Microplatelet.. 2022,	10
261	Exploration of structural, electronic, optical, mechanical, thermoelectric, and thermodynamic properties of XInO ₃ (X=As, Sb) compounds for energy harvesting applications.	
260	First-principles study on the electronic structures and optical properties of Cs ₂ XInCl ₆ (X= Ag, Na). 2022, 114812	1

259	Revealing the vertical structure of in-situ fabricated perovskite nanocrystals films toward efficient pure red light-emitting diodes. 2022,	2
258	Efficient Perovskite Light-Emitting Diodes with a Siloxane-Blended Organic Hole Transport Layer. 2200003	
257	Charge-carrier dynamics and regulation strategies in perovskite light-emitting diodes: From materials to devices. 2022, 9, 021308	4
256	Regulating the Singlet and Triplet Emission of Sb Ions to Achieve Single-Component White-Light Emitter with Record High Color-Rendering Index and Stability.. 2022,	3
255	Mixed-Dimensional MXene-Based Composite Electrodes Enable Mechanically Stable and Efficient Flexible Perovskite Light-Emitting Diodes.. 2022,	2
254	Exploiting the full advantages of colloidal perovskite nanocrystals for large-area efficient light-emitting diodes.. 2022,	8
253	A Perspective on Perovskite Solar Cells: Emergence, Progress, and Commercialization.. 2022, 10, 802890	3
252	Material and Design Strategies for Stretchable Electroluminescent Devices.	1
251	Recent Progress in the Stability of Red-Emissive Perovskite Nanocrystals for Light-Emitting Diodes. 1233-1254	4
250	Local Nanoscale Phase Impurities are Degradation Sites in Halide Perovskites.	19
249	Achieving Up-Conversion Amplified Spontaneous Emission through Spin Alignment between Coherent Light-Emitting Excitons in Perovskite Microstructures. 2022, 9, 353	
248	Charge Carrier Dynamics in Co-evaporated MAPbI ₃ with a Gradient in Composition.	0
247	Ultrafast charge transfer enhanced nonlinear optical properties of CH ₃ NH ₃ PbBr ₃ perovskite quantum dots grown from graphene. 2022,	0
246	Solution-processed green and blue quantum-dot light-emitting diodes with eliminated charge leakage.	23
245	Understanding photoluminescence of Cs ₂ ZrCl ₆ doped with post-transition-metal ions using first-principles calculations. 2022, 105,	2
244	Lanthanide-doped Mn ²⁺ -Based Perovskite-like Single Crystals: Switching on Highly Thermal-stable Near-infrared Emission and LED Device. 2022,	1
243	Domain controlling and defect passivation for efficient quasi-2D perovskite LEDs. 2022, 43, 050201	0
242	Over 24% efficient MA-free Cs _x FA _{1-x} PbX ₃ perovskite solar cells. 2022,	10

241	Engineered Surface Halide Defects by Two-Dimensional Perovskite Passivation for Deformable Intelligent Photodetectors.	1
240	Amine-Terminated Carbon Dots Linking Hole Transport Layer and Vertically Oriented Quasi-2D Perovskites through Hydrogen Bonds Enable Efficient LEDs.	6
239	Classical Force-Field Parameters for CsPbBr ₃ Perovskite Nanocrystals.	1
238	Diammonium mediated perovskite film formation for high-luminescence red perovskite light-emitting diodes. 2202042	3
237	Ab-initio Investigation of Structural, Optoelectronic, and Magnetic Properties of SmAlO ₃ . 2022 , 02, 123-131	
236	Bandgap and dimension regulation of CsPbI ₃ perovskite through a bromine-terminated ligand for efficient pure red electroluminescence.	
235	Halide Perovskite Single Crystals: Growth, Characterization, and Stability for Optoelectronic Applications.	4
234	Colloidal FAPbBr ₃ perovskite nanocrystals for light emission: what's going on?.	2
233	Eu ²⁺ doped halide perovskite KCaCl ₃ with high-efficiency blue emission and scintillation application.	3
232	Controlling the device functionality by solvent engineering, solar cell versus light emitting diode.	1
231	Polymer-Assisted Crystal Growth Regulation and Defect Passivation for Efficient Perovskite Light-Emitting Diodes. 2203371	3
230	Perovskite Single-crystal Optoelectronic Devices. 2022 , 207-262	
229	Perovskite Light-emitting Diodes. 2022 , 555-599	
228	High-Efficiency Sky-Blue Perovskite Light-Emitting Diodes via the Trade-Off between the Electron-Phonon Coupling Loss and Defect Passivation.	0
227	Trade-off between the Performance and Stability of Perovskite Light-Emitting Diodes with Excess Halides. 5179-5185	1
226	Supramolecular bridging strategy enables high performance and stable organic-inorganic halide perovskite solar cells. 2022 , 446, 137431	0
225	Understanding and minimizing non-radiative recombination losses in perovskite light emitting diodes.	3
224	Vertically-aligned quasi-2D cesium lead halide perovskite solar cells.	0

223	Fabrication and amplified spontaneous emission behavior of FAPbBr ₃ perovskite quantum dots in solid polymer rods. 2022 , 40, 84-100	
222	Perovskite Quantum Dots for Emerging Displays: Recent Progress and Perspectives. 2022 , 12, 2243	0
221	3D and 2D Metal Halide Perovskites for Blue Light-Emitting Diodes. 2022 , 15, 4571	0
220	Stable and Bright Electroluminescent Devices utilizing Emissive 0D Perovskite Nanocrystals Incorporated in a 3D CsPbBr ₃ Matrix. 2203226	4
219	Inkjet Printing Efficient Defined-Pixel Matrix Perovskite Light-Emitting Diodes with a Polar Polymer Modification Layer. 2200370	0
218	Ultralow-voltage operation of light-emitting diodes. 2022 , 13,	5
217	Anisotropic Chalcogenide Perovskite CaZrS ₃ : A Promising Thermoelectric Material.	1
216	Carbazole-Containing Polymer-Assisted Trap Passivation and Hole-Injection Promotion for Efficient and Stable CsCu ₂ I ₃ -Based Yellow LEDs. 2202408	3
215	18-Crown-6 Additive to Enhance Performance and Durability in Solution-Processed Halide Perovskite Electronics. 2202298	0
214	Revealing Charge Transfer Dynamics in Methylammonium Lead Bromide Perovskites via Transient Photoluminescence Characterization.	
213	Patterning Technologies for Metal Halide Perovskites: A Review. 2200419	2
212	Stability of perovskite materials and devices. 2022 ,	2
211	Facile and Stable Fluorene Based Organic Hole Transporting Materials for Efficient Perovskite Solar Cells.	0
210	Acetamidinium-Methylammonium-Based Layered Hybrid Halide Perovskite [CH ₃ C(NH ₂) ₂][CH ₃ NH ₃]PbI ₄ : Synthesis, Structure, and Optical Properties. 2022 , 67, 997-1003	0
209	High-Performance Semitransparent Organic Solar Cells: From Competing Indexes of Transparency and Efficiency Perspectives. 2202150	4
208	Unraveling Hole Interlayer-Dependent Interfacial Energetics of LEDs. 2022 , 107621	0
207	F-Type Pseudo-Halide Anions for High-Efficiency and Stable Wide-Band-Gap Inverted Perovskite Solar Cells with Fill Factor Exceeding 84%.	7
206	A water-soluble luminescent cesium-lead perovskite nanocrystal probe for sensitive detection of penicillamine. 2022 , 205, 110537	0

205	Brightness and Lifetime Improved Light-Emitting Diodes from Sr-Doped Quasi-Two-Dimensional Perovskite Layers. 2023 , 28, 131-140	0
204	Mechanochemistry-driven engineering of 0D/3D heterostructure for designing highly luminescent CsPbBr ₃ perovskites. 2022 , 13,	1
203	Combinatorial Synthesis and Screening of Mixed Halide Perovskite Megalibraries.	0
202	Red Perovskite Light-emitting Diodes with Efficiency Exceeding 25% Realized by Cospacer Cations. 2204460	15
201	Highest EQE of NIR PeLEDs With p-i-n Architecture Achieved via Surface Passivation and Lithium Fluoride Ultrathin Interfacial Layer.	
200	Efficient Light-Emitting Diodes via Hydrogen Bonding Induced Phase Modulation in Quasi-2D Perovskites. 2201180	0
199	Mass Transfer Printing of Metal-Halide Perovskite Films and Nanostructures. 2203529	0
198	Controllable volatile-to-nonvolatile memristive switching in single-crystal lead-free double perovskite with ultralow switching electric field.	0
197	Multifunctional Crystal Regulation Enables Efficient and Stable Sky-Blue Perovskite Light-Emitting Diodes. 2206574	16
196	Spontaneous Hybrid Cross-Linked Network Induced by Multifunctional Copolymer toward Mechanically Resilient Perovskite Solar Cells. 2207142	7
195	Electronic-Ionic Transport in MAPbBr ₃ Single Crystal: The Evidence of Super-Linear Power Law in AC Conductivity. 2022 , 126, 14305-14311	0
194	Spectrally Stable Blue Light-Emitting Diodes Based on All-Inorganic Halide Perovskite Films. 2022 , 12, 2906	
193	All-organic flexible heterojunction thin film photodetectors based on phthalocyanines/C60. 2022 , 12, 085115	
192	A roadmap for the commercialization of perovskite light emitters.	11
191	Ultrastable near-infrared perovskite light-emitting diodes. 2022 , 16, 637-643	14
190	Vapor-Assisted In Situ Recrystallization for Efficient Tin-Based Perovskite Light-Emitting Diodes. 2203180	3
189	Self-passivated perovskite film by overdoping MABr to enhance the luminescence efficiency of MAPbBr ₃ -based light-emitting diodes. 2022 , 61,	1
188	Facile Uniaxial Electrospinning Strategy To Embed CsPbBr ₃ Nanocrystals with Enhanced Water/Thermal Stabilities for Reversible Fluorescence Switches. 2022 , 94, 11360-11367	

187	Stability of Perovskite Light-Emitting Diodes: Existing Issues and Mitigation Strategies Related to both Material and Device Aspects. 2205217	3
186	Exciton Transfer Dynamics and Annihilation in Rubidium-Cesium-Alloyed, Quasi-Two-Dimensional Perovskite. 2022 , 9, 578	
185	Bright Lead-Free Inorganic CsSnBr ₃ Perovskite Light-Emitting Diodes. 2022 , 7, 2807-2815	2
184	Highly stable vacancy-ordered double perovskite Rb ₂ ZrCl ₆ with broadband emission for down-conversion white light-emitting diodes. 2022 , 251, 119150	1
183	Lead-free perovskite variant Rb ₂ SnCl ₆ :Te based phosphor-sapphire composite for high-power laser-driven lighting. 2022 , 251, 119212	0
182	Multicolor carbon dots assembled polyvinyl alcohol with enhanced emission for white light-emitting diode. 2022 , 251, 119164	0
181	Stability strategies of perovskite quantum dots and their extended applications in extreme environment: A review. 2022 , 156, 111987	2
180	Prevention of Noise Current Generation in Tin-Based Lead-Free Perovskites for Highly Sensitive Photodetection. 2207713	1
179	Enhancing the performance of perovskite light-emitting diodes via the insertion of NaCl. 2022 , 75, 102297	0
178	Insight into a strategy to improve charge carrier migration in lead-free bismuth-based halide perovskite for efficient selective oxidation of thioanisole under visible light. 2023 , 451, 138927	2
177	Phase control of quasi-2D perovskite thin films by adding MAPbI ₃ in the precursor solution. 2022 , 51, 13919-13927	0
176	Air-stable cesium lead bromide perovskite nanocrystals via post-synthetic treatment with oleylammonium bromides.	0
175	Experimental evidence of ion migration in aged inorganic perovskite solar cells using non-destructive RBS depth profiling.	0
174	Lead-free double perovskites: how divalent cations tune the electronic structure for photovoltaic applications. 2022 , 10, 12276-12285	1
173	The Effect of Caesium Alloying on Ultrafast Structural Dynamics in Hybrid Organic-Inorganic Halide Perovskites.	0
172	Spray-driven halide exchange in solid-state CsPbX ₃ nanocrystal films. 2022 , 14, 13214-13226	0
171	Advances in Perovskite Solar Cells: Prospects of Lead-Free Perovskite Materials. 2022 , 105-130	0
170	Stable and large-scale organic-inorganic halide perovskite nanocrystal/polymer nanofiber films prepared via a green in situ fiber spinning chemistry method. 2022 , 14, 11998-12006	1

169	Ultrasensitive turn-on luminescence humidity sensor based on a perovskite/zeolite composite. 2022 , 10, 12191-12196	3
168	Lead-Free Potassium Alloyed Cs ₂ AgBiBr ₆ : Tunable Optoelectronic Properties and Carrier-Lattice Interaction. 2022 , 36, 11100-11107	0
167	Boron-Based Narrowband Multiresonance Delayed Fluorescent Emitters for Organic Light-Emitting Diodes. 2200201	2
166	Lattice strain modulation toward efficient blue perovskite light-emitting diodes. 2022 , 8,	2
165	Activity Enhancement of Photo-generated Carrier in CsPbBr ₃ Nanocrystals Improved by Cd Element.	0
164	Tautomeric Passivation Strategy-Assisted Photostable Perovskite Solar Modules. 3646-3652	1
163	Deciphering modes of long-range energy transfer in perovskite crystals using confocal excitation and wide-field fluorescence spectral imaging. 2022 , 10, 044013	0
162	High-Efficiency Perovskite/Organic Blend Light-Emitting Diodes Featuring Self-Assembled Monolayers as Hole-Injecting Interlayers. 2201396	1
161	Revealing the Low-Temperature Interplay of Electronic, Ionic, and Optical Effects in Perovskite Electroluminescent Devices.	0
160	A Multifunctional Self-Assembled Monolayer for Highly Luminescent Pure-Blue Quasi-2D Perovskite Light-Emitting Diodes. 2201313	1
159	Stabilized Low-Dimensional Species for Deep-Blue Perovskite Light-Emitting Diodes with EQE Approaching 3.4%.	0
158	Surface and Defect Engineering Coupling of Halide Double Perovskite Cs ₂ NaBiCl ₆ for Efficient CO ₂ Photoreduction. 2202074	2
157	First-principles investigation on the structural, electronic, mechanical and optical properties of silver based perovskite AgXCl ₃ (X= Ca, Sr). 2022 , 20, 3296-3305	1
156	Modulation of the carrier balance of lead-halide perovskite nanocrystals by polyelectrolyte hole transport layers for near-infrared light-emitting diodes. 2022 , 8, e10504	0
155	NH ₄ Ac boosts the efficiency of carbon-based all-inorganic perovskite solar cells fabricated in the full ambient air to 15.43%. 2022 , 155175	1
154	Investigation of X ₂ GaAgCl ₆ (X = K, Cs) for Optoelectronic Devices: A Density Functional Theory Study. 2200189	0
153	Considering the effectiveness of a unique combined annealing-based postprocessing method on the optoelectronic properties of MAPbBr ₃ -based light emitting diodes. 2022 , 356, 114965	0
152	Solution preparation of CsPbBr ₃ /Cs ₄ PbBr ₆ polycrystalline composites. 2022 , 647, 414378	0

151	Elucidating the Oxygen Reduction Reaction Mechanism on the Surfaces of 2D Monolayer CsPbBr ₃ Perovskite.	1
150	Preparation and characterization of organic-inorganic hybrid MAPbBr ₃ perovskite. 2022 ,	0
149	Electroluminescence of Halide Perovskite Single Crystals Showing Stochastically Active Multiple Emitting Centers. 2022 , 126, 17826-17835	1
148	Study of new double perovskites Tl ₂ PtX ₆ (X = Cl, Br, I) for solar cells and thermoelectric applications. 2022 , 97, 125803	0
147	Flexible perovskite light-emitting diodes: Progress, challenges and perspective.	0
146	The interfacial embedding of halogen-terminated carbon dots produces highly efficient and stable flexible perovskite solar cells. 2022 , 37, 988-999	0
145	Efficient Quasi-2D Perovskite Light-Emitting Diodes Enabled by Regulating Phase Distribution with a Fluorinated Organic Cation. 2022 , 12, 3495	1
144	Oriented Low-n Ruddlesden-Popper Formamidinium-Based Perovskite for Efficient and Air Stable Solar Cells. 2202704	2
143	Enhanced Performance of Perovskite Light-emitting Diodes via Phenylmethylamine Passivation. 2022 , 13, 1857	0
142	Size matters - Amplified spontaneous emission limited by accumulation of dark excitons in thin quasi-2D perovskites.	0
141	Efficient Emission Quasi-two-dimensional Perovskite Films Casted by Ink-jet Printing for Pixel-Defined Matrix Light-Emitting Diodes.	0
140	Review: Perovskite X-ray Detectors (1997Present). 2022 , 12, 1563	0
139	Orbital Interactions between Organic Semiconductor Spacer and Inorganic Layer in DionJacobson Perovskite Enable Efficient Solar Cells. 2205258	0
138	Unraveling the Hole-Transport-Layer-Manipulated Carrier Transfer Dynamics in Perovskite Light-Emitting Diodes. 10455-10463	0
137	Elucidating the role of two-dimensional cations in green perovskite light emitting diodes. 2022 , 111, 106655	0
136	First-principles study on SrSnO ₃ as a transparent conductive oxide. 2023 , 0	0
135	Research progress of ABX ₃ -type lead-free perovskites for optoelectronic applications: materials and devices.	1
134	Phase Rearrangement for Minimal Exciton Loss in Quasi-2D Perovskite toward Efficient Deep-Blue LEDs via Halide Post-treatment.	0

133	Brightening thiocyanate-anion layered perovskite through internal stress modulated nano phase segregation.	0
132	A Spacer Cation Assisted Nucleation and Growth Strategy Enables Efficient and High-Luminance Quasi-2D Perovskite LEDs. 2209186	1
131	Degradation mechanisms of perovskite light-emitting diodes under electrical bias. 2022 ,	1
130	Ultra-bright, efficient and stable perovskite light-emitting diodes.	12
129	Synergistic Effect of Cation Composition Engineering of Hybrid $\text{Cs}_2\text{FA}_x\text{PbBr}_3$ Nanocrystals For Self-Healing Electronics Application. 2207617	3
128	Self-Assembled Bilayer Microstructure Improves Quasi-2D Perovskite Light-Emitting Diodes.	1
127	Planar defect-free pure red perovskite light-emitting diodes via metastable phase crystallization. 2022 , 8,	1
126	Heteroepitaxy of Large-Area, Monocrystalline Lead Halide Perovskite Films on Gallium Arsenide.	0
125	Vacuum-deposited Perovskite LED by Interface Defect Passivation with better color stability. 2022 , 1-1	0
124	Tiny Spots to Light the Future: Advances in Synthesis and Application of Perovskite Nanocrystals in Solar Cells	0
123	Molecularly understanding and regulating carrier injection behavior of ETL/perovskite towards high performance PeLEDs. 2023 , 456, 141077	0
122	A promising 1D Cd-based hybrid perovskite-type for white-light emission with high-color-rendering index. 2022 , 12, 33516-33524	0
121	Display Application and Development Trend of Perovskite Emitters. 2022 , 1, 13-28	0
120	Thermally Stable All Inorganic Cesium Lead Halide Perovskite Nanocrystals. 2022 , 1, 91-99	0
119	Optoelectronic Properties of MAPbBr_3 Perovskite Light-Emitting Diodes Using Anti-Solvent and PEDOT:PSS/PVK Double-Layer Hole Transport Layers. 2022 , 13, 2122	0
118	2D-Layered Manganese Perovskite with High Mobility. 2211191	0
117	Fabrication of High-Performance CsPbBr_3 Perovskite Quantum Dots/Polymer Composites via Photopolymerization: Implications for Luminescent Displays and Lighting.	0
116	Improving the efficiency of near-IR perovskite LEDs via surface passivation and ultrathin interfacial layers. 2022 , 3, 101170	0

115	Anion Exchange Reaction of CsPbBr ₃ Perovskite Nanocrystals: Affinity of Halide Ion Matters. 2022 , 7,	1
114	Unlocking the Full Potential of Electron Acceptor Molecules for Efficient and Stable Hole Injection. 2210413	0
113	Progress and Prospects of Nanoscale Emitter Technology for AR/VR Displays. 2201070	0
112	Multiple Fusion Strategy for High-Performance Yellow OLEDs with Full Width at Half Maximums Down to 23 nm and External Quantum Efficiencies up to 37.4%. 2209396	0
111	Blue Light Hazard Optimization for White Light-Emitting Diode of Mn ²⁺ -Activated 0D Cs ₃ Cu ₂ Br ₅ Perovskite Materials. 2201938	0
110	Three-Dimensional Lead Halide Perovskites Embedded in Zero-Dimensional Lead Halide Perovskites: Synthesis, Stability, and Applications.	0
109	Dark And Photoconductivity Behavior of CH ₃ NH ₃ PbI ₃ Thin Films Depending On Atmospheric Conditions. 2140-2152	0
108	Holy Water: Photo-Brightening in Quasi-2D Perovskite Films under Ambient Enables Highly Performing Light-Emitting Diodes. 2209249	0
107	Heterointerface engineering of perovskite defects and energetics for light-emitting diodes.	0
106	Blue Halide Perovskite Materials: Preparation, Progress, and Challenges. 2200689	0
105	A Multifunctional Halide-Equivalent Anion Enabling Efficient CsPb(Br/I) ₃ Nanocrystals Pure-Red Light-Emitting Diodes with External Quantum Efficiency Exceeding 23%. 2209002	1
104	Reduced Eloss of Planar-Structured Carbon Counter Electrode-Based CsPbI ₃ Solar Cells with Tetrabutylammonium Halide-Modified SnO ₂ .	0
103	Optoelectronic Resistive Memory Based on Lead-Free Cs ₂ AgBiBr ₆ Double Perovskite for Artificial Self-Storage Visual Sensors. 2200657	1
102	High efficiency pure blue perovskite quantum dot light-emitting diodes based on formamidinium manipulating carrier dynamics and electron state filling. 2022 , 11,	0
101	Performance Enhancement of Perovskite Quantum Dot Light-Emitting Diodes via Management of Hole Injection. 2023 , 14, 11	0
100	Air-stable High-PLQY Cesium Lead Halide Perovskites for Laser-Patterned Displays.	0
99	Antisolvent-Treated MAPbI ₃ and PbS Quantum Dots for High-Performance Broadband Photodetectors.	0
98	Healing Aged Metal Halide Perovskite Toward Robust Optoelectronic Devices: Mechanisms, Strategies, and Perspectives. 2023 , 108219	0

- 97 Achieving Near-unity Photoluminescence Quantum Yields in Organic-Inorganic Hybrid Antimony (III) Chlorides with the [SbCl₅] Geometry. ○
- 96 Core/Shell ZnO/ZnS Nanoparticle Electron Transport Layers Enable Efficient All-Solution-Processed Perovskite Light-Emitting Diodes. 2207260 ○
- 95 Manipulating Crystallization Dynamics for Efficient and Spectrally Stable Blue Perovskite Light-Emitting Diodes. 2200861 ○
- 94 Phase Equilibria in Ternary System CsBr-AgBr-InBr₃. **2023**, 16, 559 ○
- 93 Enhanced Blue Emission in Rb₂HfCl₆ Double Perovskite via Bi³⁺ Doping and Cs⁺ Alloying. ○
- 92 Achieving Near-unity Photoluminescence Quantum Yields in Organic-Inorganic Hybrid Antimony (III) Chlorides with the [SbCl₅] Geometry. ○
- 91 Synthesis and Applications of Halide Perovskite Nanocrystals in Optoelectronics. **2023**, 11, 39 ○
- 90 The rise of halide perovskite semiconductors. **2023**, 12, ○
- 89 Alkali cations modified poly(styrene sulfonate) enabling interfacial band structure regulation for efficient true-blue perovskite light-emitting diodes. **2023**, 114, 106746 ○
- 88 An ab-initio study to investigate the structural, mechanical, electrical, optical and thermal properties of the AZrO₃ (A= Mg, Ca, Sr, Ba, Sn, Cu) compounds. **2023**, 34, 105339 ○
- 87 Self-Trapped Excitons Mediated Energy Transfer to Sm³⁺ in Cs₂AgIn(1-x)Sm_xCl₆:Bi Double Perovskite Nanocrystals. **2023**, 127, 468-475 1
- 86 Colloidal Quantum Dots: Synthesis, Composition, Structure, and Emerging Optoelectronic Applications. 2200551 1
- 85 Nano-inks in security and defense applications. **2023**, 623-657 ○
- 84 Multiresonant TADF Materials: Triggering the Reverse Intersystem Crossing to alleviate the Efficiency roll-off in OLEDs. ○
- 83 Universal Molecular Control Strategy for Scalable Fabrication of Perovskite Light-Emitting Diodes. **2023**, 23, 985-992 ○
- 82 Spatial Control of the Hole Accumulation Zone for Hole-Dominated Perovskite Light-Emitting Diodes by Inserting a CsAc Layer. **2023**, 15, 7044-7052 ○
- 81 A tunable single-molecule light-emitting diode with single-photon precision. 2209750 ○
- 80 Strain-Tolerant, High-Detectivity, and Intrinsically Stretchable All-Polymer Photodiodes. 2212219 ○

- 79 Iodide/triiodide redox shuttle-based additives for high-performance perovskite solar cells by simultaneously passivating the cation and anion defects. 1
- 78 A hole injection monolayer enables cost-effective perovskite light-emitting diodes. 0
- 77 Electrospun Electroluminescent CsPbBr₃ Fibers as Flexible Perovskite Networks for Light-Emitting Application. 0
- 76 High-performance and humidity robust multilevel lead-free all-inorganic Cs₃Cu₂Br₅ perovskite-based memristors. **2023**, 122, 053502 0
- 75 Improving the brightness of quasi-2D perovskite light-emitting diode by controlling stoichiometric ratio of perovskite emission layer. **2023**, 62, 0
- 74 Solution-Processed OLEDs for Printing Displays. 0
- 73 Highly Soluble Copper(I) Iodide Based Hybrid Luminescent Semiconductors Containing Molecular and One-dimensional Coordinated Anionic Inorganic Motifs. 0
- 72 Hydrothermal synthesis of stable lead-free Cs₄MnBi₂Cl₁₂ perovskite single crystals for efficient photocatalytic degradation of organic pollutants. **2023**, 11, 3715-3725 0
- 71 Citric acid tuned negative thermal quenching of all inorganic copper-based perovskites. **2023**, 13, 5428-5436 0
- 70 Optogenetics-Inspired Fluorescent Synaptic Devices with Nonvolatility. **2023**, 17, 3696-3704 0
- 69 Inorganic Perovskite Surface Reconfiguration for Stable Inverted Solar cell with 20.38% Efficiency and its Application in Tandem Devices. 0
- 68 Effect of Surface Termination on Carrier Dynamics of Metal Halide Perovskites: Ab Initio Quantum Dynamics Study. 0
- 67 Recent developments of lead-free halide-perovskite nanocrystals: Synthesis strategies, stability, challenges, and potential in optoelectronic applications. **2023**, 34, 101079 0
- 66 Metal halide perovskite materials in photocatalysis: Design strategies and applications. **2023**, 481, 215031 0
- 65 Enhancement performance of vapor-deposition processed perovskite photodetectors enabled by manipulation of interface engineering. **2023**, 116, 106773 0
- 64 Insight into structure defects in high-performance perovskite solar cells. **2023**, 570, 233011 0
- 63 Effect of Cu doping on structural, electronic and thermoelectric properties of double perovskite Cs₂NaVCl₆. **2023**, 35, e00803 0
- 62 Photoactive materials and devices for energy-efficient soft wearable optoelectronic systems. **2023**, 110, 108379 0

- 61 Healthy and High-Quality Single-Source Lighting Based on Double-Doped Tin Halide Engineering. ○
- 60 Perspective on China's commitment to carbon neutrality under the innovation-energy-emissions nexus. **2023**, 390, 136202 ○
- 59 Coherent Random Lasing in Subwavelength Quasi-2D Perovskites. **2023**, 17, ○
- 58 DFT insights on the opto-electronic and thermoelectric properties of double perovskites K_2AgSbX_6 ($X' = Cl, Br$) via halides substitutions for solar cell applications. **2023**, 290, 116338 ○
- 57 Current Understanding of Band-Edge Properties of Halide Perovskites: Urbach Tail, Rashba Splitting, and Exciton Binding Energy. **2023**, 14, 1592-1603 1
- 56 Composition and structure regulation of Ruddlesden-Popper perovskite for light-emitting diodes applications. **2023**, 11, 3448-3458 ○
- 55 Solution-Processable Copper Halide Based Hybrid Materials Consisting of Cationic Ligands with Different Coordination Modes. **2023**, 62, 3660-3668 ○
- 54 Improved Performance of All-Inorganic Perovskite Light-emitting Diodes via Nanostructured Stamp Imprinting. ○
- 53 Additive engineering for highly efficient and stable perovskite solar cells. **2023**, 10, 011308 1
- 52 Passivation strategies for mitigating defect challenges in halide perovskite light-emitting diodes. **2023**, 7, 272-308 ○
- 51 Achieving Efficient Light-Emitting Diodes by Controlling Phase Distribution of Quasi-2D Perovskites. **2023**, 9, ○
- 50 Insight into Diphenyl Phosphine Oxygen-Based Molecular Additives as Defect Passivators toward Efficient Quasi-2D Perovskite Light-Emitting Diodes. **2023**, 15, 10877-10884 ○
- 49 Improvement of Photoluminescence Quantum Efficiency of Perovskite Nanocrystals Via Synthesis Using Silicone Oil. **2022**, 1, 201-211 ○
- 48 Room temperature synthesis of double perovskite $Cs_2AlBiCl_6$ for photovoltaic applications. **2023**, 137, 113570 ○
- 47 Quantum Yield and Stability Improvement of Two-Dimensional Perovskite Via a Second Fluorinated Insulator Layer. **2023**, 10, 2202003 ○
- 46 Stepwise Crystalline Structural Transformation in 0D Hybrid Antimony Halides with Triplet Turn-on and Color-Adjustable Luminescence Switching. **2023**, 6, ○
- 45 High-Efficiency and Stable Long-Persistent Luminescence from Undoped Cesium Cadmium Chlorine Crystals Induced by Intrinsic Point Defects. 2207331 ○
- 44 Overcoming charge transfer barriers via electrostatically stabilized $CsPbBr_3$ nanocrystals for efficient perovskite light-emitting diodes. **2023**, 462, 142120 ○

- 43 Highly bright and stable single-crystal perovskite light-emitting diodes. ○
- 42 Unlocking the Potential of Blue Perovskite Light-Emitting Diodes for Active-Matrix Displays. 2202894 ○
- 41 Enhanced Circularly Polarized Photoluminescence of Chiral Perovskite Films by Surface Passivation with Chiral Amines. **2023**, 14, 2317-2322 ○
- 40 Anisotropic emission of orientation-controlled mixed-dimensional perovskites for light-emitting devices. **2023**, ○
- 39 Correlation between Single-Photon Emission and Size of Cesium Lead Bromide Perovskite Nanocrystals. **2023**, 14, 2441-2447 ○
- 38 Oligo(ethylene glycol)-incorporated hole transporting polymers for efficient and stable inverted perovskite solar cells. **2023**, 11, 6615-6624 ○
- 37 Tailoring of physical properties of (K,Na)NbO₃ thin films using lithium ion implantation. **2023**, 47, 106330 ○
- 36 Rheological engineering of perovskite suspension toward high-resolution X-ray flat-panel detector. ○
- 35 Amidino-based Dion-Jacobson 2D perovskite for efficient and stable 2D/3D heterostructure perovskite solar cells. **2023**, 7, 574-586 1
- 34 Enhanced stability of lead-free double perovskite Cs₂AgIn_xBi_{1-x}Cl₆ crystals under a high humidity environment by surface capping treatment. **2023**, 11, 4742-4752 ○
- 33 Phenethylammonium bromide addition for high luminance and efficiency perovskite light-emitting diodes. **2023**, ○
- 32 Rational Regulation of Organic Spacer Cations for Quasi-2D Perovskite Solar Cells. 2300132 ○
- 31 Modulating carrier injection through rational control of hole transport layer for perovskite light-emitting diodes. **2023**, 34, ○
- 30 Multiphoton excited singlet/triplet mixed self-trapped exciton emission. **2023**, 14, ○
- 29 Observation of Enhanced Generation of a Fifth Harmonic from Halide Perovskite Nonlocal Metasurfaces. ○
- 28 Morphology-Dependent Carrier Accumulation Dynamics in Mixed Halide Perovskite Thin Films Caused by Phase Segregation. **2023**, 14, 2800-2806 ○
- 27 In-Situ Interfacial Reaction Induced Amino-Rich Oxide Surface to Grow High-Quality FAPbBr₃ Crystals for Efficient Inverted Light-Emitting Diodes. **2023**, 5, 1179-1187 ○
- 26 Low-Dimensional Phase Regulation to Restrain Non-Radiative Recombination for Sky-Blue Perovskite LEDs with EQE Exceeding 15 %. ○

- 25 Low-Dimensional Phase Regulation to Restrain Non-Radiative Recombination for Sky-Blue Perovskite LEDs with EQE Exceeding 15 %. ○
- 24 Cesium lead bromide as a colorimetric and fluorometric sensing platform for the selective detection of uric acid. **2023**, 47, 7425-7431 ○
- 23 Manipulating Ionic Behavior with Bifunctional Additives for Efficient Sky-Blue Perovskite Light-Emitting Diodes. 2301425 ○
- 22 Low-Threshold, External-Cavity-Free Flexible Perovskite Lasers. 2211841 ○
- 21 Rethinking the Role of Excess/Residual Lead Iodide in Perovskite Solar Cells. 2215171 ○
- 20 Ionic Liquid Passivation for High-Performance Sky-Blue Quasi-2D Perovskite Light-Emitting Diodes. 2202721 ○
- 19 Elimination of unstable residual lead iodide near the buried interface for the stability improvement of perovskite solar cells. ○
- 18 Characterization of Large-Energy-Bandgap Methylammonium Lead Tribromide (MAPbBr₃) Perovskite Solar Cells. **2023**, 13, 1152 ○
- 17 Anti-corrosion strategy to improve the stability of perovskite solar cells. ○
- 16 Lowering Power Consumption for Organic Light-Emitting Diodes Full-Screen Display. **2023**, ○
- 15 Energy-Level Regulation and Low-Dimensional Phase Rearrangement via a Multifunctional Spacer Group toward Efficient Sky-Blue Quasi-2D Perovskite Light-Emitting Diodes. 2202901 ○
- 14 Re-emerging photo responsiveness enhancement under compression in (NH₄)₂SeBr₆. **2023**, 122, 132101 ○
- 13 Steric Effects in Ruddlesden-Popper Blue Perovskites for High Quantum Efficiency. ○
- 12 Effect of Air Exposure on Electron-Beam-Induced Degradation of Perovskite Films. ○
- 11 Role of a corrugated DionJacobson 2D perovskite as an additive in 3D MAPbBr₃ perovskite-based light emitting diodes. ○
- 10 CH₃I sensing using yttrium single atom-doped perovskite nanocrystals. ○
- 9 Surface Defect Suppression for High Color Purity Light-Emitting Diode of Free-Standing Single-Crystal Perovskite Film. ○
- 8 Efficiency Improvement in a Powder-Based Flexible Electroluminescence Device using Ag Nanothin-Film-Coated Transparent Electrodes. ○

- 7 Indirect Bandgap Emission of the Metal Halide Perovskite FAPbI₃ at Low Temperatures. 3805-3810 ○
- 6 The FAPbI₃ perovskite memristor with a PMMA passivation layer as an artificial synapse. **2023**, 129, ○
- 5 Investigation of annealing effects on structural, morphological, optical, chemical, and luminescent properties of (K,Na)NbO₃ thin films. **2023**, 414908 ○
- 4 Perovskite Light-Emitting Diodes. **2023**, 53-71 ○
- 3 Color-Stable Two-Dimensional Tin-Based Perovskite Light-Emitting Diodes: Passivation Effects of Diphenylphosphine Oxide Derivatives. ○
- 2 Additives and interface engineering facilitate the fabrication of high-efficiency perovskite solar cells in ambient air-processed. **2023**, 34, ○
- 1 Bismuth-Based Photocatalytic Material for Clean Energy Production and CO₂ Reduction. **2023**, 363-394 ○