

CITATION REPORT

List of articles citing

Data Resource Profile: The Japan National Health and Nutrition Survey (NHNS)

DOI: 10.1093/ije/dyv152

International Journal of Epidemiology, 2015, 44, 1842-9.

Source: <https://exaly.com/paper-pdf/61607237/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
108	Monetary value of self-reported diets and associations with sociodemographic characteristics and dietary intake among Japanese adults: analysis of nationally representative surveys. 2016 , 19, 3306-3318		13
107	Secondary Data Analysis of National Surveys in Japan Toward Improving Population Health. 2016 , 26, 106-14		1
106	Population-level interventions in government jurisdictions for dietary sodium reduction. 2016 , 9, CD010166		49
105	Effects of rapid aging and lower participation rate among younger adults on the short-term trend of physical activity in the National Health and Nutrition Survey, Japan. 2017 , 17, 1677-1682		4
104	Associations of socioeconomic status with prevalence, awareness, treatment, and control of hypertension in a general Japanese population: NIPPON DATA2010. 2017 , 35, 401-408		59
103	Trends in prevalence and management of diabetes and related vascular risks in Japanese adults: Japan National Health and Nutrition Surveys 2003-2012. 2017 , 127, 115-122		11
102	Establishment of a Meal Coding System for the Characterization of Meal-Based Dietary Patterns in Japan. 2017 , 147, 2093-2101		19
101	Higher dietary acid load is weakly associated with higher adiposity measures and blood pressure in Japanese adults: The National Health and Nutrition Survey. 2017 , 44, 67-75		13
100	Population-level interventions in government jurisdictions for dietary sodium reduction: a Cochrane Review. <i>International Journal of Epidemiology</i> , 2017 , 46, 1551-1405	7.8	36
99	Relationship between stress coping and sleep disorders among the general Japanese population: a nationwide representative survey. 2017 , 37, 38-45		28
98	Predictors of all-cause mortality among 514,866 participants from the Korean National Health Screening Cohort. 2017 , 12, e0185458		6
97	Construction of a simulation model and evaluation of the effect of potential interventions on the incidence of diabetes and initiation of dialysis due to diabetic nephropathy in Japan. 2017 , 17, 833		11
96	Food intake patterns and cardiovascular risk factors in Japanese adults: analyses from the 2012 National Health and nutrition survey, Japan. 2017 , 16, 61		20
95	Relationships among Socioeconomic Factors and Self-rated Health in Japanese Adults: NIPPON DATA2010. 2018 , 28 Suppl 3, S66-S72		9
94	Development of Strategies to Improve the National Nutrition Survey System. 2018 , 23, 444		
93	Socioeconomic Inequalities in Oral Health among Middle-Aged and Elderly Japanese: NIPPON DATA2010. 2018 , 28 Suppl 3, S59-S65		10
92	Optimal protein intake during pregnancy for reducing the risk of fetal growth restriction: the Japan Environment and Children's Study. 2018 , 120, 1432-1440		18

91	Breakfast in Japan: Findings from the 2012 National Health and Nutrition Survey. 2018 , 10,	18
90	Adequacy of Usual Intake of Japanese Children Aged 3-5 Years: A Nationwide Study. 2018 , 10,	8
89	Association between the Portion Sizes of Traditional Japanese Seasonings-Soy Sauce and Miso-and Blood Pressure: Cross-Sectional Study Using National Health and Nutrition Survey, 2012-2016 Data. 2018 , 10,	7
88	The National Integrated Project for Prospective Observation of Non-communicable Disease and its Trends in the Aged 2010 (NIPPON DATA2010): Objectives, Design, and Population Characteristics. 2018 , 28 Suppl 3, S2-S9	20
87	Relationships among Food Group Intakes, Household Expenditure, and Education Attainment in a General Japanese Population: NIPPON DATA2010. 2018 , 28 Suppl 3, S23-S28	5
86	Relationship Between Socioeconomic Status and the Prevalence of Underweight, Overweight or Obesity in a General Japanese Population: NIPPON DATA2010. 2018 , 28 Suppl 3, S10-S16	19
85	Macronutrient Intake and Socioeconomic Status: NIPPON DATA2010. 2018 , 28 Suppl 3, S17-S22	11
84	Socioeconomic Status Associated With Urinary Sodium and Potassium Excretion in Japan: NIPPON DATA2010. 2018 , 28 Suppl 3, S29-S34	11
83	Differences in Lifestyle Improvements With the Intention to Prevent Cardiovascular Diseases by Socioeconomic Status in a Representative Japanese Population: NIPPON DATA2010. 2018 , 28 Suppl 3, S35-S39	2
82	Associations between Socioeconomic Status and the Prevalence and Treatment of Hypercholesterolemia in a General Japanese Population: NIPPON DATA2010. 2018 , 25, 606-620	10
81	Passive Smoking at Home by Socioeconomic Factors in a Japanese Population: NIPPON DATA2010. 2018 , 28 Suppl 3, S40-S45	3
80	Time-Related Changes in Relationships Between the Keys Score, Dietary Lipids, and Serum Total Cholesterol in Japan - NIPPON DATA80/90/2010. 2018 , 83, 147-155	2
79	Prevalence and Correlates of Hypertension among Japanese Adults, 1975 to 2010. 2018 , 15,	13
78	Socioeconomic Status and Knowledge of Cardiovascular Risk Factors: NIPPON DATA2010. 2018 , 28 Suppl 3, S46-S52	9
77	Factors Related to Participation in Health Examinations for Japanese National Health Insurance: NIPPON DATA2010. 2018 , 28 Suppl 3, S53-S58	4
76	2015 Health Survey of São Paulo with Focus in Nutrition: Rationale, Design, and Procedures. 2018 , 10,	22
75	Validity of a triaxial accelerometer and simplified physical activity record in older adults aged 64-96 years: a doubly labeled water study. 2018 , 118, 2133-2146	16
74	Thirteen-Year Trends in Dietary Patterns among Japanese Adults in the National Health and Nutrition Survey 2003-2015: Continuous Westernization of the Japanese Diet. 2018 , 10,	36

73	The trends in total energy, macronutrients and sodium intake among Japanese: findings from the 1995-2016 National Health and Nutrition Survey. 2018 , 120, 424-434	25
72	Diet quality scores in relation to metabolic risk factors in Japanese adults: a cross-sectional analysis from the 2012 National Health and Nutrition Survey, Japan. 2019 , 58, 2037-2050	12
71	Meal-specific dietary patterns and their contribution to overall dietary patterns in the Japanese context: Findings from the 2012 National Health and Nutrition Survey, Japan. 2019 , 59, 108-115	20
70	Association between Parent and Child Dietary Sodium and Potassium Intakes: Aomori Prefectural Health and Nutrition Survey, 2016. 2019 , 11,	2
69	Does Japan's national nutrient-based dietary guideline improve lifestyle-related disease outcomes? A retrospective observational cross-sectional study. 2019 , 14, e0224042	2
68	Reliability of Repeated Measures of Nutrient Intake by Diet Records in Residents in the Western Region of Japan. 2019 , 11,	1
67	Distribution of psychological distress is stable in recent decades and follows an exponential pattern in the US population. 2019 , 9, 11982	19
66	Socioeconomic and lifestyle factors associated with depressive tendencies in general Japanese men and women: NIPPON DATA2010. 2019 , 24, 37	9
65	Dietary patterns and abnormal glucose tolerance among Japanese: findings from the National Health and Nutrition Survey, 2012. 2019 , 22, 2460-2468	7
64	Explaining the decline in coronary heart disease mortality rates in Japan: Contributions of changes in risk factors and evidence-based treatments between 1980 and 2012. 2019 , 291, 183-188	16
63	Trends in Step-determined Physical Activity among Japanese Adults from 1995 to 2016. 2019 , 51, 1852-1859	11
62	Household food unavailability due to financial constraints affects the nutrient intake of children. 2019 , 29, 816-820	1
61	Having few remaining teeth is associated with a low nutrient intake and low serum albumin levels in middle-aged and older Japanese individuals: findings from the NIPPON DATA2010. 2019 , 24, 1	36
60	Association between unhealthy dietary behaviors and sleep disturbances among Japanese adolescents: a nationwide representative survey. 2019 , 17, 93-102	14
59	Muscle strength is associated with bone health independently of muscle mass in postmenopausal women: the Japanese population-based osteoporosis study. 2019 , 37, 53-59	16
58	Utility of a Specific Health Checkup Database Containing Lifestyle Behaviors and Lifestyle Diseases for Employee Health Insurance in Japan. 2020 , 30, 57-66	11
57	Sociodemographic Factors Influenced Response to the 2015 National Nutrition Survey on Preschool Children: Results From Linkage With the Comprehensive Survey of Living Conditions. 2020 , 30, 74-83	3
56	Absolute risk of acute coronary syndrome after severe hypoglycemia: A population-based 2-year cohort study using the National Database in Japan. 2020 , 11, 426-434	12

55	Diet quality of Japanese adults with respect to age, sex, and income level in the National Health and Nutrition Survey, Japan. 2020 , 23, 821-832	10
54	Forecasting disability-adjusted life years for chronic diseases: reference and alternative scenarios of salt intake for 2017-2040 in Japan. 2020 , 20, 1475	4
53	Total Diet Study to Assess Radioactive Cs and K Levels in the Japanese Population before and after the Fukushima Daiichi Nuclear Power Plant Accident. 2020 , 17,	2
52	An Age-Period-Cohort Analysis of Biomarkers of Lifestyle-Related Diseases Using the National Health and Nutrition Survey in Japan, 1973-2018. 2020 , 17,	2
51	Association of Free Sugars Intake with Cardiometabolic Risk Factors among Japanese Adults: The 2016 National Health and Nutrition Survey, Japan. 2020 , 12,	0
50	Does Improvement in Health-Related Lifestyle Habits Increase Purpose in Life among a Health Literate Cohort?. 2020 , 17,	3
49	Prediction of disability-adjusted life years for diseases due to low fruit intake in 2017-2040 in Japan. 2021 , 24, 3156-3166	1
48	Nutrition surveillance. 2020 , 217-233	0
47	Determination of Urinary Cotinine Cut-Off Concentrations for Pregnant Women in the Japan Environment and Children's Study (JECS). 2020 , 17,	10
46	Gender differences in dietary behaviors among Japanese adolescents. 2020 , 20, 101203	2
45	Association between free sugars intake and nutrient dilution among Japanese adults: the 2016 National Health and Nutrition Survey, Japan. 2020 , 59, 3827-3839	3
44	Trends in BMI among elderly Japanese population: findings from 1973 to 2016 Japan National Health and Nutrition Survey. 2020 , 23, 1907-1915	3
43	Dietary Sodium Intake and Food Sources Among Chinese Adults: Data from the CNHNS 2010-2012. 2020 , 12,	14
42	Electrocardiographic Left Atrial Abnormality and B-Type Natriuretic Peptide in a General Japanese Population: NIPPON DATA2010. 2021 , 28, 34-43	1
41	Dietary sodium:potassium ratio and CVD risk factors among Japanese adults: a retrospective cross-sectional study of pooled data from the National Health and Nutrition Survey, 2003-2017. 2021 , 125, 79-91	2
40	Effective coverage of medical treatment for hypertension, diabetes and dyslipidaemia in Japan: An analysis of National Health and Nutrition Surveys 2003-2017. 2021 , 26, 106-114	1
39	Diet quality and household income level among students: 2014 National Health and Nutrition Survey Japan. 2021 , 75, 969-975	1
38	Association between free sugar intake and nutrient dilution among Japanese children and adolescents: the 2016 National Health and Nutrition Survey, Japan. 2021 , 125, 1394-1404	0

37	Modifiable Risk Factors for Cardiovascular Disease in Korea and Japan. 2021 , 51, 643-655	4
36	Regional Variations of Insulin Secretion and Insulin Sensitivity in Japanese Participants With Normal Glucose Tolerance. 2021 , 8, 632422	
35	A register-based SAH study in Japan: high incidence rate and recent decline trend based on lifestyle. 2020 , 134, 983-991	2
34	Do Japan's Health Care Personnel Meet the Personal Health Goals of the "National Health Promotion Program"? 2021 , 33, 899-906	1
33	Projections of disability-adjusted life years for major diseases due to a change in vegetable intake in 2017-2040 in Japan. 2021 , 21, 770	4
32	Trends in Energy Imbalance Gap and Body Weight Status in the Japanese Adult Population: A System Dynamics Approach. 2021 , 31, 335-342	0
31	Evaluation of occlusal status of Japanese adults based on functional tooth units. 2021 , 72, 100-100	1
30	Prevalence and patterns of tobacco and/or nicotine product use in Japan (2017) after the launch of a heated tobacco product (): a cross-sectional study.. 2021 , 10, 504	1
29	Productivity burden of hypertension in Japan. 2021 , 44, 1524-1533	1
28	10-year trend of tooth loss and associated factors in a Japanese population-based longitudinal study. 2021 , 11, e048114	1
27	The Clustering of Health-Related Behaviors in the Adult Japanese Population. 2021 , 31, 471-479	2
26	Data-driven development of the Meal-based Diet History Questionnaire for Japanese adults. 2021 , 126, 1056-1064	2
25	Application of the Healthy Eating Index-2015 and the Nutrient-Rich Food Index 9.3 for assessing overall diet quality in the Japanese context: Different nutritional concerns from the US. 2020 , 15, e0228318	12
24	Prevalence of Non-Communicable Diseases and Number of Comorbidities According to Differences in Household Income Levels in Japan: Analysis from National Health and Nutrition Survey. 2017 , 08, 19-30	1
23	Trends in Maternal and Child Malnutrition Indicators in Japan. 2020 , 78, S39-S49	0
22	Regional Trends in Dietary Intake in Japan: the 2003~2017 National Health and Nutrition Survey. 2020 , 78, S16-S26	
21	A Multi-disciplinary Study of the Drivers of Smoking Cessation in Japan.	
20	Prevalence and patterns of tobacco and/or nicotine product use in Japan (2017) after the launch of a heated tobacco product (IQOS): a cross-sectional study. 10, 504	0

19	Trends in Prevalence, Treatment, and Control of Hypertension According to 40-Year-Old Life Expectancy at Prefectures in Japan from the National Health and Nutrition Surveys.. 2022 , 14,	1
18	Association between exposure to secondhand smoking at home and tooth loss in Japan: A cross-sectional analysis of data from the 2016 National Health and Nutrition Survey.. 2021 , 19, 96	1
17	An assessment of implementation gaps and priority recommendations on food environment policies: the Healthy Food Environment Policy Index (Food-EPI) in Japan.. 2021 , 1-36	1
16	Influence of Perceived Stress and Stress Coping Adequacy on Multiple Health-Related Lifestyle Behaviors.. 2021 , 19,	1
15	Trends in dietary salt sources in Japanese adults: data from the 2007-2019 National Health and Nutrition Survey.. 2022 , 1-42	0
14	Trends and Disparities in Adult Body Mass Index Across the 47 Prefectures of Japan, 1975-2018: A Bayesian Spatiotemporal Analysis of National Household Surveys. 2022 , 10,	0
13	Development of a Digital Photographic Food Atlas as a Portion Size Estimation Aid in Japan. 2022 , 14, 2218	0
12	Evaluation of pre-Games effects of the Tokyo 2020 Olympic Games on Japanese population-level physical activity: a time-series analysis. 2022 , 19,	0
11	Reduction of Cardiovascular Events and Related Healthcare Expenditures through Achieving Population-Level Targets of Dietary Salt Intake in Japan: A Simulation Model Based on the National Health and Nutrition Survey. 2022 , 14, 3606	0
10	Association between Food Sources of Free Sugars and Weight Status among Children and Adolescents in Japan: The 2016 National Health and Nutrition Survey, Japan. 2022 , 14, 3659	0
9	Estimation of the Effect of Salt-Intake Reduction on Cardiovascular Mortality Decline between 1950 and 2017 in Japan: A Retrospective Simulation Study. 2022 , 14, 3747	0
8	Trends in Food Group Intake According to Body Size among Young Japanese Women: The 2001-2019 National Health and Nutrition Survey. 2022 , 14, 4078	1
7	Phase angle obtained via bioelectrical impedance analysis and objectively measured physical activity or exercise habits. 2022 , 12,	1
6	Projections of future coronary heart disease and stroke mortality in Japan until 2040: A Bayesian age-period-cohort analysis. 2022 , 100637	0
5	Body weight and lifestyle changes under the COVID-19 pandemic in Japan: a cross-sectional study from NIPPON DATA2010. 2022 , 12, e063213	0
4	Modelling of salt intake reduction by incorporation of umami substances into Japanese foods: a cross-sectional study. 2023 , 23,	0
3	Marital status, household size, and lifestyle changes during the first COVID-19 pandemic: NIPPON DATA2010. 2023 , 18, e0283430	0
2	Current dietary intake of the Japanese population in reference to the planetary health diet-preliminary assessment. 10,	0

- 1 Prevalence of Irritable Bowel Syndrome in East Asia: Are There Differences Between Countries?.
2023, 29, 127-128

o