

Effect of Alcohol Treatment on the Performance of PTB7 Heterojunction Solar Cells

ACS Applied Materials & Interfaces

7, 4641-4649

DOI: 10.1021/am5079418

Citation Report

#	ARTICLE	IF	CITATIONS
1	Neutrons for industry. EPJ Web of Conferences, 2015, 104, 01001.	0.3	5
2	Organic/Organic Cathode Bi-Interlayers Based on a Water-Soluble Nonconjugated Polymer and an Alcohol-Soluble Conjugated Polymer for High Efficiency Inverted Polymer Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 27871-27877.	8.0	21
3	A two-step strategy to clarify the roles of a solution processed PFN interfacial layer in highly efficient polymer solar cells. Journal of Materials Chemistry A, 2015, 3, 18432-18441.	10.3	79
4	Alternative Spectral Photoresponse in a $\text{Cu}_2\text{ZnSnS}_4/\text{n-GaN}$ Heterojunction Photodiode by Modulating Applied Voltage. ACS Applied Materials & Interfaces, 2015, 7, 16653-16658.	8.0	22
5	A facile approach to alleviate photochemical degradation in high efficiency polymer solar cells. Journal of Materials Chemistry A, 2015, 3, 16313-16319.	10.3	38
6	Microscopic Investigations into the Effect of Surface Treatment of Cathode and Electron Transport Layer on the Performance of Inverted Organic Solar Cells. ACS Applied Materials & Interfaces, 2015, 7, 16418-16427.	8.0	19
7	Constructing bulk heterojunction with componential gradient for enhancing the efficiency of polymer solar cells. Journal of Power Sources, 2015, 300, 238-244.	7.8	23
8	Air-processed polymer tandem solar cells with power conversion efficiency exceeding 10%. Energy and Environmental Science, 2015, 8, 2902-2909.	30.8	159
9	Effect of aggregation behavior and phenolic hydroxyl group content on the performance of lignosulfonate doped PEDOT as a hole extraction layer in polymer solar cells. RSC Advances, 2015, 5, 90913-90921.	3.6	18
10	An efficient hole transport material based on PEDOT dispersed with lignosulfonate: preparation, characterization and performance in polymer solar cells. Journal of Materials Chemistry A, 2015, 3, 21537-21544.	10.3	71
11	Improving the efficiency of polymer solar cells based on furan-flanked diketopyrrolopyrrole copolymer via solvent additive and methanol treatment. Nanoscale, 2015, 7, 15945-15952.	5.6	24
12	Integrated Effects of Two Additives on the Enhanced Performance of PTB7:PC71BM Polymer Solar Cells. Materials, 2016, 9, 171.	2.9	16
13	Square-Centimeter-Sized High-Efficiency Polymer Solar Cells: How the Processing Atmosphere and Film Quality Influence Performance at Large Scale. Advanced Energy Materials, 2016, 6, 1600290.	19.5	26
14	Understanding Solvent Manipulation of Morphology in Bulk-Heterojunction Organic Solar Cells. Chemistry - an Asian Journal, 2016, 11, 2620-2632.	3.3	24
15	Realizing Highly Efficient Inverted Photovoltaic Cells by Combination of Nonconjugated Small-Molecule Zwitterions with Polyethylene Glycol. ACS Applied Materials & Interfaces, 2016, 8, 18593-18599.	8.0	15
16	A Cross-Linkable Donor Polymer as the Underlying Layer to Tune the Active Layer Morphology of Polymer Solar Cells. Advanced Functional Materials, 2016, 26, 226-232.	14.9	41
17	Improving the efficiency of polymer solar cells via a treatment of methanol-water on the active layers. Journal of Materials Chemistry A, 2016, 4, 9644-9652.	10.3	23
18	High Efficiency Inverted Organic Solar Cells with a Neutral Fullero-pyrrolidine Electron-Collecting Interlayer. ACS Applied Materials & Interfaces, 2016, 8, 14293-14300.	8.0	40

#	ARTICLE	IF	CITATIONS
19	Synthesis of alternating D ¹ A ² terpolymers comprising two electron-deficient moieties, quinoxaline and benzothiadiazole units for photovoltaic applications. <i>Polymer Chemistry</i> , 2016, 7, 4025-4035.	3.9	11
20	Controlling additive behavior to reveal an alternative morphology formation mechanism in polymer ^o : ^o fullerene bulk-heterojunctions. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16136-16147.	10.3	22
21	A Simple Approach to Fabricate an Efficient Inverted Polymer Solar Cell with a Novel Small Molecular Electrolyte as the Cathode Buffer Layer. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 32992-32997.	8.0	21
22	New PDI-based small-molecule cathode interlayer material with strong electron extracting ability for polymer solar cells. <i>RSC Advances</i> , 2016, 6, 101645-101651.	3.6	16
23	High-Efficiency Nonfullerene Polymer Solar Cell Enabling by Integration of Film-Morphology Optimization, Donor Selection, and Interfacial Engineering. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 15415-15421.	8.0	33
24	Grazing incidence resonant soft X-ray scattering for analysis of multi-component polymer-fullerene blend thin films. <i>Polymer</i> , 2016, 105, 357-367.	3.8	18
25	Enhanced Performance of Inverted Polymer Solar Cells by Combining ZnO Nanoparticles and Poly[(9,9-bis(3 ^o -N</i>, </i>-dimethylamino)propyl)-2,7-fluorene)-</i>alt</i>-2,7-(9,9-dioctylfluorene)] as Electron Transport Layer. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3301-3307.	8.0	43
26	Probing Ternary Solvent Effect in High </i>V</i></sub>oc</sub> Polymer Solar Cells Using Advanced AFM Techniques. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 4730-4738.	8.0	7
27	An organic ^o inorganic hybrid interlayer for improved electron extraction in inverted polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2016, 4, 2463-2469.	5.5	59
28	Enhanced carrier dynamics of PTB7:PC 71 BM based bulk heterojunction organic solar cells by the incorporation of formic acid. <i>Organic Electronics</i> , 2016, 28, 275-280.	2.6	11
29	Triphenylamine Based Random Copolymers: The Effect of Molecular Weight on Performance of Solar Cell and Optoelectronic Properties. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1600544.	2.2	9
30	Solvent ^o Morphology ^o Property Relationship of PTB7:PC</sub>71</sub>BM Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 3740-3748.	8.0	50
31	Liquid eutectic Galn as an alternative electrode for PTB7:PCBM organic solar cells. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 046501.	1.5	5
32	Morphological characterization of fullerene and fullerene-free organic photovoltaics by combined real and reciprocal space techniques. <i>Journal of Materials Research</i> , 2017, 32, 1921-1934.	2.6	28
33	The effect of uni- and binary solvent additives in PTB7:PC61BM based solar cells. <i>Solar Energy</i> , 2017, 150, 66-72.	6.1	36
34	Three-Dimensional Morphology Control Yielding Enhanced Hole Mobility in Air-Processed Organic Photovoltaics: Demonstration with Grazing-Incidence Wide-Angle X-ray Scattering. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 22764-22772.	8.0	4
35	Low Work Function Lacunary Polyoxometalates as Electron Transport Interlayers for Inverted Polymer Solar Cells of Improved Efficiency and Stability. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 22773-22787.	8.0	23
36	Visualizing nanoscale phase morphology for understanding photovoltaic performance of PTB7:PC71BM solar cell. <i>Applied Surface Science</i> , 2017, 422, 509-517.	6.1	16

#	ARTICLE	IF	CITATIONS
37	Effect of methanol treatment on the performance of P3HT:PC71BM bulk heterojunction solar cells with various cathodes. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 12909-12915.	2.2	5
38	Recent Advances to Understand Morphology Stability of Organic Photovoltaics. <i>Nano-Micro Letters</i> , 2017, 9, 10.	27.0	58
39	Improving the Efficiency of Bulk Heterojunction Polymer Solar Cells Via Binary-Solvent Treatment. <i>IEEE Journal of Photovoltaics</i> , 2017, 7, 214-220.	2.5	11
40	A PTB7-based narrow band-gap conjugated polyelectrolyte as an efficient cathode interlayer in PTB7-based polymer solar cells. <i>Chemical Communications</i> , 2017, 53, 2005-2008.	4.1	25
41	Elementary Processes in Organic Photovoltaics. <i>Advances in Polymer Science</i> , 2017, , .	0.8	15
42	Controlled Morphologies by Molecular Design and Nano-Imprint Lithography. <i>Advances in Polymer Science</i> , 2017, , 215-242.	0.8	0
43	Authigenic buffer layer: Tuning surface work function in all polymer blend solar cells. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 535, 149-156.	4.7	2
44	Exploring the influence of acceptor content on semi-random conjugated polymers. <i>Journal of Polymer Science Part A</i> , 2017, 55, 3884-3892.	2.3	5
45	Improved Performance in n-type Organic Field-Effect Transistors via Polyelectrolyte-Mediated Interfacial Doping. <i>Advanced Electronic Materials</i> , 2017, 3, 1700184.	5.1	20
46	Methanol solvent treatment: A simple strategy to significantly boost efficiency and stability of air-processed ternary organic solar cells based on PTB7-Th:PCDTBT:PC70BM. <i>Organic Electronics</i> , 2017, 50, 63-69.	2.6	11
47	Conjugated Donor Polymers: Structure Formation and Morphology in Solution, Bulk and Photovoltaic Blends. <i>Advanced Energy Materials</i> , 2017, 7, 1700314.	19.5	63
48	Efficacious engineering on charge extraction for realizing highly efficient perovskite solar cells. <i>Energy and Environmental Science</i> , 2017, 10, 2570-2578.	30.8	155
49	Enhancing the power conversion efficiency of polymer solar cells via selection of quinoxaline substituents. <i>New Journal of Chemistry</i> , 2017, 41, 14635-14645.	2.8	1
50	Polymer solar cells with enhanced power conversion efficiency using nanomaterials and laser techniques. <i>Materials Technology</i> , 2017, 32, 279-298.	3.0	7
51	Effect of Processing Additives on Organic Photovoltaics: Recent Progress and Future Prospects. <i>Advanced Energy Materials</i> , 2017, 7, 1601496.	19.5	71
52	Correlation between the performance of organic bulk-heterojunction solar cells and the molecular structures of alcohol solvents. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	2.6	3
53	Co-solvent additives influence on the performance of PTB7:PCBM based Thin film organic solar cell. <i>Materials Today: Proceedings</i> , 2017, 4, 12558-12564.	1.8	23
54	Effects of Chain Orientation in Self-Organized Buffer Layers Based on Poly(3-alkylthiophene)s for Organic Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 8901-8908.	8.0	17

#	ARTICLE	IF	CITATIONS
55	Perylene Diimide-Based Zwitterion as the Cathode Interlayer for High-Performance Nonfullerene Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14986-14992.	8.0	35
57	Tetraphenylphosphonium Bromide as a Cathode Buffer Layer Material for Highly Efficient Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 5569-5576.	8.0	22
58	Alkali Salt-Doped Highly Transparent and Thickness-Insensitive Electron-Transport Layer for High-Performance Polymer Solar Cell. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 1939-1947.	8.0	18
59	Negative Correlation between Intermolecular vs Intramolecular Disorder in Bulk-Heterojunction Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 44576-44582.	8.0	19
60	Polymer solar cell textiles with interlaced cathode and anode fibers. <i>Journal of Materials Chemistry A</i> , 2018, 6, 19947-19953.	10.3	62
61	The effect of alcohol solvent treatment on the performance of inverted polymer solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 11672-11678.	2.2	3
62	Wide-bandgap polymers containing fluorinated phenylene units for polymer solar cells with high open-circuit voltage. <i>Synthetic Metals</i> , 2018, 244, 134-142.	3.9	3
63	Lignin-Based Composite Materials for Photocatalysis and Photovoltaics. <i>Topics in Current Chemistry</i> , 2018, 376, 20.	5.8	53
64	Organic electrolyte hybridized ZnO as the electron transport layer for inverted polymer solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 65, 175-179.	5.8	9
65	Organic Electrolytes Doped ZnO Layer as the Electron Transport Layer for Bulk Heterojunction Polymer Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1800086.	5.8	22
66	Recent Advances in Morphology Optimization for Organic Photovoltaics. <i>Advanced Materials</i> , 2018, 30, e1800453.	21.0	175
67	Observing electron transport and percolation in selected bulk heterojunctions bearing fullerene derivatives, non-fullerene small molecules, and polymeric acceptors. <i>Nano Energy</i> , 2019, 64, 103950.	16.0	31
68	Enhanced Organic Photovoltaic Performance through Modulating Vertical Composition Distribution and Promoting Crystallinity of the Photoactive Layer by Diphenyl Sulfide Additives. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 7022-7029.	8.0	79
69	Simple alcohol solvent treatment enables efficient non-fullerene organic solar cells. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 195104.	2.8	8
70	Efficient Polymer Solar Cells With High Fill Factor Enabled by A Furo[3,4- <i>c</i>]pyrrole- <i>c</i> ,6-dione-Based Copolymer. <i>Solar Rrl</i> , 2019, 3, 1900012.	5.8	17
71	Thiadiazoloquinoxaline and benzodithiophene bearing polymers for electrochromic and organic photovoltaic applications. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2019, 194, 937-946.	1.6	5
72	Effects of IPA treatment on the photovoltaic performance of bulk heterojunction organic solar cells. <i>Journal of Physics and Chemistry of Solids</i> , 2019, 130, 136-143.	4.0	6
73	Solution-dispersed copper iodide anode buffer layer gives P3HT:PCBM-based organic solar cells an efficiency boost. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 2726-2731.	2.2	8

#	ARTICLE	IF	CITATIONS
74	Performance and Stability of Organic Solar Cells Bearing Nitrogen Containing Electron Extraction Layers. <i>Energy Technology</i> , 2020, 8, 2000117.	3.8	2
75	High colloidal stability ZnO nanoparticles independent on solvent polarity and their application in polymer solar cells. <i>Scientific Reports</i> , 2020, 10, 18055.	3.3	25
76	Investigation of Molecular Dynamics of a PTB7:PCBM Polymer Blend with Quasi-Elastic Neutron Scattering. <i>ACS Applied Polymer Materials</i> , 2020, 2, 3797-3804.	4.4	8
77	Orthogonal Printable Reduced Graphene Oxide 2D Materials as Hole Transport Layers for High-Performance Inverted Polymer Solar Cells: Sheet Size Effect on Photovoltaic Properties. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 42811-42820.	8.0	14
78	Universal and versatile morphology engineering via hot fluoruous solvent soaking for organic bulk heterojunction. <i>Nature Communications</i> , 2020, 11, 5585.	12.8	29
79	Lignin Chemistry. <i>Topics in Current Chemistry Collections</i> , 2020, , .	0.5	7
80	Organic solar cells probed with advanced neutron scattering techniques. <i>Applied Physics Letters</i> , 2020, 116, 120504.	3.3	5
81	Techniques to Facilitate 3D Analysis of Self-Organized Nanostructure Mechanism in Polymer/Fullerene Bulk Heterojunction Device. <i>Advanced Materials Technologies</i> , 2021, 6, 2000999.	5.8	0
82	Fullerenes and their applications. , 2021, , 19-158.		2
83	The Influence of the Blend Ratio, Solvent Additive, and Post-production Treatment on the Polymer Dynamics in PTB7:PCBM Blend Films. <i>Macromolecules</i> , 2021, 54, 6534-6542.	4.8	3
84	Green syntheses of stable and efficient organic dyes for organic hybrid light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7274-7283.	5.5	8
85	3D printed spherical environmental chamber for neutron reflectometry and grazing-incidence small-angle neutron scattering experiments. <i>Review of Scientific Instruments</i> , 2020, 91, 113903.	1.3	14
86	Tin Oxide Electron Transport Layers for Air-/Solution-Processed Conventional Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 1568-1577.	8.0	9
87	High-Efficiency Sequential-Cast Organic Solar Cells Enabled by Dual Solvent-Controlled Polymer Aggregation. <i>Solar Rrl</i> , 2022, 6, .	5.8	14
89	Enhancing Efficiency of Nonfullerene Organic Solar Cells via Using Polyelectrolyte-Coated Plasmonic Gold Nanorods as Rear Interfacial Modifiers. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 16185-16196.	8.0	8
90	PTB7:PC ₇₁ BM bulk heterojunction solar cells exhibiting 9.64% efficiency via adopting moderate polarity solvent vapor annealing treatment. <i>Molecular Crystals and Liquid Crystals</i> , 0, , 1-11.	0.9	1
91	PTB7 and PTB7-Th as universal polymers to evaluate materials development aspects of organic solar cells including interfacial layers, new fullerenes, and non-fullerene electron acceptors. <i>Synthetic Metals</i> , 2022, 287, 117088.	3.9	6
92	Introduction of Water Treatment in Slot-Die Coated Organic Solar Cells to Improve Device Performance and Stability. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	5

#	ARTICLE	IF	CITATIONS
93	Ethanolâ€­Processable Polyfuran Derivative for Ecoâ€­Friendly Fabrication of Organic Solar Cells Featuring Selfâ€­Healing Function. Solar Rrl, 2022, 6, .	5.8	9
94	Sodium Alginate as a Natural Substrate for Efficient and Sustainable Organic Solar Cells. ACS Sustainable Chemistry and Engineering, 2022, 10, 15608-15617.	6.7	3
95	Scalable Non-Halogenated Co-solvent System for Large-Area, Four-Layer Slot-Die-Coated Organic Photovoltaics. ACS Applied Materials & Interfaces, 2022, 14, 57055-57063.	8.0	6
96	Dramatic improvement in stability and mechanism of high-performance inverted polymer solar cells featuring solution-processed buffer layer. Nanoscale, 0, , .	5.6	3
97	Bay-Functionalized Perylene Diimide Derivative Cathode Interfacial Layer for High-Performance Organic Solar Cells. ACS Applied Materials & Interfaces, 2023, 15, 8367-8376.	8.0	10
98	Application of neutron scattering in organic photovoltaic materials. , 2023, 42, 100023.		1
99	Enhanced charge separation by interchain hole delocalization in nonfullerene acceptorâ€­based bulk heterojunction materials. , 2023, 5, .		2
100	A review on smart strategies for active layer phase separation regulation of organic solar cells. APL Materials, 2023, 11, .	5.1	1