The burden of non-radiographic axial spondyloarthritis

Seminars in Arthritis and Rheumatism 44, 556-562

DOI: 10.1016/j.semarthrit.2014.10.009

Citation Report

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Comparison of non-radiographic axial spondyloarthritis and ankylosing spondylitis patients $\hat{a} \in \hat{u}$ baseline characteristics, treatment adherence, and development of clinical variables during three years of anti-TNF therapy in clinical practice. Arthritis Research and Therapy, 2015, 17, 378. | 3.5 | 53 |
| 2 | Evaluation of Health Outcomes with Etanercept Treatment in Patients with Early Nonradiographic Axial Spondyloarthritis. Journal of Rheumatology, 2015, 42, 1835-1841. | 2.0 | 26 |
| 3 | Certolizumab pegol for treating axial spondyloarthritis. Expert Opinion on Biological Therapy, 2016, 16, 1059-1064. | 3.1 | 3 |
| 4 | SAT0389â€Long-Term Improvements in Workplace and Household Productivity and Social Participation over 4 Years of Certolizumab Pegol Treatment in Patients with Axial Spondyloarthritis, Including Ankylosing Spondylitis and Non-Radiographic Axial Spondyloarthritis. Annals of the Rheumatic Diseases, 2016, 75, 809,1-809. | 0.9 | 0 |
| 5 | Costs of early spondyloarthritis: estimates from the first 3â€years of the DESIR cohort. RMD Open, 2016, 2, e000230. | 3.8 | 14 |
| 6 | Evolving "Diagnostic―Criteria for Axial Spondyloarthritis in the Context of Anterior Uveitis. Ocular Immunology and Inflammation, 2016, 24, 445-449. | 1.8 | 11 |
| 7 | SAT0388â€Long-Term Efficacy and Tolerability of Golimumab in Active Nonradiographic Axial Spondyloarthritis: Results of The Open-Label Extension of A Randomized, Double-Blind Study. Annals of the Rheumatic Diseases, 2016, 75, 808.2-809. | 0.9 | 0 |
| 8 | Patient-reported impact of spondyloarthritis on work disability and working life: the ATLANTIS survey. Arthritis Research and Therapy, 2016, 18, 78. | 3.5 | 52 |
| 9 | The prevalence and clinical characteristics of nonradiographic axial spondyloarthritis among patients with inflammatory back pain in rheumatology practices: a multinational, multicenter study. Arthritis Research and Therapy, 2016, 18, 132. | 3.5 | 42 |
| 10 | The term †non-radiographic axial spondyloarthritis†is much more important to classify than to diagnose patients with axial spondyloarthritis. Annals of the Rheumatic Diseases, 2016, 75, 791-794. | 0.9 | 105 |
| 11 | Spinal Mobility in Axial Spondyloarthritis: A Crossâ€Sectional Clinical Study. Musculoskeletal Care, 2017, 15, 36-48. | 1.4 | 5 |
| 12 | High Prevalence of Undiagnosed Axial Spondyloarthritis in Patients with Chronic Low Back Pain Consulting Non-Rheumatologist Specialists in Belgium: SUSPECT Study. Rheumatology and Therapy, 2017, 4, 121-132. | 2.3 | 9 |
| 13 | Work disability in non-radiographic axial spondyloarthritis patients before and after start of anti-TNF therapy: a population-based regional cohort study from southern Sweden. Rheumatology, 2017, 56, kew473. | 1.9 | 6 |
| 14 | 2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. Annals of the Rheumatic Diseases, 2017, 76, 978-991. | 0.9 | 1,220 |
| 15 | Evaluation of multiple referral strategies for axial spondyloarthritis in the SPondyloArthritis Caught Early (SPACE) cohort. RMD Open, 2017, 3, e000389. | 3.8 | 34 |
| 16 | Conventional Radiology in Spondyloarthritis. Radiologic Clinics of North America, 2017, 55, 943-966. | 1.8 | 5 |
| 17 | Radiographic sacroiliitis develops predictably over time in a cohort of familial spondyloarthritis followed longitudinally. Rheumatology, 2017, 56, 811-817. | 1.9 | 14 |
| 18 | Non-radiographic axial spondyloarthritis patients without initial evidence of inflammation may develop objective inflammation over time. Rheumatology, 2017, 56, 1162-1166. | 1.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Work outcome in yet undiagnosed patients with non-radiographic axial spondyloarthritis and ankylosing spondylitis; results of a cross-sectional study among patients with chronic low back pain. Arthritis Research and Therapy, 2017, 19, 143. | 3.5 | 13 |
| 20 | Prevalence and factors associated with disturbed sleep in patients with ankylosing spondylitis and non-radiographic axial spondyloarthritis: a systematic review. Rheumatology International, 2017, 37, 257-271. | 3.0 | 42 |
| 21 | Systematic review of clinical, humanistic, and economic outcome comparisons between radiographic and non-radiographic axial spondyloarthritis. Seminars in Arthritis and Rheumatism, 2017, 46, 746-753. | 3.4 | 29 |
| 22 | Serum inflammatory biomarkers fail to identify early axial spondyloarthritis: results from the SpondyloArthritis Caught Early (SPACE) cohort. RMD Open, 2017, 3, e000319. | 3.8 | 40 |
| 23 | The Nonradiographic Axial Spondyloarthritis, the Radiographic Axial Spondyloarthritis, and Ankylosing Spondylitis: The Tangled Skein of Rheumatology. International Journal of Rheumatology, 2017, 2017, 1-9. | 1.6 | 20 |
| 24 | Nonradiographic axial spondyloarthritis. Best Practice and Research in Clinical Rheumatology, 2017, 31, 816-829. | 3.3 | 19 |
| 25 | Emerging drugs for the treatment of axial spondyloarthritis. Expert Opinion on Emerging Drugs, 2018, 23, 83-96. | 2.4 | 9 |
| 26 | MRI for diagnosis of axial spondyloarthritis: major advance with critical limitations †Not everything that glisters is gold (standard)'. RMD Open, 2018, 4, e000586. | 3.8 | 51 |
| 27 | Characterization of Patients With Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis in the ⟨scp⟩US⟨/scp⟩â€Based Corrona Registry. Arthritis Care and Research, 2018, 70, 1661-1670. | 3.4 | 53 |
| 29 | In Early Axial Spondyloarthritis, Increasing Disease Activity Is Associated with Worsening of Health-related Quality of Life over Time. Journal of Rheumatology, 2018, 45, 779-784. | 2.0 | 10 |
| 30 | Classification criteria versus physician's opinion for considering a patient with inflammatory back pain as suffering from spondyloarthritis. Joint Bone Spine, 2018, 85, 85-91. | 1.6 | 14 |
| 31 | Effectiveness of Exercise Programs in Ankylosing Spondylitis: A Meta-Analysis of Randomized Controlled Trials. Archives of Physical Medicine and Rehabilitation, 2018, 99, 383-389.e1. | 0.9 | 72 |
| 32 | Recomendaciones de la Sociedad Española de ReumatologÃa sobre el uso de terapias biológicas en espondiloartritis axial. ReumatologÃa ClÃnica, 2018, 14, 320-333. | 0.5 | 24 |
| 33 | The comparative efficacy of group- versus home-based exercise programs in patients with ankylosing spondylitis. Medicine (United States), 2018, 97, e11540. | 1.0 | 2 |
| 34 | Recommendations by the Spanish Society of Rheumatology on the Use of Biological Therapies in Axial Spondyloarthritis. ReumatologÃa ClÃnica (English Edition), 2018, 14, 320-333. | 0.3 | 3 |
| 35 | Optimizing outcomes for ankylosing spondylitis and axial spondyloarthritis patients: a holistic approach to care. Rheumatology, 2018, 57, vi29-vi34. | 1.9 | 25 |
| 36 | Radiographic progression in non-radiographic axial spondyloarthritis. Expert Review of Clinical Immunology, 2018, 14, 525-533. | 3.0 | 55 |
| 37 | Gender Differences in Axial Spondyloarthritis: Women Are Not So Lucky. Current Rheumatology Reports, 2018, 20, 35. | 4.7 | 174 |

| # | ARTICLE | IF | Citations |
|----|--|-----|-----------|
| 38 | Work participation in spondyloarthritis across countries: analysis from the ASAS-COMOSPA study. Annals of the Rheumatic Diseases, 2018, 77, 1303-1310. | 0.9 | 18 |
| 39 | Gait as predictor of physical function in axial spondyloarthritis: the prospective longitudinal FOLOMI (Function, Locomotion, Measurement, Inflammation) study protocol. Rheumatology International, 2019, 39, 1681-1688. | 3.0 | 8 |
| 40 | One Year of Pilates Training for Ankylosing Spondylitis: A Pilot Study. Journal of Alternative and Complementary Medicine, 2019, 25, 1054-1061. | 2.1 | 11 |
| 41 | 2019 Update of the American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. Arthritis Care and Research, 2019. 71. 1285-1299. | 3.4 | 274 |
| 42 | 2019 Update of the American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. Arthritis and Rheumatology, 2019, 71, 1599-1613. | 5.6 | 401 |
| 43 | The impact of sex and disease classification on patient-reported outcome measures in axial spondyloarthritis: a descriptive prospective cross-sectional study. Arthritis Research and Therapy, 2019, 21, 221. | 3.5 | 11 |
| 44 | How to investigate: Early axial spondyloarthritis. Best Practice and Research in Clinical Rheumatology, 2019, 33, 101427. | 3.3 | 13 |
| 45 | Aberrant expression of microRNAs in peripheral blood mononuclear cells as candidate biomarkers in patients with axial spondyloarthritis. International Journal of Rheumatic Diseases, 2019, 22, 1188-1195. | 1.9 | 13 |
| 46 | Nonpharmacologic Management of Axial Spondyloarthritis. , 2019, , 203-216. | | 1 |
| 47 | Similar alteration for mental and physical aspects in health-related quality of life over 5 to 8 years in 1347 patients with early arthritis and early inflammatory back pain. Arthritis Research and Therapy, 2019, 21, 63. | 3.5 | 1 |
| 48 | Relationship between disease activity status or clinical response and patient-reported outcomes in patients with non-radiographic axial spondyloarthritis: 104-week results from the randomized controlled EMBARK study. Health and Quality of Life Outcomes, 2020, 18, 4. | 2.4 | 10 |
| 49 | Improvement of Functioning and Health With Ixekizumab in the Treatment of Active Nonradiographic Axial Spondyloarthritis in a <scp>52â€Week</scp> , Randomized, Controlled Trial. Arthritis Care and Research, 2022, 74, 451-460. | 3.4 | 10 |
| 50 | Reliability and validity of the Turkish Version of Arthritis Research UK Musculoskeletal Health Questionnaire. Archives of Rheumatology, 2020, 35, 155-162. | 0.9 | 5 |
| 51 | Similarities and differences between non-radiographic and radiographic axial spondyloarthritis: The patient perspective from the Spanish atlas. ReumatologÃa ClÃnica, 2020, , . | 0.5 | 1 |
| 52 | Content validity of the ASQoL for use in a non-radiographic axial spondyloarthritis population: a qualitative study. Quality of Life Research, 2020, 29, 3155-3166. | 3.1 | 4 |
| 53 | Sex and gender differences in axial spondyloarthritis: myths and truths. Rheumatology, 2020, 59, iv38-iv46. | 1.9 | 57 |
| 54 | Clinical performance of ASAS Health Index in patients with ankylosing spondylitis and non-radiographic axial spondyloarthritis: real-world evidence from Multicenter Nationwide Registry. Rheumatology International, 2020, 40, 1793-1801. | 3.0 | 16 |
| 55 | Maintenance of clinical remission in early axial spondyloarthritis following certolizumab pegol dose reduction. Annals of the Rheumatic Diseases, 2020, 79, 920-928. | 0.9 | 53 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | Spinal radiographic progression in axial spondyloarthritis and the impact of classification as nonradiographic versus radiographic disease: Data from the Swiss Clinical Quality Management cohort. PLoS ONE, 2020, 15, e0230268. | 2.5 | 17 |
| 57 | The comparative efficacy of supervised- versus home-based exercise programs in patients with ankylosing spondylitis. Medicine (United States), 2020, 99, e19229. | 1.0 | 20 |
| 58 | Extended Role Practitioners to Improve Access to Rheumatic Care: What is the Evidence in the Classification of Patients with Spondyloarthritis?. Journal of Rheumatology, 2020, 47, 483-485. | 2.0 | 2 |
| 59 | Non-radiographic axial spondyloarthritis. Modern Rheumatology, 2021, 31, 277-282. | 1.8 | 9 |
| 60 | Additive values of pelvic tomosynthesis in comparison to pelvic radiography alone for the diagnosis of sacroiliitis in patients with suspected axial spondyloarthritis. Skeletal Radiology, 2021, 50, 1197-1207. | 2.0 | 2 |
| 61 | Ixekizumab Improves Patient-Reported Outcomes in Non-Radiographic Axial Spondyloarthritis: Results from the Coast-X Trial. Rheumatology and Therapy, 2021, 8, 135-150. | 2.3 | 7 |
| 62 | The role of ixekizumab in non-radiographic axial spondyloarthritis. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2098673. | 2.7 | 4 |
| 63 | Pain in Axial Spondyloarthritis: More to It Than Just Inflammation. Journal of Rheumatology, 2021, 48, 1632-1634. | 2.0 | 3 |
| 64 | Musculoskeletal ultrasound for ankylosing spondylitis. Medicine (United States), 2021, 100, e25822. | 1.0 | 3 |
| 65 | HLA-B27 is associated with reduced disease activity in axial spondyloarthritis. Scientific Reports, 2021, 11, 12331. | 3.3 | 7 |
| 66 | SWE and SMI ultrasound techniques for monitoring needling treatment of ankylosing spondylitis: study protocol for a single-blinded randomized controlled trial. Trials, 2021, 22, 385. | 1.6 | 1 |
| 67 | Investigating diagnosis, treatment, and burden of disease in patients with ankylosing spondylitis in Central Eastern Europe and the United States: a real-world study. Clinical Rheumatology, 2021, 40, 4915-4926. | 2.2 | 3 |
| 68 | How do clinical and socioeconomic factors impact on work disability in early axial spondyloarthritis? Five-year data from the DESIR cohort. Rheumatology, 2022, 61, 2034-2042. | 1.9 | 6 |
| 69 | The ASAS-OMERACT core domain set for axial spondyloarthritis. Seminars in Arthritis and Rheumatism, 2021, 51, 1342-1349. | 3.4 | 35 |
| 70 | The mSQUASH; a valid, reliable and responsive questionnaire for daily physical activity in patients with axial spondyloarthritis. Seminars in Arthritis and Rheumatism, 2021, 51, 719-727. | 3.4 | 5 |
| 71 | The Effect of Etanercept in Nonradiographic Axial Spondyloarthritis by Stratified Câ€Reactive Protein Levels. ACR Open Rheumatology, 2021, 3, 699-706. | 2.1 | 1 |
| 72 | Human motion capture for movement limitation analysis using an RGB-D camera in spondyloarthritis: a validation study. Medical and Biological Engineering and Computing, 2021, 59, 2127-2137. | 2.8 | 0 |
| 73 | Ixekizumab improves sleep and work productivity in patients with non-radiographic axial spondyloarthritis: results from the COAST-X trial at 52 weeks. BMC Rheumatology, 2021, 5, 50. | 1.6 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----------|-----------|
| 74 | Clinical characteristics of non-radiographic versus radiographic axial spondyloarthritis in Asia and non-radiographic axial spondyloarthritis in other regions: results of the cross-sectional ASAS-COMOSPA study. RMD Open, 2021, 7, e001752. | 3.8 | 11 |
| 75 | Central sensitization, illness perception and obesity should be considered when interpreting disease activity in axial spondyloarthritis. Rheumatology, 2021, 60, 4476-4485. | 1.9 | 19 |
| 76 | Recent advances in managing axial spondyloarthritis. F1000Research, 2020, 9, 697. | 1.6 | 6 |
| 77 | Tumour necrosis factor-α inhibitors for ankylosing spondylitis and non-radiographic axial spondyloarthritis: a systematic review and economic evaluation. Health Technology Assessment, 2016, 20, 1-334. | 2.8 | 62 |
| 78 | SAT0563â€SINGLE-PHOTON EMISSION COMPUTED TOMOGRAPHY-COMPUTED TOMOGRAPHY IS EQUIVALENT MAGNETIC RESONANCE IMAGING IN THE EARLY DIAGNOSIS OF SPONDYLOARTHRITIS: A RETROSPECTIVE STUDY. Annals of the Rheumatic Diseases, 2020, 79, 1239.1-1240. | TO 0.9 | 0 |
| 79 | A nationwide questionnaire survey on the prevalence of ankylosing spondylitis and non-radiographic axial spondyloarthritis in Japan. Modern Rheumatology, 2022, 32, 960-967. | 1.8 | 6 |
| 80 | Antiphospholipid Syndrome Associated with Nonradiographic Axial Spondyloarthritis. Case Reports in Rheumatology, 2021, 2021, 1-3. | 0.6 | 0 |
| 81 | Anxiety and depression among patients with axial spondyloarthritis. , 2022, 9, 8-13. | | 9 |
| 82 | Presence of subclinical inflammation in axial spondyloarthritis patients with NSAID/anti-TNF-α drug-induced clinical remission. Clinical Rheumatology, 2022, 41, 1403-1412. | 2.2 | 5 |
| 83 | Advances in treatment of axial spondyloarthritis are associated with improved patient outcomes: data from the Ankylosing Spondylitis Registry of Ireland (ASRI). Rheumatology International, 2022, 42, 831-838. | 3.0 | 1 |
| 84 | The relationship between central sensitization and disease activity, quality of life, and sleep quality among patients with axial spondyloarthritis. Irish Journal of Medical Science, 2023, 192, 481-489. | 1.5 | 9 |
| 85 | Similarities and differences between non-radiographic and radiographic axial spondyloarthritis: The patient perspective from the Spanish atlas. ReumatologÃa ClÃnica (English Edition), 2022, 18, 169-176. | 0.3 | 0 |
| 86 | Structural Lesion Progression of the Sacroiliac Joint and Clinical Features in axSpA During TNFi Reduction: A Retrospective Cohort Study. Frontiers in Medicine, 2021, 8, 781088. | 2.6 | 1 |
| 87 | Characteristics of patients with axial spondyloarthritis by geographic regions: PROOF multicountry observational study baseline results. Rheumatology, 2022, 61, 3299-3308. | 1.9 | 16 |
| 88 | Effectiveness of thalidomide for ankylosing spondylitis: a meta-analysis of randomized controlled trials in China. Clinical Rheumatology, 0 , , . | 2.2 | 2 |
| 89 | The impact of gender and sex on diagnosis, treatment outcomes and health-related quality of life in patients with axial spondyloarthritis. Clinical Rheumatology, 2022, 41, 3573-3581. | 2.2 | 8 |
| 90 | Physical activity is associated with physical and global function in patients with axial spondyloarthritis, independent of disease activity. Seminars in Arthritis and Rheumatism, 2022, 56, 152067. | 3.4 | 3 |
| 91 | A study of clinical, radiological features and HLA-B27 serology of axial spondyloarthropathy with comparison of radiographic and non-radiographic disease. Journal of Family Medicine and Primary Care, 2022, 11, 4417. | 0.9 | O |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 92 | Considering the Patient Perspective: Challenges Facing Women with Axial Spondyloarthritis and Psoriatic Arthritis. European Medical Journal Rheumatology, 0, , 41-49. | 0.0 | 0 |
| 93 | Increase in axial spondyloarthritis diagnoses after the introduction of the ASAS criteria: a systematic review. Rheumatology International, 0, , . | 3.0 | 0 |
| 94 | Thrombocytosis in patients with spondyloarthritis: a case–control study. BMC Musculoskeletal Disorders, 2023, 24, . | 1.9 | 0 |
| 95 | Identifying frailty and its associated factors in patients with axial spondyloarthritis. International Journal of Rheumatic Diseases, 2023, 26, 519-530. | 1.9 | 1 |
| 96 | Two-year imaging outcomes from a phase 3 randomized trial of secukinumab in patients with non-radiographic axial spondyloarthritis. Arthritis Research and Therapy, 2023, 25, . | 3.5 | 2 |
| 97 | The International Map of Axial Spondyloarthritis Survey: A <scp>US</scp> Patient Perspective on Diagnosis and Burden of Disease. ACR Open Rheumatology, 2023, 5, 264-276. | 2.1 | 2 |
| 98 | Visual Scoring of Sacroiliac Joint/Sacrum Ratios of Single-Photon Emission Computed Tomography/Computed Tomography Images Affords High Sensitivity and Negative Predictive Value in Axial Spondyloarthritis. Diagnostics, 2023, 13, 1725. | 2.6 | 0 |
| 99 | Neural network algorithm for detection of erosions and ankylosis on CT of the sacroiliac joints: multicentre development and validation of diagnostic accuracy. European Radiology, 2023, 33, 8310-8323. | 4.5 | 3 |
| 100 | Disease course of non-radiographic axial spondyloarthritis: Data from a long-term retrospective observational cohort. PLoS ONE, 2023, 18, e0288153. | 2.5 | 1 |
| 101 | Clinical significance of possible HLA biomarkers in axial spondyloarthritis beyond HLA-B27 positivity. Rheumatology International, 0, , . | 3.0 | 0 |
| 102 | Factors Associated With Residual Disease in Axial Spondyloarthritis: Results From a Clinical Practice Registry. Journal of Rheumatology, 2023, 50, 1430-1438. | 2.0 | 1 |
| 103 | Treatment Patterns and Healthcare Resource Utilization Among Newly Diagnosed Psoriasis, Psoriatic Arthritis, Axial Spondyloarthritis, and Hidradenitis Suppurativa Patients with Past Diagnosis of an Inflammatory Condition: A Retrospective Cohort Analysis of Claims Data in the United States. Advances in Therapy, O | 2.9 | 0 |
| 104 | Nationwide Analysis of Sacroiliac Joint Fusion Trends: Regional Variations in Utilization and Population Characteristics. Global Spine Journal, 0, , . | 2.3 | 0 |
| 105 | Achievement of higher thresholds of clinical responses and lower levels of disease activity is associated with improvements in workplace and household productivity in patients with axial spondyloarthritis. Therapeutic Advances in Musculoskeletal Disease, 2023, 15, . | 2.7 | 1 |
| 106 | Pan American League of Associations for Rheumatology recommendations for the management of axial spondyloarthritis. Nature Reviews Rheumatology, 2023, 19, 724-737. | 8.0 | 1 |
| 107 | The Impact of Spondyloarthritis on Health-Related Quality of Life and Healthcare Resource Utilization in Saudi Arabia: A Narrative Review and Directions for Future Research. Open Access Rheumatology: Research and Reviews, 0, Volume 15, 161-171. | 1.6 | 0 |
| 108 | The Taiwanese Map of Axial Spondyloarthritis: Living with the Condition. Medicina (Lithuania), 2023, 59, 1962. | 2.0 | 1 |
| 109 | Productividad laboral y doméstica con certolizumabpegol en pacientes con espondiloartritis axial noradiográfica en España: un análisis de costes. , 2021, 16, 70-82. | | O |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 110 | Radiographic Progression in Sacroiliac Joints in Patients With Axial Spondyloarthritis: Results From a <scp>Fiveâ€Year</scp> International Observational Study. ACR Open Rheumatology, 2024, 6, 103-110. | 2.1 | 0 |
| 111 | Pain in axial spondyloarthritis: role of the JAK/STAT pathway. Frontiers in Immunology, 0, 15, . | 4.8 | 0 |
| 112 | The role of ixekizumab in the treatment of nonradiographic axial spondyloarthritis. Immunotherapy, 0, | 2.0 | 0 |