

Sports Participation 2 Years After Anterior Cruciate Ligament Injury Who Had Not Returned to Sport at 1 Year

American Journal of Sports Medicine

43, 848-856

DOI: 10.1177/0363546514563282

Citation Report

#	ARTICLE	IF	CITATIONS
2	Anterior Cruciate Ligament Reconstructionâ€™Not Exactly a One-Way Ticket Back to the Preinjury Level. Sports Health, 2015, 7, 224-230.	2.7	137
3	What is the evidence to support a psychological component to rehabilitation programs after anterior cruciate ligament reconstruction?. Current Orthopaedic Practice, 2016, 27, 263-268.	0.2	13
4	Factors associated with playing football after anterior cruciate ligament reconstruction in female football players. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 1343-1352.	2.9	46
5	Muscle function is associated with future patient-reported outcomes in young adults with ACL injury. BMJ Open Sport and Exercise Medicine, 2016, 2, e000154.	2.9	28
6	Satisfaction With Knee Function After Primary Anterior Cruciate Ligament Reconstruction Is Associated With Self-Efficacy, Quality of Life, and Returning to the Preinjury Physical Activity. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 1631-1638.e3.	2.7	73
7	Quadriceps Strength Predicts Self-reported Function Post-ACL Reconstruction. Medicine and Science in Sports and Exercise, 2016, 48, 1671-1677.	0.4	102
8	Return to Play Following Anterior Cruciate Ligament Reconstruction. Clinics in Sports Medicine, 2016, 35, 655-668.	1.8	18
9	Prevention and Management of Loss of Motion in Anterior Cruciate Ligament Surgery. Operative Techniques in Sports Medicine, 2016, 24, 45-54.	0.3	3
10	Postoperative Rehabilitation and Return to Play After Anterior Cruciate Ligament Reconstruction. Operative Techniques in Sports Medicine, 2016, 24, 35-44.	0.3	9
11	Physiotherapists' experiences of the management of anterior cruciate ligament injuries. Physical Therapy in Sport, 2016, 19, 14-22.	1.9	9
12	Return to sport: Does excellent 6-month strength and function following ACL reconstruction predict midterm outcomes?. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1356-1363.	4.2	84
13	Comparison of patientâ€™reported outcomes among those who chose <scp>ACL</scp> reconstruction or nonâ€™surgical treatment. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 535-544.	2.9	41
14	Individualizing the Return to Sports After Anterior Cruciate Ligament Reconstruction. Operative Techniques in Orthopaedics, 2017, 27, 70-78.	0.1	10
15	Individualized Anatomical Anterior Cruciate Ligament Reconstruction. Operative Techniques in Orthopaedics, 2017, 27, 20-26.	0.1	2
16	Return to Play and Patient Satisfaction After ACL Reconstruction. Journal of Bone and Joint Surgery - Series A, 2017, 99, 720-725.	3.0	80
17	Editorial Commentary: The Anterolateral Ligamentâ€™What We Know, What We Do Not Know, and How This Article Helps. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 1026-1027.	2.7	0
18	Relationships Between Knee Extension Moments During Weighted and Unweighted Gait and Strength Measures That Predict Knee Moments After ACL Reconstruction. Sports Health, 2017, 9, 356-363.	2.7	4
19	Outcome of Hamstring Autograft With Preserved Insertions Compared With Free Hamstring Autograft in Anterior Cruciate Ligament Surgery at 2-Year Follow-up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 2208-2216.	2.7	14

#	ARTICLE	IF	CITATIONS
20	Influence of Demographic and Utilization of Physical Therapy Interventions on Clinical Outcomes and Revision Rates Following Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 1-35.	3.5	5
21	Young Athletes After Anterior Cruciate Ligament Reconstruction Cleared for Sports Participation: How Many Actually Meet Recommended Return-to-Sport Criteria Cutoffs?. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 1-27.	3.5	93
22	Preoperative Short Form Health Survey Score Is Predictive of Return to Play and Minimal Clinically Important Difference at a Minimum 2-Year Follow-up After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2017, 45, 2784-2790.	4.2	108
23	Young Athletes After Anterior Cruciate Ligament Reconstruction With Single-Leg Landing Asymmetries at the Time of Return to Sport Demonstrate Decreased Knee Function 2 Years Later. American Journal of Sports Medicine, 2017, 45, 2604-2613.	4.2	45
24	The Lower Extremity Athlete: Postrehabilitation Performance and Injury Prevention Training. Operative Techniques in Sports Medicine, 2017, 25, 231-240.	0.3	1
25	MRI-based ACL graft maturity does not predict clinical and functional outcomes during the first year after ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3171-3178.	4.2	47
26	Psychological factors are important to return to pre-injury sport activity after anterior cruciate ligament reconstruction: expect and motivate to satisfy. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1375-1384.	4.2	123
27	Return to Sport following ACL Reconstruction: The Australian Experience. , 2017, , 413-426.		1
28	Double-bundle revision anterior cruciate ligament reconstruction is effective in rescuing failed primary reconstruction and re-introducing patients to physical exercise. Experimental and Therapeutic Medicine, 2018, 15, 2074-2080.	1.8	5
29	Webinar: Assessing Patient Satisfaction Following Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, .	3.5	0
30	Unilateral Quadriceps Strengthening With Disinhibitory Cryotherapy and Quadriceps Symmetry After Anterior Cruciate Ligament Reconstruction. Journal of Athletic Training, 2017, 52, 1010-1018.	1.8	8
31	The Utility of Objective Strength and Functional Performance to Predict Subjective Outcomes After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711774475.	1.7	23
32	Translation, cultural adaptation and validation of simplified Chinese version of the anterior cruciate ligament return to sport after injury (ACL-RSI) scale. PLoS ONE, 2017, 12, e0183095.	2.5	20
33	Measuring individual hierarchy of anxiety invoking sports related activities: development and validation of the Photographic Series of Sports Activities for Anterior Cruciate Ligament Reconstruction (PHOSA-ACLR). BMC Musculoskeletal Disorders, 2017, 18, 287.	1.9	9
34	Which patient reported outcomes to collect after anterior cruciate ligament reconstruction. Annals of Joint, 2017, 2, 21-21.	1.0	8
35	Decision to Return to Sport After Anterior Cruciate Ligament Reconstruction, Part I: A Qualitative Investigation of Psychosocial Factors. Journal of Athletic Training, 2018, 53, 452-463.	1.8	69
36	ACL: Time-Based Return to Play. "Role of Patient Reporting in Return to Play", 2018, , 263-271.		0
37	Low rates of patients meeting return to sport criteria 9 months after anterior cruciate ligament reconstruction: a prospective longitudinal study. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3636-3644.	4.2	117

#	ARTICLE	IF	CITATIONS
38	Psychological Factors Influencing Return to Sport After Anterior Cruciate Ligament Reconstruction. , 2018, , 73-83.		5
39	Return to Play Criteria: The Norwegian Experience. , 2018, , 139-148.		1
40	Impact of treatment strategy and physical performance on future knee-related self-efficacy in individuals with ACL injury. BMC Musculoskeletal Disorders, 2018, 19, 50.	1.9	10
41	No clinical differences between anteromedial portal and transtibial technique for femoral tunnel positioning in anterior cruciate ligament reconstruction: a prospective randomized, controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1335-1342.	4.2	29
42	The Impact of Depression on Patient Outcomes in Hip Arthroscopic Surgery. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711880649.	1.7	53
43	Biologically Augmented Quadriceps Tendon Autograft With Platelet-Rich Plasma for Anterior Cruciate Ligament Reconstruction. Arthroscopy Techniques, 2018, 7, e1063-e1069.	1.3	2
44	Comparison of Lower Extremity Recovery After Anterior Cruciate Ligament Reconstruction With Transphyseal Hamstring Versus Extraphyseal Iliotibial Band Techniques in Skeletally Immature Athletes. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711876804.	1.7	19
45	Decision to Return to Sport Participation After Anterior Cruciate Ligament Reconstruction, Part II: Self-Reported and Functional Performance Outcomes. Journal of Athletic Training, 2018, 53, 464-474.	1.8	31
46	CORR Insights®: What is the Relationship of Fear Avoidance to Physical Function and Pain Intensity in Injured Athletes?. Clinical Orthopaedics and Related Research, 2018, 476, 764-766.	1.5	0
47	Ready or Not. American Journal of Sports Medicine, 2018, 46, 1542-1544.	4.2	2
48	Psychological Predictors of Anterior Cruciate Ligament Recovery Outcomes. , 2018, , 498-500.e2.		0
49	Imaging Diagnosis of Injury to the Anterolateral Ligament in Patients With Anterior Cruciate Ligaments: Association of Anterolateral Ligament Injury With Other Types of Knee Pathology and Grade of Pivot-Shift Examination: A Systematic Review. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 2728-2738.	2.7	32
50	Prevalence of Posttraumatic Stress Disorder Symptoms Among Young Athletes After Anterior Cruciate Ligament Rupture. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711878715.	1.7	52
51	The relationships between kinesiophobia and clinical outcomes after ACL reconstruction differ by self-reported physical activity engagement. Physical Therapy in Sport, 2019, 40, 1-9.	1.9	26
52	Preoperative Mental Health Scores and Achieving Patient Acceptable Symptom State Are Predictive of Return to Work After Arthroscopic Rotator Cuff Repair. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711987841.	1.7	24
53	Return to Play after Anterior Cruciate Ligament Reconstruction among Amateur Soccer Players. Revista Chilena De Ortopedia Y Traumatología, 2019, 60, 035-038.	0.0	1
54	Psychosocial Barriers After Anterior Cruciate Ligament Reconstruction: A Clinical Review of Factors Influencing Postoperative Success. Sports Health, 2019, 11, 528-534.	2.7	35
55	Prior history of anterior cruciate ligament (ACL) reconstruction is associated with a greater risk of subsequent ACL injury in female collegiate athletes. Journal of Science and Medicine in Sport, 2019, 22, 1309-1313.	1.3	5

#	ARTICLE	IF	CITATIONS
56	Learned Helplessness After Anterior Cruciate Ligament Reconstruction: An Altered Neurocognitive State?. Sports Medicine, 2019, 49, 647-657.	6.5	14
57	How Much Do Psychological Factors Affect Lack of Return to Play After Anterior Cruciate Ligament Reconstruction? A Systematic Review. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711984531.	1.7	110
58	Relationship Between Sports Participation After Revision Anterior Cruciate Ligament Reconstruction and 2-Year Patient-Reported Outcome Measures. American Journal of Sports Medicine, 2019, 47, 2056-2066.	4.2	9
59	A comparison of anterior cruciate ligament - Return to sports after injury (ACL-RSI) scores of male athletes nine-months Post-ACL reconstruction with matched uninjured controls. Physical Therapy in Sport, 2019, 38, 179-183.	1.9	9
60	Anterior Cruciate Ligament Tear. New England Journal of Medicine, 2019, 380, 2341-2348.	27.0	179
61	Mental health in elite athletes: International Olympic Committee consensus statement (2019). British Journal of Sports Medicine, 2019, 53, 667-699.	6.7	583
62	ACL rupture in the immediate build-up to the Olympic Games: return to elite alpine ski competition 5 months after injury and ACL repair. BMJ Case Reports, 2019, 12, e227735.	0.5	12
63	Acute Anterior Cruciate Ligament Rupture: Repair or Reconstruction? Two-Year Results of a Randomized Controlled Clinical Trial. American Journal of Sports Medicine, 2019, 47, 567-577.	4.2	88
64	Incidence, Mechanisms, and Severity of Game-Related High School Football Injuries Across Artificial Turf Systems of Various Infill Weights. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711983287.	1.7	9
65	Psychology of Return to Play After Anterior Cruciate Ligament Injury. , 2019, , 95-109.		3
66	Knee Function, Strength, and Resumption of Preinjury Sports Participation in Young Athletes Following Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2019, 49, 145-153.	3.5	55
67	Smaller Change in Psychological Readiness to Return to Sport Is Associated With Second Anterior Cruciate Ligament Injury Among Younger Patients. American Journal of Sports Medicine, 2019, 47, 1209-1215.	4.2	52
68	Association Between Isokinetic Knee Strength and Perceived Function and Patient Satisfaction With Sports and Recreational Ability After Matrix-Induced Autologous Chondrocyte Implantation. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711988587.	1.7	7
69	Male and Female Adolescent Athletes' Readiness to Return to Sport After Anterior Cruciate Ligament Injury and Reconstruction. Clinical Journal of Sport Medicine, 2021, 31, 383-387.	1.8	16
70	Team Approach: Return to Play After Anterior Cruciate Ligament Reconstruction. JBJS Reviews, 2019, 7, e1-e1.	2.0	5
71	Females Decrease Vertical Ground Reaction Forces Following 4-Week Jump-Landing Feedback Intervention Without Negative Affect on Vertical Jump Performance. Journal of Sport Rehabilitation, 2019, 28, 866-870.	1.0	4
72	Sex differences in physical activity engagement after ACL reconstruction. Physical Therapy in Sport, 2019, 35, 12-17.	1.9	30
73	The Association Between Passing Return-to-Sport Criteria and Second Anterior Cruciate Ligament Injury Risk: A Systematic Review With Meta-analysis. Journal of Orthopaedic and Sports Physical Therapy, 2019, 49, 43-54.	3.5	117

#	ARTICLE	IF	CITATIONS
74	Muscle hypotrophy, not inhibition, is responsible for quadriceps weakness during rehabilitation after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 573-579.	4.2	20
75	Effect of Academic Grade Level on Return to Athletic Competition After Anterior Cruciate Ligament Reconstruction. <i>Journal of Pediatric Orthopaedics</i> , 2019, 39, 198-201.	1.2	2
76	Effect of Graft Type on Balance and Hop Tests in Adolescent Males Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2019, 28, 468-475.	1.0	9
77	Aperture and Suspensory Fixation Equally Efficacious for Quadriceps Tendon Graft Fixation in Primary ACL Reconstruction: A Systematic Review. <i>Journal of Knee Surgery</i> , 2020, 33, 704-721.	1.6	16
78	Hop Testing Lacks Strong Association With Key Outcome Variables After Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>American Journal of Sports Medicine</i> , 2020, 48, 511-522.	4.2	31
79	Superior knee self-efficacy and quality of life throughout the first year in patients who recover symmetrical muscle function after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 555-567.	4.2	18
80	Importance of functional performance and psychological readiness for return to preinjury level of sports 1 year after ACL reconstruction in competitive athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2203-2212.	4.2	58
81	Japanese Orthopaedic Association (JOA) clinical practice guidelines on the management of anterior cruciate ligament injury “ Secondary publication. <i>Journal of Orthopaedic Science</i> , 2020, 25, 6-45.	1.1	31
82	No Relationship Between Strength and Power Scores and Anterior Cruciate Ligament Return to Sport After Injury Scale 9 Months After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2020, 48, 78-84.	4.2	40
83	Clinical outcomes after anterior cruciate ligament injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Journal of ISAKOS</i> , 2020, 5, 281-294.	2.3	6
84	Outcome Measures After Shoulder Stabilization in the Athletic Population: A Systematic Review of Clinical and Patient-Reported Metrics. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712095004.	1.7	9
85	The single-leg vertical hop provides unique asymmetry information in individuals after anterior cruciate ligament reconstruction. <i>Clinical Biomechanics</i> , 2020, 80, 105107.	1.2	13
86	Back iN the Game (BANG) “ a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 523.	1.9	15
87	Clinical outcomes after anterior cruciate ligament injury: panther symposium ACL injury clinical outcomes consensus group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2415-2434.	4.2	47
88	Clinical Outcomes After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093475.	1.7	15
89	The Gap Between Subjective Return to Sports and Subjective Athletic Performance Intensity After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712094740.	1.7	10
90	Decision Tree Learning Algorithm for Classifying Knee Injury Status Using Return-to-Activity Criteria. , 2020, 2020, 5494-5497.		4
91	Recovery of preoperative absolute knee extension and flexion strength after ACL reconstruction. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 77.	1.7	15

#	ARTICLE	IF	CITATIONS
92	The influence of center line width during the crossover hop test. <i>Physical Therapy in Sport</i> , 2020, 46, 63-69.	1.9	0
93	The Role of Optimism and Psychosocial Factors in Athletes Recovery From ACL Injury: A Longitudinal Study. <i>Frontiers in Sports and Active Living</i> , 2020, 2, 116.	1.8	4
94	Hop tests and psychological PROs provide a demanding and clinician-friendly RTS assessment of patients after ACL reconstruction, a registry study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 32.	1.7	9
95	The structural validity of the IKDC and its relationship with quality of life following ACL reconstruction. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1748-1757.	2.9	16
96	Preoperative quadriceps strength as a predictor of return to sports after anterior cruciate ligament reconstruction in competitive athletes. <i>Physical Therapy in Sport</i> , 2020, 45, 7-13.	1.9	3
97	Psychological Readiness to Return to Sport Following Anterior Cruciate Ligament Reconstruction. <i>JBJS Reviews</i> , 2020, 8, e0110-e0110.	2.0	11
98	Mental Health Issues and Psychological Factors in Athletes: Detection, Management, Effect on Performance, and Prevention: American Medical Society for Sports Medicine Position Statement. <i>Clinical Journal of Sport Medicine</i> , 2020, 30, e61-e87.	1.8	32
99	Psychological, social and contextual factors across recovery stages following a sport-related knee injury: a scoping review. <i>British Journal of Sports Medicine</i> , 2020, 54, 1149-1156.	6.7	86
100	Poor functional performance 1 year after ACL reconstruction increases the risk of early osteoarthritis progression. <i>British Journal of Sports Medicine</i> , 2020, 54, 546-555.	6.7	29
101	Epidemiology of patients with anterior cruciate ligament injuries undergoing reconstruction surgery in a multi-ethnic Asian population. <i>Research in Sports Medicine</i> , 2021, 29, 12-24.	1.3	7
102	The role of magnetic resonance imaging in evaluating postoperative ACL reconstruction healing and graft mechanical properties: a new criterion for return to play?. <i>Physician and Sportsmedicine</i> , 2021, 49, 123-129.	2.1	8
103	Similar outcomes and satisfaction after transtibial versus transportal femoral drilling for anterior cruciate ligament reconstruction in young adult recreational athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1197-1203.	4.2	1
104	Return to Driving After Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712096855.	1.7	3
105	Effect of Graft Rupture Prevention Training on Young Athletes After Anterior Cruciate Ligament Reconstruction: An 8-Year Prospective Intervention Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097359.	1.7	3
106	Does body scanning through visual imagery improve perception and function in patients after anterior cruciate ligament-reconstruction? An exploratory study. <i>Physiotherapy Theory and Practice</i> , 2021, , 1-11.	1.3	0
107	The Role of Psychological Readiness in Return to Sport Assessment After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1236-1243.	4.2	38
108	Single-leg hop distance normalized to body height is associated with the return to sports after anterior cruciate ligament reconstruction. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 26.	1.8	5
109	Prevalence and Burden of Physical Problems in Female College Basketball Athletes: A 135-Day Prospective Cohort Study. <i>Open Access Journal of Sports Medicine</i> , 2021, Volume 12, 55-60.	1.3	2

#	ARTICLE	IF	CITATIONS
110	Athletic identity and sport commitment in athletes after anterior cruciate ligament reconstruction who have returned to sports at their pre-injury level of competition. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 37.	1.7	17
111	The Mental Side of the Injured Athlete. Journal of the American Academy of Orthopaedic Surgeons, The, 2021, 29, 499-506.	2.5	26
112	Effects of neuromuscular training on knee proprioception in individuals with anterior cruciate ligament injury: a systematic review and GRADE evidence synthesis. BMJ Open, 2021, 11, e049226.	1.9	11
113	Anterior Cruciate Ligament Reconstruction and Lateral Plasty in High-Risk Young Adolescents: Revisions, Subjective Evaluation, and the Role of Surgical Timing on Meniscal Preservation. Sports Health, 2022, 14, 188-196.	2.7	4
114	Adolescent Patients Exhibit Significant Improvements in Strength and Functional Performance From 6 to 9 Months After ACL Reconstruction With Quadriceps Autograft. Arthroscopy, Sports Medicine, and Rehabilitation, 2021, 3, e837-e843.	1.7	2
115	Return to Sport After Boneâ€“Patellar Tendonâ€“Bone Autograft ACL Reconstruction in High Schoolâ€“Aged Athletes. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110115.	1.7	8
116	Composite psychosocial risk based on the fear avoidance model in patients undergoing anterior cruciate ligament reconstruction: Cluster-based analysis. Physical Therapy in Sport, 2021, 50, 217-225.	1.9	4
117	The importance of biomechanical assessment after Return to Play in athletes with ACL-Reconstruction. Gait and Posture, 2021, 88, 240-246.	1.4	6
118	Open Subpectoral Biceps Tenodesis May Be an Alternative to Arthroscopic Repair for SLAP Tears in Patients Under 30. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2022, 38, 307-312.	2.7	22
119	Is resistance training intensity adequately prescribed to meet the demands of returning to sport following anterior cruciate ligament repair? A systematic review. BMJ Open Sport and Exercise Medicine, 2021, 7, e001144.	2.9	2
120	Surface-Related High School Football Game Injuries on Pad and No-Pad Fields. American Journal of Sports Medicine, 2021, 49, 2489-2497.	4.2	5
121	The relationship between injury-related fear and physical activity in people with a history of anterior cruciate ligament reconstruction. Physical Therapy in Sport, 2021, 50, 201-205.	1.9	3
122	Association Between Psychological Readiness and Knee Laxity and Their Predictive Value for Return to Sport in Patients With Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2021, 49, 2599-2606.	4.2	10
123	Lisfranc injury: Prevalence and maintaining a high index of suspicion for optimal evaluation. Physician and Sportsmedicine, 2022, 50, 507-514.	2.1	0
124	Analysis of patients unable to return to play following arthroscopic Bankart repair. Journal of the Royal College of Surgeons of Edinburgh, 2022, 20, e158-e162.	1.8	13
125	Arthroscopic Bankart Repair Versus Open Latarjet for First-Time Dislocators in Athletes. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110238.	1.7	6
126	Returning to sports after an anterior cruciate ligament reconstruction: When is a good time?. Annals of the Academy of Medicine, Singapore, 2021, 50, 657-659.	0.4	0
127	Arthroscopic Bankart Repair Versus Open Latarjet for Recurrent Shoulder Instability in Athletes. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110238.	1.7	9

#	ARTICLE	IF	CITATIONS
128	COMPARISON of LOWER QUARTER Y-BALANCE TEST SCORES for FEMALE COLLEGIATE VOLLEYBALL PLAYERS BASED on COMPETITION LEVEL, POSITION, and STARTER STATUS. International Journal of Sports Physical Therapy, 2019, 14, 415-423.	1.3	11
129	Pediatric Anterior Cruciate Ligament Reconstruction. Orthopedics, 2018, 41, 129-134.	1.1	4
130	Thigh-Muscle and Patient-Reported Function Early After Anterior Cruciate Ligament Reconstruction: Clinical Cutoffs Unique to Graft Type and Age. Journal of Athletic Training, 2020, 55, 826-833.	1.8	5
131	Depression and psychiatric disease associated with outcomes after anterior cruciate ligament reconstruction. World Journal of Orthopedics, 2016, 7, 709.	1.8	35
132	Anterior Cruciate Ligament Reconstruction Using Autologous Hamstrings Augmented With the Ligament Augmentation and Reconstruction System Versus Hamstrings Alone: A Comparative Cohort Study. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110466.	1.7	10
133	Motor Imagery to Facilitate Sensorimotor Re-Learning (MOTIFS) after traumatic knee injury: study protocol for an adaptive randomized controlled trial. Trials, 2021, 22, 729.	1.6	3
134	Association of the Psychological Response to the ACL-SPORTS Training Program and Self-reported Function at 2 Years After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2021, 49, 3495-3501.	4.2	5
135	Feasibility, correlates, and validity of the one-leg sit-to-stand test in individuals following anterior cruciate ligament reconstruction. Physical Therapy in Sport, 2021, 52, 280-286.	1.9	7
136	Functional Performance Deficits Exist in Female NAIA Collegiate Athletes With History of Anterior Cruciate Ligament Reconstruction. Athletic Training & Sports Health Care, 2016, 8, 216-221.	0.4	0
137	Effects of a Heart Rate Variability Biofeedback Intervention on Athletes Psychological Responses Following Injury: A Pilot Study. International Journal of Sports and Exercise Medicine, 2017, 3, .	0.0	0
138	Functional Tests Assessing Return to Activity after Anterior Cruciate Ligament Reconstruction. Exercise Science, 2018, 27, 268-273.	0.3	0
139	Advantages and Potential Consequences of Return to Sport After ACL Reconstruction: Quality of Life, Reinjury Rates, and Knee Osteoarthritis. , 2019, , 3-23.		2
140	Return to Sport After Primary ACL Reconstruction in Amateur, Children, and Elite Athletes: Feasibility and Reinjury Concerns. , 2019, , 79-118.		0
141	TRANSLATION AND VALIDATION OF THE DUTCH INJURY PSYCHOLOGICAL READINESS TO RETURN TO SPORT SCALE (I-PRRS). International Journal of Sports Physical Therapy, 2019, 14, 785-793.	1.3	2
142	Psychological Aspects in Return to Sport Following ACL Reconstruction. , 2020, , 1005-1013.		0
143	Development of Concise Physical Performance Test Batteries in Young Athletes. Medicine and Science in Sports and Exercise, 2020, 52, 2581-2589.	0.4	1
144	Delaying ACL reconstruction beyond 6 months from injury impacts likelihood for clinically significant outcome improvement. Knee, 2021, 33, 290-297.	1.6	16
145	The Psychological Response to Injury and Illness. , 2020, , 95-101.		0

#	ARTICLE	IF	CITATIONS
146	EFFECTS OF SURFACE ON TRIPLE HOP DISTANCE AND KINEMATICS. International Journal of Sports Physical Therapy, 2020, 15, 920-927.	1.3	0
147	DUAL-TASK ASSESSMENT IMPLICATIONS FOR ANTERIOR CRUCIATE LIGAMENT INJURY: A SYSTEMATIC REVIEW. International Journal of Sports Physical Therapy, 2020, 15, 840-855.	1.3	8
148	Returning to Sport After Anterior Cruciate Ligament Reconstruction in Physically Active Individuals. Cureus, 2020, 12, e10466.	0.5	5
149	TRANSLATION AND VALIDATION OF THE DUTCH INJURY PSYCHOLOGICAL READINESS TO RETURN TO SPORT SCALE (I-PRRS). International Journal of Sports Physical Therapy, 2019, 14, 785-793.	1.3	0
150	Association between Functional Performance and Return to Performance in High-Impact Sports after Lower Extremity Injury: A Systematic Review. Journal of Sports Science and Medicine, 2020, 19, 564-576.	1.6	4
151	FUNCTIONAL MEASURES DO NOT DIFFER IN LATE STAGE REHABILITATION AFTER ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ACCORDING TO MECHANISM OF INJURY. International Journal of Sports Physical Therapy, 2020, 15, 744-754.	1.3	0
152	Evaluation of factors associated with successful 5-year outcomes following arthroscopic Bankart repair in athletes. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 2092-2098.	4.2	11
153	The effect of kinesiphobia on functional outcomes following anterior cruciate ligament reconstruction surgery: an integrated literature review. Disability and Rehabilitation, 2021, , 1-12.	1.8	0
154	Who Needs ACL Surgery?. , 2022, , 1-9.		0
155	Lived Experiences of an Elite Performance Management Team Through Injury Rehabilitation: An Interpretative Phenomenological Analysis. Journal of Sport Rehabilitation, 2022, 31, 199-210.	1.0	1
156	Return to play testing following anterior cruciate reconstruction â€“ A systematic review & meta-analysis. Knee, 2022, 34, 134-140.	1.6	10
157	FUNCTIONAL MEASURES DO NOT DIFFER IN LATE STAGE REHABILITATION AFTER ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ACCORDING TO MECHANISM OF INJURY. International Journal of Sports Physical Therapy, 2020, 15, 744-754.	1.3	1
158	The Return-to-Sport Clearance Continuum Is a Novel Approach Toward Return to Sport and Performance for the Professional Athlete. Arthroscopy, Sports Medicine, and Rehabilitation, 2022, 4, e93-e101.	1.7	5
159	Rehabilitation and Return to Sport Testing After Anterior Cruciate Ligament Reconstruction: Where Are We in 2022?. Arthroscopy, Sports Medicine, and Rehabilitation, 2022, 4, e77-e82.	1.7	46
160	Rates and Determinants of Returning to Australian Rules Football in Male Nonprofessional Athletes After Anterior Cruciate Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712210749.	1.7	1
161	Adolescent Patient, Parent, and Clinician Perceptions of Rehabilitation After Anterior Cruciate Ligament Reconstruction: A Qualitative Study. Journal of Athletic Training, 2022, 57, 929-936.	1.8	2
162	Analysis of Athletes Who Did Not Return to Play After Open Latarjet. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712110710.	1.7	12
163	Gender does not impact clinical outcomes following SLAP repair. Shoulder and Elbow, 0, , 175857322210892.	1.5	0

#	ARTICLE	IF	CITATIONS
164	Anterior cruciate ligament repair with internal brace augmentation: A systematic review. <i>Knee</i> , 2022, 35, 192-200.	1.6	28
165	PROMIS Depression and Anxiety in shoulder surgery patients. <i>Bone and Joint Journal</i> , 2022, 104-B, 479-485.	4.4	7
166	Preoperative predictors for a successful return to sport following anterior cruciate ligament reconstruction (ACLR): a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e048295.	1.9	2
167	Perceived Social Support, Reinjury Anxiety, and Psychological Readiness to Return to Sport in Soccer Players. <i>Journal of Sport Rehabilitation</i> , 2022, 31, 749-755.	1.0	5
168	Association between landing biomechanics, knee pain, and kinesiophobia in athletes following anterior cruciate ligament reconstruction: A cross-sectional study. <i>PM and R</i> , 2022, , .	1.6	3
169	Functional outcomes and return to sport following anterior cruciate ligament reconstruction in recreational athletes: A systematic review. <i>Knee</i> , 2022, 36, 103-113.	1.6	8
170	Biopsychosocial Factors Associated With Return to Preinjury Sport After ACL Injury Treated Without Reconstruction: NACOX Cohort Study 12-Month Follow-up. <i>Sports Health</i> , 0, , 194173812210947.	2.7	4
171	Are 6-Month Functional and Isokinetic Testing Measures Risk Factors for Second Anterior Cruciate Ligament Injuries at Long-T Follow-Up?. <i>Journal of Knee Surgery</i> , 2023, 36, 1060-1068.	1.6	3
172	Biomechanical Effects of Prophylactic Knee Bracing on Anterior Cruciate Ligament Injury Risk: A Systematic Review. <i>Clinical Journal of Sport Medicine</i> , 2023, 33, 78-89.	1.8	2
173	Return to Sports After Anterior Cruciate Ligament Reconstruction: Validity and Reliability of the SPORTS Score at 6 and 12 Months. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210984.	1.7	3
174	Wide Variability in Return-to-Sport Criteria used by Team Physicians After Anterior Cruciate Ligament Reconstruction in Elite Athletesâ€”A Qualitative Study. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e1759-e1766.	1.7	3
175	Kinesiophobia, Knee Self-Efficacy, and Fear Avoidance Beliefs in People with ACL Injury: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2022, 52, 3001-3019.	6.5	17
176	Pattern of anterior cruciate ligament injuries in armed forces. <i>Journal of Marine Medical Society</i> , 2022, 24, 118.	0.1	0
177	Psychological readiness of elite rugby players at return to play after severe knee injury. <i>African Journal for Physical Activity and Health Sciences</i> , 2022, 28, 185-202.	0.1	0
179	Using Long-Duration Static Stretch Training to Counteract Strength and Flexibility Deficits in Moderately Trained Participants. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 13254.	2.6	6
181	Psychological Patient-reported Outcomes Cannot Predict a Second Anterior Cruciate Ligament Injury in Patients who Return to Sports after an Anterior Cruciate Ligament Reconstruction. <i>International Journal of Sports Physical Therapy</i> , 2022, 17, .	1.3	10
182	Current study on the influence of psychological factors on returning to sports after ACLR. <i>Heliyon</i> , 2022, 8, e12434.	3.2	4
183	Clinically Relevant Subgroups Among Athletes Who Have Ruptured Their Anterior Cruciate Ligaments: A <sc>Delawareâ€Oslo</sc> Cohort Study. <i>Arthritis Care and Research</i> , 2023, 75, 1914-1924.	3.4	1

#	ARTICLE	IF	CITATIONS
184	Unilateral tests of lower-limb function as prognostic indicators of future knee-related outcomes following anterior cruciate ligament injury: a systematic review and meta-analysis of 13 150 adolescents and adults. British Journal of Sports Medicine, 2023, 57, 855-863.	6.7	6
185	Psychiatric Disorders Are Predictive of Worse Pain Severity and Functional Outcomes After Fasciotomy for Chronic Exertional Compartment Syndrome of the Leg. Clinical Journal of Sport Medicine, 2023, 33, 376-382.	1.8	0
186	Letâ€™s talk about sex (and gender) after ACL injury: a systematic review and meta-analysis of self-reported activity and knee-related outcomes. British Journal of Sports Medicine, 2023, 57, 602-610.	6.7	19
187	Only 10% of Patients With a Concomitant MCL Injury Return to Their Preinjury Level of Sport 1 Year After ACL Reconstruction: A Matched Comparison With Isolated ACL Reconstruction. Sports Health, 2024, 16, 124-135.	2.7	3
189	Relationship Between Quadriceps Strength and Knee Joint Power During Jumping After ACLR. Orthopaedic Journal of Sports Medicine, 2023, 11, 232596712311509.	1.7	1
190	Association Between Preoperative Multidimensional Psychological Distress and Physical Function After Surgery for Sports-Related Injury. Orthopaedic Journal of Sports Medicine, 2023, 11, 232596712311638.	1.7	0
191	Longitudinal Validation of a Specific Measure of Fear Avoidance in Athletes: Predicting Time from Injury to Return to Sports Competition. Journal of Pain Research, 0, Volume 16, 1103-1114.	2.0	4
192	Preoperative predictors for return to physical activity following anterior cruciate ligament reconstruction (ACLR): a systematic review. BMC Musculoskeletal Disorders, 2023, 24, .	1.9	2
194	Anterior Cruciate Ligament Injury: What Are Trends in Treatment?. , 2023, , 76-82.		0
195	Lower rates of return to sport in patients with generalised joint hypermobility two years after ACL reconstruction: a prospective cohort study. BMC Sports Science, Medicine and Rehabilitation, 2023, 15, .	1.7	2
197	Comparison between the effect of immersive virtual reality training versus conventional rehabilitation on limb loading and functional outcomes in patients after anterior cruciate ligament reconstruction: A prospective randomized controlled trial. Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology, 2023, 34, 28-37.	1.0	0
198	Evaluation of the Value of the Y-Balance Test to Predict Lower Limb Injuries in Professional Male Footballers. Journal of Sport Rehabilitation, 2024, 33, 33-39.	1.0	2
199	A comparison between physical therapy clinics with high and low rehabilitation volumes of patients with ACL reconstruction. Journal of Orthopaedic Surgery and Research, 2023, 18, .	2.3	0
200	Preoperative psychological competitive ability has little relationship with subjective knee function and return to sports at 6 months postoperatively in patients with anterior cruciate ligament reconstruction. Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology, 2024, 35, 9-14.	1.0	0
201	Lower Extremity Strength Relative to Body Mass in Pediatric Female Athletes: Implications for Anterior Cruciate Ligament Injury. Clinical Pediatrics, 0, , .	0.8	0
202	Psychological Readiness to Return to Sport and Return to Sport Rates Are Similar in Patients After Either Bilateral or Unilateral Anterior Cruciate Ligament Reconstruction. Arthroscopy, Sports Medicine, and Rehabilitation, 2024, 6, 100823.	1.7	0
203	The influence of jump-landing direction on dynamic postural stability following anterior cruciate ligament reconstruction. Clinical Biomechanics, 2024, 112, 106195.	1.2	0
204	Influence of motor capacity of the lower extremity and mobility performance on foot plantar pressures in community-dwelling older women. Heliyon, 2024, 10, e28114.	3.2	0