Marine natural products

Natural Product Reports 32, 116-211 DOI: 10.1039/c4np00144c

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Glaucumolides A and B, Biscembranoids with New Structural Type from a Cultured Soft Coral Sarcophyton glaucum. Scientific Reports, 2015, 5, 15624. | 1.6 | 36 |
| 3 | Production of the Bengamide Class of Marine Natural Products in Myxobacteria: Biosynthesis and Structure–Activity Relationships. Angewandte Chemie - International Edition, 2015, 54, 15560-15564. | 7.2 | 44 |
| 5 | Prospects and challenges for industrial production of seaweed bioactives. Journal of Phycology, 2015, 51, 821-837. | 1.0 | 197 |
| 6 | A New Sesterterpene from the KoreanSarcotragussp. Sponge. Natural Product Sciences, 2015, 21, 237. | 0.2 | 4 |
| 8 | Development and Application of a Novel SPE-Method for Bioassay-Guided Fractionation of Marine Extracts. Marine Drugs, 2015, 13, 5736-5749. | 2.2 | 59 |
| 9 | Synthesis and In Vitro Antiproliferative Evaluation of Some B-norcholesteryl thiazole Derivatives. , 2015, , . | | 0 |
| 10 | Bioactive 7-Oxabicyclic[6.3.0]lactam and 12-Membered Macrolides from a Gorgonian-Derived Cladosporium sp. Fungus. Marine Drugs, 2015, 13, 4171-4178. | 2.2 | 38 |
| 11 | Biological Activity of Recently Discovered Halogenated Marine Natural Products. Marine Drugs, 2015, 13, 4044-4136. | 2.2 | 219 |
| 12 | Bioactive Secondary Metabolites from the Red Sea Marine Verongid Sponge Suberea Species. Marine Drugs, 2015, 13, 1621-1631. | 2.2 | 40 |
| 13 | Anti-Inflammatory and Analgesic Effects of the Marine-Derived Compound Excavatolide B Isolated from the Culture-Type Formosan Gorgonian Briareum excavatum. Marine Drugs, 2015, 13, 2559-2579. | 2.2 | 42 |
| 14 | Amino Acid-Derived Metabolites from the Ascidian Aplidium sp Marine Drugs, 2015, 13, 3836-3848. | 2.2 | 12 |
| 15 | Six New Polyketide Decalin Compounds from Mangrove Endophytic Fungus Penicillium aurantiogriseum 328#. Marine Drugs, 2015, 13, 6306-6318. | 2.2 | 25 |
| 16 | Bioactive Hydantoin Alkaloids from the Red Sea Marine Sponge Hemimycale arabica. Marine Drugs, 2015, 13, 6609-6619. | 2.2 | 36 |
| 17 | Targeted metagenomics as a tool to tap into marine natural product diversity for the discovery and production of drug candidates. Frontiers in Microbiology, 2015, 6, 890. | 1.5 | 98 |
| 18 | Temporal stability of bacterial symbionts in a temperate ascidian. Frontiers in Microbiology, 2015, 6, 1022. | 1.5 | 32 |
| 19 | New Derivatives of Natural Acyclic Guanidine Alkaloids with TRPV Receptor-Regulating Properties. Natural Product Communications, 2015, 10, 1934578X1501000. | 0.2 | 2 |
| 20 | Dereplication and Chemotaxonomical Studies of Marine Algae of the Ochrophyta and Rhodophyta Phyla. Marine Drugs, 2015, 13, 2714-2731. | 2.2 | 13 |
| 21 | Pyridine Nucleosides Neopetrosides A and B from a Marine <i>Neopetrosia</i> sp. Sponge. Synthesis of Neopetroside A and Its β-Riboside Analogue. Journal of Natural Products, 2015, 78, 1383-1389. | 1.5 | 24 |

| | | CITATION REPORT | | |
|----|--|-----------------------------------|-----|-----------|
| # | Article | | IF | CITATIONS |
| 22 | Marine Microbial Secondary Metabolites. Advances in Microbial Physiology, 2015, 66, | 357-428. | 1.0 | 29 |
| 23 | A new phenolic enamide and a new meroterpenoid from marine alga-derived endophyt <i>Penicillium oxalicum</i> EN-290. Journal of Asian Natural Products Research, 2015, | ic fungus 17, 1204-1212. | 0.7 | 24 |
| 24 | Stereoselective Allylstannane Addition for a Convergent Synthesis of a Complex Molec Letters, 2015, 17, 6246-6249. | ule. Organic | 2.4 | 7 |
| 25 | Isolation and Structure of Kurahyne B and Total Synthesis of the Kurahynes. Journal of Products, 2015, 78, 2719-2725. | Natural | 1.5 | 23 |
| 26 | Citrifelins A and B, Citrinin Adducts with a Tetracyclic Framework from Cocultures of N Isolates of <i>Penicillium citrinum</i> and <i>Beauveria felina</i> . Journal of Natural Pi 78, 2301-2305. | 1arine-Derived roducts, 2015, | 1.5 | 58 |
| 27 | C15 acetogenins from the Laurencia complex: 50 years of research – an overview. Re Farmacognosia, 2015, 25, 569-587. | evista Brasileira De | 0.6 | 41 |
| 28 | Three new aaptamine derivatives from the South China Sea sponge <i>Aaptos aaptos< Asian Natural Products Research, 2015, 17, 1231-1238.</i> | :/i>. Journal of | 0.7 | 8 |
| 29 | Suncheonosides A–D, Benzothioate Glycosides from a Marine-Derived <i>Streptomy of Natural Products, 2015, 78, 1390-1396.</i> | /ces sp Journal | 1.5 | 16 |
| 30 | A new fusarielin analogue from Penicillium sp. isolated from the Mediterranean sponge Tetrahedron Letters, 2015, 56, 5317-5320. | e Ircinia oros. | 0.7 | 18 |
| 31 | Elucidation and Total Synthesis of the Correct Structures of Tridecapeptides Yaku' Synthesis-Driven Stereochemical Reassignment of Four Amino Acid Residues. Journal o Chemical Society, 2015, 137, 9443-9451. | amides A and B. f the American | 6.6 | 50 |
| 32 | Structures and Biological Evaluations of Agelasines Isolated from the Okinawan Marine <i>Agelas nakamurai</i> . Journal of Natural Products, 2015, 78, 1428-1433. | e Sponge | 1.5 | 40 |
| 33 | Gliomasolides A–E, unusual macrolides from a sponge-derived fungus Gliomastix sp. Advances, 2015, 5, 54645-54648. | ZSDS1-F7-2. RSC | 1.7 | 20 |
| 34 | Acetate-Derived Metabolites from the Brown Alga <i>Lobophora variegata</i> . Journal Products, 2015, 78, 1716-1722. | of Natural | 1.5 | 9 |
| 35 | Antibacterial products of marine organisms. Applied Microbiology and Biotechnology, 4145-4173. | 2015, 99, | 1.7 | 30 |
| 36 | Diversity of fungi isolated from three temperate ascidians. Symbiosis, 2015, 66, 99-10 | 6. | 1.2 | 16 |
| 37 | Diterpenoids of terrestrial origin. Natural Product Reports, 2015, 32, 1654-1663. | | 5.2 | 23 |
| 38 | Tyrokeradines G and H, new bromotyrosine alkaloids from an Okinawan Verongid spor and Medicinal Chemistry Letters, 2015, 25, 5221-5223. | ıge. Bioorganic | 1.0 | 11 |
| 39 | Synthesis and biological activity of amino acid derivatives of avarone and its model con Bioorganic and Medicinal Chemistry, 2015, 23, 6930-6942. | mpound. | 1.4 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 40 | Identification of a molecular target of kurahyne, an apoptosis-inducing lipopeptide from marine cyanobacterial assemblages. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 5295-5298. | 1.0 | 13 |
| 41 | Induced Production of Halogenated Epidithiodiketopiperazines by a Marine-Derived <i>Trichoderma</i> cf. <i>brevicompactum</i> with Sodium Halides. Journal of Natural Products, 2015, 78, 2319-2321. | 1.5 | 50 |
| 42 | A Tin(IV) Chloride Promoted Tandem C–O Bond Cleavage/Nazarov Cyclization/Nucleophilic Addition Reaction of 1,1-Disubstituted Allylic Ethers toward the Synthesis of Multisubstituted Indenes. Organic Letters, 2015, 17, 5288-5291. | 2.4 | 10 |
| 43 | Azaphilone and Diphenyl Ether Derivatives from a Gorgonian-Derived Strain of the Fungus <i>Penicillium pinophilum</i> . Journal of Natural Products, 2015, 78, 2310-2314. | 1.5 | 53 |
| 44 | (+)- and (â^')-Pestaloxazine A, a Pair of Antiviral Enantiomeric Alkaloid Dimers with a Symmetric Spiro[oxazinane-piperazinedione] Skeleton from <i>Pestalotiopsis</i> sp Organic Letters, 2015, 17, 4216-4219. | 2.4 | 78 |
| 45 | Structural Elucidation and Structure–Anti-inflammatory Activity Relationships of Cembranoids from Cultured Soft Corals <i>Sinularia sandensis</i> and <i>Sinularia flexibilis</i> . Journal of Agricultural and Food Chemistry, 2015, 63, 7211-7218. | 2.4 | 41 |
| 46 | Steroidal and α-tocopherylhydroquinone glycosides from two soft corals Cladiella hirsuta and Sinularia nanolobata. RSC Advances, 2015, 5, 74256-74262. | 1.7 | 18 |
| 47 | Bioactive alkaloids from the Red Sea marine Verongid sponge Pseudoceratina arabica. Tetrahedron, 2015, 71, 7837-7841. | 1.0 | 25 |
| 48 | Meroterpenoids from a Tropical <i>Dysidea</i> sp. Sponge. Journal of Natural Products, 2015, 78, 2814-2821. | 1.5 | 39 |
| 49 | Influence of the Metabolites of the Marine Algicolous Fungus <i>Penicillium</i> sp. on Seedling Root Growth of Agricultural Plants. Natural Product Communications, 2016, 11, 1934578X1601100. | 0.2 | 1 |
| 50 | Absolute Configuration and Body Part Distribution of the Alkaloid 6- <i>epi</i> -Monanchorin from the Marine Polychaete <i>Chaetopterus variopedatus</i> . Natural Product Communications, 2016, 11, 1934578X1601100. | 0.2 | 2 |
| 51 | Plant-based Anti-inflammatory Agents: Progress From Africa and China. Clinical Anti-Inflammatory and Anti-Allergy Drugs, 2016, 2, 52-66. | 0.0 | 5 |
| 52 | Deep Subseafloor Fungi as an Untapped Reservoir of Amphipathic Antimicrobial Compounds. Marine Drugs, 2016, 14, 50. | 2.2 | 18 |
| 53 | Partially Purified Extracts of Sea Anemone <i>Anemonia viridis</i> Affect the Growth and Viability of Selected Tumour Cell Lines. BioMed Research International, 2016, 2016, 1-12. | 0.9 | 9 |
| 54 | Potential Pharmacological Resources: Natural Bioactive Compounds from Marine-Derived Fungi. Marine Drugs, 2016, 14, 76. | 2.2 | 110 |
| 55 | Bioactivity Screening of Microalgae for Antioxidant, Anti-Inflammatory, Anticancer, Anti-Diabetes, and Antibacterial Activities. Frontiers in Marine Science, 2016, 3, . | 1.2 | 249 |
| 56 | In Search of Alternative Antibiotic Drugs: Quorum-Quenching Activity in Sponges and their Bacterial Isolates. Frontiers in Microbiology, 2016, 7, 416. | 1.5 | 66 |
| 57 | Golden Tides: Problem or Golden Opportunity? The Valorisation of Sargassum from Beach Inundations. Journal of Marine Science and Engineering, 2016, 4, 60. | 1.2 | 135 |

| | Сітатіо | n Report | |
|----|--|----------|-----------|
| # | Article | IF | Citations |
| 58 | Natural Products from Marine Fungi—Still an Underrepresented Resource. Marine Drugs, 2016, 14, 19. | 2.2 | 185 |
| 59 | Chemical Diversity and Biological Properties of Secondary Metabolites from Sea Hares of Aplysia Genus. Marine Drugs, 2016, 14, 39. | 2.2 | 40 |
| 60 | Eutypenoids A–C: Novel Pimarane Diterpenoids from the Arctic Fungus Eutypella sp. D-1. Marine Drugs, 2016, 14, 44. | 2.2 | 22 |
| 61 | Anthraquinones and Derivatives from Marine-Derived Fungi: Structural Diversity and Selected Biological Activities. Marine Drugs, 2016, 14, 64. | 2.2 | 135 |
| 62 | Contemporary Strategies for the Synthesis of Tetrahydropyran Derivatives: Application to Total Synthesis of Neopeltolide, a Marine Macrolide Natural Product. Marine Drugs, 2016, 14, 65. | 2.2 | 44 |
| 63 | Polycyclic Guanidine Alkaloids from Poecilosclerida Marine Sponges. Marine Drugs, 2016, 14, 77. | 2.2 | 23 |
| 64 | Antibacterial Derivatives of Marine Algae: An Overview of Pharmacological Mechanisms and Applications. Marine Drugs, 2016, 14, 81. | 2.2 | 241 |
| 65 | Ergosterols from the Culture Broth of Marine Streptomyces anandii H41-59. Marine Drugs, 2016, 14, 84. | 2.2 | 18 |
| 66 | From Discovery to Production: Biotechnology of Marine Fungi for the Production of New Antibiotics. Marine Drugs, 2016, 14, 137. | 2.2 | 74 |
| 67 | Blue-Print Autophagy: Potential for Cancer Treatment. Marine Drugs, 2016, 14, 138. | 2.2 | 33 |
| 68 | The Role of Spongia sp. in the Discovery of Marine Lead Compounds. Marine Drugs, 2016, 14, 139. | 2.2 | 19 |
| 69 | An Unusual Conformational Isomer of Verrucosidin Backbone from a Hydrothermal Vent Fungus, Penicillium sp. Y-50-10. Marine Drugs, 2016, 14, 156. | 2.2 | 20 |
| 70 | Hierridin B Isolated from a Marine Cyanobacterium Alters VDAC1, Mitochondrial Activity, and Cell Cycle Genes on HT-29 Colon Adenocarcinoma Cells. Marine Drugs, 2016, 14, 158. | 2.2 | 41 |
| 71 | Dihydroisocoumarins from the Mangrove-Derived Fungus Penicillium citrinum. Marine Drugs, 2016, 14, 177. | 2.2 | 43 |
| 72 | Chemistry and Bioactivity of Briaranes from the South China Sea Gorgonian Dichotella gemmacea. Marine Drugs, 2016, 14, 201. | 2.2 | 12 |
| 73 | New Cerebroside and Nucleoside Derivatives from a Red Sea Strain of the Marine Cyanobacterium Moorea producens. Molecules, 2016, 21, 324. | 1.7 | 15 |
| 74 | New Casbane and Cembrane Diterpenoids from an Okinawan Soft Coral, Lobophytum sp Molecules, 2016, 21, 679. | 1.7 | 15 |
| 75 | Bioactive 2(1H)-Pyrazinones and Diketopiperazine Alkaloids from a Tunicate-Derived Actinomycete Streptomyces sp Molecules, 2016, 21, 1116. | 1.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 76 | Study from the Hypobranchial Gland of a Muricid Dicathais orbita. Molecules, 2016, 21, 1672. | 1.7 | 12 |
| 77 | Naphthalenones and Depsidones from a Sponge-Derived Strain of the Fungus Corynespora cassiicola. Molecules, 2016, 21, 160. | 1.7 | 19 |
| 78 | New Chromone, Isocoumarin, and Indole Alkaloid Derivatives from three Sponge-derived Fungal Strains. Natural Product Communications, 2016, 11, 1934578X1601100. | 0.2 | 5 |
| 79 | The Laurencia Paradox: An Endless Source of Chemodiversity. Progress in the Chemistry of Organic Natural Products, 2016, 102, 91-252. | 0.8 | 50 |
| 80 | Pterocellin A isolated from marine bryozoan Pterocella vesiculosa is cytotoxic to human HeLa cells via mitochondrial apoptotic processes. SpringerPlus, 2016, 5, 742. | 1.2 | 7 |
| 81 | Cancer control potential of marine natural product scaffolds through inhibition of tumor cell migration and invasion. Drug Discovery Today, 2016, 21, 1745-1760. | 3.2 | 22 |
| 82 | Antibiotics Derived From Marine Organisms. Studies in Natural Products Chemistry, 2016, , 483-515. | 0.8 | 4 |
| 83 | The first biomimetic synthesis of a diterpenoid with the ent -verrucosin A/B skeleton. Tetrahedron Letters, 2016, 57, 2084-2086. | 0.7 | 1 |
| 84 | Mycochemistry of marine algicolous fungi. Fungal Diversity, 2016, 80, 301-342. | 4.7 | 45 |
| 85 | Haliclonadiamine Derivatives and 6- <i>epi</i> -Monanchorin from the Marine Sponge <i>Halichondria panicea</i> Collected at Iriomote Island. Journal of Natural Products, 2016, 79, 1149-1154. | 1.5 | 21 |
| 86 | Rhodocomatulin-Type Anthraquinones from the Australian Marine Invertebrates <i>Clathria hirsuta</i> and <i>Comatula rotalaria</i> . Journal of Natural Products, 2016, 79, 946-953. | 1.5 | 16 |
| 87 | Endoperoxy and hydroperoxy cadinane-type sesquiterpenoids from an Okinawan soft coral, Sinularia sp Archives of Pharmacal Research, 2016, 39, 778-784. | 2.7 | 16 |
| 88 | The antimicrobial potential of algicolous marine fungi for counteracting multidrug-resistant bacteria: phylogenetic diversity and chemical profiling. Research in Microbiology, 2016, 167, 492-500. | 1.0 | 14 |
| 89 | Antibacterial activity from soft corals of the Red Sea, Saudi Arabia. Journal of Taibah University for Science, 2016, 10, 887-895. | 1.1 | 9 |
| 90 | The marine biodiscovery pipeline and ocean medicines of tomorrow. Journal of the Marine Biological Association of the United Kingdom, 2016, 96, 151-158. | 0.4 | 132 |
| 91 | Aquatic fungi: targeting the forgotten in microbial ecology. Current Opinion in Microbiology, 2016, 31, 140-145. | 2.3 | 110 |
| 92 | Influence of symbiont-produced bioactive natural products on holobiont fitness in the marine bryozoan, Bugula neritina via protein kinase C (PKC). Marine Biology, 2016, 163, 1. | 0.7 | 8 |
| 93 | Metabolites from the Facultative Marine Fungus Penicillium islandicum. Chemistry of Natural Compounds, 2016, 52, 365-367. | 0.2 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 94 | Sesquiterpenes with inhibitory activity against CDC25 phosphatases from the soft coral Pseudopterogorgia rigida. Tetrahedron, 2016, 72, 3262-3269. | 1.0 | 16 |
| 95 | Immunomodulatory N-acyl Dopamine Glycosides from the Icelandic Marine Sponge Myxilla incrustans Collected at a Hydrothermal Vent Site. Planta Medica, 2016, 82, 903-909. | 0.7 | 11 |
| 96 | An Ocean of Discovery: Biodiversity Beyond the Census of Marine Life. Planta Medica, 2016, 82, 790-799. | 0.7 | 39 |
| 97 | Citrinovirin with a new norditerpene skeleton from the marine algicolous fungus Trichoderma citrinoviride. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 5029-5031. | 1.0 | 37 |
| 98 | New marine sterols from an algal-bearing gorgonian coral Pinnigorgia sp. Steroids, 2016, 115, 123-129. | 0.8 | 11 |
| 99 | Potential anti-inflammatory natural products from marine algae. Environmental Toxicology and Pharmacology, 2016, 48, 22-30. | 2.0 | 166 |
| 100 | Epimeric Face-Selective Oxidations and Diastereodivergent Transannular Oxonium Ion Formation Fragmentations: Computational Modeling and Total Syntheses of 12-Epoxyobtusallene IV, 12-Epoxyobtusallene II, Obtusallene X, Marilzabicycloallene C, and Marilzabicycloallene D. Journal of Organic Chemistry, 2016, 81, 9539-9552. | 1.7 | 21 |
| 101 | The role of sponge-bacteria interactions: the sponge Aplysilla rosea challenged by its associated bacterium Streptomyces ACT-52A in a controlled aquarium system. Applied Microbiology and Biotechnology, 2016, 100, 10609-10626. | 1.7 | 21 |
| 102 | Two new diterpene alkaloids from the South China Sea Sponge Agelas aff. nemoechinata. Chinese Chemical Letters, 2016, 27, 1048-1051. | 4.8 | 13 |
| 103 | Isolation, Stereochemical Study, and Antioxidant Activity of Benzofuranone Derivatives from a Mangroveâ€derived Fungus <i>Eurotium rubrum</i> MAâ€150. Chirality, 2016, 28, 581-584. | 1.3 | 19 |
| 104 | Total synthesis of penipanoid C, 2-(4-hydroxybenzyl)quinazolin-4(3H)-one and NU1025. Tetrahedron Letters, 2016, 57, 4277-4279. | 0.7 | 11 |
| 105 | Potential process â€~hurdles' in the use of macroalgae as feedstock for biofuel production in the British Isles. Journal of Chemical Technology and Biotechnology, 2016, 91, 2221-2234. | 1.6 | 69 |
| 106 | Three cadinane derivatives from the marine brown alga <i>Dictyopteris divaricata</i> . Magnetic Resonance in Chemistry, 2016, 54, 88-90. | 1.1 | 4 |
| 107 | Enantioselective Synthesis of the Polyhydroxylated Chain of Oscillariolide and Phormidolides A–C. Organic Letters, 2016, 18, 4485-4487. | 2.4 | 9 |
| 108 | Iriomoteolides-10a and 12a, Cytotoxic Macrolides from Marine Dinoflagellate <i>Amphidinium</i> Species. Chemical and Pharmaceutical Bulletin, 2016, 64, 1019-1023. | 0.6 | 15 |
| 109 | Bioactive Secondary Metabolites with Unique Aromatic and Heterocyclic Structures Obtained from Terrestrial Actinomycetes Species. Chemical and Pharmaceutical Bulletin, 2016, 64, 668-675. | 0.6 | 23 |
| 110 | Antibacterial Meroterpenoids from the South China Sea Sponge <i>Dysidea</i> sp Chemical and Pharmaceutical Bulletin, 2016, 64, 1036-1042. | 0.6 | 21 |
| 112 | Enantioselective Total Synthesis of (–)â€5iphonodictyal B and (+)â€8â€ <i>epi</i> â€5iphonodictyal B with Phosphatidylinositol 3â€Kinase α (PI3Kα) Inhibitory Activity. European Journal of Organic Chemistry, 2016, 2016, 5659-5666. | 1.2 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----------------|-----------|
| 113 | Penicillars Aâ¿¿E from the marine animal endogenic fungus Penicillium sp. SCS-KFD08. Phytochemistry Letters, 2016, 17, 59-63. | 0.6 | 9 |
| 114 | Rhizovarins A–F, Indole-Diterpenes from the Mangrove-Derived Endophytic Fungus <i>Mucor irregularis</i> QEN-189. Journal of Natural Products, 2016, 79, 2066-2074. | 1.5 | 85 |
| 115 | Petroquinones: trimeric and dimeric xestoquinone derivatives isolated from the marine sponge Petrosia alfiani. Tetrahedron, 2016, 72, 5530-5540. | 1.0 | 31 |
| 116 | Penicisimpins Aâ¿¿C, three new dihydroisocoumarins from Penicillium simplicissimum MA-332, a marine fungus derived from the rhizosphere of the mangrove plant Bruguiera sexangula var . rhynchopetala. Phytochemistry Letters, 2016, 17, 114-118. | 0.6 | 27 |
| 117 | Marine sponge alkaloids as a source of anti-bacterial adjuvants. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 5863-5866. | 1.0 | 27 |
| 118 | Exploiting Ruthenium Carbene-Catalyzed Reactions in Total Synthesis of Marine Oxacyclic Natural Products. Bulletin of the Chemical Society of Japan, 2016, 89, 1403-1415. | 2.0 | 21 |
| 119 | Total synthesis and stereochemical determination of yoshinone A. Phytochemistry, 2016, 132, 109-114. | 1.4 | 8 |
| 120 | Synthetic analogs of stryphnusin isolated from the marine sponge Stryphnus fortis inhibit acetylcholinesterase with no effect on muscle function or neuromuscular transmission. Organic and Biomolecular Chemistry, 2016, 14, 11220-11229. | 1.5 | 13 |
| 121 | Antioxidative Polyketones from the Mangrove-Derived Fungus Ascomycota sp. SK2YWS-L. Scientific Reports, 2016, 6, 36609. | 1.6 | 25 |
| 122 | Elaboration of Sterically Hindered Î'-Lactones through Ring-Closing Metathesis: Application to the Synthesis of the C1–C27 Fragment of Hemicalide. Journal of Organic Chemistry, 2016, 81, 12275-12290. | 1.7 | 12 |
| 123 | A New Griseofulvin Derivative from the Marine-Derived Arthrinium sp. Fungus and Its Biological Activity. Chemistry of Natural Compounds, 2016, 52, 1011-1014. | 0.2 | 21 |
| 124 | Discovery, Total Synthesis and Key Structural Elements for the Immunosuppressive Activity of Cocosolide, a Symmetrical Glycosylated Macrolide Dimer from Marine Cyanobacteria. Chemistry - A European Journal, 2016, 22, 8158-8166. | 1.7 | 29 |
| 125 | Synthesis of (<i>E</i>)â€4â€Bromoâ€3â€methoxybutâ€3â€enâ€2â€one, the Key Fragment in the Polyhydroxylat Common to Oscillariolide and Phormidolides A–C. Chemistry - A European Journal, 2016, 22, 7033-7035. | ed Chain 1.7 | 8 |
| 126 | Isolation and characterization of marine-derived actinomycetes with cytotoxic activity from the Red Sea coast. Asian Pacific Journal of Tropical Biomedicine, 2016, 6, 651-657. | 0.5 | 38 |
| 127 | Perangustols A and B, a pair of new azaphilone epimers from a marine sediment-derived fungus <i>Cladosporium perangustm</i> FS62. Journal of Asian Natural Products Research, 2016, 18, 1024-1029. | 0.7 | 10 |
| 128 | New cytotoxic and anti-inflammatory steroids from the soft coral Klyxum flaccidum. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 3253-3257. | 1.0 | 29 |
| 129 | Tetranorlabdane Diterpenoids from the Deep Sea Sediment-Derived Fungus Aspergillus wentii SD-310. Planta Medica, 2016, 82, 877-881. | 0.7 | 26 |
| 130 | α-Pyrones with Diverse Hydroxy Substitutions from Three Marine-Derived <i>Nocardiopsis</i> Strains. Journal of Natural Products, 2016, 79, 1610-1618. | 1.5 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 131 | Feeding cessation alters host morphology and bacterial communities in the ascidian Pseudodistoma crucigaster. Frontiers in Zoology, 2016, 13, 2. | 0.9 | 21 |
| 132 | Janadolide, a Cyclic Polyketide–Peptide Hybrid Possessing a <i>tert</i> -Butyl Group from an <i>Okeania</i> sp. Marine Cyanobacterium. Journal of Natural Products, 2016, 79, 1862-1866. | 1.5 | 35 |
| 133 | Melonoside A: An ω-Glycosylated Fatty Acid Amide from the Far Eastern Marine Sponge <i>Melonanchora kobjakovae</i> . Organic Letters, 2016, 18, 3478-3481. | 2.4 | 9 |
| 134 | Total Synthesis and Complete Stereostructure of a Marine Macrolide Glycoside, (â^)‣yngbyalosideâ€B. Chemistry - A European Journal, 2016, 22, 6815-6829. | 1.7 | 17 |
| 135 | New marine natural products from sponges (Porifera) of the order Dictyoceratida (2001 to 2012); a promising source for drug discovery, exploration and future prospects. Biotechnology Advances, 2016, 34, 473-491. | 6.0 | 56 |
| 136 | Unusual flavoenzyme catalysis in marine bacteria. Current Opinion in Chemical Biology, 2016, 31, 31-39. | 2.8 | 57 |
| 137 | <i>N</i> -Acyl Dehydrotyrosines, Tyrosinase Inhibitors from the Marine Bacterium <i>Thalassotalea</i> sp. PP2-459. Journal of Natural Products, 2016, 79, 447-450. | 1.5 | 29 |
| 138 | Polyhalogenated Indoles from the Red Alga <i>Rhodophyllis membranacea</i> : The First Isolation of Bromo-Chloro-Iodo Secondary Metabolites. Journal of Natural Products, 2016, 79, 463-469. | 1.5 | 26 |
| 139 | Metabolites of the Marine Fungus Penicillium citrinum Associated with a Brown Alga Padina sp Chemistry of Natural Compounds, 2016, 52, 111-112. | 0.2 | 9 |
| 140 | Unique marine derived cyanobacterial biosynthetic genes for chemical diversity. Natural Product Reports, 2016, 33, 348-364. | 5.2 | 56 |
| 141 | Total syntheses of (±)-spiroindimicins B and C enabled by a late-stage Schöllkopf–Magnus–Barton–Zard (SMBZ) reaction. Chemical Communications, 2016, 52, 800-802. | 2.2 | 36 |
| 142 | Chermesins A–D: Meroterpenoids with a Drimane-Type Spirosesquiterpene Skeleton from the Marine Algal-Derived Endophytic Fungus <i>Penicillium chermesinum</i> EN-480. Journal of Natural Products, 2016, 79, 806-811. | 1.5 | 51 |
| 143 | Special Issue in Honor of Professors John W. Blunt and Murray H. G. Munro. Journal of Natural Products, 2016, 79, 453-454. | 1.5 | 0 |
| 144 | Callyazepin and (3 <i>R</i>)-Methylazacyclodecane, Nitrogenous Macrocycles from a <i>Callyspongia</i> sp. Sponge. Journal of Natural Products, 2016, 79, 1179-1183. | 1.5 | 12 |
| 145 | Gersemiols A–C and Eunicellol A, Diterpenoids from the Arctic Soft Coral <i>Gersemia fruticosa</i> . Journal of Natural Products, 2016, 79, 1132-1136. | 1.5 | 17 |
| 146 | Natural products from marine invertebrates against Leishmania parasites: a comprehensive review. Phytochemistry Reviews, 2016, 15, 663-697. | 3.1 | 12 |
| 147 | Anti-choline esterase activity of ceramides from the Red Sea marine sponge Mycale euplectellioides. RSC Advances, 2016, 6, 20422-20430. | 1.7 | 18 |
| 148 | <i>Cystoseira usneoides</i> : A Brown Alga Rich in Antioxidant and Anti-inflammatory Meroditerpenoids. Journal of Natural Products, 2016, 79, 395-405. | 1.5 | 24 |

| | | CITATION REPORT | |
|-----|--|-----------------|-----------|
| # | Article | IF | CITATIONS |
| 149 | A light–dark shift strategy derived from light-responded metabolic behaviors for polyketides production in marine fungus Halorosellinia sp Journal of Biotechnology, 2016, 221, 34-42. | 1.9 | 8 |
| 150 | Discovery of Mandelalide E and Determinants of Cytotoxicity for the Mandelalide Series. Organic Letters, 2016, 18, 1374-1377. | 2.4 | 15 |
| 151 | Isolation, resolution and biological evaluation of pestalachlorides E and F containing both point and axial chirality. RSC Advances, 2016, 6, 22653-22658. | 1.7 | 30 |
| 152 | Disulfides with Anti-inflammatory Activity from the Brown Alga <i>Dictyopteris membranacea</i> . Journal of Natural Products, 2016, 79, 584-589. | 1.5 | 20 |
| 153 | Additional Insights into the Obtusallene Family: Components ofLaurencia marilzae. Journal of Natur Products, 2016, 79, 1184-1188. | al 1.5 | 10 |
| 154 | Mollisolactones A and B, novel dinormonoterpenes from the soft coral Sinularia mollis. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 879-881. | 1.0 | 7 |
| 155 | Nahuoic Acids B–E, Polyhydroxy Polyketides from the Marine-Derived <i>Streptomyces</i> sp. SC 0027. Journal of Natural Products, 2016, 79, 141-148. | SGAA 1.5 | 27 |
| 156 | Marine natural products with anti-inflammatory activity. Applied Microbiology and Biotechnology, 2016, 100, 1645-1666. | 1.7 | 74 |
| 157 | Marine-derived bioactive compounds with anti-obesity effect: A review. Journal of Functional Foods, 2016, 21, 372-387. | 1.6 | 60 |
| 158 | Conformerism, enantiomorphism and double catemer motifs in para-substituted nostoclide analogu Journal of Molecular Structure, 2016, 1106, 291-299. | Jes. 1.8 | 1 |
| 159 | A new benzopyrans derivatives from a mangrove-derived fungus <i>Penicillium citrinum</i> from the South China Sea. Natural Product Research, 2016, 30, 821-825. | 1.0 | 26 |
| 160 | High-value products from macroalgae: the potential uses of the invasive brown seaweed, Sargassun muticum. Reviews in Environmental Science and Biotechnology, 2016, 15, 67-88. | n 3.9 | 129 |
| 161 | Penicyrones A and B, an epimeric pair of α-pyrone-type polyketides produced by the marine-derived Penicillium sp Journal of Antibiotics, 2016, 69, 57-61. | 1.0 | 28 |
| 162 | Biological activities associated to the chemodiversity of the brown algae belonging to genus Lobophora (Dictyotales, Phaeophyceae). Phytochemistry Reviews, 2017, 16, 1-17. | 3.1 | 34 |
| 163 | Marine microorganisms as a promising and sustainable source of bioactive molecules. Marine Environmental Research, 2017, 128, 58-69. | 1.1 | 136 |
| 164 | Natural marine sponges for bone tissue engineering: The state of art and future perspectives. Journa of Biomedical Materials Research - Part B Applied Biomaterials, 2017, 105, 1717-1727. | al 1.6 | 64 |
| 165 | Natural Products Diversity of Marine Ascidians (Tunicates; Ascidiacea) and Successful Drugs in Clinical Development. Natural Products and Bioprospecting, 2017, 7, 1-111. | 2.0 | 80 |
| 166 | New compounds from a hydrothermal vent crab-associated fungus Aspergillus versicolor XZ-4. Organic and Biomolecular Chemistry, 2017, 15, 1155-1163. | 1.5 | 32 |

| I TATION DEDOE | |
|----------------|-----|
| | РΤ. |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 167 | Total Synthesis and Stereochemical Assignment of Actinoranone. Chemistry - A European Journal, 2017, 23, 3572-3576. | 1.7 | 21 |
| 168 | Streptenols F–I Isolated from the Marine-Derived <i>Streptomyces misionensis</i> BAT-10-03-023. Journal of Natural Products, 2017, 80, 1034-1038. | 1.5 | 9 |
| 169 | The freshwater red alga <i>Batrachospermum turfosum</i> (Florideophyceae) can acclimate to a wide range of light and temperature conditions. European Journal of Phycology, 2017, 52, 238-249. | 0.9 | 14 |
| 170 | Chrodrimanins K–N and Related Meroterpenoids from the Fungus <i>Penicillium</i> sp. SCS-KFD09 Isolated from a Marine Worm, <i>Sipunculus nudus</i> . Journal of Natural Products, 2017, 80, 1039-1047. | 1.5 | 62 |
| 172 | Analytical Techniques for Discovery of Bioactive Compounds from Marine Fungi. , 2017, , 415-434. | | 3 |
| 173 | Synthesis of imidazol[1,2-α]pyridine thioethers via using sulfur powder and halides as reactants. Tetrahedron, 2017, 73, 2151-2158. | 1.0 | 18 |
| 174 | Heterologous Biosynthesis of Spinosad: An Omics-Guided Large Polyketide Synthase Gene Cluster Reconstitution in <i>Streptomyces</i> . ACS Synthetic Biology, 2017, 6, 995-1005. | 1.9 | 70 |
| 175 | Trachycladines and Analogues: Synthesis and Evaluation of Anticancer Activity. ChemMedChem, 2017, 12, 448-455. | 1.6 | 3 |
| 176 | Chemical Constituents of the Gorgonian-Derived Fungus Chaetomium globosum. Chemistry of Natural Compounds, 2017, 53, 199-202. | 0.2 | 6 |
| 177 | Metabolomics reveals biotic and abiotic elicitor effects on the soft coral Sarcophyton ehrenbergi terpenoid content. Scientific Reports, 2017, 7, 648. | 1.6 | 25 |
| 178 | New Resorcinol Derivatives from a Spongeâ€Derived Fungus <i>Hansfordia sinuosae</i> . Chemistry and Biodiversity, 2017, 14, e1700059. | 1.0 | 11 |
| 179 | Physiology, Biochemistry, and Biotechnology. , 2017, , 265-306. | | 1 |
| 180 | Giant embryos and hatchlings of Antarctic nudibranchs (Mollusca: Gastropoda: Heterobranchia). Marine Biology, 2017, 164, 1. | 0.7 | 42 |
| 181 | One Strain-Many Compounds Method for Production of Polyketide Metabolites Using the Sponge-Derived Fungus Arthrinium arundinis ZSDS1-F3. Chemistry of Natural Compounds, 2017, 53, 373-374. | 0.2 | 11 |
| 182 | Sponging off nature for new drug leads. Biochemical Pharmacology, 2017, 139, 3-14. | 2.0 | 28 |
| 183 | Antibacterial, antifungal and antimycobacterial compounds from cyanobacteria. Biomedicine and Pharmacotherapy, 2017, 90, 760-776. | 2.5 | 108 |
| 184 | Beyond the Antagonism: Self-Labeled Xanthone Inhibitors as Modeled "Two-in-One―Drugs in Cancer Therapy. ACS Omega, 2017, 2, 873-889. | 1.6 | 24 |
| 185 | Facile synthesis of indene and fluorene derivatives through AlCl ₃ atalyzed cyclization of in situ formed iminium ions. Applied Organometallic Chemistry, 2017, 31, e3863. | 1.7 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 186 | Amino Acid Conjugated Anthraquinones from the Marine-Derived Fungus <i>Penicillium</i> sp. SCSIO sof101. Journal of Natural Products, 2017, 80, 1668-1673. | 1.5 | 28 |
| 187 | New chlorinated xanthone and anthraquinone produced by a mangrove-derived fungus Penicillium citrinum HL-5126. Journal of Antibiotics, 2017, 70, 823-827. | 1.0 | 40 |
| 188 | A Hundred Years in the Elucidation of the Structures of Natural Products. Science Progress, 2017, 100, 63-79. | 1.0 | 14 |
| 189 | Chemical composition of volatile compounds in two red seaweeds, Pterocladiella capillacea and Osmundaria obtusiloba, using static headspace gas chromatography mass spectrometry. Journal of Applied Phycology, 2017, 29, 1571-1576. | 1.5 | 26 |
| 190 | Polycyclic Furanobutenolide-Derived Cembranoid and Norcembranoid Natural Products: Biosynthetic Connections and Synthetic Efforts. Chemical Reviews, 2017, 117, 7878-7909. | 23.0 | 77 |
| 191 | Aromatic Metabolites of Marine Fungus Penicillium sp. KMM 4672 Associated with a Brown Alga Padina sp Chemistry of Natural Compounds, 2017, 53, 600-602. | 0.2 | 13 |
| 192 | Strategies for Total Synthesis of Furanocembranolides and Related Natural Products From Marine Organisms. Studies in Natural Products Chemistry, 2017, 52, 115-157. | 0.8 | 3 |
| 193 | Nonhalogenated Heterotricyclic Sesquiterpenes From Marine Origin I. Studies in Natural Products Chemistry, 2017, , 269-302. | 0.8 | 4 |
| 194 | Intensity fading MALDI-TOF mass spectrometry and functional proteomics assignments to identify protease inhibitors in marine invertebrates. Journal of Proteomics, 2017, 165, 75-92. | 1.2 | 8 |
| 195 | Accessing Marine Microbial Diversity for Drug Discovery. , 2017, , 169-187. | | 3 |
| 196 | Symbiosis-inspired approaches to antibiotic discovery. Natural Product Reports, 2017, 34, 784-814. | 5.2 | 111 |
| 197 | External diversity is restrained by internal conservatism: New nudibranch mollusc contributes to the cryptic species problem. Zoologica Scripta, 2017, 46, 683-692. | 0.7 | 41 |
| 198 | Highly Regioselective Debus-Radziszewski Reaction of C-3 Indole-Substituted 1,2-Diketones: Facile Synthesis of 3-(1,2,4-Triaryl-1 <i>H</i> -imidazol-5-yl)-indoles. ChemistrySelect, 2017, 2, 4807-4810. | 0.7 | 5 |
| 199 | Oneâ€Pot Threeâ€Component Synthesis of Alkylthioâ€/Arylthio―Substituted Imidazo[1,2â€ <i>a</i>]pyridine Derivatives <i>via</i> C(<i>sp</i> ²)–H Functionalization. Advanced Synthesis and Catalysis, 2017, 359, 2215-2221. | 2.1 | 46 |
| 200 | Marinocyanins, cytotoxic bromo-phenazinone meroterpenoids from a marine bacterium from the streptomycete clade MAR4. Tetrahedron, 2017, 73, 2234-2241. | 1.0 | 34 |
| 201 | Marine natural products. Natural Product Reports, 2017, 34, 235-294. | 5.2 | 405 |
| 202 | Inhibitory potential of strepthonium A against Shiga toxin production in enterohemorrhagic <i>Escherichia coli</i> (EHEC) strain EDL933. Natural Product Research, 2017, 31, 2818-2823. | 1.0 | 11 |
| 203 | Preparation, Structure Elucidation, and Antiviral and Cytotoxic Activities of Acylation Derivatives of Cytochalasin B. Chemistry of Natural Compounds, 2017, 53, 109-113. | 0.2 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 204 | Construction and Screening of Marine Metagenomic Large Insert Libraries. Methods in Molecular Biology, 2017, 1539, 23-42. | 0.4 | 9 |
| 205 | Asymmetric Total Syntheses of Two Possible Diastereomers of Gliomasolide E and Its Structural Elucidation. Journal of Organic Chemistry, 2017, 82, 1053-1063. | 1.7 | 6 |
| 206 | Design, synthesis and cytotoxicity of bengamide analogues and their epimers. MedChemComm, 2017, 8, 445-451. | 3.5 | 5 |
| 207 | Integrated discovery of FOXO1–DNA stabilizers from marine natural products to restore chemosensitivity to anti-EGFR-based therapy for metastatic lung cancer. Molecular BioSystems, 2017, 13, 330-337. | 2.9 | 8 |
| 208 | Isotryptophan from Antarctic Bacillus amyloliquefaciens Pc3: purification, identification, characterization, and antifungal activity. Natural Product Research, 2017, 31, 2153-2157. | 1.0 | 5 |
| 209 | Optimized production and isolation of antibacterial agent from marine Aspergillus flavipes against Vibrio harveyi. 3 Biotech, 2017, 7, 383. | 1.1 | 15 |
| 210 | Molecular and Functional Ecology of Sponges and Their Microbial Symbionts. , 2017, , 105-142. | | 16 |
| 212 | Enhancing Metagenomic Approaches Through Synthetic Biology. , 2017, , 75-94. | | 4 |
| 213 | Comparative Correlation Between Chemical Composition and Cytotoxic Potential of the Coral-Associated Fungus Aspergillus sp. 2C1-EGY Against Human Colon Cancer Cells. Current Microbiology, 2017, 74, 1294-1300. | 1.0 | 7 |
| 214 | Antifungal Drimane Sesquiterpenoids From a Marine-Derived Pleosporales sp. Fungus. Chemistry of Natural Compounds, 2017, 53, 1189-1191. | 0.2 | 8 |
| 215 | Investigation of the Physical and Bioactive Properties of Bromo- and Iodo-Containing Sponge-Derived Compounds Possessing an Oxyphenylethanamine Core. Journal of Natural Products, 2017, 80, 3255-3266. | 1.5 | 9 |
| 216 | Symbiotic Fungus of Marine Sponge Axinella sp. Producing Antibacterial Agent. IOP Conference Series: Earth and Environmental Science, 2017, 55, 012005. | 0.2 | 6 |
| 217 | The chemistry and chemical ecology of nudibranchs. Natural Product Reports, 2017, 34, 1359-1390. | 5.2 | 48 |
| 218 | Structure, absolute configuration, and variable-temperature ¹ H-NMR study of (±)-versiorcinols A–C, three racemates of diorcinol monoethers from the sponge-associated fungus Aspergillus versicolor 16F-11. RSC Advances, 2017, 7, 50254-50263. | 1.7 | 11 |
| 219 | Mining Metagenomes for Novel Bioactive Molecules. , 2017, , 1-9. | | 3 |
| 220 | Recent progress in the chemistry and biology of limonoids. RSC Advances, 2017, 7, 35191-35220. | 1.7 | 60 |
| 221 | Preparation, Structure, and Potent Antifouling Activity of Sclerotioramine Derivatives. Marine Biotechnology, 2017, 19, 372-378. | 1.1 | 28 |
| 222 | Aneurinifactin, a new lipopeptide biosurfactant produced by a marine Aneurinibacillus aneurinilyticus SBP-11 isolated from Gulf of Mannar: Purification, characterization and its biological evaluation. Microbiological Research, 2017, 194, 1-9. | 2.5 | 82 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 223 | Antifungal potential of marine natural products. European Journal of Medicinal Chemistry, 2017, 126, 631-651. | 2.6 | 69 |
| 224 | Quinone/hydroquinone meroterpenoids with antitubercular and cytotoxic activities produced by the sponge-derived fungus <i>Gliomastix</i> sp. ZSDS1-F7. Natural Product Research, 2017, 31, 604-609. | 1.0 | 24 |
| 225 | Life cycle assessment of in situ mariculture in the Mediterranean Sea for the production of bioactive compounds from the sponge Sarcotragus spinosulus. Journal of Cleaner Production, 2017, 142, 4356-4368. | 4.6 | 16 |
| 226 | Bioprospecting from cultivable bacterial communities of marine sediment and invertebrates from the underexplored Ubatuba region of Brazil. Archives of Microbiology, 2017, 199, 155-169. | 1.0 | 8 |
| 227 | Nonribosomal Peptides from Marine Microbes and Their Antimicrobial and Anticancer Potential. Frontiers in Pharmacology, 2017, 8, 828. | 1.6 | 118 |
| 228 | Modulation of Neurogenesis through the Promotion of Energy Production Activity Is behind the Antidepressant-Like Effect of Colonial Green Alga, Botryococcus braunii. Frontiers in Physiology, 2017, 8, 900. | 1.3 | 12 |
| 229 | Marine Sponge Natural Products with Anticancer Potential: An Updated Review. Marine Drugs, 2017, 15, 310. | 2.2 | 103 |
| 230 | Secondary Metabolites from Polar Organisms. Marine Drugs, 2017, 15, 28. | 2.2 | 89 |
| 231 | Laucysteinamide A, a Hybrid PKS/NRPS Metabolite from a Saipan Cyanobacterium, cf. Caldora penicillata. Marine Drugs, 2017, 15, 121. | 2.2 | 18 |
| 232 | Marine Sponges and Bacteria as Challenging Sources of Enzyme Inhibitors for Pharmacological Applications. Marine Drugs, 2017, 15, 173. | 2.2 | 23 |
| 233 | Investigating the Biosynthesis of Natural Products from Marine Proteobacteria: A Survey of Molecules and Strategies. Marine Drugs, 2017, 15, 235. | 2.2 | 44 |
| 234 | Two Furanosesterterpenoids from the Sponge Luffariella variabilis. Marine Drugs, 2017, 15, 249. | 2.2 | 8 |
| 235 | Sterols from the Green Alga Ulva australis. Marine Drugs, 2017, 15, 299. | 2.2 | 12 |
| 236 | Anandins A and B, Two Rare Steroidal Alkaloids from a Marine Streptomyces anandii H41-59. Marine Drugs, 2017, 15, 355. | 2.2 | 19 |
| 237 | Cytotoxic Compounds Derived from Marine Sponges. A Review (2010–2012). Molecules, 2017, 22, 208. | 1.7 | 38 |
| 238 | Isolation, Characterization and Antiproliferative Activity of New Metabolites from the South African Endemic Red Algal Species Laurencia alfredensis. Molecules, 2017, 22, 513. | 1.7 | 19 |
| 239 | Bioactive Natural Products of Marine Sponges from the Genus Hyrtios. Molecules, 2017, 22, 781. | 1.7 | 36 |
| 240 | An Updated Review on Marine Anticancer Compounds: The Use of Virtual Screening for the Discovery of Small-Molecule Cancer Drugs. Molecules, 2017, 22, 1037. | 1.7 | 155 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 241 | A Novel Brominated Alkaloid Securidine A, Isolated from the Marine Bryozoan Securiflustra securifrons. Molecules, 2017, 22, 1236. | 1.7 | 11 |
| 242 | Stereopermutation on the Putative Structure of the Marine Natural Product Mucosin. Molecules, 2017, 22, 1720. | 1.7 | 5 |
| 243 | Biological Significance of Marine Actinobacteria of East Coast of Andhra Pradesh, India. Frontiers in Microbiology, 2017, 8, 1201. | 1.5 | 13 |
| 244 | Dysivillosins A–D, Unusual Anti-allergic Meroterpenoids from the Marine Sponge Dysidea villosa. Scientific Reports, 2017, 7, 8947. | 1.6 | 20 |
| 245 | Genome-scale analysis of regulatory protein acetylation enzymes from photosynthetic eukaryotes. BMC Genomics, 2017, 18, 514. | 1.2 | 8 |
| 246 | Total Synthesis of Catunaregin and Preliminary Evaluation of Its Antitumor Activity. European Journal of Organic Chemistry, 2018, 2018, 1655-1664. | 1.2 | 2 |
| 247 | Alkaloids and Butyrolactones from a Marine-Derived Microsphaeropsis sp. Fungus. Chemistry of Natural Compounds, 2018, 54, 402-404. | 0.2 | 3 |
| 248 | Antibacterial macro molecules from marine organisms. International Journal of Biological Macromolecules, 2018, 115, 696-710. | 3.6 | 31 |
| 249 | Identification of a Sorbicillinoid-Producing Aspergillus Strain with Antimicrobial Activity Against Staphylococcus aureus: a New Polyextremophilic Marine Fungus from Barents Sea. Marine Biotechnology, 2018, 20, 502-511. | 1.1 | 19 |
| 250 | Cyclopropyl Lactone-Containing Marine Oxylipins. Studies in Natural Products Chemistry, 2018, 55, 145-180. | 0.8 | 1 |
| 251 | Samholides, Swinholide-Related Metabolites from a Marine Cyanobacterium cf. <i>Phormidium</i> sp Journal of Organic Chemistry, 2018, 83, 3034-3046. | 1.7 | 12 |
| 252 | Di-(2-ethylhexyl) Phthalate, a major bioactive metabolite with antimicrobial and cytotoxic activity isolated from River Nile derived fungus Aspergillus awamori. Beni-Suef University Journal of Basic and Applied Sciences, 2018, 7, 263-269. | 0.8 | 35 |
| 253 | Phylogenetic survey and antimicrobial activity of cultivable fungi associated with five scleractinian coral species in the South China Sea. Botanica Marina, 2018, 61, 75-84. | 0.6 | 6 |
| 254 | New α-Pyridones with Quorum-Sensing Inhibitory Activity from Diversity-Enhanced Extracts of a <i>Streptomyces</i> sp. Derived from Marine Algae. Journal of Agricultural and Food Chemistry, 2018, 66, 1807-1812. | 2.4 | 40 |
| 255 | Chemical Constituents of Cultured Soft Coral Sinularia flexibilis. Chemistry of Natural Compounds, 2018, 54, 168-169. | 0.2 | 3 |
| 256 | Structural Elucidation and Identification of 2-Hydroxy Benzoic Acid: An Antibacterial and Cytotoxic Compound from Streptomyces sp. VITHM1 Isolated from Marine Sediment Sample of Alappuzha Beach, Kerala, India. Arabian Journal for Science and Engineering, 2018, 43, 3339-3348. | 1.7 | 1 |
| 257 | A Review of "Polychaeta―Chemicals and their Possible Ecological Role. Journal of Chemical Ecology, 2018, 44, 72-94. | 0.9 | 26 |
| 258 | Anti-inflammatory polyketides from the mangrove-derived fungus Ascomycota sp. SK2YWS-L. Tetrahedron, 2018, 74, 746-751. | 1.0 | 39 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 259 | Fermentation-Derived Bioactive Components from Seaweeds: Functional Properties and Potential Applications. Journal of Aquatic Food Product Technology, 2018, 27, 144-164. | 0.6 | 21 |
| 260 | Marine natural products. Natural Product Reports, 2018, 35, 8-53. | 5.2 | 626 |
| 261 | Antioxidative and anti-inflammatory pyranoids and isochromenyl analogues from Corbiculid bivalve clam, Villorita cyprinoides. Food Chemistry, 2018, 251, 125-134. | 4.2 | 19 |
| 262 | Diversity and antagonistic potential of bacteria isolated from marine grass Halodule uninervis. 3 Biotech, 2018, 8, 48. | 1.1 | 18 |
| 263 | Deoxynucleoside 5-monophosphate N-glycosidase from a phylogenetically distant metazoa, sponge. Biochimie, 2018, 146, 113-118. | 1.3 | 1 |
| 264 | Peniciphenalenins Aâ^F from the culture of a marine-associated fungus Penicillium sp. ZZ901. Phytochemistry, 2018, 152, 53-60. | 1.4 | 30 |
| 265 | Heteroatomâ€interchanged Isomers of Lissoclinamide 5: Copper(II) Complexation, Halide Binding, and Biological Activity. European Journal of Organic Chemistry, 2018, 2018, 1465-1476. | 1.2 | 8 |
| 266 | Four Verrucosidin Derivatives Isolated from the Hydrothermal Vent Sulfur-Derived Fungus Penicillium sp. Y-50-10. Chemistry of Natural Compounds, 2018, 54, 253-256. | 0.2 | 8 |
| 267 | Trichorenins A–C, Algicidal Tetracyclic Metabolites from the Marine-Alga-Epiphytic Fungus <i>Trichoderma virens</i> Y13-3. Journal of Natural Products, 2018, 81, 1121-1124. | 1.5 | 21 |
| 268 | Distribution of Defensive Metabolites in Nudibranch Molluscs. Journal of Chemical Ecology, 2018, 44, 384-396. | 0.9 | 34 |
| 269 | A new antiviral pregnane from a gorgonian-derived <i>Cladosporium</i> sp. fungus. Natural Product Research, 2018, 32, 1260-1266. | 1.0 | 21 |
| 270 | Beyond the beaten path: improving natural products bioprospecting using an eco-evolutionary framework – the case of the octocorals. Critical Reviews in Biotechnology, 2018, 38, 184-198. | 5.1 | 10 |
| 271 | Two new hirsutane-type sesquiterpenoids chondrosterins N and O from the marine fungus <i>Chondrostereum</i> sp Natural Product Research, 2018, 32, 1578-1582. | 1.0 | 7 |
| 272 | Diverse bioactive compounds from <i>Sarcophtyton glaucom</i> : structure elucidation and cytotoxic activity studies. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2018, 73, 325-334. | 0.6 | 8 |
| 273 | Strategies to diversify natural products for drug discovery. Medicinal Research Reviews, 2018, 38, 1255-1294. | 5.0 | 187 |
| 274 | 3,5â€Dimethylorsellinic Acid Derived Meroterpenoids from <i>Eupenicillium</i> sp. 6Aâ€9, a Fungus Isolated from the Marine Sponge <i>Plakortis simplex</i> . European Journal of Organic Chemistry, 2018, 2018, 48-59. | 1.2 | 24 |
| 275 | Natural-Products-Inspired Use of the <i>gem</i> -Dimethyl Group in Medicinal Chemistry. Journal of Medicinal Chemistry, 2018, 61, 2166-2210. | 2.9 | 86 |
| 276 | Salicylic acid derivatives and phenylspirodrimanes from the sponge-associated fungus Hansfordia sinuosae. Journal of Asian Natural Products Research, 2018, 20, 985-991. | 0.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|--------------|-----------|
| 277 | Diphenyl ethers from a marine-derived isolate of <i>Aspergillus</i> sp. CUGB-F046. Natural Product Research, 2018, 32, 821-825. | 1.0 | 19 |
| 278 | An overview of natural antimicrobials role in food. European Journal of Medicinal Chemistry, 2018, 143, 922-935. | 2.6 | 302 |
| 279 | Minireview: algal natural compounds and extracts as antifoulants. Journal of Applied Phycology, 2018, 30, 1859-1874. | 1.5 | 57 |
| 280 | Marine fungi: An untapped bioresource for future cosmeceuticals. Phytochemistry Letters, 2018, 23, 15-20. | 0.6 | 59 |
| 281 | A new cytochalasin derivative from the mangrove-derived endophytic fungus <i>Xylaria</i> sp. HNWSW-2. Journal of Asian Natural Products Research, 2018, 20, 1002-1007. | 0.7 | 12 |
| 282 | Apoptotic role of marine sponge symbiont Bacillus subtilis NMK17 through the activation of caspase-3 in human breast cancer cell line. Molecular Biology Reports, 2018, 45, 2641-2651. | 1.0 | 14 |
| 283 | Diversity and Ecology of Marine Algicolous Arthrinium Species as a Source of Bioactive Natural Products. Marine Drugs, 2018, 16, 508. | 2.2 | 20 |
| 284 | Bioactive Secondary Metabolites from Octocoral-Associated Microbes—New Chances for Blue Growth. Marine Drugs, 2018, 16, 485. | 2.2 | 59 |
| 285 | Cytotoxic Activity of Fatty Acids From Antarctic Macroalgae on the Growth of Human Breast Cancer Cells. Frontiers in Bioengineering and Biotechnology, 2018, 6, 185. | 2.0 | 51 |
| 286 | Total Synthesis of the Highly N-Methylated Peptides Carmabin A and Dragomabin. Marine Drugs, 2018, 16, 338. | 2.2 | 7 |
| 287 | Potential anti-biofilm producing marine actinomycetes isolated from sea sediments in Thailand. Agriculture and Natural Resources, 2018, 52, 228-233. | 0.4 | 10 |
| 288 | Increasing Metabolic Diversity in Marine Sponges Extracts by Controlling Extraction Parameters. Marine Drugs, 2018, 16, 393. | 2.2 | 10 |
| 289 | Preussins with Inhibition of IL-6 Expression from <i>Aspergillus flocculosus</i> 16D-1, a Fungus Isolated from the Marine Sponge <i>Phakellia fusca</i> . Journal of Natural Products, 2018, 81, 2275-2281. | 1.5 | 21 |
| 291 | Gold atalyzed Double Cycloisomerization of 1â€Eneâ€4,10â€diynyl Esters to Bicyclo[6.3.0]undecaâ€2,4,9â€tr Esters. Angewandte Chemie, 2018, 130, 14431-14435. | ienyl 1.0 | 7 |
| 292 | Eudistomin U, Isoeudistomin U, and Related Indole Compounds: Synthesis and Biological Activity. Heterocycles, 2018, 96, 1171. | 0.4 | 12 |
| 293 | Diversity and antimicrobial potential in sea anemone and holothurian microbiomes. PLoS ONE, 2018, 13, e0196178. | 1.1 | 30 |
| 294 | Gold atalyzed Double Cycloisomerization of 1â€Eneâ€4,10â€diynyl Esters to Bicyclo[6.3.0]undecaâ€2,4,9â€tr Esters. Angewandte Chemie - International Edition, 2018, 57, 14235-14239. | ienyl 7.2 | 29 |
| 295 | The Marine Ecosystem as a Source of Antibiotics. Grand Challenges in Biology and Biotechnology, 2018, , 3-48. | 2.4 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 296 | BluePharmTrain: Biology and Biotechnology of Marine Sponges. Grand Challenges in Biology and Biotechnology, 2018, , 505-553. | 2.4 | 4 |
| 297 | Previously undisclosed bioactive sterols from corbiculid bivalve clam Villorita cyprinoides with anti-inflammatory and antioxidant potentials. Steroids, 2018, 135, 1-8. | 0.8 | 15 |
| 298 | Grand Challenges in Marine Biotechnology: Overview of Recent EU-Funded Projects. Grand Challenges in Biology and Biotechnology, 2018, , 425-449. | 2.4 | 23 |
| 299 | Antimicrobial activity screening of marine bacteria isolated from Port Klang and Port Tanjung Pelepas. AIP Conference Proceedings, 2018, , . | 0.3 | 0 |
| 300 | Sponge chemical defenses are a possible mechanism for increasing sponge abundance on reefs in Zanzibar. PLoS ONE, 2018, 13, e0197617. | 1.1 | 29 |
| 301 | Polyketide-derived metabolites from the sponge-derived fungus Aspergillus sp. F40. Phytochemistry Letters, 2018, 27, 74-77. | 0.6 | 27 |
| 303 | Exploring the potential of marine microbes in clinical management of Alzheimer's disease: A road map for bioprospecting and identifying promising isolates. Life Sciences, 2018, 208, 149-160. | 2.0 | 6 |
| 304 | From Marine Origin to Therapeutics: The Antitumor Potential of Marine Algae-Derived Compounds. Frontiers in Pharmacology, 2018, 9, 777. | 1.6 | 138 |
| 305 | Chemistry and Biological Activities of the Marine Sponges of the Genera Mycale (Arenochalina), Biemna and Clathria. Marine Drugs, 2018, 16, 214. | 2.2 | 29 |
| 306 | Diversity of Gene Clusters for Polyketide and Nonribosomal Peptide Biosynthesis Revealed by Metagenomic Analysis of the Yellow Sea Sediment. Frontiers in Microbiology, 2018, 9, 295. | 1.5 | 46 |
| 307 | Bioprospecting Deep-Sea Actinobacteria for Novel Anti-infective Natural Products. Frontiers in Microbiology, 2018, 9, 787. | 1.5 | 28 |
| 308 | Cytotoxic Polyhydroxysteroidal Glycosides from Starfish Culcita novaeguineae. Marine Drugs, 2018, 16, 92. | 2.2 | 11 |
| 309 | New Eudesmane-Type Sesquiterpenoids from the Mangrove-Derived Endophytic Fungus Penicillium sp. J-54. Marine Drugs, 2018, 16, 108. | 2.2 | 23 |
| 310 | The Effect of Pentacyclic Guanidine Alkaloids from the Marine Sponge Monanchora pulchra Lambe, 1894 on the Activity of Natural Î ² -1,3-D-glucanase from the Marine Fungus Chaetomium indicum Corda, 1840 and the Marine Bivalve Mollusk Spisula sachalinensis, Schrenck, 1861. Russian Journal of Marine Biology, 2018, 44, 127-134. | 0.2 | 3 |
| 311 | A controlled aquarium system and approach to study the role of sponge-bacteria interactions using Aplysilla rosea and Vibrio natriegens. Scientific Reports, 2018, 8, 11801. | 1.6 | 2 |
| 312 | Secondary Metabolites Isolated from the Soft Coral-Derived Fungus Aspergillus sp. from the South China Sea. Chemistry of Natural Compounds, 2018, 54, 547-549. | 0.2 | 9 |
| 313 | First true brackish-water nudibranch mollusc provides new insights for phylogeny and biogeography and reveals paedomorphosis-driven evolution. PLoS ONE, 2018, 13, e0192177. | 1.1 | 29 |
| 314 | Chemistry of the fumiquinazolines and structurally related alkaloids. Natural Product Reports, 2019, 36, 7-34. | 5.2 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-------------|----------------------|
| 315 | Pharmacological significance of marine microbial bioactive compounds. Environmental Chemistry Letters, 2019, 17, 1741-1751. | 8.3 | 11 |
| 316 | Contemplating 1,2,4-Thiadiazole-Inspired Cyclic Peptide Mimics: A Computational Investigation. Australian Journal of Chemistry, 2019, 72, 894. | 0.5 | 2 |
| 317 | <p>Apiosporamide, A 4-hydroxy-2-pyridone Alkaloid, Induces Apoptosis Via PI3K/Akt Signaling Pathway In Osteosarcoma Cells</p> . OncoTargets and Therapy, 2019, Volume 12, 8611-8620. | 1.0 | 14 |
| 318 | Guanidine-Containing Polyhydroxyl Macrolides: Chemistry, Biology, and Structure-Activity Relationship. Molecules, 2019, 24, 3913. | 1.7 | 19 |
| 319 | Biotechnological Applications of Scyphomedusae. Marine Drugs, 2019, 17, 604. | 2.2 | 31 |
| 320 | Rapid Earthquake Association and Location. Seismological Research Letters, 2019, 90, 2276-2284. | 0.8 | 114 |
| 321 | A Quorum-Sensing Inhibitor Strain of Vibrio alginolyticus Blocks Qs-Controlled Phenotypes in Chromobacterium violaceum and Pseudomonas aeruginosa. Marine Drugs, 2019, 17, 494. | 2.2 | 21 |
| 322 | Bathyptilones: Terpenoids from an Antarctic Sea Pen, Anthoptilum grandiflorum (Verrill, 1879). Marine Drugs, 2019, 17, 513. | 2.2 | 9 |
| 323 | Untapped sponge microbiomes: structure specificity at host order and family levels. FEMS Microbiology Ecology, 2019, 95, . | 1.3 | 14 |
| 324 | A Comprehensive Review of Bioactive Peptides from Marine Fungi and Their Biological Significance. Marine Drugs, 2019, 17, 559. | 2.2 | 70 |
| 325 | Algae metabolites: from <i>in vitro</i> growth inhibitory effects to promising anticancer activity. Natural Product Reports, 2019, 36, 810-841. | 5.2 | 25 |
| 326 | Pafuranones A and B, two dimeric polyketides from a rare marine algae-derived fungus Paraconiothyrium sp Chinese Chemical Letters, 2019, 30, 981-984. | 4.8 | 12 |
| 327 | Elucidation of marine fungi derived anthraquinones as mycobacterial mycolic acid synthesis inhibitors: an in silico approach. Molecular Biology Reports, 2019, 46, 1715-1725. | 1.0 | 7 |
| 328 | Synthesis and Biological Assessment of Pyrrolobenzoxazine Scaffold as a Potent Antioxidant. Journal of Medicinal Chemistry, 2019, 62, 6315-6329. | 2.9 | 22 |
| 329 | After the Taxonomic Identification Phase: Addressing the Functions of Symbiotic Communities Within Marine Invertebrates. , 2019, , 105-144. | | 2 |
| 330 | NMR characterization and evaluation of antibacterial and antiobiofilm activity of organic extracts from stationary phase batch cultures of five marine microalgae (Dunaliella sp., D. salina, Chaetoceros) Tj ETQq1 I | . 017484314 | ⊦rg BT /Overl |
| 331 | Response of Sponge Microbiomes to Environmental Variations. , 2019, , 181-247. | | 4 |
| 332 | Microalgae: Cultivation Aspects and Bioactive Compounds. Brazilian Archives of Biology and Technology, 0, 62, . | 0.5 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 333 | Biotechnological Applications for the Sustainable Use of Marine By-products: In Vitro Antioxidant and Pro-apoptotic Effects of Astaxanthin Extracted with Supercritical CO2 from Parapeneus longirostris. Marine Biotechnology, 2019, 21, 565-576. | 1.1 | 17 |
| 334 | Marine Natural Products from Microalgae: An -Omics Overview. Marine Drugs, 2019, 17, 269. | 2.2 | 69 |
| 335 | The landscape of natural product diversity and their pharmacological relevance from a focus on the Dictionary of Natural Products®. Phytochemistry Reviews, 2019, 18, 601-622. | 3.1 | 52 |
| 336 | Exploring Structural Diversity of Microbe Secondary Metabolites Using OSMAC Strategy: A Literature Review. Frontiers in Microbiology, 2019, 10, 294. | 1.5 | 171 |
| 337 | Marine Fungal White Biotechnology: An Ecological and Industrial Perspective. Fungal Biology, 2019, , 483-503. | 0.3 | 3 |
| 338 | Trichobisabolins A-H, eight new bisabolane derivatives from the marine-alga-epiphytic fungus Trichoderma asperellum Y6–2. Fìtoterapìâ, 2019, 134, 372-377. | 1.1 | 13 |
| 339 | Natural cholinesterase inhibitors from marine organisms. Natural Product Reports, 2019, 36, 1053-1092. | 5.2 | 66 |
| 341 | Modulation of Food Allergy by Bioactive Natural Compounds and Development of Functional Foods. , 2019, , 147-177. | | 0 |
| 342 | LC-HRMS-Database Screening Metrics for Rapid Prioritization of Samples to Accelerate the Discovery of Structurally New Natural Products. Journal of Natural Products, 2019, 82, 211-220. | 1.5 | 22 |
| 343 | Pharmacological Potential of Marine Microbes. Environmental Chemistry for A Sustainable World, 2019, , 1-25. | 0.3 | 5 |
| 344 | Aplysinopsin-type and Bromotyrosine-derived Alkaloids from the South China Sea Sponge Fascaplysinopsis reticulata. Scientific Reports, 2019, 9, 2248. | 1.6 | 25 |
| 345 | A Brief Review on New Naturally Occurring Cembranoid Diterpene Derivatives from the Soft Corals of the Genera Sarcophyton, Sinularia, and Lobophytum Since 2016. Molecules, 2019, 24, 781. | 1.7 | 60 |
| 346 | The Toxins of Nemertean Worms. Toxins, 2019, 11, 120. | 1.5 | 34 |
| 347 | Advances in Endophytic Fungal Research. Fungal Biology, 2019, , . | 0.3 | 15 |
| 348 | Secondary Metabolites from Marine Endophytic Fungi: Emphasis on Recent Advances in Natural Product Research. Fungal Biology, 2019, , 339-350. | 0.3 | 3 |
| 349 | The chemical constituents and biological activity of some sponges in Northern Vietnam: A review. Vietnam Journal of Chemistry, 2019, 57, 261-271. | 0.7 | 8 |
| 350 | Bioactive compounds from marine <i>Streptomyces</i> sp.: Structure identification and biological activities. Vietnam Journal of Chemistry, 2019, 57, 628-635. | 0.7 | 8 |
| 351 | Some Biogenetic Considerations Regarding the Marine Natural Product (â^')-Mucosin. Molecules, 2019, 24, 4147. | 1.7 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 352 | Current Trends on Seaweeds: Looking at Chemical Composition, Phytopharmacology, and Cosmetic Applications. Molecules, 2019, 24, 4182. | 1.7 | 164 |
| 353 | Origins and Bioactivities of Natural Compounds Derived from Marine Ascidians and Their Symbionts. Marine Drugs, 2019, 17, 670. | 2.2 | 49 |
| 354 | Characterization of a Halotolerant Fungus from a Marine Sponge. BioMed Research International, 2019, 2019, 1-9. | 0.9 | 7 |
| 355 | Two New Succinimide Derivatives Cladosporitins A and B from the Mangrove-derived Fungus Cladosporium sp. HNWSW-1. Marine Drugs, 2019, 17, 4. | 2.2 | 18 |
| 356 | Effects of dietary algae (Sargassum ilicifolium) as immunomodulator and growth promoter of juvenile great sturgeon (Huso huso Linnaeus, 1758). Journal of Applied Phycology, 2019, 31, 2093-2102. | 1.5 | 24 |
| 357 | Quorum sensing inhibitors as antipathogens: biotechnological applications. Biotechnology Advances, 2019, 37, 68-90. | 6.0 | 215 |
| 358 | A problem in the structure assignment of acremolin C, which is most probably identical with acremolin B. Natural Product Research, 2019, 33, 3011-3015. | 1.0 | 5 |
| 359 | New Drugs from the Sea: Pro-Apoptotic Activity of Sponges and Algae Derived Compounds. Marine Drugs, 2019, 17, 31. | 2.2 | 61 |
| 360 | Albocycline-type Macrolides with Antibacterial Activities fromStreptomycessp. 4205. Chemistry and Biodiversity, 2019, 16, e1800344. | 1.0 | 8 |
| 361 | Antioxidant and antiinflammatory secondary metabolites from the Asian green mussel Perna viridis. Journal of Food Biochemistry, 2019, 43, e12736. | 1.2 | 3 |
| 362 | Secondary Metabolites of Marine Microbes: From Natural Products Chemistry to Chemical Ecology. , 2020, , 159-180. | | 30 |
| 363 | Potential of tropical macroalgae from French Polynesia for biotechnological applications. Journal of Applied Phycology, 2020, 32, 2343-2362. | 1.5 | 7 |
| 364 | One-pot synthesis of imidazo[1,2-α]pyridine thioethers using imidazo[1,2-α]pyridines, arylsulfonyl chlorides and hydrazine. Phosphorus, Sulfur and Silicon and the Related Elements, 2020, 195, 256-262. | 0.8 | 1 |
| 365 | Mutagenic, genotoxic and cytotoxic studies of invasive corals <scp><i>Tubastraea coccinea</i></scp> and <scp><i>Tubastraea tagusensis</i></scp> . Journal of Applied Toxicology, 2020, 40, 373-387. | 1.4 | 4 |
| 366 | Culturable bacteria from two Portuguese salterns: diversity and bioactive potential. Antonie Van Leeuwenhoek, 2020, 113, 459-475. | 0.7 | 5 |
| 367 | High-value compounds from the molluscs of marine and estuarine ecosystems as prospective functional food ingredients: An overview. Food Research International, 2020, 137, 109637. | 2.9 | 26 |
| 368 | Discovery of Three 22-Membered Macrolides by Deciphering the Streamlined Genome of Mangrove-Derived Streptomyces sp. HM190. Frontiers in Microbiology, 2020, 11, 1464. | 1.5 | 6 |
| 369 | Natural hybrid silica/protein superstructure at atomic resolution. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 31088-31093. | 3.3 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 370 | Antioxidant bisabolane-type sesquiterpenoids from algal-derived fungus Aspergillus sydowii EN-434. Journal of Oceanology and Limnology, 2020, 38, 1532-1536. | 0.6 | 12 |
| 371 | Biomining fungal endophytes from tropical plants and seaweeds for drug discovery. , 2020, , 51-62. | | 4 |
| 372 | Anticancer activities of marine macroalgae: status and future perspectives. , 2020, , 257-275. | | 3 |
| 373 | Antiplasmodial Alkaloids from the Australian Bryozoan <i>Amathia lamourouxi</i> . Journal of Natural Products, 2020, 83, 3435-3444. | 1.5 | 12 |
| 374 | Marine Actinobacteria Bioflocculant: A Storehouse of Unique Biotechnological Resources for Wastewater Treatment and Other Applications. Applied Sciences (Switzerland), 2020, 10, 7671. | 1.3 | 7 |
| 378 | Bioprocess Engineering for Bioremediation. Handbook of Environmental Chemistry, 2020, , . | 0.2 | 1 |
| 380 | Applications and Efficacy of Exceptional Bioactive Compounds from Microalgae. Handbook of Environmental Chemistry, 2020, , 161-176. | 0.2 | 0 |
| 381 | Waikikiamides A–C: Complex Diketopiperazine Dimer and Diketopiperazine–Polyketide Hybrids from a Hawaiian Marine Fungal Strain <i>Aspergillus</i> sp. FM242. Organic Letters, 2020, 22, 4408-4412. | 2.4 | 25 |
| 382 | Diterpenoids isolated from the Samoan marine sponge Chelonaplysilla sp. inhibit Mycobacterium tuberculosis growth. Journal of Antibiotics, 2020, 73, 568-573. | 1.0 | 7 |
| 383 | Secondary Metabolites of the Genus Didemnum: A Comprehensive Review of Chemical Diversity and Pharmacological Properties. Marine Drugs, 2020, 18, 307. | 2.2 | 14 |
| 384 | Marine Alkaloids with Anti-Inflammatory Activity: Current Knowledge and Future Perspectives. Marine Drugs, 2020, 18, 147. | 2.2 | 51 |
| 385 | Design, Synthesis and Biological Evaluation of Jahanyne Analogs as Cell Cycle Arrest Inducers. Marine Drugs, 2020, 18, 176. | 2.2 | 4 |
| 386 | Total synthesis of quinolactacin-H from marine-derived <i>Penicillium</i> sp. ENP701 and biological activities. RSC Advances, 2020, 10, 24251-24254. | 1.7 | 4 |
| 387 | Synthesis of chiral propargyl alcohols following the base-induced elimination protocol: application in the total synthesis of natural products. New Journal of Chemistry, 2020, 44, 4972-4986. | 1.4 | 3 |
| 388 | Anti-inflammatory potential of invasive sun corals (Scleractinia: Tubastraea spp.) from Brazil: alternative use for management?. Journal of Pharmacy and Pharmacology, 2020, 72, 633-647. | 1.2 | 3 |
| 389 | A Method for the Preparation of β-Amino-α,β-unsaturated Carbonyl Compounds: Study of Solvent Effect and Mechanism. Organic Letters, 2020, 22, 1040-1045. | 2.4 | 5 |
| 390 | Nanozymology. Nanostructure Science and Technology, 2020, , . | 0.1 | 30 |
| 391 | Orthoscuticellines A–E, β-Carboline Alkaloids from the Bryozoan <i>Orthoscuticella ventricosa</i> Collected in Australia. Journal of Natural Products, 2020, 83, 422-428. | 1.5 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 392 | Fungi from the extremes of life: an untapped treasure for bioactive compounds. Applied Microbiology and Biotechnology, 2020, 104, 2777-2801. | 1.7 | 34 |
| 393 | New efficient synthesis of benzofuro[2,3- <i>b</i>]pyrroles utilizing a reactive nitrilium trapping approach by an acid-promoted cascade addition/cyclization sequence. New Journal of Chemistry, 2020, 44, 3632-3636. | 1.4 | 4 |
| 394 | Polysubstituted Phenyl Glucosides Produced by the Fungus Metarrhizium anisopliae. Current Medical Science, 2020, 40, 232-238. | 0.7 | 1 |
| 395 | Three New Sesquiterpenoids from the Algal-Derived Fungus Penicillium chermesinum EN-480. Marine Drugs, 2020, 18, 194. | 2.2 | 21 |
| 396 | Algae-Derived Bioactive Compounds with Anti-Lung Cancer Potential. Marine Drugs, 2020, 18, 197. | 2.2 | 57 |
| 397 | Progress in studies on meroterpenoids. Studies in Natural Products Chemistry, 2020, 64, 181-216. | 0.8 | 5 |
| 398 | Marine microorganisms as an untapped source of bioactive compounds. Saudi Journal of Biological Sciences, 2021, 28, 224-231. | 1.8 | 66 |
| 399 | Halogen content relative to the chemical and biochemical composition of fifteen marine macro and micro algae: nutritional value, energy supply, antioxidant potency, and health risk assessment. Environmental Science and Pollution Research, 2021, 28, 14893-14908. | 2.7 | 25 |
| 400 | NMR: Unique Strengths That Enhance Modern Metabolomics Research. Analytical Chemistry, 2021, 93, 478-499. | 3.2 | 56 |
| 401 | Ru-catalysed C(sp ²)–H vinylation/annulation of benzoic acids and alkynes: rapid access to medium-sized lactones. Chemical Communications, 2021, 57, 1113-1116. | 2.2 | 11 |
| 402 | An Updated Review on the Secondary Metabolites and Biological Activities of Aspergillus ruber and Aspergillus flavus and Exploring the Cytotoxic Potential of Their Isolated Compounds Using Virtual Screening. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-11. | 0.5 | 6 |
| 403 | Pyridines and Their Benzo Derivatives: Applications. , 2022, , 217-242. | | 2 |
| 404 | Rare Chromone Derivatives from the Marine-Derived Penicillium citrinum with Anti-Cancer and Anti-Inflammatory Activities. Marine Drugs, 2021, 19, 25. | 2.2 | 11 |
| 405 | Miharadienes A–D with unique cyclic skeletons from a marine-derived Streptomyces miharaensis. Organic Chemistry Frontiers, 2021, 8, 4845-4852. | 2.3 | 6 |
| 406 | Isolation of secondary metabolites from the mediterranean sponge species; Hemimycale columella and its biological properties. SN Applied Sciences, 2021, 3, 1. | 1.5 | 3 |
| 407 | Recent Advances in Small Peptides of Marine Origin in Cancer Therapy. Marine Drugs, 2021, 19, 115. | 2.2 | 28 |
| 408 | Antimicrobial Potential and Phytochemical Screening of Clathria sp. 1 and Tedania (Tedania) stylonychaeta Sponge Crude Extracts Obtained from the South East Coast of South Africa. BioMed Research International, 2021, 2021, 1-10. | 0.9 | 0 |
| 409 | Cytotoxic Alkaloids Derived from Marine Sponges: A Comprehensive Review. Biomolecules, 2021, 11, 258. | 1.8 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 410 | Metabolites of Marine Sediment-Derived Fungi: Actual Trends of Biological Activity Studies. Marine Drugs, 2021, 19, 88. | 2.2 | 19 |
| 411 | Microorganisms: A Potential Source of Bioactive Molecules for Antioxidant Applications. Molecules, 2021, 26, 1142. | 1.7 | 58 |
| 412 | Chemical Diversity and Biological Activity of Secondary Metabolites Isolated from Indonesian Marine Invertebrates. Molecules, 2021, 26, 1898. | 1.7 | 14 |
| 413 | Near quantitative synthesis of urea macrocycles enabled by bulky N-substituent. Nature Communications, 2021, 12, 1572. | 5.8 | 12 |
| 414 | Environmental Impact on Seaweed Phenolic Production and Activity: An Important Step for Compound Exploitation. Marine Drugs, 2021, 19, 245. | 2.2 | 39 |
| 415 | Seasonal Variation in Antimicrobial Activity of Crude Extracts of Psammaplysilla sp. 1 from Phillips Reef, South Africa. International Journal of Microbiology, 2021, 2021, 1-13. | 0.9 | 2 |
| 416 | Taxonomic Composition and Biological Activity of Bacterial Communities Associated with Marine Ascidians from Andaman Islands, India. Applied Biochemistry and Biotechnology, 2021, 193, 2932-2963. | 1.4 | 2 |
| 417 | Austalide K from the Fungus Penicillium rudallense Prevents LPS-Induced Bone Loss in Mice by Inhibiting Osteoclast Differentiation and Promoting Osteoblast Differentiation. International Journal of Molecular Sciences, 2021, 22, 5493. | 1.8 | 7 |
| 418 | Antimicrobial Properties of Actively Purified Secondary Metabolites Isolated from Different Marine Organisms. Current Pharmaceutical Biotechnology, 2021, 22, 920-944. | 0.9 | 9 |
| 419 | Unveiling the dermatological potential of marine fungal species components: Antioxidant and inhibitory capacities over tyrosinase. Biotechnology and Applied Biochemistry, 2022, 69, 1252-1266. | 1.4 | 8 |
| 420 | Diversity of Marine Macro-Algicolous Endophytic Fungi and Cytotoxic Potential of Biscogniauxia petrensis Metabolites Against Cancer Cell Lines. Frontiers in Microbiology, 2021, 12, 650177. | 1.5 | 11 |
| 421 | Cistobislactone, an undescribed variant of 14-membered bislactonic macrodiolide, from old-lady octopus <i>Cistopus indicus</i> (family Octopodidae) attenuates inflammatory lipoxygenase. Natural Product Research, 2022, 36, 3002-3012. | 1.0 | 2 |
| 422 | Anti-Cancer and Anti-Inflammatory Activities of Three New Chromone Derivatives from the Marine-Derived Penicillium citrinum. Marine Drugs, 2021, 19, 408. | 2.2 | 14 |
| 423 | Bioactive Compounds with Antiglioma Activity from Marine Species. Biomedicines, 2021, 9, 886. | 1.4 | 3 |
| 424 | A new antibacterial 3,5-dimethylorsellinic acid-based meroterpene from the marine fungus Aspergillus sp. CSYZ-1. Fìtoterapìâ, 2021, 152, 104908. | 1.1 | 10 |
| 425 | Role of bioactive metabolites from Acremonium camptosporum associated with the marine sponge Aplysina fulva. Chemosphere, 2021, 274, 129753. | 4.2 | 5 |
| 426 | Biochemical Characterization of Cassiopea andromeda (Forsskål, 1775), Another Red Sea Jellyfish in the Western Mediterranean Sea. Marine Drugs, 2021, 19, 498. | 2.2 | 13 |
| 427 | Phytoplankton of the Curonian Lagoon as a New Interesting Source for Bioactive Natural Products. Special Impact on Cyanobacterial Metabolites. Biomolecules, 2021, 11, 1139. | 1.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 428 | Myxobacteria as a Source of New Bioactive Compounds: A Perspective Study. Pharmaceutics, 2021, 13, 1265. | 2.0 | 14 |
| 429 | Marine dissolved organic matter: a vast and unexplored molecular space. Applied Microbiology and Biotechnology, 2021, 105, 7225-7239. | 1.7 | 18 |
| 430 | Chirality in Environmental Toxicity and Fate Assessments. , 2021, , 279-305. | | 1 |
| 431 | Recent advances in applications of Heck reaction in the total synthesis of alkaloids. , 2021, , 107-152. | | 0 |
| 432 | Entotheonella Bacteria as Source of Sponge-Derived Natural Products: Opportunities for Biotechnological Production. Progress in Molecular and Subcellular Biology, 2017, 55, 291-314. | 0.9 | 14 |
| 433 | Functional Enzyme Mimics for Oxidative Halogenation Reactions that Combat Biofilm Formation. Nanostructure Science and Technology, 2020, , 195-278. | 0.1 | 7 |
| 434 | Insights about clinically approved and Preclinically investigated marine natural products. Current Research in Biotechnology, 2020, 2, 88-102. | 1.9 | 59 |
| 435 | Cytogenotoxic evaluation of the acetonitrile extract, citrinin and dicitrinin-A from Penicillium citrinum. Drug and Chemical Toxicology, 2020, , 1-10. | 1.2 | 5 |
| 436 | Euzebya rosea sp. nov., a rare actinobacterium isolated from the East China Sea and analysis of two genome sequences in the genus Euzebya. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 2900-2905. | 0.8 | 21 |
| 437 | Macroalgal diversity for sustainable biotechnological development in French tropical overseas territories. Botanica Marina, 2020, 63, 17-41. | 0.6 | 21 |
| 438 | Progress in using the drugs based on hydrobionts in treatment of respiratory viral infections and their complications. Reviews on Clinical Pharmacology and Drug Therapy, 2017, 15, 4-13. | 0.2 | 1 |
| 439 | Compounds from the marine sponge <i>Cribrochalina vasculum</i> offer a way to target IGF-1R mediated signaling in tumor cells. Oncotarget, 2016, 7, 50258-50276. | 0.8 | 20 |
| 440 | Synthesis of New Di- and Trinorlabdane Compounds with 2-amino-1,3-thiazole Units. Chemistry Journal of Moldova, 2019, 14, 72-78. | 0.3 | 2 |
| 441 | Marine Actinomycetes-derived Natural Products. Current Topics in Medicinal Chemistry, 2020, 19, 2868-2918. | 1.0 | 18 |
| 442 | Metabolomics and Pharmacological Screening of Aspergillus versicolor Isolated from Hyrtios erectus Red Sea Sponge; Egypt. Current Bioactive Compounds, 2020, 16, 1083-1102. | 0.2 | 8 |
| 443 | THE STUDY OF HISTOTOPOGRAPHY OF GLYCOCONJUGATES IN THE PERSPECTIVE OF THE DEVELOPMENT OF LOCAL THERAPY OF STOMATOLOGICAL MAXILLARY SINUSITIS. World of Medicine and Biology, 2018, 14, 126. | 0.1 | 2 |
| 444 | Targeted Isolation of Anti-Trypanosomal Naphthofuran-Quinone Compounds from the Mangrove Plant Avicennia lanata. Marine Drugs, 2020, 18, 661. | 2.2 | 7 |
| 445 | Digitizing mass spectrometry data to explore the chemical diversity and distribution of marine cyanobacteria and algae. ELife, 2017, 6, . | 2.8 | 33 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 446 | Structuring effects of chemicals from the sea fanPhyllogorgia dilatataon benthic communities. PeerJ, 2017, 5, e3186. | 0.9 | 4 |
| 447 | Secondary metabolites from mangrove-associated fungi: source, chemistry and bioactivities. Natural Product Reports, 2022, 39, 560-595. | 5.2 | 72 |
| 448 | First Total Synthesis of the Marine-Derived Anti-inflammatory Natural Product (–)-Herdmanine D through a Steglich Esterification. Synlett, 2022, 33, 62-65. | 1.0 | 3 |
| 449 | Analytical Techniques for Discovery of Bioactive Compounds from Marine Fungi. , 2016, , 1-20. | | 2 |
| 450 | Search for the new anti-inflammatory agents based on glycosylated polypeptide complex extracted from sea urchins Strongylocentrotus droebachiensis. Reviews on Clinical Pharmacology and Drug Therapy, 2016, 14, 9-15. | 0.2 | 0 |
| 451 | On the Chemistry and Biology of the Marine Macrolides Zampanolide and Dactylolide. , 2017, , 555-599. | | Ο |
| 452 | Antinociceptive and Anti-inflammatory Activities of Marine Sponges Aplysina Caissara, Haliclona sp. and Dragmacidon Reticulatum. Brazilian Archives of Biology and Technology, 2018, 61, . | 0.5 | 4 |
| 453 | Microalgae Potential Feedstock for the Production of Biohydrogen and Bioactive Compounds. Clean Energy Production Technologies, 2020, , 171-206. | 0.3 | 1 |
| 454 | 16 Biotechnology of Marine Fungi: New Workhorses and Applications. , 2020, , 399-412. | | 1 |
| 455 | A Treasure of Bioactive Compounds from the Deep Sea. Biomedicines, 2021, 9, 1556. | 1.4 | 11 |
| 456 | Structure–Activity Relationship Probing of the Natural Marine Antifoulant Barettin. Marine Biotechnology, 2021, 23, 904-916. | 1.1 | 11 |
| 457 | Fraction Libraries and Genetics as Tools for Natural Product Research: Focus on Decalin-Containing Compounds. , 2020, , 375-409. | | 0 |
| 458 | Synthesis of polysubstituted pyrroles <i>via</i> isocyanide-based multicomponent reactions as an efficient synthesis tool. New Journal of Chemistry, 2021, 45, 21967-22011. | 1.4 | 26 |
| 459 | Aquatic Chemical Ecology—A Focus on Algae. , 2020, , 244-267. | | 1 |
| 460 | Tunicyclin L, a cyclic peptide from Psammosilene tunicoides: Isolation, characterization, conformational studies and biological activity. Fìtoterapìâ, 2020, 145, 104628. | 1.1 | 6 |
| 461 | Multiplying the heterologous production of spinosad through tandem amplification of its biosynthetic gene cluster in Streptomyces coelicolor. Microbial Biotechnology, 2021, , . | 2.0 | 5 |
| 462 | Antibacterial Activity and Amphidinol Profiling of the Marine Dinoflagellate Amphidinium carterae (Subclade III). International Journal of Molecular Sciences, 2021, 22, 12196. | 1.8 | 9 |
| 463 | Antimalarial Natural Products. Progress in the Chemistry of Organic Natural Products, 2022, 117, 1-106. | 0.8 | 10 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 464 | Structure–Activity Relationship of Cytotoxic Natural Products from Indonesian Marine Sponges. Revista Brasileira De Farmacognosia, 2022, 32, 12-38. | 0.6 | 3 |
| 465 | Marine natural products as source of new drugs: an updated patent review (July 2018-July 2021). Expert Opinion on Therapeutic Patents, 2022, 32, 317-363. | 2.4 | 22 |
| 466 | Isolation and biological activity of azocine and azocane alkaloids. Bioorganic and Medicinal Chemistry, 2022, 54, 116560. | 1.4 | 13 |
| 467 | Marine Organisms as Alkaloid Biosynthesizers of Potential Anti-Alzheimer Agents. Marine Drugs, 2022, 20, 75. | 2.2 | 10 |
| 468 | Implications of bacterial bioflocculant for public health demands. , 2022, , 193-226. | | 0 |
| 470 | Seaweeds as Prospective Marine Resources for the Development of Bioactive Pharmacophores and Nutraceuticals. , 2022, , 369-396. | | 0 |
| 471 | Anti-inflammatory, anti-infectious and anti-cancer potential of marine algae and sponge: A review. European Journal of Inflammation, 2022, 20, 205873922210755. | 0.2 | 6 |
| 472 | Amycolachromones A–F, Isolated from a Streptomycin-Resistant Strain of the Deep-Sea Marine Actinomycete Amycolatopsis sp. WP1. Marine Drugs, 2022, 20, 162. | 2.2 | 3 |
| 473 | Evaluation of cytotoxic activity of marine fungi isolated from sponges in Nha Trang bay. Tạp ChÃ-Khoa HỀ Và Công Nghệ Biển, 2022, 22, . | 0.1 | 1 |
| 474 | Investigation of Antiparasitic Activity of Two Marine Natural Products, Estradiol Benzoate, and Octyl Gallate, on Toxoplasma gondii In Vitro. Frontiers in Pharmacology, 2022, 13, 841941. | 1.6 | 1 |
| 475 | Newly described antioxidant disecolactonic ergosteroids from marine cuttlefish Sepia pharaonis: Pharaonoids A-B as prospective carbohydrate digestive enzyme inhibitors. Steroids, 2022, 182, 108995. | 0.8 | 2 |
| 476 | A Review on Microbial Products and Their Perspective Application as Antimicrobial Agents. Biomolecules, 2021, 11, 1860. | 1.8 | 22 |
| 477 | Not Drug-like, but Like Drugs: Cnidaria Natural Products. Marine Drugs, 2022, 20, 42. | 2.2 | 5 |
| 478 | SECONDARY METABOLITES WITH ANTIBIOTIC ACTIVITY OF MARINE ACTINOBACTERIA. Mikrobiologia I Biotehnologia, 2021, , 28-43. | 0.0 | 0 |
| 479 | First report of steroid derivatives isolated from starfish <i>Acanthaster planci</i> with anti-bacterial, anti-cancer and anti-diabetic activities. Natural Product Research, 2022, 36, 5545-5552. | 1.0 | 6 |
| 480 | Antifouling Activity of Halogenated Compounds Derived from the Red Alga Sphaerococcus coronopifolius: Potential for the Development of Environmentally Friendly Solutions. Marine Drugs, 2022, 20, 32. | 2.2 | 5 |
| 485 | Marine Sponge Endosymbionts: Structural and Functional Specificity of the Microbiome within <i>Euryspongia arenaria</i> Cells. Microbiology Spectrum, 2022, 10, e0229621. | 1.2 | 5 |
| 486 | Recent Advances in the Synthesis of Marine-Derived Alkaloids via Enzymatic Reactions. Marine Drugs, 2022, 20, 368. | 2.2 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | Bioactive Compounds from Polar Regions: An Account of Chemical Ecology and Biotechnological Applications. Current Organic Chemistry, 2022, 26, 1055-1087. | 0.9 | 1 |
| 488 | Remarkable Natural Biological Resource of Algae for Medical Applications. Frontiers in Marine Science, 0, 9, . | 1.2 | 6 |
| 489 | Bioactivity of Metabolites from Actinomycetes Isolates from Red Sea, Egypt. Microbiology and Biotechnology Letters, 2022, 50, 255-269. | 0.2 | 1 |
| 490 | Marine Antineoplastic Templates: Clinical trials (I-III) and Motifs Carried via Antibodies to Target Specific Cancerous Tissues. Biomedical and Pharmacology Journal, 2022, 15, 579-603. | 0.2 | 2 |
| 491 | Recent developments in natural bioactive peptides: Anticancer potential and structure–activity relationships. Studies in Natural Products Chemistry, 2022, , 329-365. | 0.8 | 1 |
| 492 | Chemical diversity, medicinal potentialities, biosynthesis, and pharmacokinetics of anthraquinones and their congeners derived from marine fungi: a comprehensive update. RSC Advances, 2022, 12, 24887-24921. | 1.7 | 15 |
| 493 | Mass Spectrometry Metabolomics Approach Reveals Anti-Trichomonas vaginalis Scaffolds from Marine Fungi. Marine Biotechnology, 2022, 24, 1014-1022. | 1.1 | 1 |
| 494 | Large-scale mariculture of the sponge Haliclona simulans on floating rafts in Zhao'an Bay, Fujian Province, China. Aquaculture, 2023, 563, 738893. | 1.7 | 0 |
| 495 | Anti-Inflammatory Effects of Compounds from Echinoderms. Marine Drugs, 2022, 20, 693. | 2.2 | 7 |
| 496 | A Review of Diterpenes from Marine-Derived Fungi: 2009–2021. Molecules, 2022, 27, 8303. | 1.7 | 2 |
| 497 | Xestospongia muta Fraction-7 and Linoleic Acid: Effects on SR-BI Gene Expression and HDL Cholesterol Uptake. Marine Drugs, 2022, 20, 762. | 2.2 | 1 |
| 498 | Flustramine Q, a Novel Marine Origin Acetylcholinesterase Inhibitor from Flustra foliacea. Future Pharmacology, 2023, 3, 38-47. | 0.6 | 1 |
| 499 | <i>In vitro</i> antibiofilm, antibacterial, antioxidant, and antitumor activities of the brown alga <i>Padina pavonica</i> biomass extract. International Journal of Environmental Health Research, 2024, 34, 1861-1878. | 1.3 | 3 |
| 500 | New Negombata species discovered: latrunculin mystery solved. Coral Reefs, 0, , . | 0.9 | 0 |
| 501 | Synthesis of novel thioalkylated triazolothiazoles and their promising in-vitro antiviral activity. Journal of Molecular Structure, 2023, 1286, 135573. | 1.8 | 3 |
| 502 | Exploiting bioactive natural products of marine origin: Evaluation of the meroterpenoid metachromin V as a novel potential therapeutic drug for colorectal cancer. Biomedicine and Pharmacotherapy, 2023, 162, 114679. | 2.5 | 2 |
| 503 | Partial characterization and anticoagulant activity of sulfated galactan from the green seaweed Halimeda opuntia. Anais Da Academia Brasileira De Ciencias, 2023, 95, . | 0.3 | 0 |
| 504 | New Polyketide and Sesquiterpenoid Derivatives from the Magellan Seamountâ€Derived Fungus <i>Penicillium rubens</i> ASâ€130. Chemistry and Biodiversity, 2023, 20, . | 1.0 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 505 | An overview on the nutritional and bioactive components of green seaweeds. Food Production Processing and Nutrition, 2023, 5, . | 1.1 | 8 |
| 510 | Naturally Occurring Organohalogen Compounds—A Comprehensive Review. Progress in the Chemistry of Organic Natural Products, 2023, , 1-546. | 0.8 | 5 |
| 519 | Microalgae as sustainable feedstock for biofuel production and value-added co-products. , 2024, , 253-286. | | 0 |
| 521 | Neuroactive Peptides and Neuroprotective Molecules from Marine Sponges and Associated Bacteria: An Untapped Resource for Systemic Drug Development. , 2023, , 283-323. | | 0 |
| 525 | Herbal Medicine for Health Management and Disease Prevention. Reference Series in Phytochemistry, 2024, , 1-35. | 0.2 | 0 |