

CITATION REPORT

List of articles citing

A device for dried blood microsampling in quantitative bioanalysis: overcoming the issues associated blood hematocrit

DOI: 10.4155/bio.14.310
Bioanalysis, 2015, 7, 653-9.

Source: <https://exaly.com/paper-pdf/61756102/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
153	Hepcidin determination in dried blood by microfluidic LC-MS/MS: comparison of DBS and volumetric absorptive microsampling for matrix effect and recovery. <i>Bioanalysis</i> , 2015 , 7, 2789-99	2.1	23
152	Quantitative bioanalytical validation of fosfomycin in human whole blood with volumetric absorptive microsampling. <i>Bioanalysis</i> , 2015 , 7, 2585-95	2.1	36
151	Quantitative bioanalysis of paracetamol in rats using volumetric absorptive microsampling (VAMS). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 108, 61-9	3.5	53
150	Does volumetric absorptive microsampling eliminate the hematocrit bias for caffeine and paraxanthine in dried blood samples? A comparative study. <i>Analytica Chimica Acta</i> , 2015 , 881, 65-73	6.6	96
149	Alternative matrices for therapeutic drug monitoring of immunosuppressive agents using LC-MS/MS. <i>Bioanalysis</i> , 2015 , 7, 1037-58	2.1	25
148	Hematocrit-independent recovery is a key for bioanalysis using volumetric absorptive microsampling devices, Mitra <i>Bioanalysis</i> , 2015 , 7, 1821-9	2.1	56
147	Evaluation of two blood microsampling approaches for drug discovery PK studies in rats. <i>Bioanalysis</i> , 2015 , 7, 2345-2359	2.1	21
146	DBS and beyond. <i>Bioanalysis</i> , 2015 , 7, 1971-6	2.1	2
145	Current advances in biosampling for therapeutic drug monitoring of psychiatric CNS drugs. <i>Bioanalysis</i> , 2015 , 7, 1925-42	2.1	14
144	Stable-Isotope Dilution HPLC-Electrospray Ionization Tandem Mass Spectrometry Method for Quantifying Hydroxyurea in Dried Blood Samples. 2016 , 62, 1593-1601		24
143	Biosampling strategies for emerging drugs of abuse: towards the future of toxicological and forensic analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 130, 202-219	3.5	39
142	Is there a role for microsampling in antibiotic pharmacokinetic studies?. 2016 , 12, 601-14		16
141	Determination of ultra-trace amounts of prosthesis-related metals in whole blood using volumetric absorptive micro-sampling and tandem ICP - Mass spectrometry. <i>Analytica Chimica Acta</i> , 2016 , 941, 1-9	6.6	25
140	Discovery bioanalysis and in vivo pharmacology as an integrated process: a case study in oncology drug discovery. <i>Bioanalysis</i> , 2016 , 8, 1481-98	2.1	2
139	Procedures for Analysis of Dried Plasma Using Microsampling Devices to Detect Sulfur Mustard-Albumin Adducts for Verification of Poisoning. 2016 , 88, 8787-94		40
138	Development of a novel noncapillary plasma microsampling device for ultra-low volume of blood collection. <i>Bioanalysis</i> , 2016 , 8, 871-80	2.1	3
137	Quantitative determination of opioids in whole blood using fully automated dried blood spot desorption coupled to on-line SPE-LC-MS/MS. 2016 , 8, 30-8		49

136	Uncertainty in Antibiotic Dosing in Critically Ill Neonate and Pediatric Patients: Can Microsampling Provide the Answers?. 2016 , 38, 1961-75		19
135	A Novel, Nondestructive, Dried Blood Spot-Based Hematocrit Prediction Method Using Noncontact Diffuse Reflectance Spectroscopy. 2016 , 88, 6538-46		50
134	Bridging the Gap between Sample Collection and Laboratory Analysis: Using Dried Blood Spots to Identify Human Exposure to Chemical Agents. 2016 , 98630, 98630P-98630P9		4
133	Hematocrit-Independent Quantitation of Stimulants in Dried Blood Spots: Pipet versus Microfluidic-Based Volumetric Sampling Coupled with Automated Flow-Through Desorption and Online Solid Phase Extraction-LC-MS/MS Bioanalysis. 2016 , 88, 6789-96		31
132	Estimation of hematocrit in filter paper dried bloodspots by potassium measurement: advantage of use of perimeter ring samples over circular center sub-punch samples. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 53-57	5.9	4
131	Evaluation of sample extraction methods for minimizing hematocrit effect on whole blood analysis with volumetric absorptive microsampling. <i>Bioanalysis</i> , 2017 , 9, 349-357	2.1	29
130	Dried Blood Spot sampling in psychiatry: Perspectives for improving therapeutic drug monitoring. 2017 , 27, 205-216		19
129	Adhesive blood microsampling systems for steroid measurement via LC-MS/MS in the rat. 2017 , 120, 1-6		21
128	Whole blood microsampling for the quantitation of estetrol without derivatization by liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 140, 258-265	3.5	21
127	Quantification of saxitoxin in human blood by ELISA. 2017 , 133, 110-115		19
126	Application of volumetric absorptive microsampling device for quantification of tacrolimus in human blood as a model drug of high blood cell partition. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 143, 168-175	3.5	34
125	Capillary blood collected on volumetric absorptive microsampling (VAMS) device for monitoring hydroxychloroquine in rheumatoid arthritis patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 140, 334-341	3.5	45
124	Oral drug absorption in pediatrics: the intestinal wall, its developmental changes and current tools for predictions. 2017 , 38, 209-230		45
123	Dried haematic microsamples and LC-MS/MS for the analysis of natural and synthetic cannabinoids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1044-1045, 77-86	3.2	38
122	Sampling only ten microliters of whole blood for the quantification of poorly soluble drugs: Itraconazole as case study. <i>Journal of Chromatography A</i> , 2017 , 1479, 161-168	4.5	19
121	Analysis of whole blood by ICP-MS equipped with a high temperature total sample consumption system. 2017 , 32, 78-87		19
120	Iron isotopic analysis of finger-prick and venous blood by multi-collector inductively coupled plasma-mass spectrometry after volumetric absorptive microsampling. 2017 , 32, 314-321		14
119	Volumetric absorptive microsampling (VAMS) as an alternative to conventional dried blood spots in the quantification of miltefosine in dried blood samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 135, 160-166	3.5	46

118	Application of volumetric absorptive microsampling for robust, high-throughput mass spectrometric quantification of circulating protein biomarkers. 2017 , 4-5, 25-33		23
117	Comparison of nanofluidic and ultra-high performance liquid chromatography-tandem mass spectrometry for high sensitive pharmacokinetic studies of estrogens starting from whole blood microsampling. <i>Journal of Chromatography A</i> , 2017 , 1524, 160-168	4.5	8
116	Sponge Spray-Reaching New Dimensions of Direct Sampling and Analysis by MS. 2017 , 89, 11592-11597		13
115	Newborn Thyroid Screening: Influence of Pre-Analytic Variables on Dried Blood Spot Thyrotropin Measurement. 2017 , 27, 1128-1134		5
114	Comparative study on microsampling techniques in metabolic fingerprinting studies applying gas chromatography-MS analysis. <i>Bioanalysis</i> , 2017 , 9, 1329-1340	2.1	7
113	Volumetric adsorptive microsampling-liquid chromatography tandem mass spectrometry assay for the simultaneous quantification of four antibiotics in human blood: Method development, validation and comparison with dried blood spot. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 704-710	3.5	33
112	Volumetric absorptive microsampling combined with impact-assisted extraction for hematocrit effect free assays. <i>Bioanalysis</i> , 2017 , 9, 1761-1769	2.1	10
111	Volumetric absorptive microsampling at home as an alternative tool for the monitoring of HbA1c in diabetes patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 462-469	5.9	39
110	Determination of electrical parameters of dried blood spot samples with different concentration of methotrexate. 2017 ,		1
109	Assessing Volumetric Absorptive Microsampling Coupled with Stable Isotope Dilution Assay and Liquid Chromatography-Tandem Mass Spectrometry as Potential Diagnostic Tool for Whole Blood 5-Methyltetrahydrofolic Acid. 2017 , 4, 9		8
108	Novel volumetric adsorptive microsampling technique for determination of perfluorinated compounds in blood. 2018 , 545, 49-53		8
107	Evaluation of a novel micro-sampling device, Mitra [®] in comparison to dried blood spots, for analysis of praziquantel in <i>Schistosoma haematobium</i> -infected children in rural Côte d'Ivoire. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 151, 339-346	3.5	17
106	Coated blade spray: shifting the paradigm of direct sample introduction to MS. <i>Bioanalysis</i> , 2018 , 10, 257-271	2.1	27
105	Drug monitoring by volumetric absorptive microsampling: method development considerations to mitigate hematocrit effects. <i>Bioanalysis</i> , 2018 , 10, 241-255	2.1	14
104	Correction for the Hematocrit Bias in Dried Blood Spot Analysis Using a Nondestructive, Single-Wavelength Reflectance-Based Hematocrit Prediction Method. 2018 , 90, 1795-1804		32
103	Identification of potential sphingomyelin markers for the estimation of hematocrit in dried blood spots via a lipidomic strategy. <i>Analytica Chimica Acta</i> , 2018 , 1003, 34-41	6.6	12
102	Extractability-mediated stability bias and hematocrit impact: High extraction recovery is critical to feasibility of volumetric adsorptive microsampling (VAMS) in regulated bioanalysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 156, 58-66	3.5	47
101	Clinical application of microsampling versus conventional sampling techniques in the quantitative bioanalysis of antibiotics: a systematic review. <i>Bioanalysis</i> , 2018 , 10, 407-423	2.1	20

100	Quantitation of salbutamol using micro-volume blood sampling - applications to exacerbations of pediatric asthma. 2018 , 55, 1205-1213		6
99	Investigation of the effect of blood hematocrit and lipid content on the blood volume deposited by a disposable dried blood spot collection device. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 149, 419-424	3.5	24
98	The effect of hematocrit on solid-phase microextraction. <i>Analytica Chimica Acta</i> , 2018 , 1001, 40-50	6.6	13
97	Volumetric absorptive microsampling: Current advances and applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 288-296	3.5	89
96	Prediction of haematocrit in dried blood spots from the measurement of haemoglobin using commercially available sodium lauryl sulphate. 2018 , 55, 363-367		15
95	Evaluation of the Mitra microsampling device for use with key urinary metabolites in patients with Alkaptonuria. <i>Bioanalysis</i> , 2018 , 10, 1919-1932	2.1	11
94	Measurement of Cortisol and Testosterone in Athletes: Accuracy of Liquid Chromatography-Tandem Mass Spectrometry Assays for Cortisol and Testosterone Measurement in Whole-Blood Microspecimens. 2018 , 32, 2425-2434		1
93	Investigation of dried blood sampling with liquid chromatography tandem mass spectrometry to confirm human exposure to nerve agents. <i>Analytica Chimica Acta</i> , 2018 , 1033, 100-107	6.6	6
92	Development of a hematocrit-insensitive device to collect accurate volumes of dried blood spots without specialized skills for measuring clozapine and its metabolites as model analytes. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1087-1088, 70-79	3.2	15
91	Volumetric absorptive MicroSampling vs. other blood sampling materials in LC-MS-based protein analysis - preliminary investigations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 156, 239-246	2.5	14
90	Volumetric absorptive microsampling (VAMS) coupled with high-resolution, accurate-mass (HRAM) mass spectrometry as a simplified alternative to dried blood spot (DBS) analysis for therapeutic drug monitoring of cardiovascular drugs. 2018 , 10, 1-8		11
89	Novel and rapid LC-MS/MS method for quantitative analysis of methylphenidate in dried blood spots. <i>Bioanalysis</i> , 2018 , 10, 839-850	2.1	9
88	Capillary blood microsampling to determine serum biopharmaceutical concentration: Mitra micro sampler vs dried blood spot. <i>Bioanalysis</i> , 2018 , 10, 815-823	2.1	30
87	Application of a Volumetric Absorptive Microsampling Device to a Pharmacokinetic Study of Tacrolimus in Rats: Comparison with Wet Blood and Plasma. 2019 , 44, 91-102		14
86	Microsampling: considerations for its use in pharmaceutical drug discovery and development. <i>Bioanalysis</i> , 2019 , 11, 1015-1038	2.1	26
85	Application of volumetric absorptive microsampling (VAMS) to measure multidimensional anti-influenza IgG antibodies by the mPlex-Flu assay. 2019 , 3, 332-343		13
84	Microsampling for quantitative bioanalysis, an industry update: output from an AAPS/EBF survey. <i>Bioanalysis</i> , 2019 , 11, 619-628	2.1	16
83	Dried blood samples can support monitoring of infliximab concentrations in patients with inflammatory bowel disease: A clinical validation. 2019 , 85, 1544-1551		18

82	A practical workflow for capillary microsampling in nonclinical studies. <i>Bioanalysis</i> , 2019 ,	2.1	3
81	Volumetric Absorptive Microsampling: A New Sampling Tool for Therapeutic Drug Monitoring of Antiepileptic Drugs. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 681-692	3.2	17
80	Official International Association for Therapeutic Drug Monitoring and Clinical Toxicology Guideline: Development and Validation of Dried Blood Spot-Based Methods for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 409-430	3.2	91
79	Tutorial: Volumetric absorptive microsampling (VAMS). <i>Analytica Chimica Acta</i> , 2019 , 1046, 32-47	6.6	64
78	Simultaneous determination of vancomycin and creatinine in plasma applied to volumetric absorptive microsampling devices using liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 165, 315-324	3.5	14
77	LC-MS application for therapeutic drug monitoring in alternative matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 166, 40-51	3.5	47
76	Volumetric absorptive microsampling as an alternative sampling strategy for the determination of paracetamol in blood and cerebrospinal fluid. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 181-191	4.4	12
75	Is the hematocrit still an issue in quantitative dried blood spot analysis?. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 163, 188-196	3.5	90
74	Performance of laboratory tests used to measure blood phenylalanine for the monitoring of patients with phenylketonuria. 2020 , 43, 179-188		11
73	Development, validation and application of an inductively coupled plasma - mass spectrometry method to determine cobalt in metal-on-metal prosthesis patients using volumetric absorptive microsampling. 2020 , 208, 120055		12
72	Emerging trends in paper spray mass spectrometry: Microsampling, storage, direct analysis, and applications. 2020 , 39, 336-370		40
71	Effect of blood volume on analytical bias in dried blood spots prepared for newborn screening external quality assurance. <i>Bioanalysis</i> , 2020 , 12, 99-109	2.1	5
70	Development and validation of volumetric absorptive microsampling coupled with UHPLC-MS/MS for the analysis of gamma-hydroxybutyric acid in human blood. 2020 , 34, e4781		3
69	Monitoring of Adalimumab Concentrations at Home in Patients with Inflammatory Bowel Disease Using Dried Blood Samples. <i>Therapeutic Drug Monitoring</i> , 2020 , 42, 289-294	3.2	7
68	Volumetric Absorptive Microsampling (VAMS) technology for IGF-1 quantification by automated chemiluminescent immunoassay in dried blood. 2020 , 50, 27-34		6
67	Development and validation of a volumetric absorptive microsampling- liquid chromatography mass spectrometry method for the analysis of cefepime in human whole blood: Application to pediatric pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 179, 113002	3.5	6
66	Novel LC-MS/MS method for the determination of selumetinib (AZD6244) in whole blood collected with volumetric absorptive microsampling. <i>Bioanalysis</i> , 2020 , 12, 883-892	2.1	
65	. 2020 ,		1

64	Bioanalysis of biological matrix samples using liquid chromatography tandem mass spectrometry detection. 2020 , 641-659		0
63	Hematocrit prediction in volumetric absorptive microsamples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 190, 113491	3.5	7
62	Cannabidiol Determination on Peripheral Capillary Blood Using a Microsampling Method and Ultra-High-Performance Liquid Chromatography Tandem Mass Spectrometry with On-Line Sample Preparation. 2020 , 25,		6
61	Multiplex Analysis of 230 Medications and 30 Illicit Compounds in Dried Blood Spots and Urine. 2021 , 45, 581-592		1
60	On-chip estimation of hematocrit level for diagnosing anemic conditions by Impedimetric techniques. 2020 , 22, 38		4
59	Volumetric Microsampling of Capillary Blood Spot vs Whole Blood Sampling for Therapeutic Drug Monitoring of Tacrolimus and Cyclosporin A: Accuracy and Patient Satisfaction. 2020 , 5, 516-530		7
58	Use of Dried Blood Spot Specimens to Monitor Patients with Inherited Metabolic Disorders. 2020 , 6, 26		16
57	Quantification of testosterone, androstenedione and 17-hydroxyprogesterone in whole blood collected using Mitra microsampling devices. 2020 , 57, 351-359		1
56	Use of capillary dried blood for quantification of intact IGF-I by LC-HRMS for antidoping analysis. <i>Bioanalysis</i> , 2020 , 12, 737-752	2.1	9
55	Fluispotter, a novel automated and wearable device for accurate volume serial dried blood spot sampling. <i>Bioanalysis</i> , 2020 , 12, 665-681	2.1	3
54	Sample Collection, Transport, and Storage. 2020 , 23-51		1
53	Investigation on the Effect of Capillary Microsampling on Hematologic and Toxicokinetic Evaluation in Regulatory Safety Studies in Mice. <i>AAPS Journal</i> , 2020 , 22, 55	3.7	1
52	Opportunities and obstacles for microsampling techniques in bioanalysis: Special focus on DBS and VAMS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 182, 113102	3.5	23
51	Evaluation of correlation between bioanalytical methods. <i>Bioanalysis</i> , 2020 , 12, 419-426	2.1	4
50	Selection of a surrogate matrix for the quantification of an endogenous analyte in dried whole blood. <i>Bioanalysis</i> , 2020 , 12, 409-418	2.1	2
49	A review of recent advances in microsampling techniques of biological fluids for therapeutic drug monitoring. <i>Journal of Chromatography A</i> , 2021 , 1635, 461731	4.5	12
48	Alternative Sampling Devices to Collect Dried Blood Microsamples: State-of-the-Art. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 310-321	3.2	8
47	Volumetric absorptive microsampling (VAMS) in therapeutic protein quantification by LC-MS/MS: Investigation of anticoagulant impact on assay performance and recommendations for best practices in method development. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 196, 113895	3.5	2

46	Microsampling Devices for Routine Therapeutic Drug Monitoring-Are We There Yet?. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 322-334	3.2	2
45	Pharmacokinetic and Pharmacodynamic Considerations in Relation to Calcineurin Usage in Elderly Kidney Transplant Recipients. <i>Frontiers in Pharmacology</i> , 2021 , 12, 635165	5.6	2
44	Therapeutic Drug Monitoring of Lamotrigine, Lacosamide, and Levetiracetam in Dried Capillary Blood-Determination of Conversion Factors for Serum-Based Reference Ranges. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 394-400	3.2	1
43	Analysis of tamoxifen and its metabolites in dried blood spot and volumetric absorptive microsampling: comparison and clinical application. <i>Heliyon</i> , 2021 , 7, e07275	3.6	0
42	Therapeutic Drug Monitoring of Antiseizure Medications Using Volumetric Absorptive Microsampling: Where Are We?. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
41	Volumetric Absorptive Microsampling as a New Biosampling Tool for Monitoring of Tamoxifen, Endoxifen, 4-OH Tamoxifen and N-Desmethyiltamoxifen in Breast Cancer Patients. <i>Drug Design, Development and Therapy</i> , 2021 , 15, 2417-2430	4.4	0
40	Antibody Mediated Immunity to SARS-CoV-2 and Human Coronaviruses: Multiplex Beads Assay and Volumetric Absorptive Microsampling to Generate Immune Repertoire Cartography. <i>Frontiers in Immunology</i> , 2021 , 12, 696370	8.4	4
39	Volumetric absorptive microsampling: its use in COVID-19 research and testing. <i>Bioanalysis</i> , 2021 , 13, 1851-1863	2.1	1
38	Development, validation, and application of a quantitative volumetric absorptive microsampling-based method in finger prick blood by means of LC-HRMS/MS applicable for adherence monitoring of antipsychotics. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 1729-1737	4.4	6
37	Quantitation of Tacrolimus in Human Whole Blood Samples Using the MITRA Microsampling Device. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 364-370	3.2	3
36	Development and Validation of Hematocrit Level Measurement in Dried Blood Spots Using Near-Infrared Spectroscopy. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 351-357	3.2	3
35	Volumetric absorptive microsampling and dried blood spot microsampling vs. conventional venous sampling for tacrolimus trough concentration monitoring. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 1687-1695	5.9	11
34	Volumetric Absorptive Microsampling as a Sampling Alternative in Clinical Trials and Therapeutic Drug Monitoring During the COVID-19 Pandemic: A Review. <i>Drug Design, Development and Therapy</i> , 2020 , 14, 5757-5771	4.4	9
33	A Volumetric Absorptive Microsampling Technique to Monitor Cannabidiol Levels in Epilepsy Patients. <i>Frontiers in Pharmacology</i> , 2020 , 11, 582286	5.6	2
32	Kidney transplant recipient's perceptions of blood testing through microsampling and venepuncture. <i>Bioanalysis</i> , 2020 , 12, 873-881	2.1	4
31	A whole blood microsampling assay for vancomycin: development, validation and application for pediatric clinical study. <i>Bioanalysis</i> , 2020 , 12, 1295-1310	2.1	3
30	Precise sample metering method by coordinated burst action of hydrophobic burst valves applied to dried blood spot collection. <i>Lab on A Chip</i> , 2021 , 21, 4445-4454	7.2	1
29	Evaluation and analytical applicability of a novel volumetric absorptive microsampling strategy for adherence monitoring of antihypertensive drugs by means of LC-HRMS/MS. <i>Analytica Chimica Acta</i> , 2021 , 1187, 339137	6.6	0

28	Application of Volumetric Absorptive Micro Sampling to Measure Multidimensional Anti-Influenza Hemagglutinin Igg Antibodies by MPlex-Flu Assay.		
27	Infliximab Level Between Venous and Capillary Blood Using Novel Device Strongly Correlate in Paediatric Inflammatory Bowel Disease Patients. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021 , 72, 56-60	2.8	1
26	Volumetric absorptive microsampling as a suitable tool to monitor tyrosine kinase inhibitors. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 207, 114418	3.5	3
25	Measurement of 5- fluorouracil, capecitabine and its metabolite concentrations in blood using volumetric absorptive microsampling technology and LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1188, 123075	3.2	0
24	A Joint Technology Combining the Advantages of Capillary Microsampling with Mass Spectrometry Applied to the Trans-Resveratrol Pharmacokinetic Study in Mice.. <i>Journal of Analytical Methods in Chemistry</i> , 2022 , 2022, 5952436	2	0
23	Methodological aspects of dried blood spot sampling for the determination of isoprostanoids and prostanoids. <i>Microchemical Journal</i> , 2022 , 175, 107212	4.8	0
22	Mercury biomonitoring in German adults using volumetric absorptive microsampling.. <i>Environmental Monitoring and Assessment</i> , 2022 , 194, 315	3.1	1
21	Promising Tools to Facilitate the Implementation of TDM of Biologics in Clinical Practice. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3011	5.1	0
20	Next generation VAMS□ Trypsin immobilization for instant proteolysis in bottom-up protein determination. <i>Advances in Sample Preparation</i> , 2022 , 3, 100027		
19	Use of Antibiotics in Preterm Newborns. 2022 , 11, 1142		1
18	A whole blood microsampling furosemide assay: development, validation and use in a pediatric pharmacokinetic study. 2022 , 14, 1025-1038		0
17	Finger-prick microsampling methods can replace venepuncture for simultaneous therapeutic drug monitoring of tacrolimus, mycophenolic acid, and prednisolone concentrations in adult kidney transplant patients.. 2022 , Publish Ahead of Print,		0
16	Development and Validation of an Efficient and Highly Sensitive ELISA for Alemtuzumab Quantification in Human Serum and Plasma. 2022 , Publish Ahead of Print,		0
15	Application of a new volumetric microsampling device for quantitative bioanalysis of immunosuppression.		0
14	Closing the gap □development of an analytical methodology using volumetric absorptive microsampling of finger prick blood followed by LC-HRMS/MS for adherence monitoring of antihypertensive drugs.		0
13	Development of the dried blood spot preparation protocol for comprehensive evaluation of the hematocrit effect. 2023 , 1239, 340650		0
12	Therapeutic Drug Monitoring of Tacrolimus Based on Volumetric Absorptive Microsampling Technique (VAMS) in Renal Transplant Pediatric Recipients□LC-MS/MS Method Development, Hematocrit Effect Evaluation, and Clinical Application. 2023 , 15, 299		0
11	A Validated UHPLC□MS/MS Method to Quantify Eight Antibiotics in Quantitative Dried Blood Spots in Support of Pharmacokinetic Studies in Neonates. 2023 , 12, 199		0

- 10 Microsampling tools for collecting, processing, and storing blood at the point-of-care. ○
- 9 Fast and Sensitive Analysis of Cefiderocol in Human Plasma Microsamples by Liquid Chromatography-Isotope Dilution Tandem Mass Spectrometry for Therapeutic Drug Monitoring. **2023**, 12, 213 ○
- 8 Simultaneous online SPE-HPLC-MS/MS quantification of gefitinib, osimertinib and icotinib in dried plasma spots: Application to therapeutic drug monitoring in patients with non-small cell lung cancer. **2023**, 115275 ○
- 7 VAMS-Based Blood Capillary Sampling for Mass Spectrometry-Based Human Metabolomics Studies. **2023**, 13, 146 ○
- 6 Validation and application of volumetric absorptive microsampling (VAMS) dried blood method for phenylalanine measurement in patients with phenylketonuria. **2023**, 116, 65-74 ○
- 5 Serum Creatinine and Tacrolimus Assessment With VAMS Finger-Prick Microsampling: A Diagnostic Test Study. **2023**, 5, 100610 ○
- 4 Clinical validation and assessment of feasibility of volumetric absorptive microsampling (VAMS) for monitoring of nilotinib, cabozantinib, dabrafenib, trametinib, and ruxolitinib. **2023**, 228, 115311 ○
- 3 Method development for the quantification of lead levels in whole blood sampled on Mitra[®] with VAMS[®] tips by inductively coupled plasma-MS/MS. **2023**, 15, 71-81 ○
- 2 Applications of Volumetric Absorptive Microsampling Technique: A Systematic Critical Review. **2023**, Publish Ahead of Print, ○
- 1 Volumetric Absorptive Microsampling Technique in the LC-MS Determination of Direct Oral Anticoagulants. **2023**, 23, 23-31 ○